

Yellow

APR 23 1984

Florida Power and Light Company  
ATTN: Mr. J. W. Williams, Jr.  
Vice President, Nuclear  
Energy Department  
P. O. Box 14000  
Juno Beach, FL 33408

Gentlemen:

SUBJECT: REPORT NOS. 50-335/84-09 AND 50-389/84-12

On March 19 - 23, 1984, NRC inspected activities authorized by NRC Operating License Nos. DPR-67 and NPF-16 for your St. Lucie facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed inspection report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress.

The inspection findings indicate that certain activities violated NRC requirements. The violations, references to pertinent requirements, and elements to be included in your response are presented in the enclosed Notice of Violation.

In accordance with 10 CFR 2.790(a), a copy of this letter, its enclosures, and your reply will be placed in NRC's Public Document Room upon completion of our evaluation of the reply. If you wish to withhold information contained therein, please notify this office by telephone and include a written application to withhold information in your response. Such application must be consistent with the requirements of 2.790(b)(1).

The responses directed by this letter and the enclosures are not subject to the clearance procedures of the Office of Management and Budget issued under the Paperwork Reduction Act of 1980, PL 96-511.

Should you have any questions concerning this letter, please contact us.

Sincerely,

(Original signed by DMVerrelli)

Richard C. Lewis, Director  
Division of Project and  
Resident Programs

Enclosures: (See page 2)

8407090006 840615  
PDR ADDCK 05000335  
Q PDR

APR 23 1984

Enclosures:

- 1. Notice of Violation
- 2. Inspection Report Nos. 50-335/84-09  
and 50-389/84-12

cc w/encls:

- C. M. Wethy, Plant Manager
- N. Weems, Site QA Superintendent

bcc w/encls:

- Document Control Desk
- State of Florida
- NRC Resident Inspector

RII  
*LET for*  
 GABelisle:es  
 4/18/84

RII  
*CMU*  
 CMUpright  
 4/18/84

RII  
*AR*  
 ARHerdt  
 4/19/84

RII  
*JA*  
 JAOlshinski  
 4/18/84

RII  
*HCD*  
 HCDance  
 4/19/84