



Federal Emergency Management Agency

Washington, D.C. 20472

AUG 25 1995

Mr. Dennis M. Crutchfield, Director
 Division of Reactor Program Management
 Office of Nuclear Reactor Regulation
 U.S. Nuclear Regulatory Commission
 Washington, D.C. 20555

Dear Mr. Crutchfield:

Enclosed is a copy of the final exercise report for the September 20, 1994, plume exposure pathway exercise of the offsite radiological emergency response plans site-specific to the Enrico Fermi II Nuclear Power Station. The State of Michigan partially participated and Monroe and Wayne Counties fully participated in this exercise. The Detroit Edison Company also participated. The final exercise report was prepared by the Federal Emergency Management Agency (FEMA) Region V staff. A copy of this report will be provided to the State of Michigan by the FEMA Region V staff.

There were no Deficiencies identified during the September 20, 1994, exercise. There were, however, 18 Areas Requiring Corrective Action identified. FEMA Region V staff will monitor the status of corrective actions.

Based on the results of the September 20, 1994, exercise, the offsite radiological emergency response plans and preparedness for the State of Michigan and the affected local jurisdictions, site-specific to the Enrico Fermi II Nuclear Power Station, can be implemented and are adequate to provide reasonable assurance that appropriate measures can be taken offsite to protect the health and safety of the public in the event of a radiological emergency at the site. Therefore, the Title 44 CFR, Part 350, approval of the offsite radiological emergency response plans and preparedness for the State of Michigan site-specific to the Enrico Fermi II Nuclear Power Station, granted on March 9, 1987, will remain in effect.

If you should have any questions, please contact Dr. Anne Marie T. SuPrise, Chief, State and Local Regulatory Evaluation and Assessment Branch, at (202) 646-4065.

Sincerely,

O. Megs Hepler, III

O. Megs Hepler, III
 Director

Exercises Division
 Preparedness, Training, and
 Exercises Directorate

9510110314 951002
 PDR ADOCK 05000341
 F PDR

Enclosure