Mr. G. A. Kuehn, Vice President Saxton Nuclear Experimental Corporation 2574 Interstate Drive Harrisburg, PA 17110

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION (TAC NO. M92457)

Dear Mr. Kuehn:

We are continuing our review of your amendment request for Facility License No. DPR-4 for the Saxton Nuclear Experimental Corporation Facility which you submitted on June 6, 1995, as supplemented on June 23, 1995, and August 11, 1995. During our review of your amendment request, questions have arisen for which we require additional information and clarification. Please provide responses to the enclosed request for additional information within 60 days of the date of this letter. In accordance with 10 CFR 50.30(b), your response must be executed in a signed original under oath or affirmation. Following receipt of the additional information, we will continue our evaluation of your amendment request.

This requirement affects nine or fewer respondents and, therefore, is not subject to Office of Management and Budget review under P. L. 96-511.

If you have any questions regarding this review, please contact me at (301) 415-1127.

> Sincerely, Original signed by:

Alexander Adams, Jr., Senior Project Manager Non-Power Reactors and Decommissioning Project Directorate Division of Reactor Program Management Office of Nuclear Reactor Regulation

Docket No. 50-146

Enclosure: As stated

POND: CA

cc w/enclosure: See next page

Distribution: Docket File 50-146 PUBLIC PDND r/f DCrutchfield

> POND: PM AAdams

BGrimes EHylton AAdams OGC

SWeiss Region I

TDragoun, Region I

EHVILON /28/95 OFFICIAL RECORD COPY

OGC 5 How 10/4/95

SWeiss 10/5795

DOCUMENT NAME: G:\SECY\ADAMS\146RAI2.13

100062 510110345 951005 DR ADOCK 05000146 NRG FILE CENTER CO



UNITED STATES NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

October 5, 1995

Mr. G. A. Kuehn, Vice President Saxton Nuclear Experimental Corporation 2574 Interstate Drive Harrisburg, PA 17110

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION (TAC NO. M92457)

Dear Mr. Kuehn:

We are continuing our review of your amendment request for Facility License No. DPR-4 for the Saxton Nuclear Experimental Corporation Facility which you submitted on June 6, 1995, as supplemented on June 23, 1995, and August 11, 1995. During our review of your amendment request, questions have arisen for which we require additional information and clarification. Please provide responses to the enclosed request for additional information within 60 days of the date of this letter. In accordance with 10 CFR 50.30(b), your response must be executed in a signed original under oath or affirmation. Following receipt of the additional information, we will continue our evaluation of your amendment request.

This requirement affects nine or fewer respondents and, therefore, is not subject to Office of Management and Budget review under P. L. 96-511.

If you have any questions regarding this review, please contact me at (301) 415-1127.

Sincerely,

Alexander Adams, Jr., Semior Project Manager

Non-Power Reactors and Decommissioning

alexander Delans

Project Directorate

Division of Reactor Program Management Office of Nuclear Reactor Regulation

Docket No. 50-146

Enclosure: As stated

cc w/enclosure: See next page Saxton Nuclear Experimental Corporation

cc:

Pennsylvania Department of Environmental Resources Bureau of Radiation Protection ATTN: Margaret A. Reilly P. O. Box 2063 Harrisburg, Pennsylvania 17120

Mr. Jim Tyderan 1402 Wall Stree Saxton, Pennsylvania 16678

Mr. James H. Elder, Chairman Concerned Citizens for SNEC Safety Wall Street Ext. Saxton, Pennsylvania 16678

Mr. Ernest Fuller R. D. #1 Six Mile Run, Pennsylvania 16679

Saxton Borough Council ATTN: Peggy Whited, Secretary 9th and Spring Streets Saxton, Pennsylvania 16678

Mr. Joseph Clapper, Chairman Bedford County Commissioners County Court House 203 South Juliana Street Bedford, Pennsylvania 15522

Mr. Larry Sather, Chairman Huntingdon County Commissioners County Court House Huntingdon, Pennsylvania 16652

Saxton Community Library 911 Church Street Saxton, Pennsylvania 16678

Dr. Robert L. Long, Executive Vice President Saxton Nuclear Experimental Corporation 2574 Interstate Drive Harrisburg, Pennsylvania 17110

Mr. Jack Wetmore, Manager
TMI Regulatory Affairs
GPU Nuclear Corporation
P.O. Box 480
Middletown, Pennsylvania 17057

Carbon Township Supervisors ATTN: Penny Brode, Secretary R. D. #1, Box 222-C Saxton, Pennsylvania 16678

Hopewell Township Supervisors ATTN: Sally Giornesto, Secretary 511 Tenth Street Saxton, Pennsylvania 16678

Mr. D. Bud McIntyre, Chairman Broad Top Township Supervisors Broad Top Municipal Building Defiance, Pennsylvania 16633

Pennsylvania Department of Environmental Resources Bureau of Water Quality Control ATTN: James Flesher One Ararat Boulevard Harrisburg, Pennsylvania 17110

Mr. Don Weaver, Chairman Liberty Township Supervisors R. D. #1 Saxton, Pennsylvania 16678

U.S. Army Corps of Engineers Baltimore District ATTN: S. Snarski/P. Juhle P. O. Box 1715 Baltimore, Maryland 21203

The Honorable Robert C. Jubelirer President Pro-Temp Senate of Pennsylvania 30th District State Capitol Harrisburg, Pennsylvania 17120

Mr. William G. Heysek Licensing Department TMI Nuclear Station P. O. Box 480 Middletown, Pennsylvania 17057

REQUEST FOR ADDITIONAL INFORMATION SAXTON NUCLEAR EXPERIMENTAL CORPORATION

DOCKET NO. 50-146

- 1. Your proposed organizational chart in the Technical Specifications (TSs) shows the President of General Public Utilities Nuclear Corporation (GPUNC) to be directly in the organizational line between the President of the Saxton Nuclear Experimental Corporation (SNEC) and the balance of the Saxton organization. Your proposed TS B.1.a.2. states that the President of GPUNC provides full-time dedicated management for the purpose of conducting all nuclear activities safety and effectively. On August 11, 1995, you submitted, in response to our request for additional information, a copy of the agreement which describes and governs the relationship between SNEC and GPUNC. From our review of that document, it appears that GPUNC is a contractor of SNEC. The proposed organizational chart does not appear to show this relationship between SNEC and GPUNC. Please amend the organizational chart to clearly show the relationship between the two companies or provide further justification as to why a contractor appears in the direct line management of the SNEC. The responsibilities given to the GPUNC President in TS B.1.a.2. appear to be the basic responsibilities of the licensee. Please amend your proposed TSs to show that the licensee has the responsibility for conducting all nuclear activities safely and effectively or provide additional justification why this responsibility should be given to a contractor.
- You have proposed changing titles referred to in the SNEC TS. The SNEC Vice President and General Manager would become the Vice President SNEC Programs/Program Director SNEF. A new position of Executive Vice President SNEC and Vice President Nuclear Services Division is added to the TS. It is not clear from your proposed organizational chart and proposed TS wording who represents the licensee and who represents the contractor. For example, it is not clear if the Vice President SNEC Programs/Program Director SNEF, SNEC Radiation Safety Officer, Group Radiological Controls Supervisor (GRCS), and SNEF Site Supervisor are licensee positions or positions within GPUNC. Please clarify all positions discussed in the TSs and on the organizational chart as to whether they are licensee or contractor positions. Your current TS organizational chart is an example where the distinction between the licensee and the contractor is clear. Your application states that these changes are administrative in nature. If these are GPUNC positions, please explain how changing from licensee positions to GPUNC positions are administrative changes.
- Your proposed TS B.1.a. refers to division and corporate activities and corporate policies. Are these SNEC activities and policies? If not, please clarify.

- 4. Your proposed TS B.2.a.1. states that the Saxton Radiation Safety Committee shall report to and be appointed by the President of GPUNC. Your justification for this proposed change is that the President GPUNC is the individual responsible for providing full-time dedicated management for the purpose of conducting all nuclear activities safety and effectively. As discussed in question one, the agreement between SNEC and GPUNC appears to indicate that GPUNC is a contractor of SNEC. The responsibilities given to the GPUNC President in TS B.2.a.1. appear to be the basic responsibilities of the licensee. Please amend your proposed TSs to show that the licensee has the responsibility for appointment and reporting of the Radiation Safety Committee or provide additional justification why this responsibility should be given to a contractor.
- 5. In your proposed organizational chart the Executive Vice President SNEC and Vice President Nuclear Services Division reports to the line between the President SNEC and President GPUNC. Please clarify to whom this position reports.