



UNITED STATES  
NUCLEAR REGULATORY COMMISSION RELATED CORRESPONDENCE  
WASHINGTON, D. C. 20555

July 12, 1984

DOCKETED  
USNRC

'84 JUL 18 11:28

James L. Kelley, Chairman  
Administrative Judge  
Atomic Safety and Licensing Board  
U.S. Nuclear Regulatory Commission  
Washington, D. C. 20555

Dr. Paul W. Purdom  
Administrative Judge  
235 Columbia Drive  
Decatur, GA 30030

Dr. Richard F. Foster  
Administrative Judge  
P.O. Box 4263  
Sunriver, Oregon 97702

Morton B. Margulies, Chairman  
Administrative Judge  
Atomic Safety and Licensing Board  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

Dr. Frank F. Hooper  
Administrative Judge  
University of Michigan  
School of Natural Resources  
Ann Arbor, MI 48109

Dr. Robert M. Lazo  
Administrative Judge  
Atomic Safety and Licensing Board  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

In the Matter of  
DUKE POWER COMPANY, ET AL.  
(Catawba Nuclear Station, Units 1 and 2)  
Docket Nos. 50-413 and 50-414 / *al*

Dear Administrative Judges:

I have recently received Supplement 2 to NUREG-0954, the Staff's Safety Evaluation Report for Catawba Nuclear Station, Unit 1 and 2, issued June 1984. I have also recently received from Duke Power Company a copy of an application for an NRC special nuclear materials license for Catawba's Unit 2. The application seeks authority to receive, possess, inspect, and store new fuel assemblies and fission chambers; to receive, possess, inspect, use and store a sealed neutron source; and to package fuel assemblies for delivery to a carrier. Similar authority to conduct such activities for Unit 1 has already been granted. The pertinent application and license were previously transmitted to the then sitting Licensing Board in December 1983 and January 1984, respectively. All of these documents have been supplied to the Intervenors.

8407180290 840712  
PDR ADOCK 05000413  
PDR  
G

*DSO*

I am therefore enclosing for your information copies of Supplement 2 to the Catawba SER as well as the described materials license application for Unit 2. (For logistical reasons, several diagrams in the application have been reduced.)

Sincerely,

George E. Johnson  
Counsel for NRC Staff

Enclosures: As stated

cc w/o enclosures: Service list