

DmB

OCT 24 1984

In Reply Refer To:
Docket: 50-267

Public Service Company of Colorado
ATTN: O. R. Lee, Vice President
Electric Production
P.O. Box 840
Denver, Colorado 80201

Dear Mr. Lee:

We have reviewed your July 2, 1984, letter related to noble gas monitoring in accordance with NUREG-0737, Item II.F.1.1. We have concluded that the concept of dilution of the effluent air stream as it enters the existing radiation monitor is a practical approach provided the design basis is comparable to that required of the monitor (i.e., power supply, calibration, and display).

In order to ensure that continued progress is being made to provide an acceptable system prior to the end of the fourth refueling outage, we request that you provide a schedule for the design and implementation of your proposed system within 30 days of your receipt of this letter. The committed to schedule should provide for submitting the details of the design being proposed, sufficiently in advance of implementation to allow NRC comment. This schedule should be submitted in accordance with the provisions of 10 CFR 50.54(f).

Since this report requirement relates solely to the Fort St. Vrain Station, OMB clearance is not required under PL 96-511.

If you have any questions on this subject, please contact the NRC Project Manager.

Sincerely,

Original Signed By
E. H. Johnson

E. H. Johnson, Chief
Reactor Project Branch 1

cc:
(cont. on next page)

SPES <i>ew</i>	SPES <i>Wagner</i>	RPB1 <i>SHO</i>
PCWagner/lk	REIreland	EHJohnson
10/23/84	10/23/84	10/24/84

8411060188 841024
PDR ADOCK 05000267
P PDR

H005
110

J. W. Gahm, Manager, Nuclear
Production Division
Fort St. Vrain Nuclear Station
P.O. Box 368
Platteville, Colorado 80651

L. Singleton, Manager, Quality
Assurance Division
(same address)

C. K. Millen, Senior Vice President
Public Service Company of Colorado
P. O. Box 840
Denver, Colorado 80201

Mr. David Alberstein, 14/159A
GA Technologies, Inc.
P. O. Box 85608
San Diego, CA 92138

Albert J. Hazle, Director
Radiation Control Division
Department of Health
4210 East 11th Avenue
Denver, Colorado 80220

Kelley, Stansfield & O'Donnell
Public Service Company Building
550 15th Street, Room 900
Denver, Colorado 80202

Chairman, Board of County Comm.
of Weld County, Colorado
Greeley, Colorado 80631

Regional Representative
Radiation Programs
Environmental Protection Agency
1860 Lincoln Street
Denver, Colorado 80203

Mr. H. L. Brey, Executive Staff
Assistant, Electric Production
Public Service Company of Colorado
P. O. Box 840
Denver, Colorado 80201

bcc distrib. by RIV:

RPB1	Resident Inspector
RPB2	Section Chief (SPES)
EP&RPB	P. Wagner, RPB1
E. Haycraft, RIV	D. Powers, RPB1
R. D. Martin, RA	DRSP
R. Fell, METB	W. Gammill, METB

D. Eisenhut, D/DL
G. Lainas, DL
J. Miller, ORB3
T. Colburn, ORB3
J. Taylor, IE
E. Jordan, IE