


Georgia Power Company
Route 2, Box 299A
Waynesboro, Georgia 30830
Telephone 404 554-9961, Ext. 3360
404 724-8114, Ext. 3360

D. O. Foster
Vice President and Project
General Manager
Vogtle Project

20 49:05



July 13, 1984

United States Nuclear Regulatory Commission
Office of Inspection and Enforcement
Region II - Suite 3100
101 Marietta Street
Atlanta, Georgia 30303

File: X7BG03-M65
Log: GN-388

Reference: Vogtle Electric Generating Plant-Units 1 and 2, 50-424, 50-425;
Pullman Construction Industries Duct Support Shop Welds

Attention: Mr. James P. O'Reilly

On June 14, 1984, Mr. R. E. Folker of Georgia Power Company reported a potentially significant deficiency to Mr. V. Panciera of the USNRC concerning the lack of full penetration welds on some HVAC duct supports.

While performing a modification to an installed duct support, a contractor discovered some partial penetration welds on tube-to-tube butt welds that should have been full penetration welds as specified in the shop detail drawing. The contractor submitted a deviation report to Georgia Power Company. Georgia Power Company NDE personnel performed ultrasonic tests on seven (7) duct supports of the same type that had not been installed, and found indications of partial welds on all specimens.

At this time, Georgia Power Company is performing additional NDE examinations to help determine the extent of this concern. This information will be used by the architect-engineer in the engineering evaluation for this subject. At this time, a final schedule for the resolution of this subject is being developed. Georgia Power Company will submit an interim report to the USNRC on or about August 29, 1984, that will furnish the expected completion date for this evaluation.

This response contains no proprietary information and may be placed in the NRC Public Document Room.

Yours truly,

D. O. Foster

REF/DOF/tdm

(See Page Two for Distribution)

8408090023 840713
PDR ADOCK 05000424
S PDR

OFFICIAL COPY

EE 27
1/0

Pullman Construction Industries
Duct Support Shop Welds
Page Two

xc: U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, D. C. 20555

R. J. Kelly
R. E. Conway
G. F. Head
W. T. Nickerson
D. N. MacLemore
D. E. Dutton
W. F. Sanders
R. H. Pinson
P. D. Rice
R. A. Thomas
J. A. Bailey
O. Batum
G. Bockhold
B. M. Guthrie
E. D. Groover
L. T. Gucwa
M. Malcom
H. H. Gregory
J. T. Beckham
J. L. Vota