

TABLE 4B

METEOROLOGICAL DATA - OCTOBER-DECEMBER, 1991

EXTREMELY UNSTABLE STABILITY CLASS A
 PERIOD OF RECORD: 10/ 1/91, 000-- 11/ 1/92, 000

WIND SPEED (M/S) AT 10-M LEVEL

	1-2	3-5	6-8	9-11	12-14	15-17	18	TOTAL	AVG SPEED
N	4.0	.3	.0	.0	.0	.0	.0	4.3	.1
NNE	3.3	.3	.0	.0	.0	.0	.0	4.0	.1
NE	1.7	.6	.0	.0	.0	.0	.0	2.3	.0
NNE	1.4	.3	.0	.0	.0	.0	.0	1.7	.0
ENE	4.3	.9	.0	.0	.0	.0	.0	5.2	.1
E	5.2	.3	.0	.0	.0	.0	.0	5.5	.1
ESE	2.3	4.0	.3	.0	.0	.0	.0	6.7	.2
SE	4.0	1.4	.0	.0	.0	.0	.0	5.5	.1
SSE	3.5	.5	.0	.0	.0	.0	.0	6.1	.1
S	4.5	.5	.0	.0	.0	.0	.0	5.2	.1
SSE	0.1	.2	.0	.0	.0	.0	.0	6.9	.1
SSE	0.9	.1	.0	.0	.0	.0	.0	7.2	.1
WSW	5.2	1.1	.0	.0	.0	.0	.0	6.4	.1
WNW	11.3	.3	.5	.0	.0	.0	.0	12.2	.3
NW	11.6	1.4	.0	.0	.0	.0	.0	13.0	.3
NNW	5.2	1.1	.0	.0	.0	.0	.0	5.4	.1
CALM	.5							.5	

TOTAL	34.0	14.5	1.4	.0	.0	.0	.0	100.0	.1

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 345 HOURS

9203050111 920131
 PDR ADDCK 05000416
 R PDR

TABLE 4B (Continued)

MODERATELY UNSTABLE STABILITY CLASS B
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 10-M LEVEL

		0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
	N	5.7	.0	.0	.0	.0	.0	.0	5.7	.1
	NNE	4.3	1.4	.0	.0	.0	.0	.0	5.7	.1
	NE	5.7	.0	.0	.0	.0	.0	.0	5.7	.1
	NNE	1.4	.0	.0	.0	.0	.0	.0	1.4	.0
	E	4.3	.0	.0	.0	.0	.0	.0	4.3	.1
	ESE	7.1	1.4	.0	.0	.0	.0	.0	8.5	.2
	E	13.7	1.4	.0	.0	.0	.0	.0	17.1	.3
	ESE	10.0	1.4	.0	.0	.0	.0	.0	11.4	.3
	E	7.1	.0	.0	.0	.0	.0	.0	7.1	.1
	ENE	4.3	.0	.0	.0	.0	.0	.0	4.3	.1
	E	8.5	.0	.0	.0	.0	.0	.0	8.5	.1
	ESE	1.4	1.4	.0	.0	.0	.0	.0	2.8	.1
	E	1.4	.0	.0	.0	.0	.0	.0	1.4	.0
	ENE	7.1	.0	.0	.0	.0	.0	.0	7.1	.1
	NE	2.0	1.4	.0	.0	.0	.0	.0	4.3	.1
	NNE	4.3	.0	.0	.0	.0	.0	.0	4.3	.1
	CALM	.0							.0	

	TOTAL	91.4	8.5	.0	.0	.0	.0	.0	100.0	.1

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 70 HOURS

TABLE 4B (Continued)

NEUTRAL STABILITY CLASS D
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 10-M LEVEL

		0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
	N	0.4	1.4	.4	.0	.0	.0	.0	10.2	.2
	NNW	3.7	.0	.0	.0	.0	.0	.0	5.7	.1
	NNE	6.6	.0	.0	.0	.0	.0	.0	6.6	.1
	ENE	6.1	.0	.0	.0	.0	.0	.0	6.3	.1
	E	2.3	.0	.0	.0	.0	.0	.0	2.5	.0
	ESE	3.3	.0	.0	.0	.0	.0	.0	3.4	.1
	SE	6.6	3.9	.0	.0	.0	.0	.0	10.4	.3
	SSE	3.2	1.6	.0	.0	.0	.0	.0	6.3	.1
	S	3.3	.0	.0	.0	.0	.0	.0	3.2	.0
	SSW	4.3	.0	.0	.0	.0	.0	.0	4.5	.1
	WSW	2.5	.0	.0	.0	.0	.0	.0	2.5	.0
	W	1.6	.0	.0	.0	.0	.0	.0	1.6	.0
	WNW	5.7	.4	.0	.0	.0	.0	.0	5.7	.1
	W	3.6	.2	.0	.0	.0	.0	.0	3.8	.1
	NW	7.5	1.1	.4	.0	.0	.0	.0	9.1	.2
	NNW	9.1	3.8	1.4	.0	.0	.0	.0	14.3	.4
	CALM	3.4							3.4	
TOTAL		84.8	12.9	2.3	.0	.0	.0	.0	100.0	.1

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 441 HOURS

TABLE 4B (Continued)

SLIGHTLY STABLE STABILITY CLASS E
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 10-M LEVEL.

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	5.0	.0	.0	.0	.0	.0	.0	9.1	.1
NNE	5.6	.0	.0	.0	.0	.0	.0	5.6	.1
NE	7.7	.0	.0	.0	.0	.0	.0	7.7	.1
ENE	6.9	.0	.0	.0	.0	.0	.0	6.9	.1
E	5.9	.0	.0	.0	.0	.0	.0	6.6	.1
ESE	5.6	.0	.0	.0	.0	.0	.0	5.6	.1
SSE	7.4	1.1	.0	.0	.0	.0	.0	9.6	.1
S	6.5	1.1	.0	.0	.0	.0	.0	8.1	.2
SSE	2.7	.4	.0	.0	.0	.0	.0	3.1	.1
SSW	2.3	.0	.0	.0	.0	.0	.0	2.8	.0
SW	2.7	.0	.0	.0	.0	.0	.0	2.7	.0
WSW	1.4	.0	.0	.0	.0	.0	.0	1.4	.0
W	2.0	.0	.0	.0	.0	.0	.0	2.0	.0
WNW	2.0	.1	.0	.0	.0	.0	.0	2.7	.0
NW	6.0	.1	.0	.0	.0	.0	.0	4.5	.1
NNW	11.4	.5	.0	.0	.0	.0	.0	11.9	.2
CALC	10.7							10.7	

TOTAL	95.3	4.5	.0	.0	.0	.0	.0	100.0	.1

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 712 HOURS

TABLE 4B (Continued)

MODERATELY STABLE STABILITY CLASS F
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 10-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	4.2	.0	.0	.0	.0	.0	.0	4.2	.0
NNE	10.5	.0	.0	.0	.0	.0	.0	10.5	.1
NE	9.7	.0	.0	.0	.0	.0	.0	9.7	.1
NNE	11.3	.0	.0	.0	.0	.0	.0	11.3	.1
D	3.4	.0	.0	.0	.0	.0	.0	3.4	.1
R	4.3	.0	.0	.0	.0	.0	.0	4.3	.0
R	5.1	.0	.0	.0	.0	.0	.0	5.1	.1
S	1.3	.0	.0	.0	.0	.0	.0	1.3	.0
S	2.1	.0	.0	.0	.0	.0	.0	2.1	.0
T	.0	.0	.0	.0	.0	.0	.0	.0	.0
I	.4	.0	.0	.0	.0	.0	.0	.4	.0
O	.4	.0	.0	.0	.0	.0	.0	.4	.0
N	.4	.0	.0	.0	.0	.0	.0	.4	.0
WNW	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nw	1.7	.0	.0	.0	.0	.0	.0	1.7	.0
NNW	.8	.0	.0	.0	.0	.0	.0	.8	.0
CALM	37.6							37.6	

TOTAL	100.0	.0	.0	.0	.0	.0	.0	100.0	.1

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 237 HOURS

TABLE 4B (Continued)

EXTREMELY UNSTABLE STABILITY CLASS A
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	2.3	3.3	.3	.0	.0	.0	.0	6.7	.3
NNE	.6	1.4	.3	.0	.0	.0	.0	2.3	.1
NE	1.1	1.7	.0	.0	.0	.0	.0	2.9	.1
NNE	.3	.0	.0	.0	.0	.0	.0	.3	.0
E	1.1	1.1	.3	.0	.0	.0	.0	2.6	.1
ESE	4.0	3.3	.0	.0	.0	.0	.0	8.1	.3
ESE	2.9	7.5	2.6	.0	.0	.0	.0	13.0	.6
ESE	3.0	1.7	1.1	.0	.0	.0	.0	6.7	.2
SSE	2.0	2.0	.0	.0	.0	.0	.0	4.0	.2
SSE	2.0	1.1	.3	.0	.0	.0	.0	4.3	.1
SSW	1.1	1.1	.6	.0	.0	.0	.0	2.9	.1
SSW	4.3	2.0	.3	.0	.0	.0	.0	6.7	.2
SSW	4.6	2.0	.3	.0	.0	.0	.0	7.2	.2
SSW	4.9	4.6	.3	.3	.0	.0	.0	10.4	.4
SSW	4.9	6.0	1.1	.0	.0	.0	.0	13.0	.4
SSW	3.6	1.3	.0	.0	.0	.0	.0	7.8	.3
SSW	.0	.0	.0	.0	.0	.0	.0	.0	.0
TOTAL	44.6	45.3	9.3	.3	.0	.0	.0	100.0	.2

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 343 HOURS

TABLE 4B (Continued)

MODERATELY UNSTABLE STABILITY CLASS B
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	1.4	1.4	.0	.0	.0	.0	.0	2.8	.1
NNE	2.3	1.4	.0	.0	.0	.0	.0	4.3	.1
NE	1.4	.0	.0	.0	.0	.0	.0	1.4	.0
NNE	1.4	.0	.0	.0	.0	.0	.0	1.4	.0
E	2.3	.0	.0	.0	.0	.0	.0	2.3	.1
ESE	12.3	17.1	.0	.0	.0	.0	.0	30.0	1.0
ESE	7.1	5.7	1.4	.0	.0	.0	.0	14.3	.5
ESE	4.3	1.4	.0	.0	.0	.0	.0	5.7	.1
ESE	5.7	1.4	.0	.0	.0	.0	.0	7.1	.1
SE	2.3	.0	.0	.0	.0	.0	.0	2.3	.0
SE	2.3	.0	.0	.0	.0	.0	.0	2.3	.0
SE	4.3	.0	.0	.0	.0	.0	.0	4.3	.1
SE	4.3	.0	.0	.0	.0	.0	.0	4.3	.0
SE	2.3	5.7	.0	.0	.0	.0	.0	8.6	.3
SE	.0	4.3	.0	.0	.0	.0	.0	4.3	.2
SE	.0	2.3	.0	.0	.0	.0	.0	2.3	.1
CALM	.0							.0	
TOTAL	37.1	41.4	1.4	.0	.0	.0	.0	100.0	.2

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 70 HOURS

TABLE 4B (Continued)

SLIGHTLY UNSTABLE STABILITY CLASS C
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	1.3	3.9	.0	.0	.0	.0	.0	5.3	.2
NNE	1.3	3.9	.0	.0	.0	.0	.0	5.3	.2
NE	3.9	1.3	.0	.0	.0	.0	.0	5.3	.1
NNE	1.3	.0	.0	.0	.0	.0	.0	1.3	.0
E	2.6	.0	1.3	.0	.0	.0	.0	3.9	.1
ESE	3.9	5.3	1.3	.0	.0	.0	.0	10.5	.4
SE	2.6	7.9	1.3	.0	.0	.0	.0	11.3	.5
SSE	5.3	5.3	.0	.0	.0	.0	.0	9.2	.3
S	2.6	3.9	.0	.0	.0	.0	.0	5.3	.2
SSE	1.3	.0	.0	.0	.0	.0	.0	1.3	.0
SE	3.9	.0	.0	.0	.0	.0	.0	5.3	.1
SE	3.9	.0	.0	.0	.0	.0	.0	5.3	.1
E	7.9	1.3	.0	.0	.0	.0	.0	9.2	.2
E	2.6	2.6	.0	.0	.0	.0	.0	5.3	.2
ENE	1.3	3.9	1.3	.0	.0	.0	.0	6.6	.3
E	3.9	5.3	.0	.0	.0	.0	.0	9.2	.3
E	1.3	.0	.0	.0	.0	.0	.0	1.3	.0
<hr/>									
TOTAL	51.3	43.4	5.3	.0	.0	.0	.0	100.0	.2

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 76 HOURS

TABLE 4B (Continued)

NEUTRAL STABILITY CLASS D
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	4.5	3.4	.0	.0	.0	.0	.0	8.1	.3
NNE	1.3	.0	.0	.0	.0	.0	.0	1.3	.0
NE	1.3	.9	.0	.0	.0	.0	.0	2.5	.1
NNE	3.4	1.1	.0	.0	.0	.0	.0	4.6	.1
ENE	2.3	1.1	.0	.0	.0	.0	.0	7.9	.1
ESE	3.0	3.1	.7	.0	.0	.0	.0	11.7	.5
ESE	2.3	3.3	3.2	.0	.0	.0	.0	14.0	.6
ESE	1.4	3.4	.2	.0	.0	.0	.0	5.1	.2
ESE	1.1	.5	.0	.0	.0	.0	.0	1.6	.0
ESW	1.4	.0	.0	.0	.0	.0	.0	1.4	.0
ESW	2.3	.9	.0	.0	.0	.0	.0	3.2	.1
ESW	1.6	.9	.2	.0	.0	.0	.0	2.3	.1
W	3.4	2.1	.0	.0	.0	.0	.0	5.5	.1
WNW	4.1	2.3	.7	.0	.0	.0	.0	7.6	.2
NW	3.4	7.6	2.1	.2	.0	.0	.0	13.4	.5
NNW	3.0	7.4	1.3	.0	.0	.0	.0	12.2	.5
CALM	.5							.5	
<hr style="border-top: 1px dashed black;"/>									
TOTAL	42.2	43.5	9.0	.2	.0	.0	.0	100.0	.2

7. HOURS OF BAD OR MISSING DATA OR 1.6 PERCENT FOR 441 HOURS

TABLE 4B (Continued)

SLIGHTLY STABLE STABILITY CLASS E
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	3.4	4.7	.3	.0	.0	.0	.0	8.4	.3
NNE	2.6	1.7	.3	.0	.0	.0	.0	4.6	.1
NE	1.0	1.1	.0	.0	.0	.0	.0	2.1	.1
NNE	1.3	2.1	.1	.0	.0	.0	.0	3.6	.1
DE	1.7	6.4	.0	.0	.0	.0	.0	8.1	.3
DESE	3.4	16.3	.0	.0	.0	.0	.0	25.2	.9
DESE	2.0	9.5	1.3	.0	.0	.0	.0	11.8	.5
DESE	1.6	5.1	.4	.0	.0	.0	.0	7.1	.3
DESE	1.0	1.3	.4	.0	.0	.0	.0	3.0	.1
DESE	.7	1.0	.0	.0	.0	.0	.0	1.7	.0
DESE	1.6	.7	.1	.0	.0	.0	.0	2.4	.1
DESE	1.0	2.0	.1	.0	.0	.0	.0	3.1	.1
DESE	.3	1.7	.0	.0	.0	.0	.0	2.6	.1
DESE	1.1	2.0	.3	.0	.0	.0	.0	3.4	.1
DESE	1.1	1.6	.0	.1	.0	.0	.0	2.8	.1
DESE	4.1	5.3	.1	.0	.0	.0	.0	9.5	.3
CALM	.0							.3	
TOTAL	33.8	62.5	3.6	.1	.0	.0	.0	100.0	.2

11. HOURS OF BAD OR MISSING DATA OR 1.5 PERCENT FOR 712 HOURS

TABLE 4B (Continued)

MODERATELY STABLE STABILITY CLASS F
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

		0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
	N	3.0	2.5	1.3	.0	.0	.0	.0	7.6	.3
	NNE	6.1	2.9	.0	.0	.0	.0	.0	9.3	.3
	NE	3.3	4.2	.8	.0	.0	.0	.0	8.9	.3
	NNE	1.7	3.9	.4	.0	.0	.0	.0	5.9	.2
	ENE	3.4	6.3	.4	.0	.0	.0	.0	10.1	.4
	E	3.1	2.3	.0	.0	.0	.0	.0	14.3	.5
	ESE	2.5	7.5	.4	.0	.0	.0	.0	10.5	.4
	SSE	1.3	2.1	.0	.0	.0	.0	.0	3.4	.1
	S	1.8	2.9	.0	.0	.0	.0	.0	6.7	.2
	SSW	2.9	1.3	.0	.0	.0	.0	.0	4.2	.1
	WSW	1.7	.0	.0	.0	.0	.0	.0	1.7	.0
	W	.0	.0	.0	.0	.0	.0	.0	.8	.0
	WNW	3.6	.0	.0	.0	.0	.0	.0	3.8	.1
	WNW	2.3	.4	.0	.0	.0	.0	.0	2.9	.1
	NW	4.6	.8	.4	.0	.0	.0	.0	5.9	.1
	NNW	2.5	.3	.4	.0	.0	.0	.0	3.8	.1
	CALM	.0							.0	

	TOTAL	50.6	45.1	4.2	.0	.0	.0	.0	100.0	.2

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 237 HOURS

TABLE 4B (Continued)

EXTREMELY STABLE STABILITY CLASS G
 PERIOD OF RECORD: 10/ 1/91, 000-- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	3.0	1.0	.0	.0	.0	.0	.0	4.0	.1
NNE	5.0	2.7	.3	.0	.0	.0	.0	8.1	.2
N E	10.1	2.4	1.7	.0	.0	.0	.0	14.1	.4
NNE	4.4	5.7	1.3	.0	.0	.0	.0	11.4	.4
D	6.1	6.7	.3	.0	.0	.0	.0	13.1	.5
E	7.7	7.1	.0	.0	.0	.0	.0	14.8	.5
ERE	4.7	5.0	.0	.0	.0	.0	.0	9.8	.3
W	1.7	1.1	.0	.0	.0	.0	.0	3.0	.1
W	4.0	1.0	.0	.0	.0	.0	.0	5.0	.1
NT	1.7	.3	.0	.0	.0	.0	.0	2.0	.0
I	1.0	.0	.0	.0	.0	.0	.0	1.0	.0
U	1.1	.0	.0	.0	.0	.0	.0	1.3	.0
N	2.7	.0	.0	.0	.0	.0	.0	2.7	.0
WNW	1.7	.0	.0	.0	.0	.0	.0	1.7	.0
NW	1.0	.7	.0	.0	.0	.0	.0	1.7	.0
NNW	3.7	.7	.3	.0	.0	.0	.0	4.7	.1
CALM	1.3							1.3	
<hr/>									
TOTAL	61.3	34.7	4.0	.0	.0	.0	.0	100.0	.2

0. HOURS OF BAD OR MISSING DATA OR .0 PERCENT FOR 297 HOURS

TABLE 4B (Continued)

TOTAL FREQUENCY DISTRIBUTION

PERIOD OF RECORD: 10/ 1/91, 000 -- 1/ 1/92, 000

WIND SPEED (M/S) AT 10-M LEVEL

WIND DIRECTION	1S							TOTAL	AVG SPEED
	0-2	3-5	6-8	9-11	12-14	15-17	AND UP		
N	6.1	.4	.1	.0	.0	.0	.0	6.6	.1
NNE	6.1	.1	.0	.0	.0	.0	.0	6.2	.1
NE	10.6	.1	.0	.0	.0	.0	.0	10.6	.1
ENE	7.0	.1	.0	.0	.0	.0	.0	7.1	.1
E	5.1	.2	.0	.0	.0	.0	.0	5.3	.1
ESE	4.5	.2	.0	.0	.0	.0	.0	4.7	.1
SE	5.5	1.0	.0	.0	.0	.0	.0	7.4	.2
SSE	4.5	1.3	.0	.0	.0	.0	.0	5.9	.1
S	3.2	.2	.0	.0	.0	.0	.0	3.4	.1
SSW	2.7	.1	.0	.0	.0	.0	.0	2.8	.0
SW	2.7	.1	.0	.0	.0	.0	.0	2.8	.0
WSW	2.2	.1	.0	.0	.0	.0	.0	2.3	.0
W	2.3	.3	.0	.0	.0	.0	.0	3.1	.0
WNW	3.9	.1	.1	.0	.0	.0	.0	4.1	.1
NW	5.2	.6	.2	.0	.0	.0	.0	6.0	.1
NNW	6.3	1.1	.3	.0	.0	.0	.0	8.3	.2
CALM	5.8							5.8	
								15.3	
TOTAL	92.2	7.1	.7	.0	.0	.0	.0	100.0	.1

30. HOURS OF BAD OR MISSING DATA OR 1.4 PERCENT FOR 2208 HOURS

TABLE 4B (Continued)

TOTAL FREQUENCY DISTRIBUTION
 PERIOD OF RECORD: 10/ 1/91, 000 -- 1/ 1/92, 000

WIND SPEED (M/S) AT 50-M LEVEL

	0-2	3-5	6-8	9-11	12-14	15-17	18 AND UP	TOTAL	AVG SPEED
N	3.3	3.4	.3	.0	.0	.0	.0	7.1	.2
NNE	2.8	1.7	.2	.0	.0	.0	.0	4.7	.1
NE	2.8	1.7	.3	.0	.0	.0	.0	4.8	.1
ENE	2.0	2.1	.3	.0	.0	.0	.0	4.4	.1
E	2.7	4.1	.2	.0	.0	.0	.0	7.0	.2
ESE	6.1	10.4	.3	.0	.0	.0	.0	16.8	.5
ESE	2.9	7.6	1.6	.0	.0	.0	.0	12.1	.5
ESE	2.0	3.3	.4	.0	.0	.0	.0	5.7	.2
SSW	2.1	1.7	.1	.0	.0	.0	.0	3.9	.1
SSW	1.7	.7	.0	.0	.0	.0	.0	2.4	.1
SSW	1.7	.6	.1	.0	.0	.0	.0	2.5	.1
WSW	1.9	1.1	.1	.0	.0	.0	.0	3.2	.1
WSW	2.9	1.4	.0	.0	.0	.0	.0	4.3	.1
WSW	2.7	2.3	.3	.0	.0	.0	.0	5.3	.2
NW	2.5	3.6	.7	.1	.0	.0	.0	6.9	.3
NW	3.4	4.2	.6	.0	.0	.0	.0	8.3	.3
CALM	3.4							.4	

TOTAL	44.2	49.9	5.7	.1	.0	.0	.0	100.0	.2

48. HOURS OF BAD OR MISSING DATA OR 2.2 PERCENT FOR 2208 HOURS

TABLE 4B (Continued)

PERIOD OF RECORD: 10/1/91. 000 -- 1/1/92. 000

PERCENT	AD DATA REPORT		
REPORT	VERS	2208HOURS	
		HOURS	PERCENT
50M DIRECTION		19.	.32
50M WIND SPEED		19.	.32
10M DIRECTION		0.	.00
10M WIND SPEED		0.	.00
TEMPERATURE		0.	.00
DEW POINT		91.	4.12
DELTA T		30.	1.36
PRECIPITATION		36.	1.63