



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555

March 23, 1992

ocket No. 50-302

Mr. Percy M. Beard, Jr.
Senior Vice President -
Nuclear Operations
Florida Power Corporation
ATTN: Manager, Nuclear Operations
Licensing
P.O. Box 219-NA-21
Crystal River, Florida 32629

Dear Mr. Beard:

SUBJECT: CRYSTAL RIVER UNIT 3 - INSERVICE TESTING (IST) PROGRAM RELIEF
REQUESTS; SAFETY EVALUATION (TAC NOS. M74761 AND M81814)

By letter dated October 3, 1989, you submitted Revision 9 to the Crystal River Unit 3 Inservice Testing Program which incorporated the guidance contained in NRC Generic Letter (GL) 89-04, "Guidance on Developing Acceptable Inservice Testing Programs." Subsequent submittals dated January 10, 1990, May 24, 1990, April 4, 1991, and August 15, 1991, have been included in our review.

We have reviewed your response to the GL 89-04 guidelines and the revised IST Program relief requests. We find Revision 9 to Crystal River Unit 3 IST Program and the revised IST Program relief requests acceptable, as documented in the enclosed Safety Evaluation. A summary of NRC action on each relief request is provided in SE Table 1 "Summary of Relief Requests." An "Anomalies Section" in the SE identifies items that you should address within 1 year of the date of this letter, or by the schedule discussed for each anomaly. Relief requests approved per GL 89-04, Position 9, that are not anomalies are listed in Table 1, but are not discussed in the SE.

Additional relief requests or changes to approved relief requests should be submitted for staff review and approval prior to implementation. However, new or revised relief requests meeting the positions in GL 89-04 should be submitted to the NRC staff, but can be implemented provided the guidance in GL 89-04, Section D, is followed. Also, IST Program changes that involve additions or deletions of components from the IST Program should be provided to the NRC.

NRC FILE CENTER COPY

9203260155 920323
PDR ADOCK 05000302
P PDR

DF01
11

Mr. Percy M. Beard, Jr.

-2-

March 23, 1992

This letter closes TAC Nos. M74761 and M81814. If you have any questions, please call Harley Silver at (301) 504-1475.

Sincerely,

(Original Signed By)

Herbert N. Berkow, Director
Project Directorate II-2
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Enclosure:
As stated

cc w/enclosure:
See next page

DISTRIBUTION:

~~Docket File~~
NRC & Local PDRs
S. Varga
G. Lainas
H. Berkow
H. Silver
D. Miller
OGC
P. Campbell
F. Rinaldi
J. Norberg
ACRS(10)
M. Sinkule, RII

T. Murley/F. Miraglia
J. Partlow
C. Rossi
J. Lieberman
E. Jordan
G. Hill (4)
OPA
OC/LFMB
J. Wechselberger EDO

OFFICE	LA: PDII-2	PE: PDII-3	PM: PDII-2	EMEB	D: PDII-2
NAME	D. Miller	F. Rinaldi	H. Silver	J. Norberg	H. Berkow
DATE	2/20/92	2/24/92	2/26/92	1/92	3/17/92
OFFICE	OGC				
NAME	Utah				
DATE	2/12/92	1/1	1/1	1/1	1/1

OFFICIAL RECORD COPY
Document Name: CR74761 REL

Mr. Percy M. Beard
Florida Power Corporation

cc:
Mr. A. H. Stephens
General Counsel
Florida Power Corporation
MAC-A5D
P. O. Box 14042
St. Petersburg, Florida 33733

Mr. P. F. McKee, Director
Nuclear Plant Operations
Florida Power Corporation
P. O. Box 219-NA-2C
Crystal River, Florida 32629

Mr. Robert B. Borsum
B&W Nuclear Technologies
1700 Rockville Pike, Suite 525
Rockville, Maryland 20852

Regional Administrator, Region II
U. S. Nuclear Regulatory Commission
101 Marietta Street N.W., Suite 2900
Atlanta, Georgia 30323

Mr. Jacob Daniel Nash
Office of Radiation Control
Department of Health and
Rehabilitative Services
1317 Winewood Blvd.
Tallahassee, Florida 32399-0700

Administrator
Department of Environmental Regulation
Power Plant Siting Section
State of Florida
2600 Blair Stone Road
Tallahassee, Florida 32301

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Crystal River Unit No.3
Generating Plant

Mr. Robert G. Nave, Director
Emergency Management
Department of Community Affairs
2740 Centerview Drive
Tallahassee, Florida 32399-2100

Chairman
Board of County Commissioners
Citrus County
110 North Apopka Avenue
Inverness, Florida 32650

Mr. Rolf C. Widell, Director
Nuclear Operations Site Support
Florida Power Corporation
P. O. Box 219-NA-2I
Crystal River, Florida 32629