


Georgia Power Company  
40 Inverness Center Parkway  
Post Office Box 1295  
Birmingham, Alabama 35201  
Telephone 205 877-7122

C. K. McCoy  
Vice President, Nuclear  
Vogtle Project

November 30, 1995



Docket Nos. 50-424  
50-425

TAC Nos. M-92172  
M-92173

U. S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, D. C. 20555

Gentlemen:

VOGTLE ELECTRIC GENERATING PLANT  
ADDITIONAL INFORMATION CONCERNING  
REQUEST TO REVISE TECHNICAL SPECIFICATIONS  
TO ALLOW CONTAINMENT AIRLOCK DOORS TO BE  
OPEN DURING FUEL MOVEMENT

By letter LCV-0527, dated March 17, 1995, Georgia Power Company (GPC) proposed an amendment to the Vogtle Electric Generating Plant (VEGP) Unit 1 and Unit 2 Technical Specifications to allow the personnel airlock (PAL) doors to be open during fuel movement. As stated in LCV-0527, the estimated doses for a failure to close the door during the entire 2-hour release period of a Fuel Handling Accident has similar radiological consequences to a Fuel Handling Accident in the Spent Fuel Pool which has already been approved by the NRC. To assure that reasonable action will be taken to minimize the effects of a Fuel Handling Accident inside containment, a commitment was made to maintain a designated person for closing the door. Procedures will be developed to provide administrative controls to ensure that the designated person will be available to close the airlock door. These administrative controls will include guidance to allow the individual to perform other duties to the extent that they do not compromise the ability to operate the airlock door in a timely manner.

This additional information is being provided to the NRC in response to a teleconference with the NRC staff on November 11, 1995.

cc: (See next page)

*C.K. McCoy*  
C. K. McCoy

*ADD 1/0*

050021

9512040356 951130  
PDR ADDCK 05000424  
P PDR

U. S. Nuclear Regulatory Commission

Page 2

CKM/HWM/gmb

cc: Georgia Power Company  
Mr. J. B. Beasley, Jr.  
Mr. M. Sheibani  
NORMS

U. S. Nuclear Regulatory Commission  
Mr. S. D. Ebnetter, Regional Administrator  
Mr. L. L. Wheeler, Licensing Project Manager, NRR  
Mr. C. R. Ogle, Senior Resident Inspector, Vogtle

State of Georgia  
Mr. J. D. Tanner, Commissioner, Dept. of Natural Resources

LCV-0527-C