
Title List of Documents Made Publicly Available

September 1-30, 1995

U.S. Nuclear Regulatory Commission

Office of Administration



050001
9512050194 951130
PDR NUREG
0540 R PDR

DF03 0/1

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG-0540
Vol. 17, No. 9

Title List of Documents Made Publicly Available

September 1-30, 1995

Date Published: November 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001



CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low-Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	11
Standardized Nuclear Power Plant Design — Docket 52	163
Domestic Licensing of Special Nuclear Material — Docket 70	165
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	171
Licensing of Independent Spent Fuel Storage — Docket 72	176
Nondocketed Items	181
10 CFR — Commission Meeting Records	181
ACNW — Advisory Committee on Nuclear Waste	181
ACRS — Advisory Committee on Reactor Safeguards	181
ADVCM — NRC Advisory Committee	182
COMMISSION — NRC Commissioners	182
CONTRACT — NRC Contracts and Modifications	183
FOIA — Freedom of Information Act Requests and Releases	183
GEN TECH IS — Generic Technical Issues	218
I&E — Inspection and Enforcement	219
MISC — Public Document Room Miscellaneous	220
NUREG — NUREG Reports and Related Correspondence	230
ORG — Correspondence with Other Organizations	223
PR — Proposed Rule	225
PRESS — Press Releases	227
PRM — Petition for Rulemaking	227
PROJ — Projects—Predocket Licensing	228
PT21 — Noncompliance Reports and Related Correspondence	230
QA999 — Quality Assurance Inspections	230
REGGD — Regulatory Guides	231
REG CERT — Registry Certificate	231
REVIEW GROUP — NRC Research Review Groups	232
SECY — Position Papers Before the Commission	233
STATE PROG — State Programs	233
TOPREP — Vendor Reports and Related Correspondence	241
WASTE MGT — Nuclear Waste Management	244
XPORTLIC — Export and Import Licenses	246
Personal Author Index	249
Corporate Source Index	271
Report Number Index	287
Cross Reference of Enclosures to Principal Documents	289
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 ADVCM—NRC Advisory Committees
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues
 IE—Inspection and Enforcement Issuances
 MISC—Public Document Room Miscellaneous
 NUREG—NRC-Issued Formal Reports and Related Correspondence
 ORG—Organizational File
 PR—Proposed Rules
 PRM—Petitions for Rulemaking
 PROJ—Projects
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—Research Review Groups
 RM—Rulemakings
 SECY—Staff Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Topical Reports and Correspondence
 WASH—AEC-Issued Formal Reports and Correspondence
 WM—Waste Management Documents
 WMRES—Waste Management Contract Documents
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

① NUREG—NRC-Issued Formal Reports and Related Correspondence

②

③

④

8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

⑤

⑥

OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦

⑧

⑨

⑩

⑪

FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫

⑬

⑭

⑮

51409:065-51409:134.

1. Nondocket category.

2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	7
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8681	UMETCO MINERALS CORP., BLANDING, UT	7
DOCKET	UNKNOWN	1	40-8724	CHEMETRON CORP., PROVIDENCE, RI	7
Domestic Licensing of Source Material - Docket 40			40-8761	ITT, ELECTRO-OPTICAL PRODUCTS DIV., ROANOKE, VA	7
40-0185	G.T.E. PRODUCTS CORP., TOWANDA, PA	1	40-8792	EDISON INSTITUTE, DEARBORN, MI	7
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	2	40-8801	WEST LAKE COMPANIES, BRIDGETON, MO	7
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	2	40-8833	MANLABS, INC., CAMBRIDGE, MA	8
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	2	40-8852	FERRULMATIC, INC., TOTOWA, NJ	8
40-0672	NUCLEAR METALS, INC., CONCORD, MA	2	40-8857	POWER RESOURCES, INC., GLENROCK, WY	8
40-0861	HORIZONS INC. CEVELAND	2	40-8866	NUCLEAR METALS, INC., CONCORD, MA	8
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2	40-8868	II-VI INC., SAXONBURG, PA	8
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	2	40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	8
40-1790	WELLMAN DYNAMICS CORP., MIDLAND, MI	2	40-8903	HOMESTAKE MINING CO., GRANTS, NM	8
40-2253	ARMY, DEPT. OF, WATERTOWN, MA	2	40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	8
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2	40-8905	QUIVIRA MINING CO., GRANTS, NM	8
40-2384	RMI CO., ASHTABULA, OH	3	40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	8
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	3	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	8
40-3453	ATLAS CORP., DENVER, CO	3	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	8
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	3	40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	10
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	3	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	10
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	3	40-8971	U.S. ENERGY CORP., RIVERTON, WY	10
40-6940	CABOT CORP., BOYERTOWN, PA	3	40-8981	PATHFINDER MINES CORP., MILLS, WY	10
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	4	40-8984	MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	10
40-7354	ARMY, DEPT. OF, ABERDEEN, MD	4	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	11
40-7397	FOOTE MINERAL CO., EXTON, PA	4	40-9015	MICHIGAN, STATE OF, BAY CITY, MI	11
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	5	40-9022	HARTLEY & HARTLEY LANDFILL	11
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	5	40-9024	ENERGY FUELS NUCLEAR	11
40-8027	SEQUOYAH FUELS CORP., GORE, OK	5	40-9027	CABOT CORP. READING & REVERE	11
40-8084	RIO ALGOM MINING CORP., MOAB, UT	6	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-8102	EXXON CORP., HOUSTON, TX	6	50-3	INDIAN POINT STATION, UNIT 1	11
40-8148	ARMY, DEPT. OF, ABERDEEN, MD	6	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	12
40-8406	PESES CO., SOLON, OH	6	50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	12
40-8502	TOTAL MINERALS CORP., CASPER, WY	7	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12

Docket	Name	Page	Docket	Name	Page
50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	13	50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	27
50-29	YANKEE-ROWE NUCLEAR POWER STATION	13	50-247	INDIAN POINT STATION, UNIT 2	29
50-57	BUFFALO MATERIALS RESEARCH CENTER	16	50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	30
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	16	50-250	TURKEY POINT PLANT, UNIT 3	32
50-83	UNIV. OF FLORIDA TRAINING REACTOR	16	50-251	TURKEY POINT PLANT, UNIT 4	33
50-89	GENERAL ATOMICS	16	50-254	QUAD-CITIES STATION, UNIT 1	33
50-113	UNIV. OF ARIZONA RESEARCH REACTOR	16	50-255	PALISADES NUCLEAR PLANT	35
50-116	IOWA STATE UNIV. RESEARCH REACTOR	16	50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	36
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	17	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	38
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	17	50-261	H.B. ROBINSON PLANT, UNIT 2	39
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	17	50-263	MONTICELLO NUCLEAR GENERATING PLANT	40
50-150	OHIO STATE UNIV. RESEARCH REACTOR	17	50-265	QUAD-CITIES STATION, UNIT 2	41
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	17	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	42
50-155	BIG ROCK POINT NUCLEAR PLANT	17	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	43
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	18	50-269	OCONEE NUCLEAR STATION, UNIT 1	44
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	18	50-270	OCONEE NUCLEAR STATION, UNIT 2	45
50-163	GENERAL ATOMICS	18	50-271	VERMONT YANKEE NUCLEAR POWER STATION	47
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	19	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	48
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	19	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	49
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	19	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	49
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	19	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	19	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	52
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	19	50-280	SURRY POWER STATION, UNIT 1	53
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	19	50-281	SURRY POWER STATION, UNIT 2	54
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	19	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	55
50-213	HADDAM NECK PLANT	20	50-284	IDAHO STATE UNIV. RESEARCH REACTOR	56
50-219	OYSTER CREEK NUCLEAR POWER PLANT	21	50-285	FORT CALHOUN STATION, UNIT 1	56
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	23	50-286	INDIAN POINT STATION, UNIT 3	57
50-225	RPI CRITICAL EXPERIMENT	24	50-287	OCONEE NUCLEAR STATION, UNIT 3	58
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	24	50-288	REED COLLEGE RESEARCH REACTOR	60
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	26	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	60
			50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	60
			50-295	ZION NUCLEAR POWER STATION, UNIT 1	62
			50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	63

Docket	Name	Page	Docket	Name	Page
50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	65	50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	97
50-298	COOPER NUCLEAR STATION	65	50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	98
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	66	50-352	LIMERICK GENERATING STATION, UNIT 1	99
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	67	50-353	LIMERICK GENERATING STATION, UNIT 2	100
50-304	ZION NUCLEAR POWER STATION, UNIT 2	68	50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	101
50-305	KEWAUNEE NUCLEAR POWER PLANT	69	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	102
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	70	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	103
50-309	MAINE YANKEE ATOMIC POWER PLANT	71	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	105
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	72	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	105
50-312	RANCHO SECO NUCLEAR GENERATING STATION	73	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	106
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	73	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	107
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	74	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	109
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	75	50-373	LASALLE COUNTY STATION, UNIT 1	111
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	76	50-374	LASALLE COUNTY STATION, UNIT 2	112
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	77	50-382	WATERFORD GENERATING STATION, UNIT 3	113
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	78	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	114
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	79	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	115
50-322	SHOREHAM NUCLEAR POWER STATION	79	50-389	ST. LUCIE PLANT, UNIT 2	117
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	80	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	118
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	81	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	120
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	82	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	123
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	84	50-397	WFPSS NUCLEAR PROJECT, UNIT 2	124
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	85	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	125
50-329	MIDLAND PLANT, UNIT 1	86	50-409	LA CROSSE BOILING WATER REACTOR	126
50-330	MIDLAND PLANT, UNIT 2	86	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	126
50-331	DUANE ARNOLD ENERGY CENTER	87	50-412	BEAVER VALLEY POWER STATION, UNIT 2	127
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	87	50-413	CATAWBA NUCLEAR STATION, UNIT 1	128
50-334	BEAVER VALLEY POWER STATION, UNIT 1	88	50-414	CATAWBA NUCLEAR STATION, UNIT 2	130
50-335	ST. LUCIE PLANT, UNIT 1	89	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	131
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	90	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	132
50-338	NORTH ANNA POWER STATION, UNIT 1	92	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	132
50-339	NORTH ANNA POWER STATION, UNIT 2	94	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	133
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	95			
50-344	TROJAN NUCLEAR PLANT	96			

Docket	Name	Page	Docket	Name	Page
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	135	DOCKET	UNKNOWN	164
STN-50-437	FLOATING NUCLEAR PLANT	137	Domestic Licensing of Special Nuclear Material - Docket 70		
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	137	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	165
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	137	70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	166
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	138	70-0133	CLEVITE CORP., CLEVELAND, OH	166
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	139	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	166
50-443	SEABROOK NUCLEAR STATION, UNIT 1	139	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	166
50-444	SEABROOK NUCLEAR STATION, UNIT 2	140	70-0221	GENERAL DYNAMICS CORP., GROTON, CT	167
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	141	70-0337	NUCLEAR MATERIALS & EQUIPMENT CORP., APOLLO, PA	167
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	142	70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	167
STN-50-454	BYRON STATION, UNIT 1	143	70-0398	COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	167
STN-50-455	BYRON STATION, UNIT 2	144	70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	167
STN-50-456	BRAIDWOOD STATION, UNIT 1	145	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	167
STN-50-457	BRAIDWOOD STATION, UNIT 2	146	70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	167
50-458	RIVER BEND STATION, UNIT 1	148	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	167
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	149	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	167
50-461	CLINTON POWER STATION, UNIT 1	149	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	167
STN-50-482	WOLF CREEK GENERATING STATION	150	70-1163	BOSTON UNIV., BOSTON, MA	168
STN-50-483	CALLAWAY PLANT, UNIT 1	151	70-1201	B&W FUEL CO., LYNCHBURG, VA	168
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	152	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	168
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	155	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	168
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	158	70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	168
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	158	70-1331	VETERANS ADMIN. MEDICAL CENTER, BUFFALO, NY	168
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	160	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	168
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	161	70-2981	SOUTHEASTERN OKLAHOMA STATE UNIV., DURANT, OK	169
50-537	CLINCH RIVER BREEDER REACTOR	162	70-3052	M.A.S.S., INC., BELLEFONTE, PA	169
50-668	WESTINGHOUSE ADVANCED PWR STANDARD DESIGN (WAPWR)	162	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	169
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	163	70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	169
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	163	70-3078	ATLANTIC RICHFIELD CO., LOS ANGELES, CA	169
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	163	70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	169
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	164	70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	170

Docket	Name	Page	Docket	Name	Page
DOCKET	UNKNOWN	171	71-9006	MODEL: AI 500 SU, AMERSHAM CORP.	173
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			71-9009	MODEL: FL 10-1, GENERAL ELECTRIC CO.	173
71-0001	ANEFECO, INC.	171	71-9019	MODEL: BU-7, GENERAL ELECTRIC CO.	173
71-0153	ANCHOR-DARLING VALVE CO.	171	71-9028	MODEL: 684 & 684E, AMERSHAM CORP.	174
71-0185	FBF, INC.	171	71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	174
71-0192	PACIFIC NUCLEAR SYSTEMS, INC.	171	71-9032	MODEL: 650, AMERSHAM CORP.	174
71-0383	BALTIMORE GAS & ELECTRIC CO.	172	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	174
71-0390	COMMERCE, DEPT. OF	172	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	174
71-0417	CARIBE SHELL & TUBE, INC.	172	71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	174
71-0516	LONG ISLAND LIGHTING CO.	172	71-9057	MODEL: FPD-100, GENERAL ATOMICS	174
71-0538	WALASHEK ENTERPRISES, INC.	172	71-9094	MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	174
71-0541	CLEVELAND ELECTRIC ILLUMINATING CO.	172	71-9096	MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	174
71-0654	POWER INSPECTION, INC.	172	71-9107	MODEL: 771, AMERSHAM CORP.	174
71-0692	T&K INSPECTION	172	71-9147	MODEL: 850, AMERSHAM CORP.	174
71-0708	WESTINGHOUSE ELECTRIC CORP.	172	71-9148	MODEL: 770, AMERSHAM CORP.	174
71-0745	CTI (CONFIDENCE THROUGH INSPECTION), INC.	172	71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	174
71-0764	DIAMOND H TESTING CO.	172	71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	175
71-0776	BRAZOS VALLEY INSPECTION SVC.	172	71-9165	MODEL: 855, AMERSHAM CORP.	175
71-0785	GTS DURATEK	172	71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	175
71-0789	NEWPORT NEWS SHIPBUILDING	172	71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	175
71-0817	MESCALERO ENVIRO, INC.	172	71-9193	MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.	175
71-3025	MODEL: TN 7-2 TRANSPORT CASK, TRANSPORTATION, DEPT. OF	173	71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	175
71-3026	MODEL: TE 440/70 TRANSPORTATION, DEPT. OF	173	71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	175
71-3027	MODEL: NT-IV TRANSPORTATION, DEPT. OF	173	71-9226	MODEL: GA-4, GENERAL ATOMICS	175
71-3029	MODEL: RAJ-II TRANSPORTATION, DEPT. OF	173	71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	175
71-5805	MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	173	71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	175
71-5862	MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS	173	71-9238	MODEL: PATHFINDER, NORTHERN STATES POWER CO.	175
71-5957	MODEL: BMI-1, CINTICHEM, INC.	173	71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	175
71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	173	71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	175
71-6206	MODEL: MODEL B, B&W FUEL CO.	173	71-9251	MODEL: BW-2901, B&W FUEL CO.	175
71-6244	MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.	173	71-9253	MODEL: TN-FSV, TRANSNUCLEAR, INC.	175
71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	173	71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	175
71-6601	MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	173	71-9262	YNPS RPV PACKAGE	175
71-6717	MODEL: 6717-B, AMERSHAM CORP.	173	71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	175
71-9001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	173			

Docket	Name	Page	Docket	Name	Page
71-9793	MODEL: M-140, ENERGY, DEPT. OF	176	72-0014	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	177
71-9794	MODEL: CGN 25/35 REACTOR COMPARTMENT, DOE DIV OF NAVAL	176	72-0016	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	177
DOCKET	UNKNOWN	176	72-0018	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	178
Licensing of Independent Spent Fuel Storage - Docket 72					
72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	176	72-0019	MESCALERO ENVIRONMENTAL, INC.	178
72-0002	VIRGINIA ELECTRIC & POWER CO. 50-280 & 50-281	176	72-1002	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	178
72-0003	H.B. ROBINSON ISFSI, 50-261	176	72-1003	MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.	178
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	176	72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	178
72-0005	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	176	72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	178
72-0007	ISFSI PALISADES GEN LIC/VSC-24, 50-255	177	72-1008	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	178
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	177	72-1009	DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	178
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	177	72-1010	DOE-MPC-44B FOR BWR FUEL	179
72-0011	RANCHO SECO ISFSI, 50-312	177	72-1011	DOE-MPC-12P FOR PWR FUEL	179
72-0013	ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368	177	72-1012	DOE-MPC-24B FOR BWR FUEL	179

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			PATHFINDER MINES CORP., MILLS, WY	40-8981	10
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2
Domestic Licensing of Source Material - Docket 40			PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	3
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	3	PESESSE CO., SOLON, OH	40-8406	6
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	3	PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	3
ARMY, DEPT. OF, ABERDEEN, MD	40-8148	6	POWER RESOURCES, INC., GLENROCK, WY	40-8857	8
ARMY, DEPT. OF, ABERDEEN, MD	40-7354	4	QUIVIRA MINING CO., GRANTS, NM	40-8905	8
ARMY, DEPT. OF, WATERTOWN, MA	40-2253	2	RIO ALGOM MINING CORP., MOAB, UT	40-8084	6
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	8	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	10
ATLAS CORP., DENVER, CO	40-3453	3	RMI CO., ASHTABULA, OH	40-2384	3
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	5	SEQUOYAH FUELS CORP., GORE, OK	40-8027	5
CABOT CORP. READING & REVERE	40-9027	11	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	8
CABOT CORP., BOYERTOWN, PA	40-6940	3	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	4
CHEMETRON CORP., PROVIDENCE, RI	40-8724	7	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	8
EDISON INSTITUTE, DEARBORN, MI	40-8792	7	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	2
ENERGY FUELS NUCLEAR	40-9024	11	TOTAL MINERALS CORP., CASPER, WY	40-8502	7
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	11	U.S. ENERGY CORP., RIVERTON, WY	40-8971	10
EXXON CORP., HOUSTON, TX	40-8102	6	UMETCO MINERALS CORP., BLANDING, UT	40-8681	7
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	5	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	2
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	8	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	8
FERRULMATIC, INC., TOTOWA, NJ	40-8852	8	WELLMAN DYNAMICS CORP., MIDLAND, MI	40-1790	2
FOOTE MINERAL CO., EXTON, PA	40-7397	4	WEST LAKE COMPANIES, BRIDGETON, MO	40-8801	7
G.T.E. PRODUCTS CORP., TOWANDA, PA	40-0185	1	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	2	Domestic Licensing of Production and Utilization Facilities - Docket 50		
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	2	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	133
HARTLEY & HARTLEY LANDFILL	40-9022	11	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	135
HOMESTAKE MINING CO., GRANTS, NM	40-8903	8	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	73
HORIZONS INC. CEVELAND	40-0861	2	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	106
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	10	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	19
II-VI INC., SAXONBURG, PA	40-8868	8	BEAVER VALLEY POWER STATION, UNIT 1	50-334	88
ITT, ELECTRO-OPTICAL PRODUCTS DIV., ROANOKE, VA	40-8761	7	BEAVER VALLEY POWER STATION, UNIT 2	50-412	127
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	7	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	137
MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	40-8984	10	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	137
MANLABS, INC., CAMBRIDGE, MA	40-8833	8	BIG ROCK POINT NUCLEAR PLANT	50-155	17
MICHIGAN, STATE OF, BAY CITY, MI	40-9015	11	BRAIDWOOD STATION, UNIT 1	STN-50-456	145
NUCLEAR METALS, INC., CONCORD, MA	40-8866	8	BRAIDWOOD STATION, UNIT 2	STN-50-457	146
NUCLEAR METALS, INC., CONCORD, MA	40-0672	2			

Name	Docket	Page	Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	36	FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	43
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	38	GENERAL ATOMICS	50-163	18
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	63	GENERAL ATOMICS	50-89	16
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	82	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	18
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	81	GRAND GULF NUCLEAR STATION, UNIT 1	50-416	131
BUFFALO MATERIALS RESEARCH CENTER	50-57	16	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	132
BYRON STATION, UNIT 1	STN-50-454	143	H.B. ROBINSON PLANT, UNIT 2	50-261	39
BYRON STATION, UNIT 2	STN-50-455	144	HADDAM NECK PLANT	50-213	20
CALLAWAY PLANT, UNIT 1	STN-50-483	151	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	101
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	76	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	17
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	77	IDAHO STATE UNIV. RESEARCH REACTOR	50-284	56
CATAWBA NUCLEAR STATION, UNIT 1	50-413	128	INDIAN POINT STATION, UNIT 1	50-3	11
CATAWBA NUCLEAR STATION, UNIT 2	50-414	130	INDIAN POINT STATION, UNIT 2	50-247	29
CLINCH RIVER BREEDER REACTOR	50-537	162	INDIAN POINT STATION, UNIT 3	50-286	57
CLINTON POWER STATION, UNIT 1	50-461	149	IOWA STATE UNIV. RESEARCH REACTOR	50-116	16
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	141	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	87
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	142	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	98
COOPER NUCLEAR STATION	50-298	65	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	105
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	67	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	19
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	97	KEWAUNEE NUCLEAR POWER PLANT	50-305	69
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	49	LA CROSSE BOILING WATER REACTOR	50-409	126
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	80	LASALLE COUNTY STATION, UNIT 1	50-373	111
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	74	LASALLE COUNTY STATION, UNIT 2	50-374	112
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	75	LIMERICK GENERATING STATION, UNIT 1	50-352	99
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	12	LIMERICK GENERATING STATION, UNIT 2	50-353	100
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	24	MAINE YANKEE ATOMIC POWER PLANT	50-309	71
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	30	MANHATTAN COLLEGE RESEARCH REACTOR	50-199	19
DUANE ARNOLD ENERGY CENTER	50-331	87	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	12
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	79	MIDLAND PLANT, UNIT 1	50-329	86
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	105	MIDLAND PLANT, UNIT 2	50-330	86
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	12	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	27
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	95	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	90
FLOATING NUCLEAR PLANT	STN-50-437	137	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	132
FORT CALHOUN STATION, UNIT 1	50-285	56	MONTICELLO NUCLEAR GENERATING PLANT	50-263	40
			NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	23
			NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	126

Name	Docket	Page	Name	Docket	Page
NORTH ANNA POWER STATION, UNIT 1	50-338	92	SEABROOK NUCLEAR STATION, UNIT 2	50-444	140
NORTH ANNA POWER STATION, UNIT 2	50-339	94	SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	84
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	65	SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	85
OCONEE NUCLEAR STATION, UNIT 1	50-269	44	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	125
OCONEE NUCLEAR STATION, UNIT 2	50-270	45	SHOREHAM NUCLEAR POWER STATION	50-322	79
OCONEE NUCLEAR STATION, UNIT 3	50-287	58	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	152
OHIO STATE UNIV. RESEARCH REACTOR	50-150	17	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	155
OYSTER CREEK NUCLEAR POWER PLANT	50-219	21	ST. LUCIE PLANT UNIT 1	50-335	89
PALISADES NUCLEAR PLANT	50-255	35	ST. LUCIE PLANT, UNIT 2	50-389	117
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	158	SURRY POWER STATION, UNIT 1	50-280	53
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	160	SURRY POWER STATION, UNIT 2	50-281	54
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	161	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	114
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	19	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	115
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	50	TEXAS A&M UNIV. RESEARCH REACTOR	50-128	17
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	52	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	60
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	138	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	78
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	139	TROJAN NUCLEAR PLANT	50-344	96
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	60	TURKEY POINT PLANT, UNIT 3	50-250	32
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	42	TURKEY POINT PLANT, UNIT 4	50-251	33
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	66	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	49
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	55	UNIV. OF ARIZONA RESEARCH REACTOR	50-113	16
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	70	UNIV. OF FLORIDA TRAINING REACTOR	50-83	16
QUAD-CITIES STATION, UNIT 1	50-254	33	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	17
QUAD-CITIES STATION, UNIT 2	50-265	41	UNIV. OF MARYLAND RESEARCH REACTOR	50-166	19
RANCHO SECO NUCLEAR GENERATING STATION	50-312	73	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	19
REED COLLEGE RESEARCH REACTOR	50-288	60	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	16
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	19	UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	18
RIVER BEND STATION, UNIT 1	50-458	148	VERMONT YANKEE NUCLEAR POWER STATION	50-271	47
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	26	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	123
RPI CRITICAL EXPERIMENT	50-225	24	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	13
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	48	WATERFORD GENERATING STATION, UNIT 3	50-382	113
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	72	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	118
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	19	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	120
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	102	WESTINGHOUSE ADVANCED PWR STANDARD DESIGN (WAPWR)	50-668	162
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	103	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	107
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	17	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	109
SEABROOK NUCLEAR STATION, UNIT 1	50-443	139			

Name	Docket	Page	Name	Docket	Page
WOLF CREEK GENERATING STATION	STN-50-482	150	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	169
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	149	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	70-7002	170
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	124	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	167
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	158	VETERANS ADMIN. MEDICAL CENTER, BUFFALO, NY	70-1331	168
YANKEE-ROWE NUCLEAR POWER STATION	50-29	13	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	167
ZION NUCLEAR POWER STATION, UNIT 1	50-295	62	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	167
ZION NUCLEAR POWER STATION, UNIT 2	50-304	68			
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	163	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	163	ANCHOR-DARLING VALVE CO.	71-0153	171
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	164	ANEFECO, INC.	71-0001	171
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	163	BALTIMORE GAS & ELECTRIC CO.	71-0383	172
Domestic Licensing of Special Nuclear Material - Docket 70			BRAZOS VALLEY INSPECTION SVC.	71-0776	172
ATLANTIC RICHFIELD CO., LOS ANGELES, CA	70-3078	169	CARIBE SHELL & TUBE, INC.	71-0417	172
B&W FUEL CO., LYNCHBURG, VA	70-1201	168	CLEVELAND ELECTRIC ILLUMINATING CO.	71-0541	172
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	166	COMMERCE, DEPT. OF	71-0390	172
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	165	CTI (CONFIDENCE THROUGH INSPECTION), INC.	71-0745	172
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	167	DIAMOND H TESTING CO.	71-0764	172
BOSTON UNIV., BOSTON, MA	70-1163	168	FBF, INC.	71-0185	171
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	167	GTS DURATEK	71-0785	172
CLEVITE CORP., CLEVELAND, OH	70-0133	166	LONG ISLAND LIGHTING CO.	71-0516	172
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	166	MESCALERO ENVIRO, INC.	71-0817	172
COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	70-0398	167	MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	175
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	168	MODEL: 650, AMERSHAM CORP.	71-9032	174
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	167	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	174
GENERAL DYNAMICS CORP., GROTON, CT	70-0221	167	MODEL: 6717-B, AMERSHAM CORP.	71-6717	173
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	168	MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	174
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	167	MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	174
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	169	MODEL: 684 & 684E, AMERSHAM CORP.	71-9028	174
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	169	MODEL: 770, AMERSHAM CORP.	71-9148	174
M.A.S.S., INC., BELLEFONTE, PA	70-3052	169	MODEL: 771, AMERSHAM CORP.	71-9107	174
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	166	MODEL: 850, AMERSHAM CORP.	71-9147	174
NUCLEAR MATERIALS & EQUIPMENT CORP., APOLLO, PA	70-0337	167	MODEL: 855, AMERSHAM CORP.	71-9165	175
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	168	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	173
SOUTHEASTERN OKLAHOMA STATE UNIV., DURANT, OK	70-2981	169	MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	173
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	168	MODEL: BMI-1, CINTICHEM, INC.	71-5957	173
			MODEL: BU-7, GENERAL ELECTRIC CO.	71-9019	173
			MODEL: BW-2901, B&W FUEL CO.	71-9251	175

Name	Docket	Page	Name	Docket	Page
MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	174	MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	175
MODEL: CGN 25/35 REACTOR COMPARTMENT, DOE DIV OF NAVAL	71-9794	176	NEWPORT NEWS SHIPBUILDING	71-0789	172
MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	71-9094	174	PACIFIC NUCLEAR SYSTEMS, INC.	71-0192	171
MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	71-9096	174	POWER INSPECTION, INC.	71-0654	172
MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	71-5805	173	T&K INSPECTION	71-0692	172
MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.	71-6244	173	WALASHEK ENTERPRISES, INC.	71-0538	172
MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	71-6601	173	WESTINGHOUSE ELECTRIC CORP.	71-0708	172
MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	175	YNPS RPV PACKAGE	71-9262	175
MODEL: FL 10-1, GENERAL ELECTRIC CO.	71-9009	173	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: FPD-100, GENERAL ATOMICS	71-9057	174	CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	177
MODEL: GA-4, GENERAL ATOMICS	71-9226	175	DOE-MPC-12P FOR PWR FUEL	72-1011	179
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	175	DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	72-1009	178
MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-9001	173	DOE-MPC-24B FOR BWR FUEL	72-1012	179
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	175	DOE-MPC-44B FOR BWR FUEL	72-1010	179
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	174	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	176
MODEL: M-140, ENERGY, DEPT. OF	71-9793	176	H.B. ROBINSON ISFSI, 50-261	72-0003	176
MODEL: MODEL B, B&W FUEL CO.	71-6206	173	ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368	72-0013	177
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	175	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	72-0014	177
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	175	ISFSI PALISADES GEN LIC/VSC-24, 50-255	72-0007	177
MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.	71-9193	175	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	72-0005	176
MODEL: NT-IV TRANSPORTATION, DEPT. OF	71-3027	173	MESCALERO ENVIRONMENTAL, INC.	72-0019	178
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	175	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	72-1008	178
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	173	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	72-1002	178
MODEL: PATHFINDER, NORTHERN STATES POWER CO.	71-9238	175	MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.	72-1003	178
MODEL: RAJ-II TRANSPORTATION, DEPT. OF	71-3029	173	MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	178
MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	175	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	178
MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS	71-5862	173	OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	176
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	175	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	177
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	175	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	72-0018	178
MODEL: TE 440/70 TRANSPORTATION, DEPT. OF	71-3026	173	RANCHO SECO ISFSI, 50-312	72-0011	177
MODEL: TN 7-2 TRANSPORT CASK, TRANSPORTATION, DEPT. OF	71-3025	173	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	177
MODEL: TN-FSV, TRANSNUCLEAR, INC.	71-9253	175	VIRGINIA ELECTRIC & POWER CO. 50-280 & 50-281	72-0002	176
			UNKNOWN	DOCKET	171
			UNKNOWN	DOCKET	1
			UNKNOWN	DOCKET	176
			UNKNOWN	DOCKET	164

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9509280019 Responds to request for comments on proposed draft to 10CFR70. Annual registration appears to be exercise w/ little benefit for Commission.
PALMER, A.J. American Ecology Corp. 95/05/01. HIGDON, J. NRC - No Detailed Affiliation Given. 1p. 85627-354-85627-354.

DOCKET DOCKET UNKNOWN

9509280195 Forwards revised "Site Characterization Plan," & "Radiological Control Plan."
SKELLY, T.O. 95/06/27. JOHNSON, T. NRC - No Detailed Affiliation Given. 1p. 85644-128-85644-296.

-9509280212 For docket 40000235, "SCP Former Brooks & Perkins, Inc Site AAR Manufacturing, Inc, Livonia, MI, June 1995."
* B. Koh & Associates, Inc. 95/06/30. 85pp. 85644-129-85644-214.

-9509280224 "Radiological Control Plan," for 40000235.
ADAMS, T.G., JOHNSON, P.G. B. Koh & Associates, Inc. 95/06/30. 80pp. 85644-215-85644-296.

9509130205 First partial response to FOIA request for documents. Records in App A available in PDF.
EVES, C.S. Division of Freedom of Information & Publications Services (Post 940714). 95/07/11. POWELL, R.A. Affiliation Not Assigned. 5pp. 85632-001-85632-243.

-9509150101 Application for license, authorizing shielding studies, incorporation into ICC 55 containers & loading sealed sources into approved radiography devices containing depleted U.
THOMPSON, C.F. Gamma Industries, Inc. 68/08/18. Atomic Energy Commission (Pre 750119). 3pp. 85632-047-85632-049.

-9509150112 Licensing SUB-948 for Cumberland Research Corp, authorizing use of U metal in accordance w/ procedures described in 680316 application.
HARMON, D.F. Atomic Energy Commission (Pre 750119). 68/04/01. 1p. 85632-050-85632-050.

-9509150322 Safety insp on 691230 of license SUB-948. Insp findings: no violations noted.
BRANDKAMP, F.N. Atomic Energy Commission (Pre 750119). * 69/12/30. 1p. 85632-055-85632-055.

-9509180020 Application for renewal of license SUB-948, authorizing use of byproduct mat for listed purposes.
THOMAS, C.F. Affiliation Not Assigned. 73/01/12. 8pp. 85632-109-85632-116.

-9509180027 Amend 1 to license SUB-948 for Gamma Industries.
DAVIS, F.C. Atomic Energy Commission (Pre 750119). 73/03/06. 1p. 85632-118-85632-118.

-9509220040 Certificate of disposition of materials waste transferred to authorized commercial waste disposal firm & proper disposal records maintained.
PARKER, R.A. Gamma Industries, Inc. 78/03/01. 6pp. 85632-238-85632-243.

9508280128 FOIA request for documents re Foote Mineral/Shieldalloy/ Cyprus Mineral Site in Cambridge, OH.
GRAHAM, M.E. Affiliation Not Assigned. 95/03/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85228-029-85228-030.

9509060014 FOIA request for documents re decommissioning & release for unrestricted use of Gamma Industries site in Port Norris, Commercial Township, NJ.
EVES, C.S. Affiliation Not Assigned. 95/05/17. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85334-263-85334-264.

9509070016 Informs that property at 1950 West Fort Street, Detroit, MI, one of 22 sites at which remedial action will be necessary for release of property for unrestricted use, per NRC review of previously terminated radioactive materials licenses.
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/08/04. ELLMAN, W. 2pp. 85373-250-85373-251.

9509080182 Discusses property listed at Hill AFB Ogden, UT. Property one of 22 sites at which remedial action necessary for release of property for unrestricted use.
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/08/04. DONNELLY, J.J. Air Force, Dept. of, Radiosotope Comm. 3pp. 85447-329-85447-331.

9509190066 Forwards radiological survey insp rept 40-0235/95-01 on 950620. No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/09/11. ELLMAN, W. Affiliation Not Assigned. 2pp. 85503-241-85503-245.

-9509190074 Insp rept 40-0235/95-01 on 950620. No violations noted. Major areas inspected: review of former licensee activities & determination that facility adequately decontaminated prior to terminating license.
KURTH, M.F., MCCORMICK-BARGE Region 3 (Post 820201). 95/09/06. 3pp. 85503-243-85503-245.

9509190088 Forwards radiological insp rept 40-4554/95-01 on 950417-20. No violations noted.
MCCORMICK, J.W. Region 3 (Post 820201). 95/09/11. HESS, M.G. Dana Corp. 2pp. 85504-001-85504-031.

-9509190099 Insp rept 40-4554/95-01 on 950417-20. No violations noted. Major areas inspected: radiological surveys.
KURTH, M.F., MCCORMICK, J.W. Region 3 (Post 820201). 95/09/08. 29pp. 85504-003-85504-031.

9509190094 Forwards radiological insp rept 40-4554/95-02 on 950417-20. No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/09/11. COOPER, H. Affiliation Not Assigned. 2pp. 85504-039-85504-070.

-9509190104 Insp rept 40-4554/95-02 on 950417-20. No violations noted. Major areas inspected: review of former licensee activities & determination that facility previously licensed activities adequately decontaminated prior to terminating license.
KURTH, M.F. Region 3 (Post 820201). 95/09/08. 30pp. 85504-041-85504-070.

9509280137 Forwards info per 950913 ltr on 40000235 re timing & circumstances of sale of Fort Street site in Detroit, MI to Frome Investment Co by Brooks & Perkins Corp.
ELLMAN, S.F. 95/09/12. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 85646-348-85646-352.

9509210355 Ack receipt of 950713 ltr, requesting info re docket 04000235 property located in Detroit, MI.
SKELLY, T.O. Affiliation Not Assigned. 95/09/13. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85568-236-85568-237.

9509280145 Forwards revised comment per 950919 telcon on 40001827 re resolution of NRC comments on final site characterization rept.
JOHNSON, P.G. B. Koh & Associates, Inc. 95/09/19. NALLUSWAMI, S. NRC - No Detailed Affiliation Given. 6pp. 85648-308-85648-313.

9509260063 Forwards insp rept 40-6493/95-01 on 950905. No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/09/20. HOTY, J. 2pp. 85569-126-85569-131.

-9509260076 Insp rept 40-6493/95-01 on 950905. No violations noted. Major areas inspected: independent radiation surveys in facilities where former licensee activities took place & interviewed personnel.
GLINSKI, R.L., HOUSE, J., MCCORMICK-BARGE Region 3 (Post 820201). 95/09/20. 4pp. 85569-128-85569-131.

9509280141 Informs that County has no addl comments re 40001827 characterization rept for Northeast OH Regional Sewer District southerly wastewater treatment plant.
BRADY, T.T. Cuyahoga County, OH. 95/09/28. NALLUSWAMI, S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85657-351-85657-351.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0185 G.T.E. PRODUCTS CORP., TOWANDA, PA

9509180345 Transmits Osrsm Sylvania Inc (SYLVANIA) quarterly progress rept on action taken in response to CAL-1-94-008 & status of SYLVANIA actions in response to CAL-1-94-008.
VENEZIA, C. Osrsm Sylvania, Inc. 94/12/19. MARTIN, T.T. Region 1 (Post 820201). 11pp. 85534-001-85534-156.

-9509180360 "Technical Basis for Controlling Radiation Exposures at Bldg 20."
BERGER, C.D. 94002/G-107. 94/12/12. 28pp. 85534-012-85534-039.

-9509180364 "Isotopic Ratios in Thoriated Tungsten Process."
BERGER, C.D. 94002/G-112. 94/12/15. 41pp. 85534-040-85534-080.

-9509180368 "Technical Basis for Controlling Radiation Exposures at Bldg 6."
BERGER, C.D., KELLEY, B.A. 94002/G-114. 94/12/12. 34pp. 85534-081-85534-114.

-9509180371 "Technical Basis for Controlling Radiation Exposures at Bldg 10."
BERGER, C.D. 94002/G-110. 94/12/12. 27pp. 85534-115-85534-141.

-9509180376 "Pre-Test Site Visit Rept for In Place HEPA Filter & Metals Testing at Sylvania Facility in Towanda, PA."
* International Technology Corp. 94/10/31. 15pp. 85534-142-85534-156.

9509200085 Advises of actions that have been taken as result of discussions re contamination control, sampling, posting of radiation area, ALARA & employee info.
VENEZIA, C. OSRAM Corp. 94/05/19. ARREDONDO, S. Region 1 (Post 820201). 2pp. 85543-359-85543-360.

9509190144 Summarizes discussion w/NRC during 940603 telcon re CAL 1-94-08, as requested by NRC 940527 ltr.
ALPER, A.M. Osrsm Sylvania, Inc. 94/06/08. HEHL, C.W. Region 1 (Post 820201). 3pp. 85524-323-85524-325.

9509200069 Summarizes 940614 telcon re CAL 1-94-08. Lab repts for air filter analyses performed in Apr 1993, Mar 1994 & June 1994 encl.
VENEZIA, C. Osrsm Sylvania, Inc. 94/06/14. SHANBAKY, M. Region 1 (Post 820201). 14pp. 85564-137-85564-150.

9509190344 Summarizes discussion w/NRC during 940701 telcon re CAL 1-94-08.
VENEZIA, C. Osrsm Sylvania, Inc. 94/07/01. HEHL, C.W. Region 1 (Post 820201). 2pp. 85532-359-85532-360.

9509190333 Summarizes discussion w/NRC during 940823 telcon re CAL 1-94-08.
VENEZIA, C. Osrsm Sylvania, Inc. 94/08/24. HEHL, C.W. Region 1 (Post 820201). 2pp. 85536-284-85536-285.

9509190123 Transmits action plan in response to CAL 1-94-08 & progress rept on actions taken in response to CAL 1-94-08.
VENEZIA, C. Osrsm Sylvania, Inc. 94/08/26. MARTIN, T.T. Region 1 (Post 820201). 46pp. 85535-100-85535-145.

9509200036 Forwards "Isotopic Ratios in Thoriated Tungsten Process."
VENEZIA, C. OSRAM Corp. 94/12/29. MARTIN, T.T. Region 1 (Post 820201). 1p. 85575-001-85575-043.

2 DOCKETED ITEMS

-9509200076 "Isotopic Ratios in Thoriated Tungsten Process."
* OSRAM Corp. 94002/G-112. 94/12/22. 42pp. 85575:002-85575:043.

9509190153 Transmits quarterly progress rept on actions taken in response to CAL 1-94-08.
VENEZIA,C. Osram Sylvania, Inc. 95/03/27. MARTIN,T. Region 1 (Post 820201). 29pp. 85532:075-85532:140.

-9509190136 "Determination of Monitoring Frequency for Thoriated Tungsten Operations."
* 94002/G-116. 95/03/08. 37pp. 85532:104-85532:140.

9509190147 Transmits quarterly progress rept on actions taken in response to CAL 1-94-08, including summary of agreed-upon items, actions taken prior to licensee 950327 status rept & actions taken since 950327 status rept.
VENEZIA,C. Osram Sylvania, Inc. 95/06/12. MARTIN,T.T. Region 1 (Post 820201). 10pp. 85524:313-85524:322.

9509190117 Forwards listing of BZA samples collected in Cut & Finish Dept of building 20 from 940601-0627 along w/analytical repts from IT. Also enclosed final Canberra rept on bioassays.
VENEZIA,C. OSRAM Corp. 95/07/13. ARREDONDO,S. Region 1 (Post 820201). 93pp. 85538:216-85538:310.

9509200064 Ack receipt of 950717 ltr re insp 40-0185/95-01 & closure of CAL 1-94-08 - expresses thanks for recognition of programmatic improvements at Towanda facility. Listed suppl info also provided in response to 950717 ltr.
VENEZIA,C. Osram Sylvania, Inc. 95/08/01. HEHL,C.W. Region 1 (Post 820201). 2pp. 85543:357-85543:358.

9509190127 Transmits final progress rept on actions taken in response to CAL-1-94-08, including actions taken. Actions addressed in CAL-1-94-08 complete.
VENEZIA,C. Osram Sylvania, Inc. 95/09/05. MARTIN,T.T. Region 1 (Post 820201). 10pp. 85524:175-85524:210.

-9509190130 "Technical Basis for Assessing Compliance W/Population Dose Limits."
* 94002/G-1107. 95/08/14. 28pp. 85524:185-85524:210.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9509200317 Informs NRC of windblown cleanup plans so that NRC can verify surface while exposed if so desired.
LYONS,P.J. UMETCO Minerals Corp. 95/09/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85547:303-85547:305.

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9509080101 Forwards discussion of radioactive rock used as fill, project status update, preliminary soil data from samples between bldgs & response to NRC 950801 ltr.
REILLY,K. OHM Corp. 95/08/20. NRC - No Detailed Affiliation Given. 11pp. 85416:341-85416:351.

9509200313 Informs that Ordnance Road Citizens Committee scheduled to meet 950925 in Room #403 Arundel Ctr North.
MINNITTE,S.F. Maryland, State of. 95/09/11. ORLANDO,D.A. Office of Nuclear Material Safety & Safeguards. 1p. 85554:301-85554:301.

9509200306 Forwards ltr from RUST Rust Environ & Infrastructure Inc explaining that large book submitted on 950816 compilation of all NRC requirements from previous discussions. Brief update re groundwater assessment of site also included.
REILLY,F.K. Defense, Dept. of. Defense Logistics Agency. 95/09/14. ORLANDO,D. Office of Nuclear Material Safety & Safeguards. 3pp. 85551:341-85551:343.

9509200368 Forwards brief description on how Defense Logistic Agency going to remove & sample around existing deadmen at bldg 421.
REILLY,F.K. Defense, Dept. of. Defense Logistics Agency. 95/09/14. ORLANDO,D. Office of Nuclear Material Safety & Safeguards. 2pp. 85551:344-85551:345.

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9509260058 Forwards insp rept 40-0534/95-01 on 950724 & 26 Noncited violations noted.
MCCORMICK Region 3 (Post 820201). 95/09/20. ZIELINSKI,A.M. General Electric Co. 2pp. 85569:109-85569:116.

-9509260069 Insp rept 40-0534/95-01 on 950724 & 26 Noncited violations noted. Major areas inspected: lower & upper pilot plant rooms & getter room, three soil samples collected where drain lines removed & ten wipes collected at Chemical Products plant.
SNELL,W.G., KURTH,M., MCCORMICK Region 3 (Post 820201). 95/09/20. 6pp. 85569:111-85569:116.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9509250152 Ack receipt of 950815 ltr which requested partial exemption from financial assurance requirements contained in 10CFR40.36 & provided decommissioning plan for holding basin.
KINNEMAN,J.D. Region 1 (Post 820201). 95/09/07. VUMBACO,F. Nuclear Metals, Inc. 3pp. 85558:170-85558:172.

9509250162 Forwards addendum to rept listing results of recount of soil samples from insp repts 40-0672/94-01 & 40-8866/94-01, conducted on 941116-17 by M Miller & A Schwartz.
KINNEMAN,J.D. Region 1 (Post 820201). 95/09/15. VUMBACO,F.J. Nuclear Metals, Inc. 5pp. 85558:179-85558:183.

DOCKET 40-0861 HORIZONS INC. CEVELAND

9509140267 Final response to FOIA request for records. App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. MORANO,D.J. Affiliation Not Assigned. 9pp. 85562:002-85562:135.

-9311050001 Responds to 930903 & 930914 ltrs requesting assigned project managers to Clevite & Horizons cases.
GRLEVE,S.J.T. Division of Low-Level Waste Management & Decommissioning (870413-940402). 93/11/01. AXELSON,W.L. Region 3 (Post 820201). 1p. 85562:045-85562:051.

-9509140282 Trip rept of 931116 visit to Horizons & Clevite sites in Cleveland, OH to tour facilities & observe controls for access to radioactive areas.
JOHNSON,T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/12/21. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 85562:052-85562:056.

-9509140287 Summary of 931116 meetings to discuss contaminated facilities & remediation plans w/Neighborhood Programs, Inc.
MCCANN,G.M. Region 3 (Post 820201). 94/02/02. SHEAR,G.L. Region 3 (Post 820201). 6pp. 85562:057-85562:062.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9509110226 Forwards "Split Rock Water Quality Rept for 1st & 2nd Quarters 1995," providing results of water quality monitoring program. Water quality in Well 23 still exceeds WDEQ Class 1 stds for total dissolved solids & sulfates.
BALER,S.J. Western Nuclear, Inc. 95/09/01. Region 4 (Post 820201). 2pp. 85450:001-85451:127.

-9509110228 "Split Rock Water Quality Rept for 1st & 2nd Quarters 1995."
* Western Nuclear, Inc. 95/06/30. 49pp. 85450:003-85451:127.

9509110219 Forwards "Semiannual Environ Monitoring Rept for Jan-June 1995." Listed info not available for inclusion in submittal & will be submitted in accordance w/listed schedule.
BAKER,S.J. Western Nuclear, Inc. 95/09/01. Region 4 (Post 820201). 1p. 85449:180-85449:197.

-9509110221 "Semiannual Environ Monitoring Rept for Jan-June 1995."
* Western Nuclear, Inc. 95/06/30. 16pp. 85449:183-85449:197.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9509140201 Discusses Edgemont Decommissioning Project re request for termination of review & site degradation determination.
CARRIER,P.P. Tennessee Valley Authority. 95/09/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85476:337-85476:340.

DOCKET 40-1790 WELLMAN DYNAMICS CORP., MIDLAND, MI

9509110160 Forwards MI statement of intent to accompany amended license application for MI owned portion of Hartley & Hartley Landfill & tables of contents for technical support document & decommissioning funding plan.
HARMES,R. Michigan, State of. 95/09/01. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 85456:109-85456:123.

-9509110167 Table of contents for "MI Dept of Natural Resources Decommissioning Funding Plan for State-Owned Portion of Hartley & Hartley Landfill."
* Michigan, State of. 95/09/05. 4pp. 85456:112-85456:115.

-9509110184 Table of contents for "MI Dept of Natural Resources Technical Support Document 10CFR40 License Application for State-Owned Portion of Hartley & Hartley Landfill."
* Michigan, State of. 95/09/05. 6pp. 85456:116-85456:121.

-9509110191 Forwards amended application package for MI Dept of Natural Resources (MDNR) 10CFR40 radioactive mat license for MDNR owned portion of Hartley & Hartley Landfill, containing two listed documents. W/o encls.
HARMES,R. Michigan, State of. 95/09/01. PARROTT,J. NRC - No Detailed Affiliation Given. 2pp. 85456:122-85456:123.

DOCKET 40-2253 ARMY, DEPT. OF, WATERTOWN, MA

9509250225 Requests schedule for performing reviews & preparing survey plan.
KINNEMAN,J.D. Region 1 (Post 820201). 95/09/08. BECK,J. Oak Ridge Associated Universities. 2pp. 85558:215-85558:216.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9509190302 Effluent Monitoring Rept for 1st & 2nd quarters for 1995, for Pathfinder Mines Corp. Also includes rept of groundwater monitoring data W/950828 ltr.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/06/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 19pp. 85531:254-85531:272.

9509110017 Requests formal withdrawal from NRC review of 950522 license amend re survey program for windblown tailings.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/08/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85457:133-85457:134.

9509200203 Responds to NRC 950818 ltr re violation noted in insp of facility during June 1995. Corrective actions: future revs to nonoperational or environ SOPs will be reviewed by RSO to assure application of proper radiation safety principles.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85554:263-85554:264.

9509200350 Application for amend to license SUA-672, incorporating into Lucky Mc Mill license revised surety amount for tailings reclamation & mill decommissioning as required by condition 27. Summary of adjusted surety amount listed.
POYSER,R.W. Pathfinder Mines Corp. 95/09/15. 2pp. 85551:348-85551:349.

9509260364 Ack receipt of 950914 ltr informing NRC of steps taken to correct violations noted in insp repts 40-2259/95-01 & 40-2259/95-02.
SCARANO,R.A. Region 4 (Post 820201). 95/09/25. NUGENT,E.L. Pathfinder Mines Corp. 4pp. 85589-053-85589-058.

950926067 Forwards revised "Lucky Mc Mine Tailings Reclamation Plan Source Matl License SUA-672, Vols I & II," dealing w/modes to design of end protection & certain sizing aspects of nrap.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/09/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85647-321-85647-359.

9509260670 Revised "Lucky Mc Mine Tailings Reclamation Plan Source Matl License SUA-672 Vols I & II."
PLAYTON,S.J., MICHEL,T.G., HOFFMAN,G.L. Hydro-Engineering. 95/09/26. 37pp. 85647-323-85647-359.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9509220233 Confirms that licensees received NRC request, dtd 950612 to amend License SMB-602 to incorporate decommissioning plan for RMI Titanium Co extrusion plant.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/14. MARSH,E.P. RMI Co. 3pp. 85582-263-85582-265.

DOCKET 40-3392 ALLIED-SIGNAL, IP J., METROPOLIS, IL

9509080270 Responds to 950710 FAR, requesting guidance on whether licensee required to perform receipt surveys per 10CFR20 for drums containing ore concentrates from overseas suppliers bearing labels.
PIERSON,R.C. Licensing Branch. 95/08/25. SHEAR,G.L. Region 3 (Post 820201). 1p. 85447-049-85447-049.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9509080200 "Environ Monitoring Rept First Half 1995." W/950830 ltr.
EDWARDS,D.L., BLUBAUGH,R.E. Atlas Corp. 95/06/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 44pp. 85442-221-85442-264.

9509050007 Forwards copies of photographs taken during 950712-13 insp of license SUA-517, conducted by FJ Evans W/o encl.
SCARANO,R.A. Region 4 (Post 820201). 95/06/31. BLUBAUGH,R.E. Atlas Corp. 2pp. 85285-311-85285-312.

9509260361 Forwards UT Div of Water Rights listing for Northern Moab tailings & "Ecological Characteristics of Wetlands at Moab Slough, Moab, UT," final rept.
* Utah, State of. 95/09/19. LAYTON,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 22pp. 85620-018-85620-163.

9509260363 "Ecological Characteristics of Wetlands at Moab Slough, Moab, UT," final rept.
COOPER,D.J., SEVERN,C. Affiliation Not Assigned. 94/02/28. 123pp. 85620-040-85620-163.

9509250233 Trip rept of 950328-29 visit to Moab, UT re geologic quadrangle mapping field review & meeting w/Atlas Corp concerning Moab U mill tailings stabilization plan.
JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). 95/09/21. MCCONNELL,K.I. Engineering & Geosciences Branch (NMSS 940403). 5pp. 85580-312-85580-330.

9509250236 Extends invitation to attend UT Geological Survey technical field review of geologic mapping of Moab 7.5 minute quadrangle, Grand County, UT by H Doelling, M Ross & W Mulvey on 950928.
ROSS,M.L. Utah, State of. 95/03/01. JUSTUS,P. Division of Waste Management (NMSS 940403). 14pp. 85580-317-85580-330.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9509080102 Forwards design rept & plan sheets for Phase I Bullrush Heap Leap Reclamation. Bids currently being advertised on work & will open bids on 950921. Add radiological data forthcoming. W/5 oversize drawings.
MOKLEY,M. Wyoming, State of. 95/08/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85421-079-85421-273.

9509080110 "American Nuclear Tailings Reclamation Design Rept Phase I Bullrush Heap Leap Reclamation." W/contract documents & specs & six oversize drawings.
* AVI Professional Corp. 95/08/30. 150pp. 85421-080-85421-73.

9509080256 "American Nuclear Corp Gas Hills, Semi-Annual Rept." W/950724 ltr.
SALISBURY,W.C. American Nuclear Corp. 95/06/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 13pp. 85442-302-85442-314.

9509190382 Forwards copy of 40.65 rept for first half of 1995 W/o encl.
MOORE,J.C. UMETCO Minerals Corp. 95/08/21. HAQUE,M.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85532-354-85532-354.

9509140243 Informs that licensee under NRC order to comply w/license & complete reclamation of site.
SALISBURY,W.C. American Nuclear Corp. 95/08/22. HAYSLETT,T.L. Tennessee Valley Authority. 2pp. 85474-359-85474-360.

9509080264 Requests to immediately terminate season groundwater recovery efforts in order to allow water discharge area to sufficiently dry out prior to operation of const equipment in area.
SALISBURY,W.C. American Nuclear Corp. 95/08/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85421-360-85421-360.

9509080075 Ack TVA recent claim against ANC reimbursement under Title X of Energy Policy Act of 1992. Title X monies are essential to success of project & must be used for reclamation.
HEMMER,D. Wyoming, State of. 95/09/01. HAYSLETT,T. Tennessee Valley Authority. 2pp. 85442-193-85442-194.

9509150386 Notification of 950919 meeting w/licensee in Casper, WY to discuss aspects of reclamation of ANC gas hills U mill site.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/05. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85518-350-85518-351.

9509120386 Record of telcon w/E Brummett & K Hooks w/NRC & R Garling of Energy Labs on 950907 re emanation coefficients.
BRUXVOORT,K. Shepherd Miller, Inc. 95/09/07. 1p. 85469-305-85469-305.

9509260373 Responds to 950718 ltr to Salisbury, advising of Commission position on finality of reclamation plans previously approved by NRC.
CHANCELLOR,R.A. Wyoming, State of. 95/09/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85620-331-85620-331.

9509270205 Notification of Addendum 1 to American Nuclear tailings reclamation Phase 1 of Bid 0042-C w/encl pre-bid meeting minutes. Addendum provides changes & clarifications to contract documents, specs & drawings.
VOELLER,J.D. AVI Professional Corp. 95/09/15. AVI Professional Corp. 15pp. 85631-232-85631-246.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9509110201 "Semi-Annual Effluent Monitoring Rept for first & Second Quarters, 1995." W/950828 ltr.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/06/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 13pp. 85459-272-85459-284.

9509200352 Application for amend to license SUA-442, incorporating into Shirley Basin license revised surety amount for tailings reclamation & mill decommissioning as required by condition 27. Summary of adjusted surety amount listed.
POYSER,R.W. Pathfinder Mines Corp. 95/09/15. 2pp. 85552-276-85552-277.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9509190054 Submits results of land survey conducted 950828 & 29 per license condition 19. No changes in land use within 5 mile restricted area identified.
PFAFF,S.J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/08/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85538-001-85538-215.

9509190058 Advises that no radionuclide liquid effluents were released to surface unrestricted areas during six month prior to 950701.
PFAFF,S.J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/08/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85538-002-85538-002.

9509190064 Forwards "Environ Sample Data First & Second Quarters 1995 Shirley Basin, WY."
PFAFF,S.J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/06/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85538-003-85538-003.

9509190070 "Environ Sample Data First & Second Quarters 1995 Shirley Basin, WY."
* Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/06/30. 151pp. 85538-004-85538-215.

9509140189 Requests that final radon barrier completion date be rescheduled to 971031. Completion by date based on assumption no revs to approved reclamation plan will be required & const can proceed in spring of 1996.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/09/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85476-341-85476-343.

9509250219 Forwards FR notice announcing receipt of application from Petrotomics Co to change completion date for site-reclamation milestone in license condition 50 of license SUA-551 for Shirley Basin, WY U mill site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/21. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85580-336-85580-339.

9509250223 FR notice of receipt of application from Petrotomics Co to change completion date for site-reclamation milestone in license condition 50 of license SUA-551 for Shirley Basin, WY U mill site.
THOMA,J.D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/21. 3pp. 85580-337-85580-339.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9509150285 Final response to FOIA request for records re Metcoa/Pesses site. App A records encl & available in PDF.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/30. KREGENOW,L.B. 4pp. 85527-003-85527-183.

9509150310 Provides info re Cabot Corp, Pesses Co & Gamma Industries requested in 850917 telcon.
GLENN,J.E. Region 1 (Post 820201). 85/10/17. MURPHY,G. Oak Ridge Associated Universities. 9pp. 85527-033-85527-042.

9509060238 Confirms telcon between AT Campielli & C Hiehl on 950828 re request for extension of time for response to enforcement action.
KANE,W.F. Region 1 (Post 820201). 95/09/01. CAMPITELLI,A.T. Cabot Corp. 2pp. 85312-152-85312-153.

4 DOCKETED ITEMS

- 9509260312** Remits check in amount of \$5,000 for payment of proposed civil penalty as directed in NOV received from Region 1 of NRC dtd 950809.
LINDELL,J.S. Cabot Corp. 95/09/21. Ofc of Enforcement (Post 870413). 1p. 85623-314-85623-335.
- 9509260316** Forwards response to NRC 950809 ltr re violations noted in insp of license SMB-920. Corrective actions provided licensee performance matrix radiological action plan to NRC at 950525 enforcement conference.
LINDELL,J.S. Cabot Corp. 95/09/22. Ofc of Enforcement (Post 870413). 16pp. 85623-315-85623-335.
- DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ**
- 9312020277** Forwards notice of intent to prepare EIS & to conduct scoping process for decommissioning shield alloy metallurgical corp facility in Newfield, NJ.
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/11/19. MEYER, D.L. Facility Management Branch. 5pp. 85590:141-85590:145.
- 9509130193** "EIS Scoping Summary Rept."
* NRC - No Detailed Affiliation Given. 94/03/31. 93pp. 85590:013-85590:105.
- 9509130198** "Comparison of NRC Decommissioning Process w/Ohio EPA Remediation Process."
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/03. 34pp. 85590:106-85590:139.
- 9509150027** First partial response to FOIA request for documents. Records in App A encl & will be available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. GRAHAM, M.E. Affiliation Not Assigned. 5pp. 85734:001-85735:049.
- 9509150049** Informs that NRC received anonymous call from concerned individual re 600,000 tons of low grade radioactive & chemical waste located near factory called Shieldalloy Metallurgical Corp.
DEFAYETTE, R.W. Ofc of Enforcement (Post 870413). 94/08/18. NORTON, L. Office of the Inspector General (Post 890417). 36pp. 85734:008-85734:043.
- 9509150054** Discusses concerns from citizen who originally indicated that fill mat which may have been radioactively contaminated might have been used as fill in large pits on Shieldalloy Metallurgical Corp site.
GLINSKI, R. NRC - No Detailed Affiliation Given. 95/05/01. FUNK, D. NRC - No Detailed Affiliation Given. 11pp. 85734:044-85734:054.
- 9509150068** Informs NRC that licensee has not received info requested in FOIA. Request was made to NRC on 940721.
LEE, P.E. Affiliation Not Assigned. 94/08/31. SHEAR, G.L. NRC - No Detailed Affiliation Given. 1p. 85734:055-85734:055.
- 9509150099** Confirms 940919 telcon concerning Shieldalloy site in Cambridge, Ohio. Discussion indicated that Cyprus Foote Mineral Co was committed to completing task outlined in 940624 ltr to NRC.
LEE, P.E. Foote Mineral Co. 94/09/20. AXELSON, W.L. Region 3 (Post 820201). 2pp. 85734:056-85734:057.
- 9509180023** Discusses 941013 memo re possible new issues received from NMSS re Shieldalloy Metallurgical Co.
FUNK, D.E. NRC - No Detailed Affiliation Given. 94/10/26. SHEAR, G.L. Office of Nuclear Material Safety & Safeguards. 1p. 85734:099-85734:099.
- 9509180037** Forwards update on phase I scoping survey of Vicinity Properties, Cambridge, OH.
TORRINI, R.E. Woodward-Clyde Consultants, Inc. 94/12/14. SHEAR, G. Region 3 (Post 820201). 3pp. 85734:158-85734:160.
- 9509220002** Discusses weekly conference call re Shieldalloy contract's concerning item of interest.
NELSON, R.A. NRC - No Detailed Affiliation Given. 95/03/03. GLINSKI, WEBER NRC - No Detailed Affiliation Given. 1p. 85735:048-85735:048.
- 9509220004** Discusses class action lawsuit filed by four families against Cyprus Foote Mineral, Cyprus Amax Minerals, Newmont Mining & Cabot Corp.
GLINSKI, R.L. NRC - No Detailed Affiliation Given. 95/03/07. NELSON, WEBER NRC - No Detailed Affiliation Given. 1p. 85735:049-85735:049.
- 9509210019** Third partial response to FOIA request for records. App C & D records encl & available in PDR. App E records withheld (ref FOIA exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/23. GRAHAM, M.E. Affiliation Not Assigned. 6pp. 85583:001-85583:278.
- 9208250034** "Statement of Account," consisting of statement of income & principal transactions & list of assets, per Trust Agreement dtd 900719 & between Shieldalloy Metallurgical Corp & Mellon Bank, N.A.
* Mellon Bank, N.A. 92/07/01. 5pp. 85583:129-85583:133.
- 9408050234** Ack receipt of 940621 ltr & advises that detailed budget for EIS will not be provided as requested. Costs to be billed in accordance w/10CFR170.12 of Commission regulations, encl W/c encl.
DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 94/08/03. EVES, C.S. Shieldalloy Metallurgical Corp. 1p. 85583:249-85583:250.
- 9509130178** First partial response to FOIA request for documents. App A records available in PDR. Records in App B encl & being made available for PDR. App C partially withheld & App D completely withheld (ref FOIA exemptions 4 & 6).
REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/03. GILLON, P.M. Weil, Gotshal & Manges. 10pp. 85590:001-85592:012.
- 9403310249** Forwards responses to questions identified by ORNL on summary repts for EIS scoping process initiated for repts Shieldalloy Metallurgical Corporation's (Shieldalloy's) facilities in Newfield, NJ & Cambridge, OH.
COMFORT, G. Licensing Branch. 94/03/25. MCCOY, L. Oak Ridge National Laboratory. 11pp. 85590:332-85590:343.
- 9509110081** Fifth partial response to FOIA request for records re Foote Mineral/Shield Alloy/Cyprus Mineral site in Cambridge, OH. Records in App G available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/08. GRAHAM, M.E. Affiliation Not Assigned. 2pp. 85448:001-85449:120.
- 9309130195** Certificate of Commencement of Case re Metallurg, Inc & Shieldalloy Metallurgical Corp petition requesting relief under chapter 11 of Bankruptcy Code (title 11 of US Code).
MORRIS, C.G. U.S. District Court, Southern District of New York. 93/09/02. 400pp. 85448:004-85449:041.
- 9309140105** Notice of proposed order per bankruptcy code Sections 328(a) & 1103 authorizing retention of Kekst & Co NUNC PRO TUNC to 930902 as public relations consultants for debtors.
RAPISARDI, J.J. Weil, Gotshal & Manges. 93/09/03. 21pp. 85449:042-85449:062.
- 9502100029** Forwards request for addl info on invoices submitted to licensee for action.
DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 95/02/07. BEVERIDGE, G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 3pp. 85449:113-85449:120.
- 9502100040** Requests addl info on invoices charged to licenses SMB-743 & SMB-1507. Invoices encl.
EVES, C.S. Shieldalloy Metallurgical Corp. 94/12/16. MESSIER, M. Office of Nuclear Material Safety & Safeguards. 50pp. 85449:063-85449:112.
- 9509250328** Discusses 950314 & 0515 ltrs which indicated that plan to adjust Derived Air Condition for airborne Th & U activity at plant.
SHANBKY, M.M. Region 1 (Post 820201). 95/09/08. EVES, C.S. Shieldalloy Metallurgical Corp. 3pp. 85600:193-85600:195.
- 9509210144** Forwards responses to request for addl info to support license renewal application for Shieldalloy Metallurgical Corp at Newfield.
EVES, C.S. Shieldalloy Metallurgical Corp. 95/09/15. COMFORT, G.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 16pp. 85550:338-85550:353.
- 9509210192** Application for amend to renewal of License SMB-734, submitting radiation protection procedures, RSP-001 "Radiation Protection Program" & RSP-003 "Control of Radiation Safety Procedures."
EVES, C.S. Shieldalloy Metallurgical Corp. 95/09/15. COMFORT, G. Division of Fuel Cycle Safety & Safeguards (Post 930207). 10pp. 85557:308-85557:349.
- 9509210194** Rev 0 to RSP-001, "Radiation Protection Program Plan (Newfield Facility)."
* Shieldalloy Metallurgical Corp. 95/09/15. 20pp. 85557:318-85557:337.
- 9509210198** Rev 0 to RSP-003, "Control of Radiation Safety Procedures (Newfield Facility)."
* Shieldalloy Metallurgical Corp. 95/09/15. 12pp. 85557:338-85557:349.
- DOCKET 40-7354 ARMY, DEPT. OF, ABERDEEN, MD**
- 9509250096** Confirms that on 950831, DOA staff will discuss current activities w/depleted U at Aberdeen Proving Ground w/CW Hehl & A Dimitriadis.
KINNEGAN, J.D. Region 1 (Post 820201). 95/08/11. KRIEBEL, C. Agriculture, Dept. of. 2pp. 85558:035-85558:036.
- 9509120207** Mat' licensing package for amend 22 to license SUB-834 for US Army Aberdeen Test Ctr. Control:12150.
WHITE, D. Region 1 (Post 820201). 95/08/21. 71pp. 85425:239-85425:311.
- DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA**
- 9509150027** First partial response to FOIA request for documents. Records in App A encl & will be available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. GRAHAM, M.E. Affiliation Not Assigned. 5pp. 85734:001-85735:049.
- 9410050027** Insp rept 99990003/94-44 on 940620-24. No violations noted. Major areas inspected direct radiation surveys, collected samples of slag * radiological analysis & interviewed residents.
GLINSKI, R.L., GLENN, C., MCCANN, G.M. Region 3 (Post 820201). 94/09/22. 14pp. 85734:074-85734:087.
- 9502100037** Forwards addendum to insp rept 99990003/94-44, incorporating results of testing to characterize composition of offsite slag. NRC does not believe that offsite slag poses immediate or significant health & safety risk to members of public.
SHEAR, G.L. Region 3 (Post 820201). 95/02/06. LEE, P. Foote Mineral Co. 3pp. 85734:185-85734:351.
- 9509150349** Notification of significant licensee meeting w/licensee on 941101 to discuss NRC expectations & to afford Cyprus Foote Mineral an opportunity to present plans to address issue.
SHEAR, G.L. Region 3 (Post 820201). 94/11/01. Region 3 (Post 820201). 2pp. 85734:093-85734:095.
- 9509180024** Forwards comment on phase I work for scoping survey on vicinity properties in area of Cambridge, Ohio.
SHEAR, G.L. Region 3 (Post 820201). 94/10/28. LEE, P. Affiliation Not Assigned. 27pp. 85734:100-85734:147.
- 9509180030** Forwards copy of response to NRC comments on "Phase I work plan for scoping survey of vicinity properties, Cambridge, Ohio."
TORRINI, R.E. Woodward-Clyde Consultants, Inc. 94/11/22. SHEAR, G. Region 3 (Post 820201). 9pp. 85734:148-85734:156.
- 9509180033** Ack receipt of info that Guernsey County/Cambridge Community Industrial Association may have minutes from meetings or other records/documents that may indicate locations where Cyprus Foote slag used for const purposes.
SHEAR, G.L. Region 3 (Post 820201). 94/11/28. 1p. 85734:157-85734:157.

-950910045 Requests that docket 040-07397 be added to file & "Public" for internal distribution.
NELSON,A. NRC - No Detailed Affiliation Given. 94/12/15. GLINSKI,R.L. NRC - No Detailed Affiliation Given. 4pp. 85734.181-85734.184.

-9509210083 Comments on addendum to insp rept.
WEBER,M.F. NRC - No Detailed Affiliation Given. 95/02/03. GLINSKI,R.L. NRC - No Detailed Affiliation Given. 1p. 85734.184-85734.184.

9509080099 Requests submission of listed info within 30 days, re licensee data repts received on 950804, so that review can be completed.
MCCORMICK, Region 3 (Post 820201). 95/08/25. LEE,P. Affiliation Not Assigned. 2pp. 85324.128-85324.129.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9509200186 Submits amend to irrevocable documentary credit C7155999, extending validity credit to 950727.
* Bank of America. 95/07/27. NRC - No Detailed Affiliation Given. 1p. 85546.357-85546.357.

9509070018 Final response to FOIA request for documents. Forwards App F records being made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. THOMAS,F.M. Morgan, Lewis & Bockius. 2pp. 85373.121-85373.138.

-9509070045 Requests that recipient read encl note from M Weber re concerns expressed by Native American group related to Fansteel proposed export of contaminated sludges to Thailand.
SPIRO,H.J. Decommissioning & Regulatory Issues Branch (Post 901230). 93/03/31. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85373.137-85373.137.

-9509070052 Discusses Native Americans for Clean Environ concerns re Fansteel proposed export of U/Th residues to Thailand.
WEBER,M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 93/03/30. SPIRO,H.J. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 85373.136-85373.138.

9509010073 Forwards nonproprietary & proprietary info in response to NRC 950629 & 0718 RAIs re request for amend to license SMB-911. Proprietary info withheld (ref 10CFR2.790).
HUNTER,J.J. Fansteel, Inc. 95/08/10. DATTA,A. Licensing Branch. 12pp. 85337.167-85337.178.

9509180091 Forwards ltr from Fansteel Inc to Secretary O'Leary at DOE for NRC files.
ENGLERT,J.P. Kirkpatrick & Lockhart. 95/08/30. DATTA,A. NRC - No Detailed Affiliation Given. 4pp. 85510.329-85510.334.

9509180087 Informs that staff completed review of Fansteel request & concluded mod unacceptable & should be denied.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/01. PIERSON,R. Licensing Branch. 3pp. 85510.326-85510.328.

9509200132 Informs that licensee formally requested DOE to take title to certain low-level radioactive wastes located at Muskogee site & portion of site wastes will be situated.
MOONIAK,M.J. Fansteel, Inc. 95/09/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 5pp. 85555.334-85555.338.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9509190201 Submits monthly progress rept 25 for Jul 1995, including accomplishments & plans for upcoming period.
RUPERT,W.M. BP Chemicals International. 95/07/27. PATULSKI,D. Environmental Protection Agency. 2pp. 85524.298-85524.299.

9509190082 Submits monthly progress rept 26 for month of Aug 1995.
RUPERT,W.M. BP Chemicals International. 95/08/30. PATULSKI,D. Environmental Protection Agency. 2pp. 85524.354-85524.355.

9509280279 Forwards response to comments in review of license amend application for onsite disposal of pond closure mixed wastes.
RUPERT,W.M. BP Chemicals International. 95/03/08. NALLUSWAMI,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. 85638.266-85638.270.

9509280268 Forwards revised pages of Tables 1 & 2 of decommissioning funding plan cost estimate previously submitted on 950725. Revised summary table incorporating aforementioned changes also encl.
RUPERT,W.M. BP Chemicals International. 95/09/09. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 11pp. 85657.334-85657.344.

9509280292 Forwards revised "Decommissioning Funding Plan Cost Estimate," in response to NRC comments received in review of licensee 950727 submittal.
RUPERT,W.M. BP Chemicals International. 95/09/18. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85638.228-85638.265.

-9509280296 Revised "Decommissioning Funding Plan Cost Estimate."
RUPERT,W.M. BP Chemicals International. * B. Koh & Associates, Inc. 95/09/18. 37pp. 85638.229-85638.265.

9509280275 Informs that schedule for decontamination & decommissioning of mixed waste ponds based on ack of NRC approval of BP Chemicals license amend application by 951231.
RUPERT,W.M. BP Chemicals International. 95/09/20. NALLUSWAMI,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2p. 85657.332-85657.333.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9509080061 Forwards General Atomic & Sequoyah Fuels Corp application for stay of order & request for temporary housekeeping stay.
DUNCAN,S.M. Mays & Valentine. #395 17051. 95/08/25. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 85324.010-85324.034.

-9509080072 General Atomic & Sequoyah Fuels Corp application for stay of order (ruling on intervenors motion to compel answers to first interrogatories) & request for temporary housekeeping stay.*
DUNCAN,S.M. General Atomic (formerly GA Technologies, Inc./General Atomic Co.), AXELRAD,M. Sequoyah Fuels Corp. DUNCAN,S.M. Mays & Valentine. #395 17051. 95/08/25. Commissioners (Post 750119). 8pp. 85324.011-85324.018.

-9509080074 Order (ruling on intervenors motion to compel answers to first interrogatories). Motion granted W/Certificate of Svc.
GLEASON,J.P., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #395 17051. 95/08/21. Sequoyah Fuels Corp. 7pp. 85324.019-85324.025.

-9509080095 Joint motion for expedited order temporarily staying all activities in proceeding in order to permit parties to engage in settlement discussions.* W/Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). DUNCAN,S.M. General Atomic (formerly GA Technologies, Inc./General Atomic Co.) DUNCAN,S.M. Mays & Valentine. #395 17051. 95/08/24. Atomic Safety & Licensing Board Panel. 9pp. 85324.026-85324.034.

9509080084 Native Americans for Clean Environ & Cherokee Nation response to GA & NRC Staff joint motion for an order temporarily staying all activities in proceeding in order to permit parties to engage...* W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. WILCOXEN,J.G. Wilcoxon, Wilcoxon & Pnmomo (formerly Wilcoxon & Wilcoxon). #395 17059. 95/08/28. Atomic Safety & Licensing Board Panel. 4pp. 85324.053-85324.056.

9509080103 Discusses 950821 ltr re General Atomic & Sequoyah Fuels Corp filing of responses to intervenors motion to compel production of documents. W/Certificate of Svc. Related correspondence.
AXELRAD,M. Morgan, Lewis & Bockius. #395 17068. 95/08/28. CURRAN,D. Institute for Energy & Environmental Research, Heidelberg, Germany. 3pp. 85324.066-85324.068.

9509080076 Confirms 950829 telcon re rescheduling of H Thompson appearance to give deposition. Related correspondence.
HOM,S.R. Office of the General Counsel (Post 860701). #395 17067. 95/08/29. DUNCAN,S.M. Mays & Valentine. 1p. 85324.043-85324.043.

9509080083 GA opposition to intervenor response to joint motion for order temporarily staying all activities in proceeding in order to permit parties to engage in settlement discussions.* W/Certificate of Svc.
DUNCAN,S.M. General Atomic (formerly GA Technologies, Inc./General Atomic Co.), DUNCAN,S.M. Mays & Valentine. #395 17070. 95/08/29. Atomic Safety & Licensing Board Panel. 9pp. 85324.044-85324.052.

9509080092 NRC Staff views on Native Americans for Clean Environ & Cherokee Nation mods to GA & NRC Staff joint motion for expedited order temporarily staying all activities in proceeding in order to permit...* W/Certificate of Svc.
HOM,S.R. Office of the General Counsel (Post 860701). #395 17058. 95/08/29. Atomic Safety & Licensing Board Panel. 4pp. 85324.062-85324.065.

9509080113 Confirms that in light of current developments, recipient agreed to 7-day extension in licensee & GA responses to intervenor interrogatories otherwise due 950831 & 0901. W/Certificate of Svc. Related correspondence.
AXELRAD,M. Morgan, Lewis & Bockius. #395 17069. 95/08/29. CURRAN,D. Institute for Energy & Environmental Research, Heidelberg, Germany. 3pp. 85324.078-85324.080.

9509080055 Order (ruling on joint motion for stay of proceeding)* General Atomic must make available to intervenors documents subject to production under 950710 first production request by intervenors. W/Certificate of Svc. Served on 950830.
BOLLWERK,G.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. #395 17064. 95/08/30. Office of the General Counsel (Post 860701). 7pp. 85324.001-85324.007.

9509080068 Order.* Commission grants temporary housekeeping stay to give all parties an opportunity to file responses to petition for full stay W/certificate of Svc. Served on 950830.
BATES,A.L. Office of the Secretary of the Commission. #395 17060. 95/08/30. General Atomic (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 85324.037-85324.040.

9509110065 Intervenor motion for leave to file reply brief & reply testimony.*
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. #395 17091. 95/09/06. Atomic Safety & Licensing Board Panel. 3pp. 85333.290-85333.348.

-9509110067 Intervenor reply brief.* Advises that Sequoyah Fuels Corp license amend application should be rejected.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. 95/09/06. Atomic Safety & Licensing Board Panel. 23pp. 85333.293-85333.315.

-9509110070 Reply testimony of CJ Earl.* W/Certificate of Svc.
EARL,C.J. Native Americans for a Clean Environment. EARL,C.J. Cherokee Nation. 95/09/06. 33pp. 85333.316-85333.348.

9509110067 Forwards errata to reply testimony of CJ Earl, corrected version of reply testimony, filed by Federal Express & attachments to subj testimony, inadvertently omitted from filing.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 17092. 95/09/07. JULIAN,E.L. Docketing & Services Branch. 1p. 85334.002-85334.080.

-9509110100 Discusses reply brief, reply testimony of CJ Earl & motion for leave to file reply brief & testimony, filed on behalf of intervenors. Forwards attachments to testimony, inadvertently omitted from packages.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 17092. 95/09/07. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 85334.003-85334.003.

6 DOCKETED ITEMS

- 9509110103 Errata to reply testimony of CJ Earl.* Submits listed errata to reply testimony of CJ Earl, filed on 950906.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 95/09/07. 2pp. 85334-004-85334-005.
- 9509110111 Reply testimony of CJ Earl.* Submits listed errata in response to affidavit of JH Ellis on administrative organization amend.dtd 950822.W/Certificate of Svc.
EARL,C.J. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 95/09/06. 75pp. 85334-006-85334-080.
- 9509200303 Provides comments & views on NRC present plan for conducting EIS addressing decommissioning of SFC site.
ELLIS,J.H. Sequoyah Fuels Corp. 95/09/07. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 85554-296-85554-300.
- 9509210127 Intervenor response to joint motion for approval of settlement agreement.* Licensing Board should not accept terms of proposed settlement agreement.W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Affiliation Not Assigned. WILCOXEN,J.G. Cherokee Nation. #395 17100. 95/09/08. Atomic Safety & Licensing Board Panel. 40pp. 85546:074-85546:127.
- 9509200126 Forwards comments must be addressed by Sequoyah Fuels Corp prior to EPA approval of Final Class 1 injection well data evaluation rept.
HEBERT,M.A. Environmental Protection Agency. 95/09/11. MUNSON,S. Sequoyah Fuels Corp. 4pp. 85536:327-85536:330.
- 9509210135 Joint status rept & motion for extension of stay order.* Staff & GA believe that extension of stay of discovery for another 3 wks justified.W/Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #395 17120. 95/09/15. 4pp. 85546:161-85546:164.
- 9509210193 SFCs motion for leave to file reply.*
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #395 17110. 95/09/15. Atomic Safety & Licensing Board Panel. 2pp. 85546:234-85546:250.
- 9509210199 SFCs reply to intervenors opposition to settlement agreement.* Requests that Board approve Settlement Agreement & dismiss SFC from proceeding.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. 95/09/15. Atomic Safety & Licensing Board Panel. 15pp. 85546:236-85546:250.
- 9509210132 NRC staff motion for leave to reply to intervenors response to joint motion for approval of settlement agreement.* Motion granted.W/Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). #395 17112. 95/09/18. Atomic Safety & Licensing Board Panel. 5pp. 85546:156-85546:160.
- 9509210270 Forwards insp rept 40-8027/95-02 on 950807-09.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/18. ELLIS,J. Sequoyah Fuels Corp. 3pp. 85545-104-85545-117.
- 9509210274 Insp rept 40-8027/95-02 on 950807-09.No violations noted. Major areas inspected:routine,announced insp of licensee facility status & programs including mgt & organization controls,operations review & radiation protection.
CAIN,C.L. Region 4 (Post 820201). 95/09/11. 10pp. 85545:106-85545:117.
- DOCKET 40-8064 RIO ALGOM MINING CORP., MOAB, UT**
- 9509070260 "Semiannual Environ Monitoring Rept for Jan-June 1995." W/ 950830 ltr
FOSSEY,F.G. Rio Algom Mining Corp. 95/06/30. HOLONICH,J. Division of Low-Level Waste Management & Decommissioning (870413-940402). 14pp. 85415-316-85415-329.
- DOCKET 40-8102 EXXON CORP., HOUSTON, TX**
- 9509120361 Submits request to keep approved surety at \$2,150,000 as approved by amend 41 to license on 920917,per condition 23 of license SUA-1139.
PATTON,J.D. Siemens Power Corp (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/08/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85469:306-85469:309.
- 9509110388 Submits NRC position on review of reclamation plans approved prior to release of Aug 1990 final staff technical position "Design of Erosion Protection Covers for Stabilization of U Mill Tailings Sites."
PATTON,J.D. Exxon Corp. 95/08/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85438:314-85438:315.
- 9509120103 Forwards semiannual environ monitoring results covering Highland Reclamation Project for period Jan-June 1995, including water levels in monitor wells,settlement monument data & summaries of water quality data.
RANGE,D.M. Exxon Corp. 95/08/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). COLLINS,S.J. Region 4 (Post 820201). 1p. 85473:001-85473:097.
- 9509120108 Semiannual environ monitoring results covering Highland Reclamation Project for period Jan-June 1995.
* Exxon Corp. 95/06/30. 71pp. 85473:002-85473:097.
- DOCKET 40-8148 ARMY, DEPT. OF, ABERDEEN, MD**
- 9509120311 Amend 10 to license SUB-1142 for Dept of Army Edgewood Research.
DIM:TRIADIS,A. Region 1 (Post 820201). 95/08/25. 6pp. 85424:354-85424:359.
- DOCKET 40-8406 PESSES CO., SOLON, OH**
- 9509150285 Final response to FOIA request for records re Metcoa/Pesses site.App A records encl & available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/30. *REGENOW,L.B. 4pp. 85527:003-85527:183.
- 9509150298 Summarizes number of telcons re Metcoa Property & Pesses Co.
KINNEMAN,J.D. Region 1 (Post 820201). 85/04/03. WILSON,R. Dollar Savings. 4pp. 85527:011-85527:022.
- 9509150309 Submits comments re proposal to clean up Mg Th waste & radioactive contamination at Metcoa plant site.Informs that proposal to dispose radioactive matl at site appears to be acceptable.
KINNEMAN,J.D. Region 1 (Post 820201). 85/09/04. WILSON,R.W. Dollar Savings. 1p. 85527:023-85527:032.
- 9509150310 Provides info re Cabot Corp,Pesses Co & Gamma Industries requested in 850917 telcon.
GLENN,J.E. Region 1 (Post 820201). 85/10/17. MURPHY,G. Oak Ridge Associated Universities. 9pp. 85527:033-85527:042.
- 9509150320 Summarizes NRC involvement w/former Pesses property for benefit of Township Supervisors.
KINNEMAN,J.D. Region 1 (Post 820201). 85/12/05. STOWE,L. Pennsylvania, Commonwealth of. 2pp. 85527:044-85527:045.
- 9509150327 Provides "Caution-Radioactive Matl" signs which V Scovill discussed in 860114 telcon.
KINNEMAN,J.D. Region 1 (Post 820201). 86/01/14. WILSON,R.W. Dollar Savings. 1p. 85527:046-85527:051.
- 9509150341 Informs NRC of responsibilities for regulating use of certain radioactive matls including naturally occurring element Thorium.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. STOWE,L. Pennsylvania, Commonwealth of. 2pp. 85527:052-85527:053.
- 9509150343 Provides copy of radiological survey of Pesses Co Metcoa Site final rept.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. MACDONALD,D.J. Pennsylvania, Commonwealth of. 1p. 85527:054-85527:054.
- 9509150346 Provides radiological survey of Pesses Co Metcoa site final rept.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. BALINGHER,B. Environmental Protection Agency. 1p. 85527:055-85527:055.
- 9509150354 Provides radiological survey of Pesses Co Metcoa site final rept.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. EISEN,S. Javitch & Eisen, L.P.A. 1p. 85527:056-85527:056.
- 9509150355 Provides copy of radiological survey of Pesses Co Metcoa site final rept.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. ROSAKIS,J. Pennsylvania, Commonwealth of. 1p. 85527:057-85527:057.
- 9509180010 Provides copy of radiological survey of Pesses Co Metcoa site final rept.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. MCCLEARY,O.H. 1p. 85527:058-85527:062.
- 9509180012 Forwards copy revised final rept of radiological survey of Pesses Co Metcoa site W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. STOWE,L. Pennsylvania, Commonwealth of. 2pp. 85527:116-85527:117.
- 9509180013 Forwards revised copy of radiological survey of Pesses Co Metcoa site W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. BALINGHER,B. Environmental Protection Agency. 1p. 85527:118-85527:118.
- 9509180015 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. EISEN,S. Javitch & Eisen, L.P.A. 1p. 85527:119-85527:119.
- 9509180016 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. MCCLEARY,O.H. Pennsylvania, Commonwealth of. 1p. 85527:120-85527:120.
- 9509180018 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site in Pulaski,PA.W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. ROSAKIS,J. Pennsylvania, Commonwealth of. 1p. 85527:121-85527:121.
- 9509180019 Forwards revised copy of final rept of radiological survey Pesses Co Metcoa site W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. MACDONALD,D.J. Pennsylvania, Commonwealth of. 1p. 85527:122-85527:131.
- 9509180053 Informs of current status of site & to propose course of action based on recent info obtained during 881229 insp of Pesses (Metcoa) site in Pulaski,PA.
KINNEMAN,J.D. Region 1 (Post 820201). 89/03/17. KNAPP,M.R. Region 1 (Post 820201). 4pp. 85527:132-85527:142.
- 9509180057 Provides copy of SECY-92-200 "Updated Rept on Site Decommissioning Mgt Plan." W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 92/06/28. MANNING,C. Environmental Protection Agency. 2pp. 85527:143-85527:144.
- 9509180060 Informs that NRC sponsoring public workshop to exchange info & review lessons learned in site decommissioning mgt plan. Draft agenda encl.
KINNEMAN,J.D. Region 1 (Post 820201). 92/10/22. MANNING,C. Environmental Protection Agency. 6pp. 85527:145-85527:150.
- 9509180070 Summarizes number of telcons re license to conduct certain operations w/radioactive matl by NRC at Metcoa in Pulaski, PA.
KINNEMAN,J.D. Region 1 (Post 820201). 85/04/03. WILSON,R. Dollar Savings. 2pp. 85527:159-85527:160.
- 9509180076 Amend 10 to license STB-1254,authorizing use of 925 kgs thorium.
WRIGHT,E.G. Radiotopes Licensing Branch (Pre 790501). 78/07/13. 2pp. 85527:161-85527:162.

-9509180077 License STB-1254 for Pesses Co. authorizing possession & use of 500 pounds of thorium.
DRAGONETTE, K.S. Radioisotopes Licensing Branch (Pre 790501). 75/09/23. 21pp. 85527-163-85527-180.

-9509180062 Requests for investigation of Pesses Co in Pulaski, PA.
MURLEY, T.E. Region 1 (Post 820201). 85/11/18. CHRISTOPHER, R. Region 1 (Post 820201). 3pp. 85527-181-85527-183.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9509120341 Forwards "Rept on Compliance W/Clean Air Act Limits for Radionuclide Emissions From Comply Code, Version 1.5d." per 40CFR61, Subpart I.
WICHERS, D.L. COGEMA, Inc. 95/03/30. Colorado, State of. 2pp. 85469-313-85469-316.

-9509120343 "Rept on Compliance W/Clean Air Act Limits for Radionuclide Emissions From Comply Code, Version 1.5d."
WICHERS, D.L. COGEMA, Inc. 95/03/30. 2pp. 85469-315-85469-316.

9509110357 Confirms 950608 telcon notification to headquarters duty officer re excursion status of monitor well 4MW-15 at Christensen Ranch ISL Project.
VASELIN, J. COGEMA, Inc. 95/06/13. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85453-286-85453-289.

9509110318 Confirms telcon notification to headquarters duty officer on 950615 re excursion status of monitor wells M2, SSM1, SSM2, SSM3 at Irigaray Ranch ISL Project.
VASELIN, J. COGEMA, Inc. 95/06/21. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 85453-290-85453-295.

9509110311 Forwards memo on review of COGEMA Mining, Inc. annual rept submitted 940901, covering period Jan-June 1994 & semiannual repts submitted 940301, covering periods Jul-Dec 1993 & Jul-Dec 1994 respectively.
MOONEY, G. Wyoming, State of. 95/06/30. WICHERS, D.L. COGEMA, Inc. 13pp. 85457-296-85457-308.

9509110301 Submits quarterly update of monitor wells on excursion status.
TOAL, C.W. COGEMA, Inc. 95/07/12. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 85457-290-85457-295.

9509110368 Expresses concern w/longevity of excursions at Irigaray & Christensen Ranch sites.
CHANCELLOR, R.A. Wyoming, State of. 95/07/28. WICHERS, D.L. COGEMA, Inc. 2pp. 85452-354-85452-355.

9509110359 Informs that Land & Quality Div will not at this time reconsider waiving or otherwise modifying Condition 5 to Permit 478, in response to ltr sent to R Chancellor on 950525.
MOONEY, G. Wyoming, State of. 95/07/31. WICHERS, D.L. COGEMA, Inc. 2pp. 85452-356-85452-359.

9509110370 Forwards responses to 950612 comments on Irigaray Units 4-9 restoration plan.
WICHERS, D.L. COGEMA, Inc. 95/08/10. MOONEY, G. Wyoming, State of. 17pp. 85436-316-85436-332.

9509110283 Forwards annual surety update for current & planned activities at Irigaray & Christensen Ranch sites for remainder of 1995 & 1996.
WICHERS, D.L. COGEMA, Inc. 95/08/17. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 30pp. 85453-332-85453-361.

9509110296 Notifies that five monitor wells SSM3, SSM18, M2, MW465 & MW48S removed from excursion status, since wells not exceeded more than one upper control limit for at least five consecutive weeks.
VASELIN, J. COGEMA, Inc. 95/08/29. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85428-356-85428-359.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9509010106 Forwards "Kennecott U Co Sweetwater U Project 1995 Passive Radon Monitoring Rept." for first half 1995.
PAULSON, O.A. Kennecott Corp. 95/08/25. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85320-045-85320-249.

-9509010110 "Kennecott U Co Sweetwater U Project 1995 Passive Radon Monitoring Rept." for first half 1995.
* Kennecott Corp. 95/06/30. 200pp. 85320-046-85320-249.

9509290152 Advises that license SUA-1350 amended 1 to authorize rev of sequence of tailings cell construction & operation from D,C,A,B to C,D,A,B subject to mod of condition 40 paragraph (a).
SCARANO, R.A. Fuel Process. & Fab. Branch (Pre 790727). 79/03/13. DYKERS, L.G. 3pp.

9509290142 Discusses 810203 review of Mineral Exploration Co. "Quality Control Program," that staff concludes deficient re "spiking" of 25% of urine specimens. Amend 6 to license SUA-1350 revise paragraph (g) of condition 29.
SCARANO, R.A. Division of Waste Management (Pre 870413). 81/02/25. DYKERS, L.G. 2pp.

9509010135 Submits use of existing tailings impoundment for disposal of addl tailings.
PAULSON, O.A. Kennecott Corp. 95/08/22. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85310-342-85310-342.

9509220175 Informs of completion of review of addendum to revised environ rept geologic cross sections & aquifer info for Sweetwater U Project. Rept adequately addressed Comment 1 & partially addressed Comment 2 of NRC 950502 ltr to licensee.
AUSTIN, J. Performance Assessment & Hydrology Branch (NMSS 940403). 95/09/18. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85564-358-85564-359.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9509070246 "Energy Fuels Nuclear, Inc. White Mesa Mill Semiannual Effluent Rept, Jan-June 1995." W/950829 ltr.
SPARLING, D.K. MAYS, J.C. SCHIERMAN, S.L. Energy Fuels Nuclear, Inc. 95/06/30. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 137pp. 85415-132-85415-266.

9509190080 Forwards "Annual Technical Evaluation of White Mesa Mill Tailings Mgt Sys for Period Jul 1994 to Jul 1995."
SPARLING, D.K. Energy Fuels Nuclear, Inc. 95/09/13. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85531-001-85531-240.

-9509190084 "Annual Technical Evaluation of White Mesa Mill Tailings Mgt Sys for Period Jul 1994 to Jul 1995."
SEALY, C.O. Affiliation Not Assigned. 95/08/31. 238pp. 85531-003-85531-240.

9509190095 Forwards insp rept 40-8681/95-02 on 950808-11. No violations noted. Recommends that future activities re use of unsealed yellowcake outside of processing circuit be carefully planned & involve discussion w/staff.
SCARANO, R.A. Region 4 (Post 820201). 95/09/15. ROBERTS, H.R. Energy Fuels Nuclear, Inc. 4pp. 85504-071-85504-088.

-9509190106 Insp rept 40-8681/95-02 on 950808-11. No violations noted. Major areas inspected: mgt & organization controls, operations review, radiation protection & environmental monitoring.
CAIN, C.L. Region 4 (Post 820201). 95/09/07. 14pp. 85504-075-85504-088.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9509260212 Fourth partial response to FOIA request for documents. Records in App F will be made available in PDR.
BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/19. GHEZZI, J.W. Affiliation Not Assigned. 18pp. 85684-001-85684-237.

-9509260221 Advises of Nuclear Energy Svcs intent to exercise Condition 16 of license at Chemtron Site.
NAPPI-ALTHOUSE Nuclear Energy Services, Inc. 89/05/10. WHITE, J.R. Region 1 (Post 820201). 2pp. 85684-024-85684-025.

9509070039 Forwards demonstrated McGean Rohco Inc ownership of Bert Avenue site & ltr of ack from Village of Newburgh Heights, L Fryer & McGean Rohco Inc re Chemtron, Inc request for authorization under OAC-3745-27-13.
KOH, B. Chemtron Corp. 95/08/21. PARKER, J. Ohio, State of. 8pp. 85373-171-85373-178.

9509080119 Forwards table 2 to "Const QA Plan."
KOH, B. Chemtron Corp. 95/09/01. JOHNSON, T. NRC - No Detailed Aff. Given. 1p. 85419-305-85419-306.

-9509080121 Revised Table 2 to "Const QA Plan."
* Chemtron Corp. 95/09/01. 1p. 85419-306-85419-306.

9509190367 Informs of no comments re Chemtron Harvard Ave Draft Environ Assessment.
SEIFERT, M.C. Ohio, State of. 95/09/01. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85532-168-85532-168.

9509280135 Clarifies licensee 950811 response to questions raised by OH EPA on request for authorization per OAC-3745-27-13 (Section 13 request) covering proposed drilling & sampling work to support slope stability evaluation at Bert Avenue site.
KOH, B. Chemtron Corp. 95/09/14. PARKER, J. Ohio, State of. 2pp. 85645-356-85645-357.

9509280154 Forwards comments on document review of Chemtron responses to NRC 950713 comments for review.
ADAMS, W.C. Oak Ridge Associated Universities. 95/09/18. JOHNSON, T. Division of Waste Management (NMSS 940403). 5pp. 85646-356-85646-360.

9509280256 Forwards final radiological survey & sampling rept sent as addendum to previous bldg final survey data package. In order to prevent sediment from re-entering bldg, cement poured into ends of drain line.
ADAMS, T.G. B. Koh & Associates, Inc. 95/09/19. JOHNSON, T. NRC - No Detailed Affiliation Given. 4pp. 85657-345-85657-348.

DOCKET 40-8761 ITT, ELECTRO-OPTICAL PRODUCTS DIV., ROANOKE, VA

9509070152 Forwards insp rept 40-8761/95-01 on 950801-02. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/08/24. OLMETT, R.K. ITT Electro-Optical Products Div. (subs. of ITT). 1p. 85321-091-85321-096.

-9509070156 Insp rept 40-8761/95-01 on 950801-02. No violations noted. Major areas inspected: licensee facility review of radwaste disposal records & confirmatory close-out survey to allow release for unrestricted use of facility.
HENSON, J.L., MUMPER, J.A. HOSEY, C.M. Region 2 (Post 820201). 95/08/22. 5pp. 85321-092-85321-096.

DOCKET 40-8792 EDISON INSTITUTE, DEARBORN, MI

9509010257 Refers to 950801 telcon re examination of activities conducted under licensee license re radiation safety & compliance w/Commission rules & regulations.
KOZAK, T. Region 3 (Post 820201). 95/08/25. BOWDITCH, J. Edison Institute, Dearborn, MI. 1p. 85285-254-85285-254.

DOCKET 40-8801 WEST LAKE COMPANIES, BRIDGETON, MO

8 DOCKETED ITEMS

9509080086 Forwards notice of deferral of regulatory oversight to EPA for West Lake Landfill, Bridgeton, MO & removal of West Lake Landfill from site decommissioning mgmt plan list.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403), 95/08/28. MEYER, D.L. Division of Information & Publications Services (Post 940714), 1p. 85447:135-85447:138.

-9509080088 Notice of deferral of regulatory oversight to EPA for West Lake Landfill, Bridgeton, MO & removal of West Lake Landfill from site decommissioning mgmt plan list.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403), 95/08/28, 3pp. 85447:138-85447:138.

DOCKET 40-8833 MANLABS, INC., CAMBRIDGE, MA

9509210171 Ack receipt of 950721 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8833/95-02.
SHANBAKY, M.M. Region 1 (Post 820201), 95/08/22. ESSELMAN, T.C. ManLabs, Inc. 1p. 85544:133-85544:143.

DOCKET 40-8852 FERRUMATIC, INC., TOTOWA, NJ

9509290186 Safety insp on 950727 of license SUB-1443. Insp findings: records of package performance tests not properly maintained & no annual review of licensed program was performed for 1994.
DARDEN, T.H. Region 1 (Post 820201), * Alliant Techsystems, Inc. 95/07/27, 2pp. 85558:201-85558:202.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9509110089 "Semiannual Effluent & Environ Monitoring Rept for Period Jan-June 1995." W/950831 ltr.
KEARNEY, W.F. Power Resources Corp. 95/06/30. SCARANO, R.A. Region 4 (Post 820201), 107pp. 85454:184-85454:290.

9509140081 Informs that licensee submittal for approval of Satellite 1 Irrigation Area 1B for Permit 603 reviewed & conditionally granted permission to construct & use Satellite 1 Irrigation Area 1B. Listed info required within 30 days.
CHANCELLOR, R.A. Wyoming, State of. 95/05/26. KEARNEY, B. Power Resources Corp. 2pp. 85476:359-85476:360.

9509070076 Informs that Power Resources, Inc submittal for proposed berm design around Satellite 2 irrigation circle approved.
CHANCELLOR, R.A. Wyoming, State of. 95/08/23. KEARNEY, B. Power Resources Corp. 2pp. 85416:199-85416:200.

9509190047 Informs that submittal for approval Incidental Boundary Rev request, adding approx 80 acres in NW 1/4, NW 1/4, Section 22, T36N, R72W into existing permit area at Highland Uranium Project has been reviewed by LQD staff.
HOGG, B. Wyoming, State of. 95/09/11. KEARNEY, B. Power Resources Corp. 1p. 85535:259-85535:259.

9509210369 "1995 Annual insp Rept on 950907." documenting annual insp of permit area.
NIELSEN, K. Power Resources Corp. 95/09/12, 4pp. 85568:304-85568:307.

9509220215 Forwards signed original of FRN re final revised guidance on disposal of Non-Atomic Energy Act of 1954, Section 11e.(2) byproduct matl in tailings impoundments.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/09/13. MEYER, D.L. Rules & Directives Review Branch (Post 920323), 2pp. 85577:158-85577:167.

-9509220217 FRN re final revised guidance on disposal of Non-Atomic Energy Act of 1954, section 11e.(2) byproduct matl in tailings impoundments.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/09/13, 6pp. 85577:160-85577:167.

9509210103 Requests that listed LARs, dtd 950421, 0510, 17 & 0608 be withdrawn, as discussed w/m Layton. Licensee utilized Safety & Environ Review Plan to accommodate change to F-Wellfield Monitoring Plan.
KEARNEY, W.F. Power Resources Corp. 95/09/14. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 1p. 85568:329-85568:329.

9509220166 Trip rept of 950829-30 visit to Power Resources, Inc (PRI) Highland U Project to provide assistance w/NRC Region IV insp on 950829-31 of PRI facility re newly issued performance-based license condition license.
LAYTON, M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/09/15. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 2pp. 85564:356-85564:357.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9509250152 Ack receipt of 950815 ltr which requested partial exemption from financial assurance requirements contained in 10CFR40.36 & provided decommissioning plan for holding basin.
KINNEGAN, J.D. Region 1 (Post 820201), 95/09/07. VUMBACO, F.J. Nuclear Metals, Inc. 3pp. 85558:179-85558:182.

9509250162 Forwards addendum to rept listing results of recount of soil samples from insp repts 40-06 '2/94-01 & 40-8866/94-01, conducted on 941116-17 by M Miller & A Schwartz.
KINNEGAN, J.D. Region 1 (Post 820201), 95/09/15. VUMBACO, F.J. Nuclear Metals, Inc. 5pp. 85558:179-85558:183.

DOCKET 40-8868 II-VI INC., SAXONBURG, PA

9509120004 Responds to NRC 950809 ltr re violations noted in insp of license STA-1455 on 950622. Corrective actions: purchasing suitable low vol air sampler & will be collecting weekly 24 h continuous samples of air concentration in coating areas.
JOHNSON, C.J., LABRECQUE, J.A. Two-Six, Inc., 95/09/07. SHANBAKY, M.M. Region 1 (Post 820201), 2pp. 85432:356-85432:357.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9509080335 Forwards "Radon Flux Measurements Made on Main Tailings Impoundment Bluewater U Mill Site."
ZIEGLER, R.S. Atlantic Richfield Co. (ARCO), 95/08/22. HOLONICH, J.J. Uranium Recovery Branch (Post 901230), 1p. 85442:315-85442:343.

-9509080336 "Radon Flux Measurements Made on Main Tailings Impoundment Bluewater U Mill Site."
* Atlantic Richfield Co. (ARCO), 95/08/31, 29pp. 85442:316-85442:343.

9509200210 Application for amend to license SUA-1470, requesting approval of final configuration of drainage off of main tailings impoundment & associated drainage through former evaporation pond area.
ZIEGLER, R.S. Atlantic Richfield Co. (ARCO), 95/08/24, 62pp. 85554:197-85554:258.

9509120258 Forwards rpt, "Ground Water Model, Above-Grade Tailings Impoundment Bluewater Mill & Vicinity Near Grants, NM for Anaconda Minerals Co.," dtd 860321, as discussed during 950906 telcon w/K Hooks & N Coleman w/o encl.
ZIEGLER, R.S. Atlantic Richfield Co. (ARCO), 95/09/07. HOLONICH, J.J. Office of Nuclear Material Safety & Safeguards, 1p. 85469:324-85469:324.

9509120359 Addresses D Rom concerns re different settlement in northwest carbonate tailings extension, as discussed w/D Rom last week.
PATEL, N. Atlantic Richfield Co. (ARCO), 95/09/07. HOOKS, K. NRC - No Detailed Affiliation Given, 3pp. 85469:310-85469:312.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9509110159 "Semiannual Environ Rept Jan-June 1995." W/950831 ltr.
CRAFT, F.R. Homestake Mining Co. 95/06/30. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 85pp. 85452:259-85452:343.

9509070099 Denies 941129 amend request to remove license condition 12, requiring implementation of embankment insp program.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/08/28. CRAFT, F. Homestake Mining Co. 2pp. 85415:311-85415:312.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9509010126 "Semi-Annual Ground-Water Monitoring Rept, First Half, 1995." W/950829 ltr.
OSBORN, T.G. INTERA, Inc., Austin, TX (formerly INTERA Technologies, Inc.), 95/06/30, 25pp. 85312:295-85312:318.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9509120281 "Effluent Monitoring Rept for first half of 1995." W/950831 ltr.
LUTHIGER, P. Quivira Mining Co. 95/06/30. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 27pp. 85466:322-85466:348.

9509200213 Forwards Discharge Plan 71 Section 4 evaporation ponds 3rd quarter 1995 monitoring & analytical info, including resampling results. Annual analytical results for lined evaporation ponds also encl.
LUTHIGER, P. Quivira Mining Co. 95/08/25. OHRBOM, R. New Mexico, State of. 4pp. 85554:259-F:354:262.

9509270191 Forwards Quivira Mining Co std operating procedure associated w/radon flux monitoring, per 950913 telcon.
LUTHIGER, P. Quivira Mining Co. 95/09/14. HOOK, K. NRC - No Detailed Affiliation Given, 7p. 85631:334-85631:340.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9509080078 Forwards summary of unit costs in support of surety reduction for license SUA-1475.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.), 95/08/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 8pp. 85419:200-85419:208.

9509070004 Expresses concern that 60 day time period for response to NRC 950630 request will expire w/o resolution of issues presented in licensee 950815 & 24 ltrs.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.), 95/08/29. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 2pp. 85334:356-85334:357.

9509220302 Notification of 950921 meeting w/UNC in Gallup, NM to discuss aspects of groundwater hydrology & geochemistry of Church Rock Site.
HOOKS, K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 95/09/11. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 1p. 85589:353-85589:353.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9509120150 Forwards pathline map generated by C Bartels of Crow Butte Resources, Inc (CBR), at request of J Park & D Cherry as addl info to support CBRs request for variance in monitor well spacing near commercial evaporation ponds (950505).
KNODE, R. Affiliation Not Assigned, 95/08/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403), 2pp. 85574:279-85574:280.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9312030282 FR notice of intent to prepare EIS & to conduct scoping process for decommissioning facility.
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230), 93/11/19, 17pp. 85590:147-85590:214.

- 9312080170 Forwards FR notice of intent to prepare EIS to conduct scoping process for EIS & to conduct scoping meeting for decommissioning of facility.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/11/23.
BLAHA,J.L. Assistant for Operations (Post 890205). 1p. 85590:146-85590:146.
- 9509130193 "EIS Scoping Summary Rept."
* NRC - No Detailed Affiliation Given. 94/03/31. 93pp. 85590:013-85590:105.
- 9509130198 "Comparison of NRC Decommissioning Process w/Ohio EPA Remediation Process."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/03. 34pp. 85590:106-85590:139.
- 9509150027 First partial response to FOIA request for documents. Records in App A and B will be available in PDR.
POWELL,R. Division of Information & Publications Services (Post 940714). 95/05/01. GRAHAM,M.E. Affiliation Not Assigned. 5pp. 85734:001-85734:049.
- 9509150049 Informs that NRC received anonymous call from concerned individual re 800,000 tons of low grade radioactive & chemical waste located near factory called Shieldalloy Metallurgical Corp.
DEFAYETTE,R.W. Ofc of Enforcement (Post 870413). 94/08/18. NORTON,L. Office of the Inspector General (Post 890417). 36pp. 85734:008-85734:043.
- 9509150054 Discusses concerns from citizen who originally indicated that fill material which may have been radioactively contaminated might have been used as fill in large pits on Shieldalloy Metallurgical Corp site.
GLINSKI,R. NRC - No Detailed Affiliation Given. 95/05/01. FUNK,D. NRC - No Detailed Affiliation Given. 11pp. 85734:044-85734:054.
- 9509150088 Informs NRC that licensee has not received info requested in FOIA Request was made to NRC on 940721.
LEE,P.E. Affiliation Not Assigned. 94/08/31. SHEAR,G.L. NRC - No Detailed Affiliation Given. 1p. 85734:055-85734:055.
- 9509150099 Confirms 940919 telcon concerning Shieldalloy site in Cambridge, Ohio, discussion indicated that Cyprus Foote Mineral Co was committed to completing task outlined in 94/0624 ltr to NRC.
LEE,P.E. Foote Mineral Co. 94/09/20. AXELSON,W.L. Region 3 (Post 820201). 2pp. 85734:058-85734:057.
- 9509180021 Discusses 941013 memo re possible new issues received from NMSS re Shieldalloy Metallurgical Co.
FUNK,D.E. NRC - No Detailed Affiliation Given. 94/10/26. SHEAR,G.L. Office of Nuclear Material Safety & Safeguards. 1p. 85734:099-85734:099.
- 9509180037 Forwards update on phase I scoping survey of Vicinity Properties, Cambridge, OH.
TORRINI,R.E. Woodward-Clyde Consultants, Inc. 94/12/14. SHEAR,G. Region 3 (Post 820201). 3pp. 85734:158-85734:160.
- 9509180071 Informs that followup activities were conducted on 940919-1207 re allegation at Shieldalloy Metallurgical Corp.
SHEAR,G.L. Region 3 (Post 820201). 94/12/19. DEFAYETTE,R.W. Ofc of Enforcement (Post 870413). 10pp. 85734:165-85734:174.
- 9509180083 Responds to 941215 NRC addl comments re "Phase I Work Plan for Scoping Survey of Vicinity Properties, Cambridge, Ohio."
TORRINI,R.E. Woodward-Clyde Consultants, Inc. 95/01/12. SHEAR,G. Region 3 (Post 820201). 3pp. 85734:175-85734:177.
- 9509180089 Discusses unresolved item "concerning possible exposure level to member of public at fence surrounding East Pit. According to insp rept, during insp, exposure rates measured at fence line ranged from 10-130 uR/h."
EVES,C.S. Shieldalloy Metallurgical Corp. 95/01/17. SHEAR,G.L. Region 3 (Post 820201). 2pp. 85734:178-85734:179.
- 9509210066 Advises that no further info necessary re response to NRC questions involving "Phase I Work Plan for Scoping Survey of Vicinity Properties, Cambridge, OH."
SHEAR,G.M. Region 3 (Post 820201). 95/01/26. LEE,P. Affiliation Not Assigned. 2pp. 85734:180-85734:181.
- 9509210078 Forwards "Radon & Thoron Progeny Working Level Air Sampling on Two Slag Piles at Shieldalloy Metallurgical Corp, Cambridge, OH."
SHEAR,G.L. Region 3 (Post 820201). 95/02/02. KELLY,B. EVES,C.S. Shieldalloy Metallurgical Corp. 2pp. 85734:182-85734:183.
- 9509220002 Discusses weekly conference call re Shieldalloy contractors concerning item of interest.
NELSON,R.A. NRC - No Detailed Affiliation Given. 95/03/03. GLINSKI, WEBER NRC - No Detailed Affiliation Given. 1p. 85735:048-85735:048.
- 9509220004 Discusses class action lawsuit filed by four families against Cyprus Foote Mineral, Cyprus Amax Minerals, Newmont Mining & Cabot Corp.
GLINSKI,R.L. NRC - No Detailed Affiliation Given. 95/03/07. NELSON, WEBER NRC - No Detailed Affiliation Given. 1p. 85583:049-85583:049.
- 9509210019 Third partial response to FOIA request for records. App C & D records exist & available in PDR. App E records withheld (ref FOIA exemption 5).
POWELL,R. Division of Information & Publications Services (Post 940714). 95/05/23. GRAHAM,M.E. Affiliation Not Assigned. 6pp. 85583:001-85583:278.
- 9505170290 Requests assistance in review of submittal from Shieldalloy Corp entitled, "West Pile Decommissioning Plan." Review should focus on monitoring well placement, ability of pile to withstand 100-yr floods & erosion controls.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/05/14. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (870413-940402). 1p. 85583:084-85583:084.
- 9508100129 Trip rept of 900712 visit to Cambridge, OH re Shieldalloy facility proposed groundwater monitoring plans.
THAGGARD,M. Technical Branch (870413-901229). 90/07/17. STARMER,R.J. Technical Branch (870413-901229). 4pp. 85583:086-85583:089.
- 9509260038 Submits comments re West Pile Decommissioning Plan for Cambridge, OH facility.
COMFORT,G.C. Fuel Cycle Safety Branch (870729-930206). 90/09/20. SMITH,D. Shieldalloy Metallurgical Corp. 2pp. 85583:090-85583:091.
- 9110280324 Requests review of response from Shieldalloy Metallurgical Corp re decommissioning plan for West Pile located at Cambridge, OH site.
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 91/10/22. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (870413-940402). 2pp. 85583:092-85583:092.
- 9208100283 "Technical Basis for Decommissioning Work Plan."
* Metallurg, Inc. 92/07/01. 44pp. 85583:093-85583:128.
- 9306140306 Forwards draft rept, "Radiological Survey of Shieldalloy Corp, Cambridge, OH."
BERGER,J.D. Oak Ridge Associated Universities. 88/04/14. ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85583:085-85583:085.
- 9309090316 Record of telcon w/S Bauman, citizen of OH on 930907 re Shieldalloy Cambridge, OH site.
GLENN,C. NRC - No Detailed Affiliation Given. 93/09/07. 1p. 85583:134-85583:134.
- 9309300272 Responds to 930916 ltr re assistance in connection w/ financial issues involving Shieldalloy Corp.
BAILEY,P.E. ICF, Inc. 93/09/22. BYKOSKI,L.M. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 85583:135-85583:136.
- 9312030279 Forwards FR notice of intent to prepare EIS & to conduct scoping process for decommissioning facility.
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/11/19.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 85583:137-85583:154.
- 9312300080 Ack receipt of 931104 ltr re payment of invoice JR0137-94. Requests copy of Chapter 11 bankruptcy filing w/court showing NRC as listed debtor.
WEISS,D. License Fee & Debt Collection Branch (Post 890827). 93/12/21. WAY,R.D. Shieldalloy Metallurgical Corp. 1p. 85583:155-85583:155.
- 9402100266 Forwards analytical results for samples from Shieldalloy in Cambridge, OH.
BERGER,J.D. Oak Ridge Associated Universities. 94/01/11. GLINSKI,R. Region 3 (Post 820201). 3pp. 85583:156-85583:173.
- 9405260207 Forwards draft "Description of Proposed Action & Alternatives Decommissioning of Shieldalloy Metallurgical Corp Cambridge, OH Facility."
WADE,M.C. Oak Ridge National Laboratory. FIN L-2094. 94/05/12. GLENN,C. NRC - No Detailed Affiliation Given. 1p. 85583:174-85583:194.
- 9405260216 Draft "Description of Proposed Action & Alternatives Decommissioning of Shieldalloy Metallurgical Corp Cambridge, OH Facility."
* Oak Ridge National Laboratory. 94/05/12. NRC - No Detailed Affiliation Given. 20pp. 85583:175-85583:194.
- 9406060259 Provides comments on 940512 draft description of proposed action & alternatives for Shieldalloy Metallurgical Corp facility.
GLENN,C.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/06/02. WADE,M. Oak Ridge National Laboratory. 4pp. 85583:195-85583:198.
- 9406230245 Forwards current sections on purpose, need & alternatives extracted from draft description of proposed action & alternatives.
MCCOY,L.D. Oak Ridge National Laboratory. 94/06/10. GLENN,C. NRC - No Detailed Affiliation Given. 18pp. 85583:205-85583:222.
- 9406230253 Forwards hard copies & diskette of Draft Section 2.1 alternatives including proposed action, per discussion.
WADE,M.C. Oak Ridge National Laboratory. 94/06/07. GLENN,C. NRC - No Detailed Affiliation Given. 6pp. 85583:199-85583:204.
- 9406270310 Forwards analytical results for gross alpha/beta activities in water from Shieldalloy Metallurgical, in Cambridge, OH.
ABELQUIST,E.W. Oak Ridge Associated Universities. 94/06/13. GLINSKI,R. Region 3 (Post 820201). 2pp. 85583:223-85583:224.
- 9407200246 Notice of establishment of LPDR for Shieldalloy Metallurgical Corp, Cambridge, OH site.
OLIU,W.E. Division of Freedom of Information & Publications Services (890206-940714). 94/07/13. 2pp. 85583:225-85583:226.
- 9409300099 Forwards draft of rept covering radiological component of ground & surface water sampling & analysis program for facility at Cambridge, OH. Requests that draft rept be regarded as preliminary & not released to general public.
EVES,C.S. Shieldalloy Metallurgical Corp. 94/07/26. GLENN,C. Office of Nuclear Material Safety & Safeguards. 22pp. 85583:227-85583:248.
- 9501130200 Provides draft meeting rept for 941222 meeting between NRC & licensee.
NELSON,R. NRC - No Detailed Affiliation Given. 94/12/28. EVES,C.S. Shieldalloy Metallurgical Corp. 8pp. 85583:251-85583:258.
- 9501130205 Comments on draft rept of meeting between NRC staff & Shieldalloy Metallurgical Corp on 941222.
NELSON,R. NRC - No Detailed Affiliation Given. 95/01/04. EVES,C.S. Shieldalloy Metallurgical Corp. 1p. 85583:259-85583:259.
- 9501250220 Requests addl info & scheduling of meeting re EIS for facility decommissioning.
NELSON,R.A. Low-Level Waste & Uranium Recovery Projects Branch. 95/01/17.
EVES,C.S. Shieldalloy Metallurgical Corp. 11pp. 85583:260-85583:270.
- 9501250227 Responds to comments received on 950105 re work plan for determining characteristics of facility slag.
NELSON,R.A. Low-Level Waste & Uranium Recovery Projects Branch. 95/01/17.
BAUMAN,S. Affiliation Not Assigned. 2pp. 85583:271-85583:276.
- 9509130178 First partial response to FOIA request for documents. App A records available in PDR. Records in App B and C being made available for PDR. App C partially withheld & App D completely withheld (ref FOIA exemptions 4 & 6).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/03. GILLON,P.M. Weil, Gotshal & Manges. 10pp. 85590:001-85590:012.

10 DOCKETED ITEMS

-9404150173 Forwards "EIS Scoping Summary Rept for Shieldalloy Metallurgical Corp Facility in Cambridge, OH" for review & comment by 940420 W/o encl. AUSTIN, J.H. Office of Nuclear Material Safety & Safeguards. 94/04/05. WENDEL, J.L. Environmental Protection Agency. 2pp. 85590:344-85590:346.

9509210040 Fourth partial response to FOIA request for documents. Forwards documents listed in App F. Documents also available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. GRAHAM, M.E. Affiliation Not Assigned. 3pp. 85608:001-85608:091.

-9509210089 Forwards info received by NMSS staff member re two telcon concerning allegations involving Shieldalloy Metallurgical Corp. O'CONNELL, R.L. Office of Nuclear Material Safety & Safeguards. 94/10/13. FUNK, D. Region 3 (Post 820201). 5pp. 85608:020-85608:032.

-9509210101 Summary of 941222 meeting w/ Shieldalloy Metallurgical Corp re development of environmental impact statement. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/10. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 85608:033-85608:041.

-9509220276 Provides summary of telcon re potential allegation at Shieldalloy Metallurgical Corp. O'CONNELL, R.L. NRC - No Detailed Affiliation Given. 94/10/06. GLENN, C.J. NRC - No Detailed Affiliation Given. 2pp. 85608:042-85608:043.

-9509220281 Provides summary of 941012 telcon re violations of license material at 17 offsite locations near Foote Mineral facility around Cambridge, OH. O'CONNELL, R.L. NRC - No Detailed Affiliation Given. 94/10/12. GLENN, C.J. NRC - No Detailed Affiliation Given. 2pp. 85608:044-85608:058.

-9509220284 Advises that NRC determined that qualifications of CS Eves adequate to allow Eves to be responsible for licensed matl. GLENN, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/20. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85608:059-85608:091.

9509110081 Fifth partial response to FOIA request for records re Foote Mineral/ Shield Alloy/Cyprus Mineral site in Cambridge, OH. Records in App G available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/06. GRAHAM, M.E. Affiliation Not Assigned. 2pp. 85448:001-85448:120.

-9304090230 Record of telcon w/B Fonner (Ofc of General Counsel) on 930223 re Shieldalloy responsibility for licensed matl potentially removed in unauthorized manner from Cambridge, OH site. HARVEY, M. NRC - No Detailed Affiliation Given. 93/02/23. 1p. 85448:003-85448:003.

-9309130195 Certificate of Commencement of Case re Metallurg, Inc & Shieldalloy Metallurgical Corp petition requesting relief under chapter 11 of Bankruptcy Code (title 11 of US Code). MORRIS, C.G. U.S. District Court, Southern District of New York. 93/09/02. 400pp. 85448:004-85448:041.

-9309140105 Notice of proposed order per bankruptcy code Sections 328(a) & 1103 authorizing retention of Kekst & Co NUNC PRO TUNC to 930902 as public relations consultants for debtors. RAPISARDI, J.J. Well, Gotshal & Manges. 93/09/03. 21pp. 85449:042-85449:062.

-9502100029 Forwards request for addl info on invoices submitted to licensee for action. DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 95/02/07. BEVERIDGE, G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 3pp. 85449:113-85449:120.

-9502100040 Requests addl info on invoices charged to licenses SMB-743 & SMB-1507. Invoices encl. EYES, C.S. Shieldalloy Metallurgical Corp. 94/12/16. MESSIER, M. Office of Nuclear Material Safety & Safeguards. 50pp. 85449:063-85449:112.

9509220278 Summarizes interactions to date on issue of considering reasonable alternatives to licensee proposed action of on-site stabilization of slag. Summary of NRC concerns re segregation alternative for Shieldalloy Cambridge site encl. KENNEDY, J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/14. EYES, C.S. Shieldalloy Metallurgical Corp. 5pp. 85582:273-85582:277.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9509260325 Forwards Rio Algom Mining Corp "Application for WY Underground Injection Control Permit Class I Non-Hazardous Injection Well." Draft permit & public notice also encl. LUCHT, R. Wyoming, State of. 95/08/03. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 16pp. 85656:001-85656:253.

-9509260328 "Application for WY Underground Injection Control Permit Class I Non-Hazardous Injection Well." * Rio Algom Mining Corp. 95/07/31. 200pp. 85656:017-85656:253.

9509260052 "Rio Algom Mining Corp Semi-Annual Effluent Monitoring Rept, Smith Ranch Facility, 950101-0630." W/950828 ltr. FERDINAND, B. Rio Algom Mining Corp. 95/06/30. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 85607:284-85607:349.

9509050308 Forwards amend 6 to license SUA-1548. Amend incorporates annual surety mods proposed in 950615 ltr. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/08/26. FERDINAND, B. Rio Algom Mining Corp. 2pp. 85419:214-85419:228.

-9509080040 Amend 6 to license SUA-1548 for Rio Algom Mining Corp, incorporating annual surety mods. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/08/28. 13pp. 85419:216-85419:228.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9211040065 Discusses arrangements made for transcripts of 920924 scoping meetings to address preparing EIS for licensee source matl license application. GRIMM, J. Uranium Recovery Field Ofc, R4. 92/10/26. Uranium Recovery Field Ofc, R4. 87pp. 85481:137-85481:284.

9509060087 Forwards Figure 3.2-2 of Churchrock Project Revised Environmental Rept which has been updated to show location of brine concentrator W/one oversize encl. PELIZZA, M.S. HRI, Inc. (Hydro Resources, Inc.). 94/01/24. HALL, R. NRC - No Detailed Affiliation Given. 2pp. 85484:236-85484:239.

9509060085 Forwards list of individuals that requested copies of Draft EIS re HRI Crownpoint facility. PELIZZA, M.S. HRI, Inc. (Hydro Resources, Inc.). 94/02/11. HALL, R. NRC - No Detailed Affiliation Given. 2pp. 85484:236-85484:237.

9509060083 Responds to 940105 ltr which requested list of species federally listed or proposed to be listed, as threatened or endangered & comments to be used in preparation for EIS for proposed U mine. FOWLER, J. Interior, Dept. of, Fish & Wildlife Service. 94/02/16. HALL, R. Uranium Recovery Field Ofc, R4. 8pp. 85484:226-85484:235.

9509060072 Forwards three "Addendum" copies of Churchrock & Crownpoint MILDOS runs which reflect most recent radon source term assumption. Engineering mods to process at Churchrock-Crownpoint-Unit 1 facilities, discussed. PELIZZA, M.S. HRI, Inc. (Hydro Resources, Inc.). 94/02/23. HALL, R. NRC - No Detailed Affiliation Given. 2pp. 85484:207-85484:227.

-9509060075 "Addendum to MILDOS Rept - Crownpoint." dtd 940209. * Eggleston Holmes & Associates. 94/02/09. 11pp. 85484:209-85484:219.

-9509060078 "Addendum - Church Rock MILDOS." dtd 940209. * Eggleston Holmes & Associates. 94/02/09. 8pp. 85484:220-85484:227.

9509080286 Requests that NRC continue to review application for license for Crownpoint Project, in response to 950721 ltr. PELIZZA, M.S. HRI, Inc. (Hydro Resources, Inc.). 95/08/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85447:124-85447:127.

9509060107 Discusses interest & Navajo Nation initial opposition to proposed ISL process in Church Rock Area. HAWKINS, E. NRC - No Detailed Affiliation Given. 95/09/06. HALL, R., KONWINSKI, G. NRC - No Detailed Affiliation Given. 1p. 85484:249-85484:249.

9509190228 Requests copy of Oeis for Hydro Resources, Inc plan for in situ leach mines near Crownpoint & Church Rock. Also request addl info on ISL mining process & history of VSE. ALLEN, J. Affiliation Not Assigned. 95/09/06. LAYTON, M. NRC - No Detailed Affiliation Given. 2pp. 85524:278-85524:279.

9509210102 Memorandum & Order (Proceeding Status). * Hearing shall be held in abeyance until Presiding Officer informed that review of petitioner license application completed. W/Certificate of Svc. Served on 950914. COTTER, B.P. Atomic Safety & Licensing Board Panel. #395 17109. 95/09/13. Office of the General Counsel (Post 860701). 7pp. 85135:345-85545:351.

9509220299 Notification of 951005-06 meeting w/HRI-Crownpoint in Rockville, MD to discuss technical safety issues & comments on HRI's application to operate in-situ leach uranium mine near Crownpoint, NM. LAYTON, M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/18. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85589:354-85589:354.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9509080131 Responds to 950802 telcon re decommissioning of Green Mountain ion exchange facility. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/08/25. LARSEN, J.L. U.S. Energy Corp. 2pp. 85466:350-85466:354.

9509120147 Informs that Riverton State Bank Certificate of Deposit 3551 in stated amount accepted in lieu of surety bond by dept. Deposit in addition to bonds previously posted. CHANCELLOR, R.A. Wyoming, State of. 95/08/25. WEBBER, K. U.S. Energy Corp. WEBBER, K. Crested Corp. pp. 85433:332-85433:332.

9509180066 Forwards Reg Guide 3.46, "Std Format & Content of License Applications, including ERs for In Situ U Solution Mining," per 950802 telcon. PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/06. WEBBER, K. United States Enrichment Corp. (USEC). 49pp. 85522:235-85522:283.

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9509080330 "Semi-Annual Effluent & Environ Monitoring Rept for Period of Jan-June 1995." W/950831 ltr. WICHERS, D.L. Pathfinder Mines Corp. 95/06/30. CAIN, C. Region 4 (Post 820201). 3pp. 85447:320-85447:322.

DOCKET 40-8984 MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ

9509120269 Informs that unless licensee hears otherwise from NRC, implementation of mod of facility to employ one-step neutralization process which will no longer separate silica & sludge streams will commence on 950911. KNOLL, J.A. Magnesium Elektron, Inc. (formerly Melberk, Inc.). 95/08/31. GASKIN, C.E. Licensing Branch. 2pp. 85469:320-85469:321.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

- 9509110146 Application for amend to license SMC-1559, adding new license condition based upon NRC draft performance based license condition. Amend would establish Safety & Environ Review Panel
HELLSTROM, G.W. Envirocare of Utah, Inc. 95/08/25. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 85457-348.
- 9509050137 Responds to NRC 950807 ltr re violation noted in insp of license SMC-1559. Corrective actions submitted; credentials of Sandquist, HP consultant & audit summary & will modify quality assessment manual.
JUDD, C.A. Envirocare of Utah, Inc. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85349-162-85349-164.
- 9509110185 Informs that corrected date of commencement of operations was late Sept 1994 rather than 1995 & first shipment was accepted on 940923.
HELLSTROM, G.W. Envirocare of Utah, Inc. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85454-358-85454-359.
- 9509190346 Forwards amend 6 to license SMC-1559, approving annual surety update, in response to licensee 950524 request.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/05. JUDD, C.A. Envirocare of Utah, Inc. 2pp. 85532-141-85532-153.
- 9509190348 Amend 6 to license SMC-1559 for Envirocare of Utah, Inc., approving annual surety update.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/05. 11pp. 85532-143-85532-153.
- 9509260353 Ack receipt of 950831 & 0901 ltr informing NRC of steps taken to correct previous violations noted in insp rept 40-8980/95-01.
SCARANO, R.A. Region 4 (Post 820201). 95/09/22. JUDD, C.A. Envirocare of Utah, Inc. 3pp. 85589-021-85589-026.

DOCKET 40-9015 MICHIGAN, STATE OF, BAY CITY, MI

- 9509110160 Forwards MI statement of intent to accompany amended license application for MI owned portion of Hartley & Hartley Landfill & tables of contents for technical support document & decommissioning funding plan.
HARMES, R. Michigan, State of. 95/09/01. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 85456-109-85456-123.
- 9509110167 Table of contents for "MI Dept of Natural Resources Decommissioning Funding Plan for State-Owned Portion of Hartley & Hartley Landfill."
* Michigan, State of. 95/09/05. 4pp. 85456-112-85456-115.
- 9509110184 Table of contents for "MI Dept of Natural Resources Technical Support Document 10CFR40 License Application for State-Owned Portion of Hartley & Hartley Landfill."
* Michigan, State of. 95/09/05. 5pp. 85456-116-85456-121.
- 9509250069 Final response to FOIA request for documents. Records in App A available in PDR. App B records encl & being made available in PDR.
BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/18. KOKA, J. Varnum, Riddering, Schmidt & Howlett (formerly Varnum, Riddering, Wierengo & Chr. 12pp. 85608-101-85608-197.
- 9310120381 Discusses 930522 telephone interview w/J Allen re Hartley & Hartley Landfill SDMP site & submits responses to GAO questions as requested.
PARROTT, J.D. NRC - No Detailed Affiliation Given. 93/10/06. NRC - No Detailed Affiliation Given. 3pp. 85608-113-85608-115.

DOCKET 40-9022 HARTLEY & HARTLEY LANDFILL

- 9509250066 FOIA request for documents re license SUC-1565.
KOKA, J. Varnum, Riddering, Schmidt & Howlett (formerly Varnum, Riddering, Wierengo & Chr. 95/08/02. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85608-099-85608-100.
- 9509220225 Forwards signed original of Amend 1 to standby trust agreement established by SCA Svcs, Inc re License SUC-1565.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/14. KERN, T. Affiliation Not Assigned. 3pp. 85564-335-85564-337.
- 9509250069 Final response to FOIA request for documents. Records in App A available in PDR. App B records encl & being made available in PDR.
BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/18. KOKA, J. Varnum, Riddering, Schmidt & Howlett (formerly Varnum, Riddering, Wierengo & Chr. 12pp. 85608-101-85608-197.
- 9310120381 Discusses 930522 telephone interview w/J Allen re Hartley & Hartley Landfill SDMP site & submits responses to GAO questions as requested.
PARROTT, J.D. NRC - No Detailed Affiliation Given. 93/10/06. NRC - No Detailed Affiliation Given. 3pp. 85608-113-85608-115.
- 9504190331 Forwards on behalf of SCA Svcs, Inc (SCA) SCA responses to NRC 940923 comments on financial assurance documentation for Hartley & Hartley site, Bay County, MI.
OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/02/22. PARROTT, J. NRC - No Detailed Affiliation Given. 23pp. 85608-142-85608-193.
- 9504190334 Forwards on behalf of SCA Svcs, Inc (SCA) addendum to 950222 submittal of responses to NRC comments on SCA financial assurance documentation for Hartley & Hartley site, Bay County, MI, based on 950320 telcon w/NRC.
OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/03/27. PARROTT, J. NRC - No Detailed Affiliation Given. 29pp. 85608-165-85608-193.
- 9509260079 Forwards Amend 1 to Standby Trust Agreement established by SCA Svcs, Inc as part of financial assurance obligation for license SUC-1565.
OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/26. PARROTT, J. NRC - No Detailed Affiliation Given. 4pp. 85608-194-85608-197.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

- 9509200118 Forwards fully executed General Purpose Bono Rider for Reno Creek reclamation performance bond permit 479.
HOFFSETZ, V.L. Energy Fuels Nuclear, Inc. 95/09/05. HILL, D. Wyoming, State of. 5pp. 85564-062-85564-066.

DOCKET 40-9027 CABOT CORP. READING & REVERE

- 9509110139 Forwards Rev 0 to "Decommissioning Plan for Cabot Performance Matis, Revere, PA" & Rev 0 to "Site-Specific Health & Safety Plan."
CAMPITELLI, A. Cabot Corp. 95/08/14. HOGG, R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85449-281-85449-346.
- 9509110141 "Decommissioning Plan for Cabot Performance Matis, Revere, PA."
* Cabot Corp. 95/08/31. 41pp. 85449-283-85449-323.
- 9509110150 "Site-Specific Health & Safety Plan."
CRAIG, K. Nuclear Energy Services, Inc. 95/08/31. 23pp. 85449-324-85449-344.
- 9509190090 Responds to 950721 ltr, which forwarded reply to 950623 NRC notice of violation, requesting withdrawal of notice of violation under discretion vested in NRC staff.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/01. LINDELL, J.S. Cabot Corp. 3pp. 85535-301-85535-303.
- 9509220156 Forwards technical comments on revised Reading, PA slag pile characterization plan, in response to licensee 950724 ltr responding to NRC comments on sub plan.
HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/15. CAMPITELLI, A. Cabot Corp. 6pp. 85564-347-85564-352.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9509140329 Informs that Div of Freedom of Info & Publications Svc has reviewed and documents re plant emergency plan & determined that documents may be made available for PDR.
KAMMERER, C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85472-292-85472-314.
- 9509140346 Forwards public version of revs to emergency procedures.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/24. Document Control Branch (Document Control Desk). 1p. 85472-294-85472-294.
- 9509140356 Public version of revs to emergency procedures, including form index page 3, form 45(A), 45(B), 45(C) & Rev 7 to IP-1043, "Operation of NY State Radiological Emergency Communication Sys & Local Government Radio."
* Consolidated Edison Co. of New York, Inc. 95/08/01. 21pp. 85472-295-85472-314.
- 9509260177 Revised EIPs, including Rev 5 to IP-1006, "Site Perimeter Survey" & Rev 5 to IP-1006, "Personnel Radiological Check & Decontamination." W/950915 ltr.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/15. 15pp. 85600-248-85600-262.

P. Operating license stage documents & correspondence

- 9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.
- 9509130154 Comment supporting revised NRC SALP program.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 85428-015-85428-021.
- 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.
- 9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.
- 9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.
- 9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Cruciferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

12 DOCKETED ITEMS

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

V. Operator Examinations

9509260205 Ltr contract, task order 23, defrinitizing task order to "Technical Assistance in Initial Exam for Indian Point NPP." WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/08/29. VOGEL, A.M. Sonalysts, Inc. 4pp. 85608:286-85608:289.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509200187 Rev 7H to generating station emergency plan. * Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509080144 Discusses insp repts 50-010/95-09, 50-237/95-09 & 50-249/95-09 on 950613-0731. Violations noted. Violation of concern because numerous events occurred involving personnel not complying w/established OOS practices. HILAND, P.L. Region 3 (Post 820201). 95/08/25. JOYCE, T. Commonwealth Edison Co. 3pp. 85324:240-85324:260.

9509080147 Notice of violation from insp on 950613-0731. Violation noted: non-licensed operator moved fuel into unit 2 w/o direct supervision of licensed SRC. * Region 3 (Post 820201). 95/08/25. 3pp. 85324:243-85324:245.

9509080149 Insp repts 50-010/95-09, 50-237/95-09 & 50-249/95-09 on 950613-0731. Violations noted. Major areas inspected: operations, maintenance, plant support & engineering. HILAND, P.L. Region 3 (Post 820201). 95/08/25. 15pp. 85324:246-85324:260.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280072 Responds to NRC 950825 ltr re concerns noted in insp repts 50-010/95-09, 50-237/95-09 & 50-249/95-09. Corrective actions: OOS process modified to require attachment of configuration mgt checklist & OOS procedure DAP 03-05 will be revised. JOYCE, T.P. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 5pp. 85647:314-85647:318.

9509220300 NRC Info Notice 95-045, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190213 Monthly operating repts for Aug 1, 1995 for Dresden Nuclear Power Station W/950913 ltr. CARROLLE, W., HOLLAND, P.G. Commonwealth Edison Co. 95/08/31. 28pp. 85531:280-85531:307.

W. Decommissioning Stage Documents & Correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:035-85423:049.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 6, "Administrative Controls." BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

F. Operating license stage documents & correspondence

9509080253 Forwards SE accepting proposed corporate restructuring of Detroit Edison Co by establishment of holding company as described in 950327 ltr. HANLON, J. 95/08/30. GIPSON, D.R. Detroit Edison Co. 3pp. 85349:349-85349:355.

9509080254 Safety evaluation accepting proposed corporate restructuring of Detroit Edison Co by establishment of holding company. * 95/08/30. 4pp. 85349:352-85349:355.

R. Periodic operating reports & related correspondence

9509090063 "Enrico Fermi Atomic Power Plant, Unit 1, Annual Rept For Period 940701-950630 W/950631 ltr. FESSLEK, P., GIPSON, D.R. Detroit Edison Co. 95/06/30. 8pp. 85419:192-85419:199.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9509110181 Requests add info re MITR-II Emergency plan submitted on 950216. Informs that changes to plan comply w/10CFR50, App E & do not decrease effectiveness of MITR-II emergency plan. ADAMS, A. 95/09/08. BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 6pp. 85411:352-85411:357.

P. Operating license stage documents & correspondence

9509110188 Forwards RAI to complete review of amended request for amended license R-37, submitted on 950222. Response should be submitted within 30 days of ltr date. ADAMS, A. 95/09/08. BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 4pp. 85411:358-85411:361.

Q. Inspection reports, IE Bulletins & correspondence

9509180205 Forwards insp rept 50-020/95-02 on 950705-07 & 24-26. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/09/07. BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 85500:308-85500:316.

9509180210 Insp rept 50-020/95092 on 950705-07 & 24-26. No violations noted. Major areas inspected: routine reactor operations program & reportable occurrence re operation of reactor at power w/one control rod not withdrawn. DRAGOUN, T., BORES, R. Region 1 (Post 820201). 95/09/07. 6pp. 85500:311-85500:316.

9509280056 Responds to 1st paragraph of Section 9 of NRC Insp Rept 50-020/95-02, stating that written guidance should be provided to ROs for dealing w/equipment malfunctions. BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85641:341-85641:341.

R. Periodic operating reports & related correspondence

9509250285 "MIT Research Reactor Annual Rept to NRC for Period Jul 1994 - June 1995." W/950922 ltr. NEWTON, T.H., LAU, E.S., BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/06/30. 33pp. 85602:314-85602:346.

S. Reportable occurrences, LERs & related correspondence

9509280185 Corrective action for RO 50-20/1995-4, re abnormal situations which occurred on 950711. NEWTON, T.H., LAU, E.S., BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85600:238-85600:240.

V. Operator Examinations

9509150038 Advises that MR Anderson resigned position as senior reactor operator effective 950901. BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/09/11. Document Control Branch (Document Control Desk). 1p. 85518:336-85518:336.

DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

P. Operating license stage documents & correspondence

950920037 Notification of cancelled 950920 meeting w/Washington State Univ in Rockville, MD to discuss potential boron neutron capture therapy licensing issues. MENDONCA, M.M. 95/08/18. WEISS, S.H. 4pp. 85540:352-85540:355.

R. Periodic operating reports & related correspondence

950908070 "Annual Rept On Operation Of Washington State University TRIGA Reactor," for period of 940701-950630. W/950831 ltr. NEIDIGER, J.A. Washington State Univ., Pullman, WA. 95/06/30. 8pp. 85419:297-85419:304.

DOCKET 50-25 YANKEE-ROWE NUCLEAR POWER STATION

G. Adjudicatory correspondence

9509140091 Notice of federal court decision & opportunity for public comments. US Court of Appeals for First Circuit issued decision granting petition by Citizens Awareness Network for review by NRC. Requests comments on sub. BATES, A.L. Office of the Secretary of the Commission. 95/08/30. 6pp. 85428:156-85428:171.

H. General correspondence

9509140083 Comment opposing process for approving Yankee component removal project prior to issuance of decommissioning order. WOOD, B.C. Massachusetts, Commonwealth of. 95/09/08. JULIAN, E. Office of the Secretary of the Commission. 1p. 85428:157-85428:157.

9509190122 Comment on issues re Yankee Nuclear Power Plant. * Affiliation Not Assigned. 95/09/12. Office of the Secretary of the Commission. 2pp. 85504:114-85504:115.

9509190154 Comment supporting decommissioning of plant nuclear power reactors. HUDSON, S. Affiliation Not Assigned. 95/09/12. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85504:141-85504:142.

9509190162 Comment supporting decommissioning of plant nuclear power reactors. MCLAIN, F.A. Affiliation Not Assigned. 95/09/12. NRC - No Detailed Affiliation Given. 1p. 85504:149-85504:149.

9509190169 Comment supporting decommissioning of plant nuclear power reactors. KING, T.C. Affiliation Not Assigned. 95/09/12. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85504:156-85504:157.

9509190174 Comment supporting decommissioning of plant nuclear power reactors. SNYDER, T.C. Affiliation Not Assigned. 95/09/12. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85504:305-85504:306.

9509270044 Comment supporting decommissioning of plant. BURNHAM, V. Affiliation Not Assigned. 95/09/12. JULIAN, E. Docketing & Services Branch. 1p. 85588:074-85588:074.

9509190132 Comment opposing decommissioning of plant. JOYCE, D.A. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 2pp. 85504:123-85504:124.

9509190137 Comment opposing halt of decommissioning of plant. ROYAL, R. Affiliation Not Assigned. 95/09/13. Docketing & Services Branch. 1p. 85504:128-85504:128.

9509190141 Comment supporting Yankee Rowe quick & efficient procedures of decommissioning & disposal of radioactive matts. ZUCHERO, M.R. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 1p. 85504:129-85504:129.

9509190145 Comment on decommissioning of plant. MILES, E.A. Affiliation Not Assigned. 95/09/13. JULIAN, E. NRC - No Detailed Affiliation Given. 2pp. 85504:132-85504:133.

9509190146 Comment supporting decommissioning of plant. YORKE, N.C. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 2pp. 85504:134-85504:135.

9509190151 Comment supporting decommissioning of plant. SEPPLES, W.F. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 1p. 85504:139-85504:139.

9509190157 Comment supporting decommissioning of plant. THISSELL, M. Affiliation Not Assigned. 95/09/13. JULIAN, E. NRC - No Detailed Affiliation Given. 1p. 85504:143-85504:143.

9509190159 Comment supporting decommissioning of plant. CHILD, C.L. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 1p. 85504:146-85504:146.

9509190160 Comment supporting Yankee/Rowe decommissioning program. STEVENS, A.J. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 2pp. 85504:147-85504:148.

9509190165 Comment opposing halt of decommissioning of plant. BLACKADAR, W.G. Affiliation Not Assigned. 95/09/13. Docketing & Services Branch. 1p. 85504:153-85504:153.

9509190166 Comment opposing Yankee Atomic decommissioning plan. BASSILAKIS, R. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 1p. 85504:154-85504:154.

9509190170 Comment opposing halt of decommissioning of plant. LEWIS, D.B. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 1p. 85504:158-85504:158.

9509190178 Comment opposing halt of decommissioning of plant. LAPEAN, C. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 2pp. 85504:307-85504:308.

9509220031 Comment supporting Yankee Atomic decommissioning plan. PHILLEY, G.H. Affiliation Not Assigned. 95/09/13. JULIAN, E. Docketing & Services Branch. 1p. 85547:014-85547:014.

9509190136 Comment on NRC allowing Yankee Rowe to begin taking plant apart, prior to issuance of approved decommissioning plan. MALENO, K.R. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:127-85504:127.

9509190148 Comment on local anti-nuclear activists suit against NRC. Activists felt that right to due process was violated during component removal program. MALENO, M.D. Yankee Atomic Electric Co. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:136-85504:136.

9509190150 Comment supporting decommissioning of plant. PASSARDI, L. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:138-85504:138.

9509190152 Comment on plant decommissioning activities. TRUDEAU, A.R. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:140-85504:140.

9509190167 Comment on halting of decommissioning work at Yankee Rowe. CAIN, R.M. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:155-85504:155.

9509190168 Comment supporting decommissioning of plant. Believes that cost effective decommissioning of plant should continue unimpeded. FETHERSTON, N.W. Affiliation Not Assigned. 95/09/14. Docketing & Services Branch. 1p. 85504:303-85504:303.

9509190173 Comment on halting of decommissioning process at Yankee Rowe. SUCHARZEWSKI, L. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:304-85504:304.

9509190221 Comment supporting Yankee Decommissioning Plan. SNYDER, C. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:343-85504:343.

9509190227 Comment supporting Yankee Decommissioning Plan. ABEY, W. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:344-85504:344.

9509190230 Comment supporting Yankee Decommissioning Plan. COMA, M. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85504:345-85504:345.

9509220033 Comment on decommissioning of plant. MEYERS, W.J. Affiliation Not Assigned. 95/09/14. JULIAN, E. NRC - No Detailed Affiliation Given. 2pp. 85547:015-85547:016.

9509220091 Comment supporting decommissioning of plant. PROKOWICH, N. Affiliation Not Assigned. 95/09/14. JULIAN, E. Docketing & Services Branch. 1p. 85547:079-85547:079.

9509190143 Comment supporting decommissioning of plant. GNOSINI, M. Affiliation Not Assigned. 95/09/15. JULIAN, E. Docketing & Services Branch. 1p. 85504:348-85504:348.

9509190158 Comment opposing halt of decommissioning of plant. STEVENS, A.G. Affiliation Not Assigned. 95/09/15. JULIAN, E. Docketing & Services Branch. 2pp. 85504:144-85504:145.

9509190161 Comment supporting decommissioning of plant. HODGDON, A.D. Affiliation Not Assigned. 95/09/15. JULIAN, E. Docketing & Services Branch. 1p. 85504:302-85504:302.

9509190192 Comment opposing halt of decommissioning of plant. KADAKA, C. Yankee Atomic Electric Co. 95/09/15. Docketing & Services Branch. 2pp. 85504:313-85504:341.

9509190214 Comment supporting Yankee Rowe decommissioning plan. ABDOLRAHIM, M. Affiliation Not Assigned. 95/09/15. NRC - No Detailed Affiliation Given. 1p. 85504:342-85504:342.

9509220051 Comment supporting decommissioning of plant. BARTLETT, B.R., DIMASCIO, N.J. Bartlett Nuclear, Inc. 95/09/15. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85547:031-85547:032.

9509220096 Comment supporting continued decommissioning of plant. MCGOUGH, M. Affiliation Not Assigned. 95/09/15. JULIAN, E. Docketing & Services Branch. 1p. 85547:081-85547:081.

9509290056 Comment supporting decommissioning of plant. FULLER, M.D. Massachusetts, Commonwealth of. 95/09/15. JULIAN, E. Docketing & Services Branch. 1p. 85615:163-85615:163.

9509290082 Comment on 950723 Federal Court Decision re issues associated w/ Yankee Nuclear Power Station. Believes that NRC has legal authority to allow or forbid further decommissioning activity at plant. ODDO, J.M. Affiliation Not Assigned. 95/09/15. Docketing & Services Branch. 1p. 85615:312-85615:312.

9509270115 Comments on decommissioning of plant. SIMS, L. Affiliation Not Assigned. 95/09/16. JULIAN, E. Docketing & Services Branch. 3pp. 85588:273-85588:275.

9509190124 Comment supporting decommissioning of plant. TEVALDI, D. Affiliation Not Assigned. 95/09/17. JULIAN, E. Docketing & Services Branch. 1p. 85504:300-85504:300.

14 DOCKETED ITEMS

- 9509220056** Comment opposing decommissioning of plant. MCANDREWS, O.B. Affiliation Not Assigned. 95/09/17. NRC - No Detailed Affiliation Given. 1p. 85547:036-85547:036.
- 9509270086** Comment opposing decommissioning of plant. KATZ, F. Affiliation Not Assigned. 95/09/17. JULIAN, E. Docketing & Services Branch. 4pp. 85588:164-85588:230.
- 9509190125** Comment supporting decommissioning activities at Yankee Nuclear Power Station. DARCY, B.A. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 2pp. 85504:116-85504:117.
- 9509190131** Comment supporting decommissioning of plant. YORKE, D.W. Affiliation Not Assigned. 95/09/18. JULIAN, E. NRC - No Detailed Affiliation Given. 1p. 85504:122-85504:122.
- 9509190149** Comment supporting Yankee Atomic decommissioning program. GRIPPARDI, R.P. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 1p. 85504:137-85504:137.
- 9509190179** Comment supporting decommissioning of plant. * Affiliation Not Assigned. 95/09/18. NRC - No Detailed Affiliation Given. 1p. 85504:309-85504:309.
- 9509190185** Comment supporting decommissioning of plant. STEBBINS, D. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 1p. 85504:312-85504:312.
- 9509220038** Comment opposing Yankee Rowe decommissioning. RESNIKOFF, M. Radioactive Waste Management Associates. 95/09/18. JULIAN, E. Docketing & Services Branch. 3pp. 85547:021-85547:023.
- 9509220058** Comment supporting decommissioning activities at Yankee Atomic Electric Co. THIRINGTON, N.L. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 1p. 85547:037-85547:037.
- 9509220062** Comment opposing Yankee Atomic decommissioning plan. GOVERNOR, M. Massachusetts Citizens for Safe Energy. 95/09/18. JULIAN, E. Docketing & Services Branch. 2pp. 85547:038-85547:039.
- 9509220111** Comment supporting decommissioning of plant. KEATING, C.W. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 1p. 85547:165-85547:165.
- 9509270074** Comment supporting decommissioning of plant. MARCELLO, R.A. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 2pp. 85588:144-85588:145.
- 9509270082** Comment supporting decommissioning of plant. HARPER, G.A. Affiliation Not Assigned. 95/09/18. JULIAN, E. Docketing & Services Branch. 1p. 85588:160-85588:160.
- 9509270095** Comment supporting decommissioning of plant. WHITE, D.R. Affiliation Not Assigned. 95/09/18. NRC - No Detailed Affiliation Given. 1p. 85588:254-85588:254.
- 9509270102** Comment opposing decommissioning of plant. WRIGHT, R. New York Univ., New York, NY. 95/09/18. JULIAN, E. Docketing & Services Branch. 2pp. 85588:261-85588:262.
- 9509190138** Comment supporting decommissioning of plant. WESTON, N. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 1p. 85504:301-85504:301.
- 9509190234** Comment supporting Yankee Decommissioning Plan. SUCHAREWSKI, K. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 1p. 85504:346-85504:346.
- 9509190236** Comment supporting Yankee Decommissioning Plan. ST MARTIN, J. Affiliation Not Assigned. 95/09/19. NRC - No Detailed Affiliation Given. 1p. 85504:347-85504:347.
- 9509220034** Comment opposing decommissioning of plant reactor. * Affiliation Not Assigned. 95/09/19. JULIAN, E. Office of the Secretary of the Commission. 1p. 85547:017-85547:017.
- 9509220043** Comment opposing decommissioning of plant reactor. * Affiliation Not Assigned. 95/09/19. JULIAN, E. Office of the Secretary of the Commission. 1p. 85547:018-85547:018.
- 9509220063** Comment supporting decommissioning of plant. WENTWORTH, D.L. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 1p. 85547:040-85547:040.
- 9509270051** Comment supporting decommissioning of plant. BELLINI, F. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 1p. 85588:085-85588:085.
- 9509270061** Comment supporting decommissioning of plant. ROSS, I.M. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 2pp. 85588:117-85588:118.
- 9509270069** Comment supporting decommissioning of plant. BROWN, D.F. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 2pp. 85588:124-85588:125.
- 9509270075** Comment supporting decommissioning of plant. PARKER, J.E. Affiliation Not Assigned. 95/09/19. JULIAN, E. Docketing & Services Branch. 1p. 85588:146-85588:146.
- 9509270080** Comment opposing decommissioning of plant. LANGFORD, W.K. Affiliation Not Assigned. 95/09/19. JULIAN, E. NRC - No Detailed Affiliation Given. 1p. 85588:158-85588:158.
- 9509250269** Advises of organizational changes, including engineering support combining w/ nuclear svcs div. KADAK, A.C. Yankee Atomic Electric Co. 95/09/20. WEISS, S. 2pp. 85616:345-85616:346.
- 9509270049** Comment opposing decommissioning of plant. KATZ, D. Citizens Awareness Network. 95/09/20. JULIAN, E. Docketing & Services Branch. 7pp. 85588:077-85588:083.
- 9509270109** Comment on decommissioning of Yankee Nuclear Power Plant. Requests that petition for Commission for further public hearings on decommissioning of plant be denied. SWIFT, J.M. Massachusetts, Commonwealth of. 95/09/20. THE CHAIRMAN, JACKSON, S. Commissioners (Post 750119). 2pp. 85588:270-85588:271.
- 9509270119** Comment on decommissioning of Yankee Nuclear Power Plant. Urges NRC not to delay decommissioning work. KARMER, J.S. Affiliation Not Assigned. 95/09/20. JULIAN, E. Docketing & Services Branch. 1p. 85588:323-85588:323.
- 9509270131** Comment on decommissioning of Yankee Nuclear Power Plant. In order to proceed w/ decommissioning, NRC needs to include citizens in meaningful way. MEYER, J.D. Affiliation Not Assigned. 95/09/20. JULIAN, E. Office of the Secretary of the Commission. 1p. 85588:346-85588:346.
- 9509270136** Comment on decommissioning of nuclear power plant. WOOD, J.Y. Affiliation Not Assigned. 95/09/20. NRC - No Detailed Affiliation Given. 1p. 85588:347-85588:347.
- 9509220048** Comment supporting Yankee Atomic decommissioning plan. * Affiliation Not Assigned. 95/09/21. NRC - No Detailed Affiliation Given. 1p. 85547:028-85547:028.
- 9509220049** Comment opposing Yankee Atomic decommissioning plan. HINES, C.C. Affiliation Not Assigned. 95/09/21. Office of the Secretary of the Commission. 1p. 85547:029-85547:029.
- 9509220066** Comment supporting decommissioning at Yankee Rowe Reactor. SOUIERKE, M. Affiliation Not Assigned. 95/09/21. NRC - No Detailed Affiliation Given. 1p. 85547:041-85547:041.
- 9509220070** Comment opposing decommissioning of plant. * Affiliation Not Assigned. 95/09/21. JULIAN, E. NRC - No Detailed Affiliation Given. 1p. 85547:042-85547:042.
- 9509220071** Comment supporting ongoing decommissioning activities being performed at Yankee Atomic Plant. BROOKS, C. Affiliation Not Assigned. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85547:043-85547:043.
- 9509220094** Comment supporting decommissioning of plant. TAYLOR, P.E., TAYLOR, D. Affiliation Not Assigned. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85547:080-85547:080.
- 9509270088** Comment on decommissioning of Yankee Rowe. Suggests that NRC should "bend over backwards" in order to restore credibility w/ public. * Affiliation Not Assigned. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85588:248-85588:248.
- 9509270101** Comment on decommissioning of plant. Requests that work be halted until safe plan received & approved for continuation. MOORE, M.H., MOORE, N.H. Affiliation Not Assigned. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85588:260-85588:260.
- 9509270117** Comment supporting approved decommissioning of Yankee Nuclear Power Station in Rowe. KELLY, S.P. Massachusetts, Commonwealth of. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85588:322-85588:322.
- 9509270125** Comment supporting approval of decommissioning of activity at facility. GORDON, K., WEBSTER, M.C. Massachusetts, Commonwealth of. 95/09/21. JULIAN, E. Docketing & Services Branch. 2pp. 85588:343-85588:344.
- 9509270138** Comment supporting decommissioning of Yankee Nuclear Plant. JANUARY, R.G. Affiliation Not Assigned. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85588:350-85588:350.
- 9509290063** Comment opposing decommissioning of plant. FRIEDMAN, J. Peoples Action for Clean Energy, Inc. 95/09/21. JULIAN, E. L. Docketing & Services Branch. 2pp. 85615:178-85615:179.
- 9509290076** Comment supporting halt of decommissioning activities at Yankee Rowe. SCHAFTMAN, H. Citizens Awareness Network. 95/09/21. JULIAN, E. Docketing & Services Branch. 9pp. 85615:210-85615:305.
- 9509270046** Comment expressing opposition to holding hearings on & stopping decommissioning at plant. CAMPBELL, W.J. Affiliation Not Assigned. 95/09/22. JULIAN, E. Docketing & Services Branch. 1p. 85588:076-85588:076.
- 9509270052** Comment supporting Citizen Awareness Network initiative to halt any remaining activity under early component removal program & all present decommissioning activities arising out of NRC approval made through changes to 1988 regulations. GUNTER, P. Nuclear Information & Resource Service. 95/09/22. JULIAN, E. Docketing & Services Branch. 2pp. 85588:086-85588:087.
- 9509270076** Comment supporting Citizens Awareness Network decisions to halt decommissioning activity at plant until formal, adjudicatory hearings have been held & subverted democratic process has been restored to rightful place. BLOCK, J.M. Affiliation Not Assigned. 95/09/22. JULIAN, E. Docketing & Services Branch. 9pp. 85588:147-85588:155.
- 9509270089** Comment supporting public hearing process re decommissioning of plant. PINE, J.B. Rhode Island, State of. 95/09/22. JULIAN, E. Docketing & Services Branch. 1p. 85588:249-85588:249.
- 9509270091** Comment opposing decommissioning of plant. ELENY, M. Affiliation Not Assigned. 95/09/22. 1p. 85588:250-85588:250.
- 9509270094** Comment opposing decommissioning of plant. ALBERT, S. Affiliation Not Assigned. 95/09/22. 1p. 85588:253-85588:253.

- 9509270096 Comment opposing decommissioning of plant.
CUTLER,C. Affiliation Not Assigned. 95/09/22. 1p. 85588:255-85588:255.
- 9509270107 Comment urging NRC to prevent any further dismantling activity at plant until next trial & lawful plan for procedure completed.
* Affiliation Not Assigned. 95/09/22. JULIAN,E. Docketing & Services Branch. 2pp. 85588:268-85588:269.
- 9509270137 Comment supporting decommissioning of plant.
SZYMCZAK,W.J. Affiliation Not Assigned. 95/09/22. JULIAN,E. Docketing & Services Branch. 2pp. 85588:348-85588:349.
- 9509290064 Comment on decommissioning plan re Yankee Nuclear Station. Urges that decommissioning activities not be halted pending court-ordered public hearing.
SEDANO,R.P. Vermont, State of. 95/09/22. JULIAN,E. Docketing & Services Branch. 2pp. 85615:180-85615:181.
- 9509290065 Comment supporting decommissioning plans for plant.
JWASZEWSKI,B. Affiliation Not Assigned. 95/09/22. JULIAN,E. Docketing & Services Branch. 1p. 85615:182-85615:182.
- 9509290080 Comment supporting decommissioning of Yankee Nuclear Power Station.
HEIDER,K.J. Affiliation Not Assigned. 95/09/22. Docketing & Services Branch. 4pp. 85615:307-85615:310.
- 9509270057 Comment opposing decommissioning of plant.
STOBIERSKI,J., STRIEBELM., FORBES,M. Franklin County,MA. 95/09/23. JULIAN,E. Docketing & Services Branch. 2pp. 85588:107-85588:113.
- 9509270050 Comment opposing decommissioning of plant.
* Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 1p. 85588:084-85588:084.
- 9509270058 Comment on dangerous & illegal activities at plant.
STREETER,S.M. Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:114-85588:114.
- 9509270059 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:115-85588:115.
- 9509270060 Comment on dangerous & illegal activities at plant.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:116-85588:116.
- 9509270068 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:123-85588:123.
- 9509270070 Comment opposing decommissioning of plant.
* Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 1p. 85588:126-85588:126.
- 9509270071 Comment opposing decommissioning at Yankee Rowe plant.
MARBET,L.K. Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 16pp. 85588:127-85588:142.
- 9509270072 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:143-85588:143.
- 9509270077 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:156-85588:156.
- 9509270079 Comment on dangerous & illegal activities at plant.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:157-85588:157.
- 9509270081 Comment on decommissioning of plant. Requests that activities at plant be ceased until public hearing on CRP held.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:159-85588:159.
- 9509270083 Comment opposing decommissioning of plant.
* Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 1p. 85588:161-85588:161.
- 9509270084 Comment on dangerous & illegal activities at plant.
STREETER,K.N. Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:162-85588:162.
- 9509270085 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
HOGARTH,C. Affiliation Not Assigned. 95/09/25. NRC - No Detailed Affiliation Given. 1p. 85588:163-85588:163.
- 9509270092 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
KIPEN,K.M. Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 1p. 85588:251-85588:251.
- 9509270093 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
MILLER,E.M. 95/09/25. NRC - No Detailed Affiliation Given. 1p. 85588:252-85588:252.
- 9509270097 Comment supporting decommissioning of Yankee Nuclear Power Station.
MELLOR,R.A. Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 2pp. 85588:256-85588:257.
- 9509270098 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
HUDGINS,D. Affiliation Not Assigned. 95/09/25. NRC - No Detailed Affiliation Given. 1p. 85588:258-85588:258.
- 9509270099 Comment on dangerous illegal activities at plant.
JENSON,J. Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:259-85588:259.
- 9509270103 Comment on dangerous & illegal activities at plant.
* Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588:263-85588:263.
- 9509270104 Comment opposing decommissioning of plant.
REED,S. Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 1p. 85588:264-85588:264.
- 9509270105 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
WALKER,P. Affiliation Not Assigned. 95/09/25. NRC - No Detailed Affiliation Given. 1p. 85588:265-85588:265.
- 9509270106 Comment opposing decommissioning of Yankee Rowe Reactor.
LAMPERT,M.E. Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 2pp. 85588:266-85588:267.
- 9509270110 Comment on dangerous & illegal activities at plant reactor.
MANGRAGLI,S. Affiliation Not Assigned. 95/09/25. JULIAN,E. Docketing & Services Branch. 1p. 85588:272-85588:272.
- 9509270120 Supplement to comment 43 re decommissioning of plant.
KADAK,A.C. Yankee Atomic Electric Co. 95/09/25. JULIAN,E. Docketing & Services Branch. 17pp. 85588:324-85588:340.
- 9509270121 Supplement to comment 72 opposing decommissioning of Yankee Nuclear Power Station.
KATZ,D. Citizens Awareness Network. 95/09/25. JULIAN,E. Docketing & Services Branch. 2pp. 85588:341-85588:342.
- 9509270126 Comment requesting that NRC hold decommissioning hearing for Yankee Rowe as required by rules & regulations.
AUSTIN,B. Affiliation Not Assigned. 95/09/25. JULIAN,N. Docketing & Services Branch. 1p. 85588:345-85588:345.
- 9509270143 Comment supporting decommissioning activities at Yankee.
KUMAR,M.S. 95/09/25. JULIAN,E. Docketing & Services Branch. 3pp. 85588:351-85588:353.
- 9509290059 Comment on two notices in Federal Register re decommissioning regulations of plant.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/25. JULIAN,E.L. Docketing & Services Branch. 10pp. 85615:165-85615:174.
- 9509290070 Comment supporting decommissioning of Yankee Rowe.
STOWE,E.B. Affiliation Not Assigned. 95/09/25. JULIAN,E. NRC - No Detailed Affiliation Given. 1p. 85615:187-85615:187.
- 9509290058 Comment supporting decommissioning of plant.
* Affiliation Not Assigned. 95/09/26. Docketing & Services Branch. 1p. 85615:184-85615:184.
- 9509290066 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing held.
MILLER,B. Massachusetts, Commonwealth of. 95/09/28. JULIAN,E. Docketing & Services Branch. 1p. 85615:183-85615:183.
- 9509290069 Second suppl to comment 43. Comment supporting decommissioning of plant. Util believes time to devote all resources to completion of dismantling of plant & restoring site to green field.
KADAK,A.C. Yankee Atomic Electric Co. 95/09/28. JULIAN,E. Docketing & Services Branch. 2pp. 85615:185-85615:186.
- 9509290074 Second supplement to comment 72. Comment opposing decommissioning of plant. Citizens believe that continued removal will undoubtedly continue to pose health, safety & environ question.
KATZ,D. Citizens Awareness Network. 95/09/28. JULIAN,E. Docketing & Services Branch. 7pp. 85615:203-85615:209.

P. Operating license stage documents & correspondence

- 9003280202 Forwards topical rept evaluation of Topical Rept YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses.
THADANILIA,C. Division of Systems Technology (890827-921003). 90/03/21. PAPANIC,G. Yankee Atomic Electric Co. 2pp. 85423:001-85423:011.
- 9003280205 Topical rept evaluation of YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/03/21. 9pp. 85423:003-85423:011.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
RCSSI,C.E. Division of Operational Events Assessment (870411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509060346 Comments on revised NRC SALP program.
GRANT,J.M. Yankee Atomic Electric Co. 95/09/01. Docketing & Services Branch. 6pp. 85312:230-85312:237.
- 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

16 DOCKETED ITEMS

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/07/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010140 "Effluent & Waste Disposal Semiannual Reprt for First & Second Quarters 1995." W/950828 ltr. KAY, J.A. Yankee Atomic Electric Co. 95/06/30. FAIRTILE, M. 22pp. 85313:275-85313:296.

W. Decommissioning Stage Documents & Correspondence

9509010090 Responds to discussion w/J Thayer & provides listed documents. KAY, J.A. Yankee Atomic Electric Co. 95/05/03. CONTER, Region 1 (Post 820201). 29pp. 85312:319-85312:347.

9509310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

P. Operating license stage documents & correspondence

9509120286 Forwards amend 23 to license R-77 a safety evaluation. Amend revises TS to provide one-time extension in time interval for testing of containment leak rate. MICHAELS, T.S. 95/09/08. VASBINDE, R.D.F. New York Univ., New York, NY. 3pp. 85421:337-85421:346.

-9509120296 Amend 23 to license R-77, revising TS to provide one-time extension in time interval for testing of containment leak rate. WEISS, S.H. 95/09/08. 5pp. 85421:340-85421:344.

-9509120297 Safety evaluation supporting amend 23 to license R-77. * 95/09/08. 2pp. 85421:345-85421:346.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9509140373 Forwards Initial Exam Rept 50-062/OL-95-01 of exam administered during week of 950828. RICHARDS, S.A. 95/09/06. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 1p. 85472:354-85472:354.

-9509290118 Exam rept 50-062/OL-95-01 on 950828. Exam results: all candidates passed exam. Facility comments & NRC resolution of comments & exam & answer key encl. DOYLE, P.V., MENDIOLA, A.J. 95/09/06. 25pp. 85638:274-85638:298.

V. Operator Examinations

9509080005 Forwards copy of results of Operator Initial Exam conducted at Univ of Virginia on 950828. W/o encl. RICHARDS, S.A. 95/09/06. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 1p. 85385:080-85385:080.

9509140373 Forwards Initial Exam Rept 50-062/OL-95-01 of exam administered during week of 950828. RICHARDS, S.A. 95/09/06. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 1p. 85472:354-85472:354.

-9509290118 Exam rept 50-062/OL-95-01 on 950828. Exam results: all candidates passed exam. Facility comments & NRC resolution of comments & exam & answer key encl. DOYLE, P.V., MENDIOLA, A.J. 95/09/06. 25pp. 85638:274-85638:298.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

K. Utility Final Safety Analysis Report (FSAR) & amends

9509190107 Forwards Rev 9 to FSAR for Univ of FL Training Reactor. VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 95/09/14. Document Control Branch (Document Control Desk). 7pp. 85538:311-85538:348.

-9509190106 Rev 9 to FSAR for Univ of FL Training Reactor. * Florida, Univ. of, Gainesville, FL. 95/08/31. 3pp. 85538:318-85538:348.

DOCKET 50-89 GENERAL ATOMICS

F. Security, medical, emergency & fire protection plans

9509260066 Forwards insp repts 50-089/95-02 & 50-163/95-02 on 950805-08. No violations noted. SCARANO, R.A. Region 4 (Post 820201). 95/09/21. EDWARDS, J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 85569:132-85569:140.

-9509260074 Insp repts 50-089/95-02 & 50-163/95-02 on 950905-08. No violations noted. Major areas inspected: routine, announced insp of licensee emergency preparedness program re insp followup items from Insp Rept 50-089/95-01. MURRAY, B. Region 4 (Post 820201). 95/09/21. 5pp. 85569:136-85569:140.

P. Operating license stage documents & correspondence

9509110375 Forwards revised "Radiological Contingency Plan." August 1995. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/08/30. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85428:186-85428:307.

-9509110378 Revised "Radiological Contingency Plan." * General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/08/31. 119pp. 85428:189-85428:307.

Q. Inspection reports, IE Bulletins & correspondence

9509260066 Forwards insp repts 50-089/95-02 & 50-163/95-02 on 950805-08. No violations noted. SCARANO, R.A. Region 4 (Post 820201). 95/09/21. EDWARDS, J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 85569:132-85569:140.

-9509260074 Insp repts 50-089/95-02 & 50-163/95-02 on 950905-08. No violations noted. Major areas inspected: routine, announced insp of licensee emergency preparedness program re insp followup items from Insp Rept 50-089/95-01. MURRAY, B. Region 4 (Post 820201). 95/09/21. 5pp. 85569:136-85569:140.

DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9509060261 Forwards amend 16 to license R-52 & SE. Amend changes TSs of facility license, providing description of intended licensee reorganization of administrative organization. EP & security plans also changed to incorporate administrative changes. MENDONCA, M.M. 95/09/01. WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ. 3pp. 85323:263-85323:309.

-9509060268 Amend 16 to R-52, revising TSs of facility license to provide description of intended licensee reorganization of administrative organization. Amend also changes EP & security plans, incorporating changes to administrative organization. WEISS, S.H. 95/09/01. 42pp. 85323:266-85323:307.

-9509060272 Safety evaluation supporting amend 16 to license R-52. * 95/09/01. 2pp. 85323:308-85323:309.

P. Operating license stage documents & correspondence

9509060261 Forwards amend 16 to license R-52 & SE. Amend changes TSs of facility license, providing description of intended licensee reorganization of administrative organization. EP & security plans also changed to incorporate administrative changes. MENDONCA, M.M. 95/09/01. WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ. 3pp. 85323:263-85323:309.

-9509060268 Amend 16 to R-52, revising TSs of facility license to provide description of intended licensee reorganization of administrative organization. Amend also changes EP & security plans, incorporating changes to administrative organization. WEISS, S.H. 95/09/01. 42pp. 85323:266-85323:307.

-9509060272 Safety evaluation supporting amend 16 to license R-52. * 95/09/01. 2pp. 85323:308-85323:309.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9509120027 "Annual Operations Rept Iowa State Univ UTR-10 Reactor Jul 1994 - June 1995." W/950829 ltr. ADAMS, J.T. Iowa State Univ., Ames, IA. 95/06/30. 4pp. 85436:226-85436:229.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR**V. Operator Examinations**

9509180108 Refers to telcon between P Doyle & W Reece re arrangements made for administration of operator licensing exams at Texas A&M Univ reactor W/encl.
DOYLE,P . 95/09/13. HALL,K.R. Texas A&M Univ., College Station, TX. 11pp. 85497:345-85497:355.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3**P. Operating license stage documents & correspondence**

9509310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY**P. Operating license stage documents & correspondence**

9509110380 FOIA request for correspondence between Westinghouse & AEC re Westinghouse work on Saxton experimental reactor in Saxton,PA between years of 1956 & 1974.
DEKOK,D. Affiliation Not Assigned. 95/06/07. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85415:053-85415:055.

9509110373 First partial response to FOIA request for documents. Records in App A will be made available in PDF,App A documents encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/25. DEKOK,D. Affiliation Not Assigned. 2pp. 85415:056-85415:064.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR**P. Operating license stage documents & correspondence**

9509060006 Informs that during 950720 meeting Reactor Operations Committee reviewed & approved listed TS changes.
CRUZ,J.B. Ohio State Univ., Columbus, OH. 95/08/28. Document Control Branch (Document Control Desk). 2pp. 85419:211-85419:212.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR**P. Operating license stage documents & correspondence**

9509080248 Forwards request for addl info in order to continue review of amend request for license R-115 for Univ of Illinois advanced TRIGA research reactor submitted 950217.
ADAMS,A. 95/09/06. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 5pp. 85383:155-85383:159.

9509180149 Forwards answers to 950906 RAI,including revised TS pages.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 95/09/12. Document Control Branch (Document Control Desk). 4pp. 85522:120-85522:132.

-9509180151 Proposed tech specs 3.9, "Subcritical Experiments Using Reactor Thermal Column or Bulk Shielding Facility" & 5.3, "Fuel Storage."
* Illinois, Univ. of, Urbana, IL. 95/09/12. 9pp. 85522:124-85522:132.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT**F. Security, medical, emergency & fire protection plans**

9508250299 Forwards 1995 emergency exercise scenario for 950822 annual emergency exercise.
DONNELLY,P.M. Consumers Power Co. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85602:001-85602:229.

-9509250300 Emergency exercise scenario for 950822 annual emergency exercise.
* Consumers Power Co. 95/08/22. 22pp. 85602:003-85602:229.

H. General correspondence

9509050342 Forwards decommissioning plan comments received from C Carey.
DUDLEY,R.F. 95/08/31. DONNELLY,P.M. Consumers Power Co. 2pp. 85383:044-85383:075.

-9509070129 Submits public comment re plant Decommissioning Plan,which regarded as extremely important step in setting precedence both nationally & internationally for disposal mgt of deadlly radioactive wastes.
CAREY,C. Affiliation Not Assigned. 95/08/07. Docketing & Services Branch. 30pp. 85383:046-85383:075.

9509060005 Forwards decommissioning plan comments received from MP Sinclair.
DUDLEY,R.F. 95/08/31. DONNELLY,P.M. Consumers Power Co. 3pp. 85314:226-85314:230.

-9509060006 Submits comments directed at Environmental Rept for decommissioning of plant in Charlevoix,MI,prepared by util.
SINCLAIR,M.F. Affiliation Not Assigned. 95/08/09. Office of the Secretary of the Commission. 2pp. 85314:229-85314:230.

P. Operating license stage documents & correspondence

9509060385 Provides update 23 of Big Rock Point Integrated Plan.
DONNELLY,P.M. Consumers Power Co. 95/08/31. Document Control Branch (Document Control Desk). 21pp. 85381:257-85381:277.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509120242 Summary of 950825 meeting w/util re issues arising from ongoing review of plant decommissioning plan.List of attendees encl.
DUDLEY,R.F. 95/09/08. 6pp. 85421:318-85421:323.

9509200318 Forwards revised "Request for Approval of Change to Quality Program Description for Operational Nuclear Power Plants." Attachments 3 provides responses for specific items reviewer questioned.
FENECH,R.A. Consumers Power Co. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85547:350-85547:359.

-9509200322 Revised "Request for Approval of Change to Quality Program Description for Operational Nuclear Power Plants."
* Consumers Power Co. 95/03/01. 7pp. 85547:352-85547:359.

9509200305 Forwards RAI on severe accident mgt.GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46," & GL 88-20, "IPEEE for Severe Accident Vulnerabilities." Suppl 4.
TRAN,L.N. 95/09/13. DONNELLY,P.M. Consumers Power Co. 4pp. 85543:308-85543:311.

9509220093 Documents completion of implementation of commitments re SBO rule 10CFR50.63.
DONNELLY,P.M. Consumers Power Co. 95/09/14. Document Control Branch (Document Control Desk). 3pp. 85564:353-85564:355.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

18 DOCKETED ITEMS

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Clearing of 5Gs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509130179 Monthly operating rept for Aug 1995 for Big Rock Point Nuclear Plant. W/ 950901 ltr
JOHNSTON, J.R. Consumers Power Co. DONNELLY, P.M. Duke Power Co. 95/08/31. 5pp. 85474:249-85474:253.

9509260250 Forwards simulator deficiency repts, simulator performance tests conducted during 1992-1995, simulator performance test description & simulator performance test schedule from 1996-1999, per 10CFR55(B)(4)(iii).
DONNELLY, P.M. Consumers Power Co. 95/09/21. Document Control Branch (Document Control Desk). 12pp. 85623:344-85623:355.

T. Hearing transcripts on non-antitrust matters

9509210360 Forwards 950908 transcript of telcon w/Lake Michigan Federation to discuss comments on plant decommissioning plan.
DUDLEY, R.F. 95/09/18. DONNELLY, P.M. Consumers Power Co. 3pp. 85562:192-85562:316.

-**9509210364** Transcript of 950908 telcon in Rockville, MD re Lake Michigan Federation discussion of comments on plant decommissioning plan. Pp 1-121. Supporting documentation, encl.
* NRC - No Detailed Affiliation Given. 95/09/08. 122pp. 85562:195-85562:316.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

V. Operator Examinations

9509190024 Informs of operating organizational change. Operator LC Henze name legally changed to LC Tedd.
CASHWELL, R.J., MATUSEWIC, S.M. Wisconsin, Univ. of Madison, WI. 95/09/12. Document Control Branch (Document Control Desk). 1p. 85535:304-85535:304.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9509110099 Georgians Against Nuclear Energy comments on security at Georgia Tech reactor facility following Georgia Tech decision to remove reactor fuel before 1996 olympic games. W/ Certificate of Svc.
CARROLL, G. Georgians Against Nuclear Energy. #395 17079. 95/08/31. Georgia Institute of Technology, Atlanta, GA. 19pp. 85334:081-85334:099.

G. Adjudicatory correspondence

9509080056 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision (DD-95-15) in listed docket has expired. W/ Certificate of Svc. Served on 950929.
BATES, A.L. Office of the Secretary of the Commission. #395 17054. 95/08/29. BLOCKEY-O'BRIEN Affiliation Not Assigned. 2pp. 85324:008-85324:009.

9509080158 Georgia Institute of Technology statement to issue of mootness of contention 5. * W/Certificate of Svc.
DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA. DUNN, D.R. Georgia, State of. #395 17063. 95/08/30. 5pp. 85324:104-85324:108.

9509080173 Memorandum. * Board requests Georgia Institute of Technology forward to each Licensing Board Administrative Judge copy of proposal to convert from HEU to LEU fuel. W/Certificate of Svc. Served on 950830.
BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #395 17061. 95/08/30. 3pp. 85324:109-85324:111.

9509080197 Georgia Institute of Technology response to GANE amended petition for leave to intervene. * Georgia Institute of Technology requests GANE amended petition be dismissed. W/Certificate of Svc.
DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA. DUNN, D.R. Georgia, State of. #395 17062. 95/08/30. Atomic Safety & Licensing Board Panel. 5pp. 85324:112-85324:116.

9509110099 Georgians Against Nuclear Energy comments on security at Georgia Tech reactor facility following Georgia Tech decision to remove reactor fuel before 1996 olympic games. W/ Certificate of Svc.
CARROLL, G. Georgians Against Nuclear Energy. #395 17079. 95/08/31. Georgia Institute of Technology, Atlanta, GA. 19pp. 85334:081-85334:099.

9509110057 NRC Staff Response to Licensing Board memorandum & order of 950801. * Staff submits that GANE Contention 5 has been mooted by licensee recent statements & that contention should be dismissed as moot. W/Certificate of Svc.
TURK, S.E. Office of the General Counsel (Post 860701). #395 17028. 95/09/01. Atomic Safety & Licensing Board Panel. 16pp. 85333:040-85333:055.

9509110073 Memorandum & orb. * (responses re mootness). * Invites Applicant & Staff to respond to Georgians Against Nuclear Energy claims re Co-60 W/Certificate of Svc. Served on 950907.
BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #395 17090. 95/09/07. Office of the General Counsel (Post 860701). 4pp. 85333:357-85333:360.

9509210123 NRC response to amended petition for leave to intervene on conversion order filed by Georgians Against Nuclear Energy. * Staff opposes request for hearing & recommends that amended petition be denied. W/Certificate of Svc.
TURK, S.E. Office of the General Counsel (Post 860701). #395 17104. 95/09/11. Atomic Safety & Licensing Board Panel. 23pp. 85546:038-85546:060.

9509180131 Responds to 950816 & 0828 ltrs to Chairman Jackson & other listed individuals re recipient 2.206 petition on Georgia Inst of Technology Research Reactor. Ltrs dtd 950828 & 31 will not be treated as new 10CFR2.206 petition.
RUSSELL, W.T. 95/09/12. BLOCKEY-O'BRIEN Affiliation Not Assigned. 6pp. 85521:243-85521:274.

H. General correspondence

9509120102 Requests that NRC & Georgia Inst of Technology guarantee in writing reactor totally safe, never had single violation or problem re 2.206 petition.
BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/08/21. Ofc of the Executive Director for Operations. 7pp. 85436:265-85436:273.

9509080035 Informs that addl matl provided re safety of nuclear reactor at Georgia Tech has been reviewed.
MCLEMORE, W.H. Atlanta, GA. 95/09/08. BLOCKEY-O'BRIEN Affiliation Not Assigned. 1p. 85419:213-85419:213.

9509130233 Requests under 10CFR1.206 withdrawal of license, shutdown of reactor, removal of all radioactive mats, including heavy water, cleanup of site, surrounding area & sewer lines & revocation of all licenses enabling dumping.
BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/08/31. Ofc of the Executive Director for Operations. 2pp. 85474:181-85474:191.

-**9509130234** Lists info from NRC printout on GA Tech Nuclear Reactor, showing problems, violations & noncompliance over & over again, from 1978 to 1995.
BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/08/28. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. 7pp. 85474:185-85474:191.

F. Operating license stage documents & correspondence

9509120327 Informs Commission of order issued to nonpower reactor to convert HEU to LEU IAW 10CFR50.64.
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-95-222. 95/06/31. 34pp. 85573:061-85573:124.

9509220321 Forwards amend 11 to license R-97 & safety evaluation. Amend consists of changes to TS of license in response to 950816 ltr. Change indicates intended changes in administrative organization of licensee.
MENDONCA, M.M. 95/09/20. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 85577:112-85577:121.

-**9509220325** Amend 11 to license R-97, changing TS of license in response to 950816 ltr. Change indicates intended changes in administrative organization of licensee.
WEISS, S.H. 95/09/20. 5pp. 85577:115-85577:119.

-**9509220326** Safety evaluation supporting amend 11 to license R-97.
* 95/09/20. 2pp. 85577:120-85577:121.

Q. Inspection reports, IE Bulletins & correspondence

9509070202 Ack receipt of 950621 ltr informing NRC of steps taken to correct violations noted in insp rept 50-160/95-01. Request for extension to 30-day std response period for insp granted.
COLLINS, D.M. Region 2 (Post 820201). 95/08/29. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 85321:314-85321:316.

DOCKET 50-163 GENERAL ATOMICS

F. Security, medical, emergency & fire protection plans

9509260066 Forwards insp repts 50-089/95-02 & 50-163/95-02 on 950805-08. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/09/21. EDWARDS, J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 85569:132-85569:140.

-**9509260074** Insp repts 50-089/95-02 & 50-163/95-02 on 950905-08. No violations noted. Major areas inspected, routine, announced insp of licensee emergency preparedness program re insp followup items from Insp Rept 50-089/95-01.
MURRAY, B. Region 4 (Post 820201). 95/09/21. 5pp. 85569:136-85569:140.

P. Operating license stage documents & correspondence

9509110375 Forwards revised "Radiological Contingency Plan," August 1995.
ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/08/30. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85428:186-85428:307.

-**9509110378** Revised "Radiological Contingency Plan."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/08/31. 119pp. 85428:189-85428:307.

Q. Inspection reports, IE Bulletins & correspondence

9509260066 Forwards insp repts 50-089/95-02 & 50-163/95-02 on 950805-08. No violations noted.
SCARIANO, R.A. Region 4 (Post 820201). 95/09/21. EDWARDS, J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 4pp. 85569:132-85569:140.

-9509260074 Insp repts 50-089/95-02 & 50-163/95-02 on 950905-08. No violations noted. Major areas inspected routine, announced insp of licensee emergency preparedness program re insp followup items from Insp Rept 50-089/95-01.
MURRAY, B. Region 4 (Post 820201). 95/09/21. 5pp. 85569:136-85569:140.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR**P. Operating license stage documents & correspondence**

9509050099 Expresses appreciation for recent tour given to members of NRC staff on 950830.
BARRETT, R.J. Incident Response Branch. 95/08/30. CHAPPAS, W. Maryland, Univ. of College Park, MD. 1p. 85314:065-85314:065.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE**P. Operating license stage documents & correspondence**

9509090221 Forms that DOD directed that AFRRI be closed & nuclear reactor be shut-down in FY 97. AFRRI will notify NRC & submit necessary requests & plans for approval in accordance w/ federal regulations & NRC guidelines.
KEARF, E.Y.E. Armed Forces Radiobiological Research Institute. 95/08/31.
WEISS, S.H. NRC - No Detailed Affiliation Given. 1p. 85449:358-85449:358.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1**F. Operating license stage documents & correspondence**

9508310032 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 7/2/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:032-85645:036.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA**F. Security, medical, emergency & fire protection plans**

9509070186 Submits info re radioactive spent fuel shipments from Univ of MO Research Reactor info classified as SAFEGUARDS INFO per 10CFR73.21(b)2.
HULTSCH, R.A. Missouri, Univ. of Columbia, MO. 95/07/14. BENNINGTON, G. NRC - No Detailed Affiliation Given. 2pp. 85321:271-85321:272.

9509150245 Forwards envelope containing safeguards info re radioactive SF shipments from licensee research reactor & submits listed export shipment info. Encl withheld.
HULTSCH, R.A. Missouri, Univ. of Columbia, MO. 95/08/11. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85485:189-85485:190.

9509150225 Requests extension of NRC approval of highway route for shipment of spent reactor fuel through Dec 1996 to SC.
HULTSCH, R.A. Missouri, Univ. of Columbia, MO. 95/08/29. HAUGHNEY, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85485:136-85485:137.

Q. Inspection reports, IE Bulletins & correspondence

9509140375 Confirms telcon between P Doyle & WA Meyer re arrangements for administration of OL exams at univ scheduled for wk of 950925.
DOYLE, P.V. 95/09/08. RHYME, J.J. Missouri, Univ. of Columbia, MO. 10pp. 85472:344-85472:353.

V. Operator Examinations

9509140375 Confirms telcon between P Doyle & WA Meyer re arrangements for administration of OL exams at univ scheduled for wk of 950925.
DOYLE, P.V. 95/09/08. RHYME, J.J. Missouri, Univ. of Columbia, MO. 10pp. 85472:344-85472:353.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR**V. Operator Examinations**

9509250324 Forwards results of operator initial exam conducted at Kansas State Univ on 950912. W/o encl.
RICHARDS, S.A. 95/09/21. FAW, R.E. Kansas State Univ., Manhattan, KS. 1p. 85577:358-85577:358.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC**P. Operating license stage documents & correspondence**

9509260326 Forwards amend 20 to license R-95 & SE. Amend provides 6 h time period for radiation monitors to be out of svc before compensatory measures required.
MENDONCA, M.M. 95/09/22. TEHANT, Rhode Island, State of. 3pp. 85586:343-85586:351.

-9509260329 Amend 20 to license R-95, providing 6 h time period for radiation monitors to be out of svc before compensatory measures required.
WEISS, S.H. 95/09/22. 4pp. 85586:346-85586:349.

-9509260331 Safety evaluation supporting amend 20 to license R-95.
95/09/22. 2pp. 85586:350-85586:351.

DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR**V. Operator Examinations**

9509250288 Forwards copy of results of 950821 Operator Initial Exam. W/o encl.
RICHARDS, S.A. 95/09/21. DUGGAN, W. Manhattan College, Riverdale, NY. 1p. 85578:284-85578:284.

9509250335 Forwards copy of results of Operator Initial Exam conducted at Manhattan College on 950821. W/o encl.
RICHARDS, S.A. 95/09/21. DUGGAN, W. Manhattan College, Riverdale, NY. 1p. 85577:359-85577:359.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9509060290 Revised "Interjurisdictional Policy for Emergency at SONGS" to offsite emergency response plan.
* Southern California Edison Co. 95/07/31. 142pp. 85334:121-85334:262.

9509060294 Revised "County of Orange NPP Emergency Plan for SONGS."
* Orange County, CA. 95/07/31. 614pp. 85380:001-85381:250.

9509220127 "City of Dana Point Emergency Plan."
* Southern California Edison Co. 95/07/31. 85pp. 85577:166-85577:251.

9509120300 "City of San Juan Capistrano Emergency Response Plan."
JONES, G., JULIAN, S.B. San Juan Capistrano, CA. 95/06/31. 282pp. 85469:021-85469:302.

9509120032 Rev 6.2 to emergency plan for San Onofre Nuclear Generating Station Units 1, 2 & 3. W/950906 ltr.
MARSH, W.C. Southern California Edison Co. 95/09/06. 24pp. 85433:333-85433:356.

9509140120 Forwards ERDS implementation documents & data point library updates. W/o encl.
JOLICOEUR, J.R. Incident Response Branch. 95/09/07. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 85439:349-85439:349.

9509150074 Revised City of Dana Point emergency plan.
* Southern California Edison Co. 95/09/08. 100pp. 85520:174-85520:300.

9509140028 Ack receipt of 950811 & 14 ltrs which forward scenario package & corrected plant data pages for San Onofre emergency plan exercise scheduled for 951011. NRC agrees on exercise objectives.
SCARIANO, R.A. Region 4 (Post 820201). 95/09/11. RAY, H.B. Southern California Edison Co. 4pp. 85428:069-85428:077.

20 DOCKETED ITEMS

-5509140034 Forwards scenario & data for plant annual emergency plan exercise scheduled for 951011. W/o encl.
ZINTL, W. Southern California Edison Co. 95/06/11. Document Control Branch (Document Control Desk). 1p. 85426:073-85426:076.

-9509140037 Advises of error found in ftr dtd 950811 which transmitted scenario & data for plant annual emergency plan exercise scheduled for 951011.
ZINTL, W. Southern California Edison Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 85426:077-85426:077.

9509260270 Forwards rev 15 to Aug 1983, "Safeguards Contingency Plan, SONGS, Units 1, 2 & 3," per 10CFR50.54(p)(2). Encl Withheld.
KRIEGER, R.W. Southern California Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85600:281-85600:282.

9509270250 Rev 6.2 to SONGS Emergency Plan.
* Southern California Edison Co. 95/09/18. 6pp. 85624:345-85624:350.

9509270265 Forwards Rev 47 to physical security plan for Units 1, 2 & 3. Rev withheld.
KRIEGER, R.W. Southern California Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85631:231-85631:231.

9509290139 Revised EIPs, including Temporary Change Notice 2-1 to Rev 2 to SO123-VIII-70.2, "EOF Administrative Coordinator Duties" & Temporary Change Notice 2-1 to Rev 2 to SO123-VIII-90.2, "EOF Corporate Communications." W/950922 ftr.
MARSH, W.C. Southern California Edison Co. 95/09/22. 23pp. 85644:309-85644:331.

P. Operating license stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:258.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9509120114 Change 95-930 to Rev 2 to EPIP 1.5.56, "Severe Weather or Loss of Above Ground EDG Fuel Tank."
BURGESS, K. Connecticut Yankee Atomic Power Co. 95/08/26. 2pp. 85435:221-85435:222.

9509120125 Rev 0 to EPIP 1.5-28A, "Thermal Hydraulic Evaluation Methods."
* Connecticut Yankee Atomic Power Co. 95/09/01. 47pp. 85435:226-85435:272.

9509110307 Forwards RAI re ext. event analyses in IPEEE, including seismic & fire analyses & analyses on effects of high winds, floods & others. Requests response to RAI within 60 days of receipt of ftr.
WANG, A.B. 95/09/08. OPEKA, J.F. Commonwealth Edison Co. OPEKA, J.F. Northeast Nuclear Energy Co. 9pp. 85385:351-85385:359.

9509140306 Concludes that licensee responses to 941216 & 950331 RAI incomplete. Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Requests that revised response be submitted within 45 days.
CALVO, J.A. 95/09/12. MCKEE, P.F. 4pp. 85505:147-85505:151.

9509260204 Forwards insp rept 50-213/95-17 on 950731-0804 & notice of violation.
JOYNER, J.H. Region 1 (Post 820201). 95/09/15. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 85570:221-85570:233.

-9509260210 Notice of violation from insp on 950731-0804. Violation noted: licensee implemented NUMARC EAL for Haddam neck plant on 950630 w/o agreement of state & local govt authorities & did not conduct annual review of superceded EAL in CY94.
* Region 1 (Post 820201). 95/09/15. 2pp. 85570:224-85570:225.

-9509260219 Insp rept 50-213/95-17 on 950731-0804. Violations noted. Major areas inspected: implementation of revised NUMARC EAL for classification of emergency conditions including: insp of procedural review & approval process, et al.
MAIER, W.A., DE PRIEST, R.E., KEIM, G.R.R. Region 1 (Post 820201). 95/09/15. 8pp. 85570:226-85570:233.

H. General correspondence

9509140009 Informs NRC staff of recent organizational change within Nuclear Group. Nuclear Safety Engineering now reports to Director Nuclear Planning, Licensing & Budgeting Dept.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85484:357-85484:359.

9509220095 Informs NRC of mgt change within nuclear group which affects distribution of NRC correspondence to CYAPCO & NNECO. Listed change reflected in encl rev to distribution lists for NRC correspondence.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/15. Document Control Branch (Document Control Desk). 14pp. 85570:295-85570:308.

P. Operating license stage documents & correspondence

9509050141 Responds to NRC 950621 RAI re utilis 950602 ftr, requesting approval to use Code Case N-508-1, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing, Section XI, Div 1."
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/25. Document Control Branch (Document Control Desk). 7pp. 85349:155-85349:161.

9509120019 Forwards "GL 89-10 Close-Out CYAP Haddam Neck Plant."
DEBARBA, E.A. Connecticut Yankee Atomic Power Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/09/01. Document Control Branch (Document Control Desk). 4pp. 85434:294-85434:351.

-9509120021 "GL 89-10 Close-Out CYAP Haddam Neck Plant."
HODGE, S.T. Connecticut Yankee Atomic Power Co. 95/08/01. 53pp. 85434:298-85434:351.

9509150029 Forwards comments on EGG-NRP-11474, "Evaluation of Haddam Neck Nuclear Plant ODCM." Rev 4.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/07. Document Control Branch (Document Control Desk). 30pp. 85508:308-85508:338.

9509150217 Notification of significant licensee meeting 95-84 w/util on 950920 to discuss Northeast Util Reengineering Effort.
NICHOLSON, L. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 2pp. 85485:134-85485:134.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509110307 Forwards RAI re external event analyses in IPEEE, including seismic & fire analyses & analyses on effects of high winds, floods & others. Requests response to RAI within 60 days of receipt of ftr.
WANG, A.B. 95/09/08. OPEKA, J.F. Commonwealth Edison Co. OPEKA, J.F. Northeast Nuclear Energy Co. 9pp. 85385:351-85385:359.

9509140306 Concludes that licensee responses to 941216 & 950331 RAI incomplete. Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Requests that revised response be submitted within 45 days.
CALVO, J.A. 95/09/12. MCKEE, P.F. 4pp. 85505:147-85505:151.

9509250313 Transmits recent decisions by CT Dept of Public Utility Control & MA Dept of Public Utilities on restructuring electric industry relevant to economic regulation.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/20. Document Control Branch (Document Control Desk). 206pp. 85603:001-85603:206.

9509250384 Forwards Rev 6 to "Technical Rept Supporting Cycle 19 Operation."
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/21. Document Control Branch (Document Control Desk). 3pp. 85600:283-85600:323.

-9509250386 Rev 6 to "Technical Rept Supporting Cycle 19 Operation."
* Northeast Utilities. 95/08/31. 38pp. 85600:286-85600:323.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509050148 Requests approval to use Code Case N-535, "Alternative Requirements for ISI Intervals, Section XI, Div 1," as alternative to ASME Code Section XI.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/24. Document Control Branch (Document Control Desk). 2pp. 85346:349-85346:350.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509150194 Forwards insp rept 50-213/95-18 on 950807-11. No violations or deviations noted.
MODES, M.C. Region 1 (Post 820201). 95/09/07. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 2pp. 85485:070-85485:077.

-9509150200 Insp rept 50-213/95-18 on 950807-11. No violations noted. Major areas inspected: sys used to control & manage temporary jumpers, sys engineers training, communication & oversight of engineering activities.
BEARDSLEE, C.D., MODES, M.C. Region 1 (Post 820201). 95/09/07. 6pp. 85485:072-85485:077.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509260204 Forwards insp rept 50-213/95-17 on 950731-0804 & notice of violation.
JOYNER, J.H. Region 1 (Post 820201). 95/09/15. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 85570:221-85570:233.

-9509260210 Notice of violation from insp on 950731-0804. Violation noted: licensee implemented NUMARC EAL for Haddam Neck Plant on 950630 w/o agreement of state & local govt authorities & did not conduct annual review of superceded EAL in CY94.
Region 1 (Post 820201). 95/09/15. 2pp. 85570:224-85570:225.

-9509260219 Insp rept 50-213/95-17 on 950731-0804. Violations noted. Major areas inspected: implementation of revised NUMARC EAL for classification of emergency conditions including: insp of procedural review & approval process, et al.
MAIER, W.A., DE PRIEST, R.E., KEIMIG, R.R. Region 1 (Post 820201). 95/09/15. 8pp. 85570:226-85570:233.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509220296 Monthly operating rept for Aug 1995 for Haddam Neck Plant. W/ 950915 ltr.
EMMONS, K.W., DACIMO, F.R. Connecticut Yankee Atomic Power Co. 95/08/31. 7pp. 85589:346-85589:352.

S. Reportable occurrences, LERs & related correspondence

9509140030 LER 95-017-00 on 950810, degraded weld in CAR fan SW return piping was discovered. Caused by galvanic corrosion. Replaced four dissimilar welds at inlet to throttle valves by installing carbon steel flanges. W/ 950906 ltr.
KASUGA, R.W., DACIMO, F.R. Connecticut Yankee Atomic Power Co. 95/09/06. 5pp. 85472:200-85472:205.

V. Operator Examinations

9509050201 Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 5, "Operators Licensing Examiner Stds" & NUREG/BR-0122 to prepare written exams & operating tests.
MEYER, G.W. Region 1 (Post 820201). 95/08/21. BROWN, M.B. Northeast Nuclear Energy Co. 1p. 85297:123-85297:123.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9509220135 Summary of 6/7/2008-09 meeting w/ util re proposed high pressure coolant injection sys, emergency plans, administrative organization & outstanding instrumentation questions.
STELLO, V. Atomic Energy Commission (Pre 750119). 6/7/12/13. BOYD, R.S. Atomic Energy Commission (Pre 750119). 3pp. 85373:197-85373:215.

9509070063 Summary of 950830 meeting w/ GPU Nuclear Corp in Rockville, MD re thermo-lag fire barriers installed at plant. Licensee agenda encl.
DROMERICK, A.W. 95/09/05. 1pp. 85373:197-85373:215.

9509150007 Advises that listed util employees authorized to submit fingerprints to NRC & receive results under criminal history program.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85504:355-85504:356.

9509280053 Forwards description of methodology & schedule for verification of each of 24 identified important Thermo-Lag barrier parameters, as discussed in 950830 meeting w/ NRC.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/22. Document Control Branch (Document Control Desk). 15pp. 85641:317-85641:331.

9509270207 Responds to 941227 & 950331 responses for RAI, concluding that info provided incomplete re GL 92-08. Requests transmission of followup RAI to licensee & that licensee submit revised response within 60 days. Followup RAI encl.
CALVO, J.A. 95/09/25. MCKEE, P.F. 4pp. 85612:346-85612:350.

G. Adjudicatory correspondence

9509110047 Informs that time provided by NRC regulation within which Commission would act to review DD 95-18 in docket expired. Decision became final agency action on 950829. W/ Certificate of Svc. Served on 950901.
HOYLE, J.C. Office of the Secretary of the Commission. #395 17074. 95/09/01. GUNTER, P. Nuclear Information & Resource Service. DECAMP, W. Affiliation Not Assigned. 2pp. 85333:003-85333:004.

H. General correspondence

9509180040 FOIA request for documents re GE work on Oyster Creek NPP between 1963-1975.
DEKOK, D. Affiliation Not Assigned. 95/06/06. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85676:001-85676:003.

9509180041 First partial response to FOIA request for documents. App A records encl & being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK, D. Affiliation Not Assigned. 6pp. 85676:004-85676:012.

P. Operating license stage documents & correspondence

9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/09. IRWIN, D. 3pp. 85406:082-85406:185.

-9409280326 Informs that two plants submittals unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submittals for plants considered to be most susceptible to core shroud cracking.
JONES, R. Reactor Systems Branch. 94/09/22. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 14pp. 85406:158-85406:170.

9509180047 Summarizes meeting w/ G White of GE on 640114.
PRICE, H.L. Atomic Energy Commission (Pre 750119). 64/01/14. SEABORG, WILSON, PALFREY. Atomic Energy Commission (Pre 750119). 2pp. 85676:010-85676:011.

-9509180051 Summary of 640512 meeting in Bethesda re Safety Sys instrumentation proposed for Jersey Central (Oyster Creek) NPP.
SULLIVAN, D.F. Atomic Energy Commission (Pre 750119). 64/05/18. Atomic Energy Commission (Pre 750119). 11pp. 85676:012-85676:022.

-9509180055 Summary of 640428-29 meeting in Bethesda, MD re preliminary safeguards summary rept.
GRIMES, B.K. Atomic Energy Commission (Pre 750119). 64/06/12. Atomic Energy Commission (Pre 750119). 3pp. 85676:023-85676:025.

-9509180056 Summary of 640806 meeting re Jersey Central Permit Application.
GASKE, M.C. Atomic Energy Commission (Pre 750119). 64/08/21. Atomic Energy Commission (Pre 750119). 4pp. 85676:026-85676:029.

-9509180069 Applicant reply to petition for review by AEC Regulatory Staff.
TROWBRIDGE, G. Jersey Central Power & Light Co. TROWBRIDGE, G. Shaw, Pittman, Potts & Trowbridge. 64/12/31. Atomic Energy Commission (Pre 750119). 3pp. 85676:030-85676:032.

-9509180072 Statement of Position. Notifies that GE has significant interest in proceeding & administration of Commission licensing & regulatory program.
MAHER, E.T. General Electric Co. 65/01/04. 3pp. 85676:033-85676:035.

-9509180079 Opinion & Order. Application of GE for leave to file statement of position granted.
MCCOOL, W.B. Atomic Energy Commission (Pre 750119). 65/02/18. General Electric Co. 6pp. 85676:036-85676:041.

-9509180084 Motion for continuance. Staff requests that time for filing of exceptions & brief in support be extended from 650310 to 650316 & that time provided for applicant & GE response be extended until 650325.
CONNER, T.B. Atomic Energy Commission (Pre 750119). 65/03/10. Atomic Energy Commission (Pre 750119). 1p. 85676:042-85676:042.

-9509210082 Informs of meeting w/ Jersey Central & GE scheduled for 650319 to discuss plant.
GASKE, M.C. Atomic Energy Commission (Pre 750119). 65/03/17. Atomic Energy Commission (Pre 750119). 1p. 85676:043-85676:043.

-9509210088 Statement of review of initial decision. Grants staff exemptions to initial decision.
KENNEDY, W.F. General Electric Co. 65/03/26. 12pp. 85676:044-85676:055.

-9509210093 Discusses supplemental design rept dtd 650531 describing design progress which had been made since public hearing in Oct 1964 on application for construction permit. W/ Certificate of Svc.
TROWBRIDGE, G.F. Jersey Central Power & Light Co. TROWBRIDGE, G.F. Shaw, Pittman, Potts & Trowbridge. 65/10/25. JENSCH, S.W. Atomic Energy Commission (Pre 750119). 3pp. 85676:056-85676:058.

-9509210311 Forwards tabulation showing nuclear fuel requirements for initial core for Oyster Creek plant nuclear power reactor.
REES, D.R. Jersey Central Power & Light Co. 65/12/09. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 3pp. 85676:059-85676:061.

-9509210317 Summary of 660112 meeting w/ util re containment design capability considering added effects of metal/water reaction.
TEDESCO, R.L. Atomic Energy Commission (Pre 750119). 66/01/13. Atomic Energy Commission (Pre 750119). 1p. 85676:062-85676:062.

22 DOCKETED ITEMS

- 9509210327 Advises of changes re fuel enrichments w/GE.
REES,D.R. Jersey Central Power & Light Co. 66/03/04. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 85676:063-85676:064.
- 9509210333 Summary of 670404-05 meeting w/util re ECCS or Oyster Creek Plant.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/04/17. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:065-85676:067.
- 9509210336 Summary of 670425 meeting w/util re earthquake design criteria & ECC.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/05/02. Atomic Energy Commission (Pre 750119). 2pp. 85676:068-85676:069.
- 9509210340 Summary of 670504-05 meeting w/GE re design criterion for class I equipment including containment penetrations.
STELLO,V., RIZZO,A.J. Atomic Energy Commission (Pre 750119). 67/05/15. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:070-85676:072.
- 9509220020 Summary of 670518 meeting w/util,GE & Burns & Roe re detailed features of plant instrumentation.
SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/05/25. Atomic Energy Commission (Pre 750119). 3pp. 85676:073-85676:075.
- 9509220022 Summary of 670517-18 meeting w/util & GE re plant instrumentation & control design.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/05/29. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:076-85676:078.
- 9509220035 Notification of 670621-22 meeting in Bethesda,MD & Washington DC to discuss staff position on ECCS to be presented at 670622 ACRS subcommittee meeting.
TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 67/06/12. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 1p. 85676:079-85676:079.
- 9509220046 Summary of 670620-21 meeting w/util,GE & Burns & Roe re instrumentation schematics.
SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/06/22. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 2pp. 85676:080-85676:081.
- 9509220047 Summary of 670622 ACRS subcommittee meeting on plant re functional aspects of ECCS.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/07/07. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:082-85676:084.
- 9509220069 Summary of 670727 meeting w/util,Burns & Roe & GE re contents of 670714 ltr from PA Morris.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/08/07. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:085-85676:087.
- 9509220082 Discusses 670803-04 meeting re details of Oyster Creek, Unit 1 design.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/08/09. LOGAN,J.E. Jersey Central Power & Light Co. 1p. 85676:088-85676:088.
- 9509220084 Summary of 670830-31 meeting w/util re instrumentation & associated schematic diagrams.
SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/09/07. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 7pp. 85676:089-85676:094.
- 9509220085 Summary of 670806 meeting w/util re formal response to NRC 670714 ltr on ECCS.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/09/11. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85676:095-85676:099.
- 9509220088 Summarizes telcon w/M Lane of GE re operation of containment spray sys.
SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/10/09. STELLO,V. Atomic Energy Commission (Pre 750119). 1p. 85676:100-85676:100.
- 9509220115 Summarizes telcon w/G Ritter of Jersey Central & R Huggins of GE on 671025 re info of position on certain outstanding review of listed matters.
TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 67/10/27. Atomic Energy Commission (Pre 750119). 2pp. 85676:101-85676:102.
- 9509220116 Oyster Creek NPP GE Statement dtd 671113.
* Atomic Safety & Licensing Board Panel. 67/11/13. 2pp. 85676:103-85676:104.
- 9509220123 Summarizes 671115 meeting re changes to proposed plant design.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/11/20. LOGAN,J.E. Jersey Central Power & Light Co. 5pp. 85676:105-85676:109.
- 9509220126 Summary of 671127 meeting w/util re QC programs,cracks on control rod stub tubes,outstanding instrumentation questions & proposed high pressure coolant injection sys.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/12/01. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85676:110-85676:111.
- 9509220135 Summary of 671208-09 meeting w/util re proposed high pressure coolant injection sys.emergency plans, administrative organization & outstanding instrumentation questions.
STELLO,V. Atomic Energy Commission (Pre 750119). 67/12/13. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:112-85676:114.
- 9509220137 Summary of 671218 w/util re details of reactor vessel repair program.
PORSE,L. Atomic Energy Commission (Pre 750119). 67/12/21. DEYOUNG,R.C. Atomic Energy Commission (Pre 750119). 2pp. 85676:115-85676:116.
- 9509220138 Summarizes 680126 meeting re Oyster Creek QA program.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 68/02/16. LOGAN,J.E. Jersey Central Power & Light Co. 2pp. 85676:117-85676:118.
- 9509220144 Summary of 680503 meeting w/util re certain problem areas identified in NRC ltrs to Jersey Central dtd 680109.
STELLO,V. Atomic Energy Commission (Pre 750119). 68/05/09. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:119-85676:123.
- 9509220304 Summary of 680528 meeting re proposed Oyster Creek TS.
STELLO,V. Atomic Energy Commission (Pre 750119). 68/06/05. BOYD,R.S. Atomic Energy Commission (Pre 750119). 4pp. 85676:124-85676:127.
- 9509220339 Discusses review of Oyster Creek ECCS.Concludes that high pressure coolant injection capability w/onsite power capability needed to provide addl protection in small break region.
TEDESCO,R. Atomic Energy Commission (Pre 750119). 68/11/05. MORRIS,P. Atomic Energy Commission (Pre 750119). 2pp. 85676:134-85676:135.
- 9509220342 Summary of 681101 ACRS meeting re plant ECCS.
STELLO,V. Atomic Energy Commission (Pre 750119). 69/01/03. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:136-85676:138.
- 9509220345 Summary of 690314 meeting w/util re staffing for plant start-up.
TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 69/03/17. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85676:132-85676:133.
- 9509220350 Summary of 690227 meeting w/util re three problem areas requiring resolution.
WETTERHAHN,M.J. Atomic Energy Commission (Pre 750119). 69/03/19. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85676:139-85676:143.
- 9509250035 Summary of 650430 meeting w/util re conceptual design of containment dry well heat removal sys for Oyster Creek Plant.
KNUTH,D.F. Atomic Energy Commission (Pre 750119). 69/05/05. NRC - No Detailed Affiliation Given. 2pp. 85676:144-85676:145.
- 9509250039 Summary of 690621 meeting w/util re various matters of concern on Oyster Creek.
TEDESCO,R. Atomic Energy Commission (Pre 750119). 69/07/01. BOYD,R.S. Atomic Energy Commission (Pre 750119). 18pp. 85676:146-85676:162.
- 9509250041 Summary of 690725 meeting w/util re review of results of recent leak rate tests performed on main steam line isolation valves.
NOLAN,P.J. Atomic Energy Commission (Pre 750119). 69/07/23. MANN,M.M. Atomic Energy Commission (Pre 750119). 3pp. 85676:164-85676:166.
- 9509250044 Summary of 700714 meeting w/util re control rod malfunctions & indications of faulty rod drive performance.
MACKAY,S.D. Atomic Energy Commission (Pre 750119). 70/07/21. Atomic Energy Commission (Pre 750119). 2pp. 85676:167-85676:168.
- 9509250046 Summary of 701105 meeting w/util re results of FLECHT tests as related to effectiveness of CSS at Oyster Creek.
WAMBACH,T. Atomic Energy Commission (Pre 750119). 71/02/01. Atomic Energy Commission (Pre 750119). 4pp. 85676:169-85676:172.
- 9509130106 Ninth partial response to FOIA request for documents,Records in App J will be made available in PDR.App K records will be withheld in part (ref Exemption 4).
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. IRWIN,D. Hunton & Williams. 4pp. 85477:001-85477:312.
- 9509070142 Requests that NRC review encl status of resolution of nuclear industry safety issues re nuclear plants in NJ.
TOSCH,K.W. New Jersey, State of. 95/08/31. MCKEE,P. . 21pp. 85325:293-85325:311.
- 9509080298 Forwards amend 182 to license DPR-16 & safety evaluation. Amend revises snubber visual insp intervals to match schedule developed by NRC staff for use w/24-month refueling interval.Schedule documented in GL 90-09.
DROMERICK,A.W. 95/09/06. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85383:300-85383:313.
- 9509080311 Amend 182 to license DPR-16, revising snubber visual insp interval to match schedule developed by NRC staff for use w/24-month refueling interval.Schedule documented in GL 90-09.
MCKEE,P.F. 95/09/06. 7pp. 85383:303-85383:309.
- 9509080315 Safety evaluation supporting amend 182 to license DPR-16.
* 95/09/06. 4pp. 85383:310-85383:313.
- 9508100333 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509190032 Advises that secondary containment capability testing was performed per TS 4.5.K.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/12. Document Control Branch (Document Control Desk). 2pp. 85535:305-85535:306.
- 9509200267 Summary of 950911 meeting w/util re Oyster Creek licensing actions.List of attendees encl.
DROMERICK,A.W. 95/09/19. 12pp. 85527:323-85527:334.
- 9509200277 Submits comments on NUREG-1435,Suppl 4, "Status of Safety Issues at Licensed Power Plants."
MCKEE,P. 95/09/19. TOSCH,K. General Public Utilities Corp. - GPU Service Corp. 3pp. 85525:347-85525:350.
- 9509280053 Forwards description of methodology & schedule for verification of each of 24 identified important Thermo-Lag barrier parameters,as discussed in 950830 meeting w/NRC.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/22. Document Control Branch (Document Control Desk). 15pp. 85641:317-85641:331.
- 9509270207 Responds to 941227 & 950331 responses for RAI,concluding that info provided incomplete re GL 92-08.Requests transmission of followup RAI to licensee & that licensee submit revised response within 60 days.Followup RAI encl.
CALVO,J.A. 95/09/25. MCKEE,P.F. . 4pp. 85612:346-85612:350.
- 9509270216 Forwards SE accepting proposed matl testing for XM-19 matls, provided listed conditions incorporated into util test program.
DROMERICK,A.W. 95/09/25. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85619:142-85619:148.
- 9509270231 Safety evaluation accepting matl testing program for hot-rolled XM-19 matl.
* 95/09/25. 3pp. 85619:146-85619:148.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509060037 Appeals 950208 FOIA request for documents re investigation conducted by AEC region I div of compliance of alleged irregularities connected w/const of plant in late 1960s. DEKOK,D. Affiliation Not Assigned. 95/03/26. Ofc of the Executive Director for Operations. 2pp. 85328:040-85328:041.
- 9509060051 Responds to 950326 appeal of FOIA request for documents re investigation conducted by Region I Division of Compliance of alleged irregularities connected w/const of plant in late 1960s. Appeal granted. THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/31. DEKOK,D. Affiliation Not Assigned. 1p. 85328:042-85328:218.
- 9509220336 Summary of 681024 meeting w/util re insp program for Oyster Creek reactor vessel. STELLO,V. Atomic Energy Commission (Pre 750119). 68/10/30. BOYD,R.S. Atomic Energy Commission (Pre 750119). 4pp. 85676:126-85676:131.
- 9509110229 Discusses 950824 meeting to discuss results of plant SALP. Requests that util provide written comments re recent SALP evaluation. MARTIN,T.T. Region 1 (Post 820201). 95/09/01. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 85344:096-85344:097.
- 9509080230 Forwards amend 182 to license DPR-16 & safety evaluation. Amend revises snubber visual insp intervals to match schedule developed by NRC staff for use w/24-month refueling interval. Schedule documented in GL 90-09. DROMERICK,A.W. 95/09/06. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85383:300-85383:313.
- 9509080311 Amend 182 to license DPR-16, revising snubber visual insp interval to match schedule developed by NRC staff for use w/24-month refueling interval. Schedule documented in GL 90-09. MCKEE,P.F. 95/09/06. 7pp. 85383:303-85383:309.
- 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509180242 Ack receipt of 950604 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/94-24. RULAND,W.H. Region 1 (Post 820201). 95/09/08. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 85501:079-85501:082.
- 9509200308 Informs that util assessed condition of drywell based upon insps performed at plant during 15R outage & submitting extended drywell insp plan for remaining life of plant in compliance w/Item 3 of Refs 1,2 & 3. KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 95/09/15. Document Control Branch (Document Control Desk). 3pp. 85547:300-85547:302.
- 9509130016 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140366 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509250278 Forwards proposed self-assessment plan, proposing reduced-scope SWS operational performance insp based on performance of in-depth NRC SSFI rept 50-218/89-90 of ESW & CSS Self-assessment activities scheduled to begin 951018. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/20. Document Control Branch (Document Control Desk). 29pp. 85587:324-85587:352.
- 9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

- 9509050287 Forwards FFD semiannual performance data repts for Jan-June 1995 per 10CFR26.71(d). LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 95/08/28. Document Control Branch (Document Control Desk). 11pp. 85342:314-85342:324.
- 9509210181 Monthly operating rept for Aug 1995 for Oyster Creek Nuclear Generating Station W/950915 ltr. EDELMANN,P., BARON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/08/31. 7pp. 85550:354-85550:360.

S. Reportable occurrences, LERs & related correspondence

- 9509280044 LER 95-005-00 on 950825, identified non-conservative instrument setpoint for anticipatory scram bypass pressure switches due to original plant design. Revised plant operation procedures. W/950921 ltr. MUNLEY,J.P., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/21. 6pp. 85645:030-85645:035.

U. Congressional/Executive Correspondence

- 9509060051 Responds to 950326 appeal of FOIA request for documents re investigation conducted by Region I Division of Compliance of alleged irregularities connected w/const of plant in late 1960s. Appeal granted. THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/31. DEKOK,D. Affiliation Not Assigned. 1p. 85328:042-85328:218.
- 9509060137 Expresses deep regret for delay in responding to 690620 ltr re nuclear power plant on Oyster Bay. MUSKIE,E.S. Senate. 69/09/08. HARRIS,W.M. Keenan, Carroll, Harris, Creary & Beck. 2pp. 85328:043-85328:218.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9509060175 Revised emergency procedures, including Rev 6 to EPIP-EPP-01, Rev 6 to EPIP-EPP-02, Rev 0 to EPMP-EPP-0101, Rev 0 to EPMP-EPP-0102, Rev 1 to EPIP-EPP-11 & cover page changes for EPIP-EPP-13 through EPIP-EPP-17. W/950817 ltr. ABBOTT,R.B., DAHLBERG,K.A., MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/08/17. 277pp. 85345:001-85345:278.
- 9509060231 Comment supporting revised NRC SALP Program. ABBOTT,R.B. Niagara Mohawk Power Corp. 95/08/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85312:150-85312:151.
- 9509110265 Discusses results of 950801 Executive Plant Performance Review for plant. Performance during period good & remained generally consistent w/previous SALP Table of future insps encl. COOPER,R.W. Region 1 (Post 820201). 95/09/01. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 85344:186-85344:189.
- 9509210158 Informs that plant Units 1 & 2 chosen for operational safeguards response evaluation review scheduled for wk of 951023-26. HEHL,C.W. Region 1 (Post 820201). 95/09/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85544:114-85544:116.
- 9509260260 Forwards changed pages to issue 4, rev 2 of Nine Mile Point Nuclear Station Physical Security Plan, per 10CFR50.54(p). Encl withheld. CHRISTENSEN,H. Niagara Mohawk Power Corp. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85600:278-85600:278.

H. General correspondence

- 9509180041 First partial response to FOIA request for documents. App A records encl & being made available in FDR. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:172.
- 9509120274 Submits organization changes in Niagara Mohawk Nuclear strategic business unit. SYLVIA,B.R. Niagara Mohawk Power Corp. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85473:293-85473:294.

P. Operating license stage documents & correspondence

- 9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/09. IRWIN,D. 3pp. 85406:082-85406:185.
- 9409280326 Informs that two plants submittals, unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submittals for plants considered to be most susceptible to core shroud cracking. JONES,R. Reactor Systems Branch. 94/09/22. STROSNIDER,J.R. Materials & Chemical Engineering Branch. 14pp. 87406:158-87406:170.
- 9503170142 Forwards SER input re plant core shroud repair, per GL 94-03. Proposed repair does not pose adverse consequences to plant safety & therefore plant operation acceptable w/proposed core shroud repair installed. CHATTERTON,M. 95/03/15. MANOLY,K.A. 6pp. 85406:175-85406:181.
- 9503310304 Forwards SE accepting proposed mods of plant core shroud based on review of shroud mod hardware from structural, sys, matls & fabrication considerations. WESSMAN,R.H. 95/03/28. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 37pp. 85406:087-85406:151.

- 9509180047 Summarizes meeting w/G White of GE on 640114. PRICE,H.L. Atomic Energy Commission (Pre 750119). 64/01/14. SEABORG, WILSON, PALFREY Atomic Energy Commission (Pre 750119). 2pp. 85676:010-85676:011.
- 9509220339 Discusses review of Oyster Creek ECCS. Concludes that high pressure coolant injection capability w/onsite power capability needed to provide add protection in small break region. TEDESCO,R. Atomic Energy Commission (Pre 750119). 68/11/05. MORRIS,P. Atomic Energy Commission (Pre 750119). 2pp. 85676:134-85676:135.

24 DOCKETED ITEMS

9509050220 Forwards "NMPNS - Unit 1 Semiannual Radioactive Effluent Release Rept./Jan-June 1995" & Rev 15 to "NMPNS Unit 1 ODCM."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85344.218-85344.344.

-9509050243 Rev 15 to "NMPNS Unit 1 ODCM"
ABBOTT,R.B., TERRY,C.D. Niagara Mohawk Power Corp. 95/02/27. 105pp. 85344.240-85344.344.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509280045 Forwards six-month torus wall ultrasonic test results, in accordance w/NRC SE of 940811 & utl 940914 ltr.
TERRY,C.D. Niagara Mohawk Power Corp. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85641:338-85641:340.

9509280112 Forwards SE denying 940901 amend request to revise P/T limits in TS, Section 3.2.2. Notice of denial also encl.
EDISON,G.E. 95/09/22. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85635:329-85635:342.

-9509280116 Safety evaluation denying 940901 amend request to revise P/T limits in TS, Section 3.2.2.
* 95/09/22. 8pp. 85635:332-85635:339.

-9509280120 FR notice of denial of licensee amend request to revise TS to change P/T limits in Section 3.2.2.
MARSH,L.B. 95/09/22. 3pp. 85635:340-85635:342.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060225 Forwards insp repts 50-220/95-16 & 50-410/95-16. No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/08/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85312:125-85312:144.

-9509060237 Insp repts 50-220/95-16 & 50-410/95-16 on 950604-0722. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support & SA/QV.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/08/25. 17pp. 85312:128-85312:144.

9509060231 Comment supporting revised NRC SALP Program.
ABBOTT,R.B. Niagara Mohawk Power Corp. 95/08/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85312:150-85312:151.

9509110265 Discusses results of 950801 Executive Plant Performance Review for plant performance during period good & remained generally consistent w/previous SALP Table of future insps encl.
COOPER,R.W. Region 1 (Post 820201). 95/09/01. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 85344.186-85344.189.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509260025 Forwards insp repts 50-220/95-22 & 50-410/95-22 on 950828-0901. No violations identified.
JOYNER,J.H. Region 1 (Post 820201). 95/09/18. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85569:024-85569:032.

-9509260033 Insp repts 50-220/95-22 & 50-410/95-22 on 950829-0901. No violations noted. Major areas inspected: radioactive liquid & gaseous effluent control programs including mgt controls, audits, air cleaning sys & implementation of ODCM.
JANG,J.C., BORES,R.J. Region 1 (Post 820201). 95/09/18. 6pp. 85569:027-85569:032.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9508220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050220 Forwards "NMPNS - Unit 1 Semiannual Radioactive Effluent Release Rept./Jan-June 1995" & Rev 15 to "NMPNS Unit 1 ODCM."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85344.218-85344.344.

-9509050233 "NMPNS - Unit 1 Semiannual Radioactive Effluent Release Rept./Jan-June 1995."
* Niagara Mohawk Power Corp. 95/06/30. 21pp. 85344.219-85344.239.

-9509050243 Rev 15 to "NMPNS Unit 1 ODCM"
ABBOTT,R.B., TERRY,C.D. Niagara Mohawk Power Corp. 95/02/27. 105pp. 85344.240-85344.344.

S. Reportable occurrences, LERs & related correspondence

9509250215 LER 95-004-00 on 950621, operation was in excess of 100% rated core thermal power due to errors in FW flow measurement. Reduced power & established administrative limit on power until corrected errors W/950918 ltr.
RADEMACHER,N.L. Niagara Mohawk Power Corp. 95/09/18. 6pp. 85606:163-85606:168.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

Q. Inspection reports, IE Bulletins & correspondence

9509060263 Ack receipt of 950721 ltr informing NRC of steps taken to correct violations noted in insp rept 50-225/95-01 on 950718.
JOYNER,J.H. Region 1 (Post 820201). 95/08/28. STEINER,D. Rensselaer Polytechnic Institute, Troy, NY. 2pp. 85312:215-85312:217.

-9509060273 Informs of 950711 conversation w/S Holmes re change & temporary reduction in radiation safety staffing within past yrs.
GLESCERLI,S. Rensselaer Polytechnic Institute, Troy, NY. 95/07/21. JOYNER,J.H. Region 1 (Post 820201). 1p. 85312:217-85312:217.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509280264 Submits objectives of 950711 full-scale emergency preparedness exercise. Major lessons learned & follow up actions being taken discussed in encl.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/09/06. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). JORDAN,E. NRC - No Detailed Affiliation Given. 4pp. 85631:209-85631:212.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

H. General correspondence

9509260212 Fourth partial response to FOIA request for documents. Records in App F will be made available in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/19. GHEZZI,J.W. Affiliation Not Assigned. 18pp. 85684:001-85684:237.

-9509260313 Informs that as result of J Dwyer insp, Nuclear Energy Svcs misstated condition of NRC license. Backup, encl.
GUNDERSON,A. Affiliation Not Assigned. 92/06/17. WILSON,E. Region 1 (Post 820201). 7pp. 85684:300-85684:306.

P. Operating license stage documents & correspondence

9509220211 Forwards SE re Third 10-yr interval ISI program & associated requests for relief for plant Units 2 & 3 & technical evaluation rept.
STANG,J.F. 94/05/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85576:152-85576:245.

-9509220222 Safety evaluation denying requests for relief CR-06, CR-10, CR-16, PR-01 & PR-14 & granting all other requests for relief per 10CFR50.55a(g)(6)(i).
* 94/05/19. 10pp. 85576:156-85576:165.

-9509220224 "INEL Technical Evaluation Rept on Third 10-Yr ISI Program Plan & Associated & Request for Relief."
* 94/05/19. 80pp. 85576:166-85576:245.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking.
RUBIN,M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS,T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.

9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/09. IRWIN,D. 3pp. 85406:082-85406:185.

-9409280326 Informs that two plants submitals unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submitals for plants considered to be most susceptible to core shroud cracking.
JONES,R. Reactor Systems Branch. 94/09/22. STROSNIDER,J.R. Materials & Chemical Engineering Branch. 14pp. 85406:158-85406:170.

- 50706033² Informs that NRC staff issued SE on 940721 re core shroud cracking at Dresden Unit 3 & Quad Cities Unit 1 Staff concluded that cracked shrouds will satisfy ASME code margin against weld failure for 15 months of operation.
PHILLIPS, L.E. 95/06/29. HERMANN, R.A. 4pp. 85406:182-85406:185.
- 9509050253 Provides final results of Dresden Station Unit 2 core shroud exams. Exams performed in conjunction w/comprehensive shroud repair to assure that structural integrity of core shroud maintained in accordance w/GL 94-03.
SCHRAGE, J.L. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85342:292-85342:296.
- 9509130108 Ninth partial response to FOIA request for documents. Records in App J will be made available in PDR. App K records will be withheld in part (rel Exemption 4).
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. IRWIN, D. Hunton & Williams. 4pp. 85477:001-85477:312.
- 9509130113 Partially withheld. Rev 1, "Shroud & Shroud Repair Hardware Analysis Volume 1, Shroud Repair Hardware."
ZALIZNYAK, S., WU, Y. General Electric Co. GENE-771-81-1194 R01. 95/05/12. 48pp. 85477:105-85477:179.
- 9509130131 Partially withheld. Rev 1, "Backup Calculations for Dresden Shroud Repair Shroud Stress Rept for Commonwealth Edison Dresden Nuclear Power Station, Units 2 & 3." May 1995.
SHAHRIVAR, F., PATEL, M., SVARNEY, R.P. General Electric Co. GENE-771-82-1194 R01. 95/05/12. 25pp. 85477:180-85477:204.
- 9509130136 Rev 1, "Shroud & Shroud Repair Hardware Analysis Volume 1, Shroud Repair Hardware Backup Calculations."
ZALIZNYAK, S., KAUL, M., WU, M. General Electric Co. GENE-771-83-1194 R01. 95/05/12. 15pp. 85477:205-85477:237.
- 9509130144 Rev 2, "Shroud Repairs Program for Dresden Units 2 & 3, Back-up Calculations for RPV Stress Rept Number 25A5691." May 1995.
HERLEKAR, A.S. General Electric Co. GENE-771-77-1194 R02. 95/05/12. 4pp. 85477:238-85477:255.
- 9509130151 Partially withheld. Rev 1 to "Dresden Units 2 & 3 Top Ring Plate & Star Truss Stress Analysis Backup Calculations."
HOWER, S., KAUL, M.K., KARIM-PANAHI, K. General Electric Co. GENE-771-96-0195 R01. 95/05/11. 13pp. 85477:256-85477:268.
- 9509130159 Partially withheld. Rev 0. "Primary Structure Seismic Models." Dec 1994.
HENRIED, K., MUSE, J.A., RANGANATH, S. General Electric Co. GENE-523-A181-1294. 94/12/31. 12pp. 85477:269-85477:276.
- 9509140093 Rev 0, mod M12-283-94-004 to NEP 04-03, "10CFR50.59 SE."
* General Electric Co. 95/05/23. 20pp. 85477:277-85477:312.
- 9509140336 Advises that repts submitted in 950524 ltr & util affidavit executed by D Robare, dtd 950519 will be withheld from public disclosure ref 10CFR2.790.
STANG, J.F. 95/07/28. FARRAR, D.L. Commonwealth Edison Co. 16pp. 85477:020-85477:104.
- 9509060187 Forwards Rev 3 to "Dresden Station Third Ten Yr IST Plan," addressing concerns raised in NRC 920911 & 1217 ltrs.
JOYCE, T.P. Commonwealth Edison Co. 95/08/31. Document Control Branch (Document Control Desk). 14pp. 85346:001-85346:316.
- 9509060190 Rev 3 to "Dresden Station Third Ten Yr IST Plan."
* Commonwealth Edison Co. 95/08/31. 302pp. 85346:015-85346:316.
- 9509110143 Application for amendments to licenses DPR-19 & DPR-25, providing executive summary of TS upgrade program.
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 16pp. 85449:225-85449:269.
- 9509110147 Proposed tech specs, providing executive summary of TS upgrade program.
* Commonwealth Edison Co. 95/09/01. 29pp. 85449:241-85449:269.
- 9509120003 Transmits request for approval of one-time scheduler exemption from requirements of 10CFR50.83, "Station Blackout Rule."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 10pp. 85434:352-85434:361.
- 9509110084 Forwards "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85459:223-85459:242.
- 9509110088 "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
BEHRINGER, T.J., BEARDSLEY, K., HUTKO, K. Commonwealth Edison Co. 95/09/05. 18pp. 85459:225-85459:242.
- 9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509140007 Forwards response to request for add info re core shroud repair.
PIET, P.L. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85484:355-85484:356.
- 9509180142 Forwards Rev 0 to "Dresden Unit 2 Core Spray Flaw Evaluation Rept." Evaluations concluded sufficient margin exists to operate for cycle w/identified flaws.
PIET, P.L. Commonwealth Edison Co. 95/09/12. Document Control Branch (Document Control Desk). 2pp. 85522:001-85522:091.
- 9509180146 Rev 0 to "Dresden Unit 2 Core Spray Flaw Evaluation Rept."
* Commonwealth Edison Co. 95/09/10. 83pp. 85522:003-85522:091.
- 9509190311 Provides add info re TS upgrade program Section 3/4.2, "Instrumentation."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/12. Document Control Branch (Document Control Desk). 10pp. 85531:346-85531:355.
- 9509200013 Forwards notice of consideration of issuance to facility OL, proposed no significant hazards consideration determination & opportunity for hearing on 950901 request to upgrade section 6.0 of plant TS.
STANG, J.F. 95/09/13. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85561:260-85561:270.
- 9509210004 Notice of consideration of issuance of amend to facility license DPR-19 & DPR-25 & proposed NSHC determination & opportunity for hearing. Amend would upgrade plant TS to standard TS contained in NUREG-0123.
STANG, J.F. 95/09/13. 9pp. 85561:262-85561:270.
- 9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amendments to OLs, revising TS Section 6, "Administrative Controls."
BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.
- 9509280004 Forwards details of matter re activities at plant for review & followup. Requests results of review be provided within 60 days of ltr w/o encl.
AXELSON, W.L. Region 3 (Post 820201). 95/09/14. JOYCE, T. Commonwealth Edison Co. 2pp. 85613:001-85613:002.
- 9509190376 Informs of closeout of TS upgrade program open items identified by NRC review as noted in NRC SE received for provided submittals re TS upgrade program project.
PIET, P.L. Commonwealth Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 7pp. 85532:210-85532:259.
- 9509190383 Proposed tech specs re close out of TS upgrade program open items identified by NRC review noted in NRC SEs received for provided submittals re TS upgrade program project.
* Commonwealth Edison Co. 95/09/15. 43pp. 85532:217-85532:259.
- 9509220092 Forwards amends 138, 132, 160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & SE. Amends initiate TS upgrade program for plants, in response to 930326 application.
STANG, J.F. 95/09/18. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85564:213-85564:307.
- 9509220097 Amends 138, 132, 160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, initiating TS upgrade program for plants.
STANG, J.F. 95/09/18. 68pp. 85564:218-85564:285.
- 9509220101 Safety evaluation supporting amends 138, 132, 160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/09/18. 22pp. 85564:286-85564:307.
- 9509250316 Forwards amends 139, 133, 161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation. Amends respond to 921208 application, as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG, J.F. 95/09/20. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85578:157-85578:216.
- 9509250329 Amends 139, 133, 161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to 921208 application, as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG, J.F. 95/09/20. 36pp. 85578:160-85578:195.
- 9509250336 Safety evaluation supporting amends 139, 133, 161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/09/20. 21pp. 85578:196-85578:216.
- 9509280049 Provides clarification of commitments re review of Dresden Station TSs.
JOYCE, T.P. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85641:336-85641:337.
- 9509270182 Forwards Rev 1 to "Dresden Unit 2 Core Spray Flaw Evaluation Rept" & Rev 1 to "Dresden Unit 2 Integrated Evaluation Rept of Core Spray Flaws."
PIET, P.L. Commonwealth Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 3pp. 85632:244-85632:335.
- 9509270184 Rev 1 to "Dresden Unit 2 Core Spray Flaw Evaluation Rept."
* Commonwealth Edison Co. 95/09/18. 54pp. 85632:247-85632:300.
- 9509270186 Rev 1 to "Dresden Unit 2 Integrated Evaluation Rept of Core Spray Flaws."
* Commonwealth Edison Co. 95/09/18. 35pp. 85632:301-85632:335.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509220211 Forwards SE re Third 10-yr interval ISI program & associated requests for relief for plant Units 2 & 3 & technical evaluation rept.
STANG, J.F. 94/05/19. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85576:152-85576:245.
- 9509220222 Safety evaluation denying requests for relief CR-06, CR-10, CR-16, PR-01 & PR-14 & granting all other requests for relief per 10CFR50.55a(g)(6)(i).
* 94/05/19. 10pp. 85576:156-85576:165.
- 9509220224 "INEL Technical Evaluation Rept on Third 10-Yr ISI Program Plan & Associated & Request for Relief."
* 94/05/19. 80pp. 85576:166-85576:245.
- 9509080144 Discusses insp repts 50-010/95-09.50-237/95-09 & 50-249/95-09 on 950613-0731 Violations noted. Violation of concern because numerous events occurred involving personnel not complying w/established OOS practices.
HILAND, P.L. Region 3 (Post 820201). 95/08/25. JOYCE, T. Commonwealth Edison Co. 3pp. 85324:240-85324:260.

26 DOCKETED ITEMS

-9509080147 Notice of violation from insp on 950613-0731. Violation noted: non-licensed operator moved fuel into unit 2 w/o direct supervision of licensed SRO.
* Region 3 (Post 820201). 95/08/25. 3pp. 85324:243-85324:245.

-9509080149 Insp repts 50-010/95-09-50-237/95-09 & 50-249/95-09 on 950613-0731. Violations noted. Major areas inspected: operations, maintenance, plant support & engineering.
HILAND, P.L. Region 3 (Post 820201). 95/08/25. 15pp. 85324:246-85324:260.

9509120221 Ack receipt of 950811 ltr informing NRC of steps taken to correct violations noted in insp rept 50-237/95-08.
HILAND, P.L. Region 3 (Post 820201). 95/09/06. JOYCE, T.J. Commonwealth Edison Co. 2pp. 85383:042-85383:043.

9509190120 Ack receipt of 950811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/95-08 & 50-249/95-08 on 950712.
HILAND, P.L. Region 3 (Post 820201). 95/09/06. JOYCE, T. Commonwealth Edison Co. 2pp. 85504:112-85504:113.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Utl should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/ GL 91-18.
ROE, J.W. 95/09/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:332.

9509130016 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509210322 Forwards exam rept 50-237/OL-95-02 for both units on 950731.
GRANT, G.E. Region 3 (Post 820201). 95/09/19. JOYCE, T. Commonwealth Edison Co. 2pp. 85545:192-85545:194.

-9509210332 Exam rept 50-237/OL-95-02 on 950731. Exam results: one RO & one SRO candidate failed written section of exam. All other individuals taking exams passed all portions & will be issued operator licenses.
MCNEIL, D., BURDICK, T.M. Region 3 (Post 820201). 95/09/13. 152pp. 85545:194-85545:344.

9509140386 NRC Info Notice 95-040. "Supplemental info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280072 Responds to NRC 950825 ltr re concerns noted in insp repts 50-010/95-09-50-237/95-09 & 50-249/95-09. Corrective actions: OOS process modified to require attachment of configuration mgt checklist & OOS procedure DAP 03-05 will be revised.
JOYCE, T.P. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 5pp. 85647:314-85647:318.

9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190213 Monthly operating repts for Aug 1995 for Dresden Nuclear Power Station W/950913 ltr.
CARROLLE, W., HOLLAND, P.G. Commonwealth Edison Co. 95/08/31. 28pp. 85531:280-85531:307.

S. Reportable occurrences, LERs & related correspondence

9509070010 LER 95-023-01 on 931012. HPCI declared inoperable due to internal wear of valve MD2-2301-3. Valve disassembled & inspected. Repair of valve postponed until D2R15 W/950831 ltr.
KISH, J., JOYCE, T.P. Commonwealth Edison Co. 95/09/01. 5pp. 85373:083-85373:087.

9509250202 LER 95-016-00 on 950826. During maint on reactor protection sys unexpected Group 2 & 3 isolation occurred due to opening common neutral circuits. Operations verified standby gas treatment started RBV1. W/950918 ltr.
ROBBINS, K., JOYCE, T.P. Commonwealth Edison Co. 95/09/22. 5pp. 85606:158-85606:162.

V. Operator Examinations

9509210322 Forwards exam rept 50-237/OL-95-02 for both units on 950731.
GRANT, G.E. Region 3 (Post 820201). 95/09/19. JOYCE, T. Commonwealth Edison Co. 2pp. 85545:192-85545:194.

-9509210332 Exam rept 50-237/OL-95-02 on 950731. Exam results: one RO & one SRO candidate failed written section of exam. All other individuals taking exams passed all portions & will be issued operator licenses.
MCNEIL, D., BURDICK, T.M. Region 3 (Post 820201). 95/09/13. 152pp. 85545:194-85545:344.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509120034 Revised EPIPs, including rev 24 to EPIP 1-5, rev 3 to EPIP 2-5, rev 6 to EPIP 2-6, rev 4 to EPIP 3-4 & rev 11 to EPIP 5-2 W/950829 ltr.
WATTS, R.J. Rochester Gas & Electric Corp. 95/08/29. JOHNSON, A. 110pp. 85433:211-85433:320.

9509260152 Rev 11 to EOP AP-TURB.5. "Rapid Load Reduction." W/950914 ltr.
WHITE, T., WIDAY, J.A. Rochester Gas & Electric Corp. 95/09/14. JOHNSON, A.R. 12pp. 85604:348-85604:359.

9509260234 Revised EPIPs, including Rev 10 to EPIP 4-5. "Public Affairs Notifications" & Rev 21 to EPIP 3-6. "Corporate Notifications." W/950920 ltr.
WATTS, R.J. Rochester Gas & Electric Corp. 95/09/20. JOHNSON, A. 74pp. 35604:200-85604:273.

P. Operating license stage documents & correspondence

9509060275 Forwards safety evaluation re licensee proposed criticality analysis of Ginna new & SF racks/consolidated rod storage canisters.
JOHNSON, A.R. 95/08/30. MECREY, R.C. Baltimore Gas & Electric Co. 2pp. 85314:235-85314:242.

-9509060279 Safety evaluation re proposed criticality analysis of Ginna new & SF racks/consolidated rod storage canisters for Ginna NPP. Finds proposed criticality analysis acceptable.
* 95/08/30. 6pp. 85314:237-85314:242.

9509080079 Forwards application for amends to license DPR-18, proposing TS to implement WCAP-10271, its assoc suppl & other re changes w/respect to RTS & ESFAS.
MECREY, R.C. Rochester Gas & Electric Corp. 95/08/31. JOHNSON, A.R. 3pp. 85419:021-85419:147.

-9509080081 Application for amend to license DPR-18, proposing TS, by implementing WCAP-10271, its assoc suppl & other re changes w/respect to RTS & ESFAS.
MECREY, R.C. Rochester Gas & Electric Corp. 95/08/31. 26pp. 85419:024-85419:049.

-9509080085 Proposed tech specs implementing WCAP-10271, its assoc suppl & other re changes w/respect to RTS & ESFAS.
* Rochester Gas & Electric Corp. 95/08/31. 98pp. 85419:050-85419:147.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140197 Responds to 941205 ltr granting request to use alternative matls, alloy 690 type weld metals, in fabrication & installation of replacement SGs. SE encl.
MARSH, L.B. 95/09/11. MECREY, R.C. Rochester Gas & Electric Corp. 3pp. 85469:344-85469:350.

-9509140204 Safety evaluation approving request to use alternative matls in fabrication & installation of replacement SGs.
MARSH, L.B. 95/09/11. 4pp. 85469:347-85469:350.

9509250385 Forwards notice of consideration of issuance of amend to license & opportunity for hearing, revising TSs to be consistent w/provisions of NUREG-1431.
JOHNSON, A. 95/09/13. MECREY, R.C. Rochester Gas & Electric Corp. 3pp. 85578:250-85578:262.

-9509250389 Notice of consideration of issuance of amend to license DPR-18 & proposed NSHC determination & opportunity for hearing. Amend revises TSs to be consistent w/provisions of NUREG-1431.
MARSH, L.B. 95/09/13. 10pp. 85578:253-85578:262.

9509260256 Submits changes to TS instrumentation requirements.
MECREY, R.C. Rochester Gas & Electric Corp. 95/09/18. JOHNSON, A.R. 2pp. 85620:359-85620:360.

9509260255 Submits addl info re environ qualification of neutron flux instrumentation.
MECREY, R.C. Rochester Gas & Electric Corp. 95/09/20. JOHNSON, A.R. 2pp. 85620:357-85620:358.

9509250383 Forwards list of questions re proposed TS changes to extend instrument surveillance interval to accommodate 24 month fuel cycle.
JOHNSON, A.R. 95/09/21. MECREY, R.C. Rochester Gas & Electric Corp. 5pp. 85582:319-85582:323.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barner Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509110085 Forwards FFD performance data, personnel subject to 10CFR26 rept for six months ending 950630, including summary of specific mgt actions. One reportable event under 10CFR26.73 noted. Summary of event also encl. PETERS, J.W., MECREDDY, R.C. Rochester Gas & Electric Corp. 95/08/28. BUSH, L. 6pp. 85419:346-85419:351.

9509150034 Monthly operating rept for Aug 1995 for RE Ginna Nuclear Power Plant. W/ 950908 ltr. WALDEN, J.V., WIDAY, J.A. Rochester Gas & Electric Corp. 95/08/31. 5pp. 85518:330-85518:335.

S. Reportable occurrences, LERs & related correspondence

9509070205 LER 95-007-00 on 950803, lost power from 34.5 kV offsite power Circuit 751 due to offsite electrical storm, resulting in automatic start of EDG B. Offsite power restored, EDG B stopped & realigned & Circuit 751 cleared. W/950901 ltr. ST. MARTIN, J.T., MECREDDY, R.C. Rochester Gas & Electric Corp. 95/09/01. JOHNSON, A.R. 11pp. 85459:335-85459:345.

V. Operator Examinations

9509050206 Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 1, "Operator Licensing Exam Stds" & NUREG/BR-0122, Rev 5, to prepare written exams & operating tests. MEYER, G.W. Region 1 (Post 820201). 95/08/21. CARROLL, R. Rochester Gas & Electric Corp. 1p. 85297:136-85297:136.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070252 Rev 0 to EPOP 4422A, "Thermal Hydraulic Evaluation Methods." DUBE, D.A. Northeast Nuclear Energy Co. 95/08/24. 43pp. 85395:308-85395:351.

9509120062 Forwards rev 12 to suitability, training & qualification plan. Encl withheld ref 10CFR2.790(a). DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85425:356-85425:357.

9509200296 Revised Emergency Plan Operating Procedures, including Rev 0 to EPOP 4445, "Unit 1 Rxt Coolant Liquid Waste PASS" Rev 0 to EPOP 4446, "Unit 1 Stack & Drywell Air PASS." Northeast Nuclear Energy Co. 95/09/11. 3pp. 85552:334-85552:336.

9509140300 Responds to licensee response to 940919 & 941229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incorporates. Requests forwarding of info to licensee, including request for submission of revised response. CALVO, J.A. 95/09/12. MCKEE, P.F. 4pp. 85474:288-85474:292.

9509180285 Forwards insp repts 50-245/95-26-50-336/95-26 & 50-423/95-26 on 950724-28 & NOV. JOYNER, J.H. Region 1 (Post 820201). 95/09/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85501:296-85501:309.

9509180297 Insp repts 50-245/95-26-50-336/95-26 & 50-423/95-26 on 950724-28. Violations noted. Major areas inspected: EP program insp, including changes in program, emergency facilities, equipment & instrumentation & supplies. LUSHER, J. Region 1 (Post 820201). 95/09/13. 9pp. 85501:301-85501:309.

9509260040 Forwards insp repts 50-245/95-31-50-336/95-31 & 50-423/95-31 on 950712-0822 & NOV. COOPER, R.W. Region 1 (Post 820201). 95/09/19. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85569:051-85569:099.

9509260040 Insp repts 50-245/95-31-50-336/95-31 & 50-423/95-31 on 950712-0822. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, outage activities & security. NICHOLSON, L.E. Region 1 (Post 820201). 95/09/18. 42pp. 85569:057-85569:099.

9509210262 Requests addl info re licensee 941216 & 950331 responses to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," for plant Units 1 & 2. MCKEE, P.F. 95/09/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 6pp. 85574:269-85574:274.

G. Adjudicatory correspondence

9508070056 Forwards Director's Decision DD-95-17, denying petition filed on 930807 & 940523 requesting escalated enforcement action concerning alleged plant violations. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/08/02. ROSS, A.J. Affiliation Not Assigned. 1p. 85313:001-85313:143.

9508070064 Director's Decision DD-95-17 re AJ Ross 930807 petition requesting escalated enforcement action concerning alleged plant violations involving dept manager. Request denied. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/08/02. 5pp. 85313:002-85313:006.

9509010095 Notice of issuance of Director's Decision DD-95-17. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/08/02. 2pp. 85313:007-85313:143.

9509080209 Requests on behalf of We the People, Inc. to suspend license issued to NU to operate Millstone Nuclear Reactor Unit 1, for period of 60 calendar days. HADLEY, E.C. Hadley, E.C. 95/08/21. TAYLOR, J. Ofc of the Executive Director for Operations. 10pp. 85385:070-85385:079.

9509110306 Discusses 950821 petition re G Galatis, senior engineer at facility, request that NRC institute proceedings, per 10CFR2.202. Informs that Galatis advised of further allegations relating to pending petition. HADLEY, E.C. Hadley, E.C. 95/08/28. TAYLOR, J. Ofc of the Executive Director for Operations. 3pp. 85385:268-85385:270.

9509080069 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision (DD-95-16) in listed docket has expired. W/ Certificate of Svc. Served on 950829. BATES, A.L. Office of the Secretary of the Commission. #395 17053. 95/08/29. REYNOLDS, C.O. Affiliation Not Assigned. 2pp. 85324:041-85324:042.

9509110211 Provides response to 10CFR2.206 petition filed w/NRC by AJ Ross, until employee. Petition comprised of Ross ltrs dtd 941230 & 950102, 05 & 08. Requests that Ross 10CFR2.206 petition be denied for reasons discussed in encl. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/31. RUSSELL, W.T. 28pp. 85451:286-85451:343.

9509110212 Change 2 to Rev 0 to Procedure WC-8, "Control & Calibr of Measuring & Test Equipment." HARRIS, D., DINGMAN, G. Northeast Nuclear Energy Co. 95/04/13. 30pp. 85451:314-85451:343.

9509110058 Informs that time within which Commission may act to review DD-95-17 in docket has expired. DD-95-17 became final agency action on 950828. W/ Certificate of Svc. Served on 950901. HOYLE, J.C. Office of the Secretary of the Commission. #395 17073. 95/09/01. ROSS, A.J. Affiliation Not Assigned. 2pp. 85333:056-85333:057.

9509280242 Provides addl info re 10CFR2.206 petitions. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/09/20. RUSSELL, W.T. 53pp. 85648:243-85648:307.

9509280339 Forwards response to 10CFR2.206 petition filed by EC Hadley on 950821 on behalf of G Galatis & We the People, Inc. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/22. RUSSELL, W.T. 30pp. 85657:302-85657:331.

H. General correspondence

9509140009 Informs NRC staff of recent organizational change within Nuclear Group. Nuclear Safety Engineering now reports to Director Nuclear Planning, Licensing & Budgeting Dept. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85484:357-85484:359.

9509140341 Responds to 950825 ltr re NRC actions concerning repts of safety & record-keeping violations at Connecticut NPPs. Discusses NRC measures taken to ensure safe operation of US NPPs & forwards listing of congressional committees. MCKEE, P.F. 95/09/08. JONES, E.L. Affiliation Not Assigned. 6pp. 85474:276-85474:284.

9509140365 Requests response re how NRC responds to repts of safety & record-keeping violations at Connecticut NPPs & also inquires as to which Congressmen & Senators oversee NRC. JONES, E.L. Affiliation Not Assigned. 95/06/25. NRC - No Detailed Affiliation Given. 3pp. 85474:282-85474:284.

9509220095 Informs NRC of mgt change within nuclear group which affects distribution of NRC correspondence to CYAPCO & NNECO. Listed change reflected in encl rev to distribution lists for NRC correspondence. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/15. Document Control Branch (Document Control Desk). 14pp. 85570:295-85570:308.

P. Operating license stage documents & correspondence

9509280033 Discusses resolution of 10CFR50.59 vs 10CFR50.90, for full core off-load & use of shutdown cooling of normal reactor offload. PARUOLO, R.T. Northeast Utilities. 95/06/23. Northeast Utilities. 3pp. 85631:219-85631:221.

28 DOCKETED ITEMS

9502140198 Provides list of refs for shroud cracking writeup, as requested. Concurs w/ unit 1 discussion. GRIMES, B.K. 95/02/03. ROSSI, C.E. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 85406:156-85406:157.

9509070315 Rev 18 QAT-95-4286, "Northeast Utilis QA Program Topical Rept Organizational Charts." PALIUGA Northeast Utilities. 95/08/15. 11pp. 85415:330-85415:340.

9509050141 Responds to NRC 950621 RAJ re utilis 950602 ltr requesting approval to use Code Case N-508-1, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing, Section XI, Div 1." OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/25. Document Control Branch (Document Control Desk). 7pp. 85349:155-85349:161.

9509070173 Application for amend to license DPR-21, revising TS to allow reactor to be considered in cold shutdown during performance of inservice hydrostatic or leak test. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/31. Document Control Branch (Document Control Desk). 9pp. 85388:330-85388:360.

-9509070176 Proposed tech specs, revising TS to allow reactor to be considered in cold shutdown during performance of inservice hydrostatic or leak test. * Northeast Nuclear Energy Co. 95/08/31. 21pp. 85388:339-85388:360.

9509250060 Third partial response to FOIA request for documents. Forwards documents listed App E. Documents will be placed in PDR. POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI, J.W. Affiliation Not Assigned. 9pp. 85763:001-85763:032.

-9212210138 Informs that ltr to President Bush referred to DOE, then NRC for response re safe operation of facility. NRC takes all allegations of safety problems at licensed nuclear power plants & retaliation against employees seriously. INGRAM, F.L. Office of Public Affairs (Post 911117). 92/12/04. GUNDERSEN, L. Affiliation Not Assigned. 7pp. 85763:033-85763:039.

9509150217 Notification of significant licensee meeting 95-84 w/util on 950920 to discuss Northeast Util Reengineering Effort. NICHOLSON, L. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 2pp. 85485:134-85485:134.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180138 Requests approval to use provisions in Code Cases N-546, "Alternative Requirements for Qualification of VT-2 Exam Personnel..." & N-547, "Alternative Exam Requirements for Pressure Retaining Bolting in CRD Housings..." OPEKA, J.F. Northeast Nuclear Energy Co. 95/09/11. Document Control Branch (Document Control Desk). 6pp. 85523:285-85523:290.

9509140300 Responds to licensee response to 940919 & 941229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info to licensee, including request for submission of revised response. CALVO, J.A. 95/09/12. MCKEE, P.F. 4pp. 85474:288-85474:292.

9509200234 Provides addl info to support 950728 application for amend to license DPR-21, revising TS for refueling & spent fuel handling & adding SDCS cross-tie line. OPEKA, J.F. DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/12. Document Control Branch (Document Control Desk). 6pp. 85552:309-85552:321.

-9509200237 Proposed TS 3.10.H & associated bases re refueling & spent fuel handling & addition of SDCS cross-tie line. * Northeast Nuclear Energy Co. 95/09/12. 5pp. 85552:317-85552:321.

9509140215 Forwards amend 87 to license DPR-21 & safety evaluation. Amend adds operability & surveillance requirements for RPV overflow protection instrumentation. Amend also adds associated bases. ANDERSEN, J.W. 95/09/13. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85474:321-85474:333.

-9509140216 Amend 87 to license DPR-21, adding operability & surveillance requirements for RPV overflow protection instrumentation & associated bases. MCKEE, P.F. 95/09/13. 7pp. 85474:324-85474:330.

-9509140217 Safety evaluation supporting amend 87 to license DPR-21. * 95/09/13. 3pp. 85474:331-85474:333.

9509190187 Forwards amend 89 to license DPR-21 & SE. Amend modifies TS 3.5.F.7 to allow use of pull-to-lock switches to defeat automatic initiation of ECCS while in refuel condition. ANDERSEN, J.W. 95/09/13. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 85524:078-85524:089.

-9509190190 Amend 88 to license DPR-21, modifying TS 3.5.F.7 to allow use of pull-to-lock switches to defeat automatic initiation of ECCS while in refuel condition. MCKEE, P.F. 95/09/13. 4pp. 85524:082-85524:086.

-9509190193 Safety evaluation supporting amend 88 to license DPR-21. * 95/09/13. 3pp. 85524:087-85524:089.

9509200260 Summary of 950824 meeting w/util re service water & emergency svc water issues. ANDERSEN, J.W. 95/09/19. 4pp. 85525:343-85525:346.

9509210262 Requests addl info re licensee 941216 & 950331 responses to request for addl info re GL 92-06, "Thermo-Lag 330-1 Fire Barriers," for plant Units 1 & 2. MCKEE, P.F. 95/09/20. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 6pp. 85574:269-85574:274.

9509250313 Transmits recent decisions by CT Dept of Public Utility Control & MA Dept of Public Utilities on restructuring electric industry relevant to economic regulation. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/20. Document Control Branch (Document Control Desk). 206pp. 85603:001-85603:206.

Q. Inspection reports, IE Bulletins & correspondence

9206240123 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees. BRINKMAN, D.S. Project Directorate I-1. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.

9509050148 Requests approval to use Code Case N-535, "Alternative Requirements for ISI Intervals, Section XI, Div 1," as alternative to ASME Code Section XI. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/24. Document Control Branch (Document Control Desk). 2pp. 85346:349-85346:350.

9509080181 Forwards insp repts 50-245/95-33, 50-336/95-33 & 50-423/95-33. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/08/31. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85324:330-85324:339.

-9509080187 Insp repts 50-245/95-33, 50-336/95-33 & 50-423/95-33 on 950814-18. No violations noted. Major areas inspected: audits, mgt support & effectiveness of mgt controls, security program plans & protected area detection equipment. ALBERT, R.J., LIMROTH, D.F. Region 1 (Post 820201). 95/08/18. 7pp. 85324:333-85324:339.

9509110235 Forwards insp repts 50-245/95-28, 50-336/95-28 & 50-423/95-28 on 940710-14. DURR, J.P. Region 1 (Post 820201). 95/09/01. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 85344:136-85344:181.

-9509110240 Insp repts 50-245/95-28, 50-336/95-28 & 50-423/95-28 on 950710-14. No violations noted. Major areas inspected: plant operations, operability determinations, maint & surveillance activities, licensee self-assessment & quality assessment. NICHOLSON, L.E. Region 1 (Post 820201). 95/08/30. 42pp. 85344:140-85344:181.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509150228 Discusses 950707 ltr in response to insp repts 50-245/95-19, 50-336/95-19 & 50-423/95-19 & NOV violations indicated apparent lack of attention to detail associated w/radioactive matl control or labeling. HEHL, C.W. Region 1 (Post 820201). 95/09/07. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85485:140-85485:149.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180214 Forwards insp repts 50-245/95-35, 50-336/95-35 & 50-423/95-35 on 950828-0901. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/09/11. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85500:337-85500:347.

-9509180222 Insp repts 50-245/95-35, 50-336/95-35 & 50-423/95-35 on 950828-0901. No violations noted. Major areas inspected: radwaste & transportation of radioactive matls programs, including assurance of quality & training. FURIA, J., BOERS, R. Region 1 (Post 820201). 95/09/11. 8pp. 85500:340-85500:347.

9509180285 Forwards insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-26 & NOV. JOYNER, J.H. Region 1 (Post 820201). 95/09/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85501:296-85501:309.

-9509180293 Notice of violation from insp on 950724-28. Violation noted: licensee implemented NUMARC EALs for plant on 950630 w/o discussion w/or agreement of state & local governmental authorities. * Region 1 (Post 820201). 95/09/13. 2pp. 85501:299-85501:300.

-9509110297 Insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28. Violations noted. Major areas inspected: EP program insp, including changes in program, e: emergency facilities, equipment & instrumentation & supplies. LUSHER, J., KEIMING, R. Region 1 (Post 820201). 95/09/13. 9pp. 85501:301-85501:309.

9509260198 Ack recip: of 950817 ltr informing NRC of steps taken to correct violations noted in insp rpt 50-245/95-16 on 950623. MEYER, G.W. Region 1 (Post 820201). 95/09/13. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 85570:210-85570:220.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870726). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509260040 Forwards insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822 & NOV. COOPER, R.W. Region 1 (Post 820201). 95/09/19. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 85569:051-85569:099.

-9509260044 Notice of violation from insp on 950712-0822. Violation noted: on 950804, during power operation, 12E/12F bc breaker racked in & closed. * Region 1 (Post 820201). 95/09/19. 1p. 85569:056-85569:056.

--9509260048 Insp repts 50-245/95-31,50-336/95-31 & 50-423/95-31 on 950712-0622. Violations noted. Major areas inspected: plant operations, radiological controls, main, surveillance, outage activities & security.
NICHOLSON, L.E. Region 1 (Post 820201). 95/09/18. 42pp. 85569-057-85569-099.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SG Tubes."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 22, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509280334 Informs NRC that util completed calculation phase of setpoint verification program for facility. Setpoint verification program voluntary initiative by util as result of NCV & proposed civil penalty re insp rept 50-245/90-05.
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85655-357-85655-358.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-006.

R. Periodic operating reports & related correspondence

9509190211 Monthly operating repts for Aug 1995 for Millstone Nuclear Power Station W/950913 ltr.
NEWBURGH, G., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/31. 16pp. 85531-308-85531-323.

S. Reportable occurrences, LERs & related correspondence

9509050013 LER 95-014-00: on 950726, identified that baseline data for jet pump integrity evaluation not transferred to control operator's log (COL) procedure for several cycles due to administrative error. COL procedure revised. W/950828 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/26. 3pp. 85371-327-85371-329.

9509060352 LER 95-017-00: on 950804, informed by Teledyne Co that monthly stack release sample missing due to inadequate custody control of samples during shipping process. Chemistry inventory will be used as check-off list. W/950831 ltr.
HARRIS, D.N. Northeast Nuclear Energy Co. 95/08/31. 3pp. 85371-334-85371-336.

9509080010 LER 95-015-00: on 950808, 0.5" anti-siphon holes in spent fuel pool cooling return line discovered missing. Caused by personnel error. Removed piping sections from spent fuel pool & inspected for siphon break holes. W/950831 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/31. 5pp. 85435-069-85435-073.

9509120344 LER 95-018-00: on 950804, electrical power lost to safety-related 480 volt bus 12E due to failed Micro Versa Trip programmer. Faulty Micro Versa Trip programmer sent to mfg (GE) for failure analysis. W/950906 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/06. 4pp. 85472-078-85472-081.

9509200010 LER 94-001-01: on 931230, loss of off-site power during LOCA. Caused by deficiencies in previously prepared degraded voltage calculations. Provided guidance to all units operations depts. W/950912 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities. 95/09/12. 4pp. 85547-184-85547-187.

9509220078 LER 95-009-01: on 950524, design input to spent fuel pool cooling piping analysis was incorrect. Caused by failure to reconcile design temp changes w/design bases documents. Performed detailed design basis review. W/950915 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 95/09/15. 4pp. 85573-241-85573-244.

9509220216 LER 95-006-01: on 950504, determined that section of skimmer surge tank piping not designed for seismic loads. Completed analysis of skimmer surge tank. Required anchorage mods will be completed prior to RFO15. W/950915 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/15. 5pp. 85573-259-85573-263.

9509250356 LER 95-019-00: on 950620, discovered that vessel bottom head temperature monitoring SR was not met due to lack of controls to ensure monitoring of RV bottom head temperature. Revised heatup/cooldown procedure. W/950919 ltr.
HARRIS, D.N., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/19. 3pp. 85619-046-85619-048.

V. Operator Examinations

9509050201 Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 5, "Operators Licensing Examiner Stds" & NUREG/BR-0122 to prepare written exams & operating tests.
MEYER, G.W. Region 1 (Post 820201). 95/06/21. BROWN, M.B. Northeast Nuclear Energy Co. 1p. 85297-123-85297-123.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509050135 Forwards corrected pages for EAL generation package, correcting EALs 2.1.3 & 2.2.1 by clarifying reading of RM R-41 to reflect actual reading for containment radiation levels greater than 66 uCi.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/25. Document Control Branch (Document Control Desk). 6pp. 85349-149-85349-154.

9509140329 Informs that Div of Freedom of Info & Publications Svc has reviewed encl documents re plant emergency plan & determined that documents may be made available for PDR.
KAMMERER, C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85472-292-85472-314.

--9509140346 Forwards public version of revs to emergency procedures.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/24. Document Control Branch (Document Control Desk). 1p. 85472-294-85472-294.

--9509140358 Public version of revs to emergency procedures, including form index page 3, form 45(A), 45(B), 45(C) & Rev 7 to IP-1043, "Operation of NY State Radiological Emergency Communication Sys & Local Government Radio."
* Consolidated Edison Co. of New York, Inc. 95/08/01. 21pp. 85472-295-85472-314.

9509260177 Revised EIPs, including Rev 5 to IP-1006, "Site Perimeter Survey" & Rev 5 to IP-1008, "Personnel Radiological Check & Decontamination." W/950915 ltr.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/15. 15pp. 85600-248-85600-262.

P. Operating license stage documents & correspondence

9509050134 Forwards revised TS Table 4.1-1, "Min Frequencies for Checks, Calibrs & Tests of Instrument Channels" in support of surveillance intervals to accommodate 24 month fuel cycle.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/25. Document Control Branch (Document Control Desk). 2pp. 85349-139-85349-148.

--9509050135 Proposed TS Table 4.1-1, "Min Frequencies for Checks, Calibrs & Tests of Instrument Channels."
* Consolidated Edison Co. of New York, Inc. 95/08/25. 8pp. 85349-141-85349-148.

9509050118 Transmits application for amend to license DPR-26 re SG tube sleeving commitments made in util 950405 ltr to NRC.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85348-332-85348-357.

--9509050130 Application for amend to license DPR-26, revising TS to incorporate commitments made by util to NRC re laser welded SG tube sleeves.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/29. 2pp. 85348-334-85348-335.

--9509050121 Proposed tech specs, incorporating commitments made to NRC re laser welded SG tube sleeves.
* Consolidated Edison Co. of New York, Inc. 95/08/29. 22pp. 85348-336-85348-357.

9509150005 Forwards "Indian Point 2 Cycle 13 Startup Test Rept."
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/05. Document Control Branch (Document Control Desk). 1p. 85520-097-85520-173.

--9509150006 "Indian Point 2 Cycle 13 Startup Test Rept."
* Consolidated Edison Co. of New York, Inc. 95/08/31. 76pp. 85520-098-85520-173.

9506310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509280329 Provides supplemental info re RG 1.97 concerning qualification of neutron flux instrumentation, in response to NRC 950706 telcon RIA.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85657-354-85657-355.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (B70411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9509060215 Forwards insp rept 50-247/95-80 on 950626-0714. No violations noted.
BLOUGH, A.R. Region 1 (Post 820201). 95/08/28. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp. 85312-067-85312-109.

--9509060220 Insp rept 50-247/95-80 on 950626-0714. No violations noted. Major areas inspected: engineering & technical support, maint, corrective action programs & independent oversight.
CHEUNG, L.S., DELLA GRECA, A., RULAND, W.H. Region 1 (Post 820201). 95/08/25. 40pp. 85312-070-85312-109.

9509130154 Comment supporting revised NRC SALP program.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 85428-015-85428-021.

9509140013 Forwards "1995 Refueling Outage ISI Program Summary Rept First Outage, First Period, Third Interval."
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85484-300-85484-338.

--9509140019 "1995 Refueling Outage ISI Program Summary Rept First Outage, First Period, Third Interval."
* Consolidated Edison Co. of New York, Inc. 95/06/30. 37pp. 85484-302-85484-338.

9509140111 Forwards 1995 refueling outage ISI program summary rept for second outage of third period of second interval. Proprietary WCAP-14352, Rev 1 & nonproprietary WCAP-14406, Rev 1 also encl. Proprietary WCAP-14352, Rev 1 withheld per 10CFR2.790.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85518:176-85518:243.

-9509140114 Summary rept of 1995 refueling outage ISI program for second outage of third period of second interval.
* Consolidated Edison Co. of New York, Inc. 95/09/05. 22pp. 85518:176-85518:199.

-9509140119 Requests that proprietary rept WCAP-14352, Rev 1, "Evaluation of Indications Found in Pump Casings of Indian Point Unit 2" be withheld from public disclosure per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 95/06/22. RUSSELL, W.T. Document Control Branch (Document Control Desk). 8pp. 85518:200-85518:207.

-9509140122 Nonproprietary "Evaluation of Indications Found in Casings of Indian Point Unit 2."
BAMFORD, W.H., PRAGER, D.E., STRAUCH, F.L. Westinghouse Electric Corp. WCAP-14406 R01. 95/06/30. 35pp. 85518:208-85518:243.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180219 Forwards insp rept 50-247/95-19 on 950717-21 & 0814-18. No violations noted.
MODER, M. Region 1 (Post 820201). 95/09/08. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp. 85501:001-85501:015.

-9509180229 Insp rept 50-247/95-19 on 950717-0818. No violations noted. Major areas inspected: assess quality of engineering organization & response to technical issues at plant.
CARRASCO, J.E., MODES, M. Region 1 (Post 820201). 95/09/06. 12pp. 85501:004-85501:015.

9509210223 Forwards predecisional enforcement conference 50-247/95-79 on 950831 re findings of radiation control safety insp conducted on 950710-14. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/09/13. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 3pp. 85544:314-85544:327.

-9509210233 Enforcement conference rept 50-247/95-79. Areas discussed: safety significance on 950707, unauthorized entry into locked high radiation area in which area was left in an unsecured condition.
NOGGLE, J., BORES, R. Region 1 (Post 820201). 95/09/08. 11pp. 85544:317-85544:327.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140186 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

F. Periodic operating reports & related correspondence

9509150015 "Indian Point Station Reg Guide 1.16 Rept Jan-Dec 1994." W/ 950906 ltr. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 2pp. 85508:346-85508:347.

9509060217 Monthly operating rept for July 1995 for Indian Point Unit 2. W/ 950815 ltr. REED, A., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/07/31. 7pp. 85334:343-85334:349.

9509260169 Monthly operating rept for Aug 1995 for Indian Point Unit 2. W/ 950915 ltr. REED, A., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/31. 6pp. 85600:242-85600:247.

G. Reportable occurrences, LERs & related correspondence

9509010118 LER 95-006-00 on 950209, containment isolation valve (CIV) TS leakage limits exceeded due to excessive leakage through lusted CIVs sealed by isolation valve seal water sys water. WCs written for valves & valves repaired. W/ 950821 ltr. DAHL, G., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/03/13. 6pp. 85373:109-85373:114.

9509070041 LER 95-018-00 on 950726, ESF actuation of plant vent radiation monitor during containment pressure relief occurred. Caused by insufficient margin in setpoint calculation. Revised interim measure W/ 950825 ltr. LOUIE, R., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/08/25. 5pp. 85459:297-85459:301.

V. Operator Examinations

9509260205 Ltr contract, task order 23, defunctizing task order to "Technical Assistance in Initial Exam for Indian Point NPP."
WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/08/29. VOGEL, A.M. Sonalysts, Inc. 4pp. 85608:286-85608:289.

9509260156 Notifies that J McAvoy no longer requires SOP-10158-3 for job functions.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/09/15. MARTIN, T.T. Region 1 (Post 820201). 2pp. 85600:222-85600:223.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9509280264 Submits objectives of 950711 full-scale emergency preparedness exercise. Major lessons learned & follow up actions being taken discussed in encl.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director 95/09/06. THE CHAIRMAN, JACKSON, S. Commissioners (Post 750119). JORDAN, E. NRC - No Detailed Affiliation Given. 4pp. 85631:209-85631:212.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

H. General correspondence

9509260212 Fourth partial response to FOIA request for documents. Records in App F will be made available in PDR.
BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/19. GHEZZI, J.W. Affiliation Not Assigned. 18pp. 85684:001-85684:237.

-9509260313 Informs that as result of J Dwyer insp, Nuclear Energy Svcs misstated condition of NRC license Backup encl.
GUNDERSON, A. Affiliation Not Assigned. 92/06/17. WILSON, E. Region 1 (Post 820201). 7pp. 85684:300-85684:306.

P. Operating license stage documents & correspondence

9509220211 Forwards SE re Third 10-yr interval ISI program & associated requests for relief for plant Units 2 & 3 & technical evaluation rept.
STANG, J.F. 94/05/19. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85576:152-85576:245.

-9509220222 Safety evaluation denying requests for relief CR-06, CR-10, CR-16, PR-01 & PR-14 & granting all other requests for relief per 10CFR50.55a(g)(6)(i).
* 94/05/19. 10pp. 85576:156-85576:165.

-9509220224 "INEL Technical Evaluation Rept on Third 10-Yr ISI Program Plan & Associated & Request for Relief."
* 94/05/19. 80pp. 85576:166-85576:245.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking.
RUBIN, M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS, T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.

9509060133 Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. IRWIN, D. Hunton & Williams. 2pp. 85332:042-85332:062.

-9409120195 Provides review of core shroud cracking in Dresden Unit 3 & Quad Cities Unit 1.
DOCTOR, S.R. Battelle Memorial Institute, Pacific Northwest Laboratory. 94/07/13. HISER, A.L. NRC - No Detailed Affiliation Given. 4pp. 85332:055-85332:062.

9411150586 Event tracking sheet re 940420 discovery of 360 degree circumferential crack in one of welds on lower portion of core shroud during Apr 1994 refueling outage.
GREENE, T. Events Assessment Branch. 94/09/23. 4pp. 85406:152-85406:155.

-9507060332 Informs that NRC staff issued SE on 940721 re core shroud cracking at Dresden, Unit 3 & Quad Cities, Unit 1. Staff concluded that cracked shrouds will satisfy ASME code margin against weld failure for 15 months of operation.
PHILLIPS, L.E. 95/06/29. HERMANN, R.A. 4pp. 85406:182-85406:185.

9509130108 Ninth partial response to FOIA request for documents. Records in App J will be made available in PDR. App K records will be withheld in part (ref Exemption 4).
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. IRWIN, D. Hunton & Williams. 4pp. 85477:001-85477:312.

-9509130113 Partially withheld, Rev 1, "Shroud & Shroud Repair Hardware Analysis Volume 1, Shroud Repair Hardware."
ZALIZNYAK, S., WU, Y. General Electric Co. G:NE-771-81-1194 R01. 95/05/12. 48pp. 85477:105-85477:179.

-9509130131 Partially withheld, Rev 1, "Backup Calculations for Dresden Shroud Repair Shroud Stress Rept for Commonwealth Edison Dresden Nuclear Power Station, Units 2 & 3," May 1995.
SHAHRIVAR, F., PATEL, M., SVARNEY, R.P. General Electric Co. GENE-771-82-1194 R01. 95/05/12. 25pp. 85477:180-85477:204.

-9509130136 Rev 1, "Shroud & Shroud Repair Hardware Analysis Volume 1, Shroud Repair Hardware Backup Calculations."
ZALIZNYAK, S., KAUL, M., WU, M. General Electric Co. GENE-771-83-1194 R01. 95/05/12. 15pp. 85477:205-85477:237.

- 9509130144 Rev 2, "Shroud Repairs Program for Dresden Units 2 & 3, Back-up Calculations for RPV Stress Rept Number 25A5691," May 1995.
HERLEKAR,A.S. General Electric Co. GENE-771-77-1194 R02. 95/05/12. 4pp. 85477:296-85477:255.
- 9509130152 Partially withheld, Rev 1 to "Dresden Units 2 & 3 Top Ring Plate & Star Truss Stress Analysis Backup Calculations."
HOWER,S., KAUL,M.K., KARIM-PANAHI,K. General Electric Co. GENE-771-96-0195 R01. 95/05/11. 13pp. 85477:256-85477:268.
- 9509130159 Partially withheld Rev 0, "Primary Structure Seismic Models," Dec 1994.
HARRIE,D.K., MUSE,J.A., RANGANATH,S. General Electric Co. GE-NE-523-A181-129.1. 94/12/31. 12pp. 85477:269-85477:276.
- 9509140093 Rev 0, mod M12-2&3-94-004 to NEP 04-03. "10CFR50.59 SE."
* General Electric Co. 95/05/23. 20pp. 85477:277-85477:312.
- 9509140336 Advises that repts submitted in 950524 ltr & util affidavit executed by D Robare, dtd 950519 will be withheld from public disclosure ref 10CFR2.790.
STANG,J.F. 95/07/28. FARRAR,D.L. Commonwealth Edison Co. 16pp. 85477:020-85477:104.
- 9509060187 Forwards Rev 3 to "Dresden Station Third Ten Yr IST Plan," addressing concerns raised in NRC 920911 & 1217 ltrs.
JOYCE,T.P. Commonwealth Edison Co. 95/08/31. Document Control Branch (Document Control Desk). 14pp. 85346:001-85346:316.
- 9509060190 Rev 3 to "Dresden Station Third Ten Yr IST Plan."
* Commonwealth Edison Co. 95/08/31. 302pp. 85346:015-85346:316.
- 9509110143 Application for amendments to licenses DPR-19 & DPR-25, providing executive summary of TS upgrade program.
SCHRAGE,J.L. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 16pp. 85449:225-85449:269.
- 9509110147 Proposed tech specs, providing executive summary of TS upgrade program.
* Commonwealth Edison Co. 95/09/01. 29pp. 85449:241-85449:269.
- 9509120003 Transmits request for approval of one-time scheduler exemption from requirements of 10CFR50.63, "Station Blackout Rule."
SCHRAGE,J.L. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 10pp. 85434:352-85434:361.
- 9509110084 Forwards "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
SCHRAGE,J.L. Commonwealth Edison Co. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85459:223-85459:242.
- 9509110088 "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
BEHRINGER,T.J., BEARDSLEY,K., HUTKO,K. Commonwealth Edison Co. 95/09/05. 18pp. 85459:225-85459:242.
- 9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509140007 Forwards response to request for addl info re core shroud repair.
PIET,P.L. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85484:355-85484:356.
- 9509200013 Forwards notice of consideration of issuance to facility OL, proposed no significant hazards consideration determination & opportunity for hearing on 950901 request to upgrade section 6.0 of plant TS.
STANG,J.F. 95/09/13. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85561:260-85561:270.
- 9509210004 Notice of consideration of issuance of amend to facility license DPR-19 & DPR-25 & proposed NSHC determination & opportunity for hearing. Amend would upgrade plant TS to standard TS contained in NUREG-0123.
STANG,J.F. 95/09/13. 9pp. 85561:262-85561:270.
- 9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amend to OLs, revising TS Section 6, "Administrative Controls."
BENES,G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.
- 9509280004 Forwards details of matter re activities at plant for review & followup. Requests results of review be provided within 60 days of ltr w/o encl.
AXELSON,W.L. Region 3 (Post 820201). 95/09/14. JOYCE,T. Commonwealth Edison Co. 2pp. 85613:001-85613:002.
- 9509190376 Informs of closeout of TS upgrade program open items identified by NRC review as noted in NRC SE received for provided submittals re TS upgrade program project.
PIET,P.L. Commonwealth Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 7pp. 85532:210-85532:259.
- 9509190383 Proposed tech specs re close out of TS upgrade program open items identified by NRC review noted in NRC SEs received for provided submittals re TS upgrade program project.
* Commonwealth Edison Co. 95/09/15. 43pp. 85532:217-85532:259.
- 9509220092 Forwards amends 138,132,150 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & SE. Amends initiate TS upgrade program for plants, in response to 930326 application.
STANG,J.F. 95/09/18. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85564:213-85564:307.
- 9509220097 Amends 138,132,160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, initiating TS upgrade program for plants.
STANG,J.F. 95/09/18. 68pp. 85564:218-85564:285.
- 9509220101 Safety evaluation supporting amends 138,132,160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/09/18. 22pp. 85564:286-85564:307.
- 9509250316 Forwards amends 139,133,161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation. Amends respond to 921206 application, as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG,J.F. 95/09/20. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85578:157-85578:216.
- 9509250329 Amends 139,133,161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to 921206 application, as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG,J.F. 95/09/20. 36pp. 85578:160-85578:195.
- 9509250336 Safety evaluation supporting amends 139,133,161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/09/20. 21pp. 85578:196-85578:216.
- 9509260127 Requests scheduler exemption from 10CFR50, App J, Type A test interval.
PIET,P.L. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 13pp. 85606:321-85606:333.
- 9509280049 Provides clarification of commitments re review of Dresden Station TSs.
JOYCE,T.P. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85641:336-85641:337.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.
- 9509220211 Forwards SE re Third 10-yr interval ISI program & associated requests for relief for plant Units 2 & 3 & technical evaluation rpt.
STANG,J.F. 94/05/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85576:152-85576:245.
- 9509220222 Safety evaluation denying requests for relief CR-06, CR-10, CR-16, PR-01 & PR-14 & granting all other requests for relief per 10CFR50.55a(g)(6)(i).
* 94/05/19. 10pp. 85576:156-85576:165.
- 9509220224 "INEL Technical Evaluation Rept on Third 10-Yr ISI Program Plan & Associated Request for Relief."
* 94/05/19. 60pp. 85576:166-85576:245.
- 9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 8pp. 85316:058-85316:156.
- 9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of Info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN,D.S. Project Directorate I-1. 94/05/11. ANDERSEN,J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.
- 9509060133 Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. IRWIN,D. Hunton & Williams. 2pp. 85332:042-85332:062.
- 9409120183 Forwards review of core shroud cracking ultrasonic insp results focusing on undersizing of flaws by ultrasonic insp methods used at Dresden Unit 3 & Quad Cities Unit 1.
SHAO,L.C. Division of Engineering (870413-941217). 94/09/06. SHERON,B.W. Division of Engineering (Post 921004). 2pp. 85332:053-85332:062.
- 9509080144 Discusses insp repts 50-010/95-09, 50-237/95-09 & 50-249/95-09 on 950613-0731 Violations noted. Violation of concern because numerous events occurred involving personnel not complying w/ established OOS practices.
HILAND,P.L. Region 3 (Post 820201). 95/08/25. JOYCE,T. Commonwealth Edison Co. 3pp. 85324:240-85324:260.
- 9509080147 Notice of violation from insp on 950613-0731. Violation noted: non-licensed operator moved fuel into unit 2 w/o direct supervision of licensed SRO.
* Region 3 (Post 820201). 95/08/25. 3pp. 85324:243-85324:245.
- 9509080149 Insp repts 50-010/95-09, 50-237/95-09 & 50-249/95-09 on 950613-0731 Violations noted. Major areas inspected: operations, maintenance, plant support & engineering.
HILAND,P.L. Region 3 (Post 820201). 95/08/25. 15pp. 85324:246-85324:260.
- 9509190120 Ack receipt of 950811 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/95-08 & 50-249/95-08 on 950712.
HILAND,P.L. Region 3 (Post 820201). 95/09/06. JOYCE,T. Commonwealth Edison Co. 2pp. 85504:112-85504:113.
- 9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/ GL 91-18.
ROE,J.W. 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.
- 9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

32 DOCKETED ITEMS

950910322 Forwards exam rept 50-237/OL-95-02 for both units on 950731. GRANT,G.E. Region 3 (Post 820201). 95/09/19. JOYCE,T. Commonwealth Edison Co. 2pp. 85545-192-85545-344.

-9509210332 Exam rept 50-237/OL-95-02 on 950731.Exam results:one RO & one SRO candidate failed written section of exam.All other individuals taking exams passed all portions & will be issued operator licenses. MCNEIL,D. Region 3 (Post 820201). 95/09/13. 152pp. 85545-194-85545-344.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220072 Responds to NRC 950825 ltr re concerns noted in Insp repts 50-010/95-09,50-237/95-09 & 50-249/95-09.Corrective actions. OOS process modified to require attachment of configuration mgt checklist & OOS procedure DAP 03-05 will be revised. JOYCE,T.P. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 5pp. 85647-314-85647-318.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-006.

R. Periodic operating reports & related correspondence

9509190213 Monthly operating repts for Aug 1995 for Dresden Nuclear Power Station.W/950913 ltr. CARROLLE,W. HOLLAND,P.G. Commonwealth Edison Co. 95/08/31. 28pp. 85531-280-85531-307.

S. Reportable occurrences, LERs & related correspondence

9509210265 Forwards Rev 1 to LER 95-012,addressing inadvertent omission in original LER re previous secondary containment leak rate test failures & tests performed at wind speeds in excess of TS requirement. JOYCE,T.P. Commonwealth Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85573-165-85573-172.

-9509210268 LER 95-012-01 on 950531,degraded secondary containment condition observed during testing due to procedure deficiency & personnel error.Dresden Technical Surveillance 1600-22 & Dresden Administrative Procedure 13-14 revised. WILLIAMS,J. Commonwealth Edison Co. 95/09/15. 7pp. 85573-166-85573-172.

9509260080 LER 95-008-01 on 950526,scram from main turbine stop valve closure occurred due to turbine trip on high vibration. Caused by out of spec turbine blade matl.Replaced failed blades.W/950922 ltr. GARRETT,P., JOYCE,T.P. Commonwealth Edison Co. 95/09/22. 14pp. 85619-075-85619-088.

Y. Operator Examinations

9509210322 Forwards exam rept 50-237/OL-95-02 for both units on 950731. GRANT,G.E. Region 3 (Post 820201). 95/09/19. JOYCE,T. Commonwealth Edison Co. 2pp. 85545-192-85545-344.

-9509210332 Exam rept 50-237/OL-95-02 on 950731.Exam results:one RO & one SRO candidate failed written section of exam.All other individuals taking exams passed all portions & will be issued operator licenses. MCNEIL,D., BURDICK,T.M. Region 3 (Post 820201). 95/09/13. 152pp. 85545-194-85545-344.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9509050167 Rev 2 to EPIP-1107, "Duties of Manager,Nuclear Emergency Preparedness." W/950825 ltr. BOHLKE,W.H. Florida Power & Light Co. 95/08/25. 10pp. 85342-243-85342-252.

9509060106 Forwards response to NRC 941012 RAI re outdoor exemption for Thermo-Lag 330-1 fire barriers.W/25 oversize drawings. PLUNKETT,T.F. Florida Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 29pp. 85395-204-85395-232.

9509260375 Rev 6 to Corporate Emergency Plan Implementing Procedure EPIP-1106, "Duties of Nuclear Div Duty Officer." W/950919 ltr. BOHLKE,W.H. Florida Power & Light Co. 95/09/19. 12pp. 85620-332-85620-343.

9509270225 Informs that licensee 941216,950324 & 0713 responses to 940919,1226 & 950519 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.Forwards follow-up RAI. CALVO,J.A. 95/09/25. BERKOW,H.N. 5pp. 85619-149-85619-153.

P. Operating license stage documents & correspondence

9509060106 Forwards response to NRC 941012 RAI re outdoor exemption for Thermo-Lag 330-1 fire barriers.W/25 oversize drawings. PLUNKETT,T.F. Florida Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 29pp. 85395-204-85395-232.

9509060106 Forwards response to NRC 941012 RAI re outdoor exemption for Thermo-Lag 330-1 fire barriers.W/25 oversize drawings. PLUNKETT,T.F. Florida Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 29pp. 85395-204-85395-232.

9509080199 Requests for addl info re GL 95-03, "Circumferential Cracking of Steam Generator Tubes." Turkey Point Units 3 & 4. CROTEAU,R.P. 95/08/30. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85385-062-85385-064.

9509120289 Informs NRC that util intends to terminate Boraflex Coupon Surveillance testing program while continuing Blackness Testing of plant spent fuel pool Boraflex panels. GOLDBERG,J.H. Florida Power & Light Co. 95/09/05. Document Control Branch (Document Control Desk). 4pp. 85437-335-85437-338.

9509180303 Summarizes 950810 meeting in Atlanta,GA for util to present self-assessment of engineering performance at facility. Meeting attendees & agenda encl. LANDIS,K.D. Region 2 (Post 820201). 95/09/06. GOLDBERG,J.H. Florida Power & Light Co. 70pp. 85502-031-85502-101.

9509180332 Summarizes 950830 meeting in Atlanta,GA re Turkey Point mid-cycle self-assessment & info concerning upcoming Unit 3 outage. LANDIS,K.D. Region 2 (Post 820201). 95/09/06. GOLDBERG,J.H. Florida Power & Light Co. 59pp. 85502-178-85502-237.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509190037 Forwards "COLR for Turkey Point Unit 3." PLUNKETT,T.F. Florida Power & Light Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85531-248-85531-253.

-9509190038 "COLR for Turkey Point Unit 3." * Florida Power & Light Co. 95/09/08. 5pp. 85531-249-85531-253.

9509130200 Application for amends to Licenses DPR-31 & DPR-41,modifying TS in accordance w/Line-Item 10.1 from GL 93-05, "Line-Item TS Improvements to Reduce Surveillance Requirements for Testing During Power Operation" & guidance in GL 94-01. PLUNKETT,T.F. Florida Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 14pp. 85474-199-85474-221.

-9509130203 Proposed tech specs re EDGs,change to testing requirements. per GLs 93-05 & 94-01. * Florida Power & Light Co. 95/09/11. 9pp. 85474-213-85474-221.

9509220230 Forwards EA & finding of no significant impact re issuance of amends to licenses DPR-31 & DPR-41. CROTEAU,R.P. 95/09/14. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85574-356-85574-360.

-9509220231 Environ assessment & finding of no significant impact re issuance of amends to licenses DPR-31 & DPR-41. * 95/09/14. 3pp. 85574-358-85574-360.

9509220231 Requests addl info re circumferential cracking of SG tubes. CROTEAU,R.P. 95/09/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85574-349-85574-351.

9509220205 Informs util that NRC does not object to termination of Boraflex Coupon Surveillance testing program at plant. Expects that Blackness Testing will be performed more frequently if warranted by test results. CROTEAU,R.P. 95/09/21. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85574-345-85574-346.

9509270225 Informs that licensee 941216,950324 & 0713 responses to 940919,1226 & 950519 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.Forwards follow-up RAI. CALVO,J.A. 95/09/25. BERKOW,H.N. 5pp. 85619-149-85619-153.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220306 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180236 Monthly operating reports for Aug 1995 for Turkey Point Units 3 & 4. W/ 950912 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 95/08/31. 9pp. 85535:013-85535:021.

S. Reportable occurrences, LERs & related correspondence

9509200002 LER 95-005-00 on 950818, containment pressure testing procedure resulted in inhibiting both trains of containment pressure from initiated ESP. Revised procedure to require testing of each train separately. W/950913 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 95/09/13. 6pp. 85547:166-85547:171.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9509050167 Rev 2 to EPIP-1107, "Duties of Manager, Nuclear Emergency Preparedness." W/950825 ltr.
BOHLKE, W.H. Florida Power & Light Co. 95/08/25. 10pp. 85342:243-85342:252.

9509060106 Forwards response to NRC 941012 RAI re outdoor exemption for Thermo-Lag 330-1 fire barriers. W/25 oversize drawings.
PLUNKETT, T.F. Florida Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 29pp. 85395:204-85395:232.

9509260375 Rev 6 to Corporate Emergency Plan Implementing Procedure EPIP-1103, "Duties of Nuclear Div Duty Officer." W/950919 ltr.
BOHLKE, W.H. Florida Power & Light Co. 95/09/19. 12pp. 85620:332-85620:343.

9509270225 Informs that licensee 941216, 950324 & 0713 responses to 940919, 1226 & 950519 RAIs re GL 92-06, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI.
CALVO, J.A. 95/09/25. BERKOW, H.N. 5pp. 85619:149-85619:153.

P. Operating license stage documents & correspondence

9509060106 Forwards response to NRC 941012 RAI re outdoor exemption for Thermo-Lag 330-1 fire barriers. W/25 oversize drawings.
PLUNKETT, T.F. Florida Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 29pp. 85395:204-85395:232.

9509080199 Requests for add info re GL 95-03, "Circumferential Cracking of Steam Generator Tubes." Turkey Point Units 3 & 4.
CROTEAU, R.P. 95/08/30. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85385:062-85385:064.

9509120289 Informs NRC that util intends to terminate Boraflex Coupon Surveillance testing program while continuing Blackness Testing of plant spent fuel pool Boraflex panels.
GOLDBERG, J.H. Florida Power & Light Co. 95/09/05. Document Control Branch (Document Control Desk). 4pp. 85437:335-85437:338.

9509110374 Requests for exemption from Type A testing interval specified in 10CFR50, App J for plant.
PLUNKETT, T.F. Florida Power & Light Co. 95/09/06. Document Control Branch (Document Control Desk). 10pp. 85452:344-85452:353.

9509180303 Summarizes 950810 meeting in Atlanta, GA for util to present self-assessment of engineering performance at facility. Meeting attendees & agenda encl.
LANDIS, K.D. Region 2 (Post 820201). 95/09/06. GOLDBERG, J.H. Florida Power & Light Co. 7pp. 85502:031-85502:101.

9509180332 Summarizes 950830 meeting in Atlanta, GA re Turkey Point mid-cycle self-assessment & info concerning upcoming Unit 3 outage.
LANDIS, K.D. Region 2 (Post 820201). 95/09/06. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 85502:178-85502:237.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509130200 Application for amends to Licenses DPR-31 & DPR-41, modifying TS in accordance w/Line-Item 10.1 from GL 93-05, "Line-Item TS Improvements to Reduce Surveillance Requirements for Testing During Power Operation" & guidance in GL 94-01.
PLUNKETT, T.F. Florida Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 14pp. 85474:29-85474:221.

9509130203 Proposed tech specs re EDGs, change to testing requirements, per GLs 93-05 & 94-01.
* Florida Power & Light Co. 95/09/11. 9pp. 85474:213-85474:221.

9509220230 Forwards EA & finding of no significant impact re issuance of amends to licenses DPR-31 & DPR-41.
CROTEAU, R.P. 95/09/14. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 85574:356-85574:360.

9509220231 Environ assessment & finding of no significant impact re issuance of amends to licenses DPR-31 & DPR-41.
* 95/09/14. 3pp. 85574:358-85574:360.

9509210362 Forwards EA re exemption request from 10CFR50, App J to provide one-time interval extension for type A test.
CROTEAU, R.P. 95/09/19. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 85562:340-85562:345.

9509210363 Environ assessment & finding of no significant impact re one-time interval extension for type A test from Mar 1996 refueling outage to Oct 1997 refueling outage.
MATTHEWS, D.B. 95/09/19. 4pp. 85562:342-85562:345.

9509220201 Requests add info re circumferential cracking of SG tubes.
CROTEAU, R.P. 95/09/20. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85574:349-85574:351.

9509220205 Informs util that NRC does not object to termination of Boraflex Coupon Surveillance testing program at plant. Expects that Blackness Testing will be performed more frequently if warranted by test results.
CROTEAU, R.P. 95/09/21. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 85574:345-85574:346.

9509270225 Informs that licensee 941216, 950324 & 0713 responses to 940919, 1226 & 950519 RAIs re GL 92-06, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI.
CALVO, J.A. 95/09/25. BERKOW, H.N. 5pp. 85619:149-85619:153.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180236 Monthly operating reports for Aug 1995 for Turkey Point Units 3 & 4. W/ 950912 ltr.
KNORR, J.E., PLUNKETT, T.F. Florida Power & Light Co. 95/08/31. 9pp. 85535:013-85535:021.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509200215 Revised EPIPs, including Rev 28 to QEP 0150-00 & Rev 8 to QEP 0150-505.
* Commonwealth Edison Co. 95/09/12. 8pp. 85554:280-85554:287.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

P. Operating license stage documents & correspondence

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

9406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking.
RUBIN, M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS, T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.

9509060133 Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. IRWIN, D. Hunton & Williams. 2pp. 85332:042-85332:045.

9409120195 Provides review of core shroud cracking in Dresden Unit 3 & Quad Cities Unit 1.
DOCTOR, S.R. Battelle Memorial Institute, Pacific Northwest Laboratory. 94/07/13. HISER, A.L. NRC - No Detailed Affiliation Given. 4pp. 85332:055-85332:062.

- 9507060332** Informs that NRC staff issued SE on 940721 re core shroud cracking at Dresden, Unit 3 & Quad Cities, Unit 1. Staff concluded that cracked shrouds will satisfy ASME code margin against weld failure for 15 months of operation.
PHILLIPS, L.E. 95/06/29. HERMANN, R.A. 4pp. 85406:182-85406:185.
- 9509120003** Transmits request for approval of one-time schedular exemption from requirements of 10CFR50.63, "Station Blackout Rule."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 10pp. 85434:352-85434:361.
- 9509110064** Forwards "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85459:223-85459:242.
- 9509110088** "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
BEHRINGER, T.J., BEARDSLEY, K., HUTKO, K. Commonwealth Edison Co. 95/09/05. 18pp. 85459:225-85459:242.
- 9506310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509140295** Forwards suppl safety evaluation re proposed core shroud repair for plant, units 1 & 2. Staff informed of event which caused inadvertent loading on core shroud hardware at plant, unit 2.
PULSIFER, R.M. 95/09/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85472:315-85472:343.
- 9509140306** Suppl safety evaluation supporting documentation provided by util & has concluded that util has demonstrated that stresses in core shroud repair hardware, resulting from rept inadvertent loading condition.
* 95/09/11. 5pp. 85472:318-85472:322.
- 9509140316** Revised safety evaluation re proposed core shroud repair. Proposed mods of plant core shrouds acceptable.
* 95/09/11. 21pp. 85472:323-85472:343.
- 9509200138** Forwards amends 159 & 155 to licenses DPR-29 & DPR-30, respectively. Amends revise operating licenses to reflect transfer of IIGEC 25% undivided ownership to MidAmerican Energy Co.
PULSIFER, R.M. 95/09/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85543:222-85543:240.
- 9509200147** Amends 159 & 155 to licenses DPR-29 & DPR-30, respectively, revising operating licenses to reflect transfer of IIGEC 25% undivided ownership to MidAmerican Energy Co.
PULSIFER, R.M. 95/09/11. 8pp. 85543:225-85543:232.
- 9509200152** Safety evaluation supporting amends 159 & 155 to licenses DPR-29 & DPR-30, respectively.
* 95/09/11. 8pp. 85543:233-85543:240.
- 9509190311** Provides addl info re TS upgrade program Section 3/4.2, "Instrumentation."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/12. Document Control Branch (Document Control Desk). 10pp. 85531:346-85531:355.
- 9509190087** Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 6, "Administrative Controls."
BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.
- 9509190376** Informs of closeout of TS upgrade program open items identified by NRC review as noted in NRC SE received for provided submittals re TS upgrade program project.
PIET, P.L. Commonwealth Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 7pp. 85532:210-85532:259.
- 9509190363** Proposed tech specs re close out of TS upgrade program open items identified by NRC review noted in NRC SEs received for provided submittals re TS upgrade program project.
* Commonwealth Edison Co. 95/09/15. 43pp. 85532:217-85532:259.
- 9509220092** Forwards amends 138, 132, 160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & SE. Amends initiate TS upgrade program for plants in response to 930326 application.
STANG, J.F. 95/09/18. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85564:213-85564:307.
- 9509220097** Amends 138, 132, 160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, initiating TS upgrade program for plants.
STANG, J.F. 95/09/18. 68pp. 85564:218-85564:285.
- 9509220101** Safety evaluation supporting amends 138, 132, 160 & 156 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/09/18. 22pp. 85564:286-85564:307.
- 9508250067** Application for amends to licenses DPR-29 & DPR-30, revising TS upgrade program & improving plant submittals.
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 14pp. 85584:209-85584:256.
- 9509250092** Proposed tech specs, revising TS upgrade program & improving plant submittals.
* Commonwealth Edison Co. 95/09/20. 34pp. 85584:223-85584:256.
- 9509250316** Forwards amends 139, 133, 161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively & safety evaluation. Amends respond to 921208 application, as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG, J.F. 95/09/20. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85578:157-85578:216.
- 9509250329** Amends 139, 133, 161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to 921208 application, as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG, J.F. 95/09/20. 36pp. 85578:160-85578:195.
- 9509250336** Safety evaluation supporting amends 139, 133, 161 & 157 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/09/20. 21pp. 85578:196-85578:216.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wire Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509050309** Four partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.
- 9405230154** Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of Info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN, D.S. Project Directorate I-1. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.
- 9509060133** Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDR.
POWELL, R.A. Division of Information & Publications Services (Post 940714). 95/07/26. IRWIN, D. Hunton & Williams. 2pp. 85332:042-85332:045.
- 9409120183** Forwards review of core shroud cracking ultrasonic insp results focusing on undersizing of flaws by ultrasonic insp methods used at Dresden Unit 3 & Quad Cities Unit 1.
SHAC, L.C. Division of Engineering (870413-941217). 94/09/06. SHERCIN, B.W. Division of Engineering (Post 921004). 2pp. 85332:053-85332:062.
- 9509080123** Forwards insp repts 50-254/95-05 & 50-265/95-05 & NOV.
HILAND, P.L. Region 3 (Post 820201). 95/08/25. KRAFT, E. Commonwealth Edison Co. 3pp. 85324:189-85324:216.
- 9509080133** Notice of violation from insp on 950603-0722. Violation noted: workers failed to lock carriage & winch cart together prior to loading CRD J-7, on cart elevator. Checklist not completed to document risks of HPCIS troubleshooting.
HILAND, P.L. Region 3 (Post 820201). 95/08/25. 3pp. 85324:192-85324:193.
- 9509080140** Insp repts 50-254/95-05 & 50-265/95-05 on 950603-0722. Violations noted: Major areas inspected: operations, maint, engineering & technical support, plant support & issue resolution.
HILAND, P.L. Region 3 (Post 820201). 95/08/25. 23pp. 85324:194-85324:216.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509200233** Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/ GL 91-18.
ROE, J.W. 95/09/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.
- 9509220147** Forwards safety evaluation re third 10-yr interval insp program plan & associated request for relief for plant, per util 930107 ltr.
CAPRA, R.A. 95/09/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85576:246-85576:323.
- 9509220159** Safety evaluation re third 10-yr interval inservice insp program plan & associated requests for relief.
* 95/09/15. 9pp. 85576:249-85576:256.
- 9507280140** "TER on Third 10-Yr ISI Program Plan: Commonwealth Edison Co. Quad Cities Station, Units 1 & 2."
BROWN, B.W. Idaho National Engineering Laboratory. FIN L-2556. INEL-95/0047. 95/06/30. NRC - No Detailed Affiliation Given. 67pp. 85576:257-85576:323.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, 'Circumferential Cracking of SG Tubes.'
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Gas Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, 'Reactor Coolant Pump Seal Failure.'
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509280079** Forwards 3rd interval ISI plan proposed relief requests CR-16 & CR-17, describing alternative testing requirements from requirements of 1989 Edition of ASME Section XI, subarticle IWA-5250(a)(2) for bolted connectors.
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 7pp. 85647:284-85647:303.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane"
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180192 Monthly operating repts for Aug 1995 for Quad Cities Nuclear Station.W/ 950908 ltr
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 95/08/31. 21pp. 85523:137-85523:157.

S. Reportable occurrences, LERs & related correspondence

9509190072 Forwards suppl info re LER 95-001. Corrective action included removal & replacement of incompatible mats along w/low carbon content spacers.
PEARCE,L.W. Commonwealth Edison Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85533:325-85533:334.

-9509190073 Informs of two addl commitments to be made re LER 95-001, rev 0.
PEARCE,L.W. Commonwealth Edison Co. 95/01/31. Document Control Branch (Document Control Desk). 1p. 85533:328-85533:334.

9509190100 Forwards LER 95-005 rev 0 re CR B HVAC inoperable due to refrigerant leak preventing operation of compressor.
PEARCE,L.W. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85533:352-85533:356.

-9509190109 LER 95-005-00 on 950812, CR HVAC sys was inoperable due to refrigerant leak that prevented operation of compressor. Fixed damaged joint & inspected remaining joints.
CHRISTOFIMOS,N. Commonwealth Edison Co. 95/09/11. 3pp. 85533:354-85533:356.

V. Operator Examinations

9509070281 Advises that license OP-30900 Docket 55-31882 will not be maintained.
KRAFT,E.S. Commonwealth Edison Co. 95/08/31. Document Control Branch (Document Control Desk). 1p. 85393:143-85393:143.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9509190384 Rev 8 to emergency implementing procedure EI-16.1, "Maint of Emergency Equipment"
WYMER,S.L. Consumers Power Co. 95/09/05. 20pp. 85535:260-85535:279.

9509190184 Informs that revs to plant emergency plan acceptable w/ exception of May 1995 rev to section 4.
CREED,J.R. Region 3 (Post 820201). 95/09/11. PALMISANO,T. Consumers Power Co. 2pp. 85504:310-85504:311.

9509190110 Advises that 950811 temporary changes to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/09/14. HAAS,K.M. Consumers Power Co. 2pp. 85524:352-85524:353.

9509260370 Rev 67 to Procedure EOF index.
* Consumers Power Co. 95/09/19. 2pp. 85620:327-85620:328.

9509260367 Rev 12 to Procedure EOF-2, "Emergency Operations Facility Director."
MITCHELL,M.H. Consumers Power Co. 95/09/20. 10pp. 85620:314-85620:323.

9509280336 Rev 5 to Emergency implementing Procedure EI-15.3, "Post Accident Sample Monitoring Sys Operator Training"
CALLAWAY,A.A. Consumers Power Co. 95/09/21. 10pp. 85655:337-85655:346.

H. General correspondence

9509110080 Encourages development of reg guide outlining requirements of SAR for cask certification above & beyond that currently required in TSAR for ISFSI, Reg Guide 3.61.
SHILLINGLAW,J. Affiliation Not Assigned. 95/08/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85459:252-85459:255.

9509080161 Requests response to listed questions re NRC evaluation of lifting lugs on casks.
SHILLINGLAW,F. Affiliation Not Assigned. 95/08/30. HANSEN NRC - No Detailed Affiliation Given. 1p. 85419:322-85419:322.

9509060003 Responds to 950802 ltr to S. Jackson re dry cask storage at plants.
MARCUS,G.H. 95/09/01. RABATA,C. Affiliation Not Assigned. 4pp. 85314:231-85314:234.

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON,J.N. 95/09/12. SHILLINGLAW,F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

9509210289 Questions why WEPC delayed loading casks until Dec, whether dry run for WEPC complete, whether NRC reviewed unloading procedure & how procedure different from Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 95/09/14. HANSEN,A. NRC - No Detailed Affiliation Given. 4pp. 85568:323-85568:326.

9509190330 Advises that new utility contact for Palisades Nuclear Plant statistical data is now BW Berles.
HANDLOVITS,S.M. Consumers Power Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85532:167-85532:167.

9509210096 Ack receipt of 950906 response to F Shillinglaw 950718 & 0818 ltrs. Questions re proprietary nature of stated documents & whether insp of metal components for Point Beach done by NRC listed.
SHILLINGLAW,F. Affiliation Not Assigned. 95/09/15. MARCUS,G.H. 2pp. 85568:327-85568:328.

9509260049 Provides organizational changes within nuclear operations affecting section 6 of Palisades TS.
SMEDLEY,R.W. Consumers Power Co. 95/09/19. Document Control Branch (Document Control Desk). 6pp. 85592:173-85592:178.

9509260065 Informs that on 950907 RW Smedley was appointed manager of Licensing Dept for plant.
VINCENT,R.A. Consumers Power Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85592:219-85592:219.

P. Operating license stage documents & correspondence

9509060266 Notifies that util completed design basis verification of safety related MOVs including all engineering & testing required to provide assurance of capability of MOVs to perform safety related functions, per GL 89-10.
SMEDLEY,R.W. Consumers Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85334:354-85334:355.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509200318 Forwards revised "Request for Approval of Change to Quality Program Description for Operational Nuclear Power Plants." Attachments 3 provides responses for specific items reviewer questioned.
FENECH,R.A. Consumers Power Co. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85547:350-85547:359.

9509150102 Summary of 950824 meeting w/NEI, PWROG, WOG, CEOG & BWO in Rockville, MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 83pp. 85509:296-85509:357.

9509200070 Comment on draft RG DG-1043 re proposed rev 2 to RG 1.149. New malfunction tests required by revised RG can be tested at required 25% per year & reported in next 4-yr testing rept w/o rev to test plan.
VINCENT,R.A. Consumers Power Co. 95/09/13. Division of Information & Publications Services (Post 940714). 2pp. 85510:014-85510:015.

9509200105 Responds to 950815 ltr which transmitted 950719 ltr from F Shillinglaw stating concerns about cask unloading procedures at plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/14. FEINGOLD,R.D. Senate. 4pp. 85542:298-85542:329.

9509210278 Forwards request for relief from ASME B&PV Code Section XI requirements re pump vibration alert levels during quarterly testing of containment spray & LPSI pumps. Resulting values of new alert limits also encl.
SMEDLEY,R.W. Consumers Power Co. 95/09/18. Document Control Branch (Document Control Desk). 105pp. 85568:131-85568:235.

9509260116 Provides addl info re TS change request re diesel generator testing.
SMEDLEY,R.W. Consumers Power Co. 95/09/21. Document Control Branch (Document Control Desk). 7pp. 85606:299-85606:308.

-9509260117 Proposed tech specs re diesel generator testing.
* Consumers Power Co. 95/09/21. 3pp. 85606:306-85606:308.

9509280189 Forwards RA for NRC to complete review of util 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes"
GAMBERONI,M. 95/09/25. HAAS,K.M. Consumers Power Co. 3pp. 85646:353-85646:355.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage"
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050018 Forwards insp rept 50-255/95-10 on 950801-04. No violations noted.
GRANT,G.E. Region 3 (Post 820201). 95/08/23. PALMISANO,T. Consumers Power Co. 4pp. 85285:328-85285:336.

-9509050021 Insp rept 50-255/95-10 on 950801-04. No violations noted. Major areas inspected: post-modification testing activities associated w/1992 RPS Upgrade Project & current RPS surveillance testing methodology.
GARDNER,R.N. Region 3 (Post 820201). 95/08/22. 5pp. 85285:332-85285:336.

9509120012 Forwards "Palisades Nuclear Power Plant Third Interval ISI Program for Class 1, 2 & 3 Components & Supports," Vols I & II.
SMEDLEY,R.W. Consumers Power Co. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85621:001-85623:128.

-9509120015 Rev 0 to "Palisades Nuclear Power Plant Third Interval ISI Program for Class 1, 2 & 3 Components & Supports," Vols I & II.
VAN WAGNER,B. Consumers Power Co. 95/03/16. 854pp. 85621:003-85623:128.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events"
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

36 DOCKETED ITEMS

9509270195 Forwards insp rept 50-255/95-09 on 950704-0821.No violations noted. KROPP,W.J. Region 3 (Post 820201). 95/09/15. PALMISANO,T. Consumers Power Co. 4pp. 85631:315-85631:333.

-9509270197 Insp rept 50-255/95-09 on 950704-0821.No violations noted. Major areas inspected:operations,engineering,maint & plant support. KROPP,W.J. Region 3 (Post 820201). 95/09/15. 15pp. 85631:319-85631:333.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509210292 Forwards enforcement conference rept 50-255/95-12 on 950907. No violations noted. GRANT,G.E. Region 3 (Post 820201). 95/09/19. PALMISANO,T. Consumers Power Co. 2pp. 85557:269-85557:307.

-9509210300 Enforcement conference rept 50-255/95-12 on 950801-04.No violations noted.Major areas discussed:apparent violations, root causes,contributing factors & licensee corrective actions. GARDNER,R.N. Region 3 (Post 820201). 95/09/13. 37pp. 85557:271-85557:307.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509110175 Monthly operating rept for Aug 1995 for Palisades Nuclear Plant.W/950905 ltr. BERLES,B.W., WILLIAMS,A.L. Consumers Power Co. 95/08/31. 5pp. 85457:276-85457:280.

9509280262 "1994 Annual Rept Of Facility Changes,Tests & Experiments." W/950925 ltr. SMEDLEY,R.W. Consumers Power Co. 95/12/31. 104pp. 85657:198-85657:301.

S. Reportable occurrences, LERs & related correspondence

9509070044 Forwards LER 95-006 re inadvertent AFW pump low suction pressure trip setpoints.Summary of three new commitments listed. HAAS,K.M. Consumers Power Co. 95/08/21. Document Control Branch (Document Control Desk). 1p. 85459:302-85459:325.

-9509070167 LER 95-006-00:on 950629,determined that AFW pump low suction pressure trip setpoints inadequate due to failure of design of AFW suction piping to consider suction vortexing.Rev of low suction pressure trip setpoints made. ROBERTS,W.L. Consumers Power Co. 95/08/21. 23pp. 85459:303-85459:325.

9509070182 LER 95-007-00:on 950720,discovered that 12 instrument loops had V-bolted type qualified cable splices connected to wires w/exposed Kapton insulation.Caused by human error.All V-bolted splices replaced w/in-line design.W/950821 ltr. ROBERTS,W.L., HAAS,K.M. Consumers Power Co. 95/08/21. 9pp. 85459:326-85459:334.

9509050151 Forwards LER 95-008 re bypassed containment high pressure trips on RPS.LER contains listed 12 new commitments.No revs to existing commitments contained within rept. HAAS,K.M. Consumers Power Co. 95/08/28. Document Control Branch (Document Control Desk). 3pp. 85371:267-85371:279.

-9509050154 LER 95-008-00:on 950728,discovered during design change testing that none of four containment high pressure channels would initiate RT.Caused by programmatic deficiencies. Reviewed selected tests & mods from recent refueling outage. GIRE,P.J. Consumers Power Co. 95/08/26. 10pp. 85371:270-85371:279.

9509080034 Part 21 rept re presence of hardwired connection in each of four containment high pressure trip logic circuits.Jumpers removed in slot 11 of interconnection module assemblies in all four channels. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 95/08/30. Document Control Branch (Document Control Desk). 4pp. 85435:057-85435:060.

9509150037 Discusses LER 95-009 & contains two new commitments & no revs to existing commitments. SMEDLEY,R.W. Consumers Power Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85518:277-85518:282.

-9509150055 LER 95-009-00:on 950728,discovered lack of procedural guidance for pump repair following fire.Proposed use of power supply breaker did not adequately address effect of loss of control power.Performed independent assessment. ROBERTS,W.L. Consumers Power Co. 95/09/08. 5pp. 85518:278-85518:282.

9509190075 RO:on 950801,loss of one channel of reactor vessel level sys occurred.Reactor water level instrument LEA-01A & signal-&-power cable will be replaced during next refueling outage. SMEDLEY,R.W. Consumers Power Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85531:342-85531:345.

9509190048 Forwards LER 95-010-00 re ESF actuation/manual reactor trip following isolation of primary coolant sys leak. SMEDLEY,R.W. Consumers Power Co. 95/09/14. Document Control Branch (Document Control Desk). 1p. 85533:292-85533:297.

-9509190053 LER 95-010-00:on 950815,ESFA resulted in manual RT following isolation of PCS.Replaced failed instrument line. GIRE,P.J. Consumers Power Co. 95/09/14. 5pp. 85533:293-85533:297.

9509210276 LER 95-011-00:on 950817,CR 40 withdrawal occurred when given insertion signal due to skill-based error in crimping & removing foreign matl from CRDM motor connection box.CRD package replaced.W/950918 ltr. ROBERTS,W.L., SMEDLEY,R.W. Consumers Power Co. 95/09/18. 8pp. 85573:173-85573:180.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509110176 Responds to 950718-0818 ltrs re dry cask storage at plant. Informs that new docket numbers recently issued for several sites.Forwards branch technical position on QA programs for independent SF storage facilities. MARCUS,G.H. 95/09/06. SHILLINGLAW,F. Affiliation Not Assigned. 8pp. 85385:272-85385:297.

-9509110194 Forwards guidance, "Std Review Plan for QA Programs for ISFSI,10CFR72," prepared by NRC QA Branch. ROUSE,L.C. Advanced Fuel & Spent Fuel Licensing Branch. 86/06/20. Affiliation Not Assigned. 1p. 85385:280-85385:280.

-9509110203 "QA Programs for ISFSI Branch Technical Position,Advanced Fuel & SF Licensing Branch." * QA Br,Div of QA,Vendor & Technical Training Center Programs,IE (850212-870413). 86/06/20. 17pp. 85385:281-85385:297.

9509210186 Discusses application of WEPC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at PBNP located in Town of Two Creeks,Manitowoc County. DORR,L.L. Wisconsin, State of. 95/09/11. HANSEN,A.G. KREISER,G. Wisconsin Electric Power Co. CULLEN,L. Affiliation Not Assigned. 5pp. 85548:291-85548:295.

9509190398 Requests addl info re unloading procedure for multi-assembly sealed basket. GAMBERONI,M. 95/09/14. HAAS,K.M. Consumers Power Co. 9pp. 85525:202-85525:244.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509010371 Advises that 950608 Rev 25 to plant physical security/ contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS,D.M. Region 2 (Post 820201). 95/08/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85313:297-85313:299.

9509050306 Advises that 950612 rev 21 to security personnel training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS,D.M. Region 2 (Post 820201). 95/08/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85345:357-85345:359.

9509070170 Forwards insp repts 50-259/95-37,50-260/95-37 & 50-296/95-37 on 950717-21.No violations noted. CASTO,C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85321:192-85321:217.

-9509070181 Insp repts 50-259/95-37,50-260/95-37 & 50-296/95-37 on 950717-21.No violations noted.Major areas inspected: safe shutdown to evaluate plant Units 2 & 3 for compliance w/Sections III,III.J & III.L of App R to 10CFR50. WISEMAN,G. Region 2 (Post 820201). 95/08/30. 23pp. 85321:195-85321:217.

9509180277 Forwards insp repts 50-259/95-32,50-260/95-32 & 50-296/95-32 on 950724-28.No violations or deviations noted. BARR,K.P. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 18pp. 85501:196-85501:215.

-9509180294 Insp repts 50-259/95-32,50-260/95-32 & 50-296/95-32 on 950724-28.No violations noted.Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR,W.M. Region 2 (Post 820201). 95/09/08. 17pp. 85501:199-85501:215.

9509180317 Forwards insp repts 50-259/95-41,50-260/95-41 & 50-296/95-41 on 950710-0811.No violations noted. CASTO,C.A. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85502:134-85502:163.

-9509180324 Insp repts 50-259/95-41,50-260/95-41 & 50-296/95-41 on 950710-0811.No violations noted.Major areas inspected: 1C EDG turbocharger failure,flow accelerated corrosion,IE bulletin 83-07 & 88-05. KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/09/11. 27pp. 85502:137-85502:163.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from evaluation. HEBDON,F.J. 95/09/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

P. Operating license stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31. IGNATONIS,A. Region 2 (Post 820201). 95/08/21. HARDING,M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

- 8509060330** Forwards amends 223,236 & 197 to licenses DPR-33,DPR-52 & DPR-68, respectively & SE Amends provide for addition of reactor trip on low scram pilot air header pressure for plant Unit 3.
WILLIAMS,J.F. 95/08/29. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85314:259-85314:298.
- 9509060334** Amends 223,236 & 197 to licenses DPR-33,DPR-52 & DPR-68, respectively, providing for addition of reactor trip on low scram pilot air header pressure for plant Unit 3 & to revise note re instrumentation requirements for all plants.
HEBDON,F.J. 95/08/29. 33pp. 85314:260-85314:292.
- 9509060337** Safety evaluation supporting amends 223,236 & 197 to licenses DPR-33,DPR-52 & DPR-68, respectively.
HEBDON,F.J. 95/08/29. 5pp. 85314:293-85314:298.
- 9509060144** Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CARRIER,P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.
- 8509120157** Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD,M.O., MACIEJEWSKI,J. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.
- 9509120250** Submits rev to commitments concerning SMART & vertical drop of RV ref legs.
SALAS,P. Tennessee Valley Authority. 95/09/05. Document Control Branch (Document Control Desk). 6pp. 85437:323-85437:328.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509200153** Forwards amends 224,239 & 198 of licenses DPR-33,DPR-52 & DPR-68, respectively & SE Amends revise reactor vessel pressure-temp curves & bolt-up temps.
WILLIAMS,J.F. 95/09/13. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85527:289-85527:322.
- 9509200302** Amends 224,239 & 198 to licenses DPR-33,DPR-52 & DPR-68, respectively, revising plants reactors vessel pressure-temp curves & bolt-up temp.
HEBDON,F.J. 95/09/13. 29pp. 85527:290-85527:318.
- 9509200306** Safety evaluation supporting amends 224,239 & 198 to licenses DPR-33,DPR-52 & DPR-68, respectively.
Office of Nuclear Reactor Regulation (Post 941001). 95/09/13. 4pp. 85527:319-85527:322.
- 9509280271** Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS,A. Region 2 (Post 820201). 95/09/14. HARDING,M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.
- 9509250019** Provides updated methodology for testing per pump & valve testing program, specifically clarification include testing in accordance w/ASME Section XI for core spray testable check valves.
SALAS,P. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 9pp. 85587:272-85587:281.
- Q. inspection reports, IE Bulletins & correspondence**
- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509070168** Forwards insp repts 50-259/95-39,50-260/95-39 & 50-296/95-296 on 950724-28.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/08/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85321:170-85321:181.
- 9509070172** Insp repts 50-259/95-39,50-260/95-39 & 50-296/95-39 on 950724-28.No violations or deviations noted.Major areas inspected:post accident monitoring instrumentation for implementation for light-water cooled nuclear plants.
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 95/08/25. 7pp. 85321:173-85321:181.
- 9509070174** Forwards insp repts 50-259/95-19,50-260/95-19 & 50-296/95-19 on 950710-14 & 0724-28.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/08/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85321:218-85321:241.
- 9509070180** Insp repts 50-259/95-19,50-260/95-19 & 50-296/95-19 on 950710-14 & 24-28.No violations noted.Major areas inspected: licensee completion of implementation of commitments made for Unit 2 in response to GL 89-10.
WHITENER,H., SHYMLOCK,M. Region 2 (Post 820201). 95/08/25. 21pp. 85321:221-85321:241.
- 9509070170** Forwards insp repts 50-259/95-37,50-260/95-37 & 50-296/95-37 on 950717-21.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85321:192-85321:217.
- 9509070181** Insp repts 50-259/95-37,50-260/95-37 & 50-296/95-37 on 950717-21.No violations noted.Major areas inspected: safe shutdown to evaluate plant Units 2 & 3 for compliance w/Sections III.G,III.J & III.L of App R to 10CFR50.
WISEMAN,G., SHYMLOCK,M.B. Region 2 (Post 820201). 95/08/30. 23pp. 85321:195-85321:217.
- 9509070225** Forwards insp repts 50-259/95-44,50-260/95-44 & 50-296/95-44 on 950731-0804.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85322:244-85322:256.
- 9509070235** Insp repts 50-259/95-44,50-260/95-44 & 50-296/95-44 on 950731-0804.No violations noted.Major areas inspected: followup insp on previous violations,unresolved items & other Unit 3 restart items.
COLEY,J.L., BLAKE,J.J. Region 2 (Post 820201). 95/08/15. 10pp. 85322:247-85322:256.
- 9509070184** Forwards insp rpt 50-259/95-43,50-260/95-43 & 50-296/95-43 on 950715-0812.No violations or deviations noted.
LESSER,M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85321:247-85321:267.
- 9509070194** Insp repts 50-259/95-43,50-260/95-43 & 50-296/95-43 on 950712-0812.No violations noted.Major areas inspected: areas of operations,plant support,maint activities & testing.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/08/31. 18pp. 85321:250-85321:267.
- 9509110131** Forwards response to NRC 950807 ltr re violations noted in insp repts 50-259/95-38,50-260/95-38 & 50-296/95-38. Corrective actions:modified field wiring for EECW pump B1 to match w/relay contact layout on drawing 3-45E768-6.
MACHON,R.D. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 7pp. 85457:349-85457:355.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509180277** Forwards insp repts 50-259/95-32,50-260/95-32 & 50-296/95-32 on 950724-28.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85501:196-85501:215.
- 9509180294** Insp repts 50-259/95-32,50-260/95-32 & 50-296/95-32 on 950724-28.No violations noted.Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 95/09/08. 17pp. 85501:199-85501:215.
- 9509180317** Forwards insp repts 50-259/95-41,50-260/95-41 & 50-296/95-41 on 950710-0811.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85502:134-85502:163.
- 9509180324** Insp repts 50-259/95-41,50-260/95-41 & 50-296/95-41 on 950710-0811.No violations noted.Major areas inspected: 1C EDG turbocharger failure,flow accelerated corrosion,IE bulletin 83-07 & 88-05.
KLEINSORGE,W.P., LENAHAAN,J.J., CHOU,R.C. Region 2 (Post 820201). 95/09/11. 27pp. 85502:137-85502:162.
- 9509180233** Forwards insp repts 50-259/95-50,50-260/95-50 & 50-296/95-50 on 950815-18.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85500:348-85500:357.
- 9509180240** Insp repts 50-259/95-50,50-260/95-50 & 50-296/95-50 on 950815-18.No violations or deviations noted.Major areas inspected:design engineering & plant mod issues associated w/restart of unit 3.
WISEMAN,G., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/06. 5pp. 85500:351-85500:357.
- 9509280226** Forwards insp repts 50-259/95-47,50-260/95-47 & 50-296/95-47.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/09/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85614:062-85614:099.
- 9509280236** Insp repts 50-259/95-47,50-260/95-47 & 50-296/95-47 on 950807-11 & 21-25.No violations noted. Major areas inspected:PASS,accident modeling instrumentation,lab QA, CREV sys,liquid radwaste processing & SBGTSs.
JONES,D.W., CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/09/12. 15pp. 85614:085-85614:099.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Clearing of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190257 Monthly operating repts for Aug 1995 for Browns Ferry Nuclear Plant W/ 950915 ltr. SMITH, T.R., SALAS, P. Tennessee Valley Authority. 95/08/31. 13pp. 85530:267-85530:270.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509010371 Advises that 950608 Rev 25 to plant physical security/ contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS, D.M. Region 2 (Post 820201). 95/08/28. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85313:297-85313:299.

9509050306 Advises that 950612 rev 21 to security personnel training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 95/08/28. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85345:357-85345:359.

9509070170 Forwards insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:192-85321:217.

9509070181 Insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. Major areas inspected: safe shutdown to evaluate plant Units 2 & 3 for compliance w/Sections III G, III J & III L of App R to 10CFR50. WISEMAN, G. Region 2 (Post 820201). 95/08/30. 23pp. 85321:195-85321:217.

9509180277 Forwards insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950710-08. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 18pp. 85501:156-85501:215.

9509180294 Insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR, W.M. Region 2 (Post 820201). 95/09/08. 17pp. 85501:199-85501:215.

9509180317 Forwards insp repts 50-259/95-41, 50-260/95-41 & 50-296/95-41 on 950710-08. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85502:134-85502:163.

9509180324 Insp repts 50-259/95-41, 50-260/95-41 & 50-296/95-41 on 950710-08. No violations noted. Major areas inspected: 1C EDG turbocharger failure, flow accelerated corrosion, IE Bulletin 83-07 & 86-05. KLEINSORGE, W.P., BLAKE, J.J. Region 2 (Post 820201). 95/09/11. 27pp. 85502:137-85502:163.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from evaluation. HEBDON, F.J. 95/09/25. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

P. Operating license stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31. IGNATONIS, A. Region 2 (Post 820201). 95/08/21. HARDING, M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509060330 Forwards amends 223,236 & 197 to licenses DPR-33, DPR-52 & DPR-66, respectively & SE. Amends provide for addition of reactor trip on low scram pilot air header pressure for plant Unit 3. WILLIAMS, J.F. 95/08/29. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85314:259-85314:298.

9509060334 Amends 223,236 & 197 to licenses DPR-33, DPR-52 & DPR-66, respectively, providing for addition of reactor trip on low scram pilot air header pressure for plant Unit 3 & to revise note re instrumentation requirements for all plants. HEBDON, F.J. 95/08/29. 33pp. 85314:260-85314:292.

9509060337 Safety evaluation supporting amends 223,236 & 197 to licenses DPR-33, DPR-52 & DPR-66, respectively. 95/08/29. 5pp. 85314:293-85314:298.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan." CARRIER, P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan." MEDFORD, M.O., MACIEJEWSKI, J. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9506310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509200153 Forwards amends 224,239 & 196 to licenses DPR-33, DPR-52 & DPR-66, respectively & SE. Amends revise reactor vessel pressure-temp curves & boil-up temps. WILLIAMS, J.F. 95/09/13. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 85527:289-85527:322.

9509200302 Amends 224,239 & 196 to licenses DPR-33, DPR-52 & DPR-66, respectively, revising plants reactors vessel pressure-temp curves & boil-up temp. HEBDON, F.J. 95/09/13. 28pp. 85527:290-85527:318.

9509200306 Safety evaluation supporting amends 224,239 & 196 to licenses DPR-33, DPR-52 & DPR-66, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/09/13. 4pp. 85527:319-85527:322.

9509280271 Provides allegations received & opened relating to licensee facilities from 950801-0831. IGNATONIS, A. Region 2 (Post 820201). 95/09/14. HARDING, M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

9509250019 Provides updated methodology for testing per pump & valve testing program, specifically clarification include testing in accordance w/ASME Section XI for core spray testable check valves. SALAS, P. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 9pp. 85587:272-85587:281.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070168 Forwards insp repts 50-259/95-39, 50-260/95-39 & 50-296/95-296 on 950724-28. No violations or deviations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:170-85321:181.

9509070172 Insp repts 50-259/95-39, 50-260/95-39 & 50-296/95-39 on 950724-28. No violations or deviations noted. Major areas inspected: post accident monitoring instrumentation for implementation for light-water cooled nuclear plants. RUDISAIL, S., SHYMLOCK, M. Region 2 (Post 820201). 95/08/25. 7pp. 85321:173-85321:181.

9509070174 Forwards insp repts 50-259/95-19, 50-260/95-19 & 50-296/95-19 on 950710-14 & 0724-28. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:218-85321:241.

9509070180 Insp repts 50-259/95-19, 50-260/95-19 & 50-296/95-19 on 950710-14 & 24-28. No violations noted. Major areas inspected: license completion of implementation of commitments made for Unit 2 in response to GL 89-10. WHITENER, H., SHYMLOCK, M. Region 2 (Post 820201). 95/08/25. 21pp. 85321:221-85321:241.

9509070170 Forwards insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:192-85321:217.

9509070181 Insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. Major areas inspected: safe shutdown to evaluate plant Units 2 & 3 for compliance w/Sections III G, III J & III L of App R to 10CFR50. WISEMAN, G., SHYMLOCK, M.B. Region 2 (Post 820201). 95/08/30. 23pp. 85321:195-85321:217.

9509070225 Forwards insp repts 50-259/95-44, 50-260/95-44 & 50-296/95-44 on 950731-0804. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85322:244-85322:256.

9509070235 Insp repts 50-259/95-44, 50-260/95-44 & 50-296/95-44 on 950731-0804. No violations noted. Major areas inspected: followup insp on previous violations, unresolved items & other Unit 3 restart items. COLEY, J.L., BLAKE, J.J. Region 2 (Post 820201). 95/08/15. 10pp. 85322:247-85322:256.

9509070184 Forwards insp rept 50-259/95-43, 50-260/95-43 & 50-296/95-43 on 950715-0812. No violations or deviations noted. LESSER, M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:247-85321:267.

9509070194 Insp repts 50-259/95-43, 50-260/95-43 & 50-296/95-43 on 950712-0812. No violations noted. Major areas inspected: areas of operations, plant support, maint activities & testing. WERT, L.D., LESSER, M.S. Region 2 (Post 820201). 95/08/31. 16pp. 85321:250-85321:267.

9509110131 Forwards response to NRC 950807 ltr re violations noted in insp repts 50-259/95-38, 50-260/95-38 & 50-296/95-38. Corrective actions: modified field wiring for EECW pump B1 to match w/relay contact layout on drawing 3-45E788-6. MACHON, R.D. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 7pp. 85457:349-85457:355.

9506310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180277 Forwards insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85501:196-85501:215.

9509180294 Insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR, W.M., BARR, K.P. Region 2 (Post 820201). 95/09/08. 17pp. 85501:199-85501:215.

9509180317 Forwards insp repts 50-259/95-41,50-260/95-41 & 50-296/95-41 on 950710-0811.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85502:134-85502:163.

-9509180324 Insp repts 50-259/95-41,50-260/95-41 & 50-296/95-41 on 950710-0811.No violations noted.Major areas inspected: 1C EDG turbocharger failure,flow accelerated corrosion,IE bulletin 83-07 & 88-05.
KLEINSORGE,W.P., LENAHA,J.J., CHOU,R.C. Region 2 (Post 820201). 95/09/11. 27pp. 85502:137-85502:163.

9509180233 Forwards insp repts 50-259/95-50,50-260/95-50 & 50-296/95-50 on 950815-18.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85500:348-85500:357.

-9509180244 Insp repts 50-259/95-50,50-260/95-50 & 50-296/95-50 on 950815-18.No violations or deviations noted.Major areas inspected:design engineering & plant mod issues associated w/restart of unit 3.
WISEMAN,G., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/06. 5pp. 85500:351-85500:357.

9509280226 Forwards insp repts 50-259/95-47,50-260/95-47 & 50-296/95-47.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/09/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85614:082-85614:099.

-9509280236 Insp repts 50-259/95-47,50-260/95-47 & 50-296/95-47 on 950807-11 & 21-25.No violations noted. Major areas inspected:PASS,accident modeling instrumentation,lab QA, GREV sys,liquid radwaste processing & SBTs.
JONES,D.W., CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/09/12. 15pp. 85614:085-85614:099.

9509130016 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190257 Monthly operating repts for Aug 1995 for Browns Ferry Nuclear Plant W/ 950915 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/08/31. 13pp. 85530:267-85530:279.

S. Reportable occurrences, LERs & related correspondence

9509180166 Forwards LER 95-006 which provides details concerning TS required valve operability test that was performed on Unit 2 excess flow check valve.
MACHON,R.D. Tennessee Valley Authority. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85533:244-85533:250.

-9509180170 LER 95-006:00 on 950814,excess flow check valve was not tested per TS requirements due to drawing deficiency. Containment isolation valve 2-RTV-3-240A was closed to isolate sensing line.
JONES,W.C. Tennessee Valley Authority. 95/09/13. 5pp. 85533:246-85533:250.

9509250026 Forwards LER 95-007,providing details concerning Unit 2 reactor scram.
MACHON,R.D. Tennessee Valley Authority. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85606:136-85606:143.

-9509250047 LER 95-007:00 on 950819,reactor scram occurred from turbine trip on low main condenser vacuum due to isolation of steam jet air ejectors because of high offgas temp.
WALLACE,J.E. Tennessee Valley Authority. 95/09/18. 6pp. 85606:138-85606:143.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509110207 Revised Plant Emergency Procedures (PEP),including Rev 10 to PEP-156,Rev 12 to PEP-655,Rev 6 to PEP-001,Rev 10 to PEP-166,Rev 11 to PEP-167,Rev 11 to PEP-169,Rev 7 to PEP-172 & Rev 8 to PEP-501 W/950901 ltr.
KRICH,R.M. Carolina Power & Light Co. 95/09/01. 87pp. 85457:001-85457:087.

9509130076 Informs that annual EP exercise scheduled to be conducted on 951102.Encl scenario,controller info & simulation data for 951102 EP exercise due to be provided to SD Ebnetter by 950919 W/o encls.
KRICH,R.M. Carolina Power & Light Co. 95/09/07. Document Control Branch (Document Control Desk). 1p. 85474:160-85474:160.

9509180182 Confirms telcon between P Jenny & K Barr on 950906 re Mgt Meeting scheduled for 951004 to discuss proposed Emergency Action Levels for Site Emergency Plan.
VERRELLI,D.M. Region 2 (Post 820201). 95/09/06. HINNANT,C.S. Carolina Power & Light Co. 4pp. 85500:133-85500:136.

9509260072 Rev 14 to EPIP PEP-451. "Emergency Work Permits & Exposure Control" W/950921 ltr.
KRICH,R.M. Carolina Power & Light Co. 95/09/08. 26pp. 85592:220-85592:245.

9509190306 Forwards SE re util 950224 proposed rev to emergency plan to relocate technical support ctr outside protected area.Util request for exception to TSC location requirement of Suppl 1 to NUREG-0737 should be granted.
ESSIG,T.H. 95/09/15. MATTHEWS,D.B. 2pp. 85524:124-85524:127.

-9509190309 Safety evaluation granting util 950224 proposed rev to emergency plan to relocate TSC outside protected area.
* 95/09/15. 2pp. 85524:125-85524:127.

9509260153 Advises that rev 26 to industrial security plan & rev 5 to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
COLLINS,D.M. Region 2 (Post 820201). 95/09/20. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85592:358-85592:360.

P. Operating license stage documents & correspondence

9509070301 Forwards info received by Region II personnel.Review of info should be submitted within 45 days of ltr receipt.W/o encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/08/23. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85323:153-85323:155.

9509050170 Confirms that stated amount electronically transferred to US Dept of Treasury,NRC on 950823 as payment for NRC fees for period 950319-0624 for listed invoices.
ROGAN,R.E. Carolina Power & Light Co. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85395:203-85395:203.

9509010202 Forwards "HB Robinson Steam Electric Plant,Unit 2,Effluent & Waste Disposal Semiannual Rept,Jan-June 1995" & Rev 9 to "HB Robinson Steam Electric Plant,Unit 2 ODCM" Rept contains info re ISFSI.
KRICH,R.M. Carolina Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 1p. 85310:001-85310:199.

-9509010211 Rev 9 to HB Robinson Steam Electric Plant,Unit 2,ODCM.
YOUNG,D.E. Carolina Power & Light Co. 94/12/30. 176pp. 85310:024-85310:199.

9509080293 Forwards amend 166 to license DPR-23 & safety eval. Amend clarifies definition of operability of charging pumps by adding stated footnote.
MOZAFARI,B.L. 95/09/05. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85383:290-85383:299.

-9509080304 Amend 166 to license DPR-23,clarifying definition of operability of charging pumps.
MATTHEWS,D.B. 95/09/05. 5pp. 85383:293-85383:297.

-9509080314 Safety evaluation supporting amend 166 to license DPR-23.
* 95/09/05. 2pp. 85383:298-85383:299.

9508310033 Suppl 5 to Generic Ltr 88-20 to CL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190296 Application for amend to license DPR-23,modifying TS 3.10.1.3 to provide for temporary conditions in which full length control rod insertion limits exceeded due to automatic plant responses or conservative operator actions.
KRICH,R.M. Carolina Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 11pp. 85536:262-85536:279.

-9509190300 Proposed tech specs re full length control rod insertion limits.
* Carolina Power & Light Co. 95/09/11. 7pp. 85536:273-85536:279.

9509210269 Forwards safety evaluation re location of Technical Support Ctr.Licensee request for exception to TSC location requirement of suppl 1 to NUREG-0737 acceptable.
MOZAFARI,B. 95/09/18. HINNANT,C.S. Carolina Power & Light Co. 2pp. 85574:275-85574:278.

-9509210273 Safety evaluation approving relocation of Technical Support Ctr.
* 95/09/18. 2pp. 85574:277-85574:278.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508180268 Ack receipt of 950823 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-19 on 950717.
VERRELLI,D.M. Region 2 (Post 820201). 95/09/06. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85501:190-85501:192.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

40 DOCKETED ITEMS

9509180286 - forwards response to NRC 950810 ltr re violations noted in insp rept 50-261/95-21. Corrective actions: matt blocking fire door swing path was removed & door was returned to svc.
HINNANT, C.S. Carolina Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 7pp. 85523:297-85523:303.

9509180347 Forwards insp rept 50-261/95-25 on 950828-0901. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/09/12. HINNANT, C.S. Carolina Power & Light Co. 3pp. 85502:249-85502:257.

-9509180342 Insp rept 50-261/95-25 on 950828-0901. No violations noted. Major areas inspected/licensed operator requalification program during 950828-0901.
MOORMAN, J.H., PEEBLES, T.A. Region 2 (Post 820201). 95/09/12. 6pp. 85502:252-85502:257.

9509220287 Forwards "Westinghouse Wadswyne Intl ISI Rept of HB Robinson Unit 2 for CP&L" & "CP&L Robinson Nuclear Power Plant Unit 2 Eddy Current Exam Rept," providing results of SG tube ISIs w/four oversize drawings.
KRICH, R.M. Carolina Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85617:001-85617:035.

-9509220290 "Westinghouse Wadswyne Intl ISI Rept of HB Robinson Unit 2 for CP&L" * Westinghouse Electric Corp. 95/08/31. 342pp. 85617:002-85617:344.

-9509220292 "CP&L Robinson Nuclear Power Plant Unit 2 Eddy Current Exam Rept." * ASB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. IR-ISI-151. 95/07/25. 419pp. 85617:345-85617:035.

9509220232 Forwards insp rept 50-261/95-23 on stated date & NOV.
VERRELLI, D.M. Region 2 (Post 820201). 95/09/18. HINNANT, C.S. Carolina Power & Light Co. 5pp. 85614:164-85614:180.

-9509220237 Notice of violation from insp on stated date. Violation noted on 950724. Operating Procedure OP-301, "Chemical & Volume Control Sys." inadequate.
* Region 2 (Post 820201). 95/09/18. 2pp. 85614:169-85614:170.

-9509220240 Insp rept 50-261/95-23 on stated date. Violations noted. Major areas inspected: plant operations & maint activities.
ORDERS, W.T., VERRELLI, D.M. Region 2 (Post 820201). 95/09/18. 10pp. 85614:171-85614:180.

9509130618 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509280196 Ack receipt of 950712 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-14 on 950612. Responds to denial, concluding that Violation A occurred & requests statement of corrective steps taken.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/09/20. HINNANT, C.S. Carolina Power & Light Co. 6pp. 85613:280-85613:285.

9509280200 Forwards corrected 950807 ltr transmitting requalification program insp rept. Ltr listed incorrect rept number.
PEEBLES, T.A. Region 2 (Post 820201). 95/09/21. HINNANT, C.S. Carolina Power & Light Co. 2pp. 85613:286-85613:288.

-9509280202 Discusses 950804 telcon w/S Allen re requalification program insp 50-261/95-25.
* NRC - No Detailed Affiliation Given. 95/08/07. HINNANT, C.S. Carolina Power & Light Co. 1p. 85613:288-85613:288.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010202 Forwards "HB Robinson Steam Electric Plant, Unit 2, Effluent & Waste Disposal Semiannual Rept, Jan-June 1995" & Rev 9 to "HB Robinson Steam Electric Plant, Unit 2 ODCM." Rept contains info re ISFSI.
KRICH, R.M. Carolina Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 1p. 85310:001-85310:199.

-9509010206 "HB Robinson Steam Electric Plant, Unit 2, Effluent & Waste Disposal Semiannual Rept for Jan-June 1995."
* Carolina Power & Light Co. 95/06/30. 22pp. 85310:002-85310:023.

-9509010211 Rev 9 to HB Robinson Steam Electric Plant, Unit 2, ODCM.
YOUNG, D.E. Carolina Power & Light Co. 94/12/30. 176pp. 85310:024-85310:199.

9509050292 Forwards semiannual FFD program performance data for period of Jan-June 1995, in accordance w/10CFR26.71(d).
ROGAN, R.E. Carolina Power & Light Co. 95/06/29. Document Control Branch (Document Control Desk). 13pp. 85345:279-85345:288.

9509180197 Monthly operating rept for Aug 1995 for HB Robinson Steam Electric Plant, W/950906 ltr.
SCARBOROUGH, J., KRICH, R.M. Carolina Power & Light Co. 95/06/31. 4pp. 85527:339-85527:342.

V. Operator Examinations

9509180337 Forwards insp rept 50-261/95-25 on 950828-0901. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/09/12. HINNANT, C.S. Carolina Power & Light Co. 3pp. 85502:249-85502:257.

-9509180342 Insp rept 50-261/95-25 on 950828-0901. No violations noted. Major areas inspected/licensed operator requalification program during 950828-0901.
MOORMAN, J.H., PEEBLES, T.A. Region 2 (Post 820201). 95/09/12. 6pp. 85502:252-85502:257.

9509280200 Forwards corrected 950807 ltr transmitting requalification program insp rept. Ltr listed incorrect rept number.
PEEBLES, T.A. Region 2 (Post 820201). 95/09/21. HINNANT, C.S. Carolina Power & Light Co. 2pp. 85613:286-85613:288.

-9509280202 Discusses 950804 telcon w/S Allen re requalification program insp 50-261/95-25.
* NRC - No Detailed Affiliation Given. 95/08/07. HINNANT, C.S. Carolina Power & Light Co. 1p. 85613:288-85613:288.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509010202 Forwards "HB Robinson Steam Electric Plant, Unit 2, Effluent & Waste Disposal Semiannual Rept, Jan-June 1995" & Rev 9 to "HB Robinson Steam Electric Plant, Unit 2 ODCM." Rept contains info re ISFSI.
KRICH, R.M. Carolina Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 1p. 85310:001-85310:199.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9509200177 Forwards rev 18 to corporate nuclear emergency plan.
HUDSON, G. Northern States Power Co. 95/09/05. Document Control Branch (Document Control Desk). 1p. 85554:102-85554:190.

-9509200180 Rev 18 to corporate nuclear emergency plan.
* Northern States Power Co. 95/09/05. 88pp. 85554:103-85554:190.

9509130097 Revised EPIPs, including rev 41 to EPIP A.2-001, rev 13 to EPIP A.2-414, rev 10 to EPIP A.2-702 & rev 4 to EPIP A.2-703. W/950908 ltr.
ANDERSON, R.O. Northern States Power Co. 95/09/08. 91pp. 85489:208-85489:298.

9509250191 Forwards rev 9 to safeguards contingency plan. Encl withheld.
ANDERSON, R.O. Northern States Power Co. 95/09/14. Document Control Branch (Document Control Desk). 1p. 85580:300-85580:300.

9509250203 Forwards rev 13 to security force training & qualification plan. Encl withheld.
ANDERSON, R.O. Northern States Power Co. 95/09/14. Document Control Branch (Document Control Desk). 1p. 85578:356-85578:356.

9509250208 Forwards rev 45 to security plan. Encl withheld.
ANDERSON, R.O. Northern States Power Co. 95/09/14. Document Control Branch (Document Control Desk). 1p. 85578:357-85578:357.

F. Operating license stage documents & correspondence

9509070055 Forwards SE accepting licensee 950315 request for relief from valve inservice testing requirements pertaining to stroke time testing of residual heat removal svc water control valves & main steam safety relief valves.
HANNON, J.N. 95/08/25. ANDERSON, R.O. Northern States Power Co. 3pp. 85373:278-85373:289.

-9509070062 Safety evaluation accepting licensee request for relief from valve inservice testing requirements pertaining to stroke time testing of residual heat removal svc water control valves & main steam safety relief valves.
* 95/07/31. 9pp. 85373:281-85373:289.

9509060295 Forwards RAI re plant leakage of MSIVs, based upon continuing NRC engineering evaluation to determine if 10CFR100 guidelines exceeded, re LER 94-10.
KIM, T. 95/08/28. ANDERSON, R.O. Northern States Power Co. 4pp. 85325:356-85325:359.

9509060018 Notification of 950907 meeting w/utilis in Rockville, MD to discuss merger of two utilis & future applications to NRC re merger.
WETZEL, B.A. 95/08/31. HANNON, J. 4pp. 85326:051-85326:054.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190371 Forwards SE re rev 2 of topical rept, "Qualification of Reactor Physics Methods for Application to Monticello." Application of CASMO-3/SIMULATE-3 acceptable for use in plant BWR reload analyses.
KIM, T. 95/09/11. ANDERSON, R.O. Northern States Power Co. 2pp. 85524:167-85524:174.

-9509190375 Safety evaluation supporting revision 2 to topical rept NSPNAD-8509, "Qualification of Reactor Physics Methods for Application to Monticello."
* 95/09/11. 6pp. 85524:169-85524:174.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wire Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509010270 Ack receipt of 950808 ltr in response to NOV dtd 950712, re fitness-for-duty test taken on 950516.
GRANT, G.E. Region 3 (Post 820201). 95/08/16. HEATH, D.J. Affiliation Not Assigned. 1p. 85285:256-85285:259.

-9509010281 Discusses consequences of violation of NRC requirements governing fitness for duty as licensed operator & forwards NOV.
MILLER, H.J. Region 3 (Post 820201). 95/07/12. HEATH, D.J. Affiliation Not Assigned. 2pp. 85285:257-85285:258.

-9509010284 Notice of violation from notification from util dtd 950816. Violation noted: licensee performed licensed duties on 950516, immediately before submission of urine sample which indicated licensee under influence of alcohol.
* Region 3 (Post 820201). 95/07/12. 1p. 85285:259-85285:259.

9509080126 Forwards insp rept 50-263/95-07 on 950818. No violations identified.
PHILLIPS, M.P. Region 3 (Post 820201). 95/08/18. WATZLE, Northern States Power Co. 5pp. 85324:217-85324:236.

-9509080136 Insp rept 50-263/95-07 on 950818. No violations noted. Major areas inspected: operations, maintenance, engineering, plant support & safety assessment areas.
PHILLIPS, M. Region 3 (Post 820201). 95/08/18. 15pp. 85324:222-85324:236.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050006 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Clearing of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060166 Forwards FFD program performance data for six month period ending 950630.
ANDERSON, R.O. Northern States Power Co. 95/08/29. Document Control Branch (Document Control Desk). 8pp. 85334:335-85334:342.

9509060167 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1995" & updated "Effluent & Waste Disposal Semiannual Rept for Jul-Dec 1994."
ANDERSON, R.O. Northern States Power Co. 95/08/29. Document Control Branch (Document Control Desk). 3pp. 85379:266-85379:288.

-9509060168 "Effluent & Waste Disposal Semiannual Rept for Jan-June 1995."
* Northern States Power Co. 95/06/30. 10pp. 85379:269-85379:278.

-9509060170 Updated "Effluent & Waste Disposal Semiannual Rept for Jul-Dec 1994."
* Northern States Power Co. 94/12/31. 10pp. 85379:279-85379:286.

9509180171 Monthly operating rept for Aug 1995 for Monticello Nuclear Generating Plant W/950913 ltr.
PAUSTIAN, H.H., ANDERSON, R.O. Northern States Power Co. 95/08/31. 5pp. 85522:164-85522:168.

V. Operator Examinations

9509010270 Ack receipt of 950808 ltr in response to NOV dtd 950712, re fitness-for-duty test taken on 950516.
GRANT, G.E. Region 3 (Post 820201). 95/08/16. HEATH, D.J. Affiliation Not Assigned. 1p. 85285:256-85285:259.

-9509010281 Discusses consequences of violation of NRC requirements governing fitness for duty as licensed operator & forwards NOV.
MILLER, H.J. Region 3 (Post 820201). 95/07/12. HEATH, D.J. Affiliation Not Assigned. 2pp. 85285:257-85285:258.

-9509010284 Notice of violation from notification from util dtd 950816. Violation noted: licensee performed licensed duties on 950516, immediately before submission of urine sample which indicated licensee under influence of alcohol.
* Region 3 (Post 820201). 95/07/12. 1p. 85285:259-85285:259.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509200215 Revised EIPs, including Rev 28 to QEP 0150-00 & Rev 8 to QEP 0150-005.
* Commonwealth Edison Co. 95/09/12. 8pp. 85554:280-85554:287.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

P. Operating license stage documents & correspondence

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking.
RUBIN, M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS, T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.

9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/09. IRWIN, D. 3pp. 85406:082-85406:185.

-9409280326 Informs that two plants submit unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submittals for plants considered to be most susceptible to core shroud cracking.
JONES, R. Reactor Systems Branch. 94/09/22. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 14pp. 85406:158-85406:170.

-9507060332 Informs that NRC staff issued SE on 940721 re core shroud cracking at Dresden, unit 3 & Quad Cities, unit 1. Staff concluded that cracked shrouds will satisfy ASME code margin against weld failure for 15 months of operation.
PHILLIPS, L.E. 95/06/29. HERMANN, R.A. 4pp. 85406:182-85406:185.

9509120003 Transmits request for approval of one-time scheduler exemption from requirements of 10CFR50.63, "Station Blackout Rule."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 10pp. 85434:352-85434:361.

9509110084 Forwards "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85459:223-85459:242.

-9509110088 "Assessment of Discrepancy in RPV Internals Seismic Analysis Dresden Unit 3 & Quad Cities Units 1 & 2."
BEHRINGER, T.J. Commonwealth Edison Co. 95/09/05. 18pp. 85459:225-85459:242.

9508310033 Suppl 5 to Generic Ltr 88-20 to OI holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140296 Forwards suppl safety evaluation re proposed core shroud repair for plant units 1 & 2. Staff informed of event which caused inadvertent loading on core shroud hardware at plant, unit 2.
PULSIFER, R.M. 95/09/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85472:315-85472:343.

-9509140308 Suppl safety evaluation supporting documentation provided by util & has concluded that util has demonstrated that stresses in core shroud repair hardware, resulting from rept inadvertent loading condition.
* 95/09/11. 5pp. 85472:318-85472:322.

-9509140316 Revised safety evaluation re proposed core shroud repair. Proposed mods of plant core shrouds acceptable.
* 95/09/11. 21pp. 85472:323-85472:343.

9509200138 Forwards amends 159 & 155 to licenses DPR-29 & DPR-30, respectively. Amends revise operating licenses to reflect transfer of IIGEC 25% undivided ownership to MidAmerican Energy Co.
PULSIFER, R.M. 95/09/11. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85543:222-85543:240.

-9509200147 Amends 159 & 155 to licenses DPR-29 & DPR-30, respectively, revising operating licenses to reflect transfer of IIGEC 25% undivided ownership to MidAmerican Energy Co.
PULSIFER, R.M. 95/09/11. 8pp. 85543:225-85543:232.

-9509200152 Safety evaluation supporting amends 159 & 155 to licenses DPR-29 & DPR-30, respectively.
* 95/09/11. 6pp. 85543:233-85543:240.

9509190311 Provides addl info re TS upgrade program Section 3/4.2, "Instrumentation."
SCHRAGE, J.L. Commonwealth Edison Co. 95/09/12. Document Control Branch (Document Control Desk). 10pp. 85531:346-85531:355.

9509190067 Documents three items clarified during recent discussions w/ NRC re 950474 application for amends to OLS, re-revising TS Section 6, "Administrative Controls."
BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509190376 Informs of closeout of TS upgrade program open items identified by NRC review as noted in NRC SE received for provided submittals re TS upgrade program project.
PIET, P.L. Commonwealth Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 7pp. 85532:110-85532:259.

42 DOCKETED ITEMS

-**9509190383** Proposed tech specs re close out of TS upgrade program open items identified by NRC review noted in NRC SEs received for provided submittals re TS upgrade program project.
* Commonwealth Edison Co. 95/09/15. 43pp. 85532:217-85532:259.

9509220092 Forwards amends 138,132,160 & 156 to licenses DPR-19,DPR-25, DPR-29 & DPR-30, respectively & SE.Amends initiate TS upgrade program for plants.in response to 930326 application.
STANG,J.F. 95/09/18. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85564:213-85564:307.

-**9509220097** Amends 138,132,160 & 156 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively,initiating TS upgrade program for plants.
STANG,J.F. 95/09/18. 68pp. 85564:218-85564:285.

-**9509220101** Safety evaluation supporting amends 138,132,160 & 156 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively.
* 95/09/18. 22pp. 85564:286-85564:307.

9509250067 Application for amends to licenses DPR-29 & DPR-30, revising TS upgrade program & improving plant submittals.
SCHRAGE,J.L. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 14pp. 85584:209-85584:256.

-**9509250092** Proposed tech specs, revising TS upgrade program & improving plant submittals.
* Commonwealth Edison Co. 95/09/20. 34pp. 85584:223-85584:256.

9509250316 Forwards amends 139,133,161 & 157 to licenses DPR-19,DPR-25, DPR-29 & DPR-30, respectively & safety evaluation.Amends respond to 921206 application,as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG,J.F. 95/09/20. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85578:157-85578:216.

-**9509250329** Amends 139,133,161 & 157 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively,responding to 921206 application,as supplemented by 930910 & 950517 ltrs re initiation of TS upgrade program for plants.
STANG,J.F. 95/09/20. 36pp. 85578:160-85578:195.

-**9509250336** Safety evaluation supporting amends 139,133,161 & 157 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively.
* 95/09/20. 21pp. 85578:196-85578:216.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509080123 Forwards insp repts 50-254/95-05 & 50-265/95-05 & NOV
HILAND,P.L. Region 3 (Post 820201). 95/08/25. KRAFT,E. Commonwealth Edison Co. 3pp. 85324:189-85324:216.

-**9509080133** Notice of violation from insp on 950603-0722.Violation noted:workers failed to lock carriage & winch cart together prior to loading CRD J-7, on cart elevator.Checklist not completed to document risks of HPCIS troubleshooting.
HILAND,P.L. Region 3 (Post 820201). 95/08/25. 3pp. 85324:192-85324:193.

-**9509080140** Insp repts 50-254/95-05 & 50-265/95-05 on 950603-0722. Violations noted.Major areas inspected:operations,maint, engineering & technical support,plant support & issue resolution.
HILAND,P. Region 3 (Post 820201). 95/08/25. 23pp. 85324:194-85324:216.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509190092 Informs of resolution of mods re RV water level instrumentation,per NRC Bulletin 93-003
PEARCE,L.W. Commonwealth Edison Co. 95/09/07. MURLEY,T.E. 2pp. 85524:211-85524:212.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05.UJI should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18.
ROE,J.W. 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.

9509220147 Forwards safety evaluation re third 10-yr interval insp program plan & associated request for relief for plant,per util 930107 ltr.
CAPRA,R.A. 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85576:246-85576:323.

-**9509220159** Safety evaluation re third 10-yr interval inservice insp program plan & associated requests for relief.
* 95/09/15. 9pp. 85576:249-85576:256.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280079 Forwards 3rd interval ISI plan proposed relief requests CR-16 & CR-17, describing testing requirements from requirements of 1989 Edition of ASME Section XI, subarticle IWA-5250(a)(2) for bolted connections.
SCHRAGE,J.L. Commonwealth Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 7pp. 85647:294-85647:303.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.

R. Periodic operating reports & related correspondence

9509180193 Monthly operating repts for Aug 1995 for Quad Cities Nuclear Station.W/ 950908 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 95/08/31. 21pp. 85523:137-85523:157.

S. Reportable occurrences, LERs & related correspondence

9509190119 Submits suppl info re LER 95-001.Caused by poor alignment of guide to seat ring due to eccentricities in various bores & registers from original mfg.
PEARCE,L.W. Commonwealth Edison Co. 95/08/24. Document Control Branch (Document Control Desk). 6pp. 85533:302-85533:312.

-**9509190186** Informs of commitments being made by ltr re suppl info concerning LER 95-001
PEARCE,L.W. Commonwealth Edison Co. 95/03/29. Document Control Branch (Document Control Desk). 1p. 85533:308-85533:312.

9509250373 LER 94-009-01: on 940522,containment interlock doors defeated to release personnel trapped inside due to malfunction of interlock door linkage.interlock doors repaired.W/950915 ltr
WETHINGTON,J., CRADICK,D., PEARCE,L.W. Commonwealth Edison Co. 95/08/31. 3pp. 35606:190-85606:197.

9509190060 Forwards suppl info re LER 94-008.Based on results of stroking frequency tests Procedure QCOS 202-13 has been implemented.
PEARCE,L.W. Commonwealth Edison Co. 95/09/07. Document Control Branch (Document Control Desk). 2pp. 85533:318-85533:324.

-**9509190063** Informs of commitments being made re LER 94-008,rev 0.
CAMPBELL,G.G. Commonwealth Edison Co. 94/05/16. Document Control Branch (Document Control Desk). 1p. 85533:320-85533:324.

V. Operator Examinations

9509070281 Advises that license OP-30900 Docket 55-31882 will not be maintained.
KRAFT,E.S. Commonwealth Edison Co. 95/08/31. Document Control Branch (Document Control Desk). 1p. 85395:143-85395:143.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070317 Revised EPIPs,including Rev 32 to EPIP index,Rev 12 to EPIP 2.1,Rev 23 to EPIP 4.1,Rev 15 to EPIP 7.3.1 & Rev 13 to EPIP 10.2.
* Wisconsin Electric Power Co. 95/08/31. 43pp. 85415:267-85415:310.

9509120338 Forwards public ver of revised EPIPs,including rev 32 to EPIP index,rev 12 to EPIP 2.1,rev 23 to EPIP 4.1,rev 15 to EPIP 7.3.1 & rev 13 to EPIP 10.2.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/08/31. Document Control Branch (Document Control Desk). 1p. 85421:274-85421:317.

9509130047 Forwards response to NRC 950803 ltr re violation noted in insp repts 50-266/95-10 & 50-301/95-10 on 950713-26. Corrective actions:safeguards info returned to central alarm station,controlled access area.
LINK,B. Wisconsin Electric Power Co. 95/09/05. Document Control Branch (Document Control Desk). 5pp. 85474:161-85474:165.

9509270199 Forwards insp repts 50-266/95-08 & 50-301/95-08 on 950617-0811 & NOV.
FARBER,M.J. Region 3 (Post 820201). 95/09/14. LINK,R. Wisconsin Electric Power Co. 2pp. 85631:279-85631:295.

-**9509270200** Notice of violation from insp on 950617-0811.Violation noted:licensee failed to implement compensatory measures for period of 23 minutes for protected area intrusion alarm zone that was not functioning.
* Region 3 (Post 820201). 95/09/14. 1p. 85631:281-85631:281.

H. General correspondence

9509110080 Encourages development of reg guide outlining requirements of SAR for cast certification above & beyond that currently required in TSAR for ISFSI.Reg Guide 3.61
SHILLINGLAW,J. Affiliation Not Assigned. 95/08/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85459:252-85459:255.

9509080161 Requests response to listed questions re NRC evaluation of lifting lugs on casks.
SHILLINGLAW,J. Affiliation Not Assigned. 95/08/30. HANSEN NRC - No Detailed Affiliation Given. 1p. 85419:322-85419:322.

9509050328 Discusses 950822 ltr to A Hansen re dry cask storage at plant. Informs that list of changes to cask sys will be reviewed.
HANSEN, A.G. 95/09/01. DUMS, D. Citizens' Utility Board. 11pp. 85325-085-85325-096.

9509060003 Responds to 950802 ltr to S Jackson re dry cask storage at plants.
MARCUS, G.H. 95/09/01. RABATA, C. Affiliation Not Assigned. 4pp. 85314-231-85314-234.

9509130094 Encourages NRC to consider all safety requirements concerning preoperational test acceptance criteria & test results re planned dry cask sys at Davis Besse (& Wisconsin Electric Power).
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. HANSEN, A.G. 2pp. 85474-223-85474-224.

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON, J.N. 95/09/12. SHILLINGLAW, F. Affiliation Not Assigned. 9pp. 85541-312-85541-353.

9509210289 Questions why WEPC delayed loading casks until Dec, whether dry run for WEPC complete, whether NRC reviewed unloading procedure & how procedure different from Palisades.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/14. HANSEN, A. NRC - No Detailed Affiliation Given. 4pp. 85568-323-85568-326.

9509210096 Ack receipt of 950906 response to F Shillinglaw 950718 & 0818 ltrs. Questions re proprietary nature of stated documents & whether insp of metal components for Point Beach done by NRC listed.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/15. MARCUS, G.H. 2pp. 85568-327-85568-328.

9509260267 Requests identification of submitted technical issues not explicitly addressed in dry cask storage action plan.
DUMS, D. Affiliation Not Assigned. 95/09/19. HANSEN, A. NRC - No Detailed Affiliation Given. 3pp. 85625-036-85625-038.

I. Financial information

9509250013 Forwards util stockholder proxy statement & FERC filings re proposed Wisconsin Energy Corp & NSP Co merger w/ five oversize drawings.
KRIEGER, G.M. Wisconsin Electric Power Co. 95/09/12. Document Control Branch (Document Control Desk). 1,200pp. 85650-001-85655-246.

P. Operating license stage documents & correspondence

9509060018 Notification of 950907 meeting w/utis in Rockville, MD to discuss merger of two utis & future applications to NRC re merger.
WETZEL, B.A. 95/06/31. HANNON, J. 4pp. 85326-051-85326-054.

9509070304 Forwards RAI re 950626 response to GL 95-03, "Circumferential Cracking of SG Tubes," & requests response within 30 days of receipt of ltr.
HANSEN, A.G. 95/09/01. LINK, R.E. Wisconsin Electric Power Co. 4pp. 85373-333-85373-336.

95090310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509250013 Forwards util stockholder proxy statement & FERC filings re proposed Wisconsin Energy Corp & NSP Co merger w/ five oversize drawings.
KRIEGER, G.M. Wisconsin Electric Power Co. 95/09/12. Document Control Branch (Document Control Desk). 1,200pp. 85650-001-85655-246.

9509200198 Application for amend to licenses DPR-24 & DPR-27, consisting of TS Change Request 181, revising TS Section 15.3.1.G.3 re RCS raw measured total flow rate w/o TS.
LINK, B. Wisconsin Electric Power Co. 95/09/13. Document Control Branch (Document Control Desk). 5pp. 85554-191-85554-195.

9509210357 Forwards 950131 decision by director of NMSS that section 72.48 applicable to general license as defined in 10CFR72, subpart K of NRC regulations.
MARCUS, G.H. 95/09/15. LINK, R.E. Wisconsin Electric Power Co. 7pp. 85562-317-85562-323.

9509280288 Forwards RAI re GL 95-03, "Circumferential Cracking of SG Tubes," requesting further clarification, within 30 days, in order to complete review.
HANSEN, A.G. 95/09/22. LINK, R.E. Wisconsin Electric Power Co. 4pp. 85636-264-85636-267.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9509130047 Forwards response to NRC 950803 ltr re violation noted in insp repts 50-266/95-10 & 50-301/95-10 on 950713-26. Corrective actions/safeguards info returned to central alarm station, controlled access area.
LINK, B. Wisconsin Electric Power Co. 95/09/05. Document Control Branch (Document Control Desk). 5pp. 85474-161-85474-165.

9509030198 NRC Info Notice 95-037 "Inadequat. Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050008 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509270199 Forwards insp repts 50-266/95-06 & 50-301/95-08 on 950617-0811 & NOV
FARBER, M.J. Region 3 (Post 820201). 95/09/14. LINK, R. Wisconsin Electric Power Co. 2pp. 85631-279-85631-295.

-9509270200 Notice of violation from insp on 950617-0811. Violation noted: licensee failed to implement compensatory measures for period of 23 minutes for protected area intrusion alarm zone that was not functioning.
* Region 3 (Post 820201). 95/09/14. 1p. 85631-281-85631-281.

-9509270202 Insp repts 50-266/95-06 & 50-301/95-08 on 950617-0811. Violations noted. Major areas inspected: operations, engineering, maint & plant support.
FARBER, M.J. Region 3 (Post 820201). 95/09/14. 14pp. 85631-282-85631-295.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85661-251-85661-259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-006.

R. Periodic operating reports & related correspondence

9509140002 Monthly operating repts for Aug 1995 for Point Beach Nuclear Plant/W/ 950907 ltr.
KOUDELKA, M.B., MAXFIELD, G.J. Wisconsin Electric Power Co. 95/08/31. 9pp. 85477-347-85477-355.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509110176 Responds to 950718-0818 ltrs re dry cask storage at plant. Informs that new docket numbers recently issued for several sites. Forwards branch technical position on QA programs for independent SF storage facilities.
MARCUS, G.H. 95/09/06. SHILLINGLAW, F. Affiliation Not Assigned. 8pp. 85385-272-85385-297.

-9509110194 Forwards guidance, "Std Review Plan for QA Programs for ISFSI, 10CFR72," prepared by NRC QA Branch.
ROUSE, L.C. Advanced Fuel & Spent Fuel Licensing Branch. 86/06/20. Affiliation Not Assigned. 1p. 85385-280-85385-280.

-9509110203 "QA Programs for ISFSI Branch Technical Position, Advanced Fuel & SF Licensing Branch."
* QA Br, Div of QA, Vendor & Technical Training Center Programs, IE (850212-870413). 86/06/20. 17pp. 85385-281-85385-297.

9509210186 Discusses application of WEPC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at BPNP located in Town of Two Creeks, Manitowoc County.
DORR, L.L. Wisconsin, State of. 95/09/11. HANSEN, A.G., KRIEGER, G. Wisconsin Electric Power Co. CULLEN, L. Affiliation Not Assigned. 5pp. 85548-291-85548-295.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9509070140 Discusses 950829 predecisional enforcement conference w/utis to discuss authorized activities by NRC Meeting summary w/ attachments encl.
SCARANO, R.A. Region 4 (Post 820201). 95/09/01. CRAWFORD, A.C. Public Service Co. of Colorado. 50pp. 85321-027-85321-075.

9509030198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050008 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130191 Forwards response to notice of violation re potential hostile "chilling" work environ at FSV project. Author issued safety alert bulletin, stating company policy re safety, open exchange of info & rights of protected workers.
ZARGES, T.H. Morrison-Knudsen Co., Inc. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85474-001-85474-134.

44 DOCKETED ITEMS

-9509130197 Responds to NRC 950814 ltr re NOV (EA-95-079) related to creation of hostile work environ by Morrison-Knudsen employees at PSC FSV facility. C/A distributed "Rept of...NRC Program for Protecting Allegers Against Retaliation." PARDI, L.E. Morrison-Knudsen Co., Inc. 95/09/13. Document Control Branch (Document Control Desk). 133pp. 85474:002-85474:134.

9509140363 Advises of error in 950913 ltr & requests that NRC replace incorrect statement w/correct statement in response to violations noted in insp rept. PARDI, L.E. Morrison-Knudsen Co., Inc. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85520:094-85520:096.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:258.

9509140385 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 85-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:027.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509260359 Ack receipt of 950913 ltr informing NRC of steps taken to correct violations noted in insp rept on 950814. SCARANO, R.A. Region 4 (Post 820201). 95/09/25. PARDI, L.E. Morrison-Knudsen Co., Inc. 5pp. 85589:036-85589:052.

9508270140 Ack receipt of 950913 ltr informing NRC of steps taken to correct violations noted in insp of license DPR-34 on 950814. SCARANO, R.A. Region 4 (Post 820201). 95/09/25. CRAWFORD, A.C. Public Service Co. of Colorado. 5pp. 85589:001-85589:015.

-9509270145 Responds to NRC 950814 ltr re violations noted in insp of license DPR-34. Corrective actions: third party investigation, personnel actions, training, enhanced communications & oversight, team building & hot line. CRAWFORD, A.C. Public Service Co. of Colorado. 95/09/13. Document Control Branch (Document Control Desk). 10pp. 85589:006-85589:015.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180148 "Quarterly 10CFR50.59 Rept of Changes, Tests & Experiments for FSV Decommissioning," covering period of 950516-0815 W/ 950914 ltr. FISCHER, M.J. Public Service Co. of Colorado. 95/09/14. 7pp. 85522:113-85522:119.

W. Decommissioning Stage Documents & Correspondence

9509190266 "Confirmatory Survey for Rapower Area FSV Platteville, CO," final rept. ABELQUIST, E.W. Oak Ridge Associated Universities. FIN A-9076. ORISE 95/F-80. 95/06/19. Division of Waste Management (NMSS 940403). 45pp. 85535:307-85535:354.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509060089 Forwards public version of revised EIPs, including Rev 95-07 to cover sheet & table of contents & RP/O/B/1000/21 & RP/O/B/1000/26. HAMPTON, J.W. Duke Power Co. 95/08/16. Document Control Branch (Document Control Desk). 2pp. 85385:113-85385:141.

-9509060101 PDR version of revised EIPs, including Rev 95-07 to cover sheet & table of contents & RP/O/B/1000/21 & RP/O/B/1000/26. JENNINGS, C.C., FOSTER, W.W. Duke Power Co. 95/08/16. 26pp. 85385:115-85385:141.

9509120243 Forwards rev to "ONS Selected Licensee Commitments Manual (SLC)." Rev to SLC manual revises SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable. HAMPTON, J.W. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85437:314-85437:322.

-9509120253 Rev to "ONS Selected Licensee Commitments (SLC) Manual," revising SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable. * Duke Power Co. 95/09/01. 7pp. 85437:316-85437:322.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300, 50-270/95-300 & 50-287/95-300. HAMPTON, J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

9509140120 Forwards ERDS implementation documents & data point library updates. W/o encls. JOLICOEUR, J.R. Incident Response Branch. 95/09/07. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 85439:344-85439:349.

9509290035 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage. BERKOW, H.N. 95/09/22. TUCKMAN, M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial information

9509110237 Forwards 1994 annual repts for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl. TUCKMAN, M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.

-9509110242 "DPC 1994 Annual Rept." GRING, W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

-9509110246 "NC Electric Membership Corp 1994 Annual Rept." KELLER, W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

-9509110244 "NC Municipal Power Agency 1 1994 Annual Rept." CLAY, G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

-9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept." DUNCAN, D.V., BAUER, J.A. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

P. Operating license stage documents & correspondence

9509180115 Forwards proprietary request for info re computer software that could be used at facilities. Encl withheld (ref 10CFR2.790(a)). BERKOW, H.N. 95/07/28. TUCKMAN, M.S. Duke Power Co. 3pp. 85520:321-85520:323.

9509010093 Forwards rev to "ONS Selected Licensee Commitments Manual," revising Section 16.9.8 to provide addl restrictions as to when HPSW sys considered available w/regard to supporting operability of LPSW sys. HAMPTON, J.W. Duke Power Co. 95/08/21. Document Control Branch (Document Control Desk). 1p. 85341:347-85341:355.

-9509010094 Rev to "ONS Selected Licensee Commitments Manual." NIX, D. Duke Power Co. 95/08/21. 8pp. 85341:348-85341:355.

9509050314 Forwards revs to "Oconee Nuclear Station Selected Licensee Commitments (SLC) Manual," revising SLC Table 16.9-6 to include all detector protection of equipment. HAMPTON, J.W. Duke Power Co. 95/08/22. Document Control Branch (Document Control Desk). 2pp. 85342:350-85342:360.

-9509050317 Revs to "Oconee Nuclear Station Selected Licensee Commitments Manual." * Duke Power Co. 95/08/15. 9pp. 85342:352-85342:360.

9509010076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FFD testing. TUCKMAN, M.S. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

9509010102 Submits suppl response re ONS QA-1 licensing basis & GL 83-28, Section 2.2.1, Subpart 1, including plan for clarifying remaining items re QA-1 commitments. HAMPTON, J.W. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85341:356-85341:358.

9509120243 Forwards rev to "ONS Selected Licensee Commitments Manual (SLC)." Rev to SLC manual revises SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable. HAMPTON, J.W. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85437:314-85437:322.

-9509120253 Rev to "ONS Selected Licensee Commitments (SLC) Manual," revising SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable. * Duke Power Co. 95/09/01. 7pp. 85437:316-85437:322.

9509110154 Forwards analysis & technical justification supporting request for enforcement discretion dtd 950831 re post-mod operability tests. HAMPTON, J.W. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85457:248-85457:252.

9509050344 Forwards RAI re circumferential cracking of SG tubes in plant Units 1, 2 & 3, per 950428 GL 95-03. WIENS, L.A. 95/09/01. TUCKMAN, M.S. Duke Power Co. 5pp. 85314:028-85314:032.

9509110192 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR. TUCKMAN, M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.

-9509110195 Proposed tech specs, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR. * Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.

9509180263 Confirms meeting w/licensee on 951101 in Atlanta, GA to discuss LP svc water related upgrades, per 950814 telcon between JE Burchfield & RE Carroll. BONSER, B.R. Region 2 (Post 820201). 95/09/05. HAMPTON, J.W. Duke Power Co. 3pp. 85500:358-85500:360.

9509180312 Confirms 950906 telcon between WW Foster & RE Caroli, re mgt meeting in Atlanta, GA on 950914. Meeting requested to discuss circumstances re granting of enforcement discretion on 950831.
CRULEN, J.A.K. R.V. Region 2 (Post 820201). 95/09/07. HAMPTON, J.W. Duke Power Co. 3pp. 85502:129-85502:131.

9509180333 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2.
BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509180206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P, Encl withheld (ref 10CFR2.790).
TUCKMAN, M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537:333-85537:345.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070220 Forwards exam repts 50-259/95-300, 50-270/95-300 & 50-287/95-300 on 950707-13.
GIBSON, A. Region 2 (Post 820201). 95/08/09. HAMPTON, J.W. Duke Power Co. 3pp. 85322:026-85322:208.

-9509070236 Exam repts 50-269/95-300, 50-270/95-300 & 50-287/95-300 on 950707-13. Exam results: all of seven SRO & three RO passed test.
ERNSTES, M.E. Region 2 (Post 820201). 95/08/08. 180pp. 85322:029-85322:208.

9509070238 Forwards response to NRC 950727 ltr re violation noted in insp repts 50-269/95-15, 50-270/95-15 & 50-287/95-15. C/A mgt assigned selected RP personnel to monitor RCA exits & perform listed tasks during ONS Unit 3 outage.
HAMPTON, J.W. Duke Power Co. 95/08/26. Document Control Branch (Document Control Desk). 6pp. 85415:347-85415:352.

9509180307 Responds to 950831 request, informing of intention not to enforce compliance w/TS 3.7.3 for listed period of time on 950901.
EBNETER, S.D. Region 2 (Post 820201). 95/09/01. HAMPTON, J.W. Duke Power Co. 4pp. 85501:357-85501:360.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300, 50-270/95-300 & 50-287/95-300.
HAMPTON, J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

9509180291 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp rept 50-269/95-15, 50-270/95-15 & 50-287/95-15 on 950727.
BARRR, K.P. Region 2 (Post 820201). 95/09/07. HAMPTON, J.W. Duke Power Co. 3pp. 85501:332-85501:334.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2.
BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509220075 Advises that mods in response to corrective actions for 921019 loss of off-site power EDSFI findings from insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02 & LERs 92-16 & 93-01 for unit 1 will not be completed within 30 days.
HAMPTON, J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:340-85564:342.

9509220078 Forwards supplement 1 response to finding 2H from EDSFI insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02.
HAMPTON, J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:328-85564:330.

9509130018 NRC Info Notice 95-039, "Bi-therapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 7pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, 'Circumferential Cracking of SG Tubes.'
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509250261 Corrects calculation number in insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 to reflect Calculation KC-2024.
HAMPTON, J.W. Duke Power Co. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85580:335-85580:335.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolutor of Generic Issue 23, 'Reactor Coolant Pump Seal Failure.'
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010079 Forwards FFD program performance delta repts for Duke Power, Oconee, McGuire & Catawba Nuclear Stations, per 10CFR26.71(d), for period of 950101-0630.
TUCKMAN, M.S. Duke Power Co. 95/08/26. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.

9509180217 Forwards monthly operating repts for Aug 1995 for Oconee Nuclear Station & revised repts for Jul 1995.
WEBER, R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85520:324-85520:341.

-9509180221 Monthly operating repts for Aug 1995 for Oconee Nuclear Station.
WILLIAMS, R.A. Duke Power Co. 95/08/31. 15pp. 85520:326-85520:340.

-9509180226 Revised monthly operating repts for Jul 1995 for Oconee Nuclear Station.
* Duke Power Co. 95/07/31. 1p. 85520:341-85520:341.

S. Reportable occurrences, LERs & related correspondence

9509080007 LER 93-006-01 on 930602, design deficiency resulted in condition outside design basis of containment for MS line break. Reanalyzed accident scenarios in FSAR W/950829 ltr.
WILKIE, L.V., HAMPTON, J.W. Duke Power Co. 95/08/29. 8pp. 85435:074-85435:081.

9509220075 Advises that mods in response to corrective actions for 921019 loss of off-site power EDSFI findings from insp repts 50-269/93-02, 50-270/93-02 & 50-287/93-02 & LERs 92-16 & 93-01 for unit 1 will not be completed within 30 days.
HAMPTON, J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:340-85564:342.

V. Operator Examinations

9509070220 Forwards exam repts 50-259/95-300, 50-270/95-300 & 50-287/95-300 on 950707-13.
GIBSON, A. Region 2 (Post 820201). 95/08/09. HAMPTON, J.W. Duke Power Co. 3pp. 85322:026-85322:208.

-9509070236 Exam repts 50-269/95-300, 50-270/95-300 & 50-287/95-300 on 950707-13. Exam results: all of seven SRO & three RO passed test.
ERNSTES, M.E., PEBLES, T.A. Region 2 (Post 820201). 95/08/08. 180pp. 85322:029-85322:208.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300, 50-270/95-300 & 50-287/95-300.
HAMPTON, J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509060099 Forwards public version of revised EIPs, including Rev 95-07 to cover sheet & table of contents & RP/O/B/1000/21 & RP/O/B/1000/26.
HAMPTON, J.W. Duke Power Co. 95/08/16. Document Control Branch (Document Control Desk). 2pp. 85385:113-85385:141.

-9509060101 PDR version of revised EIPs, including Rev 95-07 to cover sheet & table of contents & RP/O/B/1000/21 & RB/O/B/1000/26.
JENNINGS, C.C., FOSTER, W.W. Duke Power Co. 95/08/16. 26pp. 85385:115-85385:141.

9509120243 Forwards rev to "ONS Selected Licensee Commitments Manual (SLC)." Rev to SLC manual revises SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
HAMPTON, J.W. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85437:314-85437:322.

-9509120253 Rev to "ONS Selected Licensee Commitments (SLC) Manual." revising SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
* Duke Power Co. 95/09/01. 7pp. 85437:316-85437:322.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300, 50-270/95-300 & 50-287/95-300.
HAMPTON, J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

9509140120 Forwards ERDS implementation documents & data point library updates. W/o encls.
JOLICOEUR, J.R. Incident Response Branch. 95/09/07. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 85439:348-85439:349.

46 DOCKETED ITEMS

9509290035 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
BERKOW,H.N. 95/09/22. TUCKMAN,M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial information

9509110237 Forwards 1994 annual repts for DPC,NC Municipal Power Agency,NC Electric Membership Cooperative,Piedmont Municipal Power Agency & Saluda River Electric Cooperative,DPC form 10-K also encl.
TUCKMAN,M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:256.

-9509110242 "DPC 1994 Annual Rept."
GRIGG,W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

-9509110246 "NC Electric Membership Corp 1994 Annual Rept."
KELLER,W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

-9509110244 "NC Municipal Power Agency 1 1994 Annual Rept."
CLAY,G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

-9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN,D.V., BAUER,J.A. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:256.

P. Operating license stage documents & correspondence

9509180115 Forwards proprietary request for info re computer software that could be used at facilities.Encl withheld (ref 10CFR2.790(a)).
BERKOW,H.N. 95/07/28. TUCKMAN,M.S. Duke Power Co. 3pp. 85520:321-85520:323.

9509010093 Forwards rev to "ONS Selected Licensee Commitments Manual," revising Section 16.9.6 to provide addl restrictions as to when HPSW sys considered available w/regard to supporting operability of LPSW sys.
HAMPTON,J.W. Duke Power Co. 95/08/21. Document Control Branch (Document Control Desk). 1p. 85341:347-85341:355.

-9509010094 Rev to "ONS Selected Licensee Commitments Manual."
NIX,D. Duke Power Co. 95/08/21. 8pp. 85341:348-85341:355.

9509050314 Forwards revs to "Oconee Nuclear Station Selected Licensee Commitments (SLC) Manual," revising SLC Table 16.9-6 to include all detector protection of equipment.
HAMPTON,J.W. Duke Power Co. 95/08/22. Document Control Branch (Document Control Desk). 2pp. 85342:350-85342:360.

-9509050317 Revs to "Oconee Nuclear Station Selected Licensee Commitments Manual."
* Duke Power Co. 95/08/15. 9pp. 85342:352-85342:360.

9509010076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FFD testing.
TUCKMAN,M.S. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

9509010102 Submits suppl response re ONS QA-1 licensing basis & GL 83-28,Section 2.2.1,Subpart 1,including plan for clarifying remaining items re QA-1 commitments.
HAMPTON,J.W. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85341:356-85341:358.

9509120243 Forwards rev to "ONS Selected Licensee Commitments Manual (SLC)." Rev to SLC manual revises SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
HAMPTON,J.W. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85437:314-85437:322.

-9509120253 Rev to "ONS Selected Licensee Commitments (SLC) Manual," revising SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
* Duke Power Co. 95/09/01. 7pp. 85437:316-85437:322.

9509110154 Forwards analysis & technical justification supporting request for enforcement discretion dtd 950831 re post-mod operability tests.
HAMPTON,J.W. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85457:248-85457:252.

9509050344 Forwards RAI re circumferential cracking of SG tubes in plant Units 1,2 & 3,per 950428 GL 95-03.
WIENS,L.A. 95/09/01. TUCKMAN,M.S. Duke Power Co. 5pp. 85314:028-85314:032.

9509110192 Application for amends to licenses DPR-38,DPR-47,DPR-55, NPF-9,NPF-17,NPF-35 & NPF-52,ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
TUCKMAN,M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.

-9509110195 Proposed tech specs,ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
* Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.

9509180283 Confirms meeting w/licensee on 951101 in Atlanta,GA to discuss LP svc water related upgrades,per 950814 telcon between JE Burchfield & RE Carroll.
BONSER,B.R. Region 2 (Post 823201). 95/09/05. HAMPTON,J.W. Duke Power Co. 3pp. 85500:358-85500:360.

9509180312 Confirms 950906 telcon between WW Foster & RE Carroll,re mgt meeting in Atlanta,GA on 950914.Meeting requested to discuss circumstances re granting of enforcement discretion on 950801.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/07. HAMPTON,J.W. Duke Power Co. 3pp. 85502:129-85502:131.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station,Units 1 & 2,McGuire Nuclear Station,Units 1 & 2 & Oconee Nuclear Station,Units 1 & 2.
BERKOW,H.N. 95/09/11. TUCKMAN,M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509150102 Summary of 950824 meeting w/NEI,PWROG,WOG,CEOG & BWOG in Rockville,MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 63pp. 85509:296-85509:357.

9509190206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P,Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 15pp. 85537:333-85537:345.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Trade Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.F. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070220 Forwards exam repts 50-259/95-300,50-270/95-300 & 50-287/95-300 on 950707-13.
GIBSON,J.A. Region 2 (Post 82f 201). 95/08/09. HAMPTON,J.W. Duke Power Co. 3pp. 85322:026-85322:208.

-9509070236 Exam repts 50-269/95-300,50-270/95-300 & 50-287/95-300 on 950707-13.Exam results:all of seven SRC & three RO passed test.
ERNSTES,M.E. Region 2 (Post 820201). 95/08/08. 180pp. 85322:029-85322:208.

9509070238 Forwards response to NRC 950727 ltr re violation noted in insp repts 50-269/95-15,50-270/95-15 & 50-287/95-15.C/A:mgt assigned selected RP personnel to monitor RCA exits & perform listed tasks during ONS Unit 3 outage.
HAMPTON,J.W. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85415:347-85415:352.

9509180307 Responds to 950831 request,informing of intention not to enforce compliance w/TS 3.7.3 for lisd period of time on 950901.
EBNETER,S.D. Region 2 (Post 820201). 95/09/01. HAMPTON,J.W. Duke Power Co. 4pp. 85501:357-85501:361.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-259/95-300,50-270/95-300 & 50-287/95-300.
HAMPTON,J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

9509180291 Ack receipt of 950828 ltr informing NRC of steps taken to correct violations noted in insp rept 50-269/95-15, 50-270/95-15 & 50-287/95-15 on 950727.
BARR,K.P. Region 2 (Post 820201). 95/09/07. HAMPTON,J.W. Duke Power Co. 3pp. 85501:332-85501:334.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station,Units 1 & 2,McGuire Nuclear Station,Units 1 & 2 & Oconee Nuclear Station,Units 1 & 2.
BERKOW,H.N. 95/09/11. TUCKMAN,M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509220075 Advises that mods in response to corrective actions for 921019 loss of off-site power EDSFI findings from insp repts 50-269/93-02,50-270/93-02 & 50-287/93-02 & LERs 92-16 & 93-01 for unit 1 will not be completed within 30 days.
HAMPTON,J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:340-85564:342.

9509220078 Forwards supplemental response to finding 2H from EDSFI insp repts 50-269/93-02,50-270/93-02 & 50-287/93-02.
HAMPTON,J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:328-85564:330.

9509130018 NRC Info Notice 95-036, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509250261 Corrects calculation number in insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 to reflect Calculation KC-2024.
HAMPTON, J.W. Duke Power Co. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85580:335-85580:335.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010079 Forwards FFD program performance data repts for Duke Power, Oconee, McGuire & Catawba Nuclear Stations, per 10CFR26.71(d), for period of 950101-0630.
TUCKMAN, M.S. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.

9509180217 Forwards monthly operating repts for Aug 1995 for Oconee Nuclear Station & revised repts for Jul 1995.
WEBER, R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85520:324-85520:341.

-9509180221 Monthly operating repts for Aug 1995 for Oconee Nuclear Station.
WILLIAMS, R.A. Duke Power Co. 95/08/31. 15pp. 85520:326-85520:340.

-9509180226 Revised monthly operating repts for Jul 1995 for Oconee Nuclear Station.
* Duke Power Co. 95/07/31. 1p. 85520:341-85520:341.

V. Operator Examinations

9509070220 Forwards exam repts 50-259/95-300, 50-270/95-300 & 50-287/95-300 on 950707-13.
GIBSON, A. Region 2 (Post 820201). 95/08/09. HAMPTON, J.W. Duke Power Co. 3pp. 85322:026-85322:208.

-9509070236 Exam repts 50-269/95-300, 50-270/95-300 & 50-287/95-300 on 950707-13 Exam results: all of seven SRO & three RO passed test.
ERNSTES, M.E. PEEBLES, T.A. Region 2 (Post 820201). 95/08/06. 180pp. 85322:029-85322:208.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300, 50-270/95-300 & 50-287/95-300.
HAMPTON, J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9509050226 Forwards SALP rept 50-271/95-99 on 940116-950715. No violations noted. Mgt attention warranted in area of oversight of on-site review committee safety review responsibilities.
MARTIN, T.T. Region 1 (Post 820201). 95/08/28. REID, D.A. Vermont Yankee Nuclear Power Corp. 4pp. 85297:209-85297:224.

-9509050228 SALP rept 50-271/95-99 for period of 940116-950715.
* Region 1 (Post 820201). 95/08/28. 12pp. 85297:213-85297:224.

H. General correspondence

9509250269 Advises of organizational changes, including engineering support combining w/ nuclear svcs div.
KADAK, A.C. Yankee Atomic Electric Co. 95/09/20. WEISS, S. 2pp. 85616:345-85616:346.

I. Financial information

9509140014 Forwards "Vermont Yankee Nuclear Power Corp 1994 Annual Rept."
DUFFY, J.J. Vermont Yankee Nuclear Power Corp. 95/09/11. Document Control Branch (Document Control Desk). 1p. 85497:301-85497:336.

-9509140017 "Vermont Yankee Nuclear Power Corp 1994 Annual Rept."
* Vermont Yankee Nuclear Power Corp. 94/12/31. 34pp. 85497:302-85497:336.

P. Operating license stage documents & correspondence

9003290202 Forwards topical rept evaluation of Topical Rept YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses.
THADANI, A.C. Division of Systems Technology (890827-921003). 90/03/21. PAPA, J.C. Yankee Atomic Electric Co. 2pp. 85423:001-85423:011.

-9003290205 Topical rept evaluation of YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/03/21. 9pp. 85423:003-85423:011.

9509060177 Forwards application requesting approval to amend previous approval granted under 10CFR20.302(a) for disposal of contaminated septic waste to include slightly contaminated cooling tower silt mat.
DUFFY, J.J. Vermont Yankee Nuclear Power Corp. 95/08/30. Document Control Branch (Document Control Desk). 28pp. 85348:001-85348:162.

9509070011 informs that staff has no objection to revised schedule for IPEEE submittal date of 961231.
DORMAN, D.H. 95/08/30. REID, D.A. Vermont Yankee Nuclear Power Corp. App. 85325:171-85325:174.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190207 Forwards "Vermont Yankee Nuclear Power Station Cycle 18 COLR." Rev 2.
DUFFY, J.J. Vermont Yankee Nuclear Power Corp. 95/09/12. Document Control Branch (Document Control Desk). 1p. 85530:339-85530:360.

-9509190223 Rev 2 to "VYNP Cycle 18 COLR."
* Vermont Yankee Nuclear Power Corp. 95/08/30. 21pp. 85530:340-85530:360.

9509220083 Documents actions taken by util to evaluate w/o immediate code repair, small leak in svc water piping at plant & requests relief from requirement to perform immediate code repair, in accordance w/GL 90-05 & 10CFR50.55a(g)(6)(i).
DUFFY, J.J. Vermont Yankee Nuclear Power Corp. 95/09/15. Document Control Branch (Document Control Desk). 4pp. 85564:343-85564:346.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509050226 Forwards SALP rept 50-271/95-99 on 940116-950715. No violations noted. Mgt attention warranted in area of oversight of on-site review committee safety review responsibilities.
MARTIN, T.T. Region 1 (Post 820201). 95/08/28. REID, D.A. Vermont Yankee Nuclear Power Corp. 4pp. 85297:209-85297:224.

-9509050228 SALP rept 50-271/95-99 for period of 940116-950715.
* Region 1 (Post 820201). 95/08/28. 12pp. 85297:213-85297:224.

9509050301 Notification of significant licensee meeting 95-82 w/util on 950912 in Vermont, VT to discuss SALP Mgt Meeting.
CONTE, R.J. Region 1 (Post 820201). 95/08/28. Region 1 (Post 820201). 3pp. 85298:077-85298:079.

9509080184 Forwards insp rept 50-271/95-14 on 950626-30. No violations noted.
KELLY, E.M. Region 1 (Post 820201). 95/08/31. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85324:340-85324:357.

-9509080192 insp rept 50-271/95-14 on 950626-30. No violations noted. Major areas inspected: hydraulic flow model, heat exchanger testing, SW sys surveillance testing, chemistry contr. & mgt oversight.
PRIVIDY, L., KELLY, E.M. Region 1 (Post 820201). 95/08/31. 13pp. 85324:343-85324:357.

9509110165 Responds to NRC 950807 ltr re violations noted in insp rept 50-271/95-16 on 950620-22. Corrective actions: locked door & commenced investigation.
REID, D.A. Vermont Yankee Nuclear Power Corp. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85454:356-85454:357.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180338 Ack receipt of 950811 ltr informing NRC of steps taken to correct violations noted in insp rept 50-271/95-11 on 950423-0603.
LINVILLE, J.C. Region 1 (Post 820201). 95/09/12. REID, D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85502:258-85502:263.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509200315 Responds to 950717 request that NRC provide Vermont State Nuclear Advisory Panel w/info re insps of BWR internal components identified as being susceptible to age-related cracking.
MCKEE, P.F. 95/09/19. SHERMAN, W.K. Vermont, State of. 5pp. 85540:316-85540:348.

-9509200330 Submits list of requested info re insps performed on various core components susceptible to age cracking & requests comment on advisability & need for mid-cycle insps on Vermont Yankee core shroud.
SHERMAN, W.K. Vermont, State of. 95/07/17. CHAWAGA, D. Region 1 (Post 820201). 14pp. 85540:321-85540:348.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

48 DOCKETED ITEMS

9509260085 Forwards insp rept 50-271/95-19 on 950716-0821. Non-cited violations noted.
LINVILLE, J.C. Region 1 (Post 820201). 95/09/20. REID, D. Vermont Yankee Nuclear Power Corp. 3pp. 85569-262-85569-287.

-9509260086 Insp rept 50-271/95-19 on 950716-0821. Non-cited violations noted. Major areas inspected: operations, maintenance, engineering, plant support, safety assessment & quality verification.
CONTE, R.J. Region 1 (Post 820201). 95/09/19. 23pp. 85569-265-85569-287.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys (Charcoal Resulting from Chemical Cleaning of SGs)."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509010172 Forwards FPD Program Data for period of 950101-0630, for VT Yankee per 10CFR26.71(d).
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/08/28. Document Control Branch (Document Control Desk). 4pp. 85320-358-85320-361.

9509180255 Monthly operating rept for Aug 1995 for Vermont Yankee Nuclear Station W/950910 ltr.
WALLIN, G.A., WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/08/31. 6pp. 85523-291-85523-296.

S. Reportable occurrences, LERs & related correspondence

9509010004 LER 95-016-00 on 950726, stack particulate filter used in composite sample to detect Alpha & Sr 89 & 90 was misplaced due to inadequate tracking methods. Searched lab & counted rooms to look for missing sample W/950825 ltr.
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/08/28. 5pp. 85315-137-85315-141.

9509050149 LER 94-008-02 on 941004, HPCI/RCIC sys declared inoperable due to low spiking of level transmitter LT-2-3-72B instrument loop. Suspect master trip unit returned to Rosemount for failure analysis. W/950829 ltr.
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/08/29. 6pp. 85371-293-85371-296.

9509260222 LER 95-014-01 on 950725, identified App R vulnerabilities such that certain fire scenarios could result in loss of RCIC sys in alternate shutdown mode independent, multi-discipline root cause analysis team formed. W/950920 ltr.
WANCZYK, R.J. Vermont Yankee Nuclear Power Corp. 95/09/20. 7pp.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509130108 Ninth partial response to FOIA request for documents. Records in App J will be made available in PDR. App K records will be withheld in part (ref Exemption 4).
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. IRWIN, D. Hunton & Williams. 4pp. 85477-001-85477-312.

-9411140134 Discusses 941027-28 meeting w/Indian delegation in Rockville, MD re BWR safety, core shroud cracking. Fire at Indian plant & comparison w/US plant events also discussed.
MCIPHERSON, G.D. Division of Systems Safety & Analysis (Post 921004). 94/11/02. THADANI, A. Associate Director for Inspection & Technical Assessment (Post 870411). 3pp. 85477-009-85477-019.

9509110092 Rev 43 to event classification guide.
* Public Service Electric & Gas Co. of New Jersey 95/09/06. 86pp. 85453-200-85453-285.

9509180349 Forwards insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812. No violations noted.
WHITE, J.R. Region 1 (Post 820201). 95/09/13. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85503-001-85503-092.

-9509180353 Insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812. No violations noted. Major areas inspected: operations, radiological control, maintenance, surveillance, technical support, engineering & security.
WHITE, J.R. Region 1 (Post 820201). 95/09/13. 89pp. 85503-004-85503-092.

9509270047 Rev 8 to Artificial Island emergency plan attachments.
* Public Service Electric & Gas Co. of New Jersey. 95/09/22. 220pp. 85634-001-85634-220.

P. Operating license stage documents & correspondence

9509080023 Third final response to FOIA request for documents. Records in App D encl & being withheld in part (ref FOIA Exemption 5).
REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/01. WILLIAMS, O.G. JRA Associates. 3pp. 85406-033-85406-081.

-9509080025 Submits results of NRC Senior Mgt Meeting held on 950118-19. Summary of meeting, problem plant list ltr to licensees, trending ltr to licensees, draft mgt meeting summary & list of attendees encl. Portions of encl deleted.
TAYLOR, J. Ofc of the Executive Director for Operations. 95/01/27. THE CHAIRMAN, SELIN, L., ROGERS, K.C. Commissioners (Post 750119). 44pp. 85406-037-85406-081.

9509050155 Forwards SE re licensee request for relief from IST requirements for check valves 15J3 & 25J3, located in refueling water storage tank-to-suction of charging safety injection pumps piping at plant.
STOLZ, J.F. 95/08/15. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85314-089-85314-098.

-9509050160 Safety evaluation granting requested relief from code requirements.
* 95/08/15. 7pp. 85314-092-85314-098.

9509060055 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 950622 license change request LCR 95-06 re RHR operation in Modes 5 & 6 & has no comments.
TOSCH, K. New Jersey, State of. 95/08/22. Document Control Branch (Document Control Desk). 2pp. 85367-288-85367-289.

9509010188 Requests relief from ASME Section III requirements manual isolation valves in series w/relief devices.
SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 95/08/28. Document Control Branch (Document Control Desk). 11pp. 85310-201-85310-211.

9509110161 Forwards amends 175 & 156 to licenses DPR-70 & DPR-75, respectively & SE. Amends eliminate monthly manual start for auxiliary feedwater from TS Tables 3.3-3.3.3-4 & 4.3-2.
OLSHAN, L.N. 95/09/06. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85416-303-85416-323.

-9509110166 Amends 175 & 156 to licenses DPR-70 & DPR-75, respectively, eliminating monthly manual start for auxiliary feedwater from TS Tables 3.3-3.3.3-4 & 4.3-2.
STOLZ, J.F. 95/09/06. 16pp. 85416-306-85416-321.

-9509110172 Safety evaluation supporting amends 175 & 156 to licenses DPR-70 & DPR-75, respectively.
* 95/09/06. 2pp. 85416-322-85416-323.

9509210115 Submits response to request for addl info re pressurizer heaters as reliable as heaters described in NUREG-1366, "Improvements to TS Surveillance Requirements."
BENJAMIN, J.A. Public Service Electric & Gas Co. of New Jersey. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85567-358-85567-359.

9509220102 Documents 950629 telcon re amend 166 & 148 adding new action statement to TS 3.1.3.2.1, "Position Indicating Sys - Operating."
BENJAMIN, J.A. Public Service Electric & Gas Co. of New Jersey. 95/09/06. Document Control Branch (Document Control Desk). 3pp. 85570-354-85570-356.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509190239 Forwards RAI on response to GL 95-03, "Circumferential Cracking of SG Tubes." Response requested by 951002.
OLSHAN, L.N. 95/09/12. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85524-128-85524-131.

9509210353 Forwards amends 176 & 157 to licenses DPR-70 & DPR-75 & SE. Amends consist of changes to TSs in response to 940920 application.
OLSHAN, L.N. 95/09/18. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85562-173-85562-191.

-9509210356 Amends 176 & 157 to licenses DPR-70 & DPR-75, respectively, consisting of changes to TSs in response to 940920 application.
STOLZ, J.F. 95/09/18. 13pp. 85562-176-85562-188.

-9509210361 Safety evaluation supporting amends 176 & 157 to licenses DPR-70 & DPR-75, respectively.
* 95/09/18. 3pp. 85562-189-85562-191.

9509220236 Forwards amends 177 & 158 to licenses DPR-70 & DPR-75, respectively & SE. Amends revise TS 3.8.2.3, "125 Vdc Distribution - Operating."
OLSHAN, L.N. 95/09/19. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85577-001-85577-027.

-9509220239 Amends 177 & 158 to licenses DPR-70 & DPR-75, respectively, revising TS 3.8.2.3, "125 Vdc Distribution - Operating."
OLSHAN, L.N. 95/09/19. 14pp. 85577-004-85577-017.

-9509220240 Safety evaluation supporting amends 177 & 158 to licenses DPR-70 & DPR-75, respectively.
* 95/09/19. 9pp. 85577-018-85577-027.

9509250135 Informs that process used to store plant records on optical disks was reviewed & found to meet intent of guidance & quality controls specified in GL 88-18.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85582-352-85582-353.

9509280074 Clarifies 950722 ltr which requested withdrawal of commitment to maintain Mgt Observation Group. Withdrawal of commitment would not eliminate Group function but maintain level of group coverage commensurate w/plant conditions.
STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/25. MARTIN, T.T. Region 1 (Post 820201). 2pp. 85645-350-85645-351.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barner Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9509010290 Discusses investigation of licenses DPR-70 & DPR-75 on 921203 & forwards notice of violation & proposed imposition of civil penalty in amount of \$80,000.
MARTIN, T.T. Region 1 (Post 820201). 95/04/11. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 85285-263-85285-271.

-9509010296 Notice of violation & proposed imposition of civil penalty in amount of \$80,000. Noncompliance noted licensee discriminated against two employees for engaging in protected activities.

Region 1 (Post 820201). 95/04/11. 3pp. 85285.268-85285.271.

9509050133 Forwards SE re licensee response to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to Reactor Coolant Sys."
OLSHAN,L.N. 95/08/15. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. App. 85314.081-85314.088.

-9509050136 Safety evaluation accepting proposed monitoring program by util. Staff finds that util provided required assurance for life of plant, as requested in Action 3 of NRC Bulletin 88-08.

95/08/15. App. 85314.085-85314.088.

9509060191 Discusses 950623 c. response. In response to NRC 950524 ltr re combined insp repts 50-272/95-07 & 50-311/95-07. Ack that licensee disagreed w/example 3 of violation B. NRC found sufficient basis to rescind example 3 from violation B.
WHITE,J.R. Region 1 (Post 820201). 95/08/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85311.303-85311.333.

9509080193 Ack receipt of 950814 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/95-10 & 50-311/95-10.
WHITE,J.R. Region 1 (Post 820201). 95/08/30. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 85311.351-85311.362.

9509080171 Forwards insp repts 50-272/95-16 & 50-311/95-16 on 950807-11. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/08/31. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85324.316-85324.328.

-9509080177 Insp repts 50-272/95-16 & 50-311/95-16 on 950807-11. No violations noted. Major areas inspected: RCP, including audits & surveillances, radiation control operations, radiation instrumentation, dosimetry & respiratory protection.
NOGGL,E.J., BORES,R. Region 1 (Post 820201). 95/08/31. 10pp. 85324.319-85324.328.

9509310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423.024-85423.035.

9509050006 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423.050-85423.060.

9509190239 Forwards RAI on response to GL 95-03, "Circumferential Cracking of SG Tubes." Response requested by 951002.
OLSHAN,L.N. 95/09/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. App. 85524.128-85524.131.

9509180349 Forwards insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812. No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/09/13. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85503.001-85503.092.

-9509180353 Insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812. No violations noted. Major areas inspected: operations, radiological control, maintenance, surveillance, technical support, engineering & security.
WHITE,J.R. Region 1 (Post 820201). 95/09/13. 89pp. 85503.004-85503.092.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561.251-85561.258.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645.021-85645.029.

9509250362 Requests approval to use ASME Code Case N498-2 in Salem & in-service insp program. Detailed discussion of requests provided in Attachment 1.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/09/20. Document Control Branch (Document Control Desk). 13pp. 85602.347-85602.359.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627.325-85627.336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645.009-85645.020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645.001-85645.008.

R. Periodic operating reports & related correspondence

9509010127 "Salem Generating Station Semianual Radioactive Effluent Release Rept." for Jan-June 1995. W/950828 ltr.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/06/30. 58pp. 85310.275-85310.336.

9509190252 Monthly operating rept for Aug 1995 for Salem Unit 1.W/ 950911 ltr.
PHILLIPS,R., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/08/31. 9pp. 85524.219-85524.227.

9509280055 "NPDES Discharge Elimination Sys Monitoring Rept for Aug 1995." W/ 950920 ltr.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/08/31. CAPORALE,G. New Jersey, State of. 19pp. 85641.342-85641.360.

S. Reportable occurrences, LERs & related correspondence

9509010010 LER 91-030-01 on 910920, both pressurizer PORVs failed operability check. Caused by inability of Buna-N diaphragm matl to maintain physical properties. Installed new Buna-N fabric reinforced diaphragm matl in Unit 1.W/950828 ltr.
LAMBERT,C., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/08/25. 7pp. 85315.130-85315.136.

9509050165 LER 94-017-01 on 941117, determined that margin for pressurizer overpressure protection during low temp conditions inadequate. Caused by design deficiency. Procedure & program commitment & compliance reemphasized. W/950831 ltr.
LAMBERT,C., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/08/25. 8pp. 85371.280-85371.287.

V. Operator Examinations

9509260114 Discusses 950919 telcon between P Bisett & J Ellis re arrangements of reactor & senior reactor initial exams scheduled for wk of 950122.
MEYER,G.W. Region 1 (Post 820201). 95/09/20. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85570.017-85570.019.

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

H. General correspondence

9509150383 Notifies NRC of change in staff at US Geological Survey TRIGA reactor facility.
FOUCHT,T. Interior, Dept. of, Geological Survey. 95/09/08. COLLINS,S.J. NRC - No Detailed Affiliation Given. 1p. 85518.349-85518.349.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509110340 Forwards Change 15 to Rev 3 to "Licensing Basis Impact Evaluation for Emergency Plan."
ANGUS,M.J. Pacific Gas & Electric Co. 95/09/05. Document Control Branch (Document Control Desk). 3pp. 85436.296-85436.309.

-9509110343 Change 15 to Rev 3 to "Licensing Basis Impact Evaluation for Emergency Plan."
Pacific Gas & Electric Co. 95/09/04. 11pp. 85436.298-85436.309.

9509140263 Requests for addl info re individual plant exam of external events, including seismic & fire analysis.
STONE,J.C. 95/09/06. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 85472.234-85472.240.

9509120088 Forwards response to NRC 950809 ltr re violations noted in insp repts 50-275/95-13 & 50-323/95-13. Corrective actions: briefed security concerning specifics of inadequate search.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85433.323-85433.326.

9509190045 Revised EIPs, including rev 14 to EP RB-15.A, rev 12 to EP RB-15.B, rev 11 to EP RB-15.C, rev 6 to EP RB-15.D, rev 7 to EP RB-15.E, rev 2 to EP RB-15.J, rev 2 to EP RB-15.K & rev 2 to EP RB-15.L.W/950908 ltr.
ANGUS,M.J. Pacific Gas & Electric Co. 95/09/08. 141pp. 85536.001-85536.141.

9509210011 Requests exemption to 10CFR73.55 & provides draft changes to plant Physical Security Plan.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85548.296-85548.297.

9509260156 Forwards proposed changes to physical security plan. Encl withheld.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85627.343-85627.344.

9509280094 Forwards EA & FONSI re request for exemption from certain requirements of 10CFR73.55, enabling util to implement hand geometry biometric sys for site access control at plant.
STONE,J.C. 95/09/21. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85635.351-85635.359.

-9509280097 Environ assessment & finding of no significant impact re request for exemption from certain requirements of 10CFR73.55, allowing implementation of hand geometry biometric sys of site access control.
STONE,J.C. 95/09/20. 5pp. 85635.355-85635.359.

9509290088 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection of licensed activities in nuclear power plant reactors against radiological sabotage for Units 1 & 2.
STONE,J.C. 95/09/26. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 85636.319-85636.325.

-9509290093 Exemption from requirements of 10CFR73.55, requirements for physical protection of licensed activities in nuclear power reactors against radiological sabotage at plant Units 1 & 2.
ROW,J.W. 95/09/26. Pacific Gas & Electric Co. 5pp. 85636.321-85636.325.

H. General correspondence

9509050033 Comment opposing petition for rulemaking PRM-50-61 re Nuclear Energy Institute proposed amends on fire safety for all NPPs.
FRANK,P.H. Affiliation Not Assigned. 95/08/23. Office of the Secretary of the Commission. 1p. 85288.029-85288.029.

50 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND, J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509120321 Informs that Dept of Toxic Substances Control proposing to add existing & proposed mixed waste units to existing hazardous waste facility permit through class 3 mod.
SHAULIS, D.I. California, State of. 95/08/24. MILLER, M.A. NRC - No Detailed Affiliation Given. 2pp. 85419:357-85419:358.

9509050350 Requests add info re licensee response to GL 95-03, "Circumferential Cracking of SG Tubes." Response requested within 30 days of receipt of ltr.
STONE, J.C. 95/08/31. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 85314:127-85314:130.

9509180141 Forwards corrected safety evaluation re combined TS to add mode 1 applicability to TS 3/4.4.2.2, "Safety Valves- Operating" & to change low-temperature overpressure protection.
STONE, J.C. 95/09/01. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 85521:314-85521:318.

-9509180147 Corrected SE supporting amends 107 & 106 to licenses DPR-82 & DPR-80, respectively.
95/08/23. 2pp. 85521:317-85521:318.

9509140263 Requests for add info re individual plant exam of external events, including seismic & fire analysis.
STONE, J.C. 95/09/06. RUEGER, G.M. Pacific Gas & Electric Co. 7pp. 85472:234-85472:240.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509220327 Forwards request for add info pertaining to licensee response to GL 95-03, "Circumferential Cracking of SG Tubes."
STONE, J.C. 95/09/20. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 85577:087-85577:090.

9509250293 Responds to request for info re proposed change to pressurizer safety valves at plant.
ANGUS, M.J. Pacific Gas & Electric Co. 95/09/20. Document Control Branch (Document Control Desk). 14pp. 85601:325-85601:338.

9509260214 Discusses 950824 ltr which requested info from NRC on NRC role in monitoring generation, treatment, storage & off-site transportation activities for mixed waste at plant.
STONE, J.C. 95/09/21. SHAULIS, D.I. California, State of. 3pp. 85586:352-85586:354.

9509260226 Notification of meeting w/util in Rockville, MD on 951005 to discuss licensee plans for extension of plant fuel cycle. Meeting agenda, encl.
STONE, J.C. 95/09/25. BATEMEN, W.H. 5pp. 85627:347-85627:351.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509110204 Forwards RAI concerning proposed change to PSVs at plant re insp rept 50-275/94-25. Requests response by 950930.
STONE, J.C. 95/08/07. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 85385:298-85385:301.

9509050026 Forwards insp repts 50-275/95-12 & 50-323/95-12 on 950625-0805. No violations noted.
DYER, J.E. Region 4 (Post 820201). 95/08/25. RUEGER, G.M. Pacific Gas & Electric Co. 5pp. 85288:001-85288:025.

-9509050031 Insp repts 50-275/95-12 & 50-323/95-12 on 950625-0805. No violations noted. Major areas inspected: operational safety verification, onsite followup to events, plant maint, plant support activities & surveillance observations.
WONG, H.J. Region 4 (Post 820201). 95/08/24. 20pp. 85288:006-85288:025.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509120086 Forwards response to NRC 950809 ltr re violations noted in insp repts 50-275/95-13 & 50-323/95-13. Corrective actions: briefed security concerning specifics of inadequate search.
RUEGER, G.M. Pacific Gas & Electric Co. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85433:323-85433:326.

9509200347 Forwards response to NRC 950621 ltr re deviation noted in insp repts 50-275/95-04 & 50-323/95-04. Corrective actions: rev to FSAR update for Figure 13.1-3 approved & submitted to incorporate changes that reflect min staffing per TS 6.2.2.
RUEGER, G.M. Pacific Gas & Electric Co. 95/09/14. Document Control Branch (Document Control Desk). 4pp. 85552:272-85552:275.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Topping Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010146 Forwards semiannual FFD performance rept for period Jan-June 1995, in accordance w/10CFR26.71(d). During reporting period, no licensed operators or supervisors tested positive. One significant FFD event noted. Description of event also encl.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/08/25. Document Control Branch (Document Control Desk). 7pp. 85310:268-85310:274.

9509200304 Monthly operating repts for Aug 1995 for Diablo Canyon Units 1 & 2. W/950915 ltr.
EUBANK, T., MALONE, D., FARRER, D. Pacific Gas & Electric Co. 95/08/31. 13pp. 85547:337-85547:349.

S. Reportable occurrences, LERs & related correspondence

9509080031 Special rept on 950806 & 7, two failures of EDG 1-2 to achieve rated output frequency within TS time limits due to degraded electronic governor performance. Motor-operated potentiometer & electronic governor replaced.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/09/01. Document Control Branch (Document Control Desk). 8pp. 85419:178-85419:185.

9509130072 LER 95-007-00 on 950808, determined that 230 kV sys may not be able to meet design basis during high sys load conditions. Root cause & applicable corrective actions will be provided in rev to LER W/950907 ltr.
BEHNKE, D.H., RUEGER, G.M. Pacific Gas & Electric Co. 95/09/07. 2pp. 85472:090-85472:091.

9509180185 LER 95-008-00 on 950811, CR ventilation sys was outside design basis due to programmatic deficiency in operation & maint of HEPA filter & charcoal adsorber sys. Revised CRVS design criteria memo. W/950911 ltr.
BEHNKE, D.H., RUEGER, G.M. Pacific Gas & Electric Co. 95/09/11. 10pp. 85533:258-85533:267.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/util in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509200188 Informs that licensee responses to requests for add info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO, J.A. 95/09/15. STOLZ, J.F. 4pp. 85543:316-85543:322.

9509260265 Submits revised PBAPS physical security plan & personnel training & qualification plan, per 10CFR50.4(b)(4)(ii). Encl withheld.
RAINEY, G.R. PECC Energy Co., (formerly Philadelphia Electric Co.). 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85600:279-85600:280.

G. Adjudicatory correspondence

9509260213 Provides update to R Ochs on staff efforts to review petition re 941202 ltr. Ltrs dtd 950802, 0616, 0214, 0622 & 950817 encl for info.
SHEA, J.W. 95/09/15. OCHS, R. Maryland Safe Energy Coalition. 4pp. 85601:001-85601:150.

-9509260225 Requests that repair plan info for PBAPS, Units 2 & 3 be reviewed & approved by 950801 in order to support contingency repair option for upcoming outage scheduled for Sept 1995. Repair plan, encl.
HUNGER, J.W. PECC Energy Co., (formerly Philadelphia Electric Co.). 95/06/22. Document Control Branch (Document Control Desk). 10pp. 85601:017-85601:026.

-9509260229 Rev 3 to "Shroud Stabilizer Hardware"
* General Electric Co. 25A5579 R03. 95/06/13. 25pp. 85601:027-85601:150.

P. Operating license stage documents & correspondence

- 9509120186 Rev E to TS Change Request (TSR) 93-16 to licenses DPR-44 & DPR-56 re implementation of improved TS. Rev E to TSR 93-16 redesignates change control mechanism from 10CFR50.59, as indicated previously, to 10CFR50.54(a) for six listed items.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. Document Control Branch (Document Control Desk). 3pp. 85435:296-85435:342.
- 9509120201 Proposed improved tech specs.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. 42pp. 85435:301-85435:342.
- 9509120357 Forwards addl info re proposed alternative repair plan for PBAPS, Units 2 & 3 core shroud, in accordance w/ 10CFR50.55(a)(3).
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85438:322-85438:356.
- 9509130062 Rev 2 to Fabrication Spec 25A5601, "Fabrication of Shroud Stabilizer."
IKEMOTO, R.H. General Electric Co. 95/08/23. 30pp. 85438:327-85438:356.
- 9509140278 Forwards amends 210 & 214 to licenses DPR-44 & DPR-56, respectively, safety evaluation & FR notice. Amends replace current TS & associated Bases w/set of ITS based on NUREG-1433, "Standard TS GE Plants, BWR/4," dtd Sept 1992.
SHEA, J.W. 95/08/30. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85460:001-85466:209.
- 9509140293 Amends 210 & 214 to licenses DPR-44 & DPR-56, respectively, replacing current TS & associated Bases w/set of ITS based on NUREG-1433, "Standard TS, GE Plants, BWR/4," dtd Sept 1992.
STOLZ, J.F. 95/06/30. 2,068pp. 85460:005-85465:252.
- 9509140303 Safety evaluation supporting amends 210 & 214 to licenses DPR-44 & DPR-56, respectively.
* 95/08/30. 313pp. 85465:253-85466:205.
- 9509140320 Notice of issuance of Amends 210 & 214 to licenses DPR-44 & DPR-56, respectively.
SHEA, J.W. 95/08/30. 4pp. 85466:206-85466:209.
- 9509120366 Forwards addl info re proposed alternative repair plan for PBAPS, Units 2 & 3 core shroud, in accordance w/ 10CFR50.55(a)(3), including proprietary mod drawing 105E455, rev 3 & parts list. Drawing 105E1455 & parts list withheld.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/05. Document Control Branch (Document Control Desk). 14pp. 85520:071-85520:084.
- 9509190013 Forwards SE re IST program relief request GVR-2, Rev 2 for Units 2 & 3, per util 950714 & 0809 ltrs.
STOLZ, J.F. 95/09/05. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85523:320-85523:333.
- 9509190019 Safety evaluation granting relief to defer testing of all EFCVs listed in Section 3.3.1 at refueling outage frequency per 10CFR50.55(f)(4)(iv).
* 95/09/05. 10pp. 85523:324-85523:333.
- 9509150167 Notifies NRC in writing that submittal amends have been implemented, as requested in 950710 & 0816 ltrs.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85508:339-85508:340.
- 9509130067 Forwards SEs which concludes that analyses in GE topical rept NEDO-32205 applicable to plants reactor vessels & reactor vessels will provide margins of safety against fracture equivalent to App G of ASME & Pressure Vessel Code.
STOLZ, J.F. 95/09/07. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85423:069-85423:077.
- 9509130074 SE concluding that analyses in GE topical rept NEDO-32205 applicable to plant reactor vessels & that reactor vessels satisfy criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423:074-85423:075.
- 9509130079 SE concluding that conclusions of topical rept applicable to plant reactor vessels & that reactor vessels satisfy criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423:076-85423:077.
- 9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509200188 Informs that licensee responses to requests for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO, J.A. 95/09/15. STOLZ, J.F. 4pp. 85543:318-85543:322.
- 9509250033 Forwards addl info re proposed alternative repair plan per 10CFR50.55(a)(3) & "Core Spray Line Tee-Box Analysis Rept for Peach Bottom Atomic Power Station Unit 3."
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/19. Document Control Branch (Document Control Desk). 3pp. 85601:339-85601:348.
- 9509250034 "Core Spray Line Tee-Box Analysis Rept for Peach Bottom Atomic Power Station Unit 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/15. 7pp. 85601:342-85601:348.
- 9509280052 Informs of change to PBAPS, Units 2 & 3 TS bases, figure 1.1-1. Change allows PBAPS Units 2 & 3 to maximize generation throughout entire fuel cycle.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/22. Document Control Branch (Document Control Desk). 4pp. 85641:332-85641:335.
- 9509290048 Forwards SE approving licensee relief request GVR-2, Rev 2, for plant Units 2 & 3.
STOLZ, J.F. 95/09/25. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85636:345-85636:359.
- 9509290051 Safety evaluation approving licensee relief request GVR-2, Rev 2, for plant Units 2 & 3.
* 95/09/25. 10pp. 85636:350-85636:359.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509050230 Forwards insp repts 50-277/95-15 & 50-278/95-15 on 950625-0812. No violations noted.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/28. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85297:229-85297:248.
- 9509050236 Insp repts 50-277/95-15 & 50-278/95-15 on 950625-0812. No violations noted. Major areas inspected: plant operations, overall assurance of quality, maint & surveillance, engineering & technical support & plant support.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/28. 17pp. 85297:232-85297:248.
- 9509190013 Forwards SE re IST program relief request GVR-2, Rev 2 for Units 2 & 3, per util 950714 & 0809 ltrs.
STOLZ, J.F. 95/09/05. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85523:320-85523:333.
- 9509190019 Safety evaluation granting relief to defer testing of all EFCVs listed in Section 3.3.1 at refueling outage frequency per 10CFR50.55(f)(4)(iv).
* 95/09/05. 10pp. 85523:324-85523:333.
- 9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509200329 Concludes that util may implement two percent sample program for RWCU welds outside of primary containment isolation valves rather than complete elimination of weld insp as proposed in 950524 ltr.
SHEA, J.W. 95/09/15. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 85543:312-85543:317.
- 9509220136 Forwards response to NRC 950817 ltr re violation noted in resident safety insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. Corrective actions: E-2 D/G 59G relay wiring discrepancy corrected & post maint testing performed.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/18. Document Control Branch (Document Control Desk). 7pp. 85570:274-85570:280.
- 9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509250213 Submits Rev 2 to Relief Request GVR-2 to second ten yr interval of IST program.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85580:357-85580:358.
- 9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

- 9505050105 Forwards performance data for FFD program for Jan-June 1995, per 10CFR26.71(d).
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/26. Document Control Branch (Document Control Desk). 19pp. 85347:339-85347:357.
- 9509190235 Monthly operating repts for Aug 1995 for Peach Bottom Units 2 & 3/W/950911 ltr.
JEFFREY, W.J., RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/31. 14pp. 85524:264-85524:277.

S. Reportable occurrences, LERs & related correspondence

- 9509190003 LER 95-004-00 on 950814, TS violation occurred when RWCU temp switch was inoperable due to design deficiency. Revised calibr sheet for TIS-2-12-099 to add note to ensure proper installation of thermistor W/950913 ltr.
WASONG, A.J., EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/13. 6pp. 85535:035-85535:040.
- 9509190361 LER 95-003-00 on 950815, unplanned ESF actuation occurred when wire was out in junction box. Evaluated addl labeling & print revs. W/950913 ltr.
WASONG, A.J., EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/13. 5pp. 85535:022-85535:026.

52 DOCKETED ITEMS

9509290089 Special rept on 950726, valid failure of E-3 EDG occurred due to dead spot on potentiometer which affected E-3 EDG controller output signal. E-3 EDG returned to operable status following motor operated potentiometer replacement.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85638:350-85638:352.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9509200188 Informs that licensee responses to requests for add info re GL 92-06, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO, J.A. 95/09/15. STOLZ, J.F. 4pp. 85543:318-85543:322.

9509260265 Submits revised PBAPS physical security plan & personnel training & qualification plan, per 10CFR50.4(b)(4)(iii). Encl withheld.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85600:279-85600:280.

G. Adjudicatory correspondence

9509260213 Provides update to R Ochs on staff efforts to review petition re 941202 ltr. Ltrs dtd 950802, 0616, 0214, 0622 & 950817 encl for info.
SHEA, J.W. 95/09/15. OCHS, R. Maryland Safe Energy Coalition. 4pp. 85601:001-85601:150.

9509260225 Requests that repair plan info for PBAPS, Units 2 & 3 be reviewed & approved by 950801 in order to support contingency repair option for upcoming outage scheduled for Sept 1995. Repair plan, encl.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/22. Document Control Branch (Document Control Desk). 10pp. 85601:017-85601:026.

9509260229 Rev 3 to "Shroud Stabilizer Hardware."
* General Electric Co. 25A5579 R03. 95/06/13. 25pp. 85601:027-85601:150.

P. Operating license stage documents & correspondence

9509120188 Rev E to TS Change Request (TSR) 93-16 to licenses DPR-44 & DPR-56 re implementation of improved TS, Rev E to TSCR 93-16 redesignates change control mechanism from 10CFR50.59, as indicated previously, to 10CFR50.54(a) for six listed items.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/26. Document Control Branch (Document Control Desk). 3pp. 85435:296-85435:342.

9509120201 Proposed improved tech specs.
* PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/26. 42pp. 85435:301-85435:342.

9509120357 Forwards add info re proposed alternative repair plan for PBAPS, Units 2 & 3 core shroud, in accordance w/ 10CFR50.55(a)(3).
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/26. Document Control Branch (Document Control Desk). 5pp. 85438:322-85438:356.

9509130062 Rev 2 to Fabrication Spec 25A5601, "Fabrication of Shroud Stabilizer."
IKEMOTO, R.H. General Electric Co. 95/06/23. 30pp. 85438:327-85438:356.

9509080300 Requests enforcement discretion from portion of FOL condition 2.C.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/30. Document Control Branch (Document Control Desk). 6pp. 85447:126-85447:134.

9509080305 Proposed tech specs, requesting enforcement discretion from portion of FOL condition 2.C.
* PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/30. 1p. 85447:134-85447:134.

9509140276 Forwards amends 210 & 214 to licenses DPR-44 & DPR-56, respectively, safety evaluation & FR notice. Amends replace current TS & associated Bases w/ set of ITS based on NUREG-1433, "Standard TS GE Plants, BWR/4," dtd Sept 1992.
SHEA, J.W. 95/08/30. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 4pp. 85460:001-85460:209.

9509140293 Amends 210 & 214 to licenses DPR-44 & DPR-56, respectively, replacing current TS & associated Bases w/ set of ITS based on NUREG-1433, "Standard TS, GE Plants, BWR/4," dtd Sept 1992.
STOLZ, J.F. 95/08/30. 2,068pp. 85460:005-85460:252.

9509140303 Safety evaluation supporting amends 210 & 214 to licenses DPR-44 & DPR-56, respectively.
* 95/08/30. 313pp. 85465:253-85466:205.

9509140320 Notice of issuance of Amends 210 & 214 to licenses DPR-44 & DPR-56, respectively.
SHEA, J.W. 95/08/30. 4pp. 85466:206-85466:209.

9509060296 Discusses request that NRC exercise discretion not to enforce compliance w/ actions required in License Condition 2.C.(5). Documents verbal granting of request.
STOLZ, J.F. 95/09/01. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 5pp. 85314:156-85314:160.

9509060262 Application for amend to license DPR-56, consisting of change request 95-07, deleting license condition 2.C.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/01. Document Control Branch (Document Control Desk). 9pp. 85421:350-85421:359.

9509060263 Proposed tech specs, consisting of change request 95-07, deleting license condition 2.C.
* PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/01. 1p. 85421:359-85421:359.

9509190013 Forwards SE re IST program relief request GVR-2, Rev 2 for Units 2 & 3, per utl 950714 & 0809 ltrs.
STOLZ, J.F. 95/09/05. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 4pp. 85523:320-85523:333.

9509190019 Safety evaluation granting relief to defer testing of all EFCVs listed in Section 3.3.1 at refueling outage frequency per 10CFR50.55(f)(4)(iv).
* 95/09/05. 10pp. 85523:324-85523:333.

9509150167 Notices NRC in writing that submittal amends have been implemented, as requested in 950710 & 0816 ltrs.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85508:339-85508:340.

9509130067 Forwards SE which concludes that analyses in GE topical rept NEDO-32205 applicable to plants reactor vessels & reactor vessels will provide margins of safety against fracture equivalent to App G of ASME & Pressure Vessel Code.
STOLZ, J.F. 95/09/07. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 5pp. 85423:069-85423:077.

9509130074 SE concluding that analyses in GE topical rept NEDO-32205 applicable to plant reactor vessels & that reactor vessels satisfy criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423:074-85423:075.

9509130033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140334 Requests for complete verification that all GL 89-10 MOVs capable of performing design basis function & notification in writing of program completion for verifying MOVs design basis function.
SHEA, J.W. 95/09/06. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 3pp. 85469:351-85469:353.

9509140354 Notification of 950915 meeting w/ utl in Bethesda, MD to discuss plant, Unit 2 Core Spray Sparger cracking issue.
SHEA, J.W. 95/09/11. STOLZ, J.F. 4pp. 85469:357-85469:360.

9509190372 Notification of 950915 meeting w/ utl in Bethesda, MD to discuss plant, Unit 2 Core Spray Sparger cracking issue. Meeting cancelled.
SHEA, J.W. 95/09/11. STOLZ, J.F. 4pp. 85525:191-85525:194.

9509200094 Forwards notice of consideration of issuance of amend. Notice relates to 950901 application for amend requesting deletion of license condition 2.C(5).
SHEA, J.W. 95/09/13. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 3pp. 85542:346-85542:356.

9509200096 Notice of consideration of issuance of amend to license DPR-56 & proposed NSHC determination & opportunity for hearing. Amend deletes License Condition 2.C(5).
STOLZ, J.F. 95/09/13. 6pp. 85542:349-85542:356.

9509200188 Informs that licensee responses to requests for add info re GL 92-06, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO, J.A. 95/09/15. STOLZ, J.F. 4pp. 85543:318-85543:322.

9509250033 Forwards add info re proposed alternative repair plan per 10CFR50.55(a)(3) & "Core Spray Line Tee-Box Analysis Rept for Peach Bottom Atomic Power Station Unit 3."
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/19. Document Control Branch (Document Control Desk). 3pp. 85601:339-85601:348.

9509250034 "Core Spray Line Tee-Box Analysis Rept for Peach Bottom Atomic Power Station Unit 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/15. 7pp. 85601:342-85601:348.

9509280052 Informs of change to PBAPS, Units 2 & 3 TS bases, figure 1.1-1. Change allows PBAPS Units 2 & 3 to maximize generation throughout entire fuel cycle.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/09/22. Document Control Branch (Document Control Desk). 4pp. 85641:332-85641:335.

9509290048 Forwards SE approving licensee relief request GVR-2, Rev 2, for plant Units 2 & 3.
STOLZ, J.F. 95/09/25. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 4pp. 85636:346-85636:359.

9509290051 Safety evaluation approving licensee relief request GVR-2, Rev 2, for plant Units 2 & 3.
* 95/09/25. 10pp. 85636:350-85636:359.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (B70411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050230 Forwards insp repts 50-277/95-15 & 50-278/95-15 on 950625-0812. No violations noted.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/28. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.), 3pp. 85297:229-85297:248.

9509050236 Insp repts 50-277/95-15 & 50-278/95-15 on 950625-0812. No violations noted. Major areas inspected: plant operations, overall assurance of quality, maint & surveillance, engineering & technical support & plant support.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/28. 17pp. 85297:232-85297:248.

9509190013 Forwards SE re IST program relief request GVR-2, Rev 2 for Units 2 & 3, per utl 950714 & 0809 ltrs.
STOLZ, J.F. 95/09/05. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 4pp. 85523:320-85523:333.

9509190019 Safety evaluation granting relief to defer testing of all EFCVs listed in Section 3.3.1 at refueling outage frequency per 10CFR50.55(f)(4)(iv).
* 95/09/05. 10pp. 85523:324-85523:333.

9506310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509200329 Concludes that util may implement two percent sample program for RWCU welds outside of primary containment isolation valves rather than complete elimination of weld insp as proposed in 950524 ltr.
SHEA, J.W. 95/09/15. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 85543-312-85543-317.

9509220136 Forwards response to NRC 950817 ltr re violation noted in resident safety insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. Corrective actions: E-2 D/G 59G relay wiring discrepancy corrected & post myint testing performed.
RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/18. Document Control Branch (Document Control Desk). 7pp. 85570-274-85570-280.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509250213 Submits Rev 2 to Relief Request GVR-2 to second ten yr interval of IST program.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85580-357-85580-358.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509050105 Forwards performance data for FFD program for Jan-June 1995, per 10CFR26.71(d).
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. Document Control Branch (Document Control Desk). 19pp. 85347-339-85347-357.

9509180235 Monthly operating repts for Aug 1995 for Peach Bottom Units 2 & 3. W/ 950911 ltr.
JEFFREY, W.J., RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/31. 14pp. 85524-264-85524-277.

S. Reportable occurrences, LERs & related correspondence

9509010012 LER 95-003-00 on 950730, Unit 3 scram occurred when "A" reactor feed pump speed increased. Caused by high reactor water level condition. Reset appropriate PCIS & RPS scram logics. W/950825 ltr.
WASONG, A.J., EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/25. 5pp. 85315-119-85315-123.

9509290089 Special rept: on 950726, valid failure of E-3 EDG occurred due to dead spot on potentiometer which affected E-3 EDG controller output signal. E-3 EDG returned to operable status following motor operated potentiometer replacement.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85638-350-85638-352.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509120229 Requests approval of rev to emergency plan. Submittal consistent w/discussions held during 950711 meeting w/util & NRC.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85436-274-85436-295.

9509120330 Revised emergency plan.
* Virginia Power (Virginia Electric & Power Co.). 95/09/06. 19pp. 85436-276-85436-295.

9509140008 Responds to violations noted in insp repts 50-280/95-10 & 50-281/95-10. Corrective actions: Procedure EPIP-3.33 revised.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85477-356-85477-359.

9509270220 informs that info being provided to plant security managers that could assist in licensee efforts to protect plants against design-basis threat of sabotage.
BUCKLEY, B.C., ENGLE, L.L. 95/09/25. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85611-359-85611-361.

H. General correspondence

9509120016 Advises of change of address as listed for facility.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85432-358-85432-359.

J. Insurance & indemnity information

9509270046 Forwards endorsement 131 & 110 to NELIA Policy NF-0186 & MAELU MF-0057, respectively.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/25. Document Control Branch (Document Control Desk). 4pp. 85631-357-85631-360.

P. Operating license stage documents & correspondence

9509060316 Forwards amend 199 to licenses DPR-32 & DPR-37, respectively & safety evaluation. Amend modifies chemical & vol control sys & SIS TS.
BUCKLEY, B.C. Project Directorste II-1 (PD2-1) (Post 941001). 95/05/31. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85332-313-85332-356.

9509060321 Amend 199 to licenses DPR-32 & DPR-37, respectively, modifying chemical & vol control sys & SIS TS.
MATTHEWS, D.B. Project Directorste II-1 (PD2-1) (Post 941001). 95/05/31. 31pp. 85332-317-85332-347.

9509060323 Safety evaluation supporting amend 199 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 9pp. 85332-348-85332-356.

9509070178 Confirms telcon between D Sommers & A Beislie on 950823 re mgt meeting scheduled for 950911 in Atlanta, GA to discuss engineering issues for plants.
CASTO, C.A. Region 2 (Post 820201). 95/08/25. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321-242-85321-244.

9509060148 Notifies of minor change in discharge or mgt of pollutants at Surry Power Station.
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 95/08/30. COOK, C.S. Virginia, Commonwealth of. 3pp. 85367-307-85367-309.

9509060343 Requests addl info re 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes."
BUCKLEY, B.C., ENGLE, L.L. 95/08/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85314-302-85314-304.

9509110002 Forwards SE granting extension of relief for requests P-16 & V-46 re third 10-yr interval IST program for plant.
MATTHEWS, D.B. 95/08/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85388-199-85388-208.

9509110003 Safety evaluation approving extension of relief for requests P-16 & V-46 re third 10-yr interval IST program for plant.
* 95/08/30. 6pp. 85388-202-85388-208.

9509080332 Forwards amends 204 & to licenses DPR-32 & DPR-37 & SE. Amends provide 2-hr allowed outage time for one residual heat removal loop.
BUCKLEY, B.C. 95/09/01. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85383-342-85383-357.

9509080333 Amends 204 to license DPR-37 & DPR-32, providing two-hr allowed outage time for one residual heat removal loop to accommodate plant safety.
MATTHEWS, D.B. 95/09/01. 10pp. 85383-345-85383-354.

9509080334 Safety evaluation supporting amend 204 to licenses DPR-32 & DPR-37.
* 95/09/01. 3pp. 85383-355-85383-357.

9509180272 Confirms meeting w/licensee on 950912 in Atlanta, GA to discuss planned reorganization of oversight function at corporate ofcs & plants, per 950830 telcon between M Bowling & A Beislie.
LANDIS, K.D. Region 2 (Post 820201). 95/09/05. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85501-193-85501-195.

9509180326 Confirms cancellation of meeting w/licensee scheduled for 950911 to discuss plant engineering issues, per 950831 telcon between M Bowling & A Beislie.
CASTO, C.A. 95/09/07. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85502-173-85502-174.

9506310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509140006 Forwards one-time relief request from ASME Section XI pressure boundary leakage corrective action & flaw evaluation requirements to permit determination of operability for pump.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/11. Document Control Branch (Document Control Desk). 24pp. 85477-313-85477-336.

9509150047 Grants relief from ASME Section XI pressure boundary leakage & flaw evaluation requirements to permit determination of operability of pump.
MATTHEWS, D.B. 95/09/12. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85487-252-85487-255.

9509150102 Summary of 950824 meeting w/NEI, PWROG, WOG, CEOG & BWOG in Rockville, MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
GAPPENTER, C.E. 95/09/12. 63pp. 85509-296-85509-357.

9509200052 Forwards amends 205 & 205 to licenses DPR-32 & DPR-37 & SE. Amend clarify SRs for reactor protection & engineered safeguards sys instrumentation & actuation logic.
BUCKLEY, B.C. 95/09/14. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85542-330-85542-345.

54 DOCKETED ITEMS

-9509200057 Amends 205 & 205 to licenses DPR-32 & DPR-37, clarifying SRs for reactor protection & engineered safeguards sys instrumentation & actuation logic. MATTHEWS, D.B. 95/09/14. 8pp. 85542:333-85542:340.

-9509200060 Safety evaluation supporting amends 205 & 205 to licenses DPR-32 & DPR-37. 95/09/14. 5pp. 85542:341-85542:345.

G. Inspection reports, IE Bulletins & correspondence

9205240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070212 Forwards insp repts 50-280/95-14 & 50-281/95-14 on 950702-0805. No violations noted. LANDIS, K.D. Region 2 (Post 820201). 95/06/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85322:001-85322:020.

-9509070215 Insp repts 50-280/95-14 & 50-281/95-14 on 950702-0805. No violations noted. Major areas inspected: plant status, operational safety verification, maint insp, surveillance insp & LER followup. BRANCH, M.W., BELISLE, G.A. Region 2 (Post 820201). 95/08/28. 16pp. 85322:005-85322:020.

9509130128 Comment supporting review of revised NRC SALP program. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85428:001-85428:002.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509140005 Responds to violations noted in insp repts 50-280/95-10 & 50-281/95-10. Corrective actions: Procedure EPIP-3.03 revised. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85477:356-85477:359.

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations. GIVSON, A.F. Region 2 (Post 820201). 95/09/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190183 Monthly operating repts for Aug 1995 for Surry Power Station Units 1 & 2. W/950912 ltr. MASON, D., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/31. 21pp. 85532:260-85532:280.

S. Reportable occurrences, LERs & related correspondence

9509250266 LER 95-006-00 on 950822, emergency SWPs 1-SW-P-1A & 1-SW-P-1C inoperable due to marine growth. Entered limiting condition for operation w/TS 3.14.B when each ESWP was removed from svc for testing W/950920 ltr. CHRISTIAN, D.A. Virginia Power (Virginia Electric & Power Co.). 95/09/20. 6pp. 85606:169-85606:174.

V. Operator Examinations

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations. GIVSON, A.F. Region 2 (Post 820201). 95/09/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509180064 Forwards proposed agenda for project status meeting scheduled for 950906 at ofcs in Rockville, MD to confirm previous conversations w/staff. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 85510:319-85510:322.

9509210075 Summary of 950906 meeting w/VEPCO in Rockville, MD re VEPCO spent fuel storage projects & licensing review of TN-32 storage cask. LUSARDI, M. Office of Nuclear Material Safety & Safeguards. 95/09/14. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 16pp. 85568:281-85568:298.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509120229 Requests approval of rev to emergency plan. Submittal consistent w/discussions held during 950711 meeting w/ubi & NRC. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85436:274-85436:295.

-9509120230 Revised emergency plan. Virginia Power (Virginia Electric & Power Co.). 95/09/06. 19pp. 85436:276-85436:295.

9509140005 Responds to violations noted in insp repts 50-280/95-10 & 50-281/95-10. Corrective actions: Procedure EPIP-3.03 revised. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85477:356-85477:359.

H. General correspondence

9509120016 Advises of change of address as listed for facility. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85432:358-85432:359.

J. Insurance & indemnity information

9509270048 Forwards endorsement 131 & 110 to NELIA Policy NF-0186 & MAELU MF-0057, respectively. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/25. Document Control Branch (Document Control Desk). 4pp. 85631:357-85631:360.

P. Operating license stage documents & correspondence

9509060316 Forwards amend 199 to licenses DPR-32 & DPR-37, respectively & safety evaluation. Amend modifies chemical & vol control sys & SIS TS. BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/31. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85332:313-85332:356.

-9509060321 Amend 199 to licenses DPR-32 & DPR-37, respectively, modifying chemical & vol control sys & SIS TS. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/31. 31pp. 85332:317-85332:347.

-9509060323 Safety evaluation supporting amend 199 to licenses DPR-32 & DPR-37, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 5pp. 85332:348-85332:356.

9509070178 Confirms telcon between D Sommers & A Belisle on 950823 re mgt meeting scheduled for 950911 in Atlanta, GA to discuss engineering issues for plants. CASTO, C.A. Region 2 (Post 820201). 95/08/25. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321:242-85321:244.

9509050148 Notifies of minor change in discharge or mgt of pollutants at Surry Power Station. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 95/08/30. COOK, C.S. Virginia, Commonwealth of. 3pp. 85367:307-85367:309.

9509060343 Requests addl info re 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes." BUCKLEY, B.C., ENGLE, L.B. 95/08/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85314:302-85314:304.

9509110002 Forwards SE granting extension of relief for requests P-16 & V-46 re third 10-yr interval IST program for plant. MATTHEWS, D.B. 95/08/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85388:199-85388:208.

-9509110003 Safety evaluation approving extension of relief for requests P-16 & V-46 re third 10-yr interval IST program for plant. 95/08/30. 6pp. 85388:202-85388:208.

9509080332 Forwards amends 204 & to licenses DPR-32 & DPR-37 & SE. Amends provide 2-h allowed outage time for one residual heat removal loop. BUCKLEY, B.C. 95/09/01. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85383:342-85383:357.

-9509080333 Amends 204 to license DPR-37 & DPR-32, providing two-hr allowed outage time for one residual heat removal loop to accommodate plant safety. MATTHEWS, D.B. 95/09/01. 10pp. 85383:345-85383:354.

-9509080334 Safety evaluation supporting amend 204 to licenses DPR-32 & DPR-37. 95/09/01. 3pp. 85383:355-85383:357.

9509180272 Confirms meeting w/licensee on 950912 in Atlanta,GA to discuss planned reorganization of oversight function at corporate ofcs & plants,per 950830 telcon between M Bowling & A Belisle.
LANDIS,K.D. Region 2 (Post 820201). 95/09/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85501:193-85501:195.

9509180326 Confirms cancellation of meeting w/licensee scheduled for 950911 to discuss plant engineering issues,per 950831 telcon between M Bowling & A Belisle.
CASTO,C.A. 95/09/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85502:173-85502:174.

950910033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150102 Summary of 950824 meeting w/NEI,PWROG,WOG,CEOG & BWOG in Rockville,MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 63pp. 85509:296-85509:357.

9509200052 Forwards amends 205 & 205 to licenses DPR-32 & DPR-37 & SE. Amend clarify SRs for reactor protection & engineered safeguards sys instrumentation & actuation logic.
BUCKLEY,B.C. 95/09/14. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85542:330-85542:345.

-9509200057 Amends 205 & 205 to licenses DPR-32 & DPR-37,clarifying SRs for reactor protection & engineered safeguards sys instrumentation & actuation logic.
MATTHEWS,D.B. 95/09/14. 8pp. 85542:333-85542:340.

-9509200050 Safety evaluation supporting amends 205 & 205 to licenses DPR-32 & DPR-37.
95/09/14. 5pp. 85542:341-85542:345.

G. Inspection reports, IE Bulletins & correspondence

8206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070212 Forwards insp repts 50-280/95-14 & 50-281/95-14 on 950702-0805.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/08/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85322:001-85322:020.

-9509070215 Insp repts 50-280/95-14 & 50-281/95-14 on 950702-0805.No violations noted.Major areas inspected:plant status, operational safety verification,maint insp,surveillance insp & LER followup.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 95/08/28. 16pp. 85322:005-85322:020.

9509080268 Forwards Safety Evaluation granting requests for relief SR-002,SR-003,SR-004,SR-006,SR-010,SR-011,RR-1 & RR-4 re third 10-yr interval insp program plan.
MATTHEWS,D.B. 95/08/30. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85385:142-85385:186.

-9509080274 Safety evaluation granting third 10-yr interval inservice insp program plan,rev 0 & associated requests for relief.
95/08/30. 7pp. 85385:146-85385:152.

-9509120068 "Technical Evaluation Rept on Third 10-yr Interval Inservice Insp Program Plan."
BROWN,B.W., FEIGE,E.J., HALL,K.W. Idaho National Engineering Laboratory. FIN L-2556. INEL-95/0280. 95/05/31. 51pp. 85385:153-85385:186.

9509130128 Comment supporting review of revised NRC SALP program.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85428:001-85428:002.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509140005 Responds to violations noted in insp repts 50-280/95-10 & 50-281/95-10.Corrective actions:Procedure EPIP-3.03 revised.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85477:356-85477:359.

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations.
GIVSON,A.F. Region 2 (Post 820201). 95/09/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040. "Supplemental Info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190183 Monthly operating repts for Aug 1995 for Surry Power Station Units 1 & 2.W/950912 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. 21pp. 85532:260-85532:280.

V. Operator Examinations

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations.
GIVSON,A.F. Region 2 (Post 820201). 95/09/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509180064 Forwards proposed agenda for project status meeting scheduled for 950906 at ofcs in Rockville,MD to confirm previous conversations w/staff.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 85510:319-85510:322.

9509210075 Summary of 950906 meeting w/VEPCO in Rockville,MD re VEPCO spent fuel storage projects & licensing review of TN-32 storage cask.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 95/09/14. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 18pp. 85568:281-85568:298.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509060228 Temporary Memo Addition (TMA) TMA-1995-0106 to Rev 6 to EPIP F3-14.1. "Onsite Radiological Monitoring." W/950828 ltr.
PFEFFER,M.J., WADLEY,M.D. Northern States Power Co. 95/08/28. 4pp. 85367:222-85367:225.

9509060287 Requests addl info re GL 92-08. "Thermo-Lag 330-1 Fire Barriers." Response should be submitted within 45 days.
WETZEL,B.A. 95/08/30. ANDERSON,R.O. Northern States Power Co. 3pp. 85314:243-85314:245.

9509200177 Forwards rev 18 to corporate nuclear emergency plan.
HUDSON,G. Northern States Power Co. 95/09/05. Document Control Branch (Document Control Desk). 1p. 85554:102-85554:100.

-9509200180 Rev 18 to corporate nuclear emergency plan.
Northern States Power Co. 95/09/05. 88pp. 85554:103-85554:190.

9509220308 Forwards Rev 3 to ISFSI security plan.Rev withheld.
WADLEY,M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:330-85570:330.

9509220312 Forwards Rev 34 to security plan.Rev withheld.
WADLEY,M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:329-85570:329.

9509260090 Ack receipt of 950807 in response to 950707 ltr requesting info re evacuation of area near plant.Submits results of review which included evaluation of 1992 evacuation time estimate by HMM Associates,Inc.
CREED,J.R. Region 3 (Post 820201). 95/09/18. WATZLE. Northern States Power Co. 2pp. 85569:301-85569:302.

9509270171 Revised EPIPs,including EPIPs table of contents,Rev 2 to F8-3. "Activation & Operation of EOF" & Rev 2 to F8-4. "Emergency Support & Logistics." W/950918 ltr.
WADLEY,M.D. Northern States Power Co. 95/09/18. 20pp. 85632:336-85632:355.

9509270174 Temporary Memo Addition TMA-1995-0109 to Rev 0 to EPIP F3-31. "Response to Security Related Threats." W/950918 ltr.
WADLEY,M.D. Northern States Power Co. 95/09/18. 12pp. 85634:350-85634:361.

9509270180 Revised EPIPs,including EPIPs table of contents,Rev 16 to F3-10,Rev 18 to F3-15,Rev 7 to F3-15.1,Rev 11 to F3-9,Rev 24 to F3-4 & Rev 8 to F3-13.3.W/950918 ltr.
WADLEY,M.D. Northern States Power Co. 95/09/18. 127pp. 85647:001-85647:147.

P. Operating license stage documents & correspondence

9509060325 Informs of withdrawal of initial version of WCAP-13032 for plant,units 1 & 2.
WETZEL,B.A. 95/08/28. ANDERSON,R.O. Northern States Power Co. 2pp. 85314:257-85314:258.

9509060287 Requests addl info re GL 92-08. "Thermo-Lag 330-1 Fire Barriers." Response should be submitted within 45 days.
WETZEL,B.A. 95/08/30. ANDERSON,R.O. Northern States Power Co. 3pp. 85314:243-85314:245.

56 DOCKETED ITEMS

9509060018 Notification of 950907 meeting w/utills in Rockville,MD to discuss merger of two utills & future applications to NRC re merger.
WETZEL,B.A. 95/08/31. HANNON,J. App. 85326:051-85326:054.

9509080252 Forwards safety evaluation re steam generator weld evaluation.Methodology & criteria use in generating flaw evaluation curves for SGs in both units of plant IAW section XI of ASME Code.
HANNON,J.N. 95/09/06. ANDERSON,R.O. Northern States Power Co. 2pp. 85381:321-85381:324.

9509080259 Safety evaluation supporting methodology in Westinghouse handbook WCAP-13032,Rev 1 (March 1995).
* 95/09/06. 2pp. 85381:323-85381:324.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509290097 Provides listed info on relationship between RCS cold leg temp & SG temp derived from SG pressure per discussions w/ NRC re 950110 LAR, revising post accident TS conformance w/ STS.
WADLEY,M.D. Northern States Power Co. 95/09/20. Document Control Branch (Document Control Desk). 4pp. 85638:353-85638:356.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050005 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9508220271 EN-94-005A on 950914, ltrs withdrawing notices of violation & proposed civil penalty will be sent to licensee.Action based on SOL finding that employee discharged by Burns Intl Security Svc not discrimination.
ROSANO,D. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/09/13. 1p. 85599:260-85599:260.

9508270196 Forwards insp repts 50-282/95-11 & 50-306/95-11 on 950704-0821.No violations noted.
KROPP,W.J. Region 3 (Post 820201). 95/09/15. WATZLE. Northern States Power Co. 4pp. 85631:296-85631:314.

9508270196 Insp repts 50-282/95-11 & 50-306/95-11 on 950704-0821.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
KROPP,W.J. Region 3 (Post 820201). 95/09/15. 15pp. 85631:300-85631:314.

9509280031 Ack receipt of 950731 ltr responding to special dry cask insp repts 50-282/95-02,50-306/95-02 & 72-0010/95-02.
KROPP,W.J. Region 3 (Post 820201). 95/09/18. ANDERSON,R.O. Northern States Power Co. 1p. 85613:003-85613:003.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060166 Forwards FFD program performance data for six month period ending 950630.
ANDERSON,R.O. Northern States Power Co. 95/08/29. Document Control Branch (Document Control Desk). 8pp. 85334:335-85334:342.

9509140001 Monthly operating repts for Aug 1995 for Prairie Island Nuclear Plant W/ 950908 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 95/08/31. 9pp. 85484:346-85484:354.

S. Reportable occurrences, LERs & related correspondence

9509080203 LER 95-009-00 on 950802,new therm hydraulic computer model of heat removal paths to ultimate heat sink developed, caused by design basis accident on unit.Sys design changed.W/950901 ltr.
FRASER,R.G., WADLEY,M.D. Northern States Power Co. 95/09/01. 5pp. 85435:020-85435:024.

9509130099 LER 95-010-00 on 950804, discovered deficiencies in flow testing of RHR sys.Caused by deficient procedure which failed to consider effect of recirculation line downstream of flow orifice.Procedure changes will be made.W/950905 ltr.
FRASER,R.G., WADLEY,M.D. Northern States Power Co. 95/09/05. 4pp. 85472:086-85472:089.

9509140008 Forwards LER 95-011 & lists four commitments re violation concerning surveillance of cooling water sys.
WADLEY,M.D. Northern States Power Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85472:196-85472:199.

9509140010 LER 95-011-00 on 950809, deficiencies in service surveillance of cooling water sys.Caused by inadequate review of ISI interval that ended 931216.Performed hydrostatic testing of CR chiller cooling water strainers.
CARLSON,D.W. Northern States Power Co. 95/09/08. 3pp. 85472:197-85472:199.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509060021 Summary of 950822 meeting w/NEI in Rockville,MD re technical, programmatic & administrative issues re ISFSIs. List of attendees encl.
KUGLER,A.J. 95/09/01. 16pp. 85385:043-85385:058.

9509220309 Forwards Rev 3 to ISFSI security plan,Rev withheld.
WADLEY,M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:330-85570:330.

DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

H. General correspondence

9509080213 Informs that MC Gallagher leaving position as Vice President of Academic Affairs,IF Kunze should be contacted in interim.
GALLAGHER,M.C. Idaho State Univ. Pocatello, ID. 95/08/24. MENDONCA,M. NRC - No Detailed Affiliation Given. 1p. 85447:335-85447:335.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509110232 Ack receipt of 950823 ltr which transmitted Rev 9 to plant security plan.Changes to rev 9 found to be consistent w/provisions of 10CFR50.54(p) w/ listed exception.
SCARANO,R.A. Region 4 (Post 820201). 95/09/08. PATTERSON,T.L. Omaha Public Power District. 4pp. 85344:100-85344:104.

P. Operating license stage documents & correspondence

9509060366 Forwards amend 170 to license DPR-40 & safety evaluation. Amend revises TS to relocate axial power distribution limits to COLR.
LIU,T. 95/09/01. PATTERSON,T.L. Omaha Public Power District. 4pp. 85314:212-85314:225.

9509060370 Amend 170 to license DPR-40, revising TS to relocate axial power distribution limits to COLR.
LIU,T. 95/09/01. 7pp. 85314:216-85314:222.

9509060371 Safety evaluation supporting amend 170 to license DPR-40.
* 95/09/01. 3pp. 85314:223-85314:225.

9509190097 Application for amend to license DPR-40, revising TS 2.7 extending allowed outage time from 7 days per month to 7 days w/addl once per cycle 10 day allowed outage time.
GATES,W.G. Omaha Public Power District. 95/09/06. Document Control Branch (Document Control Desk). 5pp. 85523:185-85523:260.

9509190102 Proposed tech spec 2.7, extending allowed outage time from 7 days per month to 7 days w/ addl once per cycle 10 day allowed outage time.
* Omaha Public Power District. 95/09/06. 15pp. 85523:190-85523:260.

9509140161 Forwards Amend 171 to License DPR-40, changing Sections 2.3, 3.1, 3.2, 3.3 & 3.6 of TS per GL 93-05.
BLOOM,S. 95/09/07. PATTERSON,T.L. Omaha Public Power District. 4pp. 85476:296-85476:317.

9509140164 Amend 171 to License DPR-40, changing Sections 2.3, 3.1, 3.2, 3.3 & 3.6 of TS per GL 93-05.
BLOOM,S. 95/09/07. 12pp. 85476:300-85476:311.

9509140166 Safety evaluation supporting Amend 171 to License DPR-40.
* 95/09/07. 6pp. 85476:312-85476:317.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190350 Forwards RAI to assist closure of staff review of IPE submittal.Response requested by 951201.
BLOOM,S. 95/09/12. PATTERSON,T.L. Omaha Public Power District. 17pp. 85524:061-85524:077.

9509220334 Requests withdrawal of proprietary versions of reactor vessel matl data.
BLOOM,S. 95/09/20. 2pp. 85577:085-85577:086.

G. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.
- 9509010183 Forwards Rev 3 to "Fort Calhoun Station ISI Program Plan for Third Ten-Yr Interval 1993-2003."
PATTERSON,T.L. Omaha Public Power District. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85344:092-85344:307.
- 9509010181 Rev 3 to "Fort Calhoun Station ISI Program Plan Third Ten-Yr Interval 1993-2003."
* Omaha Public Power District. 95/09/01. 305pp. 85340:003-85340:307.
- 9509050290 Comments supporting "Revised SALP."
GATES,W.G. Omaha Public Power District. 95/08/29. Office of Administration (890206-940714). 2pp. 85296:062-85296:063.
- 9509110225 Insp rept 50-285/95-16 cancelled.
SCARANO,R.A. Region 4 (Post 820201). 95/09/06. PATTERSON,T.L. Omaha Public Power District. 4pp. 85344:092-85344:095.
- 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Flasks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509140022 Forwards insp rept 50-285/95-12 on 950702-0812 & NOV.
DYER,J.E. Region 4 (Post 820201). 95/09/11. PATTERSON,T.L. Omaha Public Power District. 5pp. 85428:022-85428:045.
- 9509140023 Notice of violation from insp on 950702-0812. Violation noted: inspectors observed that maint personnel did not cover open piping of control room air conditioner during period of activity.
* Region 4 (Post 820201). 95/09/11. 2pp. 85428:027-85428:028.
- 9509140025 Insp rept 50-285/95-12 on 950702-0812. Violations noted. Major areas inspected: operational safety verification, plant support activities, maint & surveillance observations & onsite engineering.
YANDELL,L.A. Region 4 (Post 820201). 95/08/31. 17pp. 85428:029-85428:045.
- 9509130010 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

- 9509010154 Forwards FFD program performance data rept, for six month period ending 950630, per 10CFR26.71(d).
PATTERSON,T.L. Omaha Public Power District. 95/08/29. Document Control Branch (Document Control Desk). 4pp. 85320:352-85320:355.
- 950919L254 Monthly operating rept for Aug 1995 for Fort Calhoun Station W/950915 ltr.
LIPPY,D.L., PATTERSON,T.L. Omaha Public Power District. 95/08/31. 7pp. 85537:346-85537:352.

S. Reportable occurrences, LERs & related correspondence

- 9509250273 LER 95-005-00 on 950824, plant trip occurred due to operator error during diverse scram sys testing. Required CR operators to verbalize pertinent label info prior to operating equipment from CR W/950922 ltr.
BANNISTER,D.J., PATTERSON,T.L. Omaha Public Power District. 95/09/22. 5pp. 85619:041-85619:045.
- 9509250277 LER 95-006-00 on 950824, inoperability of number 1 DG was discovered following reactor trip. Add administrative controls provided to ensure that governor operated correctly W/950922 ltr.
BLESSIE,W.J., PATTERSON,T.L. Omaha Public Power District. 95/09/22. 10pp. 85606:175-85606:184.

V. Operator Examinations

- 9509250099 Summary of 950907 meeting w/utills in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN,T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

- 9509010087 Rev 7 to EPIP IP-1019, "Emergency Use of Potassium Iodide (KI)."
* Power Authority of the State of New York (New York Power Authority). 95/08/17. 10pp. 85341:337-85341:346.
- 9509060307 Revised emergency plan (EP), including EP - Forms index & NRC Form 361.
* Power Authority of the State of New York (New York Power Authority). 95/08/29. 6pp. 85367:229-85367:234.
- 9509190118 Revised EPIPs, including Rev 28 to EPV-1, "Emergency Plan Vol I," Rev 28 to index, Rev 26 to Section 4.0 to emergency conditions, table of contents & Rev 1 to IC/EAL, "Initiating Conditions & Emergency Actions Levels."
* Power Authority of the State of New York (New York Power Authority). 95/09/06. 59pp. 85535:041-85535:099.
- 9509260180 Forwards insp rept 50-286/95-11 on 950710-13. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/15. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 85570:021-85570:036.
- 9509260188 Insp rept 50-286/95-11 on 950710-13. No violations noted. Major areas inspected: review operational status of onsite emergency preparedness program.
MAIER,W., KEIMIG,R. Region 1 (Post 820201). 95/09/15. 13pp. 85570:024-85570:036.

P. Operating license stage documents & correspondence

- 9509060235 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1995" & Rev 3 to "Solid Radwaste Process Control Program."
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/08/30. Document Control Branch (Document Control Desk). 3pp. 85334:285-85334:334.
- 9509060245 Rev 3 of "Solid Radwaste Process Control Program."
* Power Authority of the State of New York (New York Power Authority). 95/05/17. 26pp. 85334:307-85334:334.
- 9509070018 Forwards copy of revised Bases page 3.6-2, for plant unit 3.
HAROLD,J.F., 95/08/30. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85383:076-85383:079.
- 9509110004 Corrected pages to bases for TS Section 3.6 for Indian Point nuclear generating unit 3.
* Power Authority of the State of New York (New York Power Authority). 95/08/30. 1p. 85383:079-85383:079.
- 9509110044 Forwards amend 161 to license DPR-64 & safety evaluation. Amend revises minimum emergency diesel generator fuel oil requirements in TS Section 3.7 (auxiliary electrical sys).
HAROLD,J.F., 95/08/30. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85416:242-85416:253.
- 9509110077 Amend 161 to license DPR-64, revising minimum emergency diesel generator fuel oil requirements in TS Section 3.7 (auxiliary electric Sys).
MARSH,L.B., 95/08/30. 6pp. 85416:244-85416:249.
- 9509110079 Safety evaluation supporting amend 161 to license DPR-64.
* 95/08/30. 2pp. 85416:250-85416:253.
- 9509110024 Forwards amend 162 to license DPR-64 & safety evaluation. Amend revises titles to several mgt positions in TS Section 6.0 (administrative controls).
HAROLD,J.F., 95/08/31. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85416:223-85416:241.
- 9509110036 Amend 162 to license DPR-64, revising titles of several mgt positions in TS Section 6.0 (administrative controls).
MARSH,L.B., 95/08/31. 12pp. 85416:225-85416:237.
- 9509110039 Safety evaluation supporting amend 162 to license DPR-64.
* 95/08/31. 2pp. 85416:238-85416:241.
- 9509110297 Informs of submittal of new schedule of IPEEE Repts. New schedule was necessary because staff allocated to IPE programs worked on anticipated emerging issues.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/09/06. Document Control Branch (Document Control Desk). 4pp. 85457:136-85457:139.
- 9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D., 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509150018 Forwards environmental assessment & FONSI re application dtd 950620, which requested one-time scheduler exemption from requirements of 10CFR50.71(e)(4) for periodic update to plant unit 3, FSAR.
HAROLD,J.F., 95/09/12. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85487:244-85487:250.
- 9509150019 Environ assessment & finding of no significant impact re proposed scheduler exemption which would reschedule required FSAR update from 950722 to 951227.
MARSH,L.B., 95/09/12. 4pp. 85487:246-85487:250.
- 9509190025 Forwards response to safety evaluations of IST program relief requests.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/09/13. Document Control Branch (Document Control Desk). 10pp. 85532:299-85532:308.

58 DOCKETED ITEMS

9509260341 Forwards amend 163 to license DPR-64 & safety evaluation. Amend revises TS Section 6.0 (Administrative Controls) to replace title-specific list of members on PORC w/more general statement of membership requirements.
HAROLD,J.F. 95/09/20. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 85584:344-85584:360.

-**9509260346** Amend 163 to license DPR-64, revising TS Section 6.0 (Administrative Controls) to replace title-specific list of members on PORC w/more general statement of membership requirements.
MARSH,L.B. 95/09/20. 11pp. 85584:346-85584:358.

-**9509260348** Safety evaluation supporting amend 163 to license DPR-64.
* 95/09/20. 2pp. 85584:359-85584:360.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050242 Forwards insp rept 50-286/95-12 on 950711-0807. Violation noted: notice of violation. Plant had been operated outside RCS operating pressure described in FSAR w/o performing 10CFR50.59 SE.
COOPER,R.W. Region 1 (Post 820201). 95/08/28. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 4pp. 85297:306-85297:330.

-**9509050245** Notice of violation from insp on 950711-0807. Violation noted: on 950801 movable incore detector sys power supply switch had been operated w/hold Tag attached during reactor flux mapping.
* Region 1 (Post 820201). 95/08/28. 1p. 85297:310-85297:310.

-**9509050247** Insp rept 50-286/95-12 on 950711-0807. Violations noted. Major areas inspected: plant operations, maint, engineering, plant support & safety assessment & quality verification.
COWGILL,C.J. Region 1 (Post 820201). 95/08/25. 20pp. 85297:311-85297:330.

9509110247 Forwards schedule for NRC insps of facility planned for remainder of SALP period.
COOPER,R.W. Region 1 (Post 820201). 95/08/31. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 85344:182-85344:185.

9508310196 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509260180 Forwards insp rept 50-286/95-11 on 950710-13. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/15. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 85570:021-85570:036.

-**9509260188** Insp rept 50-286/95-11 on 950710-13. No violations noted. Major areas inspected: review operational status of onsite emergency preparedness program.
MAIER,W. KEIMIG,R. Region 1 (Post 820201). 95/09/15. 13pp. 85570:024-85570:036.

9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040. "Supplemental info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 6pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060235 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1995" & Rev 3 to "Solid Radwaste Process Control Program."
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/08/30. Document Control Branch (Document Control Desk). 3pp. 85334:285-85334:334.

-**9509060241** "Effluent & Waste Disposal Semiannual Rept for Jan-June 1995."
* Power Authority of the State of New York (New York Power Authority). 95/06/30. 19pp. 85334:288-85334:306.

-**9509060245** Rev 3 of "Solid Radwaste Process Control Program."
* Power Authority of the State of New York (New York Power Authority). 95/05/17. 26pp. 85334:307-85334:334.

9509270030 Monthly operating rept for Aug 1995 for Indian Point Unit 3. W/950915 ltr.
ORLANDO,T. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/08/31. Document Control Branch (Document Control Desk). 6pp. 85633:325-85633:330.

S. Reportable occurrences, LERs & related correspondence

9509150075 LER 95-016-00 on 950811. Total sys leakage was greater than TS limit & design basis limit for CR habitability due to TS & inadequate procedures. Changed TSs & procedures revised. W/ 950911 ltr.
MURRAY,S.P., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/09/11. 11pp. 85518:295-85518:305.

V. Operator Examinations

9509260205 Ltr contract, task order 23, definitizing task order to "Technical Assistance in Initial Exam for Indian Point NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/08/29. VOGEL,A.M. Sonalysts, Inc. 4pp. 85608:286-85608:289.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9509060089 Forwards public version of revised EIPs, including Rev 95-07 to cover sheet & table of contents & RP/O/B/1000/21 & RP/O/B/1000/26.
HAMPTON,J.W. Duke Power Co. 95/08/16. Document Control Branch (Document Control Desk). 2pp. 85385:113-85385:141.

-**9509060101** PDR version of revised EIPs, including Rev 95-07 to cover sheet & table of contents & RP/O/B/1000/21 & RB/O/B/1000/26.
JENNINGS,C.C., FOSTER,W.W. Duke Power Co. 95/08/16. 26pp. 85385:115-85385:141.

9509120243 Forwards rev to "ONS Selected Licensee Commitments Manual (SLC)." Rev to SLC manual revises SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
HAMPTON,J.W. Duke Power Co. 95/09/30. Document Control Branch (Document Control Desk). 2pp. 85437:314-85437:322.

-**9509120253** Rev to "ONS Selected Licensee Commitments (SLC) Manual." revising SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
* Duke Power Co. 95/09/01. 7pp. 85437:316-85437:322.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300, 50-270/95-300 & 50-287/95-300.
HAMPTON,J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

9509140120 Forwards ERDS implementation documents & data point library updates. W/o encls.
JOLICOEUR,J.R. Incident Response Branch. 95/09/07. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85439:349-85439:349.

9509290035 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
BERKOW,H.N. 95/09/22. TUCKMAN,M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial Information

9509110237 Forwards 1994 annual rept for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl.
TUCKMAN,M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.

-**9509110242** "DPC 1994 Annual Rept."
GRIGG,W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

-**9509110246** "NC Electric Membership Corp 1994 Annual Rept."
KELLER,W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

-**9509110244** "NC Municipal Power Agency 1 1994 Annual Rept."
CLAY,G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

-**9509110255** "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN,D.V., BAUER,J.A. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

P. Operating license stage documents & correspondence

9509180115 Forwards proprietary request for info re computer software that could be used at facilities. Encl withheld (ref 10CFR2.790(a)).
BERKOW,H.N. 95/07/28. TUCKMAN,M.S. Duke Power Co. 3pp. 85520:321-85520:323.

9509010063 Forwards rev to "ONS Selected Licensee Commitments Manual." revising Section 16.9.8 to provide addl restrictions as to when HPSW sys considered available w/regard to supporting operability of LPSW sys.
HAMPTON,J.W. Duke Power Co. 95/08/21. Document Control Branch (Document Control Desk). 1p. 85341:347-85341:355.

-**9509010094** Rev to "ONS Selected Licensee Commitments Manual."
NIX,D. Duke Power Co. 95/08/21. 8pp. 85341:348-85341:355.

9509050314 Forwards revs to "Oconee Nuclear Station Selected Licensee Commitments (SLC) Manual." revising SLC Table 16.9-6 to include addl detector protection of equipment.
HAMPTON,J.W. Duke Power Co. 95/08/22. Document Control Branch (Document Control Desk). 2pp. 85342:350-85342:360.

-9509050317 Revis to "Oconee Nuclear Station Selected Licensee Commitments Manual."
* Duke Power Co. 95/08/15. 9pp. 85342:352-85342:360.

9509010076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FFD testing.
TUCKMAN,M.S. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

9509010102 Submits suppl response re ONS QA-1 licensing basis & GL 83-28,Section 2.2.1,Subpart 1,including plan for clarifying remaining items re QA-1 commitments.
HAMPTON,J.W. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85341:356-85341:358.

9509120243 Forwards rev to "ONS Selected Licensee Commitments Manual (SLC)." Rev to SLC manual revises SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
HAMPTON,J.W. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85437:314-85437:322.

-9509120253 Rev to "ONS Selected Licensee Commitments (SLC) Manual," revising SLC 16.9-1 which deleted requirement to declare unusual event on unit shutdown due to fire suppression being inoperable.
* Duke Power Co. 95/09/01. 7pp. 85437:316-85437:322.

9509110154 Forwards analysis & technical justification supporting request for enforcement discretion dtd 950831 re post-mod operability tests.
HAMPTON,J.W. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85457:248-85457:252.

9509050344 Forwards RAI re circumferential cracking of SG tubes in plant Units 1,2 & 3,per 950428 GL 95-03.
WIENS,L.A. 95/09/01. TUCKMAN,M.S. Duke Power Co. 5pp. 85314:028-85314:032.

9509110192 Application for amends to licenses DPR-38,DPR-47,DPR-55, NPF-9,NPF-17,NPF-35 & NPF-52,ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
TUCKMAN,M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.

-9509110195 Proposed tech specs,ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
* Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.

9509180263 Confirms meeting w/licensee on 951101 in Atlanta,GA to discuss LF svc water related upgrades,per 950814 telcon between JE Burchfield & RE Carroll.
BONSER,B.R. Region 2 (Post 820201). 95/09/05. HAMPTON,J.W. Duke Power Co. 3pp. 85500:358-85500:360.

9509180312 Confirms 950906 telcon between WW Foster & RE Carroll, re mgt meeting in Atlanta,GA on 950914.Meeting requested to discuss circumstances re granting of enforcement discretion on 950831.
ORLENJAK,R.V. Region 2 (Post 820201). 95/09/07. HAMPTON,J.W. Duke Power Co. 3pp. 85502:129-85502:131.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537:333-85537:345.

9509150259 Discusses establishment of plant event review team due to Z Pate concern that NRC Resident inspector exceeded regulatory authority by taking over operational control of recovery actions associated w/SG dryout event.
TAYLOR,J.M. Otc of the Executive Director for Operations. 95/09/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85505:338-85505:340.

-9509150267 Directs NRR to form event review team led by RP Zimmerman to conduct in depth evaluation of licensee & NRC activities re NRC Resident Inspector event.
TAYLOR,J.M. Otc of the Executive Director for Operations. 95/09/14. RUSSELL,W.T. 2pp. 85505:339-85505:340.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070220 Forwards exam repts 50-269/95-300,50-270/95-300 & 50-287/95-300 on 950707-13.
GIBSON,A. Region 2 (Post 820201). 95/08/09. HAMPTON,J.W. Duke Power Co. 3pp. 85322:026-85322:028.

-9509070236 Exam repts 50-269/95-300,50-270/95-300 & 50-287/95-300 on 950707-13.Exam results:all of seven SRO & three RC passed test.
ERNSTES,M.E. Region 2 (Post 820201). 95/08/08. 180pp. 85322:029-85322:208.

9509070236 Forwards response to NRC 950727 ltr re violation noted in insp repts 50-269/95-300,50-270/95-15 & 50-287/95-15.C/A:mgt assigned selected RP personnel to monitor RCA exits & perform listed tasks during ONS Unit 3 outage.
HAMPTON,J.W. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85415:347-85415:352.

9509180307 Responds to 950831 request,informing of intention not to enforce compliance w/TS 3.7.3 for listed period of time on 950901.
EBNETER,S.D. Region 2 (Post 820201). 95/09/01. HAMPTON,J.W. Duke Power Co. 4pp. 85501:357-85501:360.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300,50-270/95-300 & 50-287/95-300.
HAMPTON,J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85474:173-85474:177.

9509180291 Ack receipt of 950828 ltr informing NRC of steps taken to correct violations noted in insp rept 50-269/95-15, 50-270/95-15 & 50-287/95-15 on 950727.
BARR,K.P. Region 2 (Post 820201). 95/09/07. HAMPTON,J.W. Duke Power Co. 3pp. 85501:332-85501:334.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509220075 Advises that mods in response to corrective actions for 921019 loss of off-site power EDSFI findings from insp repts 50-269/93-02,50-270/93-02 & 50-287/93-02 & LERs 92-16 & 93-01 for unit 1 will not be completed within 30 days.
HAMPTON,J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:340-85564:342.

9509220078 Forwards supplemental response to finding 2H from EDSFI insp repts 50-269/93-02,50-270/93-02 & 50-287/93-02.
HAMPTON,J.W. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 3pp. 85564:328-85564:330.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-01, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509250261 Corrects calculation number in insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 to reflect Calculation KC-2024.
HAMPTON,J.W. Duke Power Co. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85580:335-85580:335.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010079 Forwards FFD program performance data repts for Duke Power, Oconee,McGuire & Catawba Nuclear Stations,per 10CFR26.71(d), for period of 950101-0630.
TUCKMAN,M.S. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.

9509180217 Forwards monthly operating repts for Aug 1995 for Oconee Nuclear Station & revised repts for Jul 1995.
WEBER,R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85520:324-85520:341.

-9509180221 Monthly operating repts for Aug 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/08/31. 15pp. 85520:326-85520:340.

-9509180226 Revised monthly operating repts for Jul 1995 for Oconee Nuclear Station.
* Duke Power Co. 95/07/31. 1p. 85520:341-85520:341.

S. Reportable occurrences, LERs & related correspondence

9509190356 LER 95-002-00:00 on 950814,CR group dropped due to unknown cause that resulted in RT-Replaced programmer & sent suspect programmer to vendor for analysis.W/950913 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 95/09/13. 8pp. 85535:027-85535:034.

9509150259 Discusses establishment of plant event review team due to Z Pate concern that NRC Resident inspector exceeded regulatory authority by taking over operational control of recovery actions associated w/SG dryout event.
TAYLOR,J.M. Otc of the Executive Director for Operations. 95/09/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85505:338-85505:340.

V. Operator Examinations

9509070220 Forwards exam repts 50-269/95-300,50-270/95-300 & 50-287/95-300 on 950707-13.
GIBSON,A. Region 2 (Post 820201). 95/08/09. HAMPTON,J.W. Duke Power Co. 3pp. 85322:026-85322:208.

-9509070236 Exam repts 50-269/95-300,50-270/95-300 & 50-287/95-300 on 950707-13.Exam results:all of seven SRO & three RC passed test.
ERNSTES,M.E., PEEBLES,T.A. Region 2 (Post 820201). 95/08/08. 180pp. 85322:029-85322:208.

60 DOCKETED ITEMS

9509130036 Submits explanation for difference in util philosophy for use of EOPs from that found in B&W technical basis document, in response to concern described in Exam Repts 50-269/95-300,50-270/95-300 & 50-287/95-300.
HAMPTON,J.W. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk), 5pp. 85474:173-85474:177.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

V. Operator Examinations

9509140345 Informs that operator licensing exam scheduled for 960122, per telcon w/ PV Doyle & S Frantz. Advises that listed ref matl for subj exam to be furnished 60 days prior to exam date.
DOYLE,P.V. 95/09/12. KOBLIK,S.S. Reed College, Portland, OR. 10pp. 85505:131-85505:140.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509150007 Advises that listed util employees authorized to submit fingerprints to NRC & receive results under criminal history program.
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 95/09/11. Document Control Branch (Document Control Desk) 2pp. 85504:355-85504:356.

P. Operating license stage documents & correspondence

9509050169 Final response to FOIA request for documents. Records in App F will be made available in PDR. App E records will be withheld in part (ref Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. KUNTZ,P. Wall Street Journal. 4pp. 85316:302-85316:341.

9509050100 Fifth partial response to FOIA request for documents. Records in App G will be made available in PDR. App H records will be withheld in part (ref Exemption 6).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. KUNTZ,P. Wall Street Journal. 4pp. 85318:088-85318:145.

-9509050114 Partially withheld response to 901129 ltr to A Spector, expressing concerns re evaporation of TMI-2 accident generated water.
MARTIN,T.T. Region 1 (Post 820201). 91/02/13. RUSSO,N.G. 2pp. 85318:140-85318:141.

-9509050119 Partially withheld response to 901129 ltr to A Spector which expressed concerns re evaporation of TMI-2 accident generated water.
MARTIN,T.T. Region 1 (Post 820201). 92/02/21. HICKS,T.R. 2pp. 85318:143-85318:144.

-9509050123 Partially withheld ltr forwarding matls provided by NG Russo re possibility of presence of radioactive water at plant.
SPECTOR,A. Senate. 91/01/31. RATHBUN,D.K. Congressional Affairs (870413-911116). 2pp. 85318:145-85318:146.

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509060236 Clarifies interpretation of plant TS for once through SG during 11R refueling outage.
HERNAN,R.W. 95/09/01. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85314:179-85314:182.

9506310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509220006 Forwards amend 196 to license DPR-50 & SE. Amend removes TS for makeup, purification & chemical addition sys from TS Section 3.2 & relocates pertinent design info.
HERNAN,R.W. 95/09/19. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85577:136-85577:149.

-9509220007 Amend 196 to license DPR-50, removing TS for makeup, purification & chemical addition sys from TS Section 3.2 & relocates pertinent design info including tanks vol & B concentrators.
MCKEE,P.F. 95/09/19. 6pp. 85577:141-85577:146.

-9508220009 Safety evaluation supporting amend 196 to license DPR-50.
95/09/19. 3pp. 85577:147-85577:149.

9509260039 Forwards TS change request 227, suppl 2 incorporating improvements from STS for B&W plants (NUREG-1430). Ref to containment insp requirements of App J included.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/20. Document Control Branch (Document Control Desk). 4pp. 85608:290-85608:295.

-9509260041 Revised -sch spec pages 4-31,4-32 & 4-33, incorporating change in TS Section 4.4.1.5.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/20. 3pp. 85608:294-85608:296.

9509290106 Forward: "TMI-1 Pump & Valve IST" update for third 10-yr interval.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85639:244-85639:327.

-9509290109 "TMI-1 Pump & Valve IST Program."
General Public Utilities Corp. - GPU Service Corp. 95/09/21. 82pp. 85639:246-85639:327.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-021003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060179 Ack receipt of 950706 ltr informing NRC of steps taken to correct violations noted in insp rept 50-289/95-05.
JOYNER,J.H. Region 1 (Post 820201). 95/08/28. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 2pp. 85311:266-85311:281.

-9509060182 Forwards info requested by JH Joyner in NRC ltr dtd 950602 re bases for plant Protective Action Recommendation Logic Diagram.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/06. MARTIN,T.T. Region 1 (Post 820201). 14pp. 85311:266-85311:281.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050099 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509150341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Clearing of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050287 Forwards FFD semiannual performance data repts for Jan-June 1995 per 10CFR26.71(d).
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 95/08/28. Document Control Branch (Document Control Desk). 11pp. 85342:314-85342:324.

9509180183 Monthly operating rept for Aug 1995 for TMI-1.W/950912 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/31. 8pp. 85523:112-85523:119.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509140076 Rev 15 to "Pilgrim Nuclear Power Station Emergency Plan." W/ 950907 ltr.
BOULETTE,E.T. Boston Edison Co. 95/08/02. 126pp. 85518:050-85518:175.

9509150025 Forwards proposed scope & objectives for 1995 emergency preparedness exercise for review W/o encl.
BOULETTE,E.T. Boston Edison Co. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85508:359-85508:360.

9509250264 Provides status on possible closure of South Weymouth Naval Air Station & impact on emergency planning efforts at plant.
BOULETTE,E.T. Boston Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85580:333-85580:334.

G. Adjudicatory correspondence

9509070289 Responds to 950310 petition requesting that NRC discuss, w/public in Plymouth, MA, repairs made or corrective actions taken during 950325 refueling outage. Grants request & forwards Director's Decision DD-95-19 & FRN.
RUSSELL,W.T. 95/08/31. LAMPERT, L. Attribution Not Assigned. 3pp. 85375:332-85375:356.

-9509070299 Director's Decision DD-95-19, granting petitioner request for public meeting & denying request to delay start-up of plant & to terminate NRC policy of issuing notices of enforcement discretion to reactor licensees.
RUSSELL,W.T. 95/08/31. 19pp. 85375:332-85375:353.

-9509070302 Notice of issuance of Director's Decision DD-95-12, granting in part & denying in part 950310 petition filed per 10CFR2.206 by ME Lampert & 62 other persons.
RUSSELL, W.T. 95/08/31. 3pp. 85375:354-85375:356.

H. General correspondence

9509200265 Forwards insp repts 50-293/95-09 on 950404-0516 & 50-293/95-13 on 950517-0705 dealing w/plant shutdown margin test as requested during 950914 telcon.
MARSH, L.B. 95/09/14. FLEMING, J. Affiliation Not Assigned. 2pp. 85539:283-85539:280.

9509210304 Informs that point-of-contract for communications w/licensee will be L Marsh & encourages licensee to contact any member of NRC w/comments or concerns.
VARGA, S.A. 95/09/19. FLEMING, J. Affiliation Not Assigned. 2pp. 85561:354-85561:355.

F. Operating license stage documents & correspondence

9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 9407:4). 95/08/09. IRWIN, D. 3pp. 85406:082-85406:185.

-9409280326 Informs that two plants submittals unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submittals for plants considered to be most susceptible to core shroud cracking.
JONES, R. Reactor Systems Branch. 94/09/22. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 14pp. 85406:158-85406:170.

9509060260 Forwards semiannual long term program update, including schedules for A & B regulatory items. Completed items, schedule revs & new items listed.
BOULETTE, E.T. Boston Edison Co. 95/06/31. Document Control Branch (Document Control Desk). 51pp. 85367:235-85367:285.

9509080232 Informs that reactor high pressure trip level setting was inadvertently changed in process of issuing Amend 164. Also, TS was re-issued to resolve discrepancy.
BOULETTE, E.T. Boston Edison Co. 95/06/31. Document Control Branch (Document Control Desk). 2pp. 85447:346-85447:351.

-9509110042 Corrected tech spec page re reactor high pressure trip setting.
* Boston Edison Co. 95/08/31. 2pp. 85447:350-85447:351.

9509130001 "Startup Test Rept for Pilgrim Nuclear Power Station Cycle 11." W/950901 ltr.
BOULETTE, E.T. Boston Edison Co. 95/09/01. 21pp. 85436:333-85436:353.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:035-85423:049.

9509120235 Forwards notice of withdrawal of 941122 application for amend to license DPR-35, modifying TS re EDG allowed outage time, per 950825 ltr.
EATON, R.B. 95/09/08. BOULETTE, E.T. Boston Edison Co. 2pp. 85421:324-85421:328.

-9509120237 Notice of 950825 withdrawal of 941122 application for amend to license DPR-35, modifying TS re EDG allowed outage time.
EATON, R.B. 95/09/08. 2pp. 85421:326-85421:328.

9509120294 Forwards corrected TS page 3/4.2-7 to amend 162 changing control valve for reactor high pressure trip level setting to 76 psig.
EATON, R.B. 95/09/11. BOULETTE, E.T. Boston Edison Co. 3pp. 85423:065-85423:068.

-9509130048 Corrected tech spec page to amend 164 to license DPR-35, changing control valve for reactor high pressure trip level setting to 76 psig.
* 95/09/11. 1p. 85423:067-85423:068.

9509200146 Forwards response to 950821 RAJ re proposed TS change affecting scram insertion times & MCPPI. Proprietary info also encl. Proprietary info withheld.
OLIVIER, L.J. Boston Edison Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85555:187-85555:274.

-9509200151 Rev 0 to "Suppl Reload Licensing Rept for Pilgrim Nuclear Power Station Reload 10 Cycle 11."
KLAPPROTH, J.F., HETZEL, W.H. General Electric Co. 24A5172 R00. 95/02/28. 45pp. 85555:200-85555:243.

-9509200154 "Scram Times for Tech Spec 3.3.C.1."
WOLLMAN, S.S., KELLEY, R.H. Boston Edison Co. S&SA 088 R00. 95/06/29. 25pp. 85555:244-85555:268.

-9508200159 Forwards SER accepting suppl to amend 11 to licensing TR NEDE-24011-0-A, "IGE Generic Licensing Reload Rept." SER incomplete.
LAINAS, G.C. Division of Boiling Water Reactor (BWR) Licensing (851125-870411). 86/03/22. CHARNLEY, J.S. General Electric Co. 8pp. 85555:269-85555:274.

9509220200 Advice that submitted info will be withheld from public disclosure ref 10CFR2.790(b)(5) & Section 103(b), per 950724 request.
EATON, R.B. 95/09/19. BOULETTE, E.T. Boston Edison Co. 4pp. 85577:091-85577:084.

9509260100 Provides shell weld exam results to address 950317 commitment, per FR 57FR34866, dtd 920806 & requests relief from exam of certain RV shell welds per 10CFR50.55a(g)(6)(ii)(A)(5).
BOULETTE, E.T. Boston Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 28pp. 85592:295-85592:322.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060207 Ack receipt of 950721 ltr informing NRC of steps taken to correct violations noted in insp rept 50-293/95-09.
LINVILLE, J.C. Region 1 (Post 820201). 95/08/28. BOULETTE, E.T. Boston Edison Co. 3pp. 85312:024-85312:034.

9509140227 Forwards repts of Pilgrim Nuclear Power Station ISI conducted during Refueling Outage 10 & Mid-Cycle Outage 10.
BOULETTE, E.T. Boston Edison Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85511:001-85511:049.

-9509140310 "PNPS Inservice Exam Tenth Refueling & Insp Outage Rept Of Exam Results, Final Rept."
STAMM, M. General Electric Co. 95/05/18. 196pp. 85511:003-85511:196.

-9509140315 "Inservice Insp Summary Rept For Refuel Outage 10 At PNPS."
* Boston Edison Co. 95/06/08. 185pp. 85511:197-85512:017.

-9509140318 "PNPS Inservice Exam Mid-Cycle Outage 10 Rept Of Exam Results."
STAMM, M. General Electric Co. 94/12/31. 304pp. 85512:018-85512:321.

-9509140324 "PNPS Non-Vessel Inservice Insp Refueling Outage 10." Vols 1-5.
* ASEA Brown Boveri, Inc. 95/05/31. 1,912pp. 85512:322-85518:049.

9509120078 Forwards "Third-Yr Interval ISI Plan for Pilgrim Nuclear Power Station."
BOULETTE, E.T. Boston Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85434:158-85434:231.

-9509120079 Rev 0 to "Third Ten-Yr Interval ISI Plan for Pilgrim Nuclear Power Station."
KULAT, S.D., GARROW, C. Boston Edison Co. 95/09/01. 100pp. 85434:160-85434:231.

9509190112 Ack receipt of 950403 ltr informing NRC of steps taken to correct violations noted in insp rept 50-293/94-26. Short term corrective actions noteworthy.
LINVILLE, J.C. Region 1 (Post 820201). 95/09/06. BOULETTE, E.T. Boston Edison Co. 3pp. 85504:095-85504:109.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180203 Forwards insp rept 50-293/95-20 on 950821-24. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/09/11. BOULETTE, E.T. Boston Edison Co. 3pp. 85500:297-85500:307.

-9509180207 Insp rept 50-293/95-20 on 950821-24. No violations noted. Major areas inspected: review of radwaste/transportation program, including solid radwaste processing, waste steam sampling & analysis & interim on-site storage of radwaste.
NOGGLE, J., BORES, R. Region 1 (Post 820201). 95/09/08. App. 85500:300-85500:307.

9509180232 Forwards insp rept 50-293/95-16 on 950807-11. No violations noted.
RULAND, W.H. Region 1 (Post 820201). 95/09/11. BOULETTE, E.T. Boston Edison Co. 3pp. 85501:021-85501:034.

-9509180237 Insp rept 50-293/95-16 on 950807-11. No violations noted. Major areas inspected: assessment of safety impact & resolution of four areas associated w/unresolved items from pilot station blackout insp conducted at plant.
MORRIS, G.W., RULAND, W.H. Region 1 (Post 820201). 95/09/08. 11pp. 85501:024-85501:034.

9509260211 Forwards insp rept 50-293/95-17 on 950821-25. No violations noted.
MEYER, G.W. Region 1 (Post 820201). 95/09/13. BOULETTE, E.T. Commonwealth Edison Co. 3pp. 85570:234-85570:245.

-9509260216 Insp rept 50-293/95-17 on 950821-25. No violations noted. Major areas inspected: evaluation of licensed operator requalification training program.
WILLIAMS, J.H., MEYER, G.W. Region 1 (Post 820201). 95/09/13. 9pp. 85570:237-85570:245.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:005-85645:020.

62 DOCKETED ITEMS

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509060219 "Pilgrim Nuclear Power Station Radioactive Effluent & Waste Disposal Rept Including Meteorological Data, Jan-June 1995." W/950828 ltr.
SEJKORA, K.J., GODDARD, C.S., OLIVIER, L.J. Boston Edison Co. 95/06/30. 52pp. 85367:170-85367:221.

9509010137 Forwards FFD program performance data for period Jan-June 1995, in accordance w/10CFR26.71(d).
BOULETTE, E.T. Boston Edison Co. 95/06/28. Document Control Branch (Document Control Desk). 4pp. 85346:330-85346:333.

9509190237 Monthly operating rept for Aug 1995 for Pilgrim Nuclear Power Station. W/950915 ltr.
MUNRO, W.J., OLIVIER, L.J. Boston Edison Co. 95/08/31. 8pp. 85530:301-85530:308.

9509220132 NPDES discharge monitoring rept for Aug 1995 for Pilgrim Nuclear Power Station. W/950915 ltr.
SULLIVAN, T.A., OHEIM, H.V. Boston Edison Co. 95/08/31. 10pp. 85570:309-85570:318.

S. Reportable occurrences, LERs & related correspondence

9509120231 Forwards LER 95-007 re test not performed for automatic depressurization sys prior to plant restart from refuel outage-10.
BOULETTE, E.T. Boston Edison Co. 95/09/05. Document Control Branch (Document Control Desk). 1p. 85472:049-85472:053.

-9509120234 LER 95-007-00 on 950804, simulated automatic test was not performed for automatic depressurization sys prior to plant restart from refueling outage-10 due to personnel error. Performed required SAA surveillance test.
CANNON, R.L. Boston Edison Co. 95/09/05. 4pp. 85472:050-85472:053.

9509200289 LER 95-008-00 on 950814, primary containment sys isolation valve was unable to close fully on automatic signal due to wiring discrepancy. Trained personnel for maint on specific event. W/950913 ltr.
CALFA, J.F., BOULETTE, E.T. Boston Edison Co. 95/09/13. 9pp. 85573:125-85573:133.

V. Operator Examinations

9509050216 Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 1, "Operator Licensing Examiner Stds" & NUREG/BR-0122, Rev 5, to prepare written exams & operating tests.
MEYER, G.W. Region 1 (Post 820201). 95/08/21. SWAN, T. Boston Edison Co. 1p. 85297:201-85297:201.

9509260211 Forwards insp rept 50-293/95-17 on 950821-25. No violations noted.
MEYER, G.W. Region 1 (Post 820201). 95/09/13. BOULETTE, E.T. Commonwealth Edison Co. 3pp. 85570:234-85570:245.

-9509260216 insp rept 50-293/95-17 on 950821-25. No violations noted. Major areas inspected: evaluation of licensed operator requalification training program.
WILLIAMS, J.H., MEYER, G.W. Region 1 (Post 820201). 95/09/13. 9pp. 85570:237-85570:245.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509190017 Forwards rev 37 to security plan. Plan withheld (ref 10CFR73.21).
JOHNSON, I.M. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85524:356-85524:356.

9509190091 Responds to 950214 ltr, approving request to not update evacuation time estimate studies for plant EP2s.
CREED, J.R. Region 3 (Post 820201). 95/09/08. GRAESSER, K. Commonwealth Edison Co. 7pp. 85504:032-85504:038.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 18pp. 85555:001-85555:186.

9509210187 Revised EPIPs including EPIP index, Rev 0 to EPIP 550-2, Rev 0 to EPIP 550-3 & Rev 0 to EPIP 550-5.
* Commonwealth Edison Co. 95/09/14. 37pp. 85567:321-85567:357.

P. Operating license stage documents & correspondence

9509120149 Informs that DOL wage & hour div received complaint from former employee of Bechtel Construction Co. Employee alleged that employment was terminated because safety concerns were raised while performing duties at plant.
PEDERSON, C.D. Region 3 (Post 820201). 95/08/31. REINSCH, J. Bechtel Corp. 20pp. 85382:210-85382:229.

9509070022 Forwards request for add info for GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience related to circumferential cracking.
SHIRAKI, C.Y. 95/09/01. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85373:272-85373:274.

9509080045 Forwards "Zion Individual Plant Exam Response to NRC Staff Evaluation Rept & Modified Zion IPE."
SIMPKIN, T.W. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 4pp. 85417:001-85418:014.

-9509080051 "Zion Individual Plant Exam Response to NRC Staff Evaluation Rept & Modified Zion IPE."
* Commonwealth Edison Co. 95/09/01. 373pp. 85417:006-85418:014.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180159 Forwards amends 168 to 155 to licenses DPR-39 & DPR-48 & safety evaluation. Amends authorize alternative repair criterion for defects found in tube expansion region within tubesheet.
SHIRAKI, C.Y. 95/09/11. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85521:319-85521:338.

-9509180163 Amends 168 & 155 to licenses DPR-39 & DPR-48, respectively authorizing alternative repair criterion for defects found in tube expansion region within tubesheet.
SHIRAKI, C.Y. 95/09/11. 11pp. 85521:321-85521:331.

-9509180168 Safety evaluation supporting amends 168 & 155 to licenses DPR-48 & DPR-39, respectively.
* 95/09/11. 7pp. 85521:332-85521:338.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 6, "Administrative Controls."
BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509280144 Forwards response to issues identified in NRC 941006 ltr re performance testing of relief & safety valves. S&W RC pipe stress & support analysis repts, S&L Rept SL-4283 & O'Donnell O'Donnell & Assoc, Inc Rept 1719-400-002-00 also encl. SIMPKIN, T.W. Commonwealth Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 5pp. 85647:148-85647:253.

-9509280158 Zion Station Unit 1 reactor coolant pipe stress & support analysis rept.
ROTH, N. Stone & Webster, Inc. RC-2345 R00. 83/01/17. 19pp. 85647:153-85647:171.

-9509280167 Zion Station Unit 2 reactor coolant pipe stress & support analysis rept.
* Stone & Webster, Inc. 2RC-2345 R00. 83/05/06. 20pp. 85647:172-85647:191.

-9509280168 "Evaluation of Pressurizer Safety & Relief Valve Discharge Piping Subsystem Zion Station Units 1 & 2."
* Sargent & Lundy, Inc. SL-4283. 84/05/02. 11pp. 85647:192-85647:202.

-9509280174 "Evaluation of Zion Station Units 1 & 2 Pressurizer Safety & Relief Valve Discharge Piping Subsystem for Slug Flow Condition Event Per NUREG-0737."
RARO, R.J. AEA O'Donnell, Inc. (formerly SMC O'Donnell, Inc. & O'Donnell & Associates, Inc. 1719-400-002-00. 87/04/03. 51pp. 85647:203-85647:253.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barner Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509080117 Forwards insp repts 50-295/95-12 & 50-304/95-12 on 50610-0728. No violations noted.
MILLER, L.F. Region 3 (Post 820201). 95/08/25. TUETKEN, R. Commonwealth Edison Co. 4pp. 85324:163-85324:186.

-9509080129 Insp repts 50-295/95-12 & 50-304/95-12 on 950610-0728. No violations noted. Major areas inspected: operations, maintenance & plant support performed.
MILLER, L.F. Region 3 (Post 820201). 95/06/25. 19pp. 85324:167-85324:186.

9509120174 Discusses 940426 complaint from former employee of Bechtel Construction Company. Violation seems to be willful act to discriminate against employee for raising safety concerns while employee engaged in protected activities.
PEDERSON, C.D. Region 3 (Post 820201). 95/08/31. TUETKEN, R. Commonwealth Edison Co. 19pp. 85383:016-85383:034.

9509070053 Forwards safety evaluation of third 10-yr interval insp program plan & associated requests for relief for plant, units 1 & 2.
CAPRA, R.A. 95/09/01. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85485:252-85485:325.

-9509070057 SE of third 10-yr interval inservice insp program plan & associated request for relief for plant, units 1 & 2.
* 95/09/01. 9pp. 85485:254-85485:261.

-9508110271 "TER on Third 10-Yr Interval ISI Program Plan for Zion Nuclear Power Station Units 1 & 2."
ANDERSON, M.T., FEIGE, E.J., GALBRAITH, S.G. Idaho National Engineering Laboratory, INEL-94/0244 R01. 95/07/31. 82pp. 85485:262-85485:325.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190046 Forwards NRC predecisional enforcement conference repts 50-295/95-17 & 50-304/95-17 on 950911. Apparent violation re failure of staff to re-hire employee for CECO 1994-1995 plant refueling outage. No response required at present time.
PEDERSON, C.D. Region 3 (Post 820201). 95/09/13. REINSCH, J. Affiliation Not Assigned. 2pp. 85503:170-85503:200.

-9509190050 Predecisional enforcement conference repts 50-295/95-17 & 50-304/95-17 on 950911. Apparent violation noted. No response required at present time. Major areas discussed: review of apparent violation & corrective actions completed. ORTH, S.K., CANIANO, R.J., CALDWELL, J.L. Region 3 (Post 820201). 95/09/14. 29pp. 85503:172-85503:200.

9509190083 Forwards predecisional enforcement conference repts 50-295/95-17 & 50-304/95-17 on 950911. Violation re failure of Bechtel Const Co to re-hire employee for plant refueling outage identified. No response required at present time. PEDERSON, C.D. Region 3 (Post 820201). 95/09/13. TUETKEN, R. Commonwealth Edison Co. 2pp. 85503:307-85503:337.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18. ROE, J.W. 95/08/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.

9509130018 NRC Info Notice 95-030, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509270275 Ack receipt of 950814 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-08 & 50-304/95-08 on 950713. MILLER, L.F. Region 3 (Post 820201). 95/09/22. TUETKEN, R. Commonwealth Edison Co. 2pp. 85627:345-85627:346.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

S. Reportable occurrences, LERs & related correspondence

950910023 LER 95-013-00 on 950606, drumming station filter testing was not in compliance w/TS due to equipment failure & personnel error. Performed surveillance testing for drumming station filters W/950829 ltr. GERELER, K., SCHWARTZ, G.K. Commonwealth Edison Co. 95/08/29. 4pp. 85315:082-85315:085.

950910040 Special rept on 950731, 1A EDG was unavailable for at least 14 hrs. Caused by faulty voltage regulator. Voltage regulator replaced. SCHWARTZ, G.K. Commonwealth Edison Co. 95/08/29. Document Control Branch (Document Control Desk). 3pp. 85317:356-85317:358.

9509120154 LER 95-014-00 on 950809, both SI pumps rendered inoperable during ground checking due to personnel error. Revised ground location procedure, reviewed event w/operations crew & clarified reportability actions. W/950907 ltr. SHELTON, H., SCHWARTZ, G.K. Commonwealth Edison Co. 95/09/07. 5pp. 85472:044-85472:048.

9509150080 Special rept on 950819, 1B EDG output breaker tripped open from full load condition w/o annunciation. SCHWARTZ, G.K. Commonwealth Edison Co. 95/09/12. Document Control Branch (Document Control Desk). 3pp. 85506:218-85506:220.

9509180296 LER 95-015-00 on 950814, missed 10CFR App J surveillances on containment penetrations due to mgt deficiency. Tested penetrations. W/950913 ltr. BURNS, M., SCHWARTZ, G.K. Commonwealth Edison Co. 95/09/13. 6pp. 85533:278-85533:283.

9509250150 Special rept 295-123-95-002SR on 950826, EDG would not shutdown after one h in "fifteen minute cool down" mode. Emergency pushbutton was immediately reset, restoring EDG to operable status. SCHWARTZ, G.K. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85578:358-85578:360.

9509250348 LER 95-016-00 on 950823, inadequate listing of EDGs after regulator replacement due to mgt deficiency. Developed procedure that verified performance of voltage regulator. W/950921 ltr. FANNING, G., SCHWARTZ, G.K. Commonwealth Edison Co. 95/09/21. 5pp. 85606:185-85606:189.

V. Operator Examinations

9509260094 Requests proposed exam outlines be furnished by 951130 to meet scheduled arrangements to administer licensing exams during wk of 950129. ES-402 & ES-302, encl. RING, M.A. Region 3 (Post 820201). 95/09/19. TUETKEN, R. Commonwealth Edison Co. 5pp. 85569:303-85569:307.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

950910371 Advises that 950608 Rev 25 to plant physical security/ contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS, D.M. Region 2 (Post 820201). 95/08/28. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85313:297-85313:299.

9509050306 Advises that 950612 rev 21 to security personnel training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable. COLLINS, D.M. Region 2 (Post 820201). 95/08/28. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85345:357-85345:359.

9509070170 Forwards insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:192-85321:217.

-9509070181 Insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. Major areas inspected: safe shutdown to evaluate plant Units 2 & 3 for compliance w/Sections II, G, III, J & III, L of App R to 10CFR50. WISEMAN, G. Region 2 (Post 820201). 95/08/30. 23pp. 85321:195-85321:217.

9509180277 Forwards insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 18pp. 85501:196-85501:215.

-9509180294 Insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR, W.M. Region 2 (Post 820201). 95/09/08. 17pp. 85501:199-85501:215.

9509180317 Forwards insp repts 50-259/95-41, 50-260/95-41 & 50-296/95-41 on 950710-0811. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85502:134-85502:163.

-9509180324 Insp repts 50-259/95-41, 50-260/95-41 & 50-296/95-41 on 950710-0811. No violations noted. Major areas inspected: 1C EDG turbocharger failure, flow accelerated corrosion, IE bulletin 83-07 & 86-05. KLEINSORGE, W.P. Region 2 (Post 820201). 95/09/11. 27pp. 85502:137-85502:163.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from evaluation. HEBDON, F.J. 95/09/25. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

P. Operating license stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31. IGNATONIS, A. Region 2 (Post 820201). 95/08/21. HARDING, M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509190172 Forwards minutes of past Browns Ferry Unit 3 Restart Action Panel meeting for inclusion in NRC Docket File & PDR. LESSER, M.S. Region 2 (Post 820201). 95/08/22. JOHNSON, J.R. Region 2 (Post 820201). 4pp. 85504:159-85504:299.

-9509190177 Informs that listed individuals have been chosen as members of Browns Ferry Unit 3 Restart Panel. EBNETER, S.D. Region 2 (Post 820201). HEBDON, F.J., WILLIAMS, J.F. 95/02/01. JOHNSON, J.R., HEBDON, F.J., WILLIAMS, J.F. 7pp. 85504:183-85504:189.

-9509190181 Forwards minutes of Browns Ferry Unit 3 Restart Panel 950209 meeting. JOHNSON, J.R. Region 2 (Post 820201). 95/02/17. HEBDON, F.J., LESSER, M.S., CASTO, C.A. 20pp. 85504:170-85504:189.

-9509190188 Forwards minutes of Browns Ferry Unit 3 Restart Panel 950321 meeting. JOHNSON, J.R. Region 2 (Post 820201). 95/03/29. EBNETER, S.D. Region 2 (Post 820201). 23pp. 85504:190-85504:212.

-9509190194 Forwards minutes of Browns Ferry Unit 3 Restart Panel 950418 meeting. JOHNSON, J.R. Region 2 (Post 820201). 95/04/25. EBNETER, S.D. Region 2 (Post 820201). 37pp. 85504:213-85504:251.

-9509190199 Forwards minutes of Browns Ferry Unit 3 Restart Panel 950525 meeting. JOHNSON, J.R. Region 2 (Post 820201). 95/06/08. EBNETER, S.D. Region 2 (Post 820201). 22pp. 85504:252-85504:273.

-9509190204 Forwards minutes of Browns Ferry Unit 3 Restart Panel 950623 meeting. JOHNSON, J.R. Region 2 (Post 820201). 95/07/17. EBNETER, S.D. Region 2 (Post 820201). 25pp. 85504:274-85504:299.

9509060330 Forwards amends 223,238 & 197 to licenses DPR-33, DPR-52 & DPR-68, respectively & SE. Amends provide for addition of reactor trip on low scram pilot air header pressure for plant Unit 3. WILLIAMS, J.F. 95/08/29. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85314:259-85314:298.

-9509060334 Amends 223,238 & 197 to licenses DPR-33, DPR-52 & DPR-68, respectively, providing for addition of reactor trip on low scram pilot air header pressure for plant Unit 3 & to revise note re instrumentation requirements for all plants. HEBDON, F.J. 95/08/29. 33pp. 85314:260-85314:292.

-9509060337 Safety evaluation supporting amends 223,238 & 197 to licenses DPR-33, DPR-52 & DPR-68, respectively. 95/08/29. 5pp. 85314:293-85314:298.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan." CARRIER, P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan." MEDFORD, M.O., MACIEJEWSKI, J. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9509120250 Submits rev to commitments concerning SMART & vertical drop of RV ref legs. SALAS, P. Tennessee Valley Authority. 95/09/05. Document Control Branch (Document Control Desk). 6pp. 85437:323-85437:325.

64 DOCKETED ITEMS

- 9509120260** Forwards corrective action tracking document, documenting actions to be completed after restart.
SALAS, P. Tennessee Valley Authority. 95/09/05. Document Control Branch (Document Control Desk). 6pp. 85437:329-85437:334.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509210012** Discusses corrective action tracking document (CATD) related commitments. Corrective actions for 11 CATDs not scheduled to be completed prior to return to svc.
SALAS, P. Tennessee Valley Authority. 95/09/11. Document Control Branch (Document Control Desk). 6pp. 85548:321-85548:326.
- 9509280180** Confirms 950908 conversation between P Salas & MS Lesser re meeting scheduled for 950921, to discuss status & schedule for Unit 3 restart activities.
LESSER, M.S. Region 2 (Post 820201). 95/09/12. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85613:154-85613:156.
- 9509280239** Discusses 950831 meeting at Region II w/licensee mgt staff to discuss status & schedule for Unit 3 restart activities.
LESSER, M.S. Region 2 (Post 820201). 95/09/12. KINGSLEY, O.D. Tennessee Valley Authority. 48pp. 85614:219-85614:266.
- 9509180132** Application for amend to license DPR-68 changing TS Table 4.2.B & 4.2.C to delete requirements to perform daily instrument checks for steam supply low pressure & turbine exhaust diaphragm high pressure.
SALAS, P. Tennessee Valley Authority. 95/09/13. Document Control Branch (Document Control Desk). 8pp. 85522:146-85522:160.
- 9509180136** Proposed tech specs, changing TS Table 4.2.B & 4.2.C to delete requirement to perform daily instrument checks for steam supply low pressure & turbine exhaust diaphragm high pressure for both RCIC & HPCI sys.
* Tennessee Valley Authority. 95/09/13. 7pp. 85522:154-85522:160.
- 9509200153** Forwards amends 224,239 & 198 of licenses DPR-33, DPR-52 & DPR-68, respectively & SE. Amends revise reactor vessel pressure-temp curves & bolt-up temps.
WILLIAMS, J.F. 95/09/13. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 85527:289-85527:322.
- 9509200300** Amends 224,239 & 198 to licenses DPR-33, DPR-52 & DPR-68, respectively, revising plants reactors vessel pressure-temp curves & bolt-up temp.
HEBDON, F.J. 95/09/13. 28pp. 85527:290-85527:318.
- 9509200306** Safety evaluation supporting amends 224,239 & 198 to licenses DPR-33, DPR-52 & DPR-68, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/09/13. 4pp. 85527:319-85527:322.
- 9509280271** Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS, A. Region 2 (Post 820201). 95/09/14. HARDING, M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.
- 9509250019** Provides updated methodology for testing per pump & valve testing program, specifically clarification include testing in accordance w/ASME Section XI for core spray testable check valves.
SALAS, P. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 8pp. 85587:272-85587:281.
- G. Inspection reports, IE Bulletins & correspondence**
- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509070166** Forwards insp repts 50-259/95-39, 50-260/95-39 & 50-296/95-296 on 950724-28. No violations or deviations noted.
CASTO, C.A. Region 2 (Post 820201). 95/08/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:170-85321:181.
- 9509070172** Insp repts 50-259/95-39, 50-260/95-39 & 50-296/95-39 on 950724-28. No violations or deviations noted. Major areas inspected: post accident monitoring instrumentation for implementation for light-water cooled nuclear plants.
RUDISAILS, L. SHYMLOCK, M. Region 2 (Post 820201). 95/08/25. 7pp. 85321:173-85321:181.
- 9509070174** Forwards insp repts 50-259/95-19, 50-260/95-19 & 50-296/95-19 on 950710-14 & 0724-28. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/08/25. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:218-85321:241.
- 9509070180** Insp repts 50-259/95-19, 50-260/95-19 & 50-296/95-19 on 950710-14 & 24-28. No violations noted. Major areas inspected: licensee completion of implementation of commitments made for Unit 2 in response to GI 89-10.
WHITENER, H., SHYMLOCK, M. Region 2 (Post 820201). 95/08/25. 21pp. 85321:221-85321:241.
- 9509070170** Forwards insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:192-85321:217.
- 9509070181** Insp repts 50-259/95-37, 50-260/95-37 & 50-296/95-37 on 950717-21. No violations noted. Major areas inspected: safe shutdown to evaluate plant Units 2 & 3 for compliance w/Sections III, G, III, J & III, L of App R to 10CFR50.
WISEMAN, G., SHYMLOCK, M.B. Region 2 (Post 820201). 95/08/30. 23pp. 85321:195-85321:217.
- 9509070225** Forwards insp repts 50-259/95-44, 50-260/95-44 & 50-296/95-44 on 950731-0804. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/08/30. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85322:244-85322:256.
- 9509070235** Insp repts 50-259/95-44, 50-260/95-44 & 50-296/95-44 on 950731-0804. No violations noted. Major areas inspected: followup insp on previous violations, unresolved items & other Unit 3 restart items.
COLEY, J.L., BLAKE, J.J. Region 2 (Post 820201). 95/08/15. 10pp. 85322:247-85322:256.
- 9509070184** Forwards insp repts 50-259/95-43, 50-260/95-43 & 50-296/95-43 on 950715-0812. No violations or deviations noted.
LESSER, M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:247-85321:267.
- 9509070194** Insp repts 50-259/95-43, 50-260/95-43 & 50-296/95-43 on 950712-0812. No violations noted. Major areas inspected: areas of operations, plant support, maint activities & testing.
WERT, L.D., LESSER, M.S. Region 2 (Post 820201). 95/08/31. 18pp. 85321:250-85321:267.
- 9509110131** Forwards response to NRC 950807 ltr re violations noted in insp repts 50-259/95-38, 50-260/95-38 & 50-296/95-38. Corrective actions: modified field wiring for EECW pump B1 to match w/relay contact layout on drawing 3-45E768-6.
MACHON, R.D. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 7pp. 85457:349-85457:355.
- 9508310196** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509180277** Forwards insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85501:196-85501:215.
- 9509180294** Insp repts 50-259/95-32, 50-260/95-32 & 50-296/95-32 on 950724-28. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR, W.M., BARR, K.P. Region 2 (Post 820201). 95/09/08. 17pp. 85501:199-85501:215.
- 9509180317** Forwards insp repts 50-259/95-41, 50-260/95-41 & 50-296/95-41 on 950710-0811. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85502:134-85502:163.
- 9509180324** Insp repts 50-259/95-41, 50-260/95-41 & 50-296/95-41 on 950710-0811. No violations noted. Major areas inspected: 1C EDG turbocharger failure, flow accelerated corrosion, IE bulletin 83-07 & 88-05.
KLEINSORGE, W.P., LENAHAN, J.J., CHOU, R.C. Region 2 (Post 820201). 95/09/11. 27pp. 85502:137-85502:163.
- 9509180233** Forwards insp repts 50-259/95-50, 50-260/95-50 & 50-296/95-50 on 950710-0811. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/09/11. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85500:348-85500:357.
- 9509180240** Insp repts 50-259/95-50, 50-260/95-50 & 50-296/95-50 on 950815-18. No violations or deviations noted. Major areas inspected: design engineering & plant mod issues associated w/restart of unit 3.
WISEMAN, G., SHYMLOCK, M.B. Region 2 (Post 820201). 95/09/06. 5pp. 85500:351-85500:357.
- 9509280226** Forwards insp repts 50-259/95-47, 50-260/95-47 & 50-296/95-47. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/09/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85614:082-85614:099.
- 9509280236** Insp repts 50-259/95-47, 50-260/95-47 & 50-296/95-47 on 950807-11 & 21-25. No violations noted. Major areas inspected: PASS, accident modeling instrumentation, IAB QA, CREV sys, liquid radwaste processing & SBTGS.
JONES, D.W., CARRION, R.P., DECKER, T.R. Region 2 (Post 820201). 95/09/12. 15pp. 85614:085-85614:099.
- 9509130018** NRC Info Notice 80-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190257 Monthly operating repts for Aug 1995 for Browns Ferry Nuclear Plant/W/ 950915 ltr. SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/08/31. 13pp. 85530-267-85530-279.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR**F. Security, medical, emergency & fire protection plans**

9509190261 Forwards Rev 3 to "Pulstar Nuclear Reactor Emergency Plan," reflecting revised 10CFR20 & incorporating NC State Univ incident command sys.App B also revised to facilitate off-site dose rate calculations. PEREZ,P.B., WICKS,G.D. North Carolina State Univ., Raleigh, NC. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85537-234-85537-332.

-9509190285 Rev 3 to "PULSTAR Nuclear Reactor Emergency Plan."
* North Carolina State Univ., Raleigh, NC. 95/08/01. 92pp. 85537-236-85537-332.

K. Utility Final Safety Analysis Report (FSAR) & amends

9509200197 Forwards Amend 11 to "Updated SAR for Pulstar Reactor." Updated SAR includes two new safety analyses re HX pressure boundary breach & TS limit on fueled experiments. PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 95/09/15. Document Control Branch (Document Control Desk). 4pp. 85553-001-85554-101.

-9509200199 "Updated SAR for Pulstar Reactor."
* North Carolina State Univ., Raleigh, NC. 95/09/04. 460pp. 85553-005-85554-101.

R. Periodic operating reports & related correspondence

9509010222 "Pulstar Reactor Annual Rept for Period Jul 1994 - June 1995." W/950825 ltr. PEREZ,P.B., MAYO,C.W., DUDZIAK,D.J. North Carolina State Univ., Raleigh, NC. 95/06/30. 41pp. 85313-174-85313-214.

DOCKET 50-298 COOPER NUCLEAR STATION**F. Security, medical, emergency & fire protection plans**

9509200290 Forwards EA & FONSI re 941216 withdrawal of exemption re fire barriers for certain electrical penetrations between critical switchgear rooms. HALL,J.R. 95/08/07. HORN,G.R. Nebraska Public Power District. 3pp. 85543-254-85543-260.

-9509200298 Environ assessment & finding of no significant impact re fire barriers for certain electrical penetrations between critical switchgear rooms. HALL,J.R. 95/08/07. 4pp. 85543-257-85543-260.

9509070164 Discusses 950818 public meeting re SALP as documented in SALP rept 50-298/95-99. One area of rept required clarification. Corrected pages 4 & 5 of rept encl. CALLAN,L.J. Region 4 (Post 820201). 95/09/01. HORN,G.R. Nebraska Public Power District. 5pp. 85321-159-85321-169.

-9509080135 Corrected pages to SALP rept 50-298/95-99.
* Region 4 (Post 820201). 95/09/01. 6pp. 85321-164-85321-169.

9509120303 Forwards amend 171 to license DPR-46 & SE. Amend changes TSs to revise definition for LSFT & revises surveillance interval for ECCS logic sys functional testing from 6 to 18 months. HALL,J.R. 95/09/07. HORN,G.R. Nebraska Public Power District. 3pp. 85411-297-85411-314.

-9509120309 Amend 171 to license DPR-46, changing TSs to revise definition for LSFT & revising surveillance interval for ECCS LSFT from 6 to 18 months. HALL,J.R. 95/09/07. 11pp. 85411-300-85411-310.

-9509120313 Safety evaluation supporting amend 171 to license DPR-46.
* 95/09/07. 3pp. 85411-311-85411-314.

9509140015 Revised EPIPs, including rev 9 to EPIP 5.7.2, rev 19 to EPIP 5.7.10, rev 11 to EPIP 5.7.11 & rev 12 to EPIP 5.7.13. W/ 950911 ltr. HOUSTON,B.L., HORN,G.R. Nebraska Public Power District. 95/09/11. 53pp. 85523-001-85523-053.

9509200022 Conveys results & conclusions of operational safeguards response evaluation conducted by NRR at Cooper Nuclear Station from 950814-17. CUNNINGHAM,L.J. 95/09/14. HORN,G.R. Nebraska Public Power District. 3pp. 85540-349-85540-351.

H. General correspondence

9509130040 Requests that JC Parker be removed from distribution list for copies of NRC correspondence w/NPPD involving plant & listed company be added to distribution, due to reassignment of job responsibilities within company. PARKER,J.C. 95/09/06. Document Control Branch (Document Control Desk). 1p. 85474-222-85474-222.

P. Operating license stage documents & correspondence

9509120058 Forwards changus to GL 89-10, Suppl 6 commitments w/ justification & clarification. MUELLER,J.H. Nebraska Public Power District. 95/09/06. Document Control Branch (Document Control Desk). 9pp. 85437-178-85435-186.

9509150302 Comment on draft reg guide DG-0008, "Applications for Use of Sealed Sources in Portable Gauging Devices." Informs that App C, Item 8 be clarified. MUELLER,J.H. Nebraska Public Power District. 95/09/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85485-216-85485-217.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509120226 Requests that proposed change numbers 66,119,120,121 & 123 to plant TS be withdrawn. MUELLER,J.H. Nebraska Public Power District. 95/09/08. Document Control Branch (Document Control Desk). 3pp. 85435-348-85435-350.

9509220039 Advises that unless util notify NRC that understanding incorrect by 951002,930831 application for amend to license will be considered abandoned, per 950914 request & notice of withdrawal of application for amend will be filed. HALL,J.R. 95/09/18. HORN,G.R. Nebraska Public Power District. 3pp. 85562-353-85562-355.

9509220024 Advises that util 950721 request for relief from requirements of paragraphs IWA-7110 & IWA-7210 of section III of ASME Boiler & Pressure Vessel Code, considered withdrawn, per 950914 request. HALL,J.R. 95/09/20. HORN,G.R. Nebraska Public Power District. 4pp. 85562-356-85562-359.

9509220052 Advises that plans for insp of plant core shroud acceptable, per GL 94-03, "intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." HALL,J.R. 95/09/20. HORN,G.R. Nebraska Public Power District. 4pp. 85564-310-85564-313.

9509220256 Requests withdrawal of amend requests to license DPR-46, modifying facility TSs to revise safety valve & safety relief valve setpoint tolerances & to revise administrative controls section position titles & organization. HALL,J.R. 95/09/20. HORN,G.R. Nebraska Public Power District. 4pp. 85573-336-85573-341.

-9509220264 Notice of withdrawal of applications for amend to license DPR-46.
* 95/09/20. 2pp. 85573-340-85573-341.

9509260274 Third partial response to FOIA request for documents. Records in App D available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. PATTERSON,S.J. Morgan, Lewis & Bockius. 4pp. 85636-001-85636-273.

-9509260293 Notification of "strawman" root cause meeting w/special evaluation team on 941001 to identify potential upper level causes of problems at plant based on issues & facts identified to date. MADISON,A. NRC - No Detailed Affiliation Given. 94/09/22. NRC - No Detailed Affiliation Given. 23pp. 85636-009-85636-031.

-9509270114 Forwards SOW for LER analysis of plant for last 2 yrs. 920701-present. PULLANI,S.V. Trends & Patterns Analysis Branch. 95/09/06. YEILDING,D.E. Diagnostic Evaluation & Incident Investigation Branch. 9pp. 85636-039-85636-047.

-9509270127 Forwards plant special evaluation document request 2 for review & re-requests comments or E-mail by COB of ltr date. PULLANI,S. Diagnostic Evaluation & Incident Investigation Branch. 95/09/06. Diagnostic Evaluation & Incident Investigation Branch. 53pp. 85636-048-85636-125.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9509150216 FOIA requests for listed documents re facility. PATTERSON,S.J. Morgan, Lewis & Bockius. 95/06/09. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85493-152-85493-155.

9509060007 Forwards SE granting licensee 941101 relief request RI-07 for ISI program for plant. BECKNER,W.D. 95/08/31. HORN,G.R. Nebraska Public Power District. 4pp. 85325-331-85325-340.

-9509060008 Safety evaluation granting licensee request relief RI-07 for ISI program for plant.
* 95/08/31. 2pp. 85325-335-85325-340.

9509080028 Forwards response to NRC 950725 ltr re violations noted in insp rept 50-298/95-08 on 950416-0527. Corrective actions: District has initiated Phase 3 performance improvement Plan to address area of procedure use & adherence. MUELLER,J.H. Nebraska Public Power District. 95/08/31. Document Control Branch (Document Control Desk). 8pp. 85419-170-85419-177.

9509070164 Discusses 950818 public meeting re SALP as documented in SALP rept 50-298/95-99. One area of rept required clarification. Corrected pages 4 & 5 of rept encl. CALLAN,L.J. Region 4 (Post 820201). 95/09/01. HORN,G.R. Nebraska Public Power District. 5pp. 85321-159-85321-169.

-9509080135 Corrected pages to SALP rept 50-298/95-99.
* Region 4 (Post 820201). 95/09/01. 6pp. 85321-164-85321-169.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

66 DOCKETED ITEMS

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509150182 Forwards insp rept 50-298/95-10 on 950709-0819. No violations noted. DYER, J.E. Region 4 (Post 820201). 95/09/08. HORN, G.R. Nebraska Public Power District. 5pp. 85485:029-85485:045.

9509150192 Insp rept 50-298/95-10 on 950709-0819. No violations noted. Major areas inspected: onsite response to events, operational safety verification, plant support activities, maintenance & surveillance observations & onsite engineering. HARRELL, P.H. Region 4 (Post 820201). 95/08/31. 18pp. 85485:028-85485:045.

9509150220 Second partial response to FOIA request for records. App B & C records encl & available in PDR. POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. PATTERSON, S.J. Morgan, Lewis & Bockius. 3pp. 85493:156-85493:233.

9409010080 Discusses Cooper performance evaluation tree which had been conducted to gain further understanding re performance level of station for upcoming Special Evaluation Team assessment. GODY, A.T. Inspection & Licensing Policy Branch (Post 920712). 94/08/26. MERSCHOFF, E.W. Office for Analysis & Evaluation of Operational Data, Director. 35pp. 85493:159-85493:193.

9501090358 Requests resolution of items in areas of responsibility as result of special evaluation of plant & informs of intent to closely monitor status of staff action items until final resolution. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/12/22. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). CALLAN, L.J. Region 4 (Post 820201). JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 33pp. 85493:194-85493:226.

9507/90160 Discusses 941222 memo re certain generic & plant specific actions resulting from special evaluation team assessment at plant & forwards status rept. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/11. TAYLOR, J.M. Ofc of the Executive Director for Operations. 7pp. 85493:227-85493:233.

9509210301 Ack receipt of 950831 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-08. DYER, J.E. Region 4 (Post 820201). 95/09/18. HORN, G.R. Nebraska Public Power District. 4pp. 85545:175-85545:186.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509220052 Advises that plans for insp of plant core shroud acceptable, per GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." HALL, J.R. 95/09/20. HORN, G.R. Nebraska Public Power District. 4pp. 85564:310-85564:313.

9509260274 Third partial response to FOIA request for documents. Records in App D available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. PATTERSON, S.J. Morgan, Lewis & Bockius. 4pp. 85636:001-85636:273.

9509270144 Informs that special evaluation team recommends that Region IV take full or partial credit for listed insp program modules. MERSCHOFF, E.W. NRC - No Detailed Affiliation Given. 94/11/23. BEACH, A.B. Region 4 (Post 820201). 153pp. 85636:126-85636:273.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509110169 "Cooper Nuclear Station Semi-Annual Operating Rept Radioactive Effluents Jan-June 1995." W/950830 ltr. MUELLER, J.H. Nebraska Public Power District. 95/06/30. 200pp. 85453:001-85453:199.

9509010139 Forwards FFD semi-annual performance rept for 950101-0630, for Cooper Nuclear Station, per 10CFR26.71(d). MUELLER, J.H. Nebraska Public Power District. 95/08/24. Document Control Branch (Document Control Desk). 4pp. 85346:345-85346:348.

9509150003 Monthly operating rept for Aug 1995 for Cooper Nuclear Station. W/950908 ltr. BALLINGER, P.L., HERRON, J.T. Nebraska Public Power District. 95/08/31. 5pp. 85567:327-85567:331.

9509120067 Forwards correction to 1993 semi-annual radioactive matl release rept for Jan-June 1993. MUELLER, J.H. Nebraska Public Power District. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85427:345-85427:348.

9509120069 Correction to 1993 semi-annual radioactive matl release rept for Jan-June 1993. Nebraska Public Power District. 95/06/30. 2pp. 85427:347-85427:348.

S. Reportable occurrences, LERs & related correspondence

9509010169 LER 95-010-00 on 950413, unanalyzed condition discovered during closeout of RHR min flow valve design change (DC) 94-332. Caused by improper review of previous DC 76-2. Uti implemented DC 94-332 W/950515 ltr. ALFORD, A., HERRON, J.T. Nebraska Public Power District. 95/05/15. 6pp. 85315:076-85315:081.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl. GWYNN, T.P. Region 4 (Post 820201). 95/08/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509070317 Revised EPIPs, including Rev 32 to EPIP index, Rev 12 to EPIP 2.1, Rev 23 to EPIP 4.1, Rev 15 to EPIP 7.3.1 & Rev 13 to EPIP 10.2. Wisconsin Electric Power Co. 95/08/31. 43pp. 85415:267-85415:310.

9509120336 Forwards public ver of revised EPIPs, including rev 32 to EPIP index, rev 12 to EPIP 2.1, rev 23 to EPIP 4.1, rev 15 to EPIP 7.3.1 & rev 13 to EPIP 10.2. MAXFIELD, G.J. Wisconsin Electric Power Co. 95/08/31. Document Control Branch (Document Control Desk). 1p. 85421:274-85421:317.

9509130047 Forwards response to NRC 950803 ltr re violation noted in insp repts 50-266/95-10 & 50-301/95-10 on 950713-26. Corrective actions: safeguards info returned to central alarm station, controlled access area. LINK, B. Wisconsin Electric Power Co. 95/09/05. Document Control Branch (Document Control Desk). 5pp. 85474:161-85474:165.

9509270199 Forwards insp repts 50-266/95-08 & 50-301/95-08 on 950617-0811 & NOV. FARBER, M.J. Region 3 (Post 820201). 95/09/14. LINK, R. Wisconsin Electric Power Co. 2pp. 85631:279-85631:295.

9509270200 Notice of violation from insp on 950617-0811. Violation noted: licensee failed to implement compensatory measures for period of 23 minutes for protected area intrusion alarm zone that was not functioning. Region 3 (Post 820201). 95/09/14. 1p. 85631:281-85631:281.

H. General correspondence

9509110080 Encourages development of reg guide outlining requirements of SAR for cask certification above & beyond that currently required in TSAR for ISFSI, Reg Guide 3.61. SHILLINGLAW, J. Affiliation Not Assigned. 95/08/18. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85459:252-85459:255.

9509080161 Requests response to listed questions re NRC evaluation of lifting lugs on casks. SHILLINGLAW, F. Affiliation Not Assigned. 95/08/30. HANSEN, NRC - No Detailed Affiliation Given. 1p. 85419:322-85419:322.

9509050328 Discusses 950822 ltr to A Hansen re dry cask storage at plant. Informs that list of changes to cask sys will be reviewed. HANSEN, A.G. 95/09/01. DUMS, D. Citizens' Utility Board. 11pp. 85325:085-85325:096.

9509060003 Responds to 950802 ltr to S Jackson re dry cask storage at plants. MARCUS, G.H. 95/09/01. RABATA, C. Affiliation Not Assigned. 4pp. 85314:231-85314:234.

9509130094 Encourages NRC to consider all safety requirements concerning preoperational test acceptance criteria & test results re planned dry cask sys at Davis Besse (& Wisconsin Electric Power). JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. HANSEN, A.G. 2pp. 85474:229-85474:224.

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses. HANNON, J.N. 95/09/12. SHILLINGLAW, F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

9509210289 Questions why WEPC delayed loading casks until Dec, whether dry run for WEPC complete, whether NRC reviewed unloading procedure & how procedure different from Palisades. SHILLINGLAW, F. Affiliation Not Assigned. 95/09/14. HANSEN, A. NRC - No Detailed Affiliation Given. 4pp. 85568:323-85568:326.

9509210096 Ack receipt of 950906 response to F Shillinglaw 950718 & 0818 ltrs. Questions re proprietary nature of stated documents & whether insp of metal components for Point Beach done by NRC listed. SHILLINGLAW, F. Affiliation Not Assigned. 95/09/15. MARCUS, G.H. 2pp. 85568:327-85568:328.

9509260267 Requests identification of submitted technical issues not explicitly addressed in dry cask storage action plan. DUMS, D. Affiliation Not Assigned. 95/09/19. HANSEN, A. NRC - No Detailed Affiliation Given. 3pp. 85625:036-85625:038.

I. Financial information

9509250013 Forwards util stockholder proxy statement & FERC filings re proposed Wisconsin Energy Corp & NSP Co merger w/five oversize drawings. KRIEGER,G.M. Wisconsin Electric Power Co. 95/09/12. Document Control Branch (Document Control Desk). 1,200pp. 85650:001-85655:246.

P. Operating license stage documents & correspondence

9509060018 Notification of 950907 meeting w/utilis in Rockville,MD to discuss merger of two utilis & future applications to NRC re merger. WETZEL,B.A. 95/08/31. HANNON,J. 4pp. 85326:051-85326:054.

9509070304 Forwards RAI re 950625 response to GL 95-03, "Circumferential Cracking of SG Tubes," & requests response within 30 days of receipt of ltr. HANSEN,A.G. 95/09/01. LINK,R.E. Wisconsin Electric Power Co. 4pp. 85373:333-85373:336.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509250013 Forwards util stockholder proxy statement & FERC filings re proposed Wisconsin Energy Corp & NSP Co merger w/five oversize drawings. KRIEGER,G.M. Wisconsin Electric Power Co. 95/09/12. Document Control Branch (Document Control Desk). 1,200pp. 85650:001-85655:246.

9509200198 Application for amend to licenses DPR-24 & DPR-27, consisting of TS Change Request 181, revising TS Section 15.3.1.G.3 re RCS raw measured total flow rate, w/o TS. LINK,B. Wisconsin Electric Power Co. 95/09/13. Document Control Branch (Document Control Desk). 5pp. 85554:191-85554:195.

9509210357 Forwards 950131 decision by director of NMSS that section 72.48 applicable to general license as defined as in 10CFR72, subpart K of NRC regulations. MARCUS,G.H. 95/09/15. LINK,R.E. Wisconsin Electric Power Co. 7pp. 85562:317-85562:323.

9509280288 Forwards RAI re GL 95-03, "Circumferential Cracking of SG Tubes," requesting further clarification, within 30 days, in order to complete review. HANSEN,A.G. 95/09/22. LINK,R.E. Wisconsin Electric Power Co. 4pp. 85636:284-85636:287.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509130047 Forwards response to NRC 950803 ltr re violation noted in insp repts 50-266/95-10 & 50-301/95-10 on 950713-26. Corrective actions/safeguards info returned to central alarm station, controlled access area. LINK,B. Wisconsin Electric Power Co. 95/09/05. Document Control Branch (Document Control Desk). 5pp. 85474:161-85474:165.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509270199 Forwards insp repts 50-266/95-08 & 50-301/95-08 on 950617-0811 & NOV. FARBER,M.J. Region 3 (Post 820201). 95/09/14. LINK,R. Wisconsin Electric Power Co. 2pp. 85631:279-85631:295.

9509270200 Notice of violation from insp on 950617-0811. Violation noted: licensee failed to implement compensatory measures for period of 23 minutes for protected area intrusion alarm zone that was not functioning. * Region 3 (Post 820201). 95/09/14. 1p. 85631:281-85631:281.

9509270202 Insp repts 50-266/95-08 & 50-301/95-08 on 950617-0811. Violations noted: Major areas inspected: operations, engineering, maint & plant support. FARBER,M.J. Region 3 (Post 820201). 95/09/14. 14pp. 85631:262-85631:295.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200233 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue #23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9508220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509140002 Monthly operating repts for Aug 1995 for Point Beach Nuclear Plant, w/ 950907 ltr. KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/08/31. 9pp. 85477:347-85477:355.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509110176 Responds to 9/07/18-08/18 ltrs re dry cask storage at plant. Informs that new docket numbers recently issued for several sites. Forwards branch technical position on QA programs for independent SF storage facilities. MARCUS,G.H. 95/09/06. SHILLINGLAW,F. Affiliation Not Assigned. 8pp. 85385:272-85385:297.

9509110194 Forwards guidance, "Std Review Plan for QA Programs for ISFSI 10CFR72," prepared by NRC QA Branch. ROUSE,L.C. Advanced Fuel & Spent Fuel Licensing Branch. 86/06/20. Affiliation Not Assigned. 1p. 85385:280-85385:280.

9509110203 "QA Programs for ISFSI Branch Technical Position, Advanced Fuel & SF Licensing Branch." * QA Br, Div of QA Vendor & Technical Training Center Programs, IE (850212-870413). 86/06/20. 17pp. 85385:281-85385:297.

9509210186 Discusses application of WEPIC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at PSNP located in Town of Two Creeks, Manitowoc County. DORR,L.L. Wisconsin, State of. 95/09/11. HANSEN,A.G., KREISER,G. Wisconsin Electric Power Co. CULLEN,L. Affiliation Not Assigned. 5pp. 85548:291-85548:295.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9509120315 Revised EIPs, including rev 30 to EPIP EM-102, "Activation, Operation & Staffing of TSC & Operational Support Ctr," & rev 50 to EPIP EM-202, "Duties of Emergency Coordinator." STEPHENSON,J.D. Florida Power Corp. 95/09/01. 77pp. 85440:259-85440:335.

9509180280 Forwards insp repts 50-302/95-14 on 950625-0805. Violation noted: postulated fire on 95 foot elevation in auxiliary bldg could result in continuous H2 addition to makeup tank, leading to vortexing, causing damage to running makeup pump. * Region 2 (Post 820201). 95/09/01. 2pp. 85501:221-85501:222.

9509180290 Notice of violation from insp on 950625-0805. Violation noted: postulated fire on 95 foot elevation in auxiliary bldg could result in continuous H2 addition to makeup tank, leading to vortexing, causing damage to running makeup pump. * Region 2 (Post 820201). 95/09/01. 2pp. 85501:221-85501:222.

9509120249 Rev 13 to EPIP AR-702, "SSF Q Annunciator Response." * Florida Power Corp. 95/09/05. 117pp. 85439:158-85439:276.

9509150352 Rev 8 to AP-330, "Loss of Nuclear Svc Cooling." HALNON,G. Florida Power Corp. 95/09/08. 30pp. 85509:261-85509:290.

9509150357 Rev 19 to EM-204B, "Off-Site Dose Assessment During Radiological Emergencies." STEPHENSON,J. Florida Power Corp. 95/09/08. 33pp. 85508:275-85508:307.

9509200025 Revised EIPs, including rev 15 to EM-209, rev 20 to EM-210, rev 0 to EM-210A & rev 0 to EM-210B. STEPHENSON,J.D. Florida Power Corp. 95/09/11. 43pp. 85555:291-85555:333.

9509250081 Rev 3 to EPIP EOP-02, "Vital Sys Status Verification." * Florida Power Corp. 95/09/15. 28pp. 85587:282-85587:309.

9509280265 Rev 21 to EPIP AR-303, "ESC Annunciator Response." * Florida Power Corp. 95/09/22. 90pp. 85655:247-85655:336.

9509290114 Forwards NUON 06FP801/01, "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples" & NUON 06FP801/02, "Pyrolysis Gas Chromatography Analysis of 3 Thermo-Lag Fire Barrier Samples." BEARD,P.M. Florida Power Corp. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85639:328-85639:338.

9509290115 "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples." FREEMAN,W.P., KELLER,T.S. Nucon, Inc. NUON 06FP801/01. 95/05/11. 4pp. 85639:331-85639:334.

9509290116 "Pyrolysis Gas Chromatography Analysis of 3 Thermo-Lag Fire Barrier Samples." FREEMAN,W.P., KELLER,T.S. Nucon, Inc. NUON 06FP801/02. 95/06/27. 4pp. 85639:335-85639:338.

P. Operating license stage documents & correspondence

9509180133 Denies 891031 request to change TS for LTOP using non-10CFR50, App G methodology on basis that LTOP-type event has low probability occurrence at plant & overpressurization event can be classified as unanticipated. SE & notice encl. RAGHAVAN,L. 95/08/31. BEARD,P.M. Florida Power Corp. 3pp. 85521:306-85521:313.

9509180167 Safety evaluation denying requested LTOP protection TS based on non-App G approach. * 95/04/25. 3pp. 85521:309-85521:311.

9509180176 Notice of denial of amend to license DPR-72, revising TS to add limiting condition for operation for new LTOP & to revise RCS heatup & cooldown PT operating limits for operation up to 15 effective-full-power-yrs. MATTHEWS,D.B. 95/08/31. 2pp. 85521:312-85521:313.

68 DOCKETED ITEMS

9509180194 Summarizes 950825 meeting in Atlanta, GA w/ utility to discuss status of corrective action plan for plant. List of attendees encl.
LANDIS, K.D. Region 2 (Post 820201). 95/09/07. BEARD, P.M. Florida Power Corp. 43pp. 85500:141-85500:183.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509220286 Requests addl info re internal event analysis of IPE. Requests response within 30 days of receipt of ltr.
RAGHAVAN, L. 95/09/19. BEARD, P.M. Florida Power Corp. 16pp. 85577:122-85577:137.

9509260011 Forwards "Crystal River Unit 3 Plant Ref Simulator Four Yr Simulator Certification Rept."
BOLDT, G.L. Florida Power Corp. 95/09/19. Document Control Branch (Document Control Desk). 1p. 85592:114-85592:148.

9509260012 "Crystal River Unit 3 Plant Ref Simulator Four Yr Simulator Certification Rept."
* Florida Power Corp. 95/09/19. 34pp. 85592:115-85592:148.

9509290114 Forwards NUCON 06FP801/01, "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples" & NUCON 06FP801/02, "Pyrolysis Gas Chromatography Analysis of 3 Thermo-Lag Fire Barrier Samples."
BEARD, P.M. Florida Power Corp. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85639:326-85639:338.

9509290115 "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples."
FREEMAN, W.P., KELLER, T.S. Nucon, Inc. NUCON 06FP801/01. 95/05/11. 4pp. 85639:331-85639:334.

9509290116 "Pyrolysis Gas Chromatography Analysis of 3 Thermo-Lag Fire Barrier Samples."
FREEMAN, W.P., KELLER, T.S. Nucon, Inc. NUCON 06FP801/02. 95/06/27. 4pp. 85639:335-85639:338.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070269 Comment on review of revised NRC SALP program. Use of numerical scores has proven to be punitive from economic perspective.
KELLEY, L.C. Florida Power Corp. 95/08/31. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85323:050-85323:054.

9509180260 Forwards insp rept 50-302/95-14 on 950625-0805 & notice of violation.
LANDIS, K.D. Region 3 (Post 820201). 95/09/01. BEARD, P.M. Florida Power Corp. 3pp. 85501:218-85501:268.

9509180290 Notice of violation from insp on 950625-0805. Violation noted: postulated fire on 95 foot elevation in auxiliary bldg could result in continuous H₂ addition to makeup tank, leading to vortexing, causing damage to running makeup pump.
* Region 2 (Post 820201). 95/09/01. 2pp. 85501:221-85501:222.

9509180295 Insp rept 50-302/95-14 on 950625-0805. Violations noted. Major areas inspected: plant operations, surveillance observations, maint observations, plant support, self assessment & transportation of radioactive mats.
BUTCHER, R., LANDIS, K. Region 2 (Post 820201). 95/09/01. 46pp. 85501:223-85501:268.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509290091 Requests review & approval of encl ISI program Relief Requests 95-010, 95-020, 95-030 & 95-040, for implementation by next refueling outage scheduled for Feb 1996.
BEARD, P.M. Florida Power Corp. 95/09/22. Document Control Branch (Document Control Desk). 10pp. 85648:343-85648:352.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.

R. Periodic operating reports & related correspondence

9509190205 Monthly operating rept for Aug 1995 for Crystal River Unit 3 W/950912 ltr.
DAO, T.V., BOLDT, G.L. Florida Power Corp. 95/08/31. 5pp. 85531:273-85531:277.

S. Reportable occurrences, LERs & related correspondence

9509250194 LER 95-014-00: on 950618, operation was outside basis due to TSC air flow deviated from acceptable flow. Work was initiated to properly balance TSC emergency air flow. W/950918 ltr.
FRIJOUF, J.A., HICKLE, B.J. Florida Power & Light Co. 95/09/18. 7pp. 85606:151-85606:157.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509190017 Forwards rev 37 to security plan. Plan withheld (ref 10CFR73.21).
JOHNSON, I.M. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85524:356-85524:356.

9509190091 Responds to 950214 ltr. approving request to not update evacuation time estimate studies for plant EPZs.
CREED, J.R. Region 3 (Post 820201). 95/09/08. GRAESSER, K. Commonwealth Edison Co. 7pp. 85504:032-85504:036.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

9509210187 Revised EIPs, including EPIP index, Rev 0 to EPIP 550-2, Rev 0 to EPIP 550-3 & Rev 0 to EPIP 550-5.
* Commonwealth Edison Co. 95/09/14. 37pp. 85567:321-85567:357.

P. Operating license stage documents & correspondence

9509120149 Informs that DOL wage & hour div received complaint from former employee of Bechtel Construction Co. Employee alleged that employment was terminated because safety concerns were raised while performing duties at plant.
PEDERSON, C.D. Region 3 (Post 820201). 95/08/31. REINSCH, J. Bechtel Corp. 20pp. 85382:210-85382:229.

9509070022 Forwards request for addl info for GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience related to circumferential cracking.
SHIRAKI, C.Y. 95/09/01. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85373:272-85373:274.

9509080045 Forwards "Zion Individual Plant Exam Response to NRC Staff Evaluation Rept & Modified Zion IPE."
SIMPKIN, T.W. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 4pp. 85417:001-85417:014.

9509080051 "Zion Individual Plant Exam Response to NRC Staff Evaluation Rept & Modified Zion IPE."
* Commonwealth Edison Co. 95/09/01. 373pp. 85417:006-85417:014.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180159 Forwards amends 168 to 155 to licenses DPR-39 & DPR-48 & safety evaluation. Amends authorize alternative repair criterion for defects found in tube expansion region within tubesheet.
SHIRAKI, C.Y. 95/09/11. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85521:319-85521:338.

9509180163 Amends 168 & 155 to licenses DPR-39 & DPR-48, respectively authorizing alternative repair criterion for defects found in tube expansion region within tubesheet.
SHIRAKI, C.Y. 95/09/11. 11pp. 85521:321-85521:331.

9509180168 Safety evaluation supporting amends 168 & 155 to licenses DPR-48 & DPR-39, respectively.
* 95/09/11. 7pp. 85521:332-85521:338.

9509190067 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLs, revising TS Section 6, "Administrative Controls."
BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509280144 Forwards response to issues identified in NRC 941006 ltr re performance testing of relief & safety valves. S&W RC pipe stress & support analysis repts. S&L Rept SL-4283 & O'Donnell O'Donnell & Assoc. Inc. Rept 1719-400-002-00 also encl. SIMPKIN, T.W. Commonwealth Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 5pp. 85647:148-85647:253.

9509280167 Zion Station Unit 2 reactor coolant pipe stress & support analysis rept.
* Stone & Webster, Inc. 2RC-2345 R00. 83/05/06. 20pp. 85647:172-85647:191.

9509280168 "Evaluation of Pressurizer Safety & Relief Valve Discharge Piping Subsystem Zion Station Units 1 & 2."
* Sargent & Lundy, Inc. SL-4283. 84/05/02. 11pp. 85647:192-85647:202.

9509280174 "Evaluation of Zion Station Units 1 & 2 Pressurizer Safety & Relief Valve Discharge Piping Subsystem for Slug Flow Condition Event Per NUREG-0737."
RARO, R.J. AEA O'Donnell, Inc. (formerly SMC O'Donnell, Inc. & O'Donnell & Associates, Inc. 1719-400-002-00. 87/04/03. 51pp. 85647:203-85647:253.

G. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509080117 Forwards insp repts 50-295/95-12 & 50-304/95-12 on 950610-0728.No violations noted. MILLER,L.F. Region 3 (Post 820201). 95/08/25. TUETKEN,R. Commonwealth Edison Co. 4pp. 85324:163-85324:186.
- 9509080129 Insp repts 50-295/95-12 & 50-304/95-12 on 950610-0728.No violations noted.Major areas inspected:operations, maintenance & plant support performed. MILLER,L.F. Region 3 (Post 820201). 95/08/25. 19pp. 85324:167-85324:186.
- 9509120174 Discusses 940426 complaint from former employee of Bechtel Construction Company Violation seems to be willful act to discriminate against employee for raising safety concerns while employee engaged in protected activities. PEDERSON,C.D. Region 3 (Post 820201). 95/08/31. TUETKEN,R. Commonwealth Edison Co. 19pp. 85383:016-85383:034.
- 9509070053 Forwards safety evaluation of third 10-yr interval insp program plan & associated requests for relief for plant, units 1 & 2. CAPRA,R.A. 95/09/01. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85485:252-85485:325.
- 9509070057 SE of third 10-yr interval inservice insp program plan & associated request for relief for plant,units 1 & 2. 95/09/01. 9pp. 85485:254-85485:261.
- 9508110271 "TER on Third 10-Yr Interval ISI Program Plan for Zion Nuclear Power Station Units 1 & 2." ANDERSON,M.T., FEIGE,E.J., GALBRAITH,S.G. Idaho National Engineering Laboratory. INEL-94/0244 R01. 95/07/31. 62pp. 85485:262-85485:325.
- 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509190046 Forwards NRC predecisional enforcement conference repts 50-295/95-17 & 50-304/95-17 on 950911.Apparent violation re failure of staff to re-hire employee for CECO 1994-1995 plant refueling outage.No response required at present time. PEDERSON,C.D. Region 3 (Post 820201). 95/09/13. REINSCH,J. Affiliation Not Assigned. 2pp. 85503:170-85503:200.
- 9509190050 Predecisional enforcement conference repts 50-295/95-17 & 50-304/95-17 on 950911.Apparent violation noted.No response required at present time.Major areas discussed:review of apparent violation & corrective actions completed. JFTH,S.K., CANNANO,R.J., CALDWELL,J.L. Region 3 (Post 820201). 95/09/14. 29pp. 85503:172-85503:200.
- 9509190063 Forwards predecisional enforcement conference repts 50-295/95-17 & 50-304/95-17 on 950911.Violation re failure of Bechtel Const Co to re-hire employee for plant refueling outage identified.No response required at present time. PEDERSON,C.D. Region 3 (Post 820201). 95/09/13. TUETKEN,R. Commonwealth Edison Co. 2pp. 85503:307-85503:337.
- 9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05.UJI should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18. ROE,J.W. 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.
- 9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Clearing of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509270275 Ack receipt of 950814 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-08 & 50-304/95-08 on 950713. MILLER,L.F. Region 3 (Post 820201). 95/09/22. TUETKEN,R. Commonwealth Edison Co. 2pp. 85627:345-85627:346.
- 9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.

R. Periodic operating reports & related correspondence

- 9509200086 Monthly operating repl for Aug 1995 for Zion Generating Station Unit 2.W/ 950915 ltr. CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/08/31. 13pp. 85564:151-85564:163.

S. Reportable occurrences, LERs & related correspondence

- 9509290009 LER 95-002-01 on 940307,determined that LCO 3.7.2 Action e for placing facility in Mode 4 w/TD & motor-driven AFW pump inoperable exceeded due to procedural deficiency.Periodic Test PT-14 revised.W/950926 ltr. VORPAHL,D., SCHWARTZ,G.K. Commonwealth Edison Co. 95/09/26. 6pp. 85645:225-85645:230.

Y. Operator Examinations

- 9509260094 Requests proposed exam outlines be furnished by 951130 to meet scheduled arrangements to administer licensing exams during wk of 960129.E5-402 & E5-302,enci. RING,M.A. Region 3 (Post 820201). 95/09/19. TUETKEN,R. Commonwealth Edison Co. 5pp. 85569:303-85569:307.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

- 950910231 Forwards clarification of rev 7 to security manual.Encl withheld. MARCHI,M.L. Wisconsin Electric Power Co. 95/08/28. Document Control Branch (Document Control Desk). 2pp. 85375:359-85375:360.
- 9509120072 Advises that rev 7a to security plan consistent w/provisions of 10CFR50.54(p) & acceptable. CREEDE,J.R. Region 3 (Post 820201). 95/09/07. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 85435:189-85435:190.
- 9509190295 Revised EPIPs,including EPIP index,Rev AC to EP-AD.7,Rev AD to EP-AD.8,Rev M to EP-E0F.6,Rev Z to EP-E0F.4,Rev AA to APPX-A-1,Rev AN to APPX-A-3,Rev M to APPX-A-6,Rev K to APPX-A-7 & Rev H to EPIP Form AD 7.1.W/950913 ltr. MARCHI,M.L. Wisconsin Public Service Corp. 95/09/13. 120pp. 85536:142-85536:261.

J. Insurance & indemnity information

- 950910314 Forwards Endorsement 120 for NELIA Policy NF-0204 & Endorsement 103 for MAELU Policy MF-0071. MARCHI,M.L. Wisconsin Public Service Corp. 95/08/29. Document Control Branch (Document Control Desk). 3pr. 85315:359-85315:361.

P. Operating license stage documents & correspondence

- 9509050153 Forwards response to NRC 950426 RAI re IPE for external events submittal w/exception of fire PRA questions F.1 & F.3. MARCHI,M.L. Wisconsin Public Service Corp. of Colorado. 95/08/29. Document Control Branch (Document Control Desk). 446pp. 85343:001-85343:082.
- 9509050162 Rev 0 to "Fratlity Analysis of Circulating Water Intake & Discharging Piping." * Stevenson & Associates. C-020 R00. 94/05/25. 16pp. 85343:345-85343:360.
- 9509050164 "Kewaunee A-46/IPEEE Refueling Water Storage Tank." * Stevenson & Associates. C-018 APP G R00. 94/05/24. 28pp. 85344:001-85344:028.
- 9509050166 "Seismic Capacity of DG Day Tank Block Wall." * Stevenson & Associates. C-007 R00. 93/11/24. 12pp. 85344:029-85344:040.
- 9509050171 "Kewaunee A-46/IPEEE Seismic Analysis of Turbine Oil Reservoir 148-011." * Stevenson & Associates. C-018 APP L R00. 94/05/15. 42pp. 85344:041-85344:082.
- 9509070306 Forwards amend 121 to license DPR-43 & SE.Amend revises KNPP TS sections 3.4 & 4.1,by removing LCOs & SRs for turbine overspeed protection sys. LAUFER,R.J. 95/08/31. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 85373:337-85373:354.
- 9509070310 Amend 121 to license DPR-43,revising KNPP TS sections 3.4 & 4.1,by removing LCOs & SRs for turbine overspeed protection sys. LAUFER,R.J. 95/08/31. 11pp. 85373:351-85373:350.
- 9509070312 Safety evaluation supporting amend 121 to license DPR-43. 95/08/31. 4pp. 85373:351-85373:354.
- 9508310033 Suppl 5 to Generic Ltr 89-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509260145 Application for amend 130 to license DPR-43,providing revs to clarify purposes to maintain accuracy of TS & reflect revs to 10CFR20, "Std's for Protection Against Radiation." STEINHARDT,C.R. Wisconsin Public Service Corp. 95/09/19. Document Control Branch (Document Control Desk). 7pp. 85604:274-85604:311.
- 9509260155 Proposed tech specs,providing revs to clarify purposes to maintain accuracy of TS & reflect revs to 10CFR20, "Std's for Protection Against Radiation." * Wisconsin Public Service Corp. 95/09/19. 31pp. 85604:281-85604:311.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

70 DOCKETED ITEMS

9509050261 Forwards response to NRC 950801 ltr re violations noted in insp rept 50-305/95-08 on 950526-0709. Corrective actions: FMP 42-12-2 has been revised & processed & anticipates that revs to Nuclear Administrative Directive 3.1 will be made. MARCHI, M.L. Wisconsin Public Service Corp. 95/08/31. Document Control Branch (Document Control Desk). 12pp. 85342:297-85342:308.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220306 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509150020 Forwards fitness for duty program performance data for 6 month period ending 950630. MARCHI, M.L. Wisconsin Public Service Corp. 95/08/11. Document Control Branch (Document Control Desk). 6pp. 85527:355-85527:360.

9509110096 Monthly operating rept for Aug 1995 for Kewaunee Nuclear Power Plant. W/950908 ltr. ANDERSON, M.L., MARCHI, M.L. Washington Public Power Supply System. 95/08/31. 5pp. 85458:356-85458:360.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509060228 Temporary Memo Addition (TMA) TMA-1995-0106 to Rev 6 to EPIP F3-14.1, "Onsite Radiological Monitoring." W/950828 ltr. PFEFFER, M.J., WADLEY, M.D. Northern States Power Co. 95/08/28. 4pp. 85367:222-85367:225.

9509060287 Requests addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Response should be submitted within 45 days. WETZEL, B.A. 95/08/30. ANDERSON, R.O. Northern States Power Co. 3pp. 85314:243-85314:245.

9509200177 Forwards rev 18 to corporate nuclear emergency plan. HUDSON, G. Northern States Power Co. 95/09/05. Document Control Branch (Document Control Desk). 1p. 85554:102-85554:100.

-9509200180 Rev 18 to corporate nuclear emergency plan. * Northern States Power Co. 95/09/05. 86pp. 85554:103-85554:100.

9509220309 Forwards Rev 3 to ISFSI security plan. Rev withheld. WADLEY, M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:330-85570:330.

9509220312 Forwards Rev 34 to security plan. Rev withheld. WADLEY, M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:329-85570:329.

9509260090 Ack receipt of 950807 in response to 950707 ltr requesting info re evacuation of area near plant. Submits results of review which included evaluation of 1992 evacuation time estimate by HMM Associates, Inc. CREED, J.R. Region 3 (Post 820201). 95/09/18. WATZLE, Northern States Power Co. 2pp. 85569:301-85569:302.

9509270171 Revised EPIPs, including EPIPs table of contents, Rev 2 to F8-3, "Activation & Operation of EOF" & Rev 2 to F8-4, "Emergency Support & Logistics." W/950918 ltr. WADLEY, M.D. Northern States Power Co. 95/09/18. 20pp. 85632:336-85632:355.

9509270174 Temporary Memo Addition TMA-1995-0109 to Rev 0 to EPIP F3-31, "Response to Security Related Threats." W/950918 ltr. WADLEY, M.D. Northern States Power Co. 95/09/18. 12pp. 85634:350-85634:361.

9509270180 Revised EPIPs, including EPIPs table of contents, Rev 16 to F3-10, Rev 18 to F3-15, Rev 7 to F3-15.1, Rev 11 to F3-9, Rev 24 to F3-4 & Rev 8 to F3-13.3. W/950918 ltr. WADLEY, M.D. Northern States Power Co. 95/09/18. 127pp. 85647:001-85647:147.

P. Operating license stage documents & correspondence

9509060325 Informs of withdrawal of initial version of WCAP-13032 for plant, units 1 & 2. WETZEL, B.A. 95/08/28. ANDERSON, R.O. Northern States Power Co. 2pp. 85314:257-85314:258.

9509060287 Requests addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Response should be submitted within 45 days. WETZEL, B.A. 95/08/30. ANDERSON, R.O. Northern States Power Co. 3pp. 85314:243-85314:245.

9509060018 Notification of 950907 meeting w/utis in Rockville, MD to discuss merger of two utis & future applications to NRC re merger. WETZEL, B.A. 95/08/31. HANNON, J. 4pp. 85326:051-85326:054.

9509080252 Forwards safety evaluation re steam generator weld evaluation. Methodology & criteria use in generating flaw evaluation curves for SGs in both units of plant IAW section XI of ASME Code. HANNON, J.N. 95/09/06. ANDERSON, R.O. Northern States Power Co. 2pp. 85381:321-85381:324.

-9509080259 Safety evaluation supporting methodology in Westinghouse handbook WCAP-13032, Rev 1 (March 1995). * 95/08/26. 2pp. 85381:323-85381:324.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509290097 Provides listed info on relationship between RCS cold leg temp & SG temp derived from SG pressure, per discussions w/ NRC re 950110 LAR, revising post accident TS conformance w/ STS. WADLEY, M.D. Northern States Power Co. 95/09/20. Document Control Branch (Document Control Desk). 4pp. 85638:353-85638:356.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509220271 EN-94-005A on 950914 ltr withdrawing notices of violation & proposed civil penalty will be sent to licensee. Action based on SOL finding that employee discharged by Burns Intl Security Svc not discrimination. ROSANO, D., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/09/13. 1p. 85599:260-85599:260.

9509270196 Forwards insp repts 50-282/95-11 & 50-306/95-11 on 950704-0821. No violations noted. KROPP, W.J. Region 3 (Post 820201). 95/09/15. WATZLE, Northern States Power Co. 4pp. 85631:296-85631:314.

-9509270196 Insp repts 50-282/95-11 & 50-306/95-11 on 950704-0821. No violations noted. Major areas inspected: operations, engineering, maint & plant support. KROPP, W.J. Region 3 (Post 820201). 95/09/15. 15pp. 85631:300-85631:314.

9509280031 Ack receipt of 950731 ltr responding to special dry cask insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02. KROPP, W.J. Region 3 (Post 820201). 95/09/18. ANDERSON, R.O. Northern States Power Co. 1p. 85613:003-85613:003.

9509130018 NRC info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280139 Forwards PINGP Unit 2 ISI summary rept for Refueling Outage 17 for third period of second 10-yr interval & first period of third 10-yr interval. WADLEY, M.D. Northern States Power Co. 95/09/25. Document Control Branch (Document Control Desk). 2pp. 85648:001-85648:227.

-9509280140 "NSP ISI Summary Rept Prairie Island Unit 2, 1995." * Northern States Power Co. 95/09/21. 225pp. 85648:003-85648:227.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060166 Forwards FFD program performance data for six month period ending 950630.
ANDERSON,R.O. Northern States Power Co. 95/08/29. Document Control Branch (Document Control Desk). 8pp. 85334:335-85334:342.

9509140001 Monthly operating reports for Aug 1995 for Prairie Island Nuclear Plant/W/ 950906 ltr
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 95/08/31. 8pp. 85484:346-85484:354.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509080021 Summary of 950822 meeting w/NEI in Rockville,MD re technical,programmatic & administrative issues re ISFSIs. List of attendees encl.
KUGLER,A.J. 95/09/01. 16pp. 85385:043-85385:058.

9509220309 Forwards Rev 3 to ISFSI security plan.Rev withheld.
WADLEY,M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:330-85570:330.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT**F. Security, medical, emergency & fire protection plans**

9509070066 Forwards Rev 21 to security plan.Encl withheld per 10CFR73.21.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/08/25. Document Control Branch (Document Control Desk). 1p. 85373:355-85373:355.

9509050254 Forwards insp rept 50-309/95-16 on 950717-21 & notice of violation.Parsonnel self-reading dosimetry & survey instruments had been out of calibration in ECF equipment locker,OSC equipment locker & Field Team Monitoring kits.
JOYNER,J.H. Region 1 (Post 820201). 95/08/29. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85297:342-85297:354.

-9509050258 Notice of violation from insp on 950717-21.Violation noted:on 950720,inspector found that self-reading dosimetry was not within calibration period specified in EPIP 2-50-25.
* Region 1 (Post 820201). 95/08/29. 2pp. 85297:345-85297:346.

-9509050267 Insp rept 50-309/95-16 on 950717-21.Violations noted.Major areas inspected:plant emergency preparedness program changes,emergency facilities,equipment,instrumentation & supplies & organization & mgt control.
LUSHER,J.H., KEIMIG,R.R. Region 1 (Post 820201). 95/08/29. 8pp. 85297:347-85297:354.

9509050209 Application for amend to license DPR-36,consisting of proposed change 196,relocating fire protection requirements licensee controlled documents & changing license condition 2.B(6)(c) consistent w/GLs 86-10 & 86-12.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 95/08/31. Document Control Branch (Document Control Desk). 10pp. 85342:275-85342:291.

-9509050212 Proposed tech specs,relocating fire protection requirements to licensee controlled documents consistent w/GLs 86-10 & 86-12.
* Maine Yankee Atomic Power Co. 95/08/31. 7pp. 85342:285-85342:291.

9509130176 Rev 6 to EPIP 2-50-7. "TSC Operation."
* Main Yankee Atomic Power Co. 95/09/07. 17pp. 85474:254-85474:270.

9509280333 Revised pages to emergency plan,including list of tables, page list (PL) PL-1 through PL-4,page 4.2,Table 4-1,page 4-1.1 & pages 8.6 & 8.9.
* Maine Yankee Atomic Power Co. 95/09/14. 10pp. 85655:347-85655:356.

9509230066 Forwards Change 95-02 to emergency plan,reflecting inclusion of NIMARC-based EALs & eliminating provision to provide info copy of EALs to local EPZ governmental officials.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/08/15. Document Control Branch (Document Control Desk). 3pp. 85570:319-85570:328.

-9509220089 Change 95-02 to emergency plan.
TEMPLE,J. Maine Yankee Atomic Power Co. 95/09/14. 8pp. 85570:321-85570:328.

H. General correspondence

9509190401 Responds to HR Meyers 950125 ltr expressing concerns re probability & consequences of multiple SG tube rupture event at plant & informs that Commission requested briefing on SG tube degradation issues on 950601.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/10. MYERS,H.R. Affiliation Not Assigned. 6pp. 85638:299-85638:314.

-9509270146 Urges Commission to directly address Maine Yankee steam tube issues.
MYERS,H.R. Affiliation Not Assigned. 95/01/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 85638:313-85638:314.

P. Operating license stage documents & correspondence

9003280202 Forwards topical rept evaluation of Topical Rept YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses.
THADANI,A.C. Division of Systems Technology (890827-921003). 90/03/21. PAPANIC,G. Yankee Atomic Electric Co. 2pp. 85423:001-85423:011.

-9003280205 Topical rept evaluation of YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 90/03/21. 9pp. 85423:003-85423:011.

9509150292 Forwards amend 152 to license DPR-36 & SE.Amend makes listed administrative changes to util TS per 950214 application.
TROTTER,E.H. 95/08/22. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85505:325-85505:337.

-9509150299 Amend 152 to license DPR-36,consisting of listed administrative changes to util TS per 950214 application.
MCKEE,P.F. 95/08/22. 7pp. 85505:328-85505:334.

-9509150304 Safety evaluation supporting amend 152 to license DPR-36.
* 95/08/22. 3pp. 85505:335-85505:337.

9509050157 Application for amend to license DPR-36,consisting of TS proposed change 193,amending TS 1.3, "Reactor" to allow use of fuel rods clad w/zirconium alloy rather than restrict use of fuel rods clad w/Zircaloy-4.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 95/08/30. Document Control Branch (Document Control Desk). 7pp. 85345:334-85345:341.

-9509050159 Proposed TS 1.3, "Reactor," allowing use of fuel rods clad w/zirconium alloy rather than restrict use of fuel rods clad w/Zircaloy-4.
* Maine Yankee Atomic Power Co. 95/08/30. 1p. 85345:341-85345:341.

9509050209 Application for amend to license DPR-36,consisting of proposed change 196,relocating fire protection requirements licensee controlled documents & changing license condition 2.B(6)(c) consistent w/GLs 86-10 & 86-12.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 95/08/31. Document Control Branch (Document Control Desk). 10pp. 85342:275-85342:291.

-9509050212 Proposed tech specs,relocating fire protection requirements to licensee controlled documents consistent w/GLs 86-10 & 86-12.
* Maine Yankee Atomic Power Co. 95/08/31. 7pp. 85342:285-85342:291.

9509060066 Notification of 950814 meeting w/util in Wiscasset,ME to discuss current status of sleeving campaign,sleeving issues & special startup testing.
TROTTER,E.H. 95/08/31. MCKEE,P.F. 4pp. 85314:202-85314:205.

9509060111 Forwards summary of SG tube locked support test program, assessment of program results & changes made to sleeve installation process as results of program.
WHITTIER,G.D. Maine Yankee Atomic Power Co. 95/09/01. Document Control Branch (Document Control Desk). 12pp. 85367:310-85367:321.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509200208 Forwards response to NRC 950619 RAI re application of generic RETRAN analysis methodology to plant.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/09/12. Document Control Branch (Document Control Desk). 15pp. 85554:265-85554:279.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060136 Forwards safety evaluation granting third 10-yr ISI program plan & associated requests for relief.
MCKEE,P.F. 95/08/09. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85326:059-85326:145.

-9509060138 Safety evaluation granting third 10-yr ISI program plan & associated requests for relief.
* 95/08/09. 5pp. 85326:062-85326:066.

-9507260172 "TER on Third 10-Yr ISI Program Plan:Maine Yankee Atomic Power,Maine Yankee Atomic Power Plant."
ANDERSON,M.T., FEIGE,E.J., GALBRAITH,S.G. Idaho National Engineering Laboratory. FIN L-2556. INEL-95/0206. 95/06/30. 42pp. 85326:067-85326:145.

9509050254 Forwards insp rept 50-309/95-16 on 950717-21 & notice of violation.Parsonnel self-reading dosimetry & survey instruments had been out of calibration in ECF equipment locker,OSC equipment locker & Field Team Monitoring kits.
JOYNER,J.H. Region 1 (Post 820201). 95/08/29. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85297:342-85297:354.

-9509050258 Notice of violation from insp on 950717-21.Violation noted:on 950720,inspector found that self-reading dosimetry was not within calibration period specified in EPIP 2-50-25.
* Region 1 (Post 820201). 95/08/29. 2pp. 85297:345-85297:346.

-9509050267 Insp rept 50-309/95-16 on 950717-21.Violations noted.Major areas inspected:plant emergency preparedness program changes,emergency facilities,equipment,instrumentation & supplies & organization & mgt control.
LUSHER,J.H., KEIMIG,R.R. Region 1 (Post 820201). 95/08/29. 8pp. 85297:347-85297:354.

9509060224 Forwards safety insp rept 50-309/95-20 on 950712-19.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/08/29. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85312:112-85312:124.

-9509060230 Safety insp 50-309/95-20 on 950712-19.No violations noted. Major areas inspected:engineering,quality verification, background,ultrasonic insp & assessment of mgt.
PETERSON,P.M., MODES,M.C. Region 1 (Post 820201). 95/08/29. 10pp. 85312:115-85312:124.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

72 DOCKETED ITEMS

9509150022 Forwards "Maine Yankee SG Sleeve Weld I/T Insp Qualification."
WHITTIER,G.D. Maine Yankee Atomic Power Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85508:348-85508:358.

-9509150023 "Maine Yankee SG Sleeve Weld I/T Insp Qualification."
* Maine Yankee Atomic Power Co. 95/09/08. 10pp. 85508:349-85508:358.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509220291 Monthly operating rpt for Aug 1995 for Maine Yankee.W/ 950913 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/08/31. 6pp. 85600:103-85600:108.

S. Reportable occurrences, LERs & related correspondence

9509250359 LER 95-010-00 on 950726,determined that two MOVs in CSS susceptible to pressure locking phenomena described in Info Notice 95-018.Two CS valves will be modified to prevent pressure locking prior to plant startup.W/950825 ltr.
BRAND,E., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/06/25. 4pp. 85619:049-85619:052.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509130108 Ninth partial response to FOIA request for documents.Records in App J will be made available in PDR.App K records will be withheld in part (ref Exemption 4).
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. IRWIN,D. Hunton & Williams. 4pp. 85477:001-85477:312.

-941140134 Discusses 941027-28 meeting w/Indian delegation in Rockville,MD re BWR safety,core shroud cracking,Fire at Indian plant & comparison w/US plant events also discussed.
MCPHERSON,G.D. Division of Systems Safety & Analysis (Post 921004). 94/11/02. THADANI,A. Associate Director for Inspection & Technical Assessment (Post 870411). 3pp. 85477:009-85477:019.

9509110092 Rev 43 to event classification guide.
* Public Service Electric & Gas Co. of New Jersey. 95/09/08. 86pp. 85453:200-85453:285.

9509180349 Forwards insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/09/13. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85503:001-85503:092.

-9509180353 Insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812.No violations noted.Major areas inspected:operations, radiological control,maintenance,surveillance,technical support,engineering & security.
WHITE,J.R. Region 1 (Post 820201). 95/09/13. 89pp. 85503:004-85503:092.

9509270047 Rev 8 to Artificial Island emergency plan attachments.
* Public Service Electric & Gas Co. of New Jersey. 95/09/22. 220pp. 85634:001-85634:220.

P. Operating license stage documents & correspondence

9509080023 Third final response to FOIA request for documents.Records in App D encl & being withheld in part (ref FOIA Exemption 5).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/01. WILLIAMS,O.G. JFA Associates. 3pp. 85406:033-85406:081.

-9509080025 Submits results of NRC Senior Mgt Meeting held on 950118-19. Summary of meeting,problem plant list ltrs to licensees, trending ltrs to licensees,draft mgt meeting summary & list of attendees encl.Porions of encl deleted.
TAYLOR,J. Ofc of the Executive Director for Operations. 95/01/27. THE CHAIRMAN, SELIN,L., ROGERS,K.C. Commissioners (Post 750119). 44pp. 85406:037-85406:081.

9509050155 Forwards SE re licensee request for relief from IST requirements for check valves 1SJ3 & 2SJ3,located in refueling water storage tank-to-suction of charging safety injection pumps piping at plant.
STOLZ,J.F. 95/08/15. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85314:089-85314:098.

-9509050160 Safety evaluation granting requested relief from code requirements.
* 95/08/15. 7pp. 85314:092-85314:098.

9509010188 Requests relief from ASME Section III requirements manual isolation valves in series w/relief devices.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/08/28. Document Control Branch (Document Control Desk). 11pp. 85310:201-85310:211.

9509110161 Forwards amends 175 & 156 to licenses DPR-70 & DPR-75, respectively & SE Amends eliminate monthly manual start for auxiliary feedwater from TS Tables 3.3-3.3.3-4 & 4.3-2.
OLSHAN,L.N. 95/09/06. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85416:303-85416:323.

-9509110166 Amends 175 & 156 to licenses DPR-70 & DPR-75,respectively, eliminatg monthly manual start for auxiliary feedwater from TS Tables 3.3-3.3.3-4 & 4.3-2.
STOLZ,J.F. 95/09/06. 16pp. 85416:306-85416:321.

-9509110172 Safety evaluation supporting amends 175 & 156 to licenses DPR-70 & DPR-75,respectively.
* 95/09/06. 2pp. 85416:322-85416:323.

9509210115 Submits response to request for addl info re pressurizer heaters as reliable as heaters described in NUREG-1366. "Improvements to TS Surveillance Requirements."
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85567:358-85567:359.

9509220102 Documents 950629 telcon re amend 186 & 148 adding new action statement to TS 3.1.3.2.1. "Position Indicating Sys- Operating."
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/09/06. Document Control Branch (Document Control Desk). 3pp. 85570:354-85570:356.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190239 Forwards RAI on response to GL 95-03, "Circumferential Cracking of SG Tubes." Response requested by 951002.
OLSHAN,L.N. 95/09/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85524:128-85524:131.

9509210353 Forwards amends 176 & 157 to licenses DPR-70 & DPR-75 & SE. Amends consist of changes to TSs in response to 940920 application.
OLSHAN,L.N. 95/09/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85562:173-85562:191.

-9509210356 Amends 176 & 157 to licenses DPR-70 & DPR-75,respectively, consisting of changes to TSs in response to 940920 application.
STOLZ,J.F. 95/09/18. 13pp. 85562:176-85562:188.

-9509210361 Safety evaluation supporting amends 176 & 157 to licenses DPR-70 & DPR-75,respectively.
* 95/09/18. 3pp. 85562:189-85562:191.

9509220236 Forwards amends 177 & 158 to licenses DPR-70 & DPR-75, respectively & SE Amends revise TS 3.6.2.3, "125 Vdc Distribution - Operating."
OLSHAN,L.N. 95/09/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85577:001-85577:027.

-9509220239 Amends 177 & 158 to licenses DPR-70 & DPR-75,respectively, revising TS 3.6.2.3, "125 Vdc Distribution - Operating."
OLSHAN,L.N. 95/09/19. 14pp. 85577:004-85577:017.

-9509220240 Safety evaluation supporting amends 177 & 158 to licenses DPR-70 & DPR-75,respectively.
* 95/09/19. 9pp. 85577:018-85577:027.

9509250135 Informs that process used to store plant records on optical disks was reviewed & found to meet intent of guidance & quality controls specified in GL 88-18.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85582:352-85582:353.

9509280074 Clarifies 950722 ltr,which requested withdrawal of commitment to maintain Mgt Observation Group.Withdrawal of commitment would not eliminate Group function but,maintain level of group coverage commensurate w/plant conditions.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/25. MARTIN,T.T. Region 1 (Post 820201). 2pp. 85645:350-85645:351.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509010290 Discusses investigation of licenses DPR-70 & DPR-75 on 921203 & forwards notice of violation & proposed imposition of civil penalty in amount of \$80,000.
MARTIN,T.T. Region 1 (Post 820201). 95/04/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 85285:263-85285:271.

-9509010296 Notice of violation & proposed imposition of civil penalty in amount of \$80,000.Noncompliance noted:licensee discriminated against two employees for engaging in protected activities.
* Region 1 (Post 820201). 95/04/11. 3pp. 85285:268-85285:271.

9509050133 Forwards SE re licensee response to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to Reactor Coolant Sys."
OLSHAN,L.N. 95/08/15. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85314:081-85314:088.

-9509050136 Safety evaluation accepting proposed monitoring program by util.Staff finds that util provided required assurance for life of plant,as requested in Action 3 of NRC Bulletin 88-08.
* 95/08/15. 4pp. 85314:085-85314:088.

9509060191 Discusses 950623 correspondence, in response to NRC 950524 ltr re combined insp repts 50-272/95-07 & 50-311/95-07. Ack that licensee disagreed w/example 3 of violation B. NRC found sufficient basis to rescind example 3 from violation B. WHITE, J.R. Region 1 (Post 820201). 95/08/29. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85311:303-85311:333.

9509060193 Ack receipt of 950814 ltr informing NRC of steps taken to correct violations noted in insp repts 50-272/95-10 & 50-311/95-10. WHITE, J.R. Region 1 (Post 820201). 95/08/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 85311:351-85311:362.

9509060171 Forwards insp repts 50-272/95-16 & 50-311/95-16 on 950807-11. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/08/31. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85324:316-85324:328.

-9509060177 Insp repts 50-272/95-16 & 50-311/95-16 on 950807-11. No violations noted. Major areas inspected: RCP including audits & surveillances, radionuclide control operations, radiation instrumentation, dosimetry & respiratory protection. NOGGLE, J., BORES, R. Region 1 (Post 820201). 95/08/31. 10pp. 85324:319-85324:325.

9506310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190239 Forwards RAI on response to GL 95-03. "Circumferential Cracking of SG Tubes." Response requested by 951102. OLSHAN, L.N. 95/09/12. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85524:126-85524:131.

9509180349 Forwards insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812. No violations noted. WHITE, J.R. Region 1 (Post 820201). 95/09/13. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85503:001-85503:092.

-9509180353 Insp repts 50-272/95-13 & 50-311/95-13 on 950623-0812. No violations noted. Major areas inspected: operations, radiological control, maintenance, surveillance, technical support, engineering & security. WHITE, J.R. Region 1 (Post 820201). 95/09/13. 8pp. 85503:004-85503:092.

9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040. "Supplemental Info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509250362 Requests approval to use ASME Code Case N498-2 in Salem & in service insp program. Detailed discussion of requests provided in Attachment 1. SIMPSON, E.C. Public Service Electric & Gas Co. of New Jersey. 95/09/20. Document Control Branch (Document Control Desk). 13pp. 85602:347-85602:359.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010127 "Salem Generating Station Semiannual Radioactive Effluent Release Rept." for Jan-June 1995 W/950828 ltr. STORZ, L.F. Public Service Electric & Gas Co. of New Jersey. 95/06/30. 50pp. 85310:275-85310:336.

9509190121 Monthly operating rept for Aug 1995 for Salem Unit 2. W/950111 ltr. WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/08/31. 7pp. 85524:344-85524:350.

9509290056 "NPDES Discharge Elimination Sys Monitoring Rept for Aug 1995." W/950920 ltr. WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/08/31. CAPORALE, G. New Jersey, State of. 19pp. 85641:342-85641:360.

S. Reportable occurrences, LERs & related correspondence

9509260075 Provides list of outstanding commitments re missed surveillance charcoal absorber testing exceeded TS SR time limit. WARREN, C.C. Public Service Electric & Gas Co. of New Jersey. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85619:068-85619:074.

-9509260078 LER 95-006-00 on 850822 surveillance was missed & charcoal absorber testing exceeded TS SR time limit. Caused by informal process to monitor charcoal absorber run time he being used. Assigned responsibility to Operations Dept. RANALLI, J. Public Service Electric & Gas Co. of New Jersey. 95/09/21. 5pp. 85619:070-85619:074.

V. Operator Examinations

9509260114 Discusses 950919 telcon between P Bissett & J Ellis re arrangements of reactor & senior reactor initial exams scheduled for wk of 960122. MEYER, G.W. Region 1 (Post 820201). 95/09/20. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85570:017-85570:019.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9509060116 Submits 10CFR50.54(q) 30 day rept of changes to EPIP-5600. "Emergency Response Training." DELEZENSKI, J. Sacramento Municipal Utility District. 95/08/30. WEISS, S. Document Control Branch (Document Control Desk). 2pp. 85367:286-85367:287.

9509070166 Revised upgraded emergency plan manual. * Sacramento Municipal Utility District. 95/08/30. 7pp. 85395:352-85395:360.

9509120051 Submits 10CFR50.54(q) 30 day rept of emergency plan changes, involving two concerns raised by NRC 950614 ltr re emergency plan Section 8, Rev 6. DELEZENSKI, J. Sacramento Municipal Utility District. 95/08/31. WEISS, S. Document Control Branch (Document Control Desk). 2pp. 85433:357-85433:358.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9506310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040. "Supplemental Info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

W. Decommissioning Stage Documents & Correspondence

9508310033 Suppl 5 to Generic Ltr 89-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509290096 Informs of change to permanently defueled TS Bases D3/4.4. "Spent Fuel Storage Area RM," based on util evaluation of 10CFR70.24 criticality accident requirements & input from NRC. REDEKER, S.J. Sacramento Municipal Utility District. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85693:129-85693:131.

-9509290127 Proposed permanently defueled TS Bases D3/4.4. "Spent Fuel Storage Area RM." * Sacramento Municipal Utility District. 95/09/21. 1p. 85693:131-85693:131.

Y. Dry Cask Independent Spent Fuel Storage installations

9509200120 Forwards request for addl info re plant ISFSI application, dtd 911004. Addl info specified in encl. should be provided within 45 days of date of request. RADDATZ, M. Office of Nuclear Material Safety & Safeguards. 95/09/12. SHETLER, J.R. Sacramento Municipal Utility District. 5pp. 85554:355-85554:358.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070189 Change PC-2 to Rev 27 to 1903.061. "Communication Equipment Tests." * Entergy Operations, Inc. 95/03/16. 3pp. 85415:313-85415:315.

74 DOCKETED ITEMS

9509120298 Rev 27 to EPIP OP-1904.002, "Offsite Dose Projection RDACS Computer Method."
* Entergy Operations, Inc. 95/09/07. 3pp. 85469:317-85469:319.

9509280046 Forwards rev 34 to ANO Units 1 & 2 Industrial Security Plan. Encl withheld.
MIMS,D.C. Entergy Operations, Inc. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85664:355-85664:356.

H. General correspondence

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON,J.N. 95/09/12. SHILLINGLAW,F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

F. Operating license stage documents & correspondence

9509010318 Rev to 950404 application for amends to licenses DPR-51 & NPF-6 re RCP flywheel insps. Change would allow util to delay ultrasonic volumetric exam of flywheel for RCP 2P32A for one cycle.
YELVERTON,J.W. Entergy Operations, Inc. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85315:353-85315:358.

-**9509010321** Proposed tech specs. allowing delay of ultrasonic volumetric exam of flywheel for RCP 2P32A for one cycle.
* Entergy Operations, Inc. 95/08/25. 3pp. 85315:356-85315:358.

9506310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509110138 Forwards changes to TS bases section 3.11 for Arkansas Nuclear One, Unit 1 & Section 3/4.7.4 for Unit 2.
KALMAN,G. 95/09/08. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85416:281-85416:286.

-**9509110145** Corrected pages to TE Bases Section 3.11 for Arkansas Nuclear One, Unit 1 & Section 3/4.7.4 for Unit 2.
* Entergy Operations, Inc. 95/09/08. 3pp. 85416:284-85416:286.

9509180135 Requests addl info for GL 95-03, "Circumferential Cracking of SG Tubes."
KALMAN,G. 95/09/12. YELVERTON,J.W. Entergy Operations, Inc. 6pp. 85521:163-85521:198.

9509210313 Forwards SE accepting proposed changes to TS Bases for unit 1 sections 3.1.3.2.3.3.1.3.5.2.6 & 4.7 & revised bases.
KALMAN,G. 95/09/15. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85561:344-85561:353.

-**9509210316** Safety evaluation supporting proposed TS bases changes to ANO-1.
* 95/09/15. 2pp. 85561:347-85561:348.

-**9509210325** Revised TS Bases sections 3.1.3.2.3.3.1.3.5.2.6 & 4.7.
* NRC - No Detailed Affiliation Given. 95/09/15. 6pp. 85561:349-85561:353.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509220183 Discusses insp repts 50-313/95-12 & 50-368/95-12 on 950313-14 & 0417-21 & forwards notice of violation.
CALLAN,L.J. Region 4 (Post 820201). 95/07/17. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85558:001-85558:009.

-**9509220193** Notice of violation from insp on 950313-14 & 0417-21. Violation noted: licensee did not route pre-job ALARA work sheet for RWP 1995-1093 to appropriate craft for completion, prior to Category II activity being performed on 950309.
* Region 4 (Post 820201). 95/07/17. 5pp. 85558:006-85558:009.

9509010318 Rev to 950404 application for amends to licenses DPR-51 & NPF-6 re RCP flywheel insps. Change would allow util to delay ultrasonic volumetric exam of flywheel for RCP 2P32A for one cycle.
YELVERTON,J.W. Entergy Operations, Inc. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85315:353-85315:358.

9509080188 Ack receipt of 950816 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-12 & 50-368/95-12.
DYER,J.E. Region 4 (Post 820201). 95/09/05. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85325:001-85325:013.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870725). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050296 Forwards "Semiannual Radioactive Effluent Release Rept for Jan-June 1995." Liquid & gaseous release data show that dose from both facilities generally factor of 100 below TS limits.
MIMS,D.C. Entergy Operations, Inc. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85545:299-85545:326.

-**9509050300** "Semiannual Radioactive Effluent Release Rept for Jan-June 1995."
* Entergy Operations, Inc. 95/06/30. 36pp. 85345:291-85345:326.

9509190232 Monthly operating rept for Aug 1995 for ANO Unit 1.W/950914 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/08/31. 7pp. 85530:309-85530:315.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN,T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

P. Operating license stage documents & correspondence

9509110364 Application for amends to licenses DPR-58 & DPR-74, informing that licensee has 45 days from date of issuance to implement amend unless otherwise specified.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/06. Document Control Branch (Document Control Desk). 2pp. 85452:356-85452:357.

9509140011 Provides addl mods for TS change re deletion of component cyclic or transient limit table, per NRC request.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/08. Document Control Branch (Document Control Desk). 3pp. 85476:350-85476:358.

-**9509140013** Proposed tech specs re deletion of component cyclic or transient limit table.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/08. 6pp. 85476:353-85476:358.

9509140020 Provides notification of spill of ethylene glycol monobutyl ether to ground.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/08. Document Control Branch (Document Control Desk). 6pp. 85476:344-85476:349.

9509010129 Responds to 950818 RAI re TS change request for laser welded sleeve repair.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/28. Document Control Branch (Document Control Desk). 3pp. 85346:342-85346:344.

9509080251 Forwards request for addl info in order to continue review of 950804 request for amend to license DPR-58 modifying TS to allow use of alternate repair criteria for parent tube indications in hybrid expansion joint sleeved SG tubes.
HICKMAN,J.B. 95/09/01. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 3pp. 85349:356-85349:358.

9509120264 Requests addl info re plant, Units 1 & 2, circumferential cracking of SG tubes.
HICKMAN,J.B. 95/09/07. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 85421:334-85421:336.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150102 Summary of 950824 meeting w/NEI, PWROG, WOG, CEOG & BWOG in Rockville, MD to discuss topics of interest re to allow 800 & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 63pp. 85509:296-85509:357.

9509190389 Forwards amend 200 to license DPR-58 & safety evaluation. Amend revises TS to extend interim steam generator tube plugging criteria used in cycle 14 to next operating cycle 15.
HICKMAN,J.B. 95/09/13. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85524:093-85524:119.

-**9509190392** Amend 200 to license DPR-58, revising TS to extend interim steam generator tube plugging criteria.
HICKMAN,J.B. 95/09/13. 15pp. 85524:096-85524:110.

9509190393 Safety evaluation supporting amend 200 to license DPR-58.
* 95/09/13. 9pp. 85524:111-85524:119.

9509210084 Provides notification of large break loss of coolant accident model changes or errors reported by Westinghouse, meeting definition of significant as defined in 10CFR50.46.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/18. Document Control Branch (Document Control Desk). 9pp. 85558:350-85558:361.

9509270229 Notification of 950926 meeting w/American Electric Power in Rockville,MD to discuss AEP & Westinghouse assessment of missing & loose core barrel to former bolts.
HICKMAN,J.B. 95/09/20. HANNON,J.N. 3pp. 85610:358-85610:360.

9509280064 Forwards updated Westinghouse affidavit & application for withholding proprietary info from public disclosure to comply w/NRR request to update & correct proprietary classification of listed Westinghouse repts.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85677:001-85678:028.

9509280065 Requests that proprietary WCAP-13187, "DC Cook Unit 1 SG Tube Plugging Criteria for Indicators at Tube Support Plates" be withheld from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. 95/08/07. RUSSELL,W. Document Control Branch (Document Control Desk). 11pp. 85677:003-85677:013.

9510040307 Rev 1 to "DC Cook Unit 1 Steam Generator Tube Plugging Criteria for Indicators at Tube Support Plates".
* Westinghouse Electric Corp. WCAP-13188 R01. 95/09/30. 400pp. 85677:014-85678:028.

9509280108 Forwards RAI re 941116 submittal,requesting change in refueling operations decay time.
HICKMAN,J.B. 95/09/25. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85635:303-85635:305.

9509290010 Provides clarification re power shape used in large break loss of coolant accident analysis.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/26. Document Control Branch (Document Control Desk). 4pp. 85638:317-85638:320.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (670411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9506310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190057 Forwards insp repts 50-315/95-09 & 50-316/95-09 on 950620-0817 & notice of violation.
AXELSON,W.L. Region 3 (Post 820201). 95/09/12. FITZPATRICK,E. Indiana Michigan Power Co. 5pp. 85503:207-85503:235.

9509190061 Notice of violation from insp on 950620-0817. Violation noted: operators failed to reduce power during loss of main turbine condenser vacuum transient.
* Region 3 (Post 820201). 95/09/12. 4pp. 85503:212-85503:215.

9509190067 Insp repts 50-315/95-09 & 50-316/95-09 on 950620-0817. Violations noted: Major areas inspected: operations, engineering, maint & plant support.
KROPP,W.J. Region 3 (Post 820201). 95/09/08. 20pp. 85503:216-85503:235.

9509130010 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190249 Monthly operating rept for Aug 1995 for DC Cook Nuclear Plant Unit 1.W/950911 tr.
JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/31. 5pp. 85524:246-85524:250.

S. Reportable occurrences, LERs & related correspondence

9509190001 LER 95-005-00 on 950728, lack of communication during bus deenergization resulted in unexpected turbine driven auxiliary feedpump start. Pump was secured from svc after being auto started & declared inoperable w/950914 tr.
NICHOLS,W., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/14. 4pp. 85533:357-85533:360.

9509210056 LER 95-006-00 on 950825, containment Type B&C leak rate exceeded LCO value due to leak rate from two valves. Evaluation of valves failure will be included in suppl rept. Final rept expected to be submitted by 951031 w/950914 tr.
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/14. 2pp. 85573:163-85573:164.

9509290024 LER 95-007-00 on 950825, Conax seal assemblies on RV post-accident vent SVs 1-NSO-21 & 1-NSO-23 found to be loose. Determined that assemblies missing midcock ferrule. Further investigation currently in progress w/950925 tr.
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/25. 2pp. 85645:233-85645:234.

V. Operator Examinations

9509190062 Comment supporting draft RG DG-1043, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/14. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85503:236-85503:238.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

P. Operating license stage documents & correspondence

9509110364 Application for amends to licenses DPR-58 & DPR-74, informing that licensee has 45 days from date of issuance to implement amend unless otherwise specified.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/06. Document Control Branch (Document Control Desk). 2pp. 85452:356-85452:357.

9509140011 Provides addl mods for TS change re deletion of component cyclic or transient limit table, per NRC request.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/08. Document Control Branch (Document Control Desk). 3pp. 85476:350-85476:356.

9509140013 Proposed tech specs re deletion of component cyclic or transient limit table.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/08. 6pp. 85476:353-85476:358.

9509140020 Provides notification of spill of ethylene glycol monobutyl ether to ground.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/08. Document Control Branch (Document Control Desk). 6pp. 85476:344-85476:349.

9509080283 Forwards amend 185 to license DPR-74 & SE. Amend deletes TS 3/4.3.4, associated bases & associated index listings for unit 2 turbine overspeed protection sys.
HICKMAN,J.B. 95/09/01. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 85376:264-85376:277.

9509080291 Amend 185 to license DPR-74, deleting TS 3/4.3.4, associated bases & associated index listings for Unit 2 turbine overspeed protection sys.
HICKMAN,J.B. 95/09/01. 6pp. 85376:267-85376:272.

9509080301 Safety evaluation supporting amend 185 to license DPR-74.
* 95/09/01. 5pp. 85376:273-85376:277.

9509120264 Requests addl info re plant, Units 1 & 2, circumferential cracking of SG tubes.
HICKMAN,J.B. 95/09/07. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 85421:334-85421:336.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150102 Summary of 950824 meeting w/NEI, PWROG, WOG, CEOG & BWOG in Rockville, MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 63pp. 85509:296-85509:357.

9509210084 Provides notification of large break loss of coolant accident model changes or errors reported by Westinghouse, meeting definition of significant as defined in 10CFR50.46.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/18. Document Control Branch (Document Control Desk). 9pp. 85558:350-85558:361.

9509280108 Forwards RAI re 941116 submittal, requesting change in refueling operations decay time.
HICKMAN,J.B. 95/09/25. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85635:303-85635:305.

9509290010 Provides clarification re power shape used in large break loss of coolant accident analysis.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/26. Document Control Branch (Document Control Desk). 4pp. 85638:317-85638:320.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190057 Forwards insp repts 50-315/95-09 & 50-316/95-09 on 950620-0817 & notice of violation. AXELSON,W.L. Region 3 (Post 820201). 95/09/12. FITZPATRICK,E. Indiana Michigan Power Co. 5pp. 85503:207-85503:235.

-9509190061 Notice of violation from insp on 950620-0817. Violation noted: operators failed to reduce power during loss of main turbine condenser vacuum transient. * Region 3 (Post 820201). 95/09/12. 4pp. 85503:212-85503:215.

-9509190067 insp repts 50-315/95-09 & 50-316/95-09 on 950620-0817. Violations noted: Major areas inspected: operations, engineering, maint & plant support. KROPP,W.J. Region 3 (Post 820201). 95/09/08. 20pp. 85503:216-85503:235.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220303 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190:51 Monthly operating rept for Aug 1995 for DC Cook Nuclear Plant Unit 2/W/ 950911 tr. JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/31. 6pp. 85524:213-85524:218.

S. Reportable occurrences, LERs & related correspondence

9509220041 LER 94-010-00 on 941012, unexpected isolation of containment purge valves occurred during surveillance testing due to personnel error. Removed containment purge exhaust fans from svc.W/950918 tr. NICHOLS,W.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/18. 4pp. 85573:237-85573:240.

9509290006 LER 95-004-00 on 950626, reactor tripped. Caused by turbine trip on high moisture separator reheater level. Installed temporary mod. removing turbine trip function from level switches 2-MLS-418 & 2-MLS-420 W/950925 tr. WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/25. 5pp. 85645:220-85645:224.

V. Operator Examinations

9509190062 Comment supporting draft RG DG-1043, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exam." FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/14. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85503:236-85503:238.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509120370 Revised ERPIPs, including rev 0 to ERPIP-308, rev 0 to ERPIP-318, rev 13/ change 0 to ERPIP-4.1.6, rev 11/ change 0 to ERPIP-4.1.7, rev 0 to ERPIP-506, rev 0 to ERPIP-507 & rev 44 to ERPIPs table of contents. W/950830 tr. FORGETTE,T.E. Baltimore Gas & Electric Co. 95/08/30. 66pp. 85489:299-85489:363.

9509070296 Informs that util plans to implement changes to emergency plan re ISFSI. DENTON,R.E. Baltimore Gas & Electric Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:357-85415:359.

9509190164 Revised ERPIPs, including Rev 1 to ERPIP 102, Rev 2 to ERPIP 10, Rev 1 to ERPIP 20, Rev 1 to ERPIP 3, Rev 10 to ERPIP 3.0, Rev 1 to ERPIP 303, Rev 1 to ERPIP 309, Rev 0 to ERPIP 318, Rev 1 to ERPIP 319 & Rev 2 to ERPIP 501.W/ 950914 tr. FORGETTE,T.E. Baltimore Gas & Electric Co. 95/09/14. 113pp. 85535:146-85535:257.

9509280246 Forwards rev 33 to Calvert Cliffs Security Plan. Encl withheld. GIBBS,L.P. Baltimore Gas & Electric Co. 95/09/25. Document Control Branch (Document Control Desk). 2pp. 85657:349-85657:350.

H. General correspondence

9509060027 Forwards Safety Evaluation re updated hazard analysis for liquefied natural gas terminal located at Cove Point, MD. MARSH,L.B. 95/08/31. OCHS,R. Maryland Safe Energy Coalition. 2pp. 85325:312-85325:330.

-9509060041 Advises that updated hazard analysis for liquefied natural gas will not be jeopardized by operation of LNG terminal located at Cove Point. MARSH,L.B. 95/08/31. DENTON,R.E. Boston Edison Co. 3pp. 85325:314-85325:316.

-9509060045 Safety evaluation re liquefied natural gas hazards analysis. NRC concludes that safe operation of plant, including ISFSI, will not be jeopardized by operation of LNG terminal at Cove Point. * 95/08/31. 13pp. 85325:317-85325:330.

P. Operating license stage documents & correspondence

9509060347 Advises that CEN 425-P, rev 3-P, "SER for Use of Advanced Zirconium - Based Cladding Mats in Calvert Cliffs, Unit 1 Batch R Lead Fuel Assemblies" will be withheld ref 10CFR2.790. McDONALD,D.G. 95/09/30. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85314:342-85314:346.

9509080024 Responds to 950627 ltr re isolation provisions for svc water sys at plant, informs that NRC in contact w/resident inspectors & licensee on daily basis re issue concerning seismic hazards & remedies. McDONALD,D.G. 95/08/31. OCHS,R. Maryland Safe Energy Coalition. 106pp. 85383:182-85383:289.

9509070272 Informs that util responses to GL 95-03, "Circumferential Cracking of SG Tubes," reviewed & areas for which add info &/or clarification needed identified. McDONALD,D.G. 95/09/06. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85373:328-85373:332.

9509120018 Comment on draft NUREG/CR-6354, "Performance Testing of Electronic Personnel Dosimeters." Statement "...sixty-one of 67 (97%) sites..." mathematically incorrect. FURIA,J.T. Region 1 (Post 820201). 95/09/07. BAHADUR,S. Division of Regulatory Applications (Post 941217). 1p. 85382:001-85382:001.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150004 Submits supplemental info re request for temporary relief from ASME Boiler & Pressure Vessel Code Section XI requirement IAW-5250. DENTON,R.E. Baltimore Gas & Electric Co. 95/09/11. Document Control Branch (Document Control Desk). 3pp. 85507:332-85507:334.

9509150108 Forwards response to request for addl info re IPE program & "Containment Overpressure Capacity for Calvert Cliffs Electric Plant." DENTON,R.E. Baltimore Gas & Electric Co. 95/09/12. Document Control Branch (Document Control Desk). 153pp. 85506:001-85506:153.

-9509150113 "Containment Overpressure Capacity for Calvert Cliffs Electric Plant." WESLEY,D.A., NAKAKI,D.K. EQE Engineering Consultants (formerly EQE Engineering, Inc.). 92/10/31. 50pp. 85506:104-85506:153.

9509190155 Informs of completion of final action associated w/NRC GL 88-17, "Loss of Decay Heat Removal." DENTON,R.E. Baltimore Gas & Electric Co. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85531:278-85531:279.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070071 Comments on revised NRC SALP program. DENTON,R.E. Baltimore Gas & Electric Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85321:001-85321:005.

9509080201 Discusses insp repts 50-317/95-06 & 50-318/95-06 on 950625-0805 & forwards NOV. COWGILL,C.J. Region 1 (Post 820201). 95/08/31. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85325:021-85325:069.

-9509080204 Notice of violation from insp on 950425-0805. Violation noted: more than one thousand controlled drawings found to be either missing or not of correct rev at many drawing locations at plant. * Region 1 (Post 820201). 95/08/31. 2pp. 85325:024-85325:025.

-9509080206 Insp repts 50-317/95-06 & 50-318/95-06 on 950625-0705. Violations noted: Major areas inspected: plant operations, maintenance, engineering & plant activities. DOERFLEIN,L.T. Region 1 (Post 820201). 95/08/31. 40pp. 85325:026-85325:069.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D . 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509150004 Submits supplemental info re request for temporary relief from ASME Boiler & Pressure Vessel Code Section XI requirement IAW-5250.
DENTON,R.E. Baltimore Gas & Electric Co. 95/09/11. Document Control Branch (Document Control Desk). 3pp. 85507:332-85507:334.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D . 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D . 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D . 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D . 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190258 Monthly operating repts for Aug 1995 for Calvert Cliffs Nuclear Power Plant.W/950915 ltr
OLSEN,H.O., CRUSE,C.H. Baltimore Gas & Electric Co. 95/08/31. 12pp. 85524:228-85524:239.

S. Reportable occurrences, LERs & related correspondence

9509010203 Final Part 21 rpt re regular locknut being installed on governor where thinner locknut required at Calvert Cliffs. Applications of thick nut p/n 75233A06 on control linkages will be reviewed to insure applications correct.
GRANDUSKY,E. Dresser-Rand Co. 95/08/24. Document Control Branch (Document Control Desk). 3pp. 35315:073-85315:075.

9509010115 LER 95-003-00 on 950730 & 31,entered TS 3.0.3 due to high bay water temp.Administration limit for bay water temp raised & current Unit 1 & Unit 2 SW tube type HXs will be replaced.W/950828 ltr.
MILBRADT,M.D., CRUSE,C.H. Baltimore Gas & Electric Co. 95/08/28. 6pp. 85344:355-85344:360.

9509120123 Special rpt: on 950801,diesel fire pump (DFP) 12 for fire suppression water sys disabled & on 950808,exceeded seven day requirement to restore inoperable equipment to operable status.DFP engine rebuilt & DFP declared operable on 950901.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85435:223-85435:225.

9509210118 LER 95-004-00 on 950816,inoperable fire barrier penetration seal was discovered.Caused by inadequate engineering oversight & less than adequate surveillance procedure.Sealed penetration seal.W/950915 ltr.
SLY,C.D., CRUSE,C.H. Baltimore Gas & Electric Co. 95/09/15. 8pp. 85582:178-85582:185.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509060013 Forwards safety evaluation re LNG Hazards analysis.NRC concludes that safe operation of plant & ISFSI will not be jeopardized by operation of LNG terminal located at Cove Point.
MARSH,L.B. 95/08/31. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85326:001-85326:017.

--9509060023 Safety evaluation re LNG hazards analysis.NRC concludes that safe operation of plant & ISFSI will not be jeopardized by operation of LNG terminal located at Cove Point.
* 95/08/31. 14pp. 85326:004-85326:017.

9509070296 Informs that util plans to implement changes to emergency plan re ISFSI.
DENTON,R.E. Baltimore Gas & Electric Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:357-85415:359.

9509260351 Forwards proprietary Rev 4 to "Calvert Cliffs ISFSI USAR." Rev withheld.
DENTON,R.E. Baltimore Gas & Electric Co. 95/09/20. Office of Nuclear Material Safety & Safeguards. 6pp. 85607:354-92203:303.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509120370 Revised ERPIPs,including rev 0 to ERPIP-308,rev 0 to ERPIP-318,rev 13/ change 0 to ERPIP-4.1.6,rev 11/change 0 to ERPIP-4.1.7,rev 0 to ERPIP-506,rev 0 to ERPIP-507 & rev 44 to ERPIPs table of contents.W/950830 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 95/08/30. 6pp. 85489:299-85489:363.

9509070296 Informs that util plans to implement changes to emergency plan re ISFSI.
DENTON,R.E. Baltimore Gas & Electric Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:357-85415:359.

9509190164 Revised ERPIPs,including Rev 1 to ERPIP 102,Rev 2 to ERPIP 10,Rev 1 to ERPIP 20,Rev 1 to ERPIP 3,Rev 10 to ERPIP 3.0, Rev 1 to ERPIP 303,Rev 1 to ERPIP 309,Rev 0 to ERPIP 316,Rev 1 to ERPIP 319 & Rev 2 to ERPIP 501.W/950914 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 95/09/14. 113pp. 85535:146-85535:257.

9509280248 Forwards rev 33 to Calvert Cliffs Security Plan. Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 95/09/25. Document Control Branch (Document Control Desk). 2pp. 85657:349-85657:350.

H. General correspondence

9509060027 Forwards Safety Evaluation re updated hazard analysis for liquefied natural gas terminal located at Cove Point.MD
MARSH,L.B. 95/08/31. OCHS,R. Maryland Safe Energy Coalition. 2pp. 85325:312-85325:330.

--9509060041 Advises that updated hazard analysis for liquefied natural gas will not be jeopardized by operation of LNG terminal located at Cove Point.
MARSH,L.B. 95/08/31. DENTON,R.E. Boston Edison Co. 3pp. 85325:314-85325:316.

--9509060045 Safety evaluation re liquefied natural gas hazards analysis. NRC concludes that safe operation of plant,including ISFSI, will not be jeopardized by operation of LNG terminal at Cove Point.
* 95/08/31. 13pp. 85325:317-85325:330.

P. Operating license stage documents & correspondence

9509060347 Advises that CEN 425-P,rev 3-P, "SER for Use of Advanced Zirconium - Based Cladding Mats in Calvert Cliffs,Unit 1 Batch R Lead Fuel Assemblies" will be withheld ref 10CFR2.790.
MCDONALD,D.G. 95/08/30. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85314:342-85314:346.

9509080024 Responds to 950627 ltr re isolation provisions for svc water sys at plant.informs that NRC in contact w/resident inspectors & licensee on daily basis re issue concerning seismic hazards & remedies.
MCDONALD,D.G. 95/08/31. OCHS,R. Maryland Safe Energy Coalition. 106pp. 85383:182-85383:289.

9509070272 Informs that util responses to GL 95-03, "Circumferential Cracking of SG Tubes," reviewed & areas for which addl info &/or clarification needed,identified.
MCDONALD,D.G. 95/09/06. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85373:328-85373:332.

9509120018 Comment on draft NUREG/CR-6354, "Performance Testing of Electronic Personnel Dosimeters." Statement "...sixty-one of 67 (97%) sites..." mathematically incorrect.
FURIA,J.T. Region 1 (Post 820201). 95/09/07. BAHADUR,S. Division of Regulatory Applications (Post 941217). 1p. 85382:001-85382:001.

9508310033 Encl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D . 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150108 Forwards response to request for addl info re IPE program & "Containment Overpressure Capacity for Calvert Cliffs Electric Plant."
DENTON,R.E. Baltimore Gas & Electric Co. 95/09/12. Document Control Branch (Document Control Desk). 153pp. 85506:001-85506:153.

--9509150113 "Containment Overpressure Capacity for Calvert Cliffs Electric Plant."
WESLEY,D.A., NAKAKI,D.K. EQE Engineering Consultants (formerly EQE Engineering, Inc.). 92/10/31. 50pp. 85506:104-85506:153.

9509190155 Informs of completion of final action associated w/NRC GL 88-17, "Loss of Decay Heat Removal."
DENTON,R.E. Baltimore Gas & Electric Co. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85531:278-85531:279.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (87u-11-621003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310201 FOIA request for documents re number of direct NRC insp hours in each of listed combined resident insps.
WILLIAMS,O.G. JRA Associates. 95/05/12. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85288:216-85288:216.

9508310206 First fiscal response to FOIA request for documents.Records in App A encl & will be available in PDF.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/20. WILLIAMS,O.G. JRA Associates. 2pp. 85288:217-85288:220.

--9509010277 Listing of hours & costs for processing request.
* NRC - No Detailed Affiliation Given. 95/06/20. 2pp. 85288:219-85288:220.

9509070071 Comments on revised NRC SALP program.
DENTON,R.E. Baltimore Gas & Electric Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85321:001-85321:005.

9509080201 Discusses insp repts 50-317/95-06 & 50-318/95-06 on 950625-0805 & forwards NOV.
COWGILL,C.J. Region 1 (Post 820201). 95/08/31. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85325:021-85325:069.

78 DOCKETED ITEMS

-9509080204 Notice of violation from insp on 950425-0805 Violation noted: more than one thousand controlled drawings found to be either missing or not of correct rev at many drawing locations at plant.
* Region 1 (Post 820201). 95/08/31. 2pp. 85325-024-85325-025.

-9509080206 Insp repts 50-317/95-06 & 50-318/95-06 on 950625-0705. Violations noted: Major areas inspected: plant operations, maintenance, engineering & plant activities.
DCERFLEIN, L.T. Region 1 (Post 820201). 95/08/31. 40pp. 85325-026-85325-069.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509190258 Monthly operating repts for Aug 1995 for Calvert Cliffs Nuclear Power Plant W/950915 Itr.
OLSEN, H.O., CRUSE, C.H. Baltimore Gas & Electric Co. 95/08/31. 12pp. 85524-228-85524-239.

S. Reportable occurrences, LERs & related correspondence

9509010203 Final Part 21 rept re regular locknut being installed on governor where thinner locknut required at Calvert Cliffs. Applications of thick nut p/n 75233A06 on control linkages will be reviewed to insure applications correct.
GRANDUSKY, E. Dresser-Rand Co. 95/08/24. Document Control Branch (Document Control Desk). 3pp. 85315-073-85315-075.

9509120123 Special rept on 950801, diesel fire pump (DFP) 12 for fire suppression water sys disabled & on 950806, exceeded seven day requirement to restore inoperable equipment to operable status, DFP engine rebuilt & DFP declared operable on 950901.
CRUSE, C.H. Baltimore Gas & Electric Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85435-223-85435-225.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509050013 Forwards safety evaluation re LNG Hazards analysis. NRC concludes that safe operation of plant & ISFSI will not be jeopardized by operation of LNG terminal located at Cove Point.
MARSH, L.B. 95/08/31. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 85326-001-85326-017.

-9509060023 Safety evaluation re LNG hazards analysis. NRC concludes that safe operation of plant & ISFSI will not be jeopardized by operation of LNG terminal located at Cove Point.
* 95/08/31. 14pp. 85326-004-85326-017.

9509070296 Informs that util plans to implement changes to emergency plan re ISFSI.
DENTON, R.E. Baltimore Gas & Electric Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415-357-85415-359.

9509260351 Forwards proprietary Rev 4 to "Calvert Cliffs ISFSI USA." Rev withheld.
DENTON, R.E. Baltimore Gas & Electric Co. 95/09/20. Office of Nuclear Material Safety & Safeguards. 6pp. 85607-354-89203-303.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509150007 Advises that listed util employees authorized to submit fingerprints to NRC & receive results under criminal history program.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85504-355-85504-356.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND, J.G. Baker & Botts. 51pp. 85526-001-85526-360.

-9409260106 Responds to request that SP5B perform first level assessment of risk impact of dampers & fans.
BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Plant Systems Branch. 6pp. 85526-350-85526-360.

9509060202 Forwards Update 1 of "TMI-2 Post-Defueling Monitored Storage SAR," including description of modified electrical power distribution sys, deletion of all plant sys drawings from SAR & deletion of Chapter 9, proposed Tech Specs.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/08/17. Document Control Branch (Document Control Desk). 2pp. 85372-001-85373-077.

-9509060211 Update 1 of "TMI-2 Post Defueling Monitored Storage Safety Analysis Rept."
* General Public Utilities Corp. - GPU Service Corp. 95/08/17. 438pp. 85372-003-85373-077.

9509250401 Informs that NRC has completed investigation of quality assurance audit records for manufacture of TMI-2 spent fuel canisters by facility.
RULAND, W.H. Region 1 (Post 820201). 91/09/27. Nuclear Energy Services (NES) Manufacturing. 2pp. 85763-128-85763-129.

-9509260161 Documents completion of NRC investigation re alleged destruction of quality assurance audit records for TMI-2 spent fuel waste canisters.
MARTIN, T.T. Region 1 (Post 820201). 95/04/29. MCGOFF, D.J. Energy, Dept. of. 2pp. 85763-133-85763-134.

-9509260163 Provides list of personnel that was contacted re allegation RI-90-A-0075, TMI-2 spent fuel waste canisters.
HARRIS, P.W. Region 1 (Post 820201). 91/04/17. MOORE, M. Region 1 (Post 820201). 2pp. 85763-135-85763-136.

-9509260259 Provides notes re telcon on 900815.
RULAND, W.H. NRC - No Detailed Affiliation Given. 90/08/16. NRC - No Detailed Affiliation Given. 1p. 85763-193-85763-193.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barner Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509010156 Provides NRC summary of activities at plant during 2nd quarter of 1995.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/08/23. Document Control Branch (Document Control Desk). 2pp. 85320-356-85320-357.

9509050287 Forwards FFD semiannual performance data repts for Jan-June 1995 per 10CFR26.71(d).
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 95/08/28. Document Control Branch (Document Control Desk). 11pp. 85342-314-85342-324.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509250392 Informs that on 950823, full-scale emergency preparedness exercise conducted w/plant. Lists principal exercise objectives for Headquarters, JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/09/19. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). MILHOAN, J. NRC - No Detailed Affiliation Given. 5pp. 85582:309-85582:313.

9509290011 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation. BERKOW, H.N. 95/09/22. WOODARD, J.D. Georgia Power Co. 5pp. 85636:292-85636:296.

P. Operating license stage documents & correspondence

9509060133 Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDF. POWELL, R.A. Division of Information & Publications Services (Post 940714). 95/07/26. IRWIN, D. Hunton & Williams. 2pp. 85332:042-85332:062.

-9504190173 Requests addl info re core shroud repair mod installed on plant, specifically, info re analytical model & supporting calculations performed to determine calculated gap size of cracks in H6B weld. MANOLY, K.A. 95/04/14. BERKOW, H.N. 3pp. 85332:050-85332:052.

9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDF. POWELL, R.A. Division of Information & Publications Services (Post 940714). 95/06/09. IRWIN, D. 3pp. 85406:082-85406:185.

-9409280326 Informs that two plants submittals unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submittals for plants considered to be most susceptible to core shroud cracking. JONES, R. Reactor Systems Branch. 94/09/22. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 14pp. 85406:158-85406:170.

9509070255 Discusses 950826 meeting re work controls reengineering through addition of performance teams & info technology. List of attendees & handout encls. CRLENJAK, R.V. Region 2 (Post 820201). 95/08/30. HAIRSTON, G. Georgia Power Co. 17pp. 85329:006-85329:022.

9509070273 Forwards amends 197 & 138 to licenses DPR-57 & NPF-5 & safety evaluation. Amends modify licenses & corresponding TS for plant to authorize increase in max power level from 2,436 MWt to 2,558 MWt. JABBOUR, K.N. 95/08/31. BECKHAM, J.T. Georgia Power Co. 3pp. 85374:267-85374:360.

-9509070276 Amends 197 & 138 to licenses DPR-57 & NPF-5, respectively, modifying licenses & corresponding TS for plant to authorize increase in max power level from 2,436 MWt to 2,558 MWt. RUSSELL, W.T. 95/08/31. 54pp. 85374:270-85374:323.

-9509070282 Safety evaluation supporting amends 197 & 138 to licenses DPR-57 & NPF-5, respectively. 95/08/31. 35pp. 85374:324-85374:360.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180107 Forwards amends 198 & 139 to licenses DPR-57 & NPF-5 & SE. Amends revise TS SR 3.6.4.1.3 & 3.6.4.1.4 for secondary containment drawdown. Revision reduces SR acceptance criteria to listed amount. JABBOUR, K.N. 95/09/11. BECKHAM, J.T. Georgia Power Co. 2pp. 85521:281-85521:301.

9509180113 Amends 198 & 139 to licenses DPR-57 & NPF-5, respectively, revising TS SR 3.6.4.1.3 & 3.6.4.1.4 for secondary containment drawdown. Revision reduces SR acceptance criteria to listed amount. BERKOW, H.N. 95/09/11. 7pp. 85521:284-85521:297.

-9509180116 Safety evaluation supporting amends 198 & 139 to licenses DPR-57 & NPF-5, respectively. 95/09/11. 4pp. 85521:298-85521:301.

9509280171 Confirms arrangement made by WB Kirkley & WH Rankin on 950907 re mgt meeting requested by util & scheduled for 950926 to discuss overall status & planned upgrades in radiation protection program at plant. CRLENJAK, R.V. Region 2 (Post 820201). 95/09/12. BECKHAM, J.T. Georgia Power Co. 3pp. 85613:093-85613:095.

9509210122 Forwards "El Hatch Nuclear Plant IST Program," for third interval. BECKHAM, J.T. Georgia Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85667:037-85667:267.

-9509210125 "El Hatch Nuclear Plant Units 1 & 2 IST Program." Georgia Power Co. 95/07/24. 229pp. 85667:039-85667:267.

9509280244 Confirms 950921 telcon between WB Kirkley & WH Rankin which cancelled request for 950926 meeting. CRLENJAK, R.V. Region 2 (Post 820201). 95/09/22. BECKHAM, J.T. Georgia Power Co. 3pp. 85614:267-85614:269.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070224 Forwards insp repts 50-321/95-17 & 50-366/95-17 on 950705-0815 Violations noted being considered for escalated enforcement action. Predecisional enforcement conference to discuss violation scheduled for 950913. GIBSON, A.F. Region 2 (Post 820201). 95/08/24. BECKHAM, J.T. Georgia Power Co. 5pp. 85322:226-85322:243.

-9509070241 Insp repts 50-321/95-17 & 50-366/95-17 on 950705-07, 0710 & 0815 Violations noted but not cited. Major areas inspected: circumstance of recent failures of LPCI inboard injection MOVs. GIRARD, E., SHYMLOCK, M. Region 2 (Post 820201). 95/08/23. 11pp. 85322:233-85322:243.

9509070183 Ack receipt of 950703 response to inspector followup items 1-4, from insp of implementation of GL 89-10, "Safety-Related MOV Testing & Surveillance." CASTO, C.A. Region 2 (Post 820201). 95/08/28. BECKHAM, J.T. Georgia Power Co. 2pp. 85321:245-85321:246.

9509060376 Forwards comments on "Review of Revised NRC Systematic Assessment of Licensee Performance Program." BECKHAM, J.T. Georgia Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 85326:349-85326:350.

9509070243 Forwards insp repts 50-321/95-16 & 50-366/95-16 on 950702-0805 & notice of violation. CRLENJAK, R.V. Region 2 (Post 820201). 95/08/29. BECKHAM, J.T. Georgia Power Co. 3pp. 85322:314-85322:341.

-9509070249 Notice of violation from insp on 950702-0805. Violation noted: maint to valve 1E41-F003, high pressure coolant injection steam isolation valve, was not accomplished in accordance w/procedures 52CM-MME-001-0S & 52CM-MME-011-0S. * Region 2 (Post 820201). 95/08/29. 2pp. 85322:317-85322:318.

-9509070256 Insp repts 50-321/95-16 & 50-366/95-16 on 950702-0805. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support activities & insp of open items. HOLBROOK, B.L., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 95/08/25. 23pp. 85322:319-85322:341.

9509070159 Confirms telcon between D Crow & B Bonser on 950824 re enforcement conference scheduled for 950913 to discuss apparent violation that resulted from failures of Low Pressure Coolant Injection Valve in May, June & Jul of 1995. CRLENJAK, R.V. Region 2 (Post 820201). 95/08/30. BECKHAM, J.T. Georgia Power Co. 3pp. 85321:118-85321:120.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. *5645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190197 Monthly operating repts for Aug 1995 for El Hatch Nuclear Plant. W/950912 ltr. ROGERS, S.B., BECKHAM, J.T. Georgia Power Co. 95/08/31. 13pp. 85532:337-85532:349.

9509250292 Forwards revs to "Plant Hatch Annual Radioactive Effluent Release Rept 1994." BECKHAM, J.T. Georgia Power Co. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85616:350-85616:357.

-9509250295 Revised pages to "Plant Hatch Annual Radioactive Effluent Release Rept 1994." Georgia Power Co. 94/12/31. 6pp. 85616:352-85616:357.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

80 DOCKETED ITEMS

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/15. Consolidated Edison Co. of New York, Inc. 9pp. 8554:1:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85527:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

W. Decommissioning Stage Documents & Correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to CIL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180305 Confirms 950818 request for review of termination survey release record for chemistry lab ventilation sys. JOYNER,J.H. Region 1 (Post 820201). 95/09/11. GIACOMAZZO,C. Long Island Power Authority. 5pp. 85502:102-85502:106.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509110540 Forwards Change 15 to Rev 3 to "Licensing Basis Impact Evaluation for Emergency Plan." ANGUS,M.J. Pacific Gas & Electric Co. 95/09/05. Document Control Branch (Document Control Desk). 3pp. 85436:296-85436:309.

-9509110343 Change 15 to Rev 3 to "Licensing Basis Impact Evaluation for Emergency Plan." Pacific Gas & Electric Co. 95/08/04. 11pp. 85436:296-85436:309.

9509140263 Requests for addl info re individual plant exam of external events,including seismic & fire analysis. STONE,J.C. 95/09/06. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 85472:234-85472:240.

9509120088 Forwards response to NRC 950809 ltr re violations noted in insp repts 50-275/95-13 & 50-323/95-13. Corrective actions. briefed security concerning specifics of inadequate search. RUEGER,G.M. Pacific Gas & Electric Co. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85433:323-85433:326.

9509190045 Revised EIPs,including rev 14 to EP RB-15.A,rev 12 to EP RB-15.B,rev 11 to EP RB-15.C,rev 6 to EP RB-15.D,rev 7 to EP RB-15.E,rev 2 to EP RB-15.J,rev 2 to EP RB-15.K & rev 2 to EP RB-15.L.W/950908 ltr. ANGUS,M.J. Pacific Gas & Electric Co. 95/09/08. 141pp. 85536:001-85536:141.

9509210011 Requests exemption to 10CFR73.55 & provides draft changes to plant Physical Security Plan. RUEGER,G.M. Pacific Gas & Electric Co. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85548:296-85548:297.

9509260156 Forwards proposed changes to physical security plan.Encl withheld. FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85627:343-85627:344.

9509280094 Forwards EA & FONSI re request for exemption from certain requirements of 10CFR73.55,enabling util to implement hand geometry biometric sys for site access control at plant. STONE,J.C. 95/09/21. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85635:351-85635:359.

-9509280097 Environ assessment & finding of no significant impact re request for exemption from certain requirements of 10CFR73.55,allowing implementation of hand geometry biometric sys of site access control. STONE,J.C. 95/09/20. 5pp. 85635:355-85635:359.

9509290088 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection of licensed activities in nuclear power plant reactors against radiological sabotage for Units 1 & 2. STONE,J.C. 95/09/26. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 85636:319-85636:325.

-9509290093 Exemption from requirements of 10CFR73.55, requirements for physical protection of licensed activities in nuclear power reactors against radiological sabotage at plant Units 1 & 2. ROW,J.W. 95/09/26. Pacific Gas & Electric Co. 5pp. 85636:321-85636:325.

H. General correspondence

9509050033 Comment opposing petition for rulemaking PRM-50-61 re Nuclear Energy Institute proposed amends on fire safety for all NPPs. FRANK,P.H. Affiliation Not Assigned. 95/08/23. Office of the Secretary of the Commission. 1p. 85288:029-85288:029.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents.App C documents available in PDR,Records in App D encl & being made available in PDR,Printout of other documents available in PDR also encl. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans. BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509120321 Informs that Dept of Toxic Substances Control proposing to add existing & proposed mixed waste units to existing hazardous waste facility permit through class 3 mod. SHAULIS,D.I. California, State of. 95/08/24. MILLER,M.A. NRC - No Detailed Affiliation Given. 2pp. 85419:357-85419:358.

9509050250 Requests addl info re licensee response to GL 95-03, "Circumferential Cracking of SG Tubes." Response requested within 30 days of receipt of ltr. STONE,J.C. 95/08/31. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85314:127-85314:130.

9509180141 Forwards corrected safety evaluation re combined TS to add mode 1 applicability to TS 3/4.4.2.2, "Safety Valves- Operating" & to change low-temperature overpressure protection. STONE,J.C. 95/09/01. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 85521:314-85521:318.

-9509180147 Corrected SE supporting amends 107 & 106 to licenses DPR-82 & DPR-80, respectively. 95/08/23. 2pp. 85521:317-85521:318.

9509140263 Requests for addl info re individual plant exam of external events,including seismic & fire analysis. STONE,J.C. 95/09/06. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 85472:234-85472:240.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509220327 Forwards request for addl info pertaining to licensee response to GL 95-03, "Circumferential Cracking of SG Tubes." STONE,J.C. 95/09/20. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85577:087-85577:090.

9509250293 Responds to request for info re proposed change to pressurizer safety valves at plant. ANGUS,M.J. Pacific Gas & Electric Co. 95/09/20. Document Control Branch (Document Control Desk). 14pp. 85601:325-85601:338.

9509260214 Discusses 950824 ltr which requested info from NRC on NRC role in monitoring generation,treatment,storage & off-site transportation activities for mixed waste at plant. STONE,J.C. 95/09/21. SHAULIS,D.I. California, State of. 3pp. 85586:352-85586:354.

9509260226 Notification of meeting w/util in Rockville,MD on 951005 to discuss licensure plans for extension of plant fuel cycle. Meeting agenda,encl. STONE,J.C. 95/09/25. BATEMEN,W.H. 5pp. 85627:347-85627:351.

Q. inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509110204 Forwards RAI concerning proposed change to PSVs at plant re insp rept 50-275/94-25. Requests response by 950830. STONE,J.C. 95/08/07. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85385:298-85385:301.

9509050026 Forwards insp repts 50-275/95-12 & 50-323/95-12 on 950625-0805.No violations noted. DYER,J.E. Region 4 (Post 820201). 95/08/25. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 85288:001-85288:025.

-9509050031 Insp repts 50-275/95-12 & 50-323/95-12 on 950625-0805.No violations noted.Major areas inspected:operational safety verification,onsite followup to events,plant maint,plant support activities & surveillance observations. WONG,H.J. Region 4 (Post 820201). 95/08/24. 20pp. 85288:006-85288:025.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509120088 Forwards response to NRC 950809 ltr re violations noted in insp repts 50-275/95-13 & 50-323/95-13. Corrective actions: briefed security concerning specifics of inadequate search.
RUEGER, G.M. Pacific Gas & Electric Co. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85433:323-85433:326.

9509200347 Forwards response to NRC 950621 ltr re deviation noted in insp repts 50-275/95-04 & 50-323/95-04. Corrective actions: rev to FSAR update for Figure 13.1-3 approved & submitted to incorporate changes that reflect man staffing per TS 6.2.2.
RUEGER, G.M. Pacific Gas & Electric Co. 95/09/14. Document Control Branch (Document Control Desk). 4pp. 85552:272-85552:275.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGTs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509101146 Forwards semiannual FFD performance rept for period Jan-June 1995, in accordance w/10CFR26.71(d). During reporting period, no licensed operators or supervisors tested positive. One significant FFD event noted. Description of event also encl.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/08/25. Document Control Branch (Document Control Desk). 7pp. 85310:268-85310:274.

9509200304 Monthly operating repts for Aug 1995 for Diablo Canyon Units 1 & 2. W/95c. ltr.
EUBANK, T. MALONE, D., FARRER, D. Pacific Gas & Electric Co. 95/08/31. 13pp. 85547:331-85547:349.

S. Reportable occurrences, LERs & related correspondence

9509260068 PNO-IV 95-041 on 950923, unit 2 manually tripped due to impending loss of circulating water flow. Testing of affected & other MSSVs being conducted to investigate cause of premature lifting.
WONG, H., TSCHLITZ, M. Region 4 (Post 820201). 95/09/27. 1p. 85645:068-85645:068.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:139-85558:126.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509070106 Revised EIPs, including Rev 9 to OPEP-02.6.6, Rev 18 to OPEP-02.6.12, Rev 14 to OPEP-02.6.20, Rev 30C to OPEP-02.6.21, Rev 2 to OPEP-02.6.26 & Rev 2 to OPEP-02.6.27.
NEWTON, R.R. Carolina Power & Light Co. 95/08/23. 212pp. 85374:001-85374:216.

9509010370 Advises that 950509 Rev 20 to plant industrial security plan consistent w/provisions of 10CFR50.54(p) w/exception delineated in encl.
COLLINS, D.M. Region 2 (Post 820201). 95/08/25. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 85313:343-85313:346.

9509070104 List of voided EIPs, effective 950831.
* Carolina Power & Light Co. 95/08/28. 1p. 85376:250-85376:250.

9509070032 Rev 42 to "Radiological Emergency Response Plan."
NEWTON, R.R. Carolina Power & Light Co. 95/08/31. 36pp. 85376:194-85376:230.

9509070034 Rev 10 to Plant Emergency Procedure OPEP-04.2, "Emergency Facilities & Equipment."
PERGERSON, B. Carolina Power & Light Co. 95/08/31. 19pp. 85376:231-85376:249.

9509070112 Revised Plant Emergency Procedures (PEP), including Rev 9C to OPEP-03.6.1, Rev 0 to OPEP-03.7.6, Rev 0 to OPEP-03.7.7, Rev 15 to OPEP-04.6 & Rev 1 to OPEP-04.08.
NEWTON, R.R. Carolina Power & Light Co. 95/08/31. 71pp. 85349:252-85349:323.

9509070127 Revised Plant Emergency Procedures (PEP), including Rev 16 to OPEP-1.0, Rev 0 to OPEP-03.5.5, Rev 7 to OPEP-03.6.3 & Rev 3 to OPEP-03.6.5.
NEWTON, R.R. Carolina Power & Light Co. 95/08/31. 61pp. 85388:269-85388:329.

9509080003 Requests exemption from requirements of 10CFR50, App R, Section III.L.2.b for plant.
ANDERSON, R.A. Carolina Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 12pp. 85419:148-85419:159.

9509130184 Rev 52C to Plant Emergency Procedure OPEP-APP A, "Emergency Response Resources."
NEWTON, R.R. Carolina Power & Light Co. 95/09/01. 24pp. 85474:225-85474:248.

9509180153 Provides addl info re removal of non-radiological hydraulic limitations for discharge canal level & relocation of existing meteorological monitoring requirements to UFSAR, based on 950713 telcon w/NRC.
CAMPBELL, W.R. Carolina Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85510:352-85510:355.

9509280057 Forwards rev 21 to Industrial Security Plan for BSEP, Units 1 & 2. Withheld.
HICKS, G.D. Carolina Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85647:360-85647:360.

9509280266 Informs of completion of review of rev 41 to plant radiological emergency response plan. Review concluded that changes did not decrease effectiveness of emergency plan & met planning stds of 10CFR50.47(b).
BARR, K.P. Region 2 (Post 820201). 95/09/20. CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 85614:329-85614:331.

G. Adjudicatory correspondence

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9312070210 Discusses encl petition received on 931014 from M Kohn for Natl Whistleblower Ctr requesting that NRC take action re plant units 1 & 2 alleged mgt coverup of shroud cracking listed under case 2-93-059/Rll-93-A-0205. W/c encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/11/22. HAYES, B.B. Ofc of Investigations (Post 880201). 1p. 85316:133-85316:133.

H. General correspondence

9509120184 Provides updates to NRC svc list for NRC correspondence re plant.
HICKS, G.D. Carolina Power & Light Co. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85435:296-85435:297.

P. Operating license stage documents & correspondence

9509060135 First partial response to FOIA request for documents. Records in App A encl & being made available for PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/20. VOINCHE, W. Affiliation Not Assigned. 3pp. 85332:145-85332:175.

-9509060259 Forwards ltr from Carolina Power & Light Co that discusses intentions to negotiate sale of used control room simulator for nuclear power plant to Sci-Tech, Inc. DENTON, H.R. Office of Nuclear Reactor Regulation (800428-851124). 85/05/06. SHEA, J.R. Office of International Programs (Pre 870413). 1p. 85332:161-85332:161.

-9509060260 Forwards 850506 memo from NRR transmitting 850425 ltr from Carolina Power & Light Co re intention to negotiate sale of control room simulator for nuclear power plant to Sci-Tech, Inc for possible export to People Republic of China.
SHEA, J.R. Office of International Programs (Pre 870413). 85/05/06. THORNE, C. Energy, Dept. of. 1p. 85332:162-85332:162.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking.
RUBIN, M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS, T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.

9509050170 Confirms that stated amount electronically transferred to US Dept of Treasury, NRC on 950823 as payment for NRC fees for period 950319-0624 for listed invoices.
ROGAN, R.E. Carolina Power & Light Co. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85395:203-85395:203.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180153 Provides addl info re removal of non-radiological hydraulic limitations for discharge canal level & relocation of existing meteorological monitoring requirements to UFSAR, based on 950713 telcon w/NRC.
CAMPBELL, W.R. Carolina Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85510:352-85510:355.

9509190370 Application for amends to licenses DPR-62 & DPR-71, proposing changes to TS 3/4.6.1.2 & 3/4.6.1.3, by removing detailed requirements describing Type B & C testing for PCIV & penetrations.
CAMPBELL, W.R. Carolina Power & Light Co. 95/09/13. Document Control Branch (Document Control Desk). 14pp. 85532:189-85532:209.

-9509190373 Proposed tech specs removing detailed requirements describing Type B & C testing for PCIV & penetrations.
* Carolina Power & Light Co. 95/09/13. 27pp. 85532:183-85532:209.

9509190270 Forwards "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Relay Evaluation Rept" & "...USI A-46 Seismic Evaluation Rept."
CAMPBELL, W.R. Carolina Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85549:001-85550:146.

-9509190273 Rev 0 to "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Relay Evaluation Rept," final rept.
* Carolina Power & Light Co. 95/09/30. 200pp. 85549:004-85549:265.

82 DOCKETED ITEMS

-9509190275 Rev 0 to "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Seismic Evaluation Rept," final rept.
* EQE Engineering Consultants (formerly EQE Engineering, Inc.). 52123-R-002 R00 95/09/30. 245pp. 85549:266-85550:146

9509210294 Notification of meeting w/utl on 950920 in Flockville, MD to discuss questions that have arisen during review of plant TS amend request dtd 950331 re addition of exception to electrical distribution sys TS 3/4.8.1.1.
TRIMBLE, D. 95/09/19. MATTHEWS, D.B. 3pp. 85562:337-85562:339.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld M-3 at Brunswick 1 plant & of issuance of Info Notice 95-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN, D.S. Project Directorate I-1. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.

9509190006 Forwards insp repts 50-324/95-15 & 50-325/95-15 on 950701-0804, notice of deviation & notice of violation.
VERRELLI, D.M. Region 2 (Post 820201). 95/09/01. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 85503:129-85503:154.

-9509190009 Notice of deviation from insp on 950619-23 & 950701-0804. Deviation noted: two svc water intake structure flood doors did not meet design requirements for unknown period of time.
* Region 2 (Post 820201). 95/09/01. 1p. 85503:133-85503:133.

-9509190012 Notice of violation from insp on 950701-0804. Violation noted: NRC inspector while in control room overheard communication between plant personnel warning of presence of NRC inspector in reactor bldg.
* Region 2 (Post 820201). 95/09/01. 1p. 85503:134-85503:134.

-9509190014 Insp repts 50-324/95-15 & 50-325/95-15 on 950701-0804. Violations noted: Major areas inspected: operations, maint & surveillance, engineering & plant support.
PATTERSON, C.A., VERRELLI, D.M. Region 2 (Post 820201). 95/09/01. 20pp. 85503:135-85503:154.

9509310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509260194 Ltr contract, mod 1 to task order 74, reducing task order level of effort & ceiling amount, to "Followup to SWSOPI - Brunswick under NRC contract NRC-03-93-026."
WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2062-5. 95/09/13. LOFF, R.A. PARAMETER, Inc. 4pp. 85608:278-85608:281.

9509280188 Forwards insp repts 50-324/95-17 & 50-325/95-17 on 950814-18. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/09/14. CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 85613:199-85613:211.

-9509280194 Insp repts 50-324/95-17 & 50-325/95-17 on 950814-18. No violations noted. Major areas inspected: radwaste storage, transportation of radioactive matl, audits & training.
FORBES, D.B., RANKIN, W.R. Region 2 (Post 820201). 95/09/11. 10pp. 85613:202-85613:211.

9509130018 NRC info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010080 "Brunswick Plant Semiannual Radioactive Effluent Rept Jan-June 1995." W/950828 ltr.
LEVIS, W. Carolina Power & Light Co. 95/06/30. 32pp. 85313:215-85313:246.

9509050292 Forwards semiannual FFD program performance data for period of Jan-June 1995, in accordance w/10CFR26.71(d).
ROGAN, R.E. Carolina Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 13pp. 85345:279-85345:288.

9509220318 Monthly operating repts for Aug 1995 for Brunswick Steam Electric Plants Units 1 & 2. W/950915 ltr.
HARRISON, F., LOPRIORE, R. Carolina Power & Light Co. 95/08/31. 10pp. 85589:334-85589:343.

S. Reportable occurrences, LERs & related correspondence

9509200375 Part 21 rept re 3/4 inch ASME Section III Class 2 ball valves supplied by Canadian Worcester Controls Ltd (CWCL).
KOTACK, G. 95/09/13. Document Control Branch (Document Control Desk). 9pp. 85552:297-85552:305.

V. Operator Examinations

9509070219 Confirms arrangements made in 950809 teicon between S McCain & RF Aiello, for administration of licensing exams at plant. Written exams & operating tests scheduled for wk of 951204.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/10. ANDERSON, R.A. Carolina Power & Light Co. 5pp. 85322:021-85322:025.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070106 Revised EIPs, including Rev 9 to OPEP-02.6.6, Rev 18 to OPEP-02.6.12, Rev 14 to OPEP-02.6.20, Rev 30C to OPEP-02.6.21, Rev 2 to OPEP-02.6.26 & Rev 2 to OPEP-02.6.27.
NEWTON, R.R. Carolina Power & Light Co. 95/08/23. 212pp. 85374:001-85374:216.

9509010370 Advises that 950509 Rev 20 to plant industrial security plan consistent w/ provisions of 10CFR50.54(p) w/exception delineated in encl.
COLLINS, D.M. Region 2 (Post 820201). 95/08/25. ANDERSON, R.A. Carolina Power & Light Co. 4pp. 85313:343-85313:346.

9509070104 List of voided EIPs, effective 950831.
* Carolina Power & Light Co. 95/08/28. 1p. 85376:250-85376:250.

9509070032 Rev 42 to "Radiological Emergency Response Plan."
NEWTON, R.R. Carolina Power & Light Co. 95/08/31. 36pp. 85376:194-85376:230.

9509070034 Rev 10 to Plant Emergency Procedure OPEP-04.2, "Emergency Facilities & Equipment."
PERGERSON, B. Carolina Power & Light Co. 95/08/31. 19pp. 85376:231-85376:249.

9509070112 Revised Plant Emergency Procedures (PEP), including Rev 9C to OPEP-03.6.1, Rev 0 to OPEP-03.7.6, Rev 0 to OPEP-03.7.7, Rev 15 to OPEP-04.6 & Rev 1 to OPEP-04.08.
NEWTON, R.R. Carolina Power & Light Co. 95/08/31. 71pp. 85349:252-85349:323.

9509070127 Revised Plant Emergency Procedures (PEP), including Rev 16 to OPEP-1.0, Rev 0 to OPEP-03.5.5, Rev 7 to OPEP-03.6.3 & Rev 3 to OPEP-03.6.5.
NEWTON, R.R. Carolina Power & Light Co. 95/08/31. 61pp. 85388:269-85388:328.

9509080003 Requests exemption from requirements of 10CFR50, App R, Section III.L.2.b for plant.
ANDERSON, R.A. Carolina Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 12pp. 85419:148-85419:159.

9509130184 Rev 52C to Plant Emergency Procedure OPEP-APP A, "Emergency Response Resources."
NEWTON, R.R. Carolina Power & Light Co. 95/09/01. 24pp. 85474:225-85474:248.

9509180153 Provides addl info re removal of non-radiological hydraulic limitations for discharge canal level & relocation of existing meteorological monitoring requirements to UFSAR, based on 950713 teicon w/NRC.
CAMPBELL, W.R. Carolina Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85510:352-85510:355.

9509280057 Forwards rev 21 to Industrial Security Plan for BSEP, Units 1 & 2. Withheld.
HICKS, G.D. Carolina Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85647:360-85647:360.

9509280266 Informs of completion of review of rev 41 to plant radiological emergency response plan. Review concluded that changes did not decrease effectiveness of emergency plan & met planning stds of 10CFR50.47(b).
BARR, K.P. Region 2 (Post 820201). 95/09/22. CAMPBELL, W.R. Carolina Power & Light Co. 3pp. 85614:328-85614:331.

G. Adjudicatory correspondence

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9312070210 Discusses encl petition received on 931014 from M Kohn for Natl Whistleblower Ctr requesting that NRC take action re plant, units 1 & 2 alleged mgt coverup of shroud cracking listed under case 2-93-059/RH-93-A-0205. W/o encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/11/22. HAYES, B.B. Ofc of Investigations (Post 880201). 1p. 85316:133-85316:133.

H. General correspondence

9509120184 Provides updates to NRC svc list for NRC correspondence re plant.
HICKS,G.D. Carolina Power & Light Co. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85435:296-85435:297.

P. Operating license stage documents & correspondence

9509060135 First partial response to FOIA request for documents. Records in App A encl & being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/20. VOINCHE,W. Affiliation Not Assigned. 3pp. 85332:145-85332:175.

-9509060259 Forwards ltr from Carolina Power & Light Co that discusses intentions to negotiate sale of used control room simulator for nuclear power plant to Sci-Tech, Inc. DENTON,H.R. Office of Nuclear Reactor Regulation (800428-851124). 85/05/06. SHEA,J.R. Office of International Programs (Pre 870413). 1p. 85332:161-85332:161.

-9509060265 Forwards 850506 memo from NRR transmitting 850425 ltr from Carolina Power & Light Co re intention to negotiate sale of control room simulator for nuclear power plant to Sci-Tech, Inc for possible export to People Republic of China. SHEA,J.R. Office of International Programs (Pre 870413). 85/05/06. THORNE,C. Energy, Dept. of. 1p. 85332:162-85332:162.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

-8406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking.
RUBIN,M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS,T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.

9509050170 Confirms that stated amount electronically transferred to US Dept of Treasury, NRC on 950823 as payment for NRC fees for period 950319-0624 for listed invoices.
ROGAN,R.E. Carolina Power & Light Co. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85395:203-85395:203.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180153 Provides add info re removal of non-radiological hydraulic limitations for discharge canal level & relocation of existing meteorological monitoring requirements to UFSAR, based on 950713 telcon w/NRC.
CAMPBELL,W.R. Carolina Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85510:352-85510:355.

9509190370 Application for amendments to licenses DPR-62 & DPR-71, proposing changes to TS 3/4.6.1.2 & 3/4.6.1.3, by removing detailed requirements describing Type B & C testing for PCIV & penetrations.
CAMPBELL,W.R. Carolina Power & Light Co. 95/09/13. Document Control Branch (Document Control Desk). 14pp. 85532:169-85532:209.

-9509190373 Proposed tech specs removing detailed requirements describing Type B & C testing for PCIV & penetrations.
* Carolina Power & Light Co. 95/09/13. 27pp. 85532:183-85532:209.

9509190284 Requests relief from ASME B&PV Code, Section XI per 10CFR50.55 & NRC GL 90-05 for plant.
HICKS,G.D. Carolina Power & Light Co. 95/09/14. Document Control Branch (Document Control Desk). 4pp. 85536:086-85536:289.

9509190270 Forwards "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Relay Evaluation Rept" & "...USI A-46 Seismic Evaluation Rept."
CAMPBELL,W.R. Carolina Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85549:001-85550:146.

-9509190273 Rev 0 to "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Relay Evaluation Rept." final rept.
* Carolina Power & Light Co. 95/09/30. 200pp. 85549:004-85549:265.

-9509190275 Rev 0 to "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Seismic Evaluation Rept." final rept.
* EQE Engineering Consultants (formerly EQE Engineering, Inc.). 52213-R-002 R00. 95/09/30. 245pp. 85549:266-85550:146.

9509210294 Notification of meeting w/util on 950920 in Rockville, MD to discuss questions that have arisen during review of plant TS amend request dtd 950331 re addition of exception to electrical distribution sys TS 3/4.8.1.1.
TRIMBLE,D. 95/09/19. MATTHEWS,D.B. 3pp. 85562:337-85562:339.

Q. Inspection reports, IE Bulletins & correspondence

9206340122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

-8310140155 Discusses potential core shroud cracking at BWRs, informs that NRR has issued info Notice 93-79 to inform holders of BWR OLs of cracking. Notice encl.
WIGGINS,J.T. Division of Engineering (Post 921004). 93/10/05. HODGES,M.W. Region 1 (Post 820201). 2pp. 85316:108-85316:130.

-8311120144 Forwards core shroud cracking packet, including listed info response to cracks found in Brunswick Unit 1 core shroud, as result of CP&L in-vessel visual insps performed during current refueling outage for facility W/c encls.
WIGGINS,J.T. Division of Engineering (Post 921004). 93/11/01. HOLAHAN,G.M. Division of Safety Programs (Post 870413). 2pp. 85316:131-85316:132.

9509070209 Ack receipt of 950622 ltr informing NRC of steps taken to correct violations noted in insp rept 50-352/95-10. Violation A occurred as stated in NOV Actions implemented to correct violation B will be examined during future insps.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/08/26. ANDERSON,R.A. Carolina Power & Light Co. Spp. 85321:323-85321:327.

9509190006 Forwards insp repts 50-324/95-15 & 50-325/95-15 on 950701-0804, notice of deviation & notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 95/09/01. ANDERSON,R.A. Carolina Power & Light Co. 4pp. 85503:129-85503:154.

-9509190009 Notice of deviation from insp on 950619-23 & 950701-0804. Deviation noted: two svc water intake structure flood doors did not meet design requirements for unknown period of time.
* Region 2 (Post 820201). 95/09/01. 1p. 85503:133-85503:133.

-9509190012 Notice of violation from insp on 950701-0804. Violation noted: NRC inspector while in control room overheard communication between plant personnel warning of presence of NRC inspector in reactor bldg.
* Region 2 (Post 820201). 95/09/01. 1p. 85503:134-85503:134.

-9509190014 Insp repts 50-324/95-15 & 50-325/95-15 on 950701-0804. Violations noted: Major areas inspected: operations, maint & surveillance, engineering & plant support.
PATTERSON,C.A., VERRELLI,D.M. Region 2 (Post 820201). 95/09/01. 20pp. 85503:135-85503:154.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Borallex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180239 Discusses insp rept 50-325/95-13 on 950429 & 950810 & forwards notice of violation.
EBNETER,S.D. Region 2 (Post 820201). 95/09/08. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 85501:048-85501:078.

-9509180244 Notice of violation from insp on 950429 & 950810. Violation noted: measures not established to assure that applicable regulatory requirements & design basis not correctly translated into specifications.
* Region 2 (Post 820201). 95/09/08. 26pp. 85501:052-85501:078.

9509260194 Ltr contract, mod 1 to task order 74, reducing task order level of effort & ceiling amount, to "Followup to SWSOPI - Brunswick when NRC contract NRC-03-93-026."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-5. 95/09/13. LOFY,R.A. PARAMETER, Inc. 4pp. 85608:278-85608:281.

9509280188 Forwards insp repts 50-324/95-17 & 50-325/95-17 on 950814-18. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/09/14. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85613:199-85613:211.

-9509280194 Insp repts 50-324/95-17 & 50-325/95-17 on 950814-18. No violations noted. Major areas inspected: radwaste storage, transportation of radioactive matl, audits & training.
FORBES,D.E., RANKIN,W.R. Region 2 (Post 820201). 95/09/11. 10pp. 85613:202-85613:211.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, 'Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, 'Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010080 "Brunswick Plant Semiannual Radioactive Effluent Rept Jan- June 1995." W/950828 ltr.
LEVIS,W. Carolina Power & Light Co. 95/06/30. 32pp. 85313:215-85313:246.

9509050292 Forwards semiannual FFD program performance data for period of Jan-June 1995, in accordance w/10CFR26.71(d).
ROGAN,R.E. Carolina Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 13pp. 85345:279-85345:288.

9509220316 Monthly operating repts for Aug 1995 for Brunswick Steam Electric Plants Units 1 & 2 W/950915 ltr.
HARRISON,F., LOPRIORE,R. Carolina Power & Light Co. 95/08/31. 10pp. 85589:334-85589:343.

84 DOCKETED ITEMS

5. Reportable occurrences, LERs & related correspondence

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9412120036 Event tracking & follow up assignment sheets of 930701 event re cracks at two weld regions of core shroud.
GREEN,T. NRC - No Detailed Affiliation Given. 94/11/07. 29pp. 85316:082-85316:108.

9509200375 Part 21 repl re 3/4 inch ASME Section III Class 2 ball valves supplied by Canadian Worcester Controls Ltd (CWCL).
KOTACK,G. 95/09/13. Document Control Branch (Document Control Desk). 9pp. 85552:267-85552:305.

V. Operator Examinations

9509070219 Confirms arrangements made in 950809 telcon between S McCann & RF Avello for administration of licensing exams at plant. Written exams & operating tests scheduled for wk of 951204.
PEEBLES,T.A. Region 2 (Post 820201). 95/08/10. ANDERSON,R.A. Carolina Power & Light Co. 5pp. 85322:021-85322:025.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509120025 Revised EIPs, including rev 1 to EIP-16, "Termination & Recovery" & rev 8 to EIP-17, "Emergency Equipment & Supplies." W/950905 ltr.
SHELL,R.H. Tennessee Valley Authority. 95/09/05. 36pp. 85436:230-85436:264.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage, per 10CFR73.1(a), info includes sections of NUREG/CR-5172 & lessons learned from evaluation.
HEBDON,F.J. 95/09/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

H. General correspondence

9509220037 Comment supporting draft RG DG-1043, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams."
CARRIER,P.P. Tennessee Valley Authority. 95/09/15. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85547:019-85547:020.

P. Operating license stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31.
IGNATONIS,A. Region 2 (Post 820201). 95/08/21. HARDING,M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509070256 Summarizes 950829 meeting w/util re recent independent assessments of Sequoyah performance, upcoming Unit 1 refueling outage activities & results of licensee activities surrounding Unit 1 sample sys leak on 941226.
LESSER,M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY,O.D. Tennessee Valley Authority. 10pp. 85323:029-85323:041.

9509070266 Ack receipt of 950818 ltr informing NRC of steps taken to correct violations noted in insp rept 50-327/95-15 & 50-326/95-15.
LESSER,M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85323:047-85323:049.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CARRIER,P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD,M.O. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9509120046 Informs NRC of TVA need to have review & approval of B&W analysis methodology TRs for fuel conversion completed to support implementation of plant conversion to B&W fuel during Cycle 9 core loads.
SHELL,R.H. Tennessee Valley Authority. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85427:343-85427:344.

9509080027 Requests for add info re GL 95-03, "Circumferential Cracking of Steam Generator Tube," Sequoyah Nuclear Plants Units 1 & 2.
LABARGE,D.E. 95/09/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85385:059-85385:061.

9509110213 Forwards amends 209 & 199 to licenses DPR-77 & DPR-79 & SE. Amends revise TS 3.9.4 to allow both sets of containment personnel airlock doors to be opened during core alterations & fuel movement provided one door capable of closure.
LABARGE,D.E. 95/09/06. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85385:302-85385:320.

-9509110216 Amends 209 & 199 to licenses DPR-77 & DPR-79, respectively, revising TS 3.9.4 to allow both sets of containment personnel airlock doors to be opened during core alterations & fuel movement provided one door capable of closure.
HEBDON,F.J. 95/09/06. 10pp. 85385:304-85385:313.

-9509110218 Safety evaluation supporting amends 209 & 199 to licenses DPR-77 & DPR-79, respectively.
* 95/09/06. 7pp. 85385:314-85385:320.

9509150137 Revised TS Change 95-15 for amend to License DPR-77, revising TS surveillance requirements & bases to incorporate alternate S/G tube plugging criteria at tube support plate intersections, per GL 95-05.
SHELL,R.H. Tennessee Valley Authority. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85507:267-85507:315.

-9509150140 Proposed tech specs re alternate plugging criteria for SG tubing.
* Tennessee Valley Authority. 95/09/07. 46pp. 85507:270-85507:315.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150011 Application for amends to licenses DPR-77 & DPR-79, revising Section 3/4.7.8 to clarify intent of vacuum relief flow during TS required testing of auxiliary bldg gas treatment sys.
SHELL,R.H. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85507:343-85507:348.

-9509150012 Proposed tech spec 3/4.7.8, clarifying intent of vacuum relief flow during TS required testing of auxiliary bldg gas treatment sys.
* Tennessee Valley Authority. 95/09/06. 4pp. 85507:345-85507:348.

9509190034 Forwards correction to amends 203 & 193. Amends deleted tables 3.6-1, 3.6-2 & 3.8-2 & incorporated other related changes, in accordance w/Generic Ltr 91-08.
LABARGE,D.E. 95/09/13. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85525:245-85525:246.

-9509190042 Corrected amends 203 & 193 to licenses DPR-77 & DPR-79, respectively. Changes to page B3/4 6-3a inadvertently failed to incorporate changes to pages issued on 950428 in amends 197 & 188.
* 95/09/13. 3pp. 85525:246-85525:248.

9509200029 Forwards amends 210 & 200 to licenses DPR-77 & DPR-79 & SE. Amends change TS 3.7.5.c, allowing increase in average essential RCW supply header temp from 84.5 to 87 F until 950930.
LABARGE,D.E. 95/09/13. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85541:296-85541:311.

-9509200036 Amends 210 & 200 to licenses DPR-77 & DPR-79, changing TS 3.7.5.c to allow increase in average essential RCW supply header temp from 84.5 to 87 F until 950930.
HEBDON,F.J. 95/09/13. 8pp. 85541:297-85541:304.

-9509200043 Safety evaluation supporting amends 210 & 200 to licenses DPR-77 & DPR-79.
* 95/09/13. 7pp. 85541:305-85541:311.

9509280271 Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS,A. Region 2 (Post 820201). 95/09/14. HARDING,M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

9509200015 Forwards revised TS pages designated by TVA as Revs BR-6 for Unit 1, BR-7 & BR-8 for Unit 2.
LABARGE,D.E. 95/09/15. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 85541:354-85541:360.

-9509210073 Proposed tech specs consisting of revs BR-6 for Unit 1 & BR-7 & BR-8 for Unit 2.
* Tennessee Valley Authority. 95/09/15. 6pp. 85541:355-85541:360.

9509200146 Forwards addl info for revised TS Change 95-15, requested by NRC staff during 950915 telcon re sample plan for SG tube dents less than 5 volts.
SHELL,R.H. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85555:339-85555:341.

-9509200150 Proposed tech specs re sample plan for SG tube dents less than 5 volts.
* Tennessee Valley Authority. 95/09/15. 1p. 85555:341-85555:341.

9509200244 Forwards amends 211 & 201 to licenses DPR-77 & DPR-79 & SE. Amends revise time constant used in overtemperature delta temp & overpower delta temp trip equations of TS Table 2.2-1.
LABARGE,D.E. 95/09/15. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85543:182-85543:200.

-9509200248 Amends 211 & 201 to licenses DPR-77 & DPR-79, respectively, revising time constant used in overtemperature delta temp & overpower delta temp trip equations of TS Table 2.2-1.
HEBDON,F.J. 95/09/15. 13pp. 85543:184-85543:196.

-9509200251 Safety evaluation supporting amends 211 & 201 to licenses DPR-77 & DPR-79, respectively.
* 95/09/15. 4pp. 85543:197-85543:200.

9509200258 Forwards TER for rev 26 re offsite dose calculation manual.
LABARGE,D.E. 95/09/15. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85543:131-85543:164.

-9509200271 "Evaluation of Sequoyah Nuclear Plant Offsite Dose Calculation Manual, rev 26."
MENKEL,L.H., AKERS,D.W. Idaho National Engineering Laboratory. FIN E-2084, INEL-95/0375. 95/08/31. 26pp. 85543:133-85543:164.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070149 Forwards insp repts 50-327/95-17 & 50-328/95-17 on 950807-11. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/08/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:080-85321:088.

-9509070151 Insp repts 50-327/95-17 & 50-328/95-17 on 950807-11. No violations noted. Major areas inspected: corrective actions to prior violations, unresolved items & inspector followup items.
TOBIN, W.J., MCGUIRE, D.R. Region 2 (Post 820201). 95/08/21. 6pp. 85321:083-85321:088.

950831016 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509060009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Steam Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509260055 Provides notification to NRC re several revs to GL 89-13 program. Rev submitted in response to staff recommendations from util svc water sys operational performance insp conducted between Jan & March 1995.
SHELL, R.H. Tennessee Valley Authority. 95/09/22. Document Control Branch (Document Control Desk). 12pp. 85592:197-85592:208.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 6pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190219 Monthly operating repts for Aug 1995 for Sequoyah Nuclear Plant. W/950913 ltr.
HOLLOMONT, J., SHELL, R.H. Tennessee Valley Authority. 95/08/31. 10pp. 85531:324-85531:333.

9509120350 Forwards 10CFR50.46 updated annual rept for plant. Rept provides notification of change in peak clad temp.
SHELL, R.H. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 7pp. 85437:339-85437:345.

S. Reportable occurrences, LERs & related correspondence

9509200225 Special Rept 95-04 on 970707, noncompliance w/10CFR50, App R, Section II.G.2 requirements documented on problem evaluation rept. Affected rooms being covered by hourly moving fire watch patrol.
SHELL, R.H. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85564:164-85564:168.

9509200231 Special Rept 95-06 on 950810, auxiliary bldg sleeve Mark 1855 & 1856 penetrating floor elevation breached. Fire barriers will be reestablished after completion of mod activities.
SHELL, R.H. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 3pp. 85547:294-85547:296.

V. Operator Examinations

9509060363 Informs that util will have no candidates participating in pressurized water reactor generic fundamental exam section of operator licensing exam to be administered on 951003.
ADNEY, R.J. Tennessee Valley Authority. 95/09/01. EBNETER, S.D. Region 2 (Post 820201). 2pp. 85381:253-85381:254.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509120025 Revised EIPs, including rev 1 to EIP-16, "Termination & Recovery" & rev 8 to EIP-17, "Emergency Equipment & Supplies." W/950905 ltr.
SHELL, R.H. Tennessee Valley Authority. 95/09/05. 36pp. 85436:230-85436:264.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from evaluation.
HEBDON, F.J. 95/09/25. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

H. General correspondence

9509220037 Comment supporting draft RG DG-1043, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams."
CARRIER, P.P. Tennessee Valley Authority. 95/09/15. Division of Freedom of Information & Publications Services. (Post 940714). 2pp. 85547:019-85547:020.

P. Operating license stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31.
IGNATONIS, A. Region 2 (Post 820201). 95/08/21. HARDING, M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509070258 Summarizes 950829 meeting w/util re recent independent assessments of Sequoyah performance, upcoming Unit 1 refueling outage activities & results of license activities surrounding Unit 1 sample sys leak on 941228.
LESSER, M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY, O.D. Tennessee Valley Authority. 19pp. 85323:023-85323:041.

9509070266 Ack receipt of 950818 ltr informing NRC of steps taken to correct violations noted in insp rept 50-327/95-15 & 50-328/95-15.
LESSER, M.S. Region 2 (Post 820201). 95/08/31. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85323:047-85323:049.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CARRIER, P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD, M.O. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9509120048 Informs NRC of TVA need to have review & approval of B&W analysis methodology TRs for fuel conversion completed to support implementation of plant conversion to B&W fuel during Cycle 9 core loads.
SHELL, R.H. Tennessee Valley Authority. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85427:343-85427:344.

9509060027 Requests for add info re GL 95-03, "Circumferential Cracking of Steam Generator Tube."
LABARGE, D.E. 95/09/06. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85385:059-85385:061.

9509110213 Forwards amends 209 & 199 to licenses DPR-77 & DPR-79 & SE. Amends revise TS 3.9.4 to allow both sets of containment personnel airlock doors to be opened during core alterations & fuel movement provided one door capable of closure.
LABARGE, D.E. 95/09/06. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85385:302-85385:320.

-9509110216 Amends 209 & 199 to licenses DPR-77 & DPR-79, respectively, revising TS 3.9.4 to allow both sets of containment personnel airlock doors to be opened during core alterations & fuel movement provided one door capable of closure.
HEBDON, F.J. 95/09/06. 10pp. 85385:304-85385:313.

-9509110218 Safety evaluation supporting amends 209 & 199 to licenses DPR-77 & DPR-79, respectively.
* 95/09/06. 7pp. 85385:314-85385:320.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150011 Application for amends to licenses DPR-77 & DPR-79, revising Section 3/4.7.8 to clarify intent of vacuum relief flow during TS required testing of auxiliary bldg gas treatment sys.
SHELL, R.H. Tennessee Valley Authority. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85507:343-85507:348.

-9509150012 Proposed tech spec 3/4.7.8, clarifying intent of vacuum relief flow during TS required testing of auxiliary bldg gas treatment sys.
* Tennessee Valley Authority. 95/09/08. 4pp. 85507:345-85507:348.

9509140040 Informs that Commission has filed notice of withdrawal of application for amend to license, per 950907 request. Proposed amend would have revised TS surveillance requirements & bases to incorporate SG tube plugging, per GL 95-05.
LABARGE, D.E. 95/09/11. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 85472:355-85472:358.

-9509140043 Notice of withdrawal of application for amend to license. Proposed amend would have revised TS surveillance requirements & bases to incorporate alternate SG tube plugging criteria at tube support plate intersection.
LABARGE, D.E. 95/09/11. 3pp. 85472:356-85472:358.

9509150006 Application for amend to license DPR-79, consisting of TS change request 95-13, rev 1 re extension of response time surveillance requirements for unit two cycle 7.
SHELL, R.H. Tennessee Valley Authority. 95/09/11. Document Control Branch (Document Control Desk). 3pp. 85507:337-85507:342.

-9509150009 Proposed tech specs re extension of response time surveillance requirements for unit two cycle 7.
* Tennessee Valley Authority. 95/09/11. 3pp. 85507:340-85507:342.

9509190034 Forwards correction to amends 203 & 193. Amends deleted tables 3.6-1, 3.6-2 & 3.8-2 & incorporated other related changes, in accordance w/Generic Ltr 91-08.
LABARGE, D.E. 95/09/13. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 85525:245-85525:248.

86 DOCKETED ITEMS

-9509190042 Corrected amends 203 & 193 to Licenses DPR-77 & DPR-79, respectively. Changes to page B3/4 6-3e inadvertently failed to incorporate changes to pages issued on 950426 in amends 197 & 188.
* 95/09/13. 3pp. 85525-246-85525-248.

9509200029 Forwards amends 210 & 200 to licenses DPR-77 & DPR-79 & SE. Amends change TS 3.7.5.c, allowing increase in average essential RCW supply header temp from 84.5 to 87 F until 950930.
LABARGE, D.E. 95/09/13. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 85541:296-85541:311.

-9509200038 Amends 210 & 200 to licenses DPR-77 & DPR-79, changing TS 3.7.5.c to allow increase in average essential RCW supply header temp from 84.5 to 87 F until 950930.
HEBDON, F.J. 95/09/13. 8pp. 85541:297-85541:304.

-9509200043 Safety evaluation supporting amends 210 & 200 to licenses DPR-77 & DPR-79.
* 95/09/13. 7pp. 85541:305-85541:311.

9509200271 Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS, A. Region 2 (Post 820201). 95/09/14. HARDING, M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

9509200015 Forwards revised TS pages designated by TVA as Revs BR-6 for Unit 1, BR-7 & BR-8 for Unit 2.
LABARGE, D.E. 95/09/15. KINGSLEY, O.D. Tennessee Valley Authority. 7pp. 85541:354-85541:360.

-9509210073 Proposed tech specs consisting of revs BR-6 for Unit 1 & BR-7 & BR-8 for Unit 2.
* Tennessee Valley Authority. 95/09/15. 6pp. 85541:355-85541:360.

9509200244 Forwards amends 211 & 201 to licenses DPR-77 & DPR-79 & SE. Amends revise time constant used in overtemperature delta temp & overpower delta temp trip equations of TS Table 2.2-1.
LABARGE, D.E. 95/09/15. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85543:182-85543:200.

-9509200246 Amends 211 & 201 to licenses DPR-77 & DPR-79, respectively, revising time constant used in overtemperature delta temp & overpower delta temp trip equations of TS Table 2.2-1.
HEBDON, F.J. 95/09/15. 13pp. 85543:184-85543:196.

-9509200251 Safety evaluation supporting amends 211 & 201 to licenses DPR-77 & DPR-79, respectively.
* 95/09/15. 4pp. 85543:197-85543:200.

9509200258 Forwards TER for rev 28 re offsite dose calculation manual.
LABARGE, D.E. 95/09/15. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85543:131-85543:164.

-9509200271 "Evaluation of Sequoyah Nuclear Plant Offsite Dose Calculation Manual, rev 28."
MENKE, L.H., AKERS, D.W. Idaho National Engineering Laboratory, FIN E-2084. INEL-95/0375. 95/08/31. 26pp. 85543:133-85543:164.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070149 Forwards insp repts 50-327/95-17 & 50-328/95-17 on 950807-11. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/08/22. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:080-85321:088.

-9509070151 Insp repts 50-327/95-17 & 50-328/95-17 on 950807-11. No violations noted. Major areas inspected: corrective actions to prior violations, unresolved items & inspector followup items.
TOBIN, W.J., MCGUIRE, D.R. Region 2 (Post 820201). 95/08/21. 6pp. 85321:083-85321:088.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140586 NRC info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509250055 Provides notification to NRC re several revs to GL 89-13 program. Rev submitted in response to staff recommendations from util svc water sys operational performance insp conducted between Jan & March 1995.
SHELL, R.H. Tennessee Valley Authority. 95/09/22. Document Control Branch (Document Control Desk). 12pp. 85592:197-85592:206.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190219 Monthly operating repts for Aug 1995 for Sequoyah Nuclear Plant/W/ 950913 ltr.
HOLLOMON, T.J., SHELL, R.H. Tennessee Valley Authority. 95/08/31. 10pp. 85531:324-85531:333.

9509120350 Forwards 10CFR50.46 updated annual rept for plant. Rept provides notification of change in peak clad temp.
SHELL, R.H. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 7pp. 85437:339-85437:345.

V. Operator Examinations

9509060363 informs that util will have no candidates participating in pressurized water reactor generic fundamental exam: section of operator licensing exam to be administered on 951003.
ADNEY, R.J. Tennessee Valley Authority. 95/09/01. EBNETER, S.D. Region 2 (Post 820201). 2pp. 85381:253-85381:254.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140586 NRC info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9509120080 Provides further info re DAEC Thermo-Lag installations.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/01. RUSSELL,W.T. 2pp. 85432:353-85432:354.

9509210105 Requests review & approval of encl revs to DAEC emergency plan. Changes incorporate guidance provided in NUMARC/ NESP-007, Rev 2, "Methodology for Development of EALs."
HECKERT,L.R. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/15. RUSSELL,W.T. 2pp. 85566:001-85566:036.

9509210113 Revs to emergency plan, including Rev 0 to "DAEC EAL Technical Base Document," ltrs of agreement from State & local authorities re use of new EALs & informal flow chart EOPs & selected AOPs re loss of ac power & loss of dc power.
FUOTO,J.S. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/15. 396pp. 85566:004-85567:036.

P. Operating license stage documents & correspondence

9509120080 Provides further info re DAEC Thermo-Lag installations.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/01. RUSSELL,W.T. 2pp. 85432:353-85432:354.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509250210 Requests for relief from ASME Section XI requirements: NDE- 012 through NDE-018.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/15. RUSSELL,W.T. 54pp. 85578:297-85578:350.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509130142 Comment supporting revised NRC SALP program.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/05. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85428:005-85428:009.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050138 Forwards FFD program performance summary rept for Jan-June 1995, per 10CFR26.71(d).
VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85346:354-85346:358.

9509250198 Monthly operating rept for Aug 1995 for DAEC. W/950915 ltr.
WOODWARD,R. MIDDLESWORTH,G. Indiana Michigan Power Co. 95/08/31. MILLER,H.J. Region 3 (Post 820201). 6pp. 85580:301-85580:306.

S. Reportable occurrences, LERs & related correspondence

9509050142 LER 95-008-00 on 950726, determined that potential loss of both trains of standby gas treatment existed due to leaking valves. Plan will be developed to isolate leaks into TB equipment drain sump & repair leaking valves. W/950825 ltr.
MURRELL,R. VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/08/25. MILLER,H.J. Region 3 (Post 820201). 4pp. 85371:305-85371:308.

V. Operator Examinations

9509060335 Requests that seven listed individuals take BWR generic fundamental exam section of written operator licensing exam to be administered on 951003.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/08/30. MILLER,H.J. Region 3 (Post 820201). 2pp. 85326:347-85326:348.

9509260142 Comments to NRC on draft Reg Guide DG-1043, "Nuclear Power Plant Simulations Facilities for Use in OL Exams."
CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/15. RUSSELL,W.T. 4pp. 85605:334-85605:337.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9509200005 Revised EIPs, including rev 33 to EAP-1.1, "Offsite Notifications" & rev 6 to EAP-13, reflecting editorial changes.
* Power Authority of the State of New York (New York Power Authority). 95/08/10. 7pp. 85543:337-85543:343.

9509010153 Responds to NRC 850727 ltr re violation noted in safety insp rept 50-333/95-02 Corrective actions: formal critique of unauthorized Combustible Control Permit & related events completed on 950204 & new fire protection supervisor hired.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85341:321-85341:336.

9509070120 Forwards TER, "Safe Shutdown Capability Reassessment 10CFR50 App R, JA Fitzpatrick Nuclear Power Plant."
CARPENTER,C.E. 95/09/05. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85373:292-85373:319.

9507270222 "Comprehensive Review & Evaluation of NYPA: Safe Shutdown Capability Reassessment 10CFR50, App R."
SULLIVAN,K. Brookhaven National Laboratory. TER-4745/T26-5-95. 95/05/31. Office of Nuclear Reactor Regulation (Post 941001). 26pp. 85373:295-85373:319.

P. Operating license stage documents & correspondence

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

9501210196 Forwards SE accepting licensee response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shroud in BWRs."
STROSNIDER,J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/22. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 85316:144-85316:146.

8509070049 Safety evaluation supporting response to GL 94-03 re proposed core shroud modification design.
* Office of Nuclear Reactor Regulation (Post 941001). 95/01/22. 10pp. 85316:147-85316:156.

9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/09. IRWIN,D. 3pp. 85406:082-85406:185.

88 DOCKETED ITEMS

-9409280326 Informs that two plants submittals unsatisfactory re plant specific assessment of core shroud response to structural loading concerning submittals for plants considered to be most susceptible to core shroud cracking. JONES, R. Reactor Systems Branch, 94/09/22. STROSNIDER, J.R. Materials & Chemical Engineering Branch, 14pp. 85406:158-85406:170.

-9412120059 Forwards SER accepting plant operation w/proposed core shroud repair installed. JONES, R.C. Reactor Systems Branch, 94/12/05. WESSMAN, R. Mechanical Engineering Branch, 4pp. 85406:171-85406:174.

9509130106 Ninth partial response to FOIA request for documents. Records in App J will be made available in PDF. App K records will be withheld in part (ref Exemption 4). POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714), 95/08/30. IRWIN, D. Hunton & Williams, 4pp. 85477:001-85477:312.

9509070120 Forwards TER, "Safe Shutdown Capability Reassessment 10CFR50 App R, JA Fitzpatrick Nuclear Power Plant." CARPENTER, C.E., 95/09/05. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority), 3pp. 85373:292-85373:319.

-9507270222 "Comprehensive Review & Evaluation of NYPA Safe Shutdown Capability Reassessment 10CFR50, App R." SULLIVAN, K. Brookhaven National Laboratory, TER-4745/T26-5-95, 95/05/31. Office of Nuclear Reactor Regulation (Post 941001), 26pp. 85373:295-85373:319.

9509110297 Informs of submittal of new schedule of IPEEE Repts. New schedule was necessary because staff allocated to IPE programs worked on anticipated emerging issues. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority), 95/09/06. Document Control Branch (Document Control Desk), 4pp. 85457:136-85457:139.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D., 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

95091807 Forwards amend 227 to license DPR-59 & safety evaluation. Amend proposed changes to plant TSs which will extend instrumentation functional test interval & allowable out-of-service times. CARPENTER, C.E., 95/09/11. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority), 4pp. 85521:169-85521:242.

-9509180367 Amend 227 to license DPR-59, proposing changes to plant TSs which will extend instrumentation functional test interval & allowable out-of-service times. MARSH, L.B., 95/09/11, 5pp. 85521:172-85521:230.

-9509180370 Safety evaluation supporting amend 227 to license DPR-59. 95/09/11, 12pp. 85521:231-85521:242.

9509210062 Forwards application for amends to license DPR-59, proposing TS, by extending surveillance test intervals for auxiliary electrical sys to support 24 month operating cycles. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority), 95/09/15. Document Control Branch (Document Control Desk), 2pp. 85550:281-85550:337.

-9509210068 Application for amend to license DPR-59, proposing TS by extending surveillance test intervals for auxiliary electrical sys to support 24 month operating cycles. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority), 95/09/15. Document Control Branch (Document Control Desk), 2pp. 85550:283-85550:284.

-9509210071 Proposed tech specs extending surveillance test intervals for auxiliary electrical sys to support 24 month operating cycles. Power Authority of the State of New York (New York Power Authority), 95/09/15, 25pp. 85550:285-85550:309.

-9509210080 "24 Month Operating Cycle Auxiliary Electrical Sys Surveillance Test Extensions." STRANOVSKY, G., WITTICH, W., FREDRICKSEN, R. Power Authority of the State of New York (New York Power Authority), JAF-RPT-ELEC-01547, 94/09/20, 28pp. 85550:310-85550:337.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003), 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509010153 Responds to NRC 950727 ltr re violation noted in safety insp rept 50-333/95-02. Corrective actions: formal critique of unauthorized Combustible Control Permit & related events completed on 950204 & new fire protection supervisor hired. SALMON, H.P. Power Authority of the State of New York (New York Power Authority), 95/08/28. Document Control Branch (Document Control Desk), 6pp. 85341:331-85341:336.

9509050282 Forwards insp rept 50-333/95-14 on 950625-0805. No violations noted. COWGILL, C.J. Region 1 (Post 820201), 95/08/29. SALMON, H.P. Power Authority of the State of New York (New York Power Authority), 3pp. 85298:036-85298:051.

-9509050285 Insp rept 50-333/95-14 on 950625-0805. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support & quality assurance/safety verification. COWGILL, C.J. Region 1 (Post 820201), 95/08/29, pp. 85298:041-85298:051.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D., 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050005 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D., 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180267 Forwards insp rept 50-333/95-13 on 950710-28. No violations noted. KELLY, E.M. Region 1 (Post 820201), 95/09/11. SALMON, H.P. Power Authority of the State of New York (New York Power Authority), 3pp. 85501:150-85501:173.

-9509180273 Insp rept 50-333/95-13 on 950710-28. No violations noted. Major areas inspected: engineering & technical support organizations, mod closeout process & mgmt involvement & oversight. BOWER, F.L., KELLY, E.M. Region 1 (Post 820201), 95/09/11, 21pp. 85501:153-85501:173.

9509190390 Transmits augmented ISI program for core shroud repair/tie rod assemblies & material testing program for hot rolled XM-19 in simulated BWR environment. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority), 95/09/13. Document Control Branch (Document Control Desk), 5pp. 85535:280-85535:284.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729), 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D., 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D., 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D., 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D., 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

F. Periodic operating reports & related correspondence

9509190200 Monthly operating rept for Aug 1995 for JA Fitzpatrick Nuclear Power Plant w/950914 ltr. FLAGG, R., SALMON, H.P. Power Authority of the State of New York (New York Power Authority), 95/08/31, 5pp. 85524:300-85524:304.

S. Reportable occurrences, LERs & related correspondence

9509070222 Forwards suppl 1 to LER 95-006, providing results of analysis performed on as-found actuation pressures of 11 SRVs removed & tested during 1994/1995 refueling outage. Analysis performed to determine margin to RV pressure safety limit. SALMON, H.P. Power Authority of the State of New York (New York Power Authority), 95/08/29. Document Control Branch (Document Control Desk), 1p. 85459:346-85459:352.

-9509070226 LER 95-006-01 on 950315, reactor SRV setpoint drift occurred. Caused by corrosion bonding between SRV pilot disc & pilot seat. Performed new analysis, GE-NE A00-05785-1, Rev 0 & replaced pilot assemblies w/refurbished assemblies. BROWNELL, G. Power Authority of the State of New York (New York Power Authority), 95/08/29, 6pp. 85459:347-85459:352.

9509070257 LER 95-004-01 on 950222, identified logic sys functional test procedure deficiencies due to personnel error. Reviewed all marked up prints from baseline logic sys functional test review & add'l test procedures w/950829 ltr. BRUNS, R., SALMON, H.P. Power Authority of the State of New York (New York Power Authority), 95/08/29, 13pp. 85435:001-85435:013.

9509110053 PNO-I-95-034 on 950905, reactor scram & Group II isolation occurred from 100% power due to low reactor water level. Licensee anticipates being in cold shutdown for approx 7 days during which time outage maint will be conducted. HUNEGS, G., COWGILL, C. Region 1 (Post 820201), 95/09/06, 1p. 85435:118-85435:118.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509210302 Revised Emergency Preparedness Plan Implementing Procedures, including Rev 7 to EPP/IP 1.3, Rev 0 to EPP/IP 1.7, Rev 11 to EPP/IP 1.1, Rev 7 to EPP/IP 1.2, Rev 6 to EPP/IP 1.3 & Rev 6 to EPP/IP 7.2, w/950818 ltr. THOMAS, G.S. Duquesne Light Co., 95/08/18, 202pp. 85575:044-85575:245.

9509140120 Forwards ERDS implementation documents & data point library updates, w/o encls. JOLICOEUR, J.R. Incident Response Branch, 95/09/07. SAUL, K.L. Haliburton NUS Environmental Corp., 1p. 85439:349-85439:349.

9509190289 Forwards ERDS data point library changes, reflecting change in hi alarm setpoints. THOMAS, G.S. Duquesne Light Co., 95/09/13. Document Control Branch (Document Control Desk), 5pp. 85535:356-85535:360.

P. Operating license stage documents & correspondence

9509010018 Application for an end to licenses DPR-66 & NPF-73, consisting of TS changes 212 & 78, describing editorial changes which revise note numbers applicable to Table 3.3-1, Action Statements 2 & 7.
THOMAS, G.S. Duquesne Light Co. 95/08/24. Document Control Branch (Document Control Desk). 3pp. 85315:21-85315:352.

-9509010020 Proposed tech specs, consisting of TS changes 212 & 78, describing editorial changes which revise note numbers applicable to Table 3.3-1, Action Statements 2 & 7.
* Duquesne Light Co. 95/08/24. 29pp. 85315:324-85315:352.

9509070134 Forwards amends 191 & 74 to licenses DPR-66 & NPF-73 & SE. Amends delete BVPS-2 license Condition 2.C.(3), 2.C.(5), 2.C.(7), 2.C.(8), 2.C.(9) & 2.C.(10) to reflect completion of activities required by sub license conditions.
BRINKMAN, D.S. 95/08/31. CROSS, J.E. Duquesne Light Co. 4pp. 85374:219-85374:266.

-9509070137 Amends 191 & 74 to licenses DPR-66 & NPF-73, respectively, deleting BVPS-2 license Conditions 2.C.(3), 2.C.(5), 2.C.(7), 2.C.(8), 2.C.(9) & 2.C.(10) to reflect completion of activities required by sub license conditions.
STOLZ, J.F. 95/08/31. 33pp. 85374:223-85374:255.

-9509070138 Safety evaluation supporting amends 191 & 74 to licenses DPR-66 & NPF-73, respectively.
* 95/08/31. 8pp. 85374:256-85374:263.

-9509070141 Notice of partial withdrawal of application for amend to facility licenses DPR-66 & NPF-73.
BRINKMAN, D.S. 95/08/31. 3pp. 85374:264-85374:266.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190098 Informs that code repair on main steam drain line was completed on 950827. Repair replaced piping from main steam header socket connection up to & including degraded elbow.
THOMAS, G.S. Duquesne Light Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85531:334-85531:334.

9509190317 Application for amends to licenses DPR-66 & NPF-73, consisting of proposed TS Changes 231 & 101, revising administrative controls & bases sections to reflect current BVPS ODCM.
THOMAS, G.S. Duquesne Light Co. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85532:041-85532:074.

-9509190320 Proposed tech specs, reflecting current BVPS ODCM.
* Duquesne Light Co. 95/09/13. 32pp. 85532:043-85532:074.

9509190339 Forwards amends 192 & 75 to licenses DPR-66 & NPF-76 & safety evaluation. Amends revise BVPS-1 & BVPS-2 TSs 1.18, as listed.
BRINKMAN, D.S. 95/09/15. CROSS, J.E. Duquesne Light Co. 2pp. 85525:140-85525:179.

-9509190347 Amends 192 & 75 to licenses DPR-66 & NPF-73, respectively, revising BVPS-1 & BVPS-2 TSs 1.18.
STOLZ, J.F. 95/09/15. 34pp. 85525:143-85525:176.

-9509190349 Safety evaluation supporting amends 192 & 75 to licenses DPR-66 & NPF-73, respectively.
* 95/09/15. 3pp. 85525:177-85525:179.

9509220221 Forwards notice of consideration of amend to license & proposed NSHC determination & opportunity for hearing for plant, units 1 & 2 on 950913 application re radioactive liquid & gaseous effluent limits & liquid holdup tank limit.
BRINKMAN, D.S. 95/09/19. CROSS, J.E. Duquesne Light Co. 3pp. 85564:314-85564:324.

-9509220223 Notice of consideration of issuance of amends to licenses DPR-66 & NPF-73 & proposed NSHC determination & opportunity for hearing. Amends would revise administrative controls section & Bases section of TS to be consistent w/ ODCM.
BRINKMAN, D.S. 95/09/19. 8pp. 85564:317-85564:324.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509150191 Notification of significant licensee meeting 95-85 w/ util on 950925 to discuss licensee proposed plan to conduct SSFI of high & low head SIS in lieu of NRC conducted insp.
LAZARUS, W.J. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 3pp. 85485:065-85485:067.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180340 Forwards STI repts 50-334/95-80 & 50-412/95-80 on 950722-27. No violations noted.
COOPER, R.W. Region 1 (Post 820201). 95/09/08. CROSS, J.E. Duquesne Light Co. 3pp. 85502:264-85502:303.

-9509180344 STI insp repts 50-334/95-80 & 50-412/95-80 on 950722-27. No violations noted. Major areas inspected: valve tampering event circumstances & valve work activities.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/30. 33pp. 85502:267-85502:303.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010134 Forwards FFD program six month rept for period of Jan-June 1995, in accordance w/10CFR26.71(d).
THOMAS, G.S. Duquesne Light Co. 95/08/24. Document Control Branch (Document Control Desk). 4pp. 85346:334-85346:336.

9509180175 Monthly operating repts for Aug 1995 for Beaver Valley Power Station W/ 950908 Itr.
JONES, D.T., NOONAN, T.P. Duquesne Light Co. 95/08/31. 11pp. 85523:054-85523:064.

S. Reportable occurrences, LERs & related correspondence

9509080175 Part 21 rept re mechanical failures discovered when conducting suppl testing on 3/8-24 x 2 A-193 B7 HEX CAPSCREWS identified by head markings.
HATHCOCK, D.Z. Cardinal Industrial Products Corp. 95/08/29. Document Control Branch (Document Control Desk). 8pp. 85435:061-85435:068.

9509210006 Part 21 rept re mechanical failures discovered when conducting suppl testing on Lot 3/8-24 x 2 A-193 B7 HEX CAPSCREWS identified by head markings.
EDMONDS, W.A. Cardinal Industrial Products Corp. 95/09/11. Document Control Branch (Document Control Desk). 3pp. 85573:142-85573:144.

9509210006 Part 21 rept re add defective lot of 3/8-16x11/2" HEX Capscrews ASTM-A-193 Grade B7 from which orders had been processed & sold to customers by licensee.
HATHCOCK, D.Z. Cardinal Industrial Products Corp. 95/09/12. Document Control Branch (Document Control Desk). 6pp. 85573:231-85573:236.

9509200006 LER 95-006-00 on 950818, pressure boundary leakage resulted in plant shutdown. Contained leakage in plant collection & completed repairs to leaking weld on 950821 W/950915 Itr.
FREELAND, L.R. Duquesne Light Co. 95/09/15. 5pp. 85547:178-85547:183.

9509260006 LER 95-007-00 on 950821, RHR sys overpressure protection deficiency was discovered. Caused by inadequate consideration of operating conditions during initial design & analysis. Issued operating experience entry re event W/950920 Itr.
FREELAND, L.R. Duquesne Light Co. 95/09/20. 5pp. 85619:053-85619:057.

V. Operator Examinations

9509200291 Notifies that AC Bakken resigned from util, therefore License SOP-10479-2 no longer needed.
THOMAS, G.S. Duquesne Light Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85552:333-85552:333.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

9509050167 Rev 2 to EPIP-1107, "Duties of Manager, Nuclear Emergency Preparedness." W/950825 Itr.
BOHLKE, W.H. Florida Power & Light Co. 95/08/25. 10pp. 85342:243-85342:252.

9509060164 Advises that 950731 rev 46 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 95/08/31. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85326:354-85326:356.

9509140317 Responds to licensee response to 940809 & 941228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info, including request for submission of revised response.
CALVO, J.A. 95/09/12. MATTHEWS, D.B. 4pp. 85474:293-85474:297.

9509190292 Forwards RAI re external event analyses in IPEEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
NORRIS, J.A. 95/09/13. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 85505:356-85505:360.

90 DOCKETED ITEMS

9509260375 Rev 6 to Corporate Emergency Plan Implementing Procedure EPIP-1108, "Duties of Nuclear Div Duty Officer." W/950919 ltr. BOHLKE,W.H. Florida Power & Light Co. 95/09/19. 12pp. 85620:332-85620:343.

F. Operating license stage documents & correspondence

9509070246 Confirms 950818 telcon between B Dawson & KD Landis re meeting requested for 950829 to provide assessment of recent events that occurred at plant. LANDIS,K.D. Region 2 (Post 820201). 95/08/23. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85323:001-85323:003.

9509180303 Summarizes 950810 meeting in Atlanta,GA for util to present self-assessment of engineering performance at facility. Meeting attendees & agenda encl. LANDIS,K.D. Region 2 (Post 820201). 95/09/06. GOLDBERG,J.H. Florida Power & Light Co. 7pp. 85502:031-85502:101.

9509180261 Submits summary of 950629 meeting held in Atlanta,GA re assessment of recent events that occurred at St Lucie facility. MERSCHOFF,E.W. Region 2 (Post 820201). 95/09/07. GOLDBERG,J.H. Florida Power & Light Co. 28pp. 85501:269-85501:295.

9508310033 Suppl 5 to Generic Ltr 56-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190327 Forwards amend 139 to license DPR-67 & safety evaluation. Amend revises TS 3.5.2 for emergency core cooling sys. NORRIS,J.A. 95/09/11. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85525:304-85525:312.

9509190337 Amend 139 to license DPR-67, revising TS 3.5.2 for emergency core cooling sys. MATTHEWS,D.B. 95/09/11. 4pp. 85525:307-85525:310.

9509190341 Safety evaluation supporting amend 139 to license DPR-67. 95/09/11. 2pp. 85525:311-85525:312.

9509140317 Responds to licensee response to 940809 & 941228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info, including request for submission of revised response. CALVO,J.A. 95/09/12. MATTHEWS,D.B. 4pp. 85474:293-85474:297.

9509190292 Forwards RAI re external event analyses in IPEEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others. NORRIS,J.A. 95/09/13. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85505:356-85505:360.

9509260372 Grants NRC permission to copy final "Plant Specific Seismic Adequacy Evaluation of St Lucie Unit 1 to Resolve USI A-46 & GL 87-02." BOHLKE,W.H. Florida Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85620:329-85620:330.

9509220179 Forwards RAI to complete review of GL 95-03, "Circumferential Cracking of SG Tubes," which requested addressees to evaluate recent operating experience re circumferential cracking. NORRIS,J.A. 95/09/19. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85577:035-85577:038.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070211 Forwards insp repts 50-335/95-14 & 50-389/95-14 on 950702-29. No violations or deviations noted. LANDIS,K.D. Region 2 (Post 820201). 95/08/22. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85321:330-85321:336.

9509070214 Insp repts 50-333/95-14 & 50-389/95-14 on 950702-29. Violations noted. Major areas inspected: plant operations review, maint observations, surveillance observations, engineering support, plant support & other areas. PREVATTE,R., LANDIS,K. Region 2 (Post 820201). 95/08/22. 24pp. 85321:333-85321:356.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509180323 Confirms 950829 telcon between J Scarola & R Prevatte re predecisional enforcement conference scheduled for 950925 at 10 am. LANDIS,K.D. Region 2 (Post 820201). 95/09/07. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85502:170-85502:172.

9509050008 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180259 Forwards insp repts 50-335/95-16 & 50-389/95-16 on stated date. No violations noted. MERSCHOFF,E.W. Region 2 (Post 820201). 95/09/08. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85501:128-85501:146.

9509180265 Insp repts 50-335/95-16 & 50-389/95-16 on stated date. No violations noted. Major areas inspected: licensee identification of inoperable from time of installation in 1994 until repaired in Aug of 1995. PREVATTE,R., LANDIS,K. Region 2 (Post 820201). 95/09/07. 15pp. 85501:132-85501:146.

9509130016 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509210307 Monthly operating repts for Aug 1995 for St Lucie Units 1 & 2. W/950914 ltr. ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/08/31. 7pp. 85568:253-85568:259.

S. Reportable occurrences, LERs & related correspondence

9509010002 LER 95-007-00 on 950817, inadvertent containment spray via 1A low pressure SI pump while venting ECCS during startup due to inadequate procedure. Operators stopped 1A LPSI pump & isolated SDC HX to stop spray. W/950827 ltr. MADDOEN,G.R., SAGER,D.A. Florida Power & Light Co. 95/08/27. 10pp. 85315:142-85315:151.

9509010015 LER 95-004-00 on 950801, controlled shutdown of Unit 1 & 2 was performed & security safeguards partially suspended due to indication that hurricane force winds imminent at plant. Reinstated safeguard measures. W/950827 ltr. HOLY,J.W., SAGER,D.A. Florida Power & Light Co. 95/08/27. 6pp. 85315:086-85315:091.

9509180145 Special rept on 950812, post hurricane Enn Beach Dune survey performed. Average values of results greater than or within range provided in St Lucie Unit 1 final USAR, Section 2.4.2.2 & acceptable. SAGER,D.A. Florida Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 20pp. 85522:092-85522:111.

9509210017 Forwards matrix including description of each corrective action & current status re series of events at facility. SAGER,D.A. Florida Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 10pp. 85548:298-85548:308.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509070252 Rev 0 to EPOP 4422A, "Thermal Hydraulic Evaluation Methods." DUBE,D.A. Northeast Nuclear Energy Co. 95/08/24. 43pp. 85395:308-85395:351.

9509120062 Forwards rev 12 to suitability, training & qualification plan. Encl withheld ref 10CFR2 790(a). DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85425:356-85425:357.

9509140300 Responds to licensee response to 940919 & 941229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info to licensee, including request for submission of revised response. CALVO,J.A. 95/09/12. MCKEE,P.F. 4pp. 85474:288-85474:292.

9509180285 Forwards insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28 & NOV. JOYNER,J.H. Region 1 (Post 820201). 95/09/13. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85501:296-85501:309.

9509180297 Insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28. Violations noted. Major areas inspected: EP program insp, including changes in program, emergency facilities, equipment & instrumentation & supplies. USHER,J. Region 1 (Post 820201). 95/09/13. 9pp. 85501:301-85501:309.

9509260040 Forwards insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822 & NOV. COOPER,R.W. Region 1 (Post 820201). 95/09/19. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 85569:051-85569:099.

9505260048 Insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, outage activities & security. NICHOLSON,L.E. Region 1 (Post 820201). 95/09/18. 42pp. 85569:057-85569:099.

9509210262 Requests addl info re licensee 941216 & 950331 responses to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," for plant Units 1 & 2. MCKEE,P.F. 95/09/20. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 6pp. 85574:269-85574:274.

9509280187 Provides response to requests for submittal of plans & schedule for Emergency Operating Procedures Upgrade Program Insp Rept 50-336/95-21. OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/09/21. Document Control Branch (Document Control Desk). 15pp. 85648:228-85648:242.

9509270254 Forwards notice of withdrawal of application for amend to license re LCO for TS 3.7.5.1.b. "Plant Sys Flood Level" & correct value listed in TS Table 3.3-8, "Meteorological Monitoring Instrumentation."
VISSING,G.S. 95/09/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 85608:342-85608:347.

-9509270261 Notice of withdrawal of application for amend to license DPR-65 for plant. Amend would have revised TS to require wind direction & wind speed sensors at 142 foot elevation.
VISSING,G.S. 95/09/25. 2pp. 85608:346-85608:347.

G. Adjudicatory correspondence

9509070056 Forwards Director's Decision DD-95-17, denying petition filed on 930807 & 940523 requesting escalated enforcement action concerning alleged plant violations.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/09/02. ROSS,A.J. Affiliation Not Assigned. 1p. 85313:001-85313:143.

-9509070054 Director's Decision DD-95-17 re AJ Ross 930807 petition requesting escalated enforcement action concerning alleged plant violations involving dept manager Request denied.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/08/02. 5pp. 85313:002-85313:006.

-9509010095 Notice of issuance of Director's Decision DD-95-17.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/08/02. 2pp. 85313:007-85313:143.

9509110056 Informs that time within which Commission may act to review DD-95-17 in docket has expired. DD-95-17 became final agency action on 950828.W./Certificate of Svc. Served on 950901.
HOYLE,J.C. Office of the Secretary of the Commission. #395 17073. 95/09/01. ROSS,A.J. Affiliation Not Assigned. 2pp. 85333:056-85333:057.

H. General correspondence

9509140009 Informs NRC staff of recent organizational change within Nuclear Group Nuclear Safety Engineering now reports to Director Nuclear Planning, Licensing & Budgeting Dept.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/09/17. Document Control Branch (Document Control Desk). 3pp. 85484:357-85484:359.

9509220095 Informs NRC of mgt change within nuclear group which affects distribution of NRC cor. correspondence to CYAPCO & NNECO. Listed change reflected in encl rev to distribution lists for NRC correspondence.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/15. Document Control Branch (Document Control Desk). 14pp. 85570:295-85570:308.

P. Operating license stage documents & correspondence

9509080023 Third final response to FOIA request for documents. Records in App D encl & being withheld in part (ref FOIA Exemption 5).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/01. WILLIAMS,O.G. JRA Associates. 3pp. 85406:033-85406:081.

-9509080025 Submits results of NRC Senior Mgt Meeting held on 950118-19. Summary of meeting, problem plant list ltr to licensees, trending ltrs to licensees, draft mgt meeting summary & list of attendees encl. Portions of encl deleted.
TAYLOR,J. Ofc of the Executive Director for Operations. 95/01/27. THE CHAIRMAN Commission. (Post 750119). 44pp. 85406:037-85406:081.

9509070315 Rev 18 QAT-95-4286, "Northeast Utilis QA Program Topical Rept Organizational Charts."
PALIUCA Northeast Utilities. 95/08/15. 11pp. 85415:330-85415:340.

9509050141 Responds to NRC 950621 RAI re utilis 950602 ltr, requesting approval to use Code Case N-506-1, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing, Section XI, Div 1."
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/08/25. Document Control Branch (Document Control Desk). 7pp. 85349:155-85349:161.

9509070247 Application for amend to license DPR-65, removing phrase "other than Millstone Unit 2" from TS Section 6.3.1 on page 6-2.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/08/31. Document Control Branch (Document Control Desk). 6pp. 85416:203-85416:211.

-9509070250 Proposed tech spec., removing phrase "other than Millstone Unit 2" from Section 6.3.1 on page 6-2.
* Northeast Nuclear Energy Co. 95/08/31. 3pp. 85416:209-85416:211.

9509120043 Advises NRC that on 950804, util completed design basis reviews, analyses, verifications, tests & insps in accordance w/ GL 89-10. Closeout rept for Millstone Unit 2 GL 89-10 will be submitted by 951204.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85435:351-85435:352.

9509250060 Third partial response to FOIA request for documents. Forwards documents listed App E. Documents will be placed in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI,J.W. Affiliation Not Assigned. 9pp. 85763:001-85763:032.

-9212210138 Informs that ltr to President Bush referred to DOE, then NRC for response re safe operation of facility. NRC takes all allegations of safety problems at licensed nuclear power plants & retaliation against employees seriously.
INGRAM,F.L. Office of Public Affairs (Post 911117). 92/12/04. GUNDERSEN,L. Affiliation Not Assigned. 7pp. 85763:033-85763:039.

9509150217 Notification of significant licensee meeting w/ 84 w/ util on 950920 to discuss Northeast Util Reengineering Effort.
NICHOLSON,L. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 2pp. 85485:134-85485:134.

9508310033 Suppl 5 to Generic Ltr 86-20 to DL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/03. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190312 Application for amend to license DPR-65, proposing changes to TS, re admin changes which will correct typo errors, provide clarifications or make editorial changes.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/09/11. Document Control Branch (Document Control Desk). 13pp. 85532:001-85532:040.

-9509190322 Proposed tech specs re admin changes which will correct typographical errors, provide clarifications or make editorial changes.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F., DEBARBA,E.A. Northeast Utilities. 95/09/11. 27pp. 85532:014-85532:040.

9509140300 Responds to licensee response to 940919 & 941229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info to licensee, including request for submission of revised response.
CALVO,J.A. 95/09/12. MCKEE,P.F. 4pp. 85474:288-85474:292.

9509250353 Withdraws proposed rev to Tech Specs re svc water pump flood protection. Withdrawal agreed to in 950821 telcon & in response to ltr from NRC dtd 950803.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85587:358-85587:359.

9509250354 Application for amend to license DPR-65, reducing frequency of surveillance interval for B concentration of SIT from once per 31 days to once per six months.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/19. Document Control Branch (Document Control Desk). 9pp. 85605:342-85605:355.

-9509250357 Proposed tech specs, reducing frequency of surveillance interval for B concentration of SIT from once per 31 days to once per six months.
* Northeast Nuclear Energy Co. 95/09/19. 5pp. 85605:351-85605:355.

9509210262 Requests addl info re licensee 941216 & 950331 responses to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," for plant Units 1 & 2.
MCKEE,P.F. 95/09/20. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 6pp. 85574:269-85574:274.

9509250313 Transmits recent decisions by CT Dept of Public Utility Control & MA Dept of Public Utilities on restructuring electric industry relevant to economic regulation.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/20. Document Control Branch (Document Control Desk). 206pp. 85603:001-85603:206.

9509250347 Provides addl info re individual plant exam for Millstone Nuclear Power Station Unit 2.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/09/20. Document Control Branch (Document Control Desk). 87pp. 85603:207-85603:293.

9509270254 Forwards notice of withdrawal of application for amend to license re LCO for TS 3.7.5.1.b. "Plant Sys Flood Level" & correct value listed in TS Table 3.3-8, "Meteorological Monitoring Instrumentation."
VISSING,G.S. 95/09/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 85608:342-85608:347.

-9509270261 Notice of withdrawal of application for amend to license DPR-65 for plant. Amend would have revised TS to require wind direction & wind speed sensors at 142 foot elevation.
VISSING,G.S. 95/09/25. 2pp. 85608:346-85608:347.

9509280088 Ltr of Contract NRC-04-91-068, Mod 5 Task 36 to "Individual Plant Exam Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (Millstone Unit 2) "
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050148 Requests approval to use Code Case N-535, "Alternative Requirements for ISI Intervals, Section XI, Div 1," as alternative to ASME Code Section XI.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/24. Document Control Branch (Document Control Desk). 2pp. 85346:349-85346:350.

9509060226 Discusses 950829 telcon in which J Prell & J Rein made arrangements for NRC to inspect licensed operator requalification program at plant. Insp planned for wk of 951030.
MEYER,G.W. Region 1 (Post 820201). 95/08/29. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85312:145-85312:147.

9509060262 Modifies schedule for commitment made in response to notice deviation dtd 941215 re compliance to Reg Guide 1.97.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85326:344-85326:345.

9509080181 Forwards insp repts 50-245/95-33, 50-336/95-33 & 50-423/95-33. No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/08/31. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85324:330-85324:339.

92 DOCKETED ITEMS

- 9509080187 Insp repts 50-245/95-33, 50-336/95-33 & 50-423/95-33 on 950814-18. No violations noted. Major areas inspected: audits, mgt support & effectiveness of mgt controls, security program plans & protected area detection equipment.
ALBERT, R.J., LIMROTH, D.F. Region 1 (Post 820201). 95/08/18. 7pp. 85324:335-85324:339.
- 9509110235 Forwards insp repts 50-245/95-28, 50-336/95-28 & 50-423/95-28 on 940710-14.
DURR, J.P. Region 1 (Post 820201). 95/09/01. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 85344:136-85344:181.
- 9509110240 Insp repts 50-245/95-28, 50-336/95-28 & 50-423/95-28 on 950710-14. No violations noted. Major areas inspected: plant operations, operability determinations, maint & surveillance activities, licensee self-assessment & quality assessment.
NICHOLSON, L.E. Region 1 (Post 820201). 95/08/30. 42pp. 85344:140-85344:181.
- 9509120043 Advises NRC that on 950804, util completed design basis reviews, analysis, verifications, tests & insps in accordance w/GL 89-10. Closeout rpt for Millstone Unit 2 GL 89-10 will be submitted by 951204.
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85435:351-85435:352.
- 9509110338 Forwards insp rpt 50-338/95-27 on 950710-14. No violations noted.
KELLY, E.M. Region 1 (Post 820201). 95/09/05. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85344:208-85344:217.
- 9509110341 Insp rpt 50-336/95-27 on 950710-14. No violations noted. Major areas inspected: core reload safety analyses, licensee mgt involvement, interfaces w/fuel vendors & staff training/qualification.
MOY, D.T., KELLY, E.M. Region 1 (Post 820201). 95/09/05. 7pp. 85344:211-85344:217.
- 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509150228 Discusses 950707 ltr in response to insp repts 50-245/95-19, 50-336/95-19 & 50-423/95-19 & NOV. Violations indicated apparent lack of attention to detail associated w/radioactive mat control or labeling.
HEHL, C.W. Region 1 (Post 820201). 95/09/07. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85485:140-85485:149.
- 9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509180214 Forwards insp repts 50-245/95-35, 50-336/95-35 & 50-423/95-35 on 950828-0901. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/09/11. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85500:337-85500:347.
- 9509180222 Insp repts 50-245/95-35, 50-336/95-35 & 50-423/95-35 on 950828-0901. No violations noted. Major areas inspected: radwaste & transportation of radioactive mats programs, including assurance of quality & training.
FURIA, J., BORES, R. Region 1 (Post 820201). 95/09/11. 8pp. 85500:340-85500:347.
- 9509180285 Forwards insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28 & NOV.
JOYNER, J.H. Region 1 (Post 820201). 95/09/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85501:296-85501:309.
- 9509180293 Notice of violation from insp on 950721-28. Violation noted: licensee implemented NUMARC EALs for plant on 950630 w/o discussion w/or agreement of state & local governmental authorities.
* Region 1 (Post 820201). 95/09/13. 2pp. 85501:299-85501:300.
- 9509180297 Insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28. Violations noted. Major areas inspected: EP program insp, including changes in program, emergency facilities, equipment & instrumentation & supplies.
LUSHER, J., KEIMING, R. Region 1 (Post 820201). 95/09/13. 9pp. 85501:301-85501:309.
- 9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509260040 Forwards insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822 & NOV.
COOPER, R.W. Region 1 (Post 820201). 95/09/19. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 85569:051-85569:099.
- 9509260048 Insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, outage activities & security.
NICHOLSON, L.E. Region 1 (Post 820201). 95/09/18. 42pp. 85569:057-85569:099.
- 9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509260187 Provides response to requests for submittal of plans & schedule for Emergency Operating Procedures Upgrade Program Insp Rpt 50-336/95-21.
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/09/21. Document Control Branch (Document Control Desk). 15pp. 85648:228-85648:242.
- 9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- R. Periodic operating reports & related correspondence**
- 9509190211 Monthly operating repts for Aug 1995 for Millstone Nuclear Power Station W/950913 ltr.
NEWBURGH, G., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/31. 16pp. 85531:308-85531:323.
- S. Reportable occurrences, LERs & related correspondence**
- 9509010330 LER 95-029-00: on 950728, determined that insufficient RBCCW flow would be provided to ESF rooms ventilation sys HX following sump recirculation actuation signal. Repositioned coolers X-36A & X-36B discharge valves. W/950828 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/28. 4pp. 85315:108-85315:111.
- 9509050005 LER 95-031-00: on 950803, CEA not able to be aligned w/group in 1 h required by TS due to power supply failure. Actions specified in AOP 2556, "CEA Malfunction," Section 4.3, "Dropped Rod." W/950828 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/28. 4pp. 85371:323-85371:326.
- 9509120285 LER 95-032-00: on 950808, reactor manually tripped due to unsolvable secondary steam leakage. Caused by pipe rupture. Critical piping & components in heater drains sys inspected to identify damage caused by sys transient. W/950907 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/07. 5pp. 85472:054-85472:058.
- 9509130007 LER 95-033-00: on 950809, manual RT initiated due to loss of atmospheric dump valve control. Caused by blown fuse on circuit board in control circuit of valve. Circuit board replaced & valve returned to svc. W/950907 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/07. 4pp. 85472:082-85472:085.
- 9509180230 LER 94-040-02: on 941206, ventilation design deficiency affected enclosure bldg integrity. Caused by deficiency in original design. Completed work to relocate hydrogen analyzer & sample hood to outside enclosure bldg. W/950911 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/11. 10pp. 85533:268-85533:277.
- 9509200020 LER 95-026-01: on 950620, fire door surveillance was missed due to administrative personnel error. Inspected door & added to surveillance procedure. W/950914 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. 95/09/14. 3pp. 85547:188-85547:190.
- 9509250268 LER 95-034-00: on 950802, TS surveillance was missed due to personnel error. Performed surveillance shortly after time interval had expired. W/950921 ltr.
LUTZ, P.J., MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 95/09/21. 5pp. 85619:036-85619:040.
- V. Operator Examinations**
- 9509050201 Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 5, "Operators Licensing Examiner Stds" & NUREG/BR-0122 to prepare written exams & operating tests.
MEYER, G.W. Region 1 (Post 820201). 95/08/21. BROWN, M.B. Northeast Nuclear Energy Co. 1p. 85297:123-85297:123.
- 9509060228 Discusses 950829 teicon, in which J Prell & J Rein made arrangements for NRC to inspect licensed operator requalification program at plant. Insp planned for wk of 951030.
MEYER, G.W. Region 1 (Post 820201). 95/08/29. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85312:145-85312:147.
- 9509060267 Notices that there is no longer need to maintain Operator License OP-10667-1 for SA Tomichuk, effective 950804.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/08/30. Document Control Branch (Document Control Desk). 1p. 85326:346-85326:346.
- DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1**
- F. Security, medical, emergency & fire protection plans**
- 9509120229 Requests approval of rev to emergency plan. Submittal consistent w/discussions held during 950711 meeting w/util & NRC.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85436:274-85436:295.
- 9509120230 Revised emergency plan.
* Virginia Power (Virginia Electric & Power Co.). 95/09/06. 19pp. 85436:276-85436:295.
- 9509190278 Forwards exemption amend granted by NRC to revise exemption 1 to account for non-fire-rated penetration seals & unprotected openings located in south wall of charging pump cubicles.
ENGLE, L.B. 95/09/12. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85525:249-85525:259.

-9509190294 Exemption amend granting revisions to account non-fire-rated penetration seals & unprotected openings.
MARSH, L.B. 95/09/12. Virginia Power (Virginia Electric & Power Co.). 6pp. 85525:252-85525:257.

-9509200168 Safety evaluation supporting licensee request exemption from requirements of App R to 10CFR50.
* 95/09/12. 2pp. 85525:258-85525:259.

9509270220 Informs that info being provided to plant security managers that could assist in licensee efforts to protect plants against design-basis threat of sabotage.
BUCKLEY, B., ENGLE, L.B. 95/09/25. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85611:359-85611:361.

P. Operating license stage documents & correspondence

9509070242 Requests review of encl info & results of findings in 45 days of tr receipt. Encl withheld ref 10CFR2.790.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/08/23. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85322:312-85322:313.

9509070178 Confirms telcon between D Sommers & A Belisle on 950823 re mgt meeting scheduled for 950911 in Atlanta, GA to discuss engineering issues for plants.
CASTO, C.A. Region 2 (Post 820201). 95/08/25. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321:242-85321:244.

9509060343 Requests add info re 950627 response to GL 95-03. "Circumferential Cracking of SG Tubes."
BUCKLEY, B.C., ENGLE, L.B. 95/08/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85314:302-85314:304.

9509080279 Application for amends to licenses NPF-4 & NPF-7, allowing single outage of up to 14 days for each EDG once every 18 months.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Document Control Branch (Document Control Desk). 15pp. 85418:015-85418:240.

-9509080281 Proposed tech specs, allowing single outage of up to 14 days for each EDG once every 18 months.
* Virginia Power (Virginia Electric & Power Co.). 95/09/01. 34pp. 85418:031-85418:064.

-9509080288 "NAPS Units 1 & 2 EDG Preventive Maint Insp Outage Probabilistic Safety Assessment for August 1995."
* Virginia Power (Virginia Electric & Power Co.). 95/08/31. 177pp. 85418:065-85418:240.

9509180272 Confirms meeting w/licensee on 950912 in Atlanta, GA to discuss planned reorganization of oversight function at corporate ofcs & plants, per 950830 telcon between M Bowling & A Belisle.
LANDIS, K.D. Region 2 (Post 820201). 95/09/05. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85501:193-85501:195.

9509180326 Confirms cancellation of meeting w/licensee scheduled for 950911 to discuss plant engineering issues, per 950831 telcon between M Bowling & A Belisle.
CASTO, C.A. 95/09/07. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85502:173-85502:174.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150102 Summary of 950824 meeting w/NEI, PWROG, WOG, CEOG & BWOG in Rockville, MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAFFENTER, C.E. 95/09/12. 83pp. 85509:296-85509:357.

9509190278 Forwards exemption amend granted by NRC to revise exemption 1 to account for non-fire-rated penetration seals & unprotected openings located in south wall of charging pump cubicles.
ENGLE, L.B. 95/09/12. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85525:249-85525:259.

-9509190294 Exemption amend granting revisions to account non-fire-rated penetration seals & unprotected openings.
MARSH, L.B. 95/09/12. Virginia Power (Virginia Electric & Power Co.). 6pp. 85525:252-85525:257.

-9509200168 Safety evaluation supporting licensee request exemption from requirements of App R to 10CFR50.
* 95/09/12. 2pp. 85525:258-85525:259.

9509220057 Application for amends to licenses NPF-4 & NPF-7, revising maximum allowable power range neutron flux high setpoints for operation w/inoperable MSSV.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/19. Document Control Branch (Document Control Desk). 14pp. 85575:332-85575:360.

-9509220060 Proposed tech specs, revising maximum allowable power range neutron flux high setpoints for operation w/inoperable MSSV.
* Virginia Power (Virginia Electric & Power Co.). 95/09/19. 15pp. 85575:346-85575:360.

9509220125 Application for amends to licenses NPF-4 & NPF-7, increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/19. Document Control Branch (Document Control Desk). 24pp. 85565:329-85565:359.

-9509220130 Proposed tech specs, increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
* Virginia Power (Virginia Electric & Power Co.). 95/09/19. 6pp. 85565:354-85565:359.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Main-ten Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070206 Informs of arrangements made by M Allen & D Charles to inspect licensed operator requalification program, planned for wk of 950918.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321:320-85321:322.

9509080279 Application for amends to licenses NPF-4 & NPF-7, allowing single outage of up to 14 days for each EDG once every 18 months.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Document Control Branch (Document Control Desk). 15pp. 85418:015-85418:240.

-9509080288 "NAPS Units 1 & 2 EDG Preventive Maint Insp Outage Probabilistic Safety Assessment for August 1995."
* Virginia Power (Virginia Electric & Power Co.). 95/08/31. 177pp. 85418:065-85418:240.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050909 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509280170 Forwards insp repts 50-338/95-15 & 50-339/95-15 on 950716-0819 & notice of violation. Violations indicative of undesirable trend in human performance.
LANDIS, K.D. Region 2 (Post 820201). 95/09/14. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85613:063-85613:092.

-9509280177 Notice of violation from insp on 950716-0819. Violation noted: field technicians made mods to Unit 2 safety-related valves 2-CH-MOV-22853 & 2-CH-MOV-22878 w/o review or approval by Station Nuclear Safety & Operating Committee.
* Region 2 (Post 820201). 95/09/14. 2pp. 85613:067-85613:068.

-9509280182 Insp repts 50-338/95-15 & 50-339/95-15 on 950716-0819. Violations noted: Major areas inspected: plant status, plant operations, maintenance observations, surveillance observations, on-site engineering & plant support activities.
MCWHORTER, R., BELISLE, G.A. Region 2 (Post 820201). 95/08/14. 24pp. 85613:069-85613:092.

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations.
GIVSON, A.F. Region 2 (Post 820201). 95/09/14. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509220125 Application for amends to licenses NPF-4 & NPF-7, increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/19. Document Control Branch (Document Control Desk). 24pp. 85565:329-85565:359.

-9509220130 Proposed tech specs, increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
* Virginia Power (Virginia Electric & Power Co.). 95/09/19. 6pp. 85565:354-85565:359.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180243 Monthly operating repts for Aug 1995 for North Anna Power Station. W/950911 ltr.
STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. 12pp. 85522:284-85522:295.

V. Operator Examinations

9509070206 Informs of arrangements made by M Allen & D Charles to inspect licensed operator requalification program, planned for wk of 950918.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321:320-85321:322.

94 DOCKETED ITEMS

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations.
GIVSON,A.F. Region 2 (Post 820201). 95/09/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509180064 Forwards proposed agenda for project status meeting scheduled for 950906 at ofcs in Rockville,MD to confirm previous conversations: w/staff.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 85510:319-85510:322.

9509210075 Summary of 950906 meeting w/VEPCO in Rockville,MD re VEPCO spent fuel storage projects & licensing review of TN-32 storage cask.
JSAARDI,M. Office of Nuclear Material Safety & Safeguards. 95/09/14.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 18pp. 85568:281-85568:296.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509120229 Requests approval of rev to emergency plan.Submittal consistent w/discussions held during 950711 meeting w/uttl & NRC.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85436:274-85436:295.

9509120230 Revised emergency plan.
* Virginia Power (Virginia Electric & Power Co.). 95/09/06. 19pp. 85436:276-85436:295.

9509190278 Forwards exemption amend granted by NRC to revise exemption 1 to account for non-fire-rated penetration seals & unprotected openings located in south wall of charging pump cubicles.
ENGLE,L.B. 95/09/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85525:249-85525:259.

9509190294 Exemption amend granting revisions to account non-fire-rated penetration seals & unprotected openings.
MARSH,L.B. 95/09/12. Virginia Power (Virginia Electric & Power Co.). 6pp. 85525:252-85525:257.

9509200168 Safety evaluation supporting licensee request exemption from requirements of App R to 10CFR50.
* 95/09/12. 2pp. 85525:258-85525:259.

P. Operating license stage documents & correspondence

9509070342 Requests review of encl info & results of findings in 45 days of ltr receipt.Encl withheld ref 10CFR2.790.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/08/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85322:312-85322:313.

9509070178 Confirms telcon between D Sommers & A Belsie on 950823 re mgt meeting scheduled for 950911 in Atlanta,GA to discuss engineering issues for plants.
CASTO,C.A. Region 2 (Post 820201). 95/08/25. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321:242-85321:244.

9509050343 Requests addl info re 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes."
BUCKLEY,B.C. 95/08/30. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85314:302-85314:304.

9509080279 Application for amends to licenses NPF-4 & NPF-7,allowing single outage of up to 14 days for each EDG once every 18 months.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Document Control Branch (Document Control Desk). 15pp. 85418:015-85418:240.

9509080281 Proposed tech specs,allowing single outage of up to 14 days for each EDG once every 18 months.
* Virginia Power (Virginia Electric & Power Co.). 95/09/01. 34pp. 85418:021-85418:064.

9509120002 Requests relief from certain requirements of ASME Section XI Code associated w/extent of exams practical for plant.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Document Control Branch (Document Control Desk). 6pp. 85435:167-85435:172.

9509180272 Confirms meeting w/licensee on 950812 in Atlanta,GA to discuss planned reorganization of oversight function at corporate ofcs & plants,per 950830 telcon between M Bowling & A Belsie.
LANDIS,K.D. Region 2 (Post 820201). 95/09/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85501:193-85501:195.

9509180326 Confirms cancellation of meeting w/licensee scheduled for 950911 to discuss plant engineering issues,per 950831 telcon between M Bowling & A Belsie.
CASTO,C.A. 95/09/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85502:173-85502:174.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150102 Summary of 950824 meeting w'NE,PWROG,WOG,CEOG & BWO in Rockville,MD to discuss topics of interest re to allow 60' & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 63pp. 85509:296-85509:357.

9509190278 Forwards exemption amend granted by NRC to revise exemption 1 to account for non-fire-rated penetration seals & unprotected openings located in south wall of charging pump cubicles.
ENGLE,L.B. 95/09/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85525:249-85525:259.

9509190294 Exemption amend granting revisions to account non-fire-rated penetration seals & unprotected openings.
MARSH,L.B. 95/09/12. Virginia Power (Virginia Electric & Power Co.). 6pp. 85525:252-85525:257.

9509200168 Safety evaluation supporting licensee request exemption from requirements of App R to 10CFR50.
* 95/09/12. 2pp. 85525:258-85525:259.

9509220057 Application for amends to licenses NPF-4 & NPF-7,revising maximum allowable power range neutron flux high setpoints for operation w/inoperable MSSV.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/19. Document Control Branch (Document Control Desk). 14pp. 85575:332-85575:380.

9509220060 Proposed tech specs,revising maximum allowable power range neutron flux high setpoints for operation w/inoperable MSSV.
* Virginia Power (Virginia Electric & Power Co.). 95/09/19. 15pp. 85575:346-85575:360.

9509220125 Application for amends to licenses NPF-4 & NPF-7,increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/19. Document Control Branch (Document Control Desk). 24pp. 85565:329-85565:359.

9509220190 Proposed tech specs,increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
* Virginia Power (Virginia Electric & Power Co.). 95/09/19. 6pp. 85565:354-85565:359.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070206 Informs of arrangements made by M Allen & D Charles to inspect licensed operator requalification program,planned for wk of 950918.
PEEBLES,T.A. Region 2 (Post 820201). 95/08/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321:320-85321:322.

9509080279 Application for amends to licenses NPF-4 & NPF-7,allowing single outage of up to 14 days for each EDG once every 18 months.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/01. Document Control Branch (Document Control Desk). 15pp. 85418:015-85418:240.

9509080288 "NAPS Units 1 & 2 EDG Preventive Maint Insp Outage Probabilistic Safety Assessment for August 1995."
* Virginia Power (Virginia Electric & Power Co.). 95/08/31. 177pp. 85418:065-85418:240.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509280170 Forwards insp repts 50-338/95-15 & 50-339/95-15 on 950716-0819 & notice of violation.Violations indicative of undesirable trend in human performance.
LANDIS,K.D. Region 2 (Post 820201). 95/09/14. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85613:063-85613:092.

9509280177 Notice of violation from insp on 950716-0819.Violation noted:field technicians made mods to Unit 2 safety-related valves 2-CH-MOV-2286B & 2-CH-MOV-2287B w/o review or approval by Station Nuclear Safety & Operating Committee.
* Region 2 (Post 820201). 95/09/14. 2pp. 85613:067-85613:068.

9509280182 Insp repts 50-338/95-15 & 50-339/95-15 on 950716-0819. Violations noted:Major areas inspected:plant status,plant operations,maint observations,surveillance observations, on-site engineering & plant support activities.
MCWHORTER,R. BELISLE,G.A. Region 2 (Post 820201). 95/09/14. 24pp. 85613:069-85613:092.

9509280216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations.
GIVSON,A.F. Region 2 (Post 820201). 95/09/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613:348-85613:350.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509220125 Application for amends to licenses NPF-4 & NPF-7,increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/09/19. Document Control Branch (Document Control Desk). 24pp. 85565:329-85565:359.

9509220130 Proposed tech specs,increasing surveillance test interval & extending visual & surface insps for turbine reheat stop & intercept valves.
* Virginia Power (Virginia Electric & Power Co.). 95/09/19. 6pp. 85565:354-85565:359.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Components Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-006.

R. Periodic operating reports & related correspondence

9509180243 Monthly operating repts for Aug 1995 for North Anna Power Station. W/ 950911 ft.
STALL, J.A., BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. 12pp. 85522-264-85522-295.

V. Operator Examinations

9509270208 Informs of arrangements made by M Allen & D Charles to inspect licensed operator requalification program planned for wk of 950918.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85321-320-85321-322.

9509290216 Ack receipt of 950824 ltr requesting that Region II consider not performing Licensed Operator Requalification Program insp at Surry & North Anna Power Stations.
GIPSON, D.R. Region 2 (Post 820201). 95/09/18. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85613-348-85613-350.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509180064 Forwards proposed agenda for project status meeting scheduled for 950906 at ofcs in Rockville, MD to confirm previous conversations w/staff.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 85510-319-85510-322.

9509210075 Summary of 950906 meeting w/VEPCO in Rockville, MD re VEPCO spent fuel storage projects & licensing review of TN-32 storage cask.
LUSARDI, M. Office of Nuclear Material Safety & Safeguards. 95/09/14. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 18pp. 85568-281-85568-298.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509220150 EP-101, Encl B, Page 1 of 1.
* Detroit Edison Co. 95/08/17. 1p. 85560-353-85560-355.

9509120137 Revised EPIPs, including Rev 11 to EP-103, Rev 11 to EP-104, Rev 11 to EP-105, Rev 8 to EP-110, Rev 8 to EP-303-01, Rev 10 to EP-302-01, Rev 12 to EP-102 & Rev 22 to EP-101.
SHELTON, D. Detroit Edison Co. 95/09/05. 178pp. 85471-136-85471-312.

P. Operating license stage documents & correspondence

9509220305 First partial response to FOIA request for records. App A records encl & available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/16. MARQUART, P.A. Detroit Edison Co. 3pp. 85585-001-85585-151.

-9509250001 "Work Plan & Performance Appraisal for A & M-Grade Employees."
MARTIN, J. Detroit Edison Co. 91/12/31. 100pp. 85585-005-85585-091.

-9509250002 "1992 Performance Mgt Program Work Plan."
MARTIN, J. Detroit Edison Co. 92/12/31. 17pp. 85585-092-85585-120.

9509060133 Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/07/20. IRWIN, D. Hunton & Williams. 2pp. 85332-042-85332-062.

-9407010161 Expresses opinion that shroud head bolt crack issue may not raise any new & significant safety concerns re current outage at plant.
COLLINS, T. Reactor Systems Branch. 94/06/23. VIRGILIO, M. Division of Systems Safety & Analysis (Post 921004). 4pp. 85332-046-85332-049.

9509060099 Final response to FOIA request for documents. Records in App A encl & being made available in PDR.
POOL, M. Division of Freedom of Information & Publications Services (Post 940714). 95/07/27. MASON, M. Affiliation Not Assigned. 2pp. 85328-357-85328-360.

-9509060102 Computer printout of listed meeting dates & locations.
* NRC - No Detailed Affiliation Given. 95/07/27. 2pp. 85328-359-85328-360.

9509070006 Response to 941130 request for assistance, concluding that testing did not constitute OPDRV as used in context of plant TS 3.B.1.2 re acceptability of plant performance of RPS logic testing w/all four EDGs technically inoperable.
HANNON, J.N. 95/08/28. AXELSON, W.L. Region 3 (Post 820201). 3pp. 85325-151-85325-153.

9509080253 Forwards SE accepting proposed corporate restructuring of Detroit Edison Co by establishment of holding company as described in 950327 ltr.
HANNON, J.N. 95/08/30. GIPSON, D.R. Detroit Edison Co. 3pp. 85349-349-85349-355.

-9509080254 Safety evaluation accepting proposed corporate restructuring of Detroit Edison Co by establishment of holding company.
* 95/08/30. 4pp. 85349-352-85349-355.

9509050156 Confirms 950810 telcon w/NRC re relief requests for IST program for pumps & valves.
GIPSON, D.R. Detroit Edison Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85345-351-85345-352.

9509050152 Requests one-time exemption from 10CFR50, App J, Paragraphs III.D.2.a & III.D.3, which require, in part, Type B & C tests to be performed at intervals no greater than 2 yrs, to allow 25% extension to 2 yr testing interval.
GIPSON, D.R. Detroit Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 6pp. 85349-166-85349-171.

9509130030 Submits addl justification to withhold selected proprietary info from public disclosure as requested by NRC 950307 ltr re FOIA-95-A-2 (95-507).
GOODMAN, L.S. Detroit Edison Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85474-178-85474-180.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509120267 Notification of 950921 meeting w/Detroit Edison Co in Rockville, MD to discuss planned hydrogen water chemistry implementation at plant including safety analysis.
COLBRUN, T.G. 95/09/08. HANNON, J.N. 3pp. 85411-349-85411-351.

9509180314 Forwards Westinghouse 950907 ltr to util, enclosing Westinghouse position re FOIA-95-A-2 (94-507) to suppl util 950907 response to NRC 950816 ltr requesting that selected proprietary info be withheld from public disclosure.
GOODMAN, L.S. Detroit Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 5pp. 85521-356-85521-360.

9509260320 Application for amend to license NPF-43, revising TS re sys testing instrumentation calibr. component insp. component testing, response time testing & logic sys functional tests to allow one-time extension of surveillance intervals.
GIPSON, D.R. Detroit Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 141pp. 85620-164-85620-312.

-9508260322 Proposed tech specs, allowing one-time extension of surveillance intervals.
* Detroit Edison Co. 95/09/20. 8pp. 85620-305-85620-312.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9509220305 First partial response to FOIA request for records. App A records encl & available in PDR.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/16. MARQUART, P.A. Detroit Edison Co. 3pp. 85585-001-85585-151.

-9509250008 "Rept of Investigation re Fermi Power Plant Alleged Employment Discrimination Against QA Specialist."
ANDERSON, R., PAWLIK, E.T. Region 3 (Post 820201). 94/05/31. 28pp. 85585-121-85585-147.

-9505250017 Submits notification of investigation re case number 5-93-013R.
PAWLIK, E.T. Region 3 (Post 820201). 93/08/06. HAYES, B.B. Office of Investigations (Pre 880201). 3pp. 85585-148-85585-150.

9509080120 Ack receipt of 941017 & 950811 ltrs informing NRC of steps taken to correct violations noted in insp rept 50-341/94-11.
PHILLIPS, M.P. Region 3 (Post 820201). 95/08/21. GIPSON, D.R. Detroit Edison Co. 2pp. 85324-187-85324-188.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509190023 Requests reduced NRC insp activity in svc water sys operational performance insp area of emphasis.
GIPSON, D.R. Detroit Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85532-355-85532-356.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870726). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

96 DOCKETED ITEMS

9509260320 Application for amend to license NPF-43, revising TS re sys testing, instrumentation calibr, component insp, component testing, response time testing & logic sys functional tests to allow one-time extension of surveillance intervals. GIPSON, D.R. Detroit Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 141pp. 85620-164-85620-312.

9509250280 Responds to questions in response to notice of violation from insp rept 50-341/95-03. GIPSON, D.R. Detroit Edison Co. 95/09/21. Document Control Branch (Document Control Desk). 8pp. 85601-309-85601-316.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509010142 Forwards semiannual FFD rept for period from Jan-June 1995, in accordance w/10CFR26.71(d). GIPSON, D.R. Detroit Edison Co. 95/08/29. Document Control Branch (Document Control Desk). 5pp. 85346-337-85346-341.

9509190247 Monthly operating rept for Aug 1995 for Fems 2 W/950915 ft. STONE, B.J., GIPSON, D.R. Detroit Edison Co. 95/08/31. 4pp. 85530-280-85530-283.

S. Reportable occurrences, LERs & related correspondence

9509190022 Informs NRC of revised completion date for commitment in LER 94-003-03 re inadequate logic functional test. GIPSON, D.R. Detroit Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85532-357-85532-358.

T. Hearing transcripts on non-antitrust matters

9502220305 First partial response to FOIA request for records. App A records encl & available in PDF. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/16. MARQUART, P.A. Detroit Edison Co. 3pp. 85585-001-85586-151.

9509250080 Transcript of 940202 investigative interview of J Nolioth in Newport, MI. * Ofc of investigations (Post 880201). 94/02/02. 134pp. 85585-151-85585-264.

9509250083 Transcript of 940307 investigative interview of J.L. Martin in Detroit, MI. * Ofc of investigations (Post 880201). 94/03/07. 250pp. 85585-265-85586-111.

9509250084 Transcript of 940308 investigative interview of J Waid in Newport, MI. * Ofc of investigations (Post 880201). 94/03/08. 40pp. 85586-112-85586-151.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9509010166 Forwards Amend 16 to PGE-1012, "Trojan Nuclear Plant Fire Protection Plan." w/four oversize drawings. QUENNOZ, S.M. Portland General Electric Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85337-179-85338-009.

9509010168 Amend 16 to PGE-1012, "Trojan Nuclear Plant Fire Protection Plan." * Portland General Electric Co. PGE-1012 A. 016. 95/08/30. 200pp. 85337-181-85338-009.

G. Adjudicatory correspondence

9509140080 Notice of federal court decision & opportunity for public comments. US Court of Appeals for First Circuit issued decision granting petition by Citizens Awareness Network for review of decision by NRC. Comments requested on subj. BATES, A.L. Office of the Secretary of the Commission. 95/08/30. 3pp. 85428-123-85428-126.

H. General correspondence

9509080278 Ack receipt of "PGE Trojan Nuclear Power Station, Notice of Federal Court Decision & Opportunity for Public Comments." Press statement made on 950905 as well as ltr sent to both OR Dept of Energy & OR Energy Facility Siting Council encl. MARBET, L. Affiliation Not Assigned. 95/09/05. WEISS, S.H. 8pp. 85447-050-85447-057.

9509140079 Requests extension of comment period for both PGE & general public re plant dismantling & removal of large components in advance of receiving NRC approval of decommissioning plan. QUENNOZ, S.M. Portland General Electric Co. 95/09/12. JULIAN, E. Docketing & Services Branch. 2pp. 85428-116-85428-119.

9509190134 Comment supporting decommissioning of plants nuclear power reactors. JOHNSON, C. Nuclear Free America. 95/09/12. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85504-125-85504-126.

9509190142 Comment supporting decommissioning of plants nuclear power reactors. JOHNSON, C. Nuclear Free America. 95/09/12. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85504-130-85504-131.

9509200041 Discusses concerns about proposal of Portland General Electric to remove four 3+ ton components of Trojan along Columbia River to Hanford. BATES, M.H. Affiliation Not Assigned. 95/09/13. WEISS, S. 3pp. 85525-354-85525-355.

9509190126 Comment supporting continuation of large component removal project at plant, prior to approval of decommissioning plan. LAGUARDIA, T.S. Affiliation Not Assigned. 95/09/15. JULIAN, E. Docketing & Services Branch. 2pp. 85504-120-85504-121.

9509190163 Informs of NRC decision not to alter or extend official comment period re decommissioning of plant. HOYLE, J.C. Office of the Secretary of the Commission. 95/09/15. QUENNOZ, S.M. Portland General Electric Co. 3pp. 85504-150-85504-152.

9509270039 Comment on FR Notice re possible halting of component removal activities at plant. GASSERT, M. Oregon Graduate Institute of Science & Technology, Beaverton, OR. 95/09/15. JULIAN, E. Docketing & Services Branch. 1p. 85588-070-85588-070.

9509270035 Comment supporting continuation of large component removal project at plant, prior to approval of decommissioning plan. SIMS, L. Affiliation Not Assigned. 95/09/16. JULIAN, E. Docketing & Services Branch. 3pp. 85588-064-85588-065.

9509220106 Comment supporting decommissioning of plant. QUENNOZ, S.M. Portland General Electric Co. 95/09/16. JULIAN, E. Docketing & Services Branch. 67pp. 85547-082-85547-164.

9509270024 Comment supporting continuation of large component removal project at plant, prior to approval of decommissioning plan. FRANTZ, S.G. Reed College, Portland, OR. 95/09/21. JULIAN, E. Docketing & Services Branch. 2pp. 85588-056-85588-057.

9509270043 Comment supporting large component removal process at plant. WHITE, C.R. Affiliation Not Assigned. 95/09/21. JULIAN, E. Docketing & Services Branch. 1p. 85588-073-85588-073.

9509270038 Comment supporting decommissioning of Trojan Nuclear Power Plant. YOUNG, C.A. Affiliation Not Assigned. 95/09/22. JULIAN, E. Docketing & Services Branch. 1p. 85588-068-85588-068.

9509290078 Comment supporting decommissioning of plant. YARBOR, J. Affiliation Not Assigned. 95/09/22. JULIAN, E. Docketing & Services Branch. 1p. 85615-306-85615-306.

9509290083 Comment supporting decommissioning of plant. PULLIAM, P.A. Affiliation Not Assigned. 95/09/22. JULIAN, E. Docketing & Services Branch. 1p. 85615-313-85615-313.

9509290085 Comment on shutdown & decommissioning of Trojan plant. Believes NRC should proceed w/project. MONROE, J.W. Affiliation Not Assigned. 95/09/22. JULIAN, E. Docketing & Services Branch. 2pp. 85615-317-85615-318.

9509270027 Comment opposing decommissioning of plant. * Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588-058-85588-058.

9509270027 Comment supporting continuation of large component removal project at plant, prior to approval of decommissioning plan. SNYDER, R.C. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85588-059-85588-059.

9509270032 Comment opposing removal of steam generators & other large components from Trojan Nuclear Plant. SIEHACKIL, STEPP, D., SMITH, M. Affiliation Not Assigned. 95/09/25. NRC - No Detail Affiliation Given. 1p. 85588-061-85588-061.

9509270033 Comment opposing decommissioning of plant. * Affiliation Not Assigned. 95/09/25. Docketing & Services Branch. 1p. 85588-062-85588-062.

9509270037 Comment supporting plant decommissioning & large component removal plan. REINART, R. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85588-069-85588-069.

9509270040 Comment supporting decommissioning of plant. BENNETT, G. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85588-071-85588-071.

9509270042 Comment opposing decommissioning of plant. GOLD, R., CARDOZA, F., GOLDOZA Affiliation Not Assigned. 95/09/25. JULIAN, E. Office of the Secretary of the Commission. 1p. 85588-072-85588-072.

9509270054 Comment supporting plant decommissioning & large component removal plan. JOHNSON, P.W. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85588-088-85588-088.

9509270055 Comment opposing decommissioning at Trojan Nuclear Power Plant. MARBET, L.K. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 16pp. 85588-089-85588-104.

9509270056 Comments on decommissioning of plant. Long-term storage of large reactor components outside of containment not reviewed & approved by Council. GRAINEY, M.W. Oregon, State of. 95/09/25. JULIAN, E. Docketing & Services Branch. 3pp. 85588-105-85588-106.

9509270064 Comment supporting decommissioning & large component removal plan of plant.
VINGERO, J.A. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85588:120-85588:120.

9509270065 Comment supporting plant decommissioning & large component removal plan.
HOAG, S.E. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85588:122-85588:122.

9509270116 Comment on NRC legal authority to allow or halt continued decommissioning by licensee at plant.
WILLIAMS, L.K. Don't Waste Oregon Committee. 95/09/25. Docketing & Services Branch. 4pp. 85588:276-85588:321.

9509290060 Comment supporting plant large component removal.
MURDOCK, M. Portland General Electric Co. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85615:175-85615:175.

9509290061 Comment supporting continued decommissioning of Trojan Nuclear Plant.
FORD, E.W. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85615:176-85615:176.

9509290062 Comment supporting large component removal process at plant.
GOFF, S.G. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85615:177-85615:177.

9509290066 Comment opposing halt on decommissioning of Trojan.
FARNELL, S. Affiliation Not Assigned. 95/09/25. JULIAN, E. Docketing & Services Branch. 1p. 85615:184-85615:184.

9509290073 Comment on decommissioning of plant.
BISHOP, R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/25. JULIAN, E.L. Docketing & Services Branch. 10pp. 85615:190-85615:199.

9509290073 Comment supporting decommissioning of Trojan Nuclear Power Station.
KUMAR, M.S. Affiliation Not Assigned. 95/09/25. JULIAN, M. Docketing & Services Branch. 3pp. 85615:200-85615:202.

9509290055 Comment supporting decommissioning of plant.
SLHNEIDER, S. Affiliation Not Assigned. 95/09/26. JULIAN, E. Docketing & Services Branch. 1p. 85615:162-85615:162.

F. Operating license stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190198 Notices of planned radioactive waste shipment from plant described in Trojan LCR Project.
QUENNOZ, S.M. Portland General Electric Co. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85524:305-85524:308.

-9509190203 Rev 0 to "Wk Advance Notification Info Radioactive Waste Shipment Trojan Large Component Removal Project."
* Pacific Gas & Electric Co. 95/09/13. 2pp. 85524:307-85524:308.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190040 Forwards insp rept 50-344/95-07 on 950814-24. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/09/15. QUENNOZ, S.M. Portland General Electric Co. 4pp. 85503:155-85503:169.

-9509190043 Insp rept 50-344/95-07 on 950814-24. No violations noted. Major areas inspected: large component removal project activities.
CAIN, C.L. Region 4 (Post 820201). 95/09/12. 11pp. 85503:159-85503:169.

9508210210 Forwards insp rept 50-344/95-06 on 950731-0810 & notice of violation. Violation involved failure to implement all aspects of locked valve program.
SCARANO, R.A. Region 4 (Post 820201). 95/09/18. QUENNOZ, S.M. Portland General Electric Co. 5pp. 85544:285-85544:305.

-9508210214 Notice of violation from insp on 950731-0810. Violation noted: Valve SF-34, identified in Procedure TPF 13-18 as valve required to be locked at all times, was found closed but not locked on 950808.
* Region 4 (Post 820201). 95/09/18. 2pp. 85544:290-85544:291.

-9508210219 Insp rept 50-344/95-06 on 950731-0810. Violations noted. Major areas inspected: operational safety verification as it relates to compliance w/TS & w/preparatory activities associated w/large component removal project.
CAIN, C.L. Region 4 (Post 820201). 95/09/12. 14pp. 85544:292-85544:305.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070217 Change C-2 to Rev 1 to HS-EP-02850, "Hazardous Chemical & Oil Spills."
O'CONNOR, W.J. Centenor Energy. 95/08/30. 58pp. 85395:144-85395:201.

9509140269 Responds to licensee responses re 940915 RAI concerning GL 92-08, "Thermo-Lag 330-1 Fire Barriers," concluding responses incomplete. Requests forwarding of RAI to licensee expeditiously for resolution of subj application at plant.
CALVO, J.A. 95/09/12. MARCUS, G.H. 3pp. 85472:250-85472:253.

9509290033 informs that info that could assist in efforts to protect plant against design-basis threat for sabotage, being provided to plant security manager, G Skeel & to be withheld from public disclosure, per 10CFR73.1(a).
GUNDRUM, L.L. 95/09/26. STETZ, J.P. Toledo Edison Co. STETZ, J.P. Centenor Service Co. 4pp. 85636:288-85636:291.

H. General correspondence

9509250109 informs that util must comply w/10CFR72.82(e) & file rept of preoperational test acceptance & test results. Rept must be filed at least 30 days prior to receipt of spent fuel at ISFSI.
HIRT, A. Affiliation Not Assigned. 95/09/02. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 85578:353-85578:355.

9509130094 Encourages NRC to consider all safety requirements concerning preoperational test acceptance criteria & test results re planned dry cask sys at Davis Besse (& Wisconsin Electric Power).
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. HANSEN, A.G. 2pp. 85474:223-85474:224.

9509250065 Requests NRC deny util request to skip 30 day preoperational test of NUHOMS 24 cask sys.
WASHINGTON, J.R. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 2pp. 85582:356-85582:358.

9509250076 Encourages staff to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 1p. 85600:356-85600:357.

9509250085 Encourages NRC to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85587:353-85587:354.

9509250064 Requests NRC deny util request to skip 30 day preoperational test of NUHOMS 24 cask.
CRAUTREZ, C. Affiliation Not Assigned. 95/09/07. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 85600:354-85600:355.

9509250061 Requests denial of util request to avoid 30 day preoperational test of NUHOMS 24 cask.
SHIH, M. Affiliation Not Assigned. 95/09/13. BOHRER, K. Office of Nuclear Material Safety & Safeguards. 2pp. 85599:358-85599:359.

9509250141 informs that J Bork extremely concerned about util request to skip required 30 day preoperational testing on NUHOMS 24 cask.
BORK, J. Affiliation Not Assigned. 95/09/25. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85578:351-85578:352.

P. Operating license stage documents & correspondence

9509080122 Forwards "USI A-40 Seismic Evaluation Rept" & "USI A-46 Relay Evaluation Rept," per GL 87-02 & confirms that no significant or programmatic deviations from GIP-2 guidance made during USI A-46 evaluation process. W/61 drawings.
STETZ, J.P. Centenor Energy. 95/08/29. Document Control Branch (Document Control Desk). 3pp. 85443:001-85443:061.

-9509080125 "USI A-46 Seismic Evaluation Rept." W/61 oversize drawings.
* Toledo Edison Co. 95/08/31. 216pp. 85443:004-85443:219.

-9509080127 "USI A-46 Relay Evaluation Rept."
* Toledo Edison Co. 95/08/31. 1,234pp. 85443:220-85443:361.

9509080228 Forwards amend 200 to license NPF-3 & safety evaluation. Amend revises TS 3/4.7.1.2, "Auxiliary Feedwater Sys." & related associated bases to provide addl clarity for action "a" & remove references to pressure indicators & readings.
GUNDRUM, L.L. 95/09/05. STETZ, J.P. Centenor Service Co. STETZ, J.P. Toledo Edison Co. 2pp. 85383:160-85383:174.

98 DOCKETED ITEMS

-9509060234 Amend 200 to license NPF-3, revising TS 3/4.7.1.2, "Auxiliary Feedwater Sys." to provide addl clarity for action "a" & remove references to pressure indicators & specific pressure readings.
GUNDRUM, L.L. 95/09/05. 3pp. 85383:163-85383:171.

-9509060235 Safety evaluation supporting amend 200 to license NPF-3.
95/09/05. 3pp. 85383:172-85383:174.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150145 Provides response to request for addl info on Individual Plant Exam Program for Davis-Besse Nuclear Power Station.
STETZ, J.P. Center Energy. 95/09/11. Document Control Branch (Document Control Desk). 7pp. 85507:191-85507:266.

9509140269 Responds to licensee responses re 940915 RAI concerning GL 92-06, "Thermo-Lag 330-1 Fire Barriers," concluding responses incomplete. Requests forwarding of RAI to licensee expeditiously for resolution of subj application at plant.
CALVO, J.A. 95/09/12. MARCUS, G.H. 3pp. 85472:250-85472:253.

9509180154 Withdraws request for enforcement discretion & associated license amend application. Licensee presently evaluating ultimate heat sink temp issue to determine feasibility of submitting permanent TS change.
STETZ, J.P. Center Energy. 95/09/12. Document Control Branch (Document Control Desk). 2pp. 85510:356-85510:357.

9509250029 Requests consent per 10CFR50.80 of pending merger & provides supplemental info for pending license amend application for license NPF-3.
STETZ, J.P. Center Energy. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85584:316-85584:317.

9505290052 Requests schedule exemption from submitting rept under 10CFR72.82(e) 30 days prior to fueling loading & proposes to submit rept three days prior to commencement of fuel loading. Supporting info listed.
STETZ, J.P. Center Energy. 95/09/22. Document Control Branch (Document Control Desk). 4pp. 85638:346-85638:349.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190126 Ack receipt of 950823 ltr informing NRC of steps taken to correct violations noted in insp rept 50-346/95-05 on 950728.
LANKSBURY, R.D. Region 3 (Post 820201). 95/09/08. STETZ, J.P. Toledo Edison Co. 2pp. 85504:118-85504:119.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.

R. Periodic operating reports & related correspondence

9509220280 Monthly operating rept for Aug 1995 for Davis-Besse Nuclear Power Station, Unit 1 W/950918 ltr.
WOLF, G.M., WOOD, J.K. Toledo Edison Co. 95/08/31. 6pp. 85589:355-85589:360.

9509250028 "Aug 1995 Wastewater Rept for Davis-Besse Nuclear Power Station." W/950911 ltr.
WOOD, J.K. Toledo Edison Co. 95/08/31. 7pp. 85584:318-85584:324.

V. Operator Examinations

9509250140 Submits comments on Rev 2 to Reg Guide 1.149, "NPP Simulation Facilities for Use in Operator License Exams."
STETZ, J.P. Center Energy. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85582:350-85582:351.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509210286 Responds to 950728 ltr asserting that plant should not have to comply w/ section 72.82(e) of Commission regulations re ISFSI storage requirements.
ROE, J.W. 95/09/19. STETZ, J.P. Toledo Edison Co. 7pp. 85561:303-85561:309.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509290018 Informs that info being provided to plant security managers that could assist in efforts to protect plant against design-basis threat for sabotage.
SIEGEL, B.L. 95/09/22. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 85636:297-85636:300.

P. Operating license stage documents & correspondence

9509060315 Advises that WCAP-13632, rev 2, "Elimination of Pressure Sensor Response Time Testing Requirements," will be withheld from public disclosure re 10CFR2.790, per 950802 request & 950802 affidavit by HA Sepp.
SIEGEL, B.L. 95/08/29. Westinghouse Electric Corp. 4pp. 85326:055-85326:058.

9509070255 Discusses 950828 meeting re work controls reengineering through addition of performance teams & info technology. List of attendees & handout encls.
CRILENJAK, R.V. Region 2 (Post 820201). 95/08/30. HAIRSTON, G. Georgia Power Co. 17pp. 85323:006-85323:022.

9509070267 Forwards request for addl info needed to make safety determination re review of human factors aspects of submittal entitled, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors."
SIEGEL, B.L. 95/09/05. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85325:165-85325:167.

9509110323 Forwards RAI re GL 95-03, "Circumferential Cracking of SG Tubes." Requests that response be provided within 30 days of receipt of ltr.
SIEGEL, B.L. 95/09/06. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 85388:195-85388:198.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9505110238 Informs that staff completed review of Westinghouse TR, WCAP-13632, Rev 2, "Elimination of Pressure Sensor Response Time Testing Requirements," dtd Aug 1995. Forwards staff SE.
SIEGEL, B.L. 95/09/08. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85385:321-85385:345.

-9509070068 Discusses results of review of Westinghouse Topical Rept WCAP-13632, Rev 2, "Elimination of Pressure Sensor Response Time Testing Requirements," dtd Aug 1995. Rept discusses Westinghouse Owners Group Program MUHP-3040, Rev 1.
BOGER, B.A. 95/09/05. NEWTON, R.A. Wisconsin Electric Power Co. 22pp. 85385:324-85385:345.

9509180162 Application for amend to license NPF-2 & NPF-8, eliminating periodic pressure sensor response time testing requirements.
MOREY, D. Southern Nuclear Operating Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85522:161-85522:163.

-9509180165 Proposed tech specs, eliminating periodic pressure sensor response time testing requirements.
Southern Nuclear Operating Co. 95/09/15. 2pp. 85522:162-85522:163.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070193 Ack receipt of 950815 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-11 & 50-364/95-11.
CHRISTENSEN, H. Region 2 (Post 820201). 95/08/25. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 85321:302-85321:303.

9509050278 Comment opposing review of revised NRC SALP.
MOREY, D. Southern Nuclear Operating Co. 95/08/28. Document Control Branch (Document Control Desk). 2pp. 85298:030-85298:031.

9509180300 Forwards insp repts 50-348/95-14 & 50-364/95-14 on 950717-0820. No violations or deviations identified.
CHRISTENSEN, H. Region 2 (Post 820201). 95/09/06. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85501:335-85501:356.

-9509180306 insp repts 50-348/95-14 & 50-364/95-14 on 950717-0820. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & technical support, general plant support.
ROSS, T.M., SCOTT, M.A., CHRISTENSEN, H. Region 2 (Post 820201). 95/09/06. 18pp. 85501:340-85501:356.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509150014 Responds to violations noted in insp repts 50-348/95-13 & 50-364/95-13. Corrective actions: DEI analysis performed on 950622 & results showed no evidence of iodine peaking.
MOREY, D. Southern Nuclear Operating Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85508:342-85508:345.

9509180352 Forwards insp repts 50-348/95-15 & 50-364/95-15 on 950814-18. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/09/11. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85502:326-85502:340.

9509180358 Insp repts 50-348/95-15 & 50-364/95-15 on 950814-18. No violations noted. Major areas inspected: licensee radiation protection program involving review of health physics activities.
LOO, W.T., PARKER, B.A., RANKIN, W.H. Region 2 (Post 820201). 95/09/11. 10pp. 85502:331-85502:340.

9509280185 Ack receipt of 950911 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-13 & 50-364/95-13.
CHRISTENSEN, H. Region 2 (Post 820201). 95/09/18. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 85613:197-85613:198.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180172 Monthly operating repts for Aug 1995 for JM Farley Nuclear Plant W/
950914 ltr.
ALLISON, S.M., MOREY, D. Southern Nuclear Operating Co. 95/08/31. 9pp. 85523:087-85523:095.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9508020209 Forwards 950717 ltr from JE Lamb which transmits FEMA region III rept for 930929 exercise.
JOYNER, J.H. Region 1 (Post 820201). 95/07/27. SMITH, D.M. Federal Emergency Management Agency. 3pp. 85548:001-85548:270.

9508020214 Forwards final rept for plant radiological EP exercise conducted on 930929.
LAMB, J.E. Federal Emergency Management Agency. 95/07/17. SMITH, D.M. Region 1 (Post 820201). 1p. 85548:004-85548:004.

9507130178 FEMA final rept for 930929. "Full Participation Exercise of Offsite Radiological Emergency Response Plans for Plant."
* Federal Emergency Management Agency. 95/06/02. 266pp. 85548:005-85548:270.

9509060163 Advises that 950518 Issue 2, Rev 4 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
JOYNER, J.H. Region 1 (Post 820201). 95/08/15. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85326:351-85326:353.

9509120061 Rev 17 to Emergency Response Procedure (ERP) ERP-300, "TSC/ MCR Dose Assessment Team." W/950901 ltr.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/01. 24pp. 85435:197-85435:220.

9509200149 Informs that licensee responses to request for add'l info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO, J.A. 95/09/15. STOLZ, J.F. 4pp. 85540:356-85540:360.

P. Operating license stage documents & correspondence

9509130067 Forwards SEs which concludes that analyses in GE topical rept NEDO-32205 applicable to plants reactor vessels & reactor vessels will provide margins of safety against fracture equivalent to App G of ASME & Pressure Vessel Code.
STOLZ, J.F. 95/09/07. HUNGER, G. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85423:069-85423:077.

9509130079 SE concluding that conclusions of topical rept applicable to plant reactor vessels & that reactor vessels satisfy criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423:076-85423:077.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509220064 Application for amends to licenses NPF-39 & NPF-85, revising TS to remove secondary containment isolation valve tables.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85568:341-85568:360.

9509220066 Proposed tech specs, removing secondary containment isolation valve tables.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/14. 15pp. 85568:346-85568:360.

9509200149 Informs that licensee responses to request for add'l info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO, J.A. 95/09/15. STOLZ, J.F. 4pp. 85540:356-85540:360.

9509220106 TS Change Request 95-01-0 to licenses NPF-39 & NPF-85, revising TS Table 4.3.1.1-1, "RPS instrumentation SRs" to reflect change in calibr frequency for LPRM signal from every 1,000 EFPH to every 2,000 megawatt days per std ton.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/18. Document Control Branch (Document Control Desk). 9pp. 85570:281-85570:294.

9509220110 Proposed TS Table 4.3.1.1-1, "RPS instrumentation SRs" & TS Bases 3/4.3.1, changing calibr frequency for LPRM signal from every 1,000 EFPH to every 2,000 megawatt days per std ton.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/18. 5pp. 85570:290-85570:294.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509110179 Forwards response to NRC 950807 ltr re violations noted in insp repts 50-352/95-10 & 50-353/95-10 on 950523-0716. Corrective actions: increased surveillance of tools at tool rooms.
MACFARLAND, W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/05. Document Control Branch (Document Control Desk). 5pp. 85457:339-85457:343.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180196 Forwards exam repts 50-352/95-13OL & 50-353/95-13OL on 950807-09 Three candidates passed exams.
MEYER, G.W. Region 1 (Post 820201). 95/09/11. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85500:184-85500:252.

9509180202 Exam repts 50-352/95-13-OL & 50-353/95-13OL on 950807-09. Exams results: all applicants passed exams.
SISCO, C.E., MEYER, G.W. Region 1 (Post 820201). 95/09/07. 71pp. 85500:186-85500:252.

9509180328 Informs NRC of util plans to defer turbine rotor insps on LGS Unit 1 main turbine from LGS Unit 1 sixth refueling outage scheduled to begin in Jan 1996 until LGS Unit 1 seventh refueling outage planned for 1998.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/11. Document Control Branch (Document Control Desk). 3pp. 85523:176-85523:178.

9509260189 Ack receipt of 950905 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/95-10 & 50-353/95-10.
ANDERSON, C.J. Region 1 (Post 820201). 95/09/14. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85570:059-85570:065.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509290131 Suppl info supporting basis for continued use of 1986 Edition of ASME Section XI Code requirements. Synopsis of ASME Section XI programs applicable to second insp interval provided in Encl 1.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/25. Document Control Branch (Document Control Desk). 17pp. 85648:314-85648:330.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

100 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

- 9509050105** Forwards performance data for FFD program for Jan-June 1995, per 10CFR26.71(d).
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/28. Document Control Branch (Document Control Desk). 19pp. 85347-339-85347-357.
- 9509190241** Monthly operating repts for Aug 1995 for Limerick Nuclear Generating Station W/950914 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/31. 10pp. 85530-290-85530-300.

S. Reportable occurrences, LERs & related correspondence

- 9509010005** Forwards LER 95-004 reporting inadvertent actuation of Unit 1.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. Document Control Branch (Document Control Desk). 1p. 85315-124-85315-129.
- 9509010006** LER 95-004-00 on 950728, actuations of Units 1 & 2 PCRVICS resulted from blown fuse when I&C Technician inadvertently grounded starter screwdriver. Performed review of appropriate I&C ST procedures to identify physical mods.
KANTNER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. 5pp. 85315-125-85315-129.
- 9509150184** PNC-i-95-035 on 950911, main steam sys safety relief valve failed to close resulting in plant shut down & depressurization. SRV M scheduled to be replaced.
ANDERSON,C. Region 1 (Post 820201). 95/09/14. 2pp. 85518-315-85518-316.
- 9509290002** LER 95-005-00 on 950827, RCIC sys isolation occurred due to water flow transient in RCIC steam supply line. Caused by lack of procedural guidance. Appropriate sys procedures will be developed for RCIC, HPCI & main steam sys. W/950926 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/26. 4pp. 85683-261-85683-264.

V. Operator Examinations

- 9509050218** Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Supp 1, "Operator Licensing Examiner Stds" & NUREG/BR-0122, Rev 5 to prepare written & operating tests.
MEYER,G.W. Region 1 (Post 820201). 95/08/21. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 1p. 85297-202-85297-202.
- 9509110230** Informs of individual exam results for applicants on initial exam conducted on 950807-10. W/ES-501-2. Power Plant Licensing Exam Results Summary & individual results ES-303-1 & 303-2 Operator License Exam repts.
MEYER,G.M. Region 1 (Post 820201). 95/09/07. DOUGHERTY,T. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85344-098-85344-099.
- 9509180196** Forwards exam repts 50-352/95-13OL & 50-353/95-13OL on 950807-09. Three candidates passed exams.
MEYER,G.W. Region 1 (Post 820201). 95/09/11. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85500-184-85500-252.
- 9509180202** Exam repts 50-352/95-13OL & 50-353/95-13OL on 950807-09. Exams results: all applicants passed exams.
SISCO,C.E., MEYER,G.W. Region 1 (Post 820201). 95/09/07. 71pp. 85500-186-85500-252.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9508020209** Forwards 950717 ltr from JE Lamb which transmits FEMA region III rept for 930929 exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/07/27. SMITH,D.M. Federal Emergency Management Agency. 3pp. 85548-001-85548-270.
- 9508020214** Forwards final rept for plant radiological EP exercise conducted on 930929.
LAMB,J.E. Federal Emergency Management Agency. 95/07/17. SMITH,D.M. Region 1 (Post 820201). 1p. 85548-004-85548-004.
- 9507130178** FEMA final rept for 930929. "Full Participation Exercise of Offsite Radiological Emergency Response Plans for Plant."
* Federal Emergency Management Agency. 95/06/02. 266pp. 85548-005-85548-270.
- 9509060183** Advises that 950518 Issue 2, Rev 4 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
JOYNER,J.H. Region 1 (Post 820201). 95/08/15. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85326-351-85326-353.
- 9509120061** Rev 17 to Emergency Response Procedure (ERP) ERP-300. "TSC/ MCR Dose Assessment Team." W/950901 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/01. 24pp. 85435-197-85435-220.
- 9509200149** Informs that licensee responses to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. STOLZ,J.F. 4pp. 85540-356-85540-360.

P. Operating license stage documents & correspondence

- 9509130067** Forwards SEs which concludes that analyses in GE topical rept NEDO-32205 applicable to plants reactor vessels & reactor vessels will provide margins of safety against fracture equivalent to App G of ASME & Pressure Vessel Code.
STOLZ,J.F. 95/09/07. HUNGER,G. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85423-069-85423-077.
- 9509130079** SE concluding that conclusions of topical rept applicable to plant reactor vessels & that reactor vessels safety criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423-076-85423-077.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509220064 Application for amends to licenses NPF-39 & NPF-85, revising TS to remove secondary containment isolation valve tables.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85568-341-85568-360.

-**9509220068** Proposed tech specs removing secondary containment isolation valve tables.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/14. 15pp. 85568-346-85568-360.

9509200149 Informs that licensee responses to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. STOLZ,J.F. 4pp. 85540-356-85540-360.

9509220108 TS Change Request 95-01-0 to licenses NPF-39 & NPF-85, revising TS Table 4.3.1.1-1, "RPS instrumentation SRs" to reflect change in calibr frequency for LPRM signal from every 1,000 EFPH to every 2,000 megawatt days per std ton.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/18. Document Control Branch (Document Control Desk). 9pp. 85570-281-85570-294.

-**9509220110** Proposed TS Table 4.3.1.1-1, "RPS instrumentation SRs" & TS Bases 3/4.3.1, changing calibr frequency for LPRM signal from every 1,000 EFPH to every 2,000 megawatt days per std ton.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/18. 5pp. 85570-290-85570-294.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 8PP. 85627-337-85627-342.

9509110179 Forwards response to NRC 950807 ltr re violations noted in insp repts 50-352/95-10 & 50-353/95-10 on 950523-0718. Corrective actions: increased surveillance of tools at tool rooms.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/05. Document Control Branch (Document Control Desk). 5pp. 85457-339-85457-343.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509180196 Forwards exam repts 50-352/95-13OL & 50-353/95-13OL on 950807-09. Three candidates passed exams.
MEYER,G.W. Region 1 (Post 820201). 95/09/11. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85500-184-85500-252.

-**9509180202** Exam repts 50-352/95-13OL & 50-353/95-13OL on 950807-09. Exams results: all applicants passed exams.
SISCO,C.E. Region 1 (Post 820201). 95/09/07. 71pp. 85500-186-85500-252.

9509260189 Ack receipt of 950905 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/95-10 & 50-353/95-10.
ANDERSON,C.J. Region 1 (Post 820201). 95/09/14. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85570-059-85570-065.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509290131 Suppl info supporting basis for continued use of 1986 Edition of ASME Section XI Code requirements. Synopsis of ASME Section XI programs applicable to second insv interval provided in Encl 1.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/25. Document Control Branch (Document Control Desk). 17pp. 85648-314-85648-330.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

- 9509050105** Forwards performance data for FFD program for Jan-June 1995, per 10CFR26.71(d).
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/28. Document Control Branch (Document Control Desk). 19pp. 85347:339-85347:357.
- 9509190241** Monthly operating reports for Aug 1995 for Limerick Nuclear Generating Station W/950914 Itr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/08/31. 19pp. 85530:290-85530:300.

S. Reportable occurrences, LERs & related correspondence

- 9509120339** LER 95-008-00 on 950806, automatic reactor scram occurred due to high RV water level main turbine trip. Caused by momentary loss of power to FW control sys. Detailed check of all terminal connections performed.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/07. 7pp. 85472:071-85472:077.
- 9509150033** Forwards LER 95-009 concerning pressure setpoint drift of MSS SRV due to corrosion induced bonding within valves.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/09. Document Control Branch (Document Control Desk). 1p. 85518:270-85518:276.
- 9509150035** LER 95-009-00 on 950810, corrosion induced bonding resulted in SRV setpoint drift. Installed 7 similar SRVs during next Unit 1 refueling outage in 1996.
KANTNER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/09. 6pp. 85518:271-85518:276.
- 9509260086** LER 95-010-00 on 950820, reactor scram resulted from high RV pressure signal caused by malfunctioning relay associated w/electrohydraulic control sys. Replaced KT106 relay boards for Units 1 & 2 ECS sys. W/950919 Itr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/19. 6pp. 85619:089-85619:094.

V. Operator Examinations

- 9509050218** Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Supp 1, "Operator Licensing Examiner Stds" & NUREG/BR-0122, Rev 5 to prepare written & operating tests.
MEYER,G.W. Region 1 (Post 820201). 95/08/21. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 1p. 85297:202-85297:202.
- 9509110230** Informs of individual exam results for applicants on initial exam conducted on 950807-10 W/ES-501-2, Power Plant Licensing Exam Results Summary & individual results ES-303-1 & 303-2 Operator License Exam rept.
MEYER,G.W. Region 1 (Post 820201). 95/09/07. DOUGHERTY,T. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85344:096-85344:099.
- 9509180196** Forwards exam repts 50-352/95-13OL & 50-353/95-13OL on 950807-09 Three candidates passed exams.
MEYER,G.W. Region 1 (Post 820201). 95/09/11. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 85500:104-85500:105.
- 9509180202** Exam repts 50-352/95-13-OL & 50-353/95-13OL on 950807-09. Exams results all applicants passed exams.
SISCO,C.E., MEYER,G.W. Region 1 (Post 820201). 95/09/07. 71pp. 85500:186-85500:252.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9509120292** Revised EPIPs, including Rev 43 to table of contents, Rev 23 to event classification guide, Rev 37 to signature page, Rev 3 to event classification introduction, Rev 4 to event classification cross ref & Rev 8 to cross ref.
* Public Service Electric & Gas Co. of New Jersey. 95/08/23. 62pp. 85439:277-85439:338.
- 9509260095** Forwards insp rept 50-354/95-11 on 950709-0811 & notice of violation. NRC concerned that violations may indicate weakness in controls for establishing & implementing appropriate test procedures.
WHITE,J.R. Region 1 (Post 820201). 95/09/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85569:306-85569:358.
- 9509260108** Insp rept 50-354/95-11 on 950708-0811. Violations noted. Major areas inspected: operations, radiological controls, maintenance, surveillance testing, emergency preparedness & security.
WHITE,J.R. Region 1 (Post 820201). 95/09/19. 41pp. 85569:314-85569:358.
- 9509270047** Rev 8 to Artificial Island emergency plan attachments.
* Public Service Electric & Gas Co. of New Jersey. 95/09/22. 220pp. 85634:001-85634:220.

F. Operating license stage documents & correspondence

- 9509050176** Provides suppl info to amend request LCR 94-01 transmitted via 940331 Itr, proposing AOT for HPCI & one low pressure ECCS injection/spray subsystem.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85345:348-85345:349.
- 9509070213** Submits two minor changes to request for amend LCR 83-12 involving TS 4.8.2.1 & TS Table 4.8.2.1-1 re battery SRs.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:341-85415:343.
- 9509120060** Submits suppl info re amend request involving elimination of selected response time testing requirements from TS.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85435:187-85435:188.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509200103 Discusses application for amend to License NPF-57, revising TS Section 3/4.6.1.8 drywell & suppression chamber purge sys & associated bases.
TOSCH,K. New Jersey, State of. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85543:331-85543:333.

9509140202 Forwards amend 78 to license NPF-57 & safety evaluation. Amend revises TS Table 4.3.6-1, "Control Rod Block Instrumentation Surveillance Requirements."
JAFFE,D.H. 95/09/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85474:312-85474:320.

9509140205 Amend 78 to license NPF-57, revising TS Table 4.3.6-1, "Control Rod Block Instrumentation Surveillance Requirements."
STOLZ,J.F. 95/09/12. 4pp. 85474:315-85474:318.

9509140207 Safety evaluation supporting amend 78 to license NPF-57.
* 95/09/12. 2pp. 85474:319-85474:320.

9509190318 Forwards safety evaluation of BWR hydrogen water chemistry sys. NRC has no objections to LOX storage tank. Licensee should provide plan & schedule, within 90 days following receipt of Itr to provide restraints for tube trailer.
STOLZ,J.F. 95/09/14. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85523:335-85523:343.

9509190332 Safety evaluation re permanent hydrogen & oxygen storage facilities.
* 95/09/14. 5pp. 85523:339-85523:343.

9509190368 Forwards amend 79 to license NPF-57 & safety evaluation. Amend revises TS Section 3.8.1.1 & TS Section 3.8.2 & associated Bases to increase required quantity of fuel in EDG Fuel Oil Day Tanks from 200 to 360 gallons.
JAFFE,D.H. 95/09/15. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 85525:180-85525:190.

9509190374 Amend 78 to license NPF-57, revising TS Section 3.8.1.1, TS Section 3.8.1.2 & associated Bases to increase required quantity of fuel in EDG Fuel Oil Day Tanks from 200 to 360 gallons.
STOLZ,J.F. 95/09/15. 6pp. 85525:183-85525:188.

9509190377 Safety evaluation supporting amend 79 to license NPF-57.
* 95/09/15. 2pp. 85525:189-85525:190.

9509250135 Informs that process used to store plant records on optical disks was reviewed & found to meet intent of guidance & quality controls specified in GL 88-18.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85582:352-85582:353.

9509250355 Forwards amend 80 to license NPF-57 & safety evaluation. Amend changes TS 4.1.3.1.2.b, "Control Rods - SR" to require that action be taken when control rod becomes immovable due to excessive friction from "at least once per" 24 h.
JAFFE,D.E. 95/09/20. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85578:240-85578:248.

9509250365 Amend 80 to license NPF-57, changing TS 4.1.3.1.2.b, "Control Rods SR" to require that action be taken when control rod becomes immovable due to excessive friction from "at least once per" 24 h to "within" 24 h.
STOLZ,J.F. 95/09/20. 4pp. 85578:243-85578:246.

9509250372 Safety evaluation supporting amend 80 to license NPF-57.
* 95/09/20. 2pp. 85578:247-85578:248.

9509270233 Forwards amend 81 to license NPF-57 & safety evaluation. Amend changes TS 3/4.3.8, "Turbine Overspeed Protection Sys." & removes requirements from TS & relocates bases to plant UFSAR.
JAFFE,D.H. 95/09/25. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85612:330-85612:345.

9509270237 Amend 81 to license NPF-57, changing TS 3/4.3.8, "Turbine Overspeed Protection Sys." removing requirements from TS & relocates bases to plant UFSAR & surveillance requirements to applicable surveillance procedures.
STOLZ,J.F. 95/09/25. 8pp. 85612:333-85612:340.

9509270239 Safety evaluation supporting amend 81 to license NPF-57.
* 95/09/25. 5pp. 85612:341-85612:345.

9509280301 Forwards amend 82 to license NPF-57 & safety evaluation. Amend removes requirements from TS Sections 3/4.3.7.2 & 3/4.3.7.3 & relocates appropriate descriptive info & testing requirements to Hope Creek UFSAR.
JAFFE,D.H. 95/09/25. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85631:183-85631:198.

9509280307 Amend 82 to license NPF-57, removing requirements from TS Sections 3/4.3.7.2 & 3/4.3.7.3 & relocating appropriate descriptive info & testing requirements to Hope Creek UFSAR.
STOLZ,J.F. 95/09/25. 9pp. 85631:186-85631:194.

9509280310 Safety evaluation supporting amend 82 to license NPF-57.
* 95/09/25. 4pp. 85631:195-85631:198.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

102 DOCKETED ITEMS

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190020 Responds to violations noted in insp rept 50-354/95-10. Corrective actions:all affected valves being modified to utilize mechanical stop to prevent piston in actuator from travelling further into seat than necessary. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/11. Document Control Branch (Document Control Desk). 16pp. 85535:285-85535:300.

9509210106 Provides update on status of response to violations noted in Insp Rept 50-354/95-05 Corrective actions:radwaste sys functional review has been completed. STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/15. Document Control Branch (Document Control Desk). 4pp. 85568:330-85568:333.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509260095 Forwards insp rept 50-354/95-11 on 950709-0811 & notice of violation.NRC concerned that violations may indicate weakness in controls for establishing & implementing appropriate test procedures. WHITE,J.R. Region 1 (Post 820201). 95/09/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85569:308-85569:358.

9509260102 Notice of violation from insp on 950709-0811 Violation noted:950713-20 surveillance requirements not performed within specified interval. * Region 1 (Post 820201). 95/09/19. 2pp. 85569:312-85569:313.

9509260108 Insp rept 50-354/95-11 on 950708-0811.Violations noted. Major areas inspected:operations,radiological controls, maintenance,surveillance testing,emergency preparedness & security. WHITE,J.R. Region 1 (Post 820201). 95/09/19. 41pp. 85569:314-85569:358.

9509260191 Forwards notice of violation from investigation rept 1-94-048 on 941011 & OI synopsis. MARTIN,T.T. Region 1 (Post 820201). 95/09/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 85570:066-85570:073.

9509260199 Notice of violation from investigation rept on 941011. Violations noted:no SRC in control room on 920603 from 1:38 pm until 1:41 pm,while reactor in Operational Condition 1. * Region 1 (Post 820201). 95/09/19. 3pp. 85570:071-85570:073.

9509260232 Forwards NOV re NRC investigation Rept 1-94-048 concerning 920603 incident involving licensee failure to have SRC in control room for listed time while reactor in Operational Condition 1. MARTIN,T.T. Region 1 (Post 820201). 95/09/19. WAGNER,L.M. Affiliation Not Assigned. 4pp. 85570:246-85570:259.

9509260239 Notice of violation re investigation rept 1-94-048 conducted in 1994 & 1995.Violation noted:failure of licensee to have SRC in control room for listed time while reactor in Operational Condition 1. * Region 1 (Post 820201). 95/09/19. 2pp. 85570:250-85570:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509250362 Requests approval to use ASME Code Case N498-2 in Salem & in-service insp program.Detailed discussion of requests provided in Attachment 1. SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/09/20. Document Control Branch (Document Control Desk). 13pp. 85602:347-85602:359.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190245 Monthly operating rept for Aug 1995 for Hope Creek Station. W/950912 ltr. LYONS,D.W., REDDEMAN,M. Public Service Electric & Gas Co. of New Jersey. 95/08/31. 13pp. 85524:251-85524:263.

9509290037 NPDES discharge monitoring rept for Hope Creek Generating Station for Aug 1995 W/950922 ltr. REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/08/31. CORPORALE,G. New Jersey, State of. 20pp. 85639:339-85639:358.

S. Reportable occurrences, LERs & related correspondence

9509110006 LER 95-003-01 on 9.0803,failed to perform surveillance in operational condition specified in TS due to inadequate test procedure.Revised Procedure HC.OP-ST.BH-004 to state proper operating condition W/950901 ltr. HANSON,H., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/09/02. 5pp. 85435:097-85435:101.

9509150083 LER 94-013-02 on 940916,condition was prohibited by plant TS & noncompliance w/shift manning requirement of TS 0.2.2.a shift requirements due to personnel error.Performed administrative procedure changes W/950907 ltr. O'MALLEY,W.P., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/09/06. 9pp. 85518:306-85518:314.

9509220010 Summary of operating reactors events meeting 95-11 on 950913. CHAFFEE,A.E. 95/09/18. CRUTCHFIELD,D. 29pp. 85576:324-85576:352.

V. Operator Examinations

9509190078 Confirms telcon on 950906 between C Sisco & C Bauer re arrangements made for administration of licensing exam at facility.Exams & operating tests scheduled for wk of 951218. MEYER,G.W. Region 1 (Post 820201). 95/09/07. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85503:270-85503:272.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509080290 Revised "Interjurisdictional Policy for Emergency at SONGS" to offsite emergency response plan. * Southern California Edison Co. 95/07/31. 142pp. 85334:121-85334:262.

9509060294 Revised "County of Orange NPP Emergency Plan for SONGS." * Orange County, CA. 95/07/31. 614pp. 85380:001-85381:250.

9509220127 "City of Dana Point Emergency Plan." * Southern California Edison Co. 95/07/31. 85pp. 85577:168-85577:251.

9509120300 "City of San Juan Capistrano Emergency Response Plan." JONES,G., JULIAN,S.B. San Juan Capistrano, CA. 95/08/31. 282pp. 85469:021-85469:302.

9509120032 Rev 6.2 to emergency plan for San Onofre Nuclear Generating Station Units 1,2 & 3 W/950906 ltr. MARSH,W.C. Southern California Edison Co. 95/09/06. 24pp. 85433:333-85433:356.

9509140120 Forwards ERDS implementation documents & data point library updates.W/o encls. JOLICOEUR,J.R. Incident Response Branch. 95/09/07. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85439:349-85439:349.

9509130044 Informs NRC of changes made to ERDS at SONGS Units 2 & 3. ERDS changes for SONGS Units 2 & 3 encl. MARSH,W.C. Southern California Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 7pp. 85474:166-85474:172.

9509150074 Revised City of Dana Point emergency plan. * Southern California Edison Co. 95/09/08. 100pp. 85520:174-85520:300.

9509140028 Ack receipt of 950811 & 14 ltrs which forward scenario package & corrected plant data pages for San Onofre emergency plan exercise scheduled for 951011.NRC agrees on exercise objectives. SCARANO,R.A. Region 4 (Post 820201). 95/09/11. RAY,H.B. Southern California Edison Co. 4pp. 85428:069-85428:077.

9509140034 Forwards scenario & data for plant annual emergency plan exercise scheduled for 951011.W/o encl. ZINTL,W. Southern California Edison Co. 95/08/11. Document Control Branch (Document Control Desk). 1p. 85428:073-85428:076.

9509140037 Advises of error found in ltr dtd 950811 which transmitted scenario & data for plant annual emergency plan exercise scheduled for 951011. ZINTL,W. Southern California Edison Co. 95/08/14. Document Control Branch (Document Control Desk). 1p. 85428:077-85428:077.

9509260270 Forwards rev 15 to Aug 1989. "Safeguards Contingency Plan, SONGS,Units 1,2 & 3." per 10CFR50.54(p)(2).Encl Withheld. KRIEGER,R.W. Southern California Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85600:281-85600:282.

9509220104 Responds to NRC 950824 ltr re violations noted in insp repts 50-361/95-15 & 50-362/95-15 on 950717-21 Corrective actions: events logged in Reportability Disposition Sheet book maintained adjacent to safeguards event log. ROSENBLUM,R.M. Southern California Edison Co. 95/09/18. Document Control Branch (Document Control Desk). 3pp. 85564:325-85564:327.

9509270250 Rev 6.2 to SONGS Emergency Plan. * Southern California Edison Co. 95/09/18. 6pp. 85624:345-85624:350.

9509270265 Forwards Rev 47 to physical security plan for Units 1,2 & 3. Rev withheld. KRIEGER,R.W. Southern California Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85631:231-85631:231.

9509290139 Revised EIPs,including Temporary Change Notice 2-1 to Rev 2 to SO123-VIII-70.2, "EOF Administrative Coordinator Duties" & Temporary Change Notice 2-1 to Rev 2 to SO123-VIII-90.2, "EOF Corporate Communications." W/950922 ltr. MARSH,W.C. Southern California Edison Co. 95/09/22. 23pp. 85644:309-85644:331.

G. Adjudicatory correspondence

9509080064 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision (DD-95-14) in listed dockets has expired. W/ Certificate of Svc.Served on 950829. BATES,A.L. Office of the Secretary of the Commission. #395 17052. 95/08/29. DEAN,R.M. Affiliation Not Assigned. 2pp. 85324:035-85324:036.

H. General correspondence

9509150169 Informs that SONGS Unit 2 & Unit 3 pressurizers to be undersized,based on discussions w/senior SONGS Operations personnel & engineering staff members. MILLS,G.R. Affiliation Not Assigned. 95/08/18. WILLIAMS,D. Office of the Inspector General (Post 890417). 1p. 85487:251-85487:251.

P. Operating license stage documents & correspondence

- 9509190011** Requests for info re computer software that could be used at facility within 60 days of receipt of ltr.
FIELDS,M.B. 95/08/01. RAY,H.B. Southern California Edison Co. 4pp. 85525:136-85525:139.
- 9509060348** Forwards amends 124 & 113 to licenses NPF-10 & NPF-15 & SE. Amends revise LHR limit from 13.9 to 13.0 kw/ft in TS 3/4.2.1. "LHR."
FIELDS,M.B. 95/08/23. RAY,H.B. Southern California Edison Co. 4pp. 85323:333-85323:354.
- 9509060350** Amends 124 & 113 to licenses NPF-10 & NPF-15, respectively, revising LHR limit from 13.9 to 13.0 kw/ft in TS 3/4.2.1. "LHR."
FIELDS,M.B. 95/08/23. 14pp. 85323:337-85323:351.
- 9509060354** Safety evaluation supporting amends 124 & 113 to licenses NPF-10 & NPF-15, respectively.
* 95/08/23. 3pp. 85323:352-85323:354.
- 9509270160** Informs that TIA re planning & scheduling maint activities during shutdown operations no longer requires response & is withdrawn.
GWYNN,T.P. Region 4 (Post 820201). 95/08/24. ADENSAM,E.G. 1p. 85612:356-85612:356.
- 9509110082** Notification of 950926 meeting w/ util in Rockville, MD to discuss licensee proposed amend to TS to allow implementation of mods to containment area radiation area radiation monitors.
THOMAS,K.M. 95/08/31. BATEMAN,W.H. 4pp. 85426:168-85426:171.
- 9509060235** Discusses 950623 meeting re licensee actions in response to WKM valve problems & root-cause analysis of RCP baffle bolt failures.
GWYNN,T.P. Region 4 (Post 820201). 95/09/01. RAY,H.B. Southern California Edison Co. 21pp. 85312:186-85312:206.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509200254** Forwards amends 124 & 114 to licenses NPF-10 & NPF-15 & SE. Amends revise TS & corresponding Bases to support addition of CCW surge tank backup N supply sys.
FIELDS,M.B. 95/09/13. RAY,H.B. Southern California Edison Co. 4pp. 85543:201-85543:221.
- 9509200262** Amends 125 & 114 to licenses NPF-10 & NPF-15, respectively, revising TS & corresponding Bases to support addition of CCW surge tank backup N supply sys.
FIELDS,M.B. 95/09/13. 14pp. 85543:205-85543:218.
- 9508200264** Safety evaluation supporting amends 125 & 114 to licenses NPF-10 & NPF-15, respectively.
* 95/09/13. 3pp. 85543:219-85543:221.
- 9509270015** Provides info to be added to UFSAR, Rev 11 in response to latest review & comments on proposed change number 299 by OGC.
MARSH,W.C. Southern California Edison Co. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85612:359-85612:360.
- 9509280069** Responds to final draft of NRC SER on LAR PCN-209, informing that util in agreement w/ draft SER w/ incorporation of comment discussed during 950907 meeting. Schedule for implementation phase of program listed.
MARSH,W.C. Southern California Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 2pp. 85647:319-85647:320.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.
- 9509060229** Ack receipt of 950711 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/95-04 & 50-362/95-04 Violation B still appropriate as stated in 950607 NOV based on recent finding.
PERKINS,K.E. Walnut Creek Field Otc, R4 (Post 940404). 95/08/15. RAY,H.B. Southern California Edison Co. 3pp. 85312:148-85312:149.
- 9509070072** Comment on review of revised NRC SALP program. Recommends that SALP assessment process either be abandoned or justified as within authority of NRC through appropriate rulemaking.
RAY,H.B. Southern California Edison Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 85321:006-85321:011.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509210230** Forwards insp repts 50-361/95-18 & 50-362/95-18 on 950821-25. No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/18. RAY,H.B. Southern California Edison Co. 4pp. 85545:001-85545:019.
- 9509210235** Insp repts 50-361/95-18 & 50-362/95-18 on 950821-25. No violations noted. Major areas inspected: radiation protection programs w/ particular emphasis on activities associated w/ Unit 3 refueling outage.
MURRAY,B. Region 4 (Post 820201). 95/09/13. 15pp. 85545:005-85545:019.

- 9509220104** Responds to NRC 950824 ltr re violations noted in insp repts 50-361/95-15 & 50-362/95-15 on 950717-21. Corrective actions: events logged in Reportability Disposition Sheet book maintained adjacent to safeguards event log.
ROSENBLUM,R.M. Southern California Edison Co. 95/09/18. Document Control Branch (Document Control Desk). 3pp. 85564:325-85564:327.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509280330** Provides addl info re NRC comments documented in Insp Repts 50-361/95-13 & 50-362/95-13, relating to GL 89-10.
ROSENBLUM,R.M. Southern California Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85655:359-85655:361.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509270016** Forwards insp repts 50-361/95-16 & 50-362/95-16 on 950716-0826. No violations noted.
DYER,J.E. Region 4 (Post 820201). 95/09/22. RAY,H.B. Southern California Edison Co. 5pp. 85588:026-85588:054.
- 9509270018** Insp repts 50-361/95-16 & 50-362/95-16 on 950726-0826. No violations noted. Major areas inspected: operational safety verification, maint & surveillance observations, engineering & plant support.
HUEY,F.R. Region 4 (Post 820201). 95/09/22. 24pp. 85588:031-85588:054.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

- 9509290027** Monthly operating repts for Aug 1995 for San Onofre Nuclear Generating Station W/950914 ltr.
KAPLAN,R.L. MARSH,W.C. Southern California Edison Co. 95/08/31. 13pp. 85638:333-85638:345.

S. Reportable occurrences, LERs & related correspondence

- 9509200061** Forwards LER 95-014 re occurrence involving missed TS surveillance.
KRIEGER,R.W. Southern California Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85547:193-85547:197.
- 9509200077** LER 95-014-00 on 950813, TS surveillance was missed due to lack of alarm. Returned control of breaker to automatic on 950613.
KRIEGER,R.W. Southern California Edison Co. 95/09/15. 4pp. 85547:194-85547:197.
- 9509290020** LER 95-015-00 on 950822, determined RCS LDS inoperable for about 31 h due to containment atmosphere particulate RMs filter paper supply roll being inadvertently installed upside down. Paper for monitors corrected W/950920 ltr.
KRIEGER,R.W. Southern California Edison Co. 95/09/20. 2pp. 85645:231-85645:232.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

- 9509060290** Revised "Interjurisdictional Policy for Emergency at SONGS" to offsite emergency response plan.
* Southern California Edison Co. 95/07/31. 142pp. 85334:121-85334:262.
- 9509060294** Revised "County of Orange NPP Emergency Plan for SONGS."
* Orange County, CA. 95/07/31. 614pp. 85380:001-85381:250.
- 9509220127** "City of Dana Point Emergency Plan."
* Southern California Edison Co. 95/07/31. 85pp. 85577:168-85577:251.
- 9509120300** "City of San Juan Capistrano Emergency Response Plan."
JONES,G. JULIAN,S.B. San Juan Capistrano, CA. 95/08/31. 282pp. 85469:021-85469:302.
- 9509120032** Rev 6.2 to emergency plan for San Onofre Nuclear Generating Station Units 1,2 & 3 W/950906 ltr.
MARSH,W.C. Southern California Edison Co. 95/09/06. 24pp. 85433:333-85433:356.
- 9509140120** Forwards ERDS implementation documents & data point library updates W/o encls.
JULICOEUR,J.R. Incident Response Branch. 95/09/07. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85439:349-85439:349.
- 9509130044** Informs NRC of changes made to ERDS at SONGS Units 2 & 3. ERDS changes for SONGS Units 2 & 3 encl.
MARSH,W.C. Southern California Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 7pp. 85474:166-85474:172.
- 9509150074** Revised City of Dana Point emergency plan.
* Southern California Edison Co. 95/09/08. 100pp. 85520:174-85520:300.

104 DOCKETED ITEMS

9509140028 Ack receipt of 950811 & 14 ltrs which forward scenario package & corrected plant data pages for San Onofre emergency plan exercise scheduled for 951011. NRC agrees on exercise objectives.
SCARANO, R.A. Region 4 (Post 820201). 95/09/11. RAY, H.B. Southern California Edison Co. App. 85428:069-85428:077.

-9509140034 Forwards scenario & data for plant annual emergency plan exercise scheduled for 951011 W/o encl.
ZINTL, W. Southern California Edison Co. 95/08/11. Document Control Branch (Document Control Desk). 1p. 85428:073-85428:076.

-9509140037 Advises of error found in ltr dtd 950811 which transmitted scenario & data for plant annual emergency plan exercise scheduled for 951011.
ZINTL, W. Southern California Edison Co. 95/08/14. Document Control Branch (Document Control Desk). 1p. 85428:077-85428:077.

9509260270 Forwards rev 15 to Aug 1983, "Safeguards Contingency Plan, SONGS Units 1, 2 & 3," per 10CFR50.54(p)(2). Encl Withheld.
KRIEGER, R.W. Southern California Edison Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85600:281-85600:282.

9509220104 Responds to NRC 950824 ltr re violations noted in insp repts 50-361/95-17 & 50-362/95-15 on 950717-21. Corrective actions: events logged in Reportability Disposition Sheet book maintained adjacent to safeguards event log.
ROSENBLUM, R.M. Southern California Edison Co. 95/09/18. Document Control Branch (Document Control Desk). 3pp. 85564:325-85564:327.

9509270250 Rev 6.2 to SONGS Emergency Plan.
* Southern California Edison Co. 95/09/18. 6pp. 85624:345-85624:350.

9509270265 Forwards Rev 47 to physical security plan for Units 1, 2 & 3. Rev 1 encl.
KRIEGER, R.W. Southern California Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85631:231-85631:231.

9509290139 Revised EIPs, including Temporary Change Notice 2-1 to Rev 2 to SO123-VIII-70.2, "EOF Administrative Coordinator Duties" & Temporary Change Notice 2-1 to Rev 2 to SO123-VIII-90.2, "EOF Corporate Communications." W/950922 ltr.
MARSH, W.C. Southern California Edison Co. 95/09/22. 23pp. 85644:309-85644:331.

G. Adjudicatory correspondence

9509080064 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision (DD-95-14) in listed dockets has expired.* W/ Certificate of Svc. Served on 950829.
BATES, A.L. Office of the Secretary of the Commission. #395 17052. 95/08/29. DEAN, R.M. Affiliation Not Assigned. 2pp. 85324:035-85324:036.

H. General correspondence

9509150169 Informs that SONGS Unit 2 & Unit 3 pressurizers to be undersized, based on discussions w/senior SONGS Operations personnel & engineering staff members.
MILLS, G.R. Affiliation Not Assigned. 95/08/18. WILLIAMS, D. Office of the Inspector General (Post 890417). 1p. 85487:251-85487:251.

P. Operating license stage documents & correspondence

9509190011 Requests for info re computer software that could be used at facility, within 60 days of receipt of ltr.
FIELDS, M.B. 95/08/01. RAY, H.B. Southern California Edison Co. App. 85525:136-85525:139.

9509060348 Forwards amends 124 & 113 to licenses NPF-10 & NPF-15 & SE. Amends revise LHR limit from 13.9 to 13.0 kw/ft in TS 3/4.2.1, "LHR."
FIELDS, M.B. 95/08/23. RAY, H.B. Southern California Edison Co. App. 85323:333-85323:354.

-9509060350 Amends 124 & 113 to licenses NPF-10 & NPF-15, respectively, revising LHR limit from 13.9 to 13.0 kw/ft in TS 3/4.2.1, "LHR."
FIELDS, M.B. 95/08/23. 14pp. 85323:337-85323:351.

-9509060354 Safety evaluation supporting amends 124 & 113 to licenses NPF-10 & NPF-15, respectively.
* 95/08/23. 3pp. 85323:352-85323:354.

9509110082 Notification of 950926 meeting w/util in Rockville, MD to discuss licensee proposed amend to TS to allow implementation of mods to containment area radiation area radiation monitors.
THOMAS, K.M. 95/08/31. BATEMAN, W.H. 4pp. 85426:166-85426:171.

9509060239 Discusses 950823 meeting re licensee actions in response to WKM valve problems & root-cause analysis of RCP baffle bolt failures.
GWYNN, T.P. Region 4 (Post 820201). 95/09/01. RAY, H.B. Southern California Edison Co. 21pp. 85312:188-85312:208.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:048.

9509200254 Forwards amends 124 & 114 to licenses NPF-10 & NPF-15 & SE. Amends revise TS & corresponding Bases to support addition of CCW surge tank backup N supply sys.
FIELDS, M.B. 95/09/13. RAY, H.B. Southern California Edison Co. App. 85543:201-85543:221.

-9509200262 Amends 125 & 114 to licenses NPF-10 & NPF-15, respectively, revising TS & corresponding Bases to support addition of CCW surge tank backup N supply sys.
FIELDS, M.B. 95/09/13. 14pp. 85543:205-85543:218.

-9509200264 Safety evaluation supporting amends 125 & 114 to licenses NPF-10 & NPF-15, respectively.
* 95/08/13. 3pp. 85543:219-85543:221.

9509270015 Provides info to be added to UFSAR, Rev 11 in response to latest review & comments on proposed change number 299 by OGC.
MARSH, W.C. Southern California Edison Co. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85612:359-85612:360.

9509280069 Responds to final draft of NRC SER on LAR PCN-209, informing that util in agreement w/draft SER w/incorporation of comment discussed during 950907 meeting. Schedule for implementation phase of program listed.
MARSH, W.C. Southern California Edison Co. 95/09/25. Document Control Branch (Document Control Desk). 2pp. 85647:319-85647:320.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060229 Ack receipt of 950711 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/95-04 & 50-362/95-04. Violation B still appropriate as stated in 950607 NOV, based on recent finding.
IKINS, K.E. Walnut Creek Field Ofc. R4 (Post 940404). 95/08/15. RAY, H.B. Southern California Edison Co. 3pp. 85312:148-85312:149.

9509110114 Submits special rept re steam generator tube ISI. Eddy current insp completed 950817.
MARSH, W.C. Southern California Edison Co. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85458:354-85458:355.

9509070072 Comment on review of revised NRC SALP program. Recommends that SALP assessment process either be abandoned or justified as within authority of NRC through appropriate rulemaking.
RAY, H.B. Southern California Edison Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 85321:006-85321:011.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509210230 Forwards insp repts 50-361/95-18 & 50-362/95-18 on 950821-25. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/09/18. RAY, H.B. Southern California Edison Co. App. 85545:001-85545:019.

-9509210235 Insp repts 50-361/95-18 & 50-362/95-18 on 950821-25. No violations noted. Major areas inspected: radiation protection programs w/particular emphasis on activities associated w/Unit 3 refueling outage.
MURRAY, B. Region 4 (Post 820201). 95/09/13. 15pp. 85545:005-85545:019.

9509220104 Responds to NRC 950824 ltr re violations noted in insp repts 50-361/95-15 & 50-362/95-15 on 950717-21. Corrective actions: events logged in Reportability Disposition Sheet book maintained adjacent to safeguards event log.
ROSENBLUM, R.M. Southern California Edison Co. 95/09/18. Document Control Branch (Document Control Desk). 3pp. 85564:325-85564:327.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509280330 Provides addl info re NRC comments documented in Insp Repts 50-361/95-13 & 50-362/95-13, relating to GL 89-10.
ROSENBLUM, R.M. Southern California Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85655:359-85655:361.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509270016 Forwards insp repts 50-361/95-16 & 50-362/95-16 on 950716-0626. No violations noted.
DYER, J.E. Region 4 (Post 820201). 95/09/22. RAY, H.B. Southern California Edison Co. 5pp. 85588:026-85588:054.

-9509270018 Insp repts 50-361/95-16 & 50-362/95-16 on 950726-0826. No violations noted. Major areas inspected: operational safety verification, maint & surveillance observations, engineering & plant support.
HUEY, F.R. Region 4 (Post 820201). 95/09/22. 24pp. 85588:031-85588:054.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509290027 Monthly operating repts for Aug 1995 for San Onofre Nuclear Generating Station. W/950914 ltr. KAPLAN, R.L., MARSH, W.C. Southern California Edison Co. 95/08/31. 13pp. 85638:333-85638:345.

S. Reportable occurrences, LERs & related correspondence

9509290003 LER 95-003-00 on 950827, electrical test technicians failed to install jumpers for EDG output breaker during tests on protective relay on supply breaker to Train B class 1E bus. Technicians involved appropriately disciplined. W/950922 ltr. KRIEGER, R.W. Southern California Edison Co. 95/09/22. 4pp. 85645:213-85645:216.

9509290005 LER 95-002-00 on 950826, noticed open vent valve on AFW line for SG E089 while SG E089 ADV open to drain SG during refueling. Caused by incomplete communication. ADV closed & core alterations halted. W/950922 ltr. KRIEGER, R.W. Southern California Edison Co. 95/09/22. 3pp. 85645:217-85645:219.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl. GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9509290018 Informs that info being provided to plant security managers that could assist in efforts to protect plant against design-basis threat for sabotage. SIEGEL, B.L. 95/09/22. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 85636:297-85636:300.

P. Operating license stage documents & correspondence

9509060315 Advises that WCAP-13632, rev 2, "Elimination of Pressure Sensor Response Time Testing Requirements," will be withheld from public disclosure re 10CFR2.790, per 950802 request & 950802 affidavit by HA Sepp. SIEGEL, B.L. 95/08/29. Westinghouse Electric Corp. 4pp. 85326:055-85326:058.

9509070255 Discusses 950828 meeting re work controls reengineering through addition of performance teams & info technology. List of attendees & handout encls. CRLENJAK, R.V. Region 2 (Post 820201). 95/08/30. HAIRSTON, G. Georgia Power Co. 17pp. 85323:006-85323:022.

9509110323 Forwards RAI re GL 95-03, "Circumferential Cracking of SG Tubes." Requests that response be provided within 30 days of receipt of ltr. SIEGEL, B.L. 95/09/06. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 85386:195-85386:198.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509110238 Informs that staff completed review of Westinghouse TR, WCAP-13632, Rev 2, "Elimination of Pressure Response Time Testing Requirements," dtd Aug 1995. Forwards staff SE. SIEGEL, B.L. 95/09/08. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85385:321-85385:345.

-9509070068 Discusses results of review of Westinghouse Topical Rept WCAP-13632, Rev 2, "Elimination of Pressure Sensor Response Time Testing Requirements," dtd Aug 1995. Rept discusses Westinghouse Owners Group Program MUHP-3040, Rev 1. BOGER, B.A. 95/09/05. NEWTON, R.A. Wisconsin Electric Power Co. 22pp. 85385:324-85385:345.

9509180162 Application for amend to license NPF-2 & NPF-8, eliminating periodic pressure sensor response time testing requirements. MOREY, D. Southern Nuclear Operating Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85522:161-85522:163.

-9509180165 Proposed tech specs, eliminating periodic pressure sensor response time testing requirements. Southern Nuclear Operating Co. 95/09/15. 2pp. 85522:162-85522:163.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSS, C.E. Division of Operational Events Assessment (B70411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070193 Ack receipt of 950815 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-11 & 50-364/95-11. CHRISTENSEN, H. Region 2 (Post 820201). 95/08/25. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 85321:302-85321:303.

9509050278 Comment opposing review of revised NRC SALP. MOREY, D. Southern Nuclear Operating Co. 95/08/26. Document Control Branch (Document Control Desk). 2pp. 85298:030-85298:031.

9509180300 Forwards insp repts 50-348/95-14 & 50-364/95-14 on 950717-0820. No violations or deviations identified. CHRISTENSEN, H. Region 2 (Post 820201). 95/09/06. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85501:335-85501:356.

-9509180308 Insp repts 50-348/95-14 & 50-364/95-14 on 950717-0820. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & technical support, general plant support. ROSS, T.M., SCOTT, M.A., CHRISTENSEN, H. Region 2 (Post 820201). 95/09/06. 18pp. 85501:340-85501:356.

9506310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509150014 Responds to violations noted in insp repts 50-348/95-13 & 50-364/95-13. Corrective actions: DEI analysis performed on 950122 & results showed no evidence of iodine peaking. MOREY, D. Southern Nuclear Operating Co. 95/09/11. Document Control Branch (Document Control Desk). 4pp. 85508:342-85508:345.

9509180352 Forwards insp repts 50-348/95-15 & 50-364/95-15 on 950814-18. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/09/11. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 85502:328-85502:340.

-9509180358 Insp repts 50-348/95-15 & 50-364/95-15 on 950814-18. No violations noted. Major areas inspected: licensee radiation protection program involving review of health physics activities. LOO, W.T., PARKER, B.A., RANKIN, W.H. Region 2 (Post 820201). 95/09/11. 10pp. 85502:331-85502:340.

9509280185 Ack receipt of 950911 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-13 & 50-364/95-13. CHRISTENSEN, H. Region 2 (Post 820201). 95/09/18. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 85613:197-85613:198.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9508220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180172 Monthly operating repts for Aug 1995 for JM Farley Nuclear Plant. W/950914 ltr. ALLISON, S.M., MOREY, D. Southern Nuclear Operating Co. 95/08/31. 8pp. 85523:087-85523:095.

S. Reportable occurrences, LERs & related correspondence

9509130076 Special rept on 950806, containment area RM R-27A declared inoperable due to instrument displaying invalid alarm. Caused by failed connector seal. Connector seal replaced & RM R-27A returned to operable status on 950813. WOODARD, J.D. Southern Nuclear Operating Co. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85436:356-85436:359.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9509250392 Informs that on 950823, full-scale emergency preparedness exercise conducted w/plant. Lists principal exercise objectives for Headquarters. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/09/19. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). MILHOAN, J. NRC - No Detailed Affiliation Given. 5pp. 85582:309-85582:313.

9509290011 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage, per 10CFR71.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation. BERKOW, H.N. 95/09/22. WOODARD, J.D. Georgia Power Co. 5pp. 85636:292-85636:296.

P. Operating license stage documents & correspondence

9509070255 Discusses 950828 meeting re work controls reengineering through addition of performance teams & info technology. List of attendees & handout encls. CRLENJAK, R.V. Region 2 (Post 820201). 95/08/30. HAIRSTON, G. Georgia Power Co. 17pp. 85323:006-85323:022.

106 DOCKETED ITEMS

- 9509070273** Forwards amends 197 & 138 to licenses DPR-57 & NPF-5 & safety evaluation. Amends modify licenses & corresponding TS for plant to authorize increase in max power level from 2,436 MWt to 2,558 MWt.
JABBOUR, K.N. 95/08/31. BECKHAM, J.T. Georgia Power Co. 3pp. 85374:267-85374:260.
- 9509070278** Amends 197 & 138 to licenses DPR-57 & NPF-5, respectively, modifying licenses & corresponding TS for plant to authorize increase in max power level from 2,436 MWt to 2,558 MWt.
RUSSELL, W.T. 95/08/31. 54pp. 85374:270-85374:323.
- 9509070282** Safety evaluation supporting amends 197 & 138 to licenses DPR-57 & NPF-5, respectively.
95/08/31. 35pp. 85374:324-85374:380.
- 950910033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509180107** Forwards amends 198 & 139 to licenses DPR-57 & NPF-5 & SE. Amends revise TS SR 3.6.4.1.3 & 3.6.4.1.4 for secondary containment drawdown. Revision reduces SR acceptance criteria to listed amount.
JABBOUR, K.N. 95/09/11. BECKHAM, J.T. Georgia Power Co. 2pp. 85521:281-85521:301.
- 9509180113** Amends 198 & 139 to licenses DPR-57 & NPF-5, respectively, revising TS SR 3.6.4.1.3 & 3.6.4.1.4 for secondary containment drawdown. Revision reduces SR acceptance criteria to listed amount.
BERKOW, H.N. 95/09/11. 7pp. 85521:284-85521:297.
- 9509180116** Safety evaluation supporting amends 198 & 139 to licenses DPR-57 & NPF-5, respectively.
95/09/11. 4pp. 85521:298-85521:301.
- 9509280171** Confirms arrangement made by WB Kirkley & WH Rankin on 950907 re mgmt meeting requested by util & scheduled for 950926 to discuss overall status & planned upgrades in radiation protection program at plant.
CRLENJAK, R.V. Region 2 (Post 820201). 95/09/12. BECKHAM, J.T. Georgia Power Co. 3pp. 85613:093-85613:095.
- 9509210122** Forwards "El Hatch Nuclear Plant IST Program," for third interval.
BECKHAM, J.T. Georgia Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85567:037-85567:267.
- 9509210125** "El Hatch Nuclear Plant Units 1 & 2 IST Program."
Georgia Power Co. 95/07/24. 22pp. 85567:039-85567:267.
- 9509280244** Confirms telcon between WB Kirkley & WH Rankin which cancelled request for 950926 meeting.
CRLENJAK, R.V. Region 2 (Post 820201). 95/09/22. BECKHAM, J.T. Georgia Power Co. 3pp. 85614:267-85614:269.
- 9509290127** Forwards SE accepting El facility core shroud stabilizer design, based on review of util 950703 & 0825 submittals.
JABBOUR, K.N. 95/09/25. BECKHAM, J.T. Georgia Power Co. 3pp. 85635:306-85635:326.
- 9509280128** Safety evaluation accepting facility core shroud stabilizer design.
94/09/25. 20pp. 85635:309-85635:326.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9206240122** NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509070224** Forwards insp repts 50-321/95-17 & 50-366/95-17 on 950705-0815. Violations noted being considered for escalated enforcement action. Predecisional enforcement conference to discuss violation scheduled for 950913.
GIBSON, A.F. Region 2 (Post 820201). 95/08/24. BECKHAM, J.T. Georgia Power Co. 5pp. 85322:226-85322:243.
- 9509070241** Insp repts 50-321/95-17 & 50-366/95-17 on 950705-07, 0710 & 0815. Violations noted but not cited. Major areas inspected: circumstance of recent failures of LPCI inboard injection MOVs.
GIRARD, E., SHYMLOCK, M. Region 2 (Post 820201). 95/08/23. 11pp. 85322:233-85322:243.
- 9509070183** Ack receipt of 950703 response to inspect followup items 1-4, from insp of implementation of GL 89-10, "Safety-Related MOV Testing & Surveillance."
CASTO, C.A. Region 2 (Post 820201). 95/08/28. BECKHAM, J.T. Georgia Power Co. 2pp. 85321:245-85321:246.
- 9509060376** Forwards comments on "Review of Revised NRC Systematic Assessment of Licensee Performance Program."
BECKHAM, J.T. Georgia Power Co. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85326:349-85326:350.
- 9509070243** Forwards insp repts 50-321/95-16 & 50-366/95-16 on 950702-0805 & notice of violation.
CRLENJAK, R.V. Region 2 (Post 820201). 95/08/29. BECKHAM, J.T. Georgia Power Co. 3pp. 85322:314-85322:341.
- 9509070256** Insp repts 50-321/95-16 & 50-366/95-16 on 950702-0805. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support activities & insp of open items.
HOLBROOK, B.L., CHRISTNOT, E.F., SKINNER, P.H. Region 2 (Post 820201). 95/08/25. 23pp. 85322:319-85322:341.
- 9509070158** Confirms telcon between D Crow & B Bonser on 950824 re enforcement conference scheduled for 950913 to discuss apparent violation that resulted from failures of Low Pressure Coolant Injection Valve in May, June & Jul of 1995.
CRLENJAK, R.V. Region 2 (Post 820201). 95/08/30. BECKHAM, J.T. Georgia Power Co. 3pp. 85321:118-85321:120.
- 9508310198** NRC Info Notice 95-037. "Inequitable Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509130018** NRC Info Notice 95-039. "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040. "Supplemental Info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341** NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300** NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- R. Periodic operating reports & related correspondence**
- 9509190197** Monthly operating repts for Aug 1995 for El Hatch Nuclear Plant W/950912 ltr.
ROGERS, S.B., BECKHAM, J.T. Georgia Power Co. 95/08/31. 13pp. 85532:337-85532:349.
- 9509250292** Forwards repts to "Plant Hatch Annual Radioactive Effluent Release Rept 1994."
BECKHAM, J.T. Georgia Power Co. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85616:350-85616:357.
- 9509250295** Revised pages to "Plant Hatch Annual Radioactive Effluent Release Rept 1994."
Georgia Power Co. 94/12/31. 6pp. 85616:352-85616:357.
- DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2**
- F. Security, medical, emergency & fire protection plans**
- 9509070189** Change PC-2 to Rev 27 to 1903 061. "Communication Equipment Tests."
Entergy Operations, Inc. 95/03/16. 3pp. 85415:313-85415:315.
- 9509280046** Forwards rev 34 to ANO Units 1 & 2 Industrial Security Plan. Encl withheld.
MIMS, D.C. Entergy Operations, Inc. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85664:355-85664:356.
- H. General correspondence**
- 9509200042** Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON, J.N. 95/09/12. SHILLINGLAW, F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.
- P. Operating license stage documents & correspondence**
- 9509103118** Rev to 950404 application for amends to licenses DPR-51 & NPF-6 re RCP flywheel insps. Change would allow util to delay ultrasonic volumetric exam of flywheel for RCP 2P32A for one cycle.
YELVERTON, J.W. Entergy Operations, Inc. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85315:353-85315:358.
- 950910321** Proposed tech specs allowing delay of ultrasonic volumetric exam of flywheel for RCP 2P32A for one cycle.
Entergy Operations, Inc. 95/08/25. 3pp. 85315:356-85315:358.
- 9509070124** Forwards "ANO Unit 2 SG Tube Circumferential Cracking Repair Limit Evaluation."
MIMS, D.C. Entergy Operations, Inc. 95/08/28. Document Control Branch (Document Control Desk). 3pp. 85376:102-85376:143.
- 9509070126** "ANO Unit 2 SG Tube Circumferential Cracking Repair Limit Evaluation."
Entergy Operations, Inc. 95/08/31. 39pp. 85376:105-85376:143.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509110138** Forwards changes to TS bases section 3.11 for Arkansas Nuclear One, Unit 1 & Section 3/4.7.4 for Unit 2.
KALMAN, G. 95/09/08. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 85416:281-85416:286.

-9509110145 Corrected pages to TS Bases Section 3.11 for Arkansas Nuclear One, Unit 1 & Section 3/4.7.4 for Unit 2.
* Entergy Operations, Inc. 95/09/08. 3pp. 85416.284-85416.286.

9509180135 Requests add info for GL 95-03, "Circumferential Cracking of SG Tubes."
KALMAN, G. 95/09/12. YELVERTON, J.W. Entergy Operations, Inc. 6pp. 85521:163-85521:168.

9509210288 Forwards amend 163 to license NPF-6 & safety evaluation. Amend relocates reactor incore detector requirements from TS to safety analysis rept.
KALMAN, G. 95/09/15. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 85561:287-85561:302.

-9509210293 Amend 163 to license NPF-6, relocating reactor incore detector requirements from TS to safety analysis rept.
KALMAN, G. 95/09/15. 9pp. 85561:290-85561:298.

-9509210295 Safety evaluation supporting amend 163 to license NPF-6.
* 95/09/15. 4pp. 85561:299-85561:302.

9509210309 Forwards amend 162 to license NPF-6 & safety evaluation. Amend revises requirements associated w/frequency of containment post-entry visual insp.
KALMAN, G. 95/09/15. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 85562:324-85562:333.

-9509210321 Amend 162 to license NPF-6, revising requirements associated w/frequency of containment post-entry visual insp.
* 95/09/15. 5pp. 85562:327-85562:331.

-9509210328 Safety evaluation supporting amend 162 to license NPF-6.
* 95/09/15. 2pp. 85562:332-85562:333.

9509220128 Forwards amend 164 to license NPF-6 & safety evaluation. Amend transfers requirements for cycle specific core operating limits from TS to COLR.
KALMAN, G. 95/09/19. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 85577:069-85577:080.

-9509220133 Amend 164 to license NPF-6, transferring requirements for cycle specific core operating limits from TS to COLR.
KALMAN, G. 95/09/19. 7pp. 85577:072-85577:078.

-9509220134 Safety evaluation supporting amend 164 to license NPF-6.
* 95/09/19. 2pp. 85577:079-85577:080.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509220183 Discusses insp repts 50-313/95-12 & 50-368/95-12 on 950313-14 & 0417-21 & forwards notice of violation.
CALLAN, L.J. Region 4 (Post 820201). 95/07/17. YELVERTON, J.W. Entergy Operations, Inc. 6pp. 85558:001-85558:009.

-9509220193 Notice of violation from insp on 950313-14 & 0417-21. Violation noted: licensee did not route pre-job ALARA work sheet for RWP 1995-1093 to appropriate craft for completion, prior to Category II activity being performed on 950309.
* Region 4 (Post 820201). 95/07/17. 5pp. 85558:006-85558:009.

9509010318 Rev to 950404 application for amends to licenses DPR-51 & NPF-6 re RCP flywheel insps. Change would allow util to delay ultrasonic volumetric exam of flywheel for RCP 2P32A for one cycle.
YELVERTON, J.W. Entergy Operations, Inc. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85315:353-85315:358.

9509080188 A-k receipt of 950816 itr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-12 & 50-368/95-12.
DYER, J.E. Region 4 (Post 820201). 95/09/05. YELVERTON, J.W. Entergy Operations, Inc. 4pp. 85325:001-85325:013.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boratlex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9508210309 Forwards amend 162 to license NPF-6 & safety evaluation. Amend revises requirements associated w/frequency of containment post-entry visual insp.
KALMAN, G. 95/09/15. YELVERTON, J.W. Entergy Operations, Inc. 3pp. 85562:324-85562:333.

-9509210321 Amend 162 to license NPF-6, revising requirements associated w/frequency of containment post-entry visual insp.
* 95/09/15. 5pp. 85562:327-85562:331.

-9509210328 Safety evaluation supporting amend 162 to license NPF-6.
* 95/09/15. 2pp. 85562:332-85562:333.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
GOULD, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050296 Forwards "Semiannual Radioactive Effluent Release Rept for Jan-June 1995." Liquid & gaseous release data show that dose from both facilities generally factor of 100 below TS limits.
MIMS, D.C. Entergy Operations, Inc. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85345:289-85345:326.

-9509050300 "Semiannual Radioactive Effluent Release Rept for Jan-June 1995."
* Entergy Operations, Inc. 95/06/30. 36pp. 85345:291-85345:326.

9509190229 Monthly operating rept for Aug 1995 for ANO Unit 2.W/950914 Itr.
WHITT, M.S., MIMS, D.C. Entergy Operations, Inc. 95/08/31. 7pp. 85530:316-85530:322.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509210074 Rev 4 to "MNS Selected Licensee Commitments Manual (SLC)," relocating certain turbine overspeed protection, seismic instrumentation, meteorological instrumentation & loose-part detection sys TS requirements from TS to SLC.
CRANE, K.L. Duke Power Co. 95/08/31. 23pp. 85548:338-85548:360.

9509150083 Forwards revised pages 1 & 2 to EPIP index, rev 21 to Section 18.1 of radiation protection manual & rev 11 to emergency plan group manual.
MCMEEKIN, T.C. Duke Power Co. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85506:154-85506:217.

-9509150086 Revised EPIP index pages 1 & 2.
DOLAN, B. Duke Power Co. 95/09/06. 3pp. 85506:156-85506:158.

-9509150091 Rev 21 to Section 18.1 of radiation protection manual.
BYRAM, W.F., HASTY, R.L. Duke Power Co. 95/09/05. 10pp. 85506:159-85506:168.

-9509150096 Rev 11 to emergency plan manual Section 1.1.
HASTY, R.L. Duke Power Co. 95/09/05. 52pp. 85506:169-85506:217.

9509200354 Forwards request for addl info related to external event analyses in IPEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
NERSES, V. 95/09/15. MCMEEKIN, T.C. Duke Power Co. 12pp. 85543:270-85543:281.

9509280204 Forwards SALP repts 50-369/95-99 & 50-370/95-99 for period 940206-950812. Facility performance assessed as being good in plant operations & maint & as superior in engineering & plant support.
EBNETER, S.D. Region 2 (Post 820201). 95/09/15. MCMEEKIN, T.C. Duke Power Co. 6pp. 85613:333-85613:344.

-9509280222 SALP repts 50-369/95-99 & 50-370/95-99 for 940206-950812.
* Region 2 (Post 820201). 95/09/15. 6pp. 85613:339-85613:344.

9509280197 Forwards insp rept 50-369/95-18 & 50-370/95-18 on 950807-11. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/09/22. MCMEEKIN, T.C. Duke Power Co. 3pp. 85613:256-85613:279.

-9509280206 Insp repts 50-369/95-18 & 50-370/95-18 on 950807-11. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR, W.M., BARR, K.P. Region 2 (Post 820201). 95/09/22. 21pp. 85613:259-85613:279.

9509290035 informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
BERKOW, H.N. 95/09/22. TUCKMAN, M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial information

9509110237 Forwards 1994 annual repts for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl.
TUCKMAN, M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.

-9509110242 "DPC 1994 Annual Rept."
GRIGG, W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

-9509110246 "NC Electric Membership Corp 1994 Annual Rept."
KELLER, W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

108 DOCKETED ITEMS

-9509110244 "NC Municipal Power Agency 1994 Annual Rept."
CLAY,G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

-9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN,D.V. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

P. Operating license stage documents & correspondence

9509180115 Forwards proprietary request for info re computer software that could be used at facilities. Encl withheld (ref 10CFR2.790(a)).
BERKOW,H.N. 95/07/28. TUCKMAN,M.S. Duke Power Co. 3pp. 85520:321-85520:323.

9509110206 Forwards typed, record of TS Page 3/4 3-42, supplementing hand marked page, indicating proposed amend to Table 3.3-6, included in submittal package dtd 941207.
MCMEEKIN,T.C. Duke Power Co. 95/08/07. Document Control Branch (Document Control Desk). 1p. 85454:333-85454:334.

-9509110206 Proposed TS Page 3/4 3-42 re typed record copy.
* Duke Power Co. 95/08/07. 1p. 85454:334-85454:334.

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

950910076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FPD testing.
TUCKMAN,M.S. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

9509080041 Forwards administrative changes to TSs 3/4.3.1 & 3/4.3.2 re ESF actuation sys.
MCMEEKIN,T.C. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 4pp. 85376:292-85376:362.

-9509080042 Proposed tech specs 3/4.3.1 & 3/4.3.2, making administrative changes.
* Duke Power Co. 95/08/30. 20pp. 85376:296-85376:362.

9509210074 Rev 4 to "MNS Selected Licensee Commitments Manual (SLC)," relocating certain turbine overspeed protection, seismic instrumentation, meteorological instrumentation & loose-part detection sys TS requirements from TS to SLC.
CRANE,K.L. Duke Power Co. 95/08/31. 23pp. 85448:338-85448:360.

9509110192 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
TUCKMAN,M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.

-9509110195 Proposed tech specs, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
* Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.

9509110312 Application for amends to licenses NPF-9 & NPF-17, revising TS 3/4.6.5 to reduce required ice weight in containment ice condenser of each unit from 2,099,790 lbs to 1,516,800 lbs.
TUCKMAN,M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 4pp. 85456:277-85456:308.

-9509110317 Proposed tech specs, revising TS 3/4.6.5 to reduce required ice weight in containment ice condenser of each unit from 2,099,790 lbs to 1,516,800 lbs.
* Duke Power Co. 95/09/01. 28pp. 85456:281-85456:308.

9509120241 Forwards proprietary & nonproprietary topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology" for McGuire Nuclear Station & Catawba Nuclear Station. Proprietary SE withheld.
MARTIN,R.E. 95/09/06. TUCKMAN,M.S. Duke Power Co. 5pp. 85493:332-85493:358.

-9509180325 Nonproprietary version of topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Analytical methodology in rept acceptable for use in predicting plants containment pressure.
* 95/09/06. 22pp. 85493:337-85493:358.

9509130187 Forwards proprietary request for addl info re Topical Rept DPC-NE-3000, "Thermal-Hydraulic Transient Analysis Methodology." Nonproprietary RAI also encl. Proprietary RAI withheld per 10CFR2.790.
MARTIN,R.E. 95/09/06. TUCKMAN,M.S. Duke Power Co. 7pp. 85473:352-85473:358.

9509140136 Forwards RAI to complete review of GL 95-03, "Circumferential Cracking of SG Tubes." Response requested within 30 days of date of ltr.
NERSES,V. 95/09/07. MCMEEKIN,T.C. Duke Power Co. 4pp. 85439:350-85439:353.

9508310033 Suppl 5 to Genenc Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180174 Forwards SE re relief from code requirement for in-service insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2.
BERKOW,H.N. 95/09/11. TUCKMAN,M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for in-service insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509190206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537:333-85537:345.

9509200354 Forwards request for addl info related to external event analyses in IPEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
NERSES,V. 95/09/15. MCMEEKIN,T.C. Duke Power Co. 12pp. 85543:270-85543:281.

9509260003 Supplemental application for amend to license NPF-35, revising Table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints."
TUCKMAN,M.S. Duke Power Co. 95/09/16. Document Control Branch (Document Control Desk). 5pp. 85589:059-85589:229.

-9509260005 "McGuire 1 & 2 & Catawba 1 Nuclear Generating Stations Replacement SG Topical Rept."
REITER,D.P., KLARNER,R., BOYD,T. Babcock & Wilcox Co. BWI-222-7693-LR-01. 95/04/30. 180pp. 85589:070-85589:229.

9509260007 Application for amends to licenses NPF-9 & NPF-17, revising Table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints."
TUCKMAN,M.S. Duke Power Co. 95/09/16. Document Control Branch (Document Control Desk). 5pp. 85605:001-85605:170.

-9509260009 Proposed tech spec table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints."
* Duke Power Co. 95/09/16. 5pp. 85605:006-85605:170.

9509260018 Forwards revised record pages for LTOP protection TS amend.
MCMEEKIN,T.C. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 1p. 85592:149-85592:164.

-9509260021 Proposed tech specs, providing revised record pages for LTOP protection in TS amend.
* Duke Power Co. 95/09/18. 15pp. 85592:150-85592:164.

9509260110 Submits revised request for approval of seismic analysis methodology.
TUCKMAN,M.S. Duke Power Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85606:296-85606:298.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070285 Confirms telcon on 950822 between S Helms & RS Baldwin re NRC arrangements for insp of licensed operator requalification program at plant. Insp planned for week of 950925.
PEEBLES,T.A. Region 2 (Post 820201). 95/08/23. MCMEEKIN,T.C. Duke Power Co. 4pp. 85323:142-85323:145.

9509070157 Forwards insp repts 50-369/95-21 & 50-370/95-21 on 950724-28. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/08/25. MCMEEKIN,T.C. Duke Power Co. 4pp. 85321:100-85321:117.

-9509070163 Insp repts 50-369/95-21 & 50-370/95-21 on 950724-28. No violations noted. Major areas inspected: transportation of radioactive material, radiological environmental monitoring, radioactive effluent controls & audits.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/08/22. 12pp. 85321:104-85321:117.

9509070185 Confirms 950821 telcon between J Snyder & R Carroll re mgt meeting scheduled for 951002 to discuss SALP.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/25. MCMEEKIN,T.C. Duke Power Co. 3pp. 85321:268-85321:270.

9509070191 Forwards insp repts 50-369/95-20 & 50-370/95-20 on 950724-28. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/08/25. MCMEEKIN,T.C. Duke Power Co. 4pp. 85321:285-85321:301.

-9509070197 Insp repts 50-369/95-20 & 50-370/95-20 on 950724-28. No violations noted. Major areas inspected: occupational radiation safety & exam of organization & mgt controls, audits & appraisals.
PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 95/08/24. 13pp. 85321:289-85321:301.

9509070221 Forwards insp repts 50-369/95-17 & 50-370/95-17 on 950707-0805. No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/29. MCMEEKIN,T.C. Duke Power Co. 3pp. 85322:209-85322:225.

-9509070228 Insp repts 50-369/95-17 & 50-370/95-17 on 950707-0805. No violations noted. Major areas inspected: plant operations, maint & engineering.
MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/08/29. 14pp. 85322:212-85322:225.

9509120040 Forwards response to NRC 950804 ltr re deviation noted in insp repts 50-369/95-14 concerning failure to meet GL 88-14 commitments. Corrective actions: five micron filters installed on all critical to operation air operated valves.
MCMEEKIN,T.C. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85427:339-85427:342.

9509180311 Notifies that on 951002, representatives of NRC will meet w/mgt of Duke Power Co to discuss plant performance over past 18 months. Extends invitation to attend meeting as observer.
EBNETER,S.D. Region 2 (Post 820201). 95/09/05. HUTCHISON,K.D. Federal Emergency Management Agency. 4pp. 85502:125-85502:128.

9509180223 Confirms scheduled administration of licensing exams at plant during wk of 950122, per telcon between RS Baldwin & A Lindsey. Requests furnishing of exam outlines by 951122 & requests exams, operating tests & ref mats by 951222. PEEBLES, T.A. 95/09/06. MCMEEKIN, T.C. Duke Power Co. 5pp. 85501:016-85501:020.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2. BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521:339-85521:346.

9509180189 SER granting request for inservice insp relief for Duke Power Co. * 95/09/11. 4pp. 85521:343-85521:346.

9509280190 Ack receipt of 950831 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/95-14 & 50-370/95-14. CASTO, C.A. Region 2 (Post 820201). 95/09/15. MCMEEKIN, T.C. Duke Power Co. 2pp. 85613:219-85613:220.

9509280204 Forwards SALP repts 50-369/95-99 & 50-370/95-99 for period 940206-950812. Facility performance assessed as being good in plant operations & maint & as superior in engineering & plant support. EBNETER, S.D. Region 2 (Post 820201). 95/09/15. MCMEEKIN, T.C. Duke Power Co. 6pp. 85613:333-85613:344.

9509280222 SALP repts 50-369/95-99 & 50-370/95-99 for 940206-950812. * Region 2 (Post 820201). 95/09/15. 6pp. 85613:339-85613:344.

9509250052 Forwards response to NRC 950622 ltr re violations noted in insp repts 50-369/95-19 & 50-370/95-19. Corrective actions: EDG-2B was declared inoperable & investigation was initiated to evaluate potential of common mode failure. MCMEEKIN, T.C. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 4pp. 85584:300-85584:303.

9509280235 Forwards insp repts 50-369/95-22 & 50-370/95-22. No violations or deviations noted. CRLENJAK, R.V. Region 2 (Post 820201). 95/09/18. MCMEEKIN, T.C. Duke Power Co. 3pp. 85614:200-85614:218.

9509280245 Insp repts 50-369/95-22 & 50-370/95-22 on 950805-0902. No violations noted. Major areas inspected: plant operations, maintenance, engineering & plant support. MAXWELL, G.F., CRLENJAK, R.V. Region 2 (Post 820201). 95/09/15. 16pp. 85614:203-85614:218.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/ 9/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:258.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-43, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 8pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Char coal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200732 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280157 Forwards insp rept 50-369/95-18 & 50-370/95-18 on 950807-11. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/09/22. MCMEEKIN, T.C. Duke Power Co. 3pp. 85613:256-85613:279.

9509280206 Insp repts 50-369/95-18 & 50-370/95-18 on 950807-11. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR, W.M., BARR, K.P. Region 2 (Post 820201). 95/09/22. 21pp. 85613:259-85613:279.

9509280300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010079 Forwards FFD program performance data repts for Duke Power, Oconee, McGuire & Catawba Nuclear Stations, per 10CFR26.71(d), for period of 950101-0630. TUCKMAN, M.S. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.

9509180231 Forwards monthly operating repts for McGuire Nuclear Station for Aug 1995 & revised repts for Jul 1995. WEBER, R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85520:342-85520:354.

9509180234 Monthly operating repts for Aug 1995 for McGuire Nuclear Station. WILLIAMS, R.A. Duke Power Co. 95/08/31. 10pp. 85520:344-85520:353.

9509180235 Revised monthly operating repts for Jul 1995 for McGuire Nuclear Station. * Duke Power Co. 95/07/31. 1p. 85520:354-85520:354.

S. Reportable occurrences, LERs & related correspondence

9509080047 Forwards LER 95-003, Rev 1 re failure of turbochargers associated w/ EDGs. MCMEEKIN, T.C. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85435:086-85435:096.

9509080050 LER 95-003-01 on 950627, turbochargers associated w/ EDGs failed due to design oversight. Remaining compressor impellers evaluated &/or replaced. DEESE, R.J. Duke Power Co. 95/08/31. 7pp. 85435:090-85435:096.

9509220160 LER 95-004-00 on 950821, failed to comply w/ TS action statement for RC leakage detection sys due to programmatic deficiencies & equipment failure. Changed filter paper on particulate monitors. W/950918 ltr. DEESE, R.J., MCMEEKIN, T.C. Duke Power Co. 95/09/20. 7pp. 85573:252-85573:258.

V. Operator Examinations

9509070285 Confirms telcon on 950822 between S Helms & RS Baldwin re NRC arrangements for insp of licensed operator requalification program at plant. Insp planned for week of 950925. PEEBLES, T.A. Region 2 (Post 820201). 95/08/23. MCMEEKIN, T.C. Duke Power Co. 4pp. 85323:142-85323:145.

9509180223 Confirms scheduled administration of licensing exams at plant during wk of 950122, per telcon between RS Baldwin & A Lindsey. Requests furnishing of exam outlines by 951122 & requests exams, operating tests & ref mats by 951222. PEEBLES, T.A. 95/09/06. MCMEEKIN, T.C. Duke Power Co. 5pp. 85501:016-85501:020.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509210074 Rev 4 to "MNS Selected Licensee Commitments Manual (SLC)," relocating certain turbine overspeed protection, seismic instrumentation, meteorological instrumentation & loose-part detection sys TS requirements from TS to SLC. CRANE, K.L. Duke Power Co. 95/08/31. 23pp. 85548:339-85548:360.

9509150083 Forwards revised pages 1 & 2 to EPIP index, rev 21 to Section 18.1 of radiation protection manual & rev 11 to emergency plan group manual. MCMEEKIN, T.C. Duke Power Co. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85503:154-85506:217.

9509150086 Revised EPIP index pages 1 & 2. DOLAN, B. Duke Power Co. 95/09/06. 3pp. 85506:156-85506:158.

9509150091 Rev 21 to Section 18.1 of radiation protection manual. BYRAM, W.F., HASTY, R.L. Duke Power Co. 95/09/05. 10pp. 85506:159-85506:168.

9509150096 Rev 11 to emergency plan manual Section 1.1. HASTY, R.L. Duke Power Co. 95/09/05. 52pp. 85506:169-85506:217.

9509200354 Forwards request for addl info related to external event analyses in IPEEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others. NERSES, V. 95/09/15. MCMEEKIN, T.C. Duke Power Co. 12pp. 85543:270-85543:281.

9509280204 Forwards SALP repts 50-369/95-99 & 50-370/95-99 for period 940206-950812. Facility performance assessed as being good in plant operations & maint & as superior in engineering & plant support. EBNETER, S.D. Region 2 (Post 820201). 95/09/15. MCMEEKIN, T.C. Duke Power Co. 6pp. 85613:333-85613:344.

9509280222 SALP repts 50-369/95-99 & 50-370/95-99 for 940206-950812. * Region 2 (Post 820201). 95/09/15. 6pp. 85613:339-85613:344.

9509280197 Forwards insp rept 50-369/95-18 & 50-370/95-18 on 950807-11. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/09/22. MCMEEKIN, T.C. Duke Power Co. 3pp. 85613:256-85613:279.

9509280206 Insp repts 50-369/95-18 & 50-370/95-18 on 950807-11. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise. SARTOR, W.M. Region 2 (Post 820201). 95/09/22. 21pp. 85613:259-85613:279.

9509290035 informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage. BERKOW, H.N. 95/09/22. TUCKMAN, M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial information

9509110237 Forwards 1994 annual repts for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl. TUCKMAN, M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.

9509110242 "DPC 1994 Annual Rept." GRIGG, W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

110 DOCKETED ITEMS

9509110246 "NC Electric Membership Corp 1994 Annual Rept."
KELLER,W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

9509110244 "NC Municipal Power Agency 1 1994 Annual Rept."
CLAY,G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN,D.V. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

F. Operating license stage documents & correspondence

9509180115 Forwards proprietary request for info re computer software that could be used at facilities. Encl withheld (ref 10CFR2.790(a)).
BERKOW,H.N. 95/07/28. TUCKMAN,M.S. Duke Power Co. 3pp. 85520:321-85520:323.

9509110206 Forwards typed, record of TS Page 3/4 3-42, supplementing hand marked page, indicating proposed amend to Table 3.3-6, included in submittal package dtd 941207.
MCMEEKIN,T.C. Duke Power Co. 95/08/07. Document Control Branch (Document Control Desk). 1p. 85454:333-85454:334.

9509110208 Proposed TS Page 3/4 3-42 re typed record copy.
* Duke Power Co. 95/08/07. 1p. 85454:334-85454:334.

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

9509260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509010076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FFD testing.
TUCKMAN,M.S. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

9509080041 Forwards administrative changes to TSs 3/4.3.1 & 3/4.3.2 re ESF actuation sys.
MCMEEKIN,T.C. Duke Power Co. 95/08/30. Document Control Branch (Document Control Desk). 4pp. 85376:292-85376:362.

9509080042 Proposed tech specs 3/4.3.1 & 3/4.3.2, making administrative changes.
* Duke Power Co. 95/08/30. 20pp. 85376:296-85376:362.

9509210074 Rev 4 to "MNS Selected Licensee Commitments Manual (SLC)," relocating certain turbine overspeed protection, seismic instrumentation, meteorological instrumentation & loose-part detection sys TS requirements from TS to SLC.
CRANE,K.L. Duke Power Co. 95/08/31. 23pp. 85548:338-85548:360.

9509110192 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
TUCKMAN,M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.

9509110195 Proposed tech specs, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
* Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.

9509110312 Application for amends to licenses NPF-9 & NPF-17, revising TS 3/4.6.5 to reduce required ice weight in containment ice condenser of each unit from 2,099,790 lbs to 1,516,800 lbs.
TUCKMAN,M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 4pp. 85456:277-85456:308.

9509110317 Proposed tech specs, revising TS 3/4.6.5 to reduce required ice weight in containment ice condenser of each unit from 2,099,790 lbs to 1,516,800 lbs.
* Duke Power Co. 95/09/01. 28pp. 85456:281-85456:308.

9509120241 Forwards proprietary & nonproprietary topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology" for McGuire Nuclear Station & Catawba Nuclear Station. Proprietary SE withheld.
MARTIN,R.E. 95/09/06. TUCKMAN,M.S. Duke Power Co. 5pp. 85493:332-85493:358.

9509180325 Nonproprietary version of topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Analytical methodology in rept acceptable for use in predicting plants containment pressure.
* 95/09/06. 22pp. 85493:337-85493:358.

9509130187 Forwards proprietary request for addl info re Topical Rept DPC-NE-3000, "Thermal-Hydraulic Transient Analysis Methodology." Nonproprietary RAI also encl. Proprietary RAI withheld per 10CFR2.790.
MARTIN,R.E. 95/09/06. TUCKMAN,M.S. Duke Power Co. 7pp. 85473:352-85473:358.

9509140136 Forwards RAI to complete review of GI 95-03, "Circumferential Cracking of SG Tubes." Response requested within 30 days of date of ltr.
NERSES,V. 95/09/07. MCMEEKIN,T.C. Duke Power Co. 4pp. 85439:350-85439:353.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Conee Nuclear Station, Units 1 & 2.
BERKOW,H.N. 95/09/11. TUCKMAN,M.S. Duke Power Co. 2pp. 85521:339-85521:346.

9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509190206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P. Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537:233-85537:345.

9509200354 Forwards request for addl info related to external event analyses in IPEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
NERSES,V. 95/09/15. MCMEEKIN,T.C. Duke Power Co. 12pp. 85543:270-85543:281.

9509260003 Supplemental application for amend to license NPF-35, revising Table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints."
TUCKMAN,M.S. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 5pp. 85589:059-85589:229.

9509260005 "McGuire 1 & 2 & Catawba 1 Nuclear Generating Stations Replacement SG Topical Rept."
REITER,D.P., KLARNER,R., BOYD,T. Babcock & Wilcox Co. BWI-222-7693-LR-01. 95/04/30. 160pp. 85589:070-85589:229.

9509260007 Application for amends to licenses NPF-9 & NPF-17, revising Table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints."
TUCKMAN,M.S. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 5pp. 85605:001-85605:170.

9509260009 Proposed tech spec table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints."
* Duke Power Co. 95/09/18. 5pp. 85605:006-85605:170.

9509260018 Forwards revised record pages for LTOP protection TS amend.
MCMEEKIN,T.C. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 1p. 85592:149-85592:164.

9509260021 Proposed tech specs, providing revised record pages for LTOP protection in TS amend.
* Duke Power Co. 95/09/18. 15pp. 85592:150-85592:164.

9509260110 Submits revised request for approval of seismic analysis methodology.
TUCKMAN,M.S. Duke Power Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85606:296-85606:298.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070285 Confirms telcon on 950622 between S Helms & RS Baldwin re NRC arrangements for insp of licensed operator requalification program at plant. Insp planned for week of 950925.
PEEBLES,T.A. Region 2 (Post 820201). 95/08/23. MCMEEKIN,T.C. Duke Power Co. 4pp. 85323:142-85323:145.

9509070157 Forwards insp repts 50-369/95-21 & 50-370/95-21 on 950724-28. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/08/25. MCMEEKIN,T.C. Duke Power Co. 4pp. 85321:100-85321:117.

9509070163 Insp repts 50-369/95-21 & 50-370/95-21 on 950724-28. No violations noted. Major areas inspected: transportation of radioactive material, radiological environmental monitoring, radioactive effluent controls & audits.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/08/22. 12pp. 85321:104-85321:117.

9509070185 Confirms 950821 telcon between J Snyder & R Carroll re mgt meeting scheduled for 951002 to discuss SALP.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/25. MCMEEKIN,T.C. Duke Power Co. 3pp. 85321:268-85321:270.

9509070191 Forwards insp repts 50-369/95-20 & 50-370/95-20 on 950724-28. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/08/25. MCMEEKIN,T.C. Duke Power Co. 4pp. 85321:285-85321:301.

9509070197 Insp repts 50-369/95-20 & 50-370/95-20 on 950724-28. No violations noted. Major areas inspected: occupational radiation safety & exam of organization & mgt controls, audits & appraisals.
PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 95/08/24. 13pp. 85321:289-85321:301.

9509070221 Forwards insp repts 50-369/95-17 & 50-370/95-17 on 950707-0805. No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/29. MCMEEKIN,T.C. Duke Power Co. 3pp. 85322:209-85322:225.

9509070228 Insp repts 50-369/95-17 & 50-370/95-17 on 950707-0805. No violations noted. Major areas inspected: plant operations, maint & engineering.
MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/08/29. 14pp. 85322:212-85322:225.

9509120040 Forwards response to NRC 950804 ltr re deviation noted in insp repts 50-369/95-14 concerning failure to meet GI 88-14 commitments. Corrective actions: five micron filters installed on all critical to operation air operated valves.
MCMEEKIN,T.C. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85427:339-85427:342.

9509180311 Notifies that on 951002, representatives of NRC will meet w/mgt of Duke Power Co to discuss plant performance over past 18 months. Extends invitation to attend meeting as observer.
EBNETER, S.D. Region 2 (Post 820201). 95/09/05. HUTCHISON, K.D. Federal Emergency Management Agency. 4pp. 85502:125-85502:128.

9509180223 Confirms scheduled administration of licensing exams at plant during wk of 960122, per telcon between RS Baldwin & A Lindsey. Requests furnishing of exam outlines by 951122 & requests exams, operating tests & ref mats by 951222.
PEEBLES, T.A. 95/09/06. MCMEEKIN, T.C. Duke Power Co. 5pp. 85501:016-85501:020.

9506310196 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2.
BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509280192 Ack receipt of 950831 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/95-14 & 50-370/95-14.
CASTO, C.A. Region 2 (Post 820201). 95/09/15. MCMEEKIN, T.C. Duke Power Co. 2pp. 85613:219-85613:220.

9509280204 Forwards SALP repts 50-369/95-99 & 50-370/95-99 for period 940206-950812. Facility performance assessed as being good in plant operations & maint & as superior in engineering & plant support.
EBNETER, S.D. Region 2 (Post 820201). 95/09/15. MCMEEKIN, T.C. Duke Power Co. 6pp. 85613:333-85613:344.

-9509280222 SALP repts 50-369/95-99 & 50-370/95-99 for 940206-950812.
* Region 2 (Post 820201). 95/09/15. 6pp. 85613:339-85613:344.

9509250052 Forwards response to NRC 950822 ltr re violations noted in insp repts 50-369/95-19 & 50-370/95-19. Corrective actions: EDG-2B was declared inoperable & investigator was initiated to evaluate potential of common mode failure.
MCMEEKIN, T.C. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 4pp. 85584:300-85584:303.

9509280225 Forwards insp repts 50-369/95-22 & 50-370/95-22. No violations or deviations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 95/09/18. MCMEEKIN, T.C. Duke Power Co. 3pp. 85614:200-85614:218.

-9509280245 Insp repts 50-369/95-22 & 50-370/95-22 on 950806-0902. No violations noted. Major areas inspected: plant operations, maintenance, engineering & plant support.
MAXWELL, G.F., CRLENJAK, R.V. Region 2 (Post 820201). 95/09/15. 16pp. 85614:203-85614:218.

9509130018 NRC info Notice 95-038, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280197 Forwards insp repts 50-369/95-18 & 50-370/95-18 on 950807-11. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/09/22. MCMEEKIN, T.C. Duke Power Co. 3pp. 85613:256-85613:279.

-9509280206 Insp repts 50-369/95-18 & 50-370/95-18 on 950807-11. No violations noted. Major areas inspected: observation & evaluation of annual emergency preparedness exercise.
SARTOR, W.M., BARR, K.P. Region 2 (Post 820201). 95/09/22. 21pp. 85613:259-85613:279.

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010079 Forwards FFD program performance data repts for Duke Power, Oconee, McGuire & Catawba Nuclear Stations, per 10CFR26.71(d), for period of 950101-0630.
TUCKMAN, M.S. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.

9509180231 Forwards monthly operating repts for McGuire Nuclear Station for Aug 1995 & revised repts for Jul 1995.
WEBER, R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85520:342-85520:354.

-9509180234 Monthly operating repts for Aug 1995 for McGuire Nuclear Station.
WILLIAMS, R.A. Duke Power Co. 95/08/31. 10pp. 85520:344-85520:353.

-9509180235 Revised monthly operating repts for Jul 1995 for McGuire Nuclear Station.
* Duke Power Co. 95/07/31. 1p. 85520:354-85520:354.

S. Reportable occurrences, LERs & related correspondence

9509190086 LER 95-003-00 on 950815, containment integrity was lost momentarily due to degraded subcomponent. Developed interim measures for personnel airlock door operation until door alignment corrected W/950913 ltr.
DEESE, R.J., MCMEEKIN, T.C. Duke Power Co. 95/09/13. 5pp. 85533:335-85533:340.

V. Operator Examinations

9509070285 Confirms telcon on 950822 between S Heims & RS Baldwin re NRC arrangements for insp of licensed operator requalification program at plant. Insp planned for week of 950925.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/23. MCMEEKIN, T.C. Duke Power Co. 4pp. 85323:142-85323:145.

9509180223 Confirms scheduled administration of licensing exams at plant during wk of 960122, per telcon between RS Baldwin & A Lindsey. Requests furnishing of exam outlines by 951122 & requests exams, operating tests & ref mats by 951222.
PEEBLES, T.A. 95/09/06. MCMEEKIN, T.C. Duke Power Co. 5pp. 85501:016-85501:020.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509110387 Revised EIPs, including LZR index & Rev 10 to LZR-1330-26, deleting procedure.
* Commonwealth Edison Co. 95/08/15. 9pp. 85453:323-85453:331.

9509050262 Submits response to NRC request for addl info resulting from 950801 telcon re Darmatt KM-1 installation. Requested drawings that apply to Darmatt KM-1 fire test encl. W/o encl.
BENES, G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85342:309-85342:313.

9509260150 Rev 56 to EPIP LZR-1320-1, "Augmentation of Plant Staffing."
* Commonwealth Edison Co. 95/09/07. 27pp. 85592:331-85592:357.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

9509280041 Confirms discussion between M Ring & J Burns re mgt meeting on 950929. Meeting to discuss oversight of fire protection program in reference to recent insp findings.
AXELSON, W.L. Region 3 (Post 820201). 95/09/13. QUERIO, R.E. Commonwealth Edison Co. 2pp. 85613:004-85613:005.

9509290103 Rev 2 to EPIP LZR-1195-1, "ODCS Specialist Implementing Procedure." W/LZR index.
* Commonwealth Edison Co. 95/09/14. 12pp. 85644:297-85644:308.

P. Operating license stage documents & correspondence

9509050056 Application for amends to licenses NPF-11 & NPF-18, eliminating MSIV leakage control sys & increasing MSIV leakage limits, including request for exemption for MSIV leakages from acceptance test criteria in App J of 10CFR50.
BENES, G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 18pp. 85422:001-85422:268.

-9509050057 Proposed tech specs, eliminating MSIV leakage control sys & increasing MSIV leakage limits for Unit 2.
* Commonwealth Edison Co. 95/08/28. 178pp. 85422:019-85422:200.

-9509050060 "Rept of Walkdown to Verify Adequacy of MS Drain Line & Condenser for Use as Alternate MSIV Leakage Treatment Sys for Lasalle County Nuclear Station Unit 1."
GERSHMAN, A.I., HUMPHREYS, R.L., PETRICH, J.G. Sargent & Lundy, Inc. EMD-068078 R02. 95/08/10. 22pp. 85422:201-85422:222.

-9509070287 "Rept of Walkdown to Verify Adequacy of MS Drain Line & Condenser for Use as Alternate MSIV Leakage Treatment Sys."
GERSHMAN, A.I., HUMPHREYS, R.L., PETRICH, J.G. Sargent & Lundy, Inc. EMD-067927. 95/08/10. 64pp. 85422:223-85422:268.

9509050262 Submits response to NRC request for addl info resulting from 950801 telcon re Darmatt KM-1 installation. Requested drawings that apply to Darmatt KM-1 fire test encl. W/o encl.
BENES, G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85342:309-85342:313.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

112 DOCKETED ITEMS

9509140275 Forwards correction of issuance of amends 105 & 91 to license NPF-11 & NPF-18 for Units 1 & 2, respectively.
LATTA,R.M. 95/09/12. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85467:237-85467:243.

-9509150255 Correction to amends 105 & 91 to licenses NPF-11 & NPF-18, correcting error in submitted pages.
* 95/09/12. 5pp. 85467:239-85467:243.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 6, "Administrative Controls."
BENES,G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509220170 Notices of forthcoming meeting w/util in Rockville,MD to discuss implementation of improved std TS for LaSalle, units 1 & 2.
LATTA,R.M. 95/09/20. CAPRA,R.A. 2pp. 85564:308-85564:309.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL,R.A. Division of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN,D.S. Project Directorate I-1. 94/05/11. ANDERSEN,J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.

9509050299 Withdraws 950201 request for approval of Relief Request RI-32 to extend initial ISI interval for facility. Exams of initial inservice interval for facility that require unit shutdown completed during Feb 1995 Unit 1 forced outage.
BENES,G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85395:02-85395:02.

9509060349 Forwards request for addl info re Second 10-yr Interval Inservice Insp Program Plan, Rev 0 & associated requests for relief from ASME Boiler & Vessel Code.
LATTA,R.M. 95/09/01. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85314:206-85314:211.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190049 Ack receipt of 950727 tr informing NRC of steps taken to correct violations noted in insp repts 50-373/95-04 & 50-374/95-04 on 950730.
CLAYTON,H.B. Region 3 (Post 820201). 95/09/11. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85503:201-85503:202.

9509260041 Confirms discussion between M Ring & J Burns re mgt meeting on 950929 Meeting to discuss oversight of fire protection program in reference to recent insp findings.
AXELSON,W.L. Region 3 (Post 820201). 95/09/13. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85613:004-85613:005.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18.
ROE,J.W. 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050150 "Effluent & Waste Disposal Semiannual Rept (1995)." W/950829 ltr
RAY,D.J. Commonwealth Edison Co. 95/06/30. 24pp. 85327:338-85327:361.

9509180187 Monthly operating repts for Aug 1995 for LaSalle County Nuclear Power Station. W/950911 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/08/31. 17pp. 85523:120-85523:136.

5. Reportable occurrences, LERs & related correspondence

9509010200 LER 95-005-00 on 950208 discovered that samples of diesel fuel required by TS 4.8.1.1.2.c.2 not taken due to failure to properly implement changes to TS 4.8.1.1.2.c.2 sampling requirements. Sampling procedures revised W/o ltr.
KOLLOROSS,T. Commonwealth Edison Co. 95/03/10. 3pp. 85315:112-85315:114.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509110387 Revised EPIPs, including LZP index & Rev 10 to LZP-1330-26, deleting procedure.
* Commonwealth Edison Co. 95/08/15. 9pp. 85453:323-85453:331.

9509050262 Submits response to NRC request for addl info resulting from 950801 teicon re Darmatt KM-1 installation. Requested drawings that apply to Darmatt KM-1 fire test encl W/o encl.
BENES,G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85342:309-85342:313.

9506260150 Rev 56 to EPIP LZP-1320-1, "Augmentation of Plant Staffing."
* Commonwealth Edison Co. 95/09/07. 27pp. 85592:331-85592:357.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

9509280041 Confirms discussion between M Ring & J Burns re mgt meeting on 950929 Meeting to discuss oversight of fire protection program in reference to recent insp findings.
AXELSON,W.L. Region 3 (Post 820201). 95/09/13. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85613:004-85613:005.

9509290103 Rev 2 to EPIP LZP-1195-1, "ODCS Specialist Implementing Procedure." W/LZP index.
* Commonwealth Edison Co. 95/09/14. 12pp. 85644:297-85644:308.

P. Operating license stage documents & correspondence

9509050056 Application for amends to licenses NPF-11 & NPF-18, eliminating MSIV leakage control sys & increasing MSIV leakage limits, including request for exemption for MSIV leakages from acceptance test criteria in App J of 10CFR50.
BENES,G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 18pp. 85422:001-85422:268.

-9509050057 Proposed tech specs, eliminating MSIV leakage control sys & increasing MSIV leakage limits for Unit 2.
* Commonwealth Edison Co. 95/08/28. 178pp. 85422:019-85422:200.

9509050262 Submits response to NRC request for addl info resulting from 950801 teicon re Darmatt KM-1 installation. Requested drawings that apply to Darmatt KM-1 fire test encl W/o encl.
BENES,G.G. Commonwealth Edison Co. 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85342:309-85342:313.

9508310033 Suppl 5 to Generic Ltr 89-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140275 Forwards correction of issuance of amends 105 & 91 to license NPF-11 & NPF-18 for Units 1 & 2, respectively.
LATTA,R.M. 95/09/12. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85467:237-85467:243.

-9509150255 Correction to amends 105 & 91 to licenses NPF-11 & NPF-18, correcting error in submitted pages.
* 95/09/12. 5pp. 85467:239-85467:243.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 6, "Administrative Controls."
BENES,G.G. Commonwealth Edison Co. 95/08/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509220170 Notices of forthcoming meeting w/util in Rockville,MD to discuss implementation of improved std TS for LaSalle, units 1 & 2.
LATTA,R.M. 95/09/20. CAPRA,R.A. 2pp. 85564:308-85564:309.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060349 Forwards request for addl info re Second 10-yr Interval Inservice Insp Program Plan, Rev 0 & associated requests for relief from ASME Boiler & Vessel Code.
LATTA,R.M. 95/09/01. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85314:206-85314:211.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130167 Forwards LaSalle County Nuclear Power Station Unit 2 ISI summary rept for Spring 1995 ASME Section XI ISI. BURNS, J. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85490-162-85491-016.

-9509130188 LaSalle County Nuclear Power Station Unit 2 ISI summary rept for Spring 1995 ASME Section XI ISI. * Commonwealth Edison Co. 95/09/08. 216pp. 85400-164-85491-016.

9509190049 Ack receipt of 950727 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/95-04 & 50-374/95-04 on 950730. CLAYTON, H.B. Region 3 (Post 820201). 95/09/11. QUERIO, R.E. Commonwealth Edison Co. 2pp. 85503-201-85503-202.

9509280041 Confirms discussion between M Ring & J Burns re mgt meeting on 950929 Meeting to discuss oversight of fire protection program in reference to recent insp findings. AXELSON, W.L. Region 3 (Post 820201). 95/09/13. QUERIO, R.E. Commonwealth Edison Co. 2pp. 85613-004-85613-005.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18. ROE, J.W. 95/09/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85536-331-85536-333.

9509130016 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9506180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509080260 "Effluent & Waste Disposal Semiannual Rept (1995)." W/950829 ltr. RAY, D.J. Commonwealth Edison Co. 95/06/30. 24pp. 85327-338-85327-361.

9509180187 Monthly operating repts for Aug 1995 for LaSalle County Nuclear Power Station. W/950911 ltr. CIALKOWSKI, M.J., RAY, D.J. Commonwealth Edison Co. 95/06/31. 17pp. 85523-120-85523-136.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9509080260 Forwards amend 112 to license NPF-38 & SE. Amend changes App A TS by removing seismic & meteorological monitoring instrumentation requirements. PATEL, C.P. 95/09/05. Entergy Operations, Inc. 3pp. 85383-132-85383-150.

9509110164 Responds to emergency preparedness weakness noted in insp rept 50-382/95-14. Corrective actions EP-003-060 revised. BURSKE, R.F. Entergy Operations, Inc. 95/09/07. Document Control Branch (Document Control Desk). 4pp. 85457-335-85457-336.

9509210209 Forwards insp rept 50-382/95-17 on 950815-18 & NOV. DYER, J.E. Region 4 (Post 820201). 95/09/15. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 85544-258-85544-264.

-9509210213 Notice of violation from insp on 950815-18. Violation noted: insp team determined that on 950610, control room operators failed to recognize & announce FP panel annunciator alarms upon notification of smoke & fire in turbine bldg. * Region 4 (Post 820201). 95/09/15. 2pp. 85544-264-85544-265.

-9509210216 Insp rept 50-382/95-17 on 950815-18. Violations noted: Major areas inspected: safety significance of issues identified during AIT evaluation of 950610, fire & reactor trip combined w/partial loss of offsite power. VANDENBURGH, C. Region 4 (Post 820201). 95/09/15. 19pp. 85544-266-85544-284.

9509200314 Change 3 to Rev 17 to EPIP EP-001-001, "Recognition & Classification of Emergency Conditions." W/950919 ltr. BURSKE, R.F. Entergy Operations, Inc. 95/09/19. 6pp. 85552-355-85552-360.

9509220054 Forwards change 2 to rev 6 to safeguards contingency plan. Encl withheld. BURSKE, R.F. Entergy Operations, Inc. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85560-358-85560-359.

9509220061 Forwards change 4 to rev 13 to physical security plan. Encl withheld. BURSKE, R.F. Entergy Operations, Inc. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85560-356-85560-357.

9509260356 Forwards corrected NOV & page 4 of insp rept 50-382/95-17. DYER, J.E. Region 4 (Post 820201). 95/09/22. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 85589-029-85589-035.

-9509270009 Corrected NOV from insp on 950815-18. Violation noted: control room operators failed to recognize & announce fire protection panel annunciator alarms upon notification of smoke & fire in turbine bldg. * Region 4 (Post 820201). 95/09/15. 2pp. 85589-033-85589-034.

-9509270012 Corrected page 4 to insp rept 50-382/95-17. VANDENBURGH, C. Region 4 (Post 820201). 95/09/15. 1p. 85589-035-85589-035.

9509260297 Submits affected pages of physical security plan, rev 13, change 5. Encl withheld. BURSKE, R.F. Entergy Operations, Inc. 95/09/25. Document Control Branch (Document Control Desk). 2pp. 85592-112-85592-113.

P. Operating license stage documents & correspondence

9509050348 Forwards RAI to complete review of GL 95-03, "Circumferential Cracking of SG Tubes," which requested addressees to evaluate recent operating experiences. PATEL, C.P. 95/06/31. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 85423-061-85423-064.

9509070050 Forwards request for addl info in order to complete review of licensee 931206 TS change request to allow installation of tube sleeves as alternative to plugging defective SG tubes at plant. PATEL, C.P. 95/09/01. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 85373-268-85373-271.

9509080290 Forwards amend 111 to license NPF-38 & SE. Amend changes App A TSs by revising allowable opening tolerances on pressurizer valves & main MSSVs from plus or minus 1% to plus or minus 3%. PATEL, C.P. 95/09/01. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 85383-080-85383-095.

-9509080297 Amend 111 to license NPF-38, changing App A TSs by revising allowable opening tolerances on pressurizer safety valves & MSSVs from plus or minus 1% to plus or minus 3%. PATEL, C.P. 95/09/01. 9pp. 85383-083-85383-091.

-9509080309 Safety evaluation supporting amend 111 to license NPF-38. * 95/09/01. 4pp. 85383-092-85383-095.

9509080163 Summarizes 950829 meeting re discussion of licensee Refueling Outage 6 goals & nature of some of mods that will be implemented. List of attendees & slides enclosed. DYER, J.E. Region 4 (Post 820201). 95/09/05. BARKHURST, R.P. Entergy Operations, Inc. 24pp. 85324-271-85324-293.

9509080260 Forwards amend 112 to license NPF-38 & SE. Amend changes App A TS by removing seismic & meteorological monitoring instrumentation requirements. PATEL, C.P. 95/09/05. Entergy Operations, Inc. 3pp. 85383-132-85383-150.

-9509080265 Amend 112 to license NPF-38, changing App A TS by removing seismic & meteorological monitoring instrumentation requirements. Requirements located in UFSAR. PATEL, C.P. 95/09/05. 12pp. 85383-135-85383-146.

-9509080267 Safety evaluation supporting amend 112 to license NPF-38. * 95/09/05. 4pp. 85383-147-85383-150.

9509190315 Forwards amend 113 to license NPF-38 & safety evaluation. Amend changes App A TSs by revising plant protection sys trip setpoints & allowable values such that will be consistent w/current setpoint/uncertainty methodology. PATEL, C.P. 95/09/05. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 85525-282-85525-303.

-9509190325 Amend 113 to license NPF-38, changing App A TSs revising plant protection sys trip setpoints & allowable values such that will be consistent w/current setpoint/uncertainty methodology being implemented at Waterford 3. PATEL, C.P. 95/09/05. 14pp. 85525-285-85525-298.

-9509190335 Safety evaluation supporting amend 113 to license NPF-38. * 95/09/05. 5pp. 85525-299-85525-303.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509210079 Forwards proprietary rept CEN-625-P, "Verification of ABB CEN SG Tube Sleeve Installation Process & Operating Performance," in response to NRC 950901 RAI re TS Change Request NPF-38-146. Proprietary rept withheld. BURSKE, R.F. Entergy Operations, Inc. 95/09/18. Document Control Branch (Document Control Desk). 10pp. 85567-268-85567-277.

9509210231 Informs of implementation dates for license amends 92.99, 101.103 through 109. App J exemption Type A test, GL 89-10 MOV testing & first 10-yr interval ISI through Rev 5, as requested by NRR. BURSKE, R.F. Entergy Operations, Inc. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85568-310-85568-311.

9509260206 Requests addl info re GL 95-03, "Circumferential Cracking of SG Tubes." PATEL, C.P. 95/09/21. BARKHURST, R.P. Entergy Operations, Inc. 1p. 85601-184-85601-184.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

114 DOCKETED ITEMS

9509010060 Ack receipt of 950802 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/95-15.
GWYNN,T.P. Region 4 (Post 820201). 95/08/30. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 85269:194-85269:197.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509110164 Responds to emergency preparedness weakness noted in insp rept 50-382/95-14. Corrective actions:EP-003-060 revised.
BURSKI,R.F. Entergy Operations, Inc. 95/09/07. Document Control Branch (Document Control Desk). 4pp. 85457:335-85457:338.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509140024 Forwards insp rept 50-382/95-07 on 950709-0819.No violations noted.
DYER,J.E. Region 4 (Post 820201). 95/09/08. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 85428:046-85428:067.

-9509140027 Insp rept 50-382/95-07 on 950709-0819.No violations noted. Major areas inspected:routine,unannounced insp of plant status,plant operations,maint & surveillance observations, onsite engineering & plant support activities.
VANDENBURG,C.A. Region 4 (Post 820201). 95/08/31. 18pp. 85428:050-85428:067.

9509180126 Responds to 950719 ltr which responded to SALP rept for plant for period of 931031-950429.Expresses appreciation for open & candid remarks provided in 950623 public meeting.
CALLAN,L.J. Region 4 (Post 820201). 95/09/13. BARKHURST,R.P. Entergy Operations, Inc. 8pp. 85500:009-85500:114.

9509190068 Ack receipt of 950907 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/95-14.
SCARANO,R.A. Region 4 (Post 820201). 95/09/15. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 85503:352-85503:359.

9509210209 Forwards insp rept 50-382/95-17 on 950815-18 & NOV.
DYER,J.E. Region 4 (Post 820201). 95/09/15. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 85544:259-85544:284.

-9509210213 Notice of violation from insp on 950815-18.Violation noted: insp team determined that on 950610,control room operators failed to recognize & announce FP panel annunciator alarms upon notification of smoke & fire in turbine bldg.
* Region 4 (Post 820201). 95/09/15. 2pp. 85544:264-85544:265.

-9509210216 Insp rept 50-382/95-17 on 950815-18 Violations noted:Major areas inspected:safety significance of issues identified during AIT evaluation of 950610,fire & reactor trip combined w/partial loss of offsite power.
VANDENBURGH,C. Region 4 (Post 820201). 95/09/15. 19pp. 85544:266-85544:284.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140286 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Cruciferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509210241 Informs of implementation dates for license amends 92,99, 101,103 through 108,App J exemption Type A test,GL 89-10 MOV testing & first 10-yr interval ISI through Rev 5,as requested by NRR.
BURSKI,R.F. Entergy Operations, Inc. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85568:310-85568:311.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509260356 Forwards corrected NOV & page 4 of insp rept 50-382/95-17.
DYER,J.E. Region 4 (Post 820201). 95/09/22. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 85589:029-85589:035.

-9509270009 Corrected NOV from insp of 950815-18.Violation noted:control room operators failed to recognize & announce fire protection panel annunciator alarms upon notification of smoke & fire in turbine bldg.
* Region 4 (Post 820201). 95/09/15. 2pp. 85589:033-85589:034.

-9509270012 Corrected page 4 of insp rept 50-382/95-17.
VANDENBURGH,C. Region 4 (Post 820201). 95/09/15. 1p. 85589:035-85589:035.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509140004 Monthly operating rept for Aug 1995 for Waterford 3.W/950912 ltr.
FREEMAN,D.S., BURSKI,R.F. Entergy Operations, Inc. 95/08/31. 7pp. 85484:339-85484:345.

S. Reportable occurrences, LERs & related correspondence

9509010050 PNO-IV-95-033A:on 950720,licensee terminated alert classification & resumed normal operations.Licensee exited alert after confirming authorities had begun recovery actions following cessation of ammonia release.
FORD,E., PICK,G. Region 4 (Post 820201). 95/07/21. 1p. 85315:102-85315:102.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington,TX re pilot exam development program.Attendance list,meeting agenda & handouts,encl.
GWYNN,T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070111 Forwards exercise manual for Susquehanna Electric Station 1995 NRC observed exercise for review.
PRICE,A.M. Pennsylvania Power & Light Co. 95/06/23. KEMIG,R. Region 1 (Post 820201). 1p. 85375:001-85375:331.

-9509070117 Forwards objectives for Susquehanna Steam Electric Station 950815,full scale exercise for review.
PRICE,A.M. Pennsylvania Power & Light Co. 95/05/26. KEMIG,R. Region 1 (Post 820201). 35pp. 85375:002-85375:036.

-9509070121 "Susquehanna Steam Electric Station Exercise Manual."
* Pennsylvania Power & Light Co. 95/06/15. 295pp. 85375:037-85375:331.

9509150038 Forwards Rev 22 to emergency plan.Changes do not decrease effectiveness of plan & changes continue to satisfy requirements of 10CFR50,App E.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 7pp. 85507:001-85507:144.

-9509150060 Rev 22 to emergency plan.
* Pennsylvania Power & Light Co. 95/04/30. 137pp. 85507:008-85507:144.

9509060255 Comment on NRC SALP Program.Util views SALP program as important aspect of ongoing communication between licensees & NRC.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85312:209-85312:214.

-9509060270 Requests for public comments on revised NRC SALP of licensee performance program.
BORCHARDT,R.W. 95/06/31. Affiliation Not Assigned. 1p. 85312:214-85312:214.

9509180301 Documents PP&L 950908 telcon request for 90 day extension to respond to NRC 950714 ltr re PP&L preparation for 950223 enforcement conference,PP&L employee safety concerns program & evaluation of security.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/12. COOPER,R.W. Region 1 (Post 820201). 2pp. 85521:354-85521:355.

9509260084 Forwards insp repts 50-387/95-18 & 50-388/95-18 on 950724-28.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/09/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85569:288-85569:300.

-9509260091 Insp repts 50-387/95-18 & 50-388/95-18 on 950724-28.No violations noted:Major areas inspected:review adequacy & implementation of corrective actions for previously noted fire protection program & 10CFR50,app R open items.
HARRISON,L.M., RULAND,W.H. Region 1 (Post 820201). 95/09/12. 10pp. 85569:291-85569:300.

9509250038 Informs NRC of affect of installation phase of plant integrated computer sys project on electronically transmitted data for emergency planning.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 11pp. 85601:349-85601:359.

9509250159 Responds to NRC request to resubmit proposal to change TS for plant to implement provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85580:111-85580:177.

-9509250168 Application for amends 189 & 146 to licenses NPF-14 & NPF-22,implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 8pp. 85580:113-85580:120.

-9509250171 Proposed tech specs,implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
* Pennsylvania Power & Light Co. 95/09/16. 57pp. 85580:121-85580:177.

9509260013 Forwards util SALP repts 50-387/95-99 & 50-388/95-99 for periods 940227 & 950805.
MARTIN,T.T. Region 1 (Post 820201). 95/09/20. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 85569:004-85569:016.

-9509260016 SALP repts 50-387/95-99 & 50-388/95-99 for period of 940227-950805.
* Region 1 (Post 820201). 95/09/20. 8pp. 85569:008-85569:016.

P. Operating license stage documents & correspondence

9509060117 Forwards amend 153 to license NPF-14 & safety evaluation. Amend extends on one-time basis ACT from 3 to 7 days for one offsite circuit being out of svc.
POSUSNY,C. 95/08/31. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85314:187-85314:197.

-9509060123 Amend 153 to license NPF-14, extending one-time basis allowed AOT from 3 to 7 days for one offsite circuit being out of svc.
STOLZ, J.F. 95/08/31. 4pp. 85312:190-85314:193.

-9509060125 Safety evaluation supporting amend 153 to license NPF-14.
* 95/08/31. 4pp. 85314:194-85314:197.

9509080220 Forwards environment assessment & finding of no significant impact re implementation of higher fuel burnup rate per 950202 application.
POSLUSNY, C. 95/09/05. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85383:175-85383:181.

-9509080236 Environ assessment & finding of no significant impact re 950202 application concerning implementation of higher fuel burnup rate.
STOLZ, J.F. 95/09/05. 4pp. 85383:178-85383:181.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180346 Forwards amends 154 & 124 to licenses NPF-14 & NPF-22 & SE. Amends change TSs for two plant units to increase licensed discharge fuel assembly for SPC 9X9-2 fuel from 40 to 45 GWD/MTU.
POSLUSNY, C. 95/09/12. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85522:330-85522:345.

-9509180351 Amends 154 & 124 to licenses NPF-14 & NPF-22, respectively, changing TSs for two plant units to increase licensed discharge fuel assembly for SPC 9X9-2 fuel from 40 to 45 GWD/MTU.
STOLZ, J.F. 95/09/12. 8pp. 85522:333-85522:340.

-9509180354 Safety evaluation supporting amends 154 & 124 to licenses NPF-14 & NPF-22, respectively.
* 95/09/12. 5pp. 85522:341-85522:345.

9509210175 Forwards monthly operating repts for Aug 1995 & Rev 5 to "Susquehanna SES ODCM."
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85567:291-85567:316.

-9509210179 Rev 5 to "Susquehanna SES ODCM."
* Pennsylvania Power & Light Co. 95/07/17. 26pp. 85567:291-85567:316.

9509250049 Forwards justification for proposed QA program change re elimination of biennial procedure review requirements.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 8pp. 85584:304-85584:311.

9509250159 Responds to NRC request to resubmit proposal to change TS for plant to implement provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85580:113-85580:117.

-9509250168 Application for amends 189 & 146 to licenses NPF-14 & NPF-22, implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 8pp. 85580:113-85580:120.

-9509250171 Proposed tech specs, implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
* Pennsylvania Power & Light Co. 95/09/18. 57pp. 85580:121-85580:177.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060242 Forwards insp repts 50-387/95-17 & 50-388/95-17 on stated date. Violations noted. Violations of concern because decision made by higher level personnel.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/29. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85312:154-85312:172.

-9509060247 Notice of violation from insp on 950705-0805. Violation noted on 950429, during performance of SE-124-207, TS 3.0.3 not entered when auto-close protective relays for primary & alternate supply breakers to ESS buses 1B & 1D disabled.
ANDERSON, C. Region 1 (Post 820201). 95/08/29. 1p. 85312:157-85312:157.

-9509060251 Insp repts 50-387/95-17 & 50-388/95-17 on 950705-0805. Violations noted. Major areas inspected: operations, maintenance, surveillance, engineering, technical support, plant support & safety assessment.
ANDERSON, C. Region 1 (Post 820201). 95/08/29. 12pp. 85312:158-85312:172.

9509060255 Comment on NRC SALP Program. Util views SALP program as important aspect of ongoing communication between licensees & NRC.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85312:209-85312:214.

-9509060270 Requests for public comments on revised NRC SALP of licensee performance program.
BORCHARDT, R.W. 95/08/31. Affiliation Not Assigned. 1p. 85312:214-85312:214.

9509060340 Comments on NRC SALP program. Forwards several suggestions for enhancing current SALP program.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 85312:224-85312:229.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180301 Documents PP&L 950908 telcon request for 90 day extension to respond to NRC 950714 ltr re PP&L preparation for 950223 enforcement conference. PP&L employee safety concerns program & evaluation of security.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/12. COOPER, R.W. Region 1 (Post 820201). 2pp. 85521:354-85521:355.

9509260064 Forwards insp repts 50-387/95-18 & 50-388/95-18 on 950724-28. No violations noted.
RULAND, W.H. Region 1 (Post 820201). 95/09/15. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85569:288-85569:300.

-9509260091 Insp repts 50-387/95-18 & 50-388/95-18 on 950724-28. No violations noted. Major areas inspected: review adequacy & implementation of corrective actions for previously noted fire protection program & 10CFR50, app F open items.
HARRISON, L.M., RULAND, W.H. Region 1 (Post 820201). 95/09/12. 10pp. 85569:291-85569:300.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509260013 Forwards util SALP repts 50-387/95-99 & 50-388/95-99 for periods 940227 & 950805.
MARTIN, T.T. Region 1 (Post 820201). 95/09/20. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 85569:004-85569:016.

-9509260016 SALP repts 50-387/95-99 & 50-388/95-99 for period of 940227-950805.
* Region 1 (Post 820201). 95/09/20. 9pp. 85569:006-85569:016.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050145 Forwards semiannual FFD performance rept for Jan-June 1995, per 10CFR26.71(d). Rept consolidates corporate & station data for SSES, Units 1 & 2.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85345:353-85345:356.

9509210175 Forwards monthly operating repts for Aug 1995 & Rev 5 to "Susquehanna SES ODCM."
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85567:281-85567:316.

-9509210176 Monthly operating repts for Aug 1995 for Susquehanna SES.
BALL, R.S. Pennsylvania Power & Light Co. 95/08/31. 9pp. 85567:282-85567:290.

-9509210179 Rev 5 to "Susquehanna SES ODCM."
* Pennsylvania Power & Light Co. 95/07/17. 26pp. 85567:291-85567:316.

S. Reportable occurrences, LERs & related correspondence

9509010180 LER 95-002-00 on 950310, roving fire watch not completed within required time when individual performing fire watch became stuck in elevator. Program implemented to heighten operators awareness of FP SRs. W/950410 ltr.
WEHRY, R.R., STANLEY, H.G. Pennsylvania Power & Light Co. 95/04/10. 4pp. 85315:115-85315:118.

9509180304 Forwards suppl LER to provide Commission w/info concerning potential blocking of ECCS suction strainers due to containment debris.
STANLEY, H.G. Pennsylvania Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 1p. 85533:284-85533:291.

-9509180313 LER 93-007-01 on 930611, containment debris plugged ECCS suction strainers. Caused by combined impact of rust, paint & fibrous insulation on strainers was not fully evaluated. Removed Nukon insulation from all areas inside unit.
KICHLIN, R. Pennsylvania Power & Light Co. 95/09/11. 7pp. 85533:285-85533:291.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509070111 Forwards exercise manual for Susquehanna Electric Station 1995 NRC observed exercise for review.
PRICE, A.M. Pennsylvania Power & Light Co. 95/06/23. KEMIG, R. Region 1 (Post 820201). 1p. 85375:001-85375:001.

116 DOCKETED ITEMS

-9509070117 Forwards objectives for Susquehanna Steam Electric Station 950815, full scale exercise for review.
PRICE, A.M. Pennsylvania Power & Light Co. 95/05/26. KEMIG, R. Region 1 (Post 820201). 9pp. 85375:002-85375:036.

-9509070121 "Susquehanna Steam Electric Station Exercise Manual."
* Pennsylvania Power & Light Co. 95/08/15. 295pp. 85375:037-85375:331.

9509150058 Forwards Rev 22 to emergency plan. Changes do not decrease effectiveness of plan & changes continue to satisfy requirements of 10CFR50, App E.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/02. Document Control Branch (Document Control Desk). 7pp. 85507:001-85507:144.

-9509150060 Rev 22 to emergency plan.
* Pennsylvania Power & Light Co. 95/04/30. 137pp. 85507:008-85507:144.

9509060255 Comment on NRC SALP Program. Util views SALP program as important aspect of ongoing communication between licensees & NRC.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85312:209-85312:214.

-9509060270 Requests for public comments on revised NRC SALP of licensee performance program.
BORCHARDT, R.W. 95/08/31. Affiliation Not Assigned. 1p. 85312:214-85312:214.

9509180301 Documents PP&L 950908 teicon request for 90 day extension to respond to NRC 950714 for re PP&L preparation for 950223 enforcement conference. PP&L employee safety concerns program & evaluation of security.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/12. COOPER, R.W. Region 1 (Post 820201). 2pp. 85521:354-85521:355.

9509260084 Forwards insp repts 50-387/95-18 & 50-388/95-18 on 950724-28. No violations noted.
RULAND, W.H. Region 1 (Post 820201). 95/09/15. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85569:298-85569:300.

-9509260091 insp repts 50-387/95-18 & 50-388/95-18 on 950724-28. No violations noted. Major areas inspected: review adequacy & implementation of corrective actions for previously noted fire protection program & 10CFR50, app R open items.
HARRISON, L.M. Region 1 (Post 820201). 95/09/12. 10pp. 85569:291-85569:300.

9509250038 Informs NRC of affect of installation phase of plant integrated computer sys project on electronically transmitted data for emergency planning.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 11pp. 85601:349-85601:359.

9509250159 Responds to NRC request to resubmit proposal to change TS for plant to implement provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85580:111-85580:177.

-9509250168 Application for amends 189 & 146 to licenses NPF-14 & NPF-22, implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 8pp. 85580:113-85580:120.

-9509250171 Proposed tech specs, implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
* Pennsylvania Power & Light Co. 95/09/18. 57pp. 85580:121-85580:177.

9509260013 Forwards util SALP repts 50-387/95-99 & 50-388/95-99 for periods 940227 & 950805.
MARTIN, T.T. Region 1 (Post 820201). 95/09/20. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 85569:004-85569:016.

-9509260016 SALP repts 50-387/95-99 & 50-388/95-99 for period of 940227-950805.
* Region 1 (Post 820201). 95/09/20. 9pp. 85569:008-85569:016.

P. Operating license stage documents & correspondence

9509080220 Forwards environment assessment & finding of no significant impact re implementation of higher fuel burnup rate per 950202 application.
POSUSNY, C. 95/09/05. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85383:175-85383:181.

-9509080236 Environ assessment & finding of no significant impact re 950202 application concerning implementation of higher fuel burnup rate.
STOLZ, J.F. 95/09/05. 4pp. 85383:178-85383:181.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140149 Forwards Amend 123 to License NPF-22, deleting three relief valves in RHR sys from TS Table 3.6.3-1.
POSUSNY, C. 95/09/11. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85476:256-85476:266.

-9509140153 Amend 123 to License NPF-22, deleting three relief valves in RHR sys from TS Table 3.6.3-1.
STOLZ, J.F. 95/09/11. 4pp. 85476:259-85476:262.

-9509140155 Safety evaluation supporting amend 123 to license NPF-22.
* 95/09/11. 4pp. 85476:263-85476:266.

9509180346 Forwards amends 154 & 124 to licenses NPF-14 & NPF-22 & SE. Amends change TSs for two plant units to increase licensed discharge fuel assembly for SPC 9X9-2 fuel from 40 to 45 GWD/MTU.
POSUSNY, C. 95/09/12. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85522:330-85522:345.

-9509180351 Amends 154 & 124 to licenses NPF-14 & NPF-22, respectively, changing TSs for two plant units to increase licensed discharge fuel assembly for SPC 9X9-2 fuel from 40 to 45 GWD/MTU.
STOLZ, J.F. 95/09/12. 8pp. 85522:333-85522:340.

-9509180354 Safety evaluation supporting amends 154 & 124 to licenses NPF-14 & NPF-22, respectively.
* 95/09/12. 5pp. 85522:341-85522:345.

9509190334 Forwards amend 125 to license NPF-22 & safety evaluation. Amend changes TS 6.9.3.2 to allow GE demonstration assemblies to be loaded into plant, cycle 8 core, by ref NEDE-24011-P-A-10, "GE Std Application of Reactor Fuel."
POSUSNY, C. 95/09/13. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85525:313-85525:321.

-9509190338 Amend 125 to license NPF-22, changing TS 6.9.3.2 to allow GE demonstration assemblies to be loaded into plant, cycle 8 core.
STOLZ, J.F. 95/09/13. 4pp. 85525:316-85525:319.

-9509190342 Safety evaluation supporting amend 125 to license NPF-22.
* 95/09/13. 2pp. 85525:320-85525:321.

9509210175 Forwards monthly operating repts for Aug 1995 & Rev 5 to "Susquehanna SES ODCM."
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85567:281-85567:316.

-9509210179 Rev 5 to "Susquehanna SES ODCM."
* Pennsylvania Power & Light Co. 95/07/17. 26pp. 85567:291-85567:316.

9509250048 Forwards justification for proposed QA program change re elimination of biennial procedure review requirements.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 8pp. 85584:304-85584:311.

9509250159 Responds to NRC request to resubmit proposal to change TS for plant to implement provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85580:111-85580:177.

-9509250168 Application for amends 189 & 146 to licenses NPF-14 & NPF-22, implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 8pp. 85580:113-85580:120.

-9509250171 Proposed tech specs, implementing provisions of GL 86-10 re relocation of plant Fire Protection Program from TS to another controlled document.
* Pennsylvania Power & Light Co. 95/09/18. 57pp. 85580:121-85580:177.

Q. Inspection reports, IE Bulletin & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Gabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of Info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN, D.S. Project Directorate I-1. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.

9509060242 Forwards insp repts 50-387/95-17 & 50-388/95-17 on stated date. Violations noted. Violations of concern because decision made by higher level personnel.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/29. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85312:154-85312:172.

-9509060247 Notice of violation from insp on 950705-0805. Violation noted on 950429, during performance of SE-124-207, TS 3.0.3 not entered when auto-close permissive relays for primary & alternate supply breakers to ESS buses 1B & 1D disabled.
ANDERSON, C. Region 1 (Post 820201). 95/08/29. 1p. 85312:157-85312:157.

-9509060251 Insp repts 50-387/95-17 & 50-388/95-17 on 950705-0805. Violations noted. Major areas inspected: operations, maintenance, surveillance, engineering, technical support, plant support & safety assessment.
ANDERSON, C. Region 1 (Post 820201). 95/08/29. 12pp. 85312:158-85312:172.

9509060255 Comment on NRC SALP Program. Util views SALP program as important aspect of ongoing communication between licensees & NRC.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85312:209-85312:214.

-9509060270 Requests for public comments on revised NRC SALP of licensee performance program.
BORCHARDT, R.W. 95/08/31. Affiliation Not Assigned. 1p. 85312:214-85312:214.

9509060340 Comments on NRC SALP program. Forwards several suggestions for enhancing current SALP program.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 8pp. 85312:224-85312:229.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180301 Documents PP&L 950908 telcon request for 90 day extension to respond to NRC 950714 tr re PP&L preparation for 950223 enforcement conference, PP&L employee safety concerns program & evaluation of security.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/12. COOPER, R.W. Region 1 (Post 820201). 2pp. 85521:354-85521:355.

9509260084 Forwards insp repts 50-387/95-18 & 50-388/95-18 on 950724-28. No violations noted.
RULAND, W.H. Region 1 (Post 820201). 95/09/15. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 85569:286-85569:300.

-**9509260091** Insp repts 50-387/95-18 & 50-388/95-18 on 950724-28. No violations noted. Major areas inspected: review adequacy & implementation of corrective actions for previously noted fire protection program & 10CFR50, app R open items.
HARRISON, L.M. RULAND, W.H. Region 1 (Post 820201). 95/09/12. 10pp. 85569:291-85569:300.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509260013 Forwards util SALP repts 50-387/95-99 & 50-388/95-99 for periods 940227 & 950805.
MARTIN, T.T. Region 1 (Post 820201). 95/09/20. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 85569:004-85569:016.

-**9509260016** SALP repts 50-387/95-99 & 50-388/95-99 for period of 940227-950805. * Region 1 (Post 820201). 95/09/20. 9pp. 85569:008-85569:016.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509050145 Forwards semiannual FFD performance rept for Jan-June 1995, per 10CFR26.71(d). Rept consolidates corporate & station data for SSES, Units 1 & 2.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85345:353-85345:356.

9509210175 Forwards monthly operating repts for Aug 1995 & Rev 5 to "Susquehanna SES ODCM"
BYRAM, R.G. Pennsylvania Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85567:281-85567:316.

-**9509210176** Monthly operating repts for Aug 1995 for Susquehanna SES.
BALL, R.S. Pennsylvania Power & Light Co. 95/08/31. 9pp. 85567:282-85567:290.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509050167 Rev 2 to EPIP-1107, "Duties of Manager, Nuclear Emergency Preparedness." W/950825 ltr.
BOHLKE, W.H. Florida Power & Light Co. 95/08/25. 10pp. 85342:243-85342:252.

9509060164 Advises that 950731 rev 46 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 95/08/31. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 95326:354-85326:356.

9509080326 Forwards amend 79 to license NPF-16 & SE. Amend changes table 3.3-3 & 3.3-4 to accommodate improved coincidence logic & relay replacement for 4.16 KV loss of voltage relays.
NORRIS, J.A. 95/09/01. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85376:278-85376:291.

-**9509080329** Amend 79 to license NPF-16, changing table 3.3-3 & 3.3-4 to accommodate improved coincidence logic & relay replacement for 4.16 KV loss of voltage relays.
MATTHEWS, D.B. 95/09/01. 7pp. 85376:281-85376:297.

-**9509080331** Safety evaluation supporting amend 79 to license NPF-16.
* 95/09/01. 4pp. 85376:288-85376:291.

9509140317 Responds to licensee response to 940809 & 941228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info, including request for submission of revised response.
CALVO, J.A. 95/09/12. MATTHEWS, D.B. 4pp. 85474:293-85474:297.

9509190292 Forwards RAI re external event analyses in IPEEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
NORRIS, J.A. 95/09/13. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 85505:356-85505:360.

9509260375 Rev 6 to Corporate Emergency Plan Implementing Procedure EPIP-1106, "Duties of Nuclear Div Duty Officer." W/950919 ltr.
BOHLKE, W.H. Florida Power & Light Co. 95/09/19. 12pp. 85620:332-85620:343.

P. Operating license stage documents & correspondence

9509070248 Confirms 950818 telcon between B Dawson & KD Landis re meeting requested for 950829 to provide assessment of recent events that occurred at plant.
LANDIS, K.D. Region 2 (Post 820201). 95/08/23. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85323:001-85323:003.

9509180303 Summarizes 950810 meeting in Atlanta, GA for util to present self-assessment of engineering performance at facility. Meeting attendees & agenda encl.
LANDIS, K.D. Region 2 (Post 820201). 95/09/06. GOLDBERG, J.H. Florida Power & Light Co. 70pp. 85502:031-85502:101.

9509180281 Submits summary of 950829 meeting held in Atlanta, GA re assessment of recent events that occurred at St Lucie facility.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/09/07. GOLDBERG, J.H. Florida Power & Light Co. 28pp. 85501:269-85501:295.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140317 Responds to licensee response to 940809 & 941228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," & concludes that response incomplete. Requests forwarding of info, including request for submission of revised response.
CALVO, J.A. 95/09/12. MATTHEWS, D.B. 4pp. 85474:293-85474:297.

9509190292 Forwards RAI re external event analyses in IPEEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
NORRIS, J.A. 95/09/13. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 85505:356-85505:360.

9509220179 Forwards RAI to complete review of GL 95-03, "Circumferential Cracking of SG Tubes," which requested addressees to evaluate recent operating experience re circumferential cracking.
NORRIS, J.A. 95/09/19. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 85577:035-85577:038.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509070211 Forwards insp repts 50-335/95-14 & 50-389/95-14 on 950702-29. No violations or deviations noted.
LANDIS, K.D. Region 2 (Post 820201). 95/08/22. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85321:330-85321:356.

-**9509070214** Insp repts 50-333/95-14 & 50-389/95-14 on 950702-29. Violations noted. Major areas inspected: plant operations review, maint observations, surveillance observations, engineering support, plant support & other areas.
PREVATTE, R., LANDIS, K. Region 2 (Post 820201). 95/08/22. 24pp. 85321:333-85321:356.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509180323 Confirms 950829 telcon between J Scarola & R Prevatte re predecisional enforcement conference scheduled for 950925 at 10 am.
LANDIS, K.D. Region 2 (Post 820201). 95/09/07. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 85502:170-85502:172.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180259 Forwards insp repts 50-335/95-16 & 50-389/95-16 on stated date. No violations noted.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/09/08. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 85501:128-85501:146.

-**9509180265** Insp repts 50-335/95-16 & 50-389/95-16 on stated date. No violations noted. Major areas inspected: licensee identification of inoperable from time of installation in 1994 until repaired in Aug of 1995.
PREVATTE, R., LANDIS, K. Region 2 (Post 820201). 95/09/07. 15pp. 85501:132-85501:146.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

118 DOCKETED ITEMS

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509210307 Monthly operating reports for Aug 1995 for St Lucie Units 1 & 2 W/950914 tr.
ROGERS, J.A., SAGER, D.A. Florida Power & Light Co. 95/08/31. 7pp. 85566:253-85566:259.

5. Reportable occurrences, LERs & related correspondence

9509180145 Special report on 950812 post hurricane Erin Beach LER survey. Formed. Average values of results greater than or within range provided in St Lucie final USAP, Section 2.4.2.2 & acceptable.
SAGER, D.A. Florida Power & Light Co. 95/09/11. Document Control Branch (Document Control Desk). 20pp. 85522:092-85522:111.

9509210017 Forwards matrix including description of each corrective action & current status re series of events at facility.
SAGER, D.A. Florida Power & Light Co. 95/09/15. Document Control Branch (Document Control Desk). 10pp. 85548:298-85548:308.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9509010026 Clarifies basis for WBN's exemption to RG 1.118, rev 2, Position C.6.e, re use of temporary jumpers for testing in Eagle-21 process protection sys cabinets.
BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 3pp. 85317:348-85317:350.

9509010032 Provides comments on Draft Environmental Protection Plan, Appendix B to Draft facility operating license NPF-20.
BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 4pp. 85317:351-85317:355.

9509010104 Provides updated replacement pages for Thermo-Lag 770-1 fire endurance test reports submitted on 950329.
BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 10pp. 85344:345-85344:354.

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31.
IGNATONIS, A. Region 2 (Post 820201). 95/08/21. HARDING, M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509010057 Provides comments on draft facility operating license NPF-20. Markup provides suggested editorial changes.
BARON, R.R. Tennessee Valley Authority. 95/08/24. Document Control Branch (Document Control Desk). 10pp. 85317:311-85317:320.

9509010258 Documents actions taken re design baseline & verification program corrective action plan.
BARON, R.R. Tennessee Valley Authority. 95/08/25. Document Control Branch (Document Control Desk). 25pp. 85313:300-85313:324.

9509010250 Notices of recent changes to ECCS evaluation model & provide schedule for performing small-break LOCA reanalysis as requested in 950724 tr.
BARON, R.R. Tennessee Valley Authority. 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85316:348-85316:353.

9509050068 Summary of 950824 meeting w/util to discuss status, needed actions, priorities & schedules of various licensing issues.
TAM, P.S. 95/08/25. 15pp. 85314:066-85314:080.

9509080165 Forwards "Special Supplemental Rept of Employee Concerns Special Program Corrective Action Implementation for Watts Bar Unit 1."
CARRIER, P.P. Tennessee Valley Authority. 95/08/30. Document Control Branch (Document Control Desk). 3pp. 85416:001-85416:132.

-9509080167 "Special Supplemental Rept of Employee Concerns Special Program Corrective Action Implementation for Watts Bar Unit 1."
* Tennessee Valley Authority. 95/08/15. 129pp. 85416:004-85416:132.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CARRIER, P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:216-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD, M.O. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9509130088 Responds to 950811 RAI re TS & proposes to relocate previously relocated matl identified in encl 1 to TVA QA Plan (TVA-NQA-PLN89-A). Draft revised pages of TVA QA plan to be included in Rev 6 of TVA QA plan also encl.
BARON, R.R. Tennessee Valley Authority. 95/09/01. Document Control Branch (Document Control Desk). 37pp. 85473:315-85473:251.

9509080017 Forwards SE accepting licensee 950629 relief request from ASME Section XI requirements re pressurizer safety valve testing.
HEBDON, F.J. 95/09/05. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85376:257-85376:263.

-9509080020 Safety evaluation accepting licensee 950629 relief request from ASME Section XI requirements re pressurizer safety valve testing.
* 95/09/05. 5pp. 85376:259-85376:263.

9508310033 Suppl 5 to Genenc Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509150013 Forwards response to 950809 conference call request for add info re methodology used to develop cold overpressure mitigating sys setpoints including use of RHR suction relief valves.
BARON, R.R. Tennessee Valley Authority. 95/09/08. Document Control Branch (Document Control Desk). 12pp. 85507:349-85507:360.

9509180347 Summary of 950907 meeting w/licensee in Rockville, MD re plant licensing & insp issues warranting mgt attention. List of participants, TVA slides for public portion & closed portion of meeting & TVA IG rept encl.
TAM, P.S. 95/09/14. NRC - No Detailed Affiliation Given. 41pp. 85521:122-85521:162.

9509210124 Provides results of electrical testing to determine ampacity correction factors for cables routed in cable trays & conduits protected w/three-h electrical raceway fire barrier sys which use combination of Thermo-Lag 330-1 & 770-1 matls.
BARON, R.R. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 3pp. 85556:001-85557:168.

-9509210130 "Ampacity Derating of Cables Enclosed in Cable Tray W/ Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY, H.W., HUMPHREY, C.A., PRIEST, D.N. Thermal Science, Inc. 11960-97333. 95/06/30. 253pp. 85556:004-85556:256.

-9509210137 "Ampacity Derating of Cables Enclosed in Conduits W/Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY, H.W., HUMPHREY, C.A., PRIEST, D.N. Thermal Science, Inc. 95/08/22. 276pp. 85556:257-85557:168.

9509280181 Discusses 950906 mgt meeting re Watts Bar plant status & associated ongoing activities. List of attendees & presentation summary encl.
JAUDON, J.P. Region 2 (Post 820201). 95/09/14. KINGSLEY, O.D. Tennessee Valley Authority. 37pp. 85613:157-85613:193.

9509280271 Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS, A. Region 2 (Post 820201). 95/09/14. HARDING, M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

9509190202 Staff requirements memo re activities at Watts Bar licensing.
HOYLE, J.C. Office of the Secretary of the Commission. 95/09/15. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85524:163-85524:163.

9509210091 Notifies that commitment in util 891221 ltr re GL 89-10, Item m completed.
BARON, R.R. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85568:279-85568:280.

9509270015 Ltr contract, mod 9, providing incremental funding, thereby increasing amount obligated, to "Technical Assistance for Watts Bar Operational Readiness Evaluation."
WIGGINS, E.J. Division of Contracts (Post 940714). 95/09/22. LOFY, R.A. PARAMETER, Inc. 1p. 85608:356-85608:356.

F. Security, medical, emergency & fire protection plans

9509010104 Provides updated replacement pages for Thermo-Lag 770-1 fire endurance test reports submitted on 950329.
BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 10pp. 85344:345-85344:354.

9509010244 Revised EIPs, including rev 9 to EPIP-1, "Emergency Plan Classification Flowchart" & change notice 1 to rev 7 to EPIP-12, "Emergency Equipment & Supplies." W/950828 ltr.
BARON, R.R. Tennessee Valley Authority. 95/08/28. 58pp. 85320:250-85320:322.

9509010271 Forwards summary of 950223 closed session meeting re employee concerns. Encl withheld (ref 10CFR2.790(a)(6)).
BARON, R.R. Tennessee Valley Authority. 95/08/28. Document Control Branch (Document Control Desk). 14pp. 85317:323-85317:336.

9509120001 Responds to request for add info re exemption from requirements of 10CFR50, App E, Section IV.F.2(a) re 50-mile ingestion pathway during exercises.
CARRIER, P.P. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 5pp. 85435:173-85435:177.

9509150026 Ltr contract, defining task order 53, to "Emergency Operating Procedures Insp - Watts Bar Nuclear Plant Follow-up."
WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/09/07. COLINA, I. Science & Engineering Associates, Inc. 6pp. 85505:315-85505:320.

9509280228 Forwards insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/09/12. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 85614:100-85614:163.

-9509280230 Insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted. Major areas inspected: operational fire protection program, postfire safe shutdown, emergency lighting & reactor coolant oil collection sys.
MADDEN, P.M., JULIAN, C.A. Region 2 (Post 820201). 95/09/12. 58pp. 85614:106-85614:163.

9509150057 Provides director's decision that responds to 10CFR2.206 petition filed on 940225, as supplemented by 950616, 0625 & 0706 & 950224 & 0228 ltrs. Requests denied.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/09/13. GILLILAN, G.M. Affiliation Not Assigned. 1p. 85499:136-85499:300.

-9509150110 Informs that util continuing to take reprisal actions discriminating actions against GM Gillilan by denying plant access & withholding plant access security clearance. Reasons for carrying weapon listed.
GILLILAN, G.M. Affiliation Not Assigned. 84/06/28. GRAY, J.R. Ofc of Enforcement (Post 870413). 3pp. 85499:254-85499:256.

-9509150117 Forwards util denial of nuclear plant access plant security clearance dtd 940621, appeal dtd 940627 & util intent of termination dtd 940528. Requests documentation be added to petition filed on 940225.
GILLILAN, G.M. Affiliation Not Assigned. 94/07/06. GRAY, J.R. Ofc of Enforcement (Post 870413). 6pp. 85499:257-85499:262.

-9509150122 Discusses allegation that GM Gillilan was terminated because security clearance had been revoked. Requests info be added to file.
GILLILAN, G.M. Affiliation Not Assigned. 95/02/28. GRAY, J.R. Ofc of Enforcement (Post 870413). 1p. 85499:263-85499:263.

9509210124 Provides results of electrical testing to determine ampacity correction factors for cables routed in cable trays & conduits protected w/three-h electrical raceway fire barrier sys which use combination of Thermo-Lag 330-1 & 770-1 mats.
BARON, R.R. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 3pp. 85556:001-85557:188.

-9509210130 "Ampacity Derating of Cables Enclosed in Cable Tray W/ Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY, H.W. HUMPHREY, C.A., PRIEST, D.N. Thermal Science, Inc. 11960-97333. 95/06/30. 253pp. 85556:004-85556:256.

-9509210137 "Ampacity Derating of Cables Enclosed in Conduits W/Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY, H.W. HUMPHREY, C.A., PRIEST, D.N. Thermal Science, Inc. 95/06/22. 276pp. 85556:257-85557:166.

9509260163 Forwards partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/09/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85570:037-85570:041.

-9509260163 Partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25 (ref 10CFR73.21). No violations noted. Major areas inspected: security organization, physical barriers-protected area, lighting & compensatory measures.
THOMPSON, D.H., JULIAN, C.A. Region 2 (Post 820201). 95/09/18. 1p. 85570:041-85570:041.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from evaluation.
HEBDON, F.J. 95/09/25. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

G. Adjudicatory correspondence

9509150057 Provides director's decision that responds to 10CFR2.206 petition filed on 940225, as supplemented by 950616, 0625 & 0706 & 950224 & 0228 ltrs. Requests denied.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/09/13. GILLILAN, G.M. Affiliation Not Assigned. 1p. 85499:136-85499:300.

-9509150068 Directors Decision 95-20, re request filed by GM Gillilan for EA per 10CFR2.206 which requested that immediately impose \$25,000 per day fine on util until all reprisal, intimidation & harassment action re petitioner, settled to satisfaction.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/09/13. 5pp. 85499:137-85499:142.

-9509180026 Notice informing that decision re Petition filed by GM Gillilan dtd 940225 as supplemented by ltrs dtd 940616, 0626, 0706 & 950224 & 0228, has been issued.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/09/13. 3pp. 85499:143-85499:188.

-9509150077 Responds to 940407 request for util response to issues raised by GM Gillilan in 940225 ltr which petitions for relief per 10CFR2.206.
MEDFORD, M.C. Tennessee Valley Authority. 94/05/20. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 15pp. 85499:189-85499:203.

-9509150081 Advises GM Gillilan that util has filed response, dtd 940520 to petition under 10CFR2.206.
GRAY, J.R. Ofc of Enforcement (Post 870413). 94/05/25. GILLILAN, G.M. Affiliation Not Assigned. 9pp. 85499:204-85499:212.

-9509150095 Submits response to 940520 ltr from MO Medford to J Lieberman.
GILLILAN, G.M. Affiliation Not Assigned. 94/06/16. GRAY, J.R. Ofc of Enforcement (Post 870413). 3pp. 85499:213-85499:251.

-9509150103 Discusses concerns expressed to NRC on 930512 & 24 re alleged intimidation by dual-rate toman & failure to follow procedure on work activity involving Class 1E circuit breaker at util plant.
JURY, C.B. Region 2 (Post 820201). 94/04/25. GILLILAN, G. Affiliation Not Assigned. 2pp. 85499:252-85499:253.

-9509150110 Informs that util continuing to take reprisal actions discriminating actions against GM Gillilan by denying plant access & withholding plant access security clearance. Reasons for carrying weapon, listed.
GILLILAN, G.M. Affiliation Not Assigned. 94/06/28. GRAY, J.R. Ofc of Enforcement (Post 870413). 3pp. 85499:254-85499:256.

-9509150117 Forwards util denial of nuclear plant access plant security clearance dtd 940621, appeal dtd 940627 & util intent of termination dtd 940626. Requests documentation be added to petition filed on 940225.
GILLILAN, G.M. Affiliation Not Assigned. 94/07/06. GRAY, J.R. Ofc of Enforcement (Post 870413). 6pp. 85499:257-85499:262.

-9509150122 Discusses allegation that GM Gillilan was terminated because security clearance had been revoked. Requests info be added to file.
GILLILAN, G.M. Affiliation Not Assigned. 95/02/28. GRAY, J.R. Ofc of Enforcement (Post 870413). 1p. 85499:263-85499:263.

-9509150147 Informs NRC that G Gillilan has been discriminated against because safety concerns had been reported.
GILLILAN, G.M. Affiliation Not Assigned. 95/02/24. GRAY, J.R. Ofc of Enforcement (Post 870413). 36pp. 85499:264-85499:300.

H. General correspondence

9509220139 Responds to 950822 ltr to SA Jackson re concern that public meeting 950905 scheduled for only one day.
RUSSELL, W.T. 95/09/05. FLEMING, J.A. Affiliation Not Assigned. 5pp. 85577:028-85577:034.

-9509220146 Discusses problems w/having public meeting for only one day in which public may voice concerns.
FLEMING, J.A. Affiliation Not Assigned. 95/08/22. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 2pp. 85577:033-85577:034.

9509140284 Responds to 950815 ltr to D Rathbun re concerns about environ & safety aspects of operating plant.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/09/11. GORDON, B. House of Rep. 3pp. 85472:241-85472:246.

-9509140290 Forwards ltr received from constituent expressing concerns w/NRC granting TVA license to operate plant.
GORDON, B. House of Rep. 95/08/15. RATHBUN, D. Office of Congressional Affairs (Post 911117). 3pp. 85472:244-85472:246.

K. Utility Final Safety Analysis Report (FSAR) & amends

9509120039 Amend 90 to FSAR for Watts Bar Nuclear Plant Units 1 & 2 W/ 950831 ltr.
BARON, R.R. Tennessee Valley Authority. 95/08/31. 499pp. 85470:001-85471:135.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509010044 Notifies staff of completion of required activities for implementation of IE Bulletins 79-02 & 79-14 at Watts Bar Unit 1.
BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 5pp. 85320:336-85320:340.

9509010256 Supplemental response to violations noted in insp repts 50-390/94-61 & 50-391/94-61. Corrective actions: util currently inspected & cleaning remaining radiation monitor panels.
BARON, R.R. Tennessee Valley Authority. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85316:345-85316:347.

9509070160 Forwards insp repts 50-390/95-55 & 50-391/95-55 on 950801-11. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/08/28. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85321:121-85321:134.

-9509070165 Insp repts 50-390/95-55 & 50-391/95-55 on 950801-11. No violations noted. Major areas inspected: implementation of ESC CAP.
MOORE, R., FREDRICKSON, P. Region 2 (Post 820201). 95/08/21. 11pp. 85321:124-85321:134.

9509070233 Forwards insp repts 50-390/95-50 & 50-391/95-50 on 950717-28. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/08/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85322:265-85322:267.

-9509070239 Insp repts 50-390/95-50 & 50-391/95-50 on 950717-28. No violations noted. Major areas inspected: review of licensee's closure of replacement items program corrective action program.
GIBBS, R.D., FREDRICKSON, P. Region 2 (Post 820201). 95/08/28. 3pp. 85322:268-85322:267.

9509070275 Forwards insp repts 50-390/95-52 & 50-391/95-52 on 950709-0805 & notice of violation. Violation of concern because it involves multiple examples of failure to follow procedure.
JAUDON, J.P. Region 2 (Post 820201). 95/08/31. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85323:057-85323:139.

-9509070283 Notice of violation from insp on 950709-0805. Violation noted: activities affecting quality were not accomplished in accordance w/documentated instructions or procedures.
* Region 2 (Post 820201). 95/08/31. 3pp. 85323:061-85323:063.

-9509070286 Insp repts 50-390/95-52 & 50-391/95-52 on 950709-0805. Violations noted. Major areas inspected: preoperational test program implementation verification, preoperational test procedure review & preoperational test witnessing.
VAN DOORN, P.K. Region 2 (Post 820201). JULIAN, C. Tennessee Valley Authority. 95/08/31. 73pp. 85323:064-85323:139.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509150026 Ltr contract, defining task order 53, to "Emergency Operating Procedures Insp - Watts Bar Nuclear Plant Follow-up."
WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/09/07. COLINA, I. Science & Engineering Associates, Inc. 6pp. 85505:315-85505:320.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180198 Forwards insp repts 50-390/95-53 & 50-391/95-53 on 950710-0812. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85500:253-85500:296.

120 DOCKETED ITEMS

- 9509180215 Insp repts 50-390/95-53 & 50-391/95-53 on 950710-0812. No violations noted. Major areas inspected: Employee Concerns Special Program corrective actions, site review of safety-related structures & civil engineering features. BRADY, J.B. Region 2 (Post 820201). 95/09/06. 40pp. 85500:256-85500:296.
- 9509180213 Discusses insp repts 50-390/95-22 & 50-391/95-22 on 950807-11 & forwards NOV Violations noted. Violation of concern because it represents case where engineering requirements relay setpoint not correctly translated. JAUDON, J.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85500:317-85500:336.
- 9509180218 Notice of violation from insp on 950807-11. Violation noted: design input had not been correctly translated into design output as of Apr 1992. * Region 2 (Post 820201). 95/09/08. 2pp. 85500:320-85500:321.
- 9509180227 Insp repts 50-390/95-22 & 50-391/95-22 on 950807-11. Violations noted. Major areas inspected: engineering area, electrical design topics & ac distribution sys. FILLION, P., JULIAN, C.A. Region 2 (Post 820201). 95/09/08. 13pp. 85500:322-85500:336.
- 9509180267 Forwards insp repts 50-390/95-54 & 50-391/95-54 on 950717-28. No violations noted. JAUDON, J.P. Region 2 (Post 820201). 95/09/08. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85501:310-85501:330.
- 9509180296 Insp repts 50-390/95-54 & 50-391/95-54 on 950717-28. No violations noted. Major areas inspected: environ qualification of electrical & mechanical equipment. MERRIWATHER, N., FREDRICKSON, P. Region 2 (Post 820201). 95/09/08. 18pp. 85501:313-85501:330.
- 9509280228 Forwards insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted. JAUDON, J.P. Region 2 (Post 820201). 95/09/12. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 85614:100-85614:163.
- 9509280230 Insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted. Major areas inspected: operational fire protection program, postfire safe shutdown, emergency lighting & reactor coolant oil collection sys. MADDEN, P.M., JULIAN, C.A. Region 2 (Post 820201). 95/09/12. 58pp. 85614:106-85614:163.
- 9509210067 Responds to violations noted in insp repts 50-390/95-45 & 50-391/95-45. Corrective actions: design change notices W-37478-A & W-37395-A were issued. ZERINGUE, O.J. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85643:333-85643:337.
- 9509210081 Responds to violations noted in insp repts 50-390/92-41, 50-391/92-41, 50-390/93-03, 50-391/93-03, 50-390/93-04 & 50-391/93-04. Corrective actions: utili prohibited use of advanced authorized fields for functional changes. BARON, R.R. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85568:277-85568:278.
- 9509210143 Responds to deficiency noted in insp repts 50-390/95-45 & 50-391/95-45 & request for addl info. Corrective actions: appropriate PM established & scheduled for lubrication of personnel air lock. BARON, R.R. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 6pp. 85568:265-85568:270.
- 9509280193 Forwards insp repts 50-390/95-49, 50-391/95-49 & 30-12988/95-01 on 950710-0819 & notice of violation. Violation of concern because failure to label properly stored radioactive matl could result in personnel exposure. JAUDON, J.P. Region 2 (Post 820201). 95/09/15. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85613:221-85613:255.
- 9509280199 Notice of violation from insp on 950710-0819. Violation noted: licensee failed to ensure that clearly visible label detailing info required by 10CFR20.1904(a) was provided on drum containing 100 mCi. * Region 2 (Post 820201). 95/09/15. 2pp. 85613:225-85613:226.
- 9509280209 Insp repts 50-390/95-49, 50-391/95-49 & 30-12988/95-01 on 950710-0819. Violations noted. Major areas inspected: Watts Bar NP Radiation Control & Chemistry program preoperational activities. KUZO, G.B., JULIAN, C.A. Region 2 (Post 820201). 95/09/15. 28pp. 85613:227-85613:255.
- 9509280221 Forwards insp repts 50-390/95-57 & 50-391/95-57 on 950723-0819. No violations identified. JAUDON, J.P. Region 2 (Post 820201). 95/09/15. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 85614:040-85614:081.
- 9509280227 Insp repts 50-390/95-57 & 50-391/95-57 on 950723-0819. No violations noted. Major areas inspected: ductbank conduits, const work activities, physical separation of electrical raceways & review of QA effectiveness. WALTON, G.A., FREDRICKSON, P. Region 2 (Post 820201). 95/09/15. 39pp. 85614:043-85614:081.
- 9509280183 Forwards partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25. No violations noted. JAUDON, J.P. Region 2 (Post 820201). 95/09/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85570:037-85570:041.
- 9509280193 Partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25 (ref 10CFR73.21). No violations noted. Major areas inspected: security organization, physical barriers-protected area, lighting & compensatory measures. THOMPSON, D.H., JULIAN, C.A. Region 2 (Post 820201). 95/09/18. 1p. 85570:041-85570:041.
- 9509280157 Discusses insp repts 50-390/95-202 on 950709-0805 & forwards notice of violation. Violation represents failure of personnel to follow procedures consistently. JAUDON, J.P. Region 2 (Post 820201). 95/09/18. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 85613:040-85613:046.
- 9509280162 Notice of violation from insp on 950709-0805. Violation noted: activities affecting quality not accomplished in accordance w/documentated instructions or procedures in listed examples. * Region 2 (Post 820201). 95/09/18. 3pp. 85613:044-85613:046.
- 9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509260106 Responds to violations noted in insp repts 50-390/95-52 & 50-391/95-52. Corrective actions: disabled annunciator index reviewed & ASOS file cabinet checked to determine whether other out-of-date attachments of apps contained therein. ZERINGUE, O.J. Tennessee Valley Authority. 95/09/19. Document Control Branch (Document Control Desk). 8pp. 85592:323-85592:330.
- 9509140386 NRC Info Notice 95-040. "Supplemental info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509280246 Forwards insp repts 50-390/95-51 & 50-391/95-51 on 950717-0810 & notice of violation. Violation identifies instances where vendor info not being effectively incorporated into plant maint instructions. JAUDON, J.P. Region 2 (Post 820201). 95/09/21. Tennessee Valley Authority. 4pp. 85614:270-85614:292.
- 9509280251 Notice of violation from insp on 950717-0810. Violation noted: activities affecting quality were not accomplished in accordance w/documentated instructions or procedures. * Region 2 (Post 820201). 95/09/21. 2pp. 85614:274-85614:275.
- 9509280260 Insp repts 50-390/95-51 & 50-391/95-51 on 950717-0810. Violations noted. Major areas inspected: review overall progress & completion status of vendor info corrective action program & to follow up on previous NRC insp. THOMAS, M., FREDRICKSON, P. Region 2 (Post 820201). 95/09/20. 17pp. 85614:276-85614:292.
- 9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85327:325-85327:336.
- 9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

S. Reportable occurrences, LERs & related correspondence

- 9509190355 Deficiency reprimed re ABGTS. Initially reported on 901214. Rept describes partial change in design methodology for resolving deficiency to prevent auxiliary bldg pressure from going too negative. BARON, R.R. Tennessee Valley Authority. CDR-50-390/90-07. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85532:154-85532:157.
- 9503210131 Final deficiency reprimed re vendor wired safety-related electrical panels. Caused by personnel error. Initially reported on 950818. ZERINGUE, O.J. Tennessee Valley Authority. CDR-50-390/95-05. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85568:260-85568:264.
- 9509270249 Supplemental deficiency reprimed re cable damage at splice & termination locations. Initially reported on 901101. Commitment involving identification of spare & abandoned cables made in response to violation dtd 941021 changed. BARON, R.R. Tennessee Valley Authority. CDR-50-390/90-04. 95/09/21. Document Control Branch (Document Control Desk). 5pp. 85633:352-85633:356.

T. Hearing transcripts on non-antitrust matters

- 9509200230 Transcript of 950911 public meeting in Rockville, MD re briefing on status of Watts Bar licensing - public meeting. Pp 1-83. * NRC - No Detailed Affiliation Given. 95/09/11. 83pp. 85543:001-85543:130.

V. Operator Examinations

- 9509070143 Notifies that JM Carroll left employ of TVA & no longer requires OL for plant, effective 950817. ZERINGUE, O.J. Tennessee Valley Authority. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85374:217-85374:218.
- 9509210069 Advises that CR Cook left employ of util on 941231 & no longer requires operating license. ZERINGUE, O.J. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85548:319-85548:320.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

- 9509010028 Clarifies basis for WBN's exemption to RG 1.118, rev 2, Position C.6.a re use of temporary jumpers for testing in Eagle-21 process protection sys cabinets. BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 3pp. 85317:348-85317:350.
- 9509010104 Provides updated replacement pages for Thermo-Lag 770-1 fire endurance test repts submitted on 950329. BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 10pp. 85344:345-85344:354.

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31.
IGNATONIS,A. Region 2 (Post 820201). 95/08/21. HARDING,M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509010259 Documents actions taken re design baseline & verification program corrective action plan.
BARON,R.R. Tennessee Valley Authority. 95/08/25. Document Control Branch (Document Control Desk). 25pp. 85313:300-85313:324.

9509010250 Notifies of recent changes to ECCS evaluation model & provide schedule for performing small-break LOCA reanalysis as requested in 950724 ltr.
BARON,R.R. Tennessee Valley Authority. 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85316:348-85316:353.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CAHIER,P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD,M.O. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9508310033 Suppl 5 to Generic Ltr 85-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509210124 Provides results of electrical testing to determine ampacity correction factors for cables routed in cable trays & conduits protected w/three-h electrical raceway fire barrier sys which use combination of Thermo-Lag 330-1 & 770-1 mats.
BARON,R.R. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 3pp. 85556:001-85557:168.

-9509210130 "Ampacity Derating of Cables Enclosed in Cable Tray W/ Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 11960-97333. 95/06/30. 253pp. 85556:004-85556:256.

-9509210137 "Ampacity Derating of Cables Enclosed in Conduits W/Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY,H.W., HUMPHREY,C.A., PRIEST,D.N. Thermal Science, Inc. 95/08/22. 276pp. 85556:257-85557:168.

9509280181 Discusses 950906 mgt meeting re Watts Bar plant status & associated on-going activities. List of attendees & presentation summary encl.
JAUDON,J.P. Region 2 (Post 820201). 95/09/14. KINGSLEY,O.D. Tennessee Valley Authority. 37pp. 85613:157-85613:193.

9509280271 Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS,A. Region 2 (Post 820201). 95/09/14. HARDING,M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

9509190202 Staff requirements memo re activities at Watts Bar licensing.
HOYLE,J.C. Office of the Secretary of the Commission. 95/09/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85524:163-85524:163.

9509270019 Ltr contract, mod 9, providing incremental funding, thereby increasing amount obligated, to "Technical Assistance for Watts Bar Operational Readiness Evaluation."
WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/22. LOFY,R.A. PARAMETER, Inc. 1p. 85608:356-85608:356.

F. Security, medical, emergency & fire protection plans

9509010104 Provides updated replacement pages for Thermo-Lag 770-1 fire endurance test repts submitted on 950329.
BARON,R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 10pp. 85344:345-85344:354.

9509010244 Revised EIPs, including rev 9 to EIP-1, "Emergency Plan Classification Flowchart" & change notice 1 to rev 7 to EIP-12, "Emergency Equipment & Supplies." W/950828 ltr.
BARON,R.R. Tennessee Valley Authority. 95/08/28. 58pp. 85320:250-85320:322.

9509010271 Forwards summary of 950223 closed session meeting re employee concerns. Encl withheld (ref 10CFR2.790(a)(6)).
BARON,R.R. Tennessee Valley Authority. 95/08/28. Document Control Branch (Document Control Desk). 14pp. 85317:323-85317:336.

9509120001 Responds to request for add info re exemption from requirements of 10CFR50, App E, Section IV.F.2(a) re 50-mile ingestion pathway during exercises.
CAHIER,P.P. Tennessee Valley Authority. 95/09/06. Document Control Branch (Document Control Desk). 5pp. 85435:173-85435:177.

9509150026 Ltr contract, defining task order 53, to "Emergency Operating Procedures Insp - Watts Bar Nuclear Plant Follow-up."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/09/07. COLINA, Science & Engineering Associates, Inc. 6pp. 85505:315-85505:320.

9509280228 Forwards insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/09/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 85614:100-85614:163.

-9509280230 Insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted. Major areas inspected: operational fire protection program, postfire safe shutdown, emergency lighting & reactor coolant oil collection sys.
MADDOEN,F. Region 2 (Post 820201). 95/09/12. 58pp. 85614:106-85614:163.

9509150067 Provides director's decision that responds to 10CFR2.206 petition filed on 940225, as supplemented by 950616, 0625 & 0706 & 950224 & 0228 ltrs. Requests denied.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). #395 17106. 95/09/13. GILLILAN,G.M. Affiliation Not Assigned. 1p. 85499:136-85499:300.

-9509150110 Informs that util continuing to take reprisal actions discriminating actions against GM Gillilan by denying plant access & withholding plant access security clearance. Reasons for carrying weapon listed.
GILLILAN,G.M. Affiliation Not Assigned. 94/06/28. GRAY,J.R. Ofc of Enforcement (Post 870413). 6pp. 85499:254-85499:256.

-9509150117 Forwards util denial of nuclear plant access plant security clearance dtd 940621, appeal dtd 940627 & util intent of termination dtd 940628. Requests documentation be added to petition filed on 940225.
GILLILAN,G.M. Affiliation Not Assigned. 94/07/06. GRAY,J.R. Ofc of Enforcement (Post 870413). 6pp. 85499:257-85499:262.

-9509150122 Discusses allegation that GM Gillilan was terminated because security clearance had been revoked. Requests info be added to file.
GILLILAN,G.M. Affiliation Not Assigned. 95/02/28. GRAY,J.R. Ofc of Enforcement (Post 870413). 1p. 85499:263-85499:263.

9509210124 Provides results of electrical testing to determine ampacity correction factors for cables routed in cable trays & conduits protected w/three-h electrical raceway fire barrier sys which use combination of Thermo-Lag 330-1 & 770-1 mats.
BARON,R.R. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 3pp. 85556:001-85557:168.

-9509210130 "Ampacity Derating of Cables Enclosed in Cable Tray W/ Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY,H.W. Thermal Science, Inc. 11960-97333. 95/06/30. 253pp. 85556:004-85556:256.

-9509210137 "Ampacity Derating of Cables Enclosed in Conduits W/Thermo-Lag 330-1/770-1 Upgrade Electrical Raceway Fire Barrier Sys (ERFBS)," test rept.
STANSBERRY,H.W. Thermal Science, Inc. 95/08/22. 276pp. 85556:257-85557:168.

9509260183 Forwards partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25. No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/09/18. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85570:037-85570:041.

-9509260193 Partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25. (ref 10CFR73.21). No violations noted. Major areas inspected: security organization, physical barriers-protected area, lighting & compensatory measures.
THOMPSON,D.H. Region 2 (Post 820201). 95/09/18. 1p. 85570:041-85570:041.

9509260242 Informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from evaluation.
HEBDON,F.J. 95/09/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85600:218-85600:221.

G. Adjudicatory correspondence

9509150057 Provides director's decision that responds to 10CFR2.206 petition filed on 940225, as supplemented by 950616, 0625 & 0706 & 950224 & 0228 ltrs. Requests denied.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/09/13. GILLILAN,G.M. Affiliation Not Assigned. 1p. 85499:136-85499:300.

-9509150068 Directors Decision 95-20, re request filed by GM Gillilan for EA per 10CFR2.206 which requested that immediately impose \$25,000 per day fine on util until all reprisal, intimidation & harassment action re petitioner, settled to satisfaction.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/09/13. 3pp. 85499:137-85499:142.

-9509180028 Notice informing that decision re Petition filed by GM Gillilan dtd 940225 as supplemented by ltrs dtd 940616, 0628, 0706 & 950224 & 0228, has been issued.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/09/13. 3pp. 85499:143-85499:188.

-9509150077 Responds to 940407 request for util response to issues raised by GM Gillilan in 940225 ltr which petitions for relief per 10CFR2.206.
MEDFORD,M.O. Tennessee Valley Authority. 94/05/20. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 15pp. 85499:189-85499:203.

-9509150081 Advises GM Gillilan that util has filed response, dtd 940520 to petition under 10CFR2.206.
GRAY,J.R. Ofc of Enforcement (Post 870413). 94/05/25. GILLILAN,G.M. Affiliation Not Assigned. 9pp. 85499:204-85499:212.

-9509150095 Submits response to 940520 ltr from MO Medford to J Lieberman.
GILLILAN,G.M. Affiliation Not Assigned. 94/06/16. GRAY,J.R. Ofc of Enforcement (Post 870413). 39pp. 85499:213-85499:251.

-9509150103 Discusses concerns expressed to NRC on 930512 & 24 re alleged intimidation by dual-rate forman & failure to follow procedure on work activity involving Class 1E circuit breaker at util plant.
URYC,B. Region 2 (Post 820201). 94/04/25. GILLILAN,G. Affiliation Not Assigned. 2pp. 85499:252-85499:253.

-9509150110 Informs that util continuing to take reprisal actions discriminating actions against GM Gillilan by denying plant access & withholding plant access security clearance. Reasons for carrying weapon listed.
GILLILAN,G.M. Affiliation Not Assigned. 94/06/28. GRAY,J.R. Ofc of Enforcement (Post 870413). 3pp. 85499:254-85499:256.

-9509150117 Forwards util denial of nuclear plant access plant security clearance dtd 940621, appeal dtd 940627 & util intent of termination dtd 940628. Requests documentation be added to petition filed on 940225.
GILLILAN,G.M. Affiliation Not Assigned. 94/07/06. GRAY,J.R. Ofc of Enforcement (Post 870413). 6pp. 85499:257-85499:262.

-9509150122 Discusses allegation that GM Gillilan was terminated because security clearance had been revoked. Requests info be added to file.
GILLILAN,G.M. Affiliation Not Assigned. 95/02/28. GRAY,J.R. Ofc of Enforcement (Post 870413). 1p. 85499:263-85499:263.

122 DOCKETED ITEMS

-9509150147 Informs NRC that G Gillilan has been discriminated against because safety concerns had been reported.
GILLILAN,G.M. Affiliation Not Assigned. 95/02/24. GRAY,J.R. Ofc of Enforcement (Post 870413). 3pp. 85499:264-85499:300.

H. General correspondence

9509140264 Responds to 950815 ltr to D Rathbun re concerns about environ & safety aspects of operating plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/11. GORDON,B. House of Rep. 3pp. 85472:241-85472:246.

-9509140290 Forwards ltr received from constituent expressing concerns w/NRC granting TVA license to operate plant.
GORDON,B. House of Rep. 95/08/15. RATHBUN,D. Office of Congressional Affairs (Post 811117). 3pp. 85472:244-85472:246.

K. Utility Final Safety Analysis Report (FSAR) & amends

9509120039 Amend 90 to FSAR for Watts Bar Nuclear Plant Units 1 & 2.W/ 950831 ltr.
BARON,R.R. Tennessee Valley Authority. 95/08/31. 49pp. 85470:001-85471:135.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (670411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509010256 Supplemental response to violations noted in insp repts 50-390/94-61 & 50-391/94-61. Corrective actions:util currently inspected & cleaning remaining radiation monitor panels.
BARON,R.R. Tennessee Valley Authority. 95/08/25. Document Control Branch (Document Control Desk). 3pp. 85316:345-85316:347.

9509070160 Forwards insp repts 50-390/95-55 & 50-391/95-55 on 950801-11.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/08/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85321:121-85321:134.

-9509070165 insp repts 50-390/95-55 & 50-391/95-55 on 950801-11.No violations noted.Major areas inspected:implementation of ESQ CAP.
MOORE,R.L. FREDRICKSON,P. Region 2 (Post 820201). 95/08/21. 11pp. 85321:124-85321:134.

9509070233 Forwards insp repts 50-390/95-50 & 50-391/95-50 on 950717- 28.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/08/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85322:265-85322:267.

-9509070239 insp repts 50-390/95-50 & 50-391/95-50 on 950717-28.No violations noted.Major areas inspected:review of licensee closure of replacement items program corrective action program.
GIBBS,R.D. FREDRICKSON,P. Region 2 (Post 820201). 95/08/28. 3pp. 85322:266-85322:267.

9509070275 Forwards insp repts 50-390/95-52 & 50-391/95-52 on 950709- 0805 & notice of violation.Violation of concern because it involves multiple examples of failure to follow procedure.
JAUDON,J.P. Region 2 (Post 820201). 95/08/31. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85323:057-85323:139.

-9509070286 Insp repts 50-390/95-52 & 50-391/95-52 on 950709-0805. violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test procedure review & preoperational test witnessing.
VAN DOORN,P.K. Region 2 (Post 820201). JULIAN,C. Tennessee Valley Authority. 95/08/31. 73pp. 85323:064-85323:139.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509150026 Ltr contract,defining task order 53, to "Emergency Operating Procedures Insp - Watts Bar Nuclear Plant Follow-up."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/09/07. COLLINA,I. Science & Engineering Associates, Inc. 6pp. 85505:315-85505:320.

9509050009 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180196 Forwards insp repts 50-390/95-53 & 50-391/95-53 on 950710- 0812.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85500:253-85500:296.

-9509180215 insp repts 50-390/95-53 & 50-391/95-53 on 950710-0812.No violations noted.Major areas inspected:Employee Concerns Special Program corrective actions,site review of safety-related structures & civil engineering features.
BRADY,J.B. Region 2 (Post 820201). 95/09/06. 40pp. 85500:256-85500:296.

9509180213 Discusses insp repts 50-390/95-22 & 50-391/95-22 on 950807-11 & forwards NCV Violations noted.Violation of concern because it represents case where engineering requirements relay setpoint not correctly translated.
JAUDON,J. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85500:317-85500:336.

-9509180227 Insp repts 50-390/95-22 & 50-391/95-22 on 950807-11. Violations noted.Major areas inspected:engineering area, electrical design topics & ac distribution sys.
FILLION,P. JULIAN,C.A. Region 2 (Post 820201). 95/09/08. 13pp. 85500:322-85500:336.

9509180287 Forwards insp repts 50-390/95-54 & 50-391/95-54 on 950717- 28.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/09/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85501:310-85501:330.

-9509180296 insp repts 50-390/95-54 & 50-391/95-54 on 950717-28.No violations noted.Major areas inspected:environ qualification of electrical & mechanical equipment.
MERRIWATHER,N., FREDRICKSON,P. Region 2 (Post 820201). 95/09/08. 18pp. 85501:313-85501:330.

9509280228 Forwards insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/09/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 85614:100-85614:163.

-9509280230 insp repts 50-390/95-40 & 50-391/95-40 on 950710-14 & 24-28. No violations noted.Major areas inspected:operational fire protection program,postfire safe shutdown,emergency lighting & reactor coolant oil collection sys.
MADDEN,F.M. JULIAN,C.A. Region 2 (Post 820201). 95/09/12. 56pp. 85614:106-85614:163.

9509210067 Responds to violations noted in insp repts 50-390/95-45 & 50-391/95-45. Corrective actions:design change notices W-37478-A & W-37395-A were issued.
ZERLINGUE,O.J. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85548:333-85548:337.

9509210081 Responds to violations noted in insp repts 50-390/92-41, 50-391/92-41, 50-390/93-03, 50-391/93-03, 50-390/93-04 & 50-391/93-04. Corrective actions:util prohibited use of advanced authorized fields for functional changes.
BARON,R.R. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85568:277-85568:278.

9509210143 Responds to deficiency noted in insp repts 50-390/95-45 & 50-391/95-45 & request for addl info. Corrective actions: appropriate PM established & scheduled for lubrication of personnel air lock.
BARON,R.R. Tennessee Valley Authority. 95/09/15. Document Control Branch (Document Control Desk). 6pp. 85568:265-85568:270.

9509280193 Forwards insp repts 50-390/95-49, 50-391/95-49 & 30-12988/95-01 on 950710-0819 & notice of violation. Violation of concern because failure to label properly stored radioactive matl could result in personnel exposure.
JAUDON,J. Region 2 (Post 820201). 95/09/15. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85613:221-85613:255.

-9509280209 insp repts 50-390/95-49, 50-391/95-49 & 30-12988/95-01 on 950710-0819. Violations noted.Major areas inspected:Watts Bar NP Radiation Control & Chemistry program preoperational activities.
KUZO,G.B., JULIAN,C.A. Region 2 (Post 820201). 95/09/15. 28pp. 85613:227-85613:255.

9509280221 Forwards insp repts 50-390/95-57 & 50-391/95-57 on 950723-0819.No violations identified.
JAUDON,J.P. Region 2 (Post 820201). 95/09/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85614:040-85614:081.

-9509280227 insp repts 50-390/95-57 & 50-391/95-57 on 950723-0819.No violations noted.Major areas inspected:ductbank conduits, const work activities,physical separation of electrical raceways & review of QA effectiveness.
WALTON,G.A. FREDRICKSON,P. Region 2 (Post 820201). 95/09/15. 39pp. 85614:043-85614:081.

9509260183 Forwards partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/09/18. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85570:037-85570:041.

-9509260193 Partially withheld insp repts 50-390/95-59 & 50-391/95-59 on 950817-25 (ref 10CFR73.21).No violations noted.Major areas inspected:security organization,physical barriers-protected area,lighting & compensatory measures.
THOMPSON,D.H., JULIAN,C.A. Region 2 (Post 820201). 95/09/18. 1p. 85570:041-85570:041.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509260106 Responds to violations noted in insp repts 50-390/95-52 & 50-391/95-52. Corrective actions:disabled annunciator index reviewed & ASOS file cabinet checked to determine whether other out-of-date attachments of apps contained therein.
ZERLINGUE,O.J. Tennessee Valley Authority. 95/09/19. Document Control Branch (Document Control Desk). 8pp. 85592:323-85592:330.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509280246 Forwards insp repts 50-390/95-51 & 50-391/95-51 on 950717- 0810 & notice of violation.Violation identifies instances where vendor info not being effectively incorporated into plant maint instructions.
JAUDON,J.P. Region 2 (Post 820201). 95/09/21. Tennessee Valley Authority. 4pp. 85614:270-85614:292.

-9509280250 insp repts 50-390/95-51 & 50-391/95-51 on 950717-0810. Violations noted.Major areas inspected:review overall progress & completion status of vendor info corrective action program & to follow up on previous NRC insp.
THOMAS,M. FREDRICKSON,P. Region 2 (Post 820201). 95/09/20. 17pp. 85614:276-85614:292.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

S. Reportable occurrences, LERs & related correspondence

9509190355 Deficiency rept re ABGTS, initially reported on 901214. Rept describes partial change in design methodology for resolving deficiency, to prevent auxiliary bidg pressure from going too negative. BARON, R.R. Tennessee Valley Authority. CDR-50-390/90-07. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85532:154-85532:157.

9509210131 Final deficiency rept re vendor wired safety-related electrical panels. Caused by personnel error. Initially reported on 950818. ZERINGUE, O.J. Tennessee Valley Authority. CDR-50-390/95-05. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85568:260-85568:264.

T. Hearing transcripts on non-antitrust matters

9509200230 Transcript of 950911 public meeting in Flockville, MD re briefing on status of Watts Bar licensing - public meeting. Pp 1-83
* NRC - No Detailed Affiliation Given. 95/09/11. 83pp. 85543:001-85543:130.

V. Operator Examinations

9509070143 Notifies that JM Carroll left employ of TVA & no longer requires OL for plant, effective 950817. ZERINGUE, O.J. Tennessee Valley Authority. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85374:217-85374:218.

9509210069 Advises that CR Cook left employ of util on 941231 & no longer requires operating license. ZERINGUE, O.J. Tennessee Valley Authority. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85548:319-85548:320.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509200370 Requests that exemption be granted to util for annual medical drill to be held in 1995. Request being made since EP organization responded to actual plant medical emergency involving two NRC inspectors on 950329. TAYLOR, G.J. South Carolina Electric & Gas Co. 95/05/24. BARR, K.P. Region 2 (Post 820201). 2pp. 85551:346-85551:347.

9509070318 Rev 2 to EPP-103, "Emergency Equipment Checklist." W/950930 ltr. FOWLKES, R.M. South Carolina Electric & Gas Co. 95/08/30. 71pp. 85395:233-85395:305.

9509250267 Revised EPIPs, including rev 13 to EPP-009, rev 11 to EPP-013, rev 10 to EPP-020, rev 1 to EPP-101 & rev 2 to EPP-102. W/ 950918 ltr. FOWLKES, R.M. South Carolina Electric & Gas Co. 95/09/18. 56pp. 85603:294-85603:349.

9509260227 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation. DEMBEK, S. 95/09/21. TAYLOR, G.J. South Carolina Electric & Gas Co. 3pp. 85586:355-85586:357.

9509270214 Informs that licensee 941221 & 950323 responses to 940923 & 1223 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI. CALVO, J.A. 95/09/25. MATTHEWS, D.B. 4pp. 85619:137-85619:141.

P. Operating license stage documents & correspondence

9509080269 Application for amend to license NPF-12, consisting of change request TSP 940002, incorporating revs to 10CFR20. FURSTENBERG, S. South Carolina Electric & Gas Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85447:001-85447:048.

-9509080271 Proposed tech specs, consisting of change request TSP 940002, incorporating revs to 10CFR20.
* South Carolina Electric & Gas Co. 95/08/31. 46pp. 85447:003-85447:048.

9509210033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509210042 Forwards amend 127 to license NPF-12 & safety evaluation. Amend revises TS surveillance requirement 4.6.2.1.d to implement recommendation from GL 93-05, "Line-Item Technical Spec Improvements to Reduce Surveillance Requirements." DEMBEK, S. 95/09/18. TAYLOR, G.J. South Carolina Electric & Gas Co. 1p. 85561:313-85561:320.

-9509210051 Amend 127 to license NPF-12, revising TS surveillance requirement 4.6.2.1.d to implement recommendation from GL 93-05, "Line-Item Technical Spec Improvements to Reduce Surveillance Requirements Testing during Power Operation."
* 95/09/18. 4pp. 85561:314-85561:317.

-9509210055 Safety evaluation supporting amend 127 to license NPF-12.
* 95/09/18. 3pp. 85561:318-85561:320.

9509210298 Forwards amend 129 to license NPF-12 & SE. Amend changes TS in response to 950630 application. DEMBEK, S. 95/09/18. TAYLOR, G.J. South Carolina Electric & Gas Co. 1p. 85561:331-85561:343.

-9509210334 Amend 129 to license NPF-12, changing TS in response to 950630 application. HEBDON, F.J. 95/09/18. 8pp. 85561:332-85561:339.

-9509210337 Safety evaluation supporting amend 129 to license NPF-12.
* 95/09/18. 4pp. 85561:340-85561:343.

9509210343 Forwards amend 128 to license NPF-12 & safety evaluation. Amend revises TS to exclude requirement to perform slave relay test of 36 inch containment purge supply. DEMBEK, S. 95/09/18. TAYLOR, G.J. South Carolina Electric & Gas Co. 1p. 85608:269-85608:277.

-9509210347 Amend 128 to license NPF-12, revising TS to exclude requirements to perform slave relay test. HEBDON, F.J. 95/09/18. 5pp. 85608:270-85608:274.

-9509270276 Safety evaluation supporting amend 128 to license NPF-12.
* 95/09/18. 3pp. 85608:275-85608:277.

9509250258 Advises that util has not received written response to 940519 ltr & has performed add'l reviews of issue of spurious closure of valves XVG-8133A or B & determined that C/As not justified considering cost vs possible safety benefit. TAYLOR, G.J. South Carolina Electric & Gas Co. 95/09/19. Document Control Branch (Document Control Desk). 8pp. 85580:340-85580:347.

9509220232 Forwards corrected TS page 3/4 4-34 to Amend 125 to license NPF-12 for plant. DEMBEK, S. 95/09/20. TAYLOR, G.J. South Carolina Electric & Gas Co. 1p. 85574:336-85574:338.

-9509220234 Corrected TS page 3/4 4-34 of amend 125 to license NPF-12.
* 95/09/20. 2pp. 85574:337-85574:338.

9509270214 Informs that licensee 941221 & 950323 responses to 940923 & 1223 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI. CALVO, J.A. 95/09/25. MATTHEWS, D.B. 4pp. 85619:137-85619:141.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (B70411-821003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509180316 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/95-12 on 950726. CHRISTENSEN, H. Region 2 (Post 820201). 95/09/06. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 85502:132-85502:133.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509280211 Discusses insp rept 50-395/95-15 on 950801-31 & forwards notice of violation. Violation of concern because it indicates lack of questioning attitude by operation staff. CHRISTENSEN, H. Region 2 (Post 820201). 95/09/15. TAYLOR, G.J. South Carolina Electric & Gas Co. 3pp. 85614:021-85614:039.

-9509280215 Notice of violation from insp on 950801-31. Violation noted on 950814, smoke detector rendered inoperable for period of approx 18 h during which time no compensatory patrols established.
* Region 2 (Post 820201). 95/09/15. 2pp. 85614:024-85614:025.

-9509280220 Insp rept 50-395/95-15 on 950801-31. Violations noted. Major areas inspected: operational safety verification, maintenance observations, surveillance observations & onsite engineering. FARNHOLTZ, T.R., CHRISTENSEN, H. Region 2 (Post 820201). 95/09/15. 12pp. 85614:025-85614:039.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of S.J. Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509260064 Forwards response to NRC 950718 ltr re violations noted in insp rept 50-395/95-13. Corrective actions: operations personnel went to emergency FW pump room & verified actual temp. TAYLOR, G. South Carolina Electric & Gas Co. 95/09/21. Document Control Branch (Document Control Desk). 4pp. 85592:215-85592:218.

9509180541 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

124 DOCKETED ITEMS

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509200327 Annual operating rept for 1994 for VC Summer Nuclear Station Unit 1.W/ 950227 ltr.
TAYLOR, G.J. South Carolina Electric & Gas Co. 94/12/31. EBNETER, S.D. Region 2 (Post 820201). 9pp. 85551-351-85551-359.

9509180200 Monthly operating rept for Aug 1995 for VC Summer Nuclear Station.W/ 950913 ltr.
HALTIWANGER, J., TAYLOR, G.J. South Carolina Electric & Gas Co. 95/08/31. 5pp. 85527-343-85527-347.

S. Reportable occurrences, LERs & related correspondence

9509190113 LER 95-004-00 on 950813 surveillance was missed due to personnel error Completed permanent change to STP W/950912 ltr.
FOWLKES, R.M., TAYLOR, G.J. South Carolina Electric & Gas Co. 95/09/12. 4pp. 85533-298-85533-301.

V. Operator Examinations

9509200122 Comment opposing draft RG DG-1043, Proposed Rev 2 to RG 1.49, "NPP Simulation Facilities for Use in Operator Exams."
TAYLOR, G.J. South Carolina Electric & Gas Co. 95/09/13. NRC - No Detailed Affiliation Given. 3pp. 85510-114-85510-116.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509060212 Revised EIPs, including Rev 18 to 13.4.1, Rev 14 to 13.5.3, Rev 14 to 13.5.5, Rev 11 to 13.8.1, Rev 12 to 13.9.1, Rev 11 to 13.14.8, Rev 10 to 13.5.1, Rev 7 to 13.9.8, Rev 11 to 13.11.7 & Rev 18 to 13.14.4.
* Washington Public Power Supply System. 95/08/29. 100pp. 85379-161-85379-265.

9509080195 Forwards insp rept 50-397/95-27 on 950814-18. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/09/05. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85325-014-85325-020.

9509080198 Insp rept 50-397/95-27 on 950814-18. No violations noted. Major areas inspected: physical security program including, mgt effectiveness, mgt support, protected area barrier & assessment aids, records & repts.
CHAMBERLAIN, D. Region 4 (Post 820201). 95/09/05. 3pp. 85325-018-85325-020.

F. Operating license stage documents & correspondence

9509190004 Requests for info re computer software that could be use at facility.
CLIFFORD, J.W. 95/08/02. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85548-279-85548-282.

9509010199 Withdraws request for amend to TS to clarify instrumentation testing requirements.
PARRISH, J.V. Washington Public Power Supply System. 95/08/25. Document Control Branch (Document Control Desk). 1p. 85310-200-85310-200.

9509070186 Documents util understanding of conditions specified in NRC SER for TR WPPSS-FTS-131, "Applications TR for BWR Design & Analysis."
PARRISH, J.V. Washington Public Power Supply System. 95/08/26. Document Control Branch (Document Control Desk). 6pp. 85349-341-85349-347.

9509070116 Forwards notice of withdrawal of 930510 application for amend to license, as requested by 930906 ltr.
CLIFFORD, J.W. 95/08/29. PARRISH, J.V. Washington Public Power Supply System. 2pp. 85325-159-85325-164.

9509070145 Notice of withdrawal of 930510 application for amend to license NPF-21.
* 95/08/29. 2pp. 85325-163-85325-164.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509210305 Forwards SE re applicability of topical rept NEDO-32205, rev 1, "10CFR50 App G, Equivalent Margin Analysis for Low Upper Shelf Energy in BWR/2 Through BWR/6 Vessels."
CLIFFORD, J.W. 95/09/15. PARRISH, J.V. Washington Public Power Supply System. 2pp. 85561-356-85561-359.

9509210306 SE re applicability of topical rept NEDO-32205, rev 1, "10CFR50 App G, Equivalent Margin Analysis for Low Upper Shelf Energy in BWR/2 Through BWR/6 Vessels."
* 95/09/15. 2pp. 85561-358-85561-359.

9509220249 Forwards amend 141 to license NPF-21 & safety evaluation. Amend revises TS surveillance requirements re demonstration of jet pump operability & corrects several administrative discrepancies.
CLIFFORD, J.W. 95/09/18. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85577-039-85577-053.

9509220253 Amend 141 to license NPF-21, revising TS surveillance requirements re demonstration of jet pump operability & correcting several administrative discrepancies.
CLIFFORD, J.W. 95/09/18. 6pp. 85577-043-85577-047.

9509220255 Safety evaluation supporting amend 141 to license NPF-21.
* 95/09/18. 6pp. 85577-048-85577-053.

9509250146 Forwards details of review of Rev 22 changes made to TR, "Operational QA Program Description (WPPSS-QA-004)." Accepts Rev 22 changes.
GWYNN, T.P. Region 4 (Post 820201). 95/09/20. PARRISH, J.V. Washington Public Power Supply System. 5pp. 85558-161-85558-165.

9509260082 Discusses NRC 950831 Oversight Panel meeting in Richland, WA re establishment of NRC Oversight Panel for activities at plant authorized by NRC License NPF-21 & operated by supply sys.
DYER, J.E. Region 4 (Post 820201). 95/09/20. PARRISH, J.V. Washington Public Power Supply System. 6pp. 85569-152-85569-261.

9509260093 Informs of establishment of Oversight Panel w/recipient as Chairman due to continuing performance problems & inconsistency in corrective action effectiveness at plant.
CALLAN, L.J. Region 4 (Post 820201). 95/08/26. DYER, J.E. Region 4 (Post 820201). 100pp. 85569-157-85569-261.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E Documents released to public.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316-058-85316-156.

9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of Info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN, D.S. Project Directorate I-1. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316-134-85316-135.

9509050039 Insp rept 50-397/95-06 cancelled.
GWYNN, T.P. Region 4 (Post 820201). 95/08/31. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85288-033-85288-036.

9509220251 EN-95-054 on 950907, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee. Action based on insp conducted by Region IV at facility & violations associated w/removal & transfer of spent RWCS filters.
SATORIUS, M. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/09/01. 1p. 85599-257-85599-257.

9509080169 Ack receipt of 950717 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/95-03.
COLLINS, S.J. Region 4 (Post 820201). 95/09/05. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85324-294-85324-307.

9509080195 Forwards insp rept 50-397/95-27 on 950814-18. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/09/05. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85325-014-85325-020.

9509080198 Insp rept 50-397/95-27 on 950814-18. No violations noted. Major areas inspected: physical security program including, mgt effectiveness, mgt support, protected area barrier & assessment aids, records & repts.
CHAMBERLAIN, D. Region 4 (Post 820201). 95/09/05. 3pp. 85325-018-85325-020.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509150071 "NRC Staff Proposes \$50,000 Fine for Apparent Violations at WNP-2."
* Office of Public Affairs (Post 911117). 95/09/08. 2pp. 85518-321-85518-322.

9509180278 Insp rept 50-397/94-13 cancelled.
DYER, J.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/09/11. PARRISH, J.V. Washington Public Power Supply System. 3pp. 85501-216-85501-217.

9509180376 Forwards "WNP-2 ISI Summary Rept for Tenth Refueling Outage," including NIS-1 owner data rept for ISI & NIS-2 owner repts for repairs & replacements.
PARRISH, J.V. Washington Public Power Supply System. 95/09/12. Document Control Branch (Document Control Desk). 1p. 85534-157-85534-012.

9509180381 "WNP-2 ISI Summary Rept for Tenth Refueling Outage."
* Washington Public Power Supply System. 95/09/05. 319pp. 85534-158-85534-012.

9509210237 Responds to NOV issued 950817 re insp rept 50-397/95-07 on 950602. Requests reevaluation of enforcement action taken re Seventy Level III Violation & that actions were willful & constituted careless disregard.
GALLAGHER, J.M. Affiliation Not Assigned. 95/09/12. CALLAN, L.J. Region 4 (Post 820201). 18pp. 85545-020-85545-037.

9509210221 Cancellation of insp rept 50-397/95-08. Informs that no insp rept will be issued for subj rept.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85544-310-85544-313.

9509250062 Forwards response to NRC 950816 ltr re violations noted in insp rept 50-397/95-20 on 950504-0715. Corrective actions: new maint procedure will be developed to include necessary precautions.
PARRISH, J.V. Washington Public Power Supply System. 95/09/15. Document Control Branch (Document Control Desk). 7pp. 85584.328-85584.334.

9509130018 NRC Info Notice 95-035, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561.251-85561.259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645.021-85645.029.

9509250097 Ack receipt of 950818 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/95-19. Advises that rel violation changed to non-cited violation.
COLLINS, S.J. Region 4 (Post 820201). 95/09/21. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85570.002-85570.010.

9509270005 Forwards insp rept 50-397/95-12 on 950804-19. No violations noted.
GWYNN, T.P. Region 4 (Post 820201). 95/09/21. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85588.001-85588.019.

-9509270013 Insp rept 50-397/95-12 on 950804-19. No violations noted. Major areas inspected: eligibility determination & administration of comprehensive written exams & operating tests.
PEDLET, J.L. Region 4 (Post 820201). 95/09/21. 15pp. 85588.005-85588.019.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627.325-85627.336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645.009-85645.020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645.001-85645.008.

R. Periodic operating reports & related correspondence

9509180179 Monthly operating rept for Aug 1995 for WNP-2.W/950911 ltr.
EMBREE, D.G., PARRISH, J.V. Washington Public Power Supply System. 95/08/31. 4pp. 85522.356-85522.359.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558.039-85558.126.

9509270005 Forwards insp rept 50-397/95-12 on 950804-19. No violations noted.
GWYNN, T.P. Region 4 (Post 820201). 95/09/21. PARRISH, J.V. Washington Public Power Supply System. 4pp. 85588.001-85588.019.

-9509270013 Insp rept 50-397/95-12 on 950804-19. No violations noted. Major areas inspected: eligibility determination & administration of comprehensive written exams & operating tests.
PEDLET, J.L. Region 4 (Post 820201). 95/09/21. 15pp. 85588.005-85588.019.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509060381 Provides update on review process & approach to resolving concerns w/mechanical properties of Thermo-Lag fire barriers, in response to GL 92-08.
ROBINSON, W.R. Carolina Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85381.255-85381.256.

9509190041 Submits supplemental response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
ROBINSON, W.R. Carolina Power & Light Co. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85532.350-85532.351.

P. Operating license stage documents & correspondence

9509250030 Forwards notice of withdrawal of amend request to license NPF-63. Amend would have modified TS 3/4.2.2.1, "Reactor Trip Sys Instrumentation Setpoints."
L.E.N.B. 95/08/16. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 85582.314-85582.318.

-9509250036 Notice of withdrawal of application for amend to license NPF-63. Amend would have modified TS 3/4.2.2.1, "Reactor Trip Sys Instrumentation Setpoints."
L.E.N.B. 95/08/16. 2pp. 85582.317-85582.318.

9509050170 Confirms that stated amount electronically transferred to US Dept of Treasury, NRC on 950823 as payment for NRC fees for period 950319-0624 for listed invoices.
ROGAN, R.E. Carolina Power & Light Co. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85395.203-85395.203.

9509060381 Provides update on review process & approach to resolving concerns w/mechanical properties of Thermo-Lag fire barriers, in response to GL 92-08.
ROBINSON, W.R. Carolina Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85381.255-85381.256.

9509080015 Requests for license amend re relocation of selected TS per NUREG-1431, new STS for Westinghouse plants.
ROBINSON, W.R. Carolina Power & Light Co. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85419.165-85419.169.

9509080275 Forwards RAI re 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes."
L.E.N.B. 95/09/05. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 85383.151-85383.154.

9508310033 Suppl 5 to Generic Ltr 86-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423.036-85423.049.

9509180119 Notification of 950925 meeting w/util in Rockville, MD to discuss design & licensing basis issues w/RAB EES.
L.E.N. 95/09/13. MATTHEWS, D.B. 3pp. 85523.346-85523.350.

9509190041 Submits supplemental response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
ROBINSON, W.R. Carolina Power & Light Co. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85532.350-85532.351.

9509250025 Forwards supplemental info re GL 88-20, "IPE for Severe Accident Vulnerabilities 10CFR50.54(f)."
ROBINSON, W.R. Carolina Power & Light Co. 95/09/18. Document Control Branch (Document Control Desk). 4pp. 85584.312-85584.315.

9509280104 Forwards supplemental RAI re GL 95-03, "Circumferential Cracking of SG Tubes" for NRC complete review of util 950627 response to GL 95-03. Requested response should be provided within 30 days of receipt of ltr.
L.E.N.B. 95/09/22. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 85647.266-85647.270.

9509260307 Discusses reactor auxiliary bldg emergency exhaust sys design & licensing basis issues. Description of proposed changes to FSAR which incorporate results of dose assessment reanalysis & details of administrative controls encl.
ROBINSON, W.R., DONAHUE, J.W. Carolina Power & Light Co. 95/09/23. Document Control Branch (Document Control Desk). 28pp. 85625.044-85625.071.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Tharmal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627.337-85627.342.

9509180343 Forwards insp rept 50-400/95-12 on 950709-0805. No violations noted.
VERRELLI, D.M. Region 2 (Post 820201). 95/09/01. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 85502.304-85502.326.

-9509180346 Insp rept 50-400/95-12 on 950709-0805. No violations noted. Major areas inspected: plant operations, maint, surveillance, engineering, plant support, review of LER & licensee action & previous insp items.
ROBERTS, D., VERRELLI, D. Region 2 (Post 820201). 95/09/01. 20pp. 85502.307-85502.326.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423.024-85423.035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423.950-85423.060.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561.251-85561.259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645.021-85645.029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627.325-85627.336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645.009-85645.020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645.001-85645.008.

R. Periodic operating reports & related correspondence

9509050292 Forwards semiannual FFD program performance data for period of Jan-June 1995 in accordance w/10CFR26.71(d).
ROGAN, R.E. Carolina Power & Light Co. 95/08/29. Document Control Branch (Document Control Desk). 13pp. 85345.279-85345.288.

9509150002 Monthly operating rept for Aug 1995 for Shearon Harris Nuclear Power Plant W/950912 ltr.
ROGERS, S., ROBINSON, W.R. Carolina Power & Light Co. 95/08/31. 4pp. 85504.357-85504.360.

126 DOCKETED ITEMS

5. Reportable occurrences, LERs & related correspondence

9509050219 LER 95-005-00 on 950731, TS violation occurred due to missed compensatory vent stack flow rate estimate. Counselor individual involved & training for appropriate operations personnel will be performed. W/950826 ltr.
VERRILLI, M., DONAHUE, J.W. Carolina Power & Light Co. 95/08/24. 5pp. 85371:288-85371:292.

9509120084 Special rept on 950817, WPB Stack 5A WRGM was declared inoperable to allow for testing of associated Stack 5A Exhaust Flow Rate Monitor. Monitor returned to svc on 950825.
DONAHUE, J.W. Carolina Power & Light Co. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85433:321-85433:322.

9509280061 LER 95-006-00 on 950824, determined discrepancy re design of RAB EES constituted condition outside design basis. Cause still under investigation. Established administrative leakage limit of 1 gallon per hour W/950922 ltr.
VERRILLI, M., DONAHUE, J.W. Carolina Power & Light Co. 95/09/22. 4pp. 85645:036-85645:039.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

W. Decommissioning Stage Documents & Correspondence

9509180125 Forwards Rev 10 to "QA Program Description," clarifying Plant Manager job responsibilities, adding decommissioning records in QA record section & clarifying responsibilities of Plant Manager in control of special processes.
BERG, W.L. Dairyland Power Cooperative. 95/08/22. Document Control Branch (Document Control Desk). 3pp. 85522:133-85522:145.

-**9509180127** Rev 10 to "QA Program Description."
* Dairyland Power Cooperative. 95/09/11. A4. 85522:136-85522:145.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509060175 Revised emergency procedures, including Rev 5 to EPIP-EPP-01, Rev 6 to EPIP-EPP-02, Rev 0 to EPMP-EPP-0101, Rev 0 to EPMP-EPP-0102, Rev 1 to EPIP-EPP-11 & cover page changes for EPIP-EPP-13 through EPIP-EPP-17 W/950817 ltr.
ABBOTT, R.B., DAHLBERG, K.A., MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/08/17. 277pp. 85345:001-85345:278.

9509060231 Comment supporting revised NRC SALP Program.
ABBOTT, R.B. Niagara Mohawk Power Corp. 95/08/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85312:150-85312:151.

9509110265 Discusses results of 950801 Executive Plant Performance Review for plant performance during period good & remained generally consistent w/previous SALP Table of future insps encl.
COOPER, R.W. Region 1 (Post 820201). 95/09/01. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 85344:186-85344:189.

9509210158 Informs that plant Units 1 & 2 chosen for operational safeguards response evaluation review scheduled for wk of 951023-26.
HEHL, C.W. Region 1 (Post 820201). 95/09/12. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 85544:114-85544:116.

9509260260 Forwards changed pages to issue 4, rev 2 of Nine Mile Point Nuclear Station Physical Security Plan, per 10CFR50.54(p). Encl withheld.
CHRISTENSEN, H. Niagara Mohawk Power Corp. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85600:278-85600:278.

H. General correspondence

9509120274 Submits organization changes in Niagara Mohawk Nuclear strategic business unit.
SYLVIA, B.R. Niagara Mohawk Power Corp. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85473:283-85473:294.

P. Operating license stage documents & correspondence

9509060156 Forwards application for amend to License NPF-69, changing TS 3.6.1.7 re primary containment purge sys to increase time restriction from 90 h to 135 h per day period, revise associated bases section & delete expired footnotes.
SYLVIA, B.R. Niagara Mohawk Power Corp. 95/08/28. Document Control Branch (Document Control Desk). 2pp. 85367:290-85367:306.

-**9509060159** Application for amend to License NPF-69, changing TS 3.6.1.7 to increase time 12-inch & 14-inch containment purge sys supply & exhaust valves may be open in operational condition 1,2 & 3 from 90 h per 365 days to 135 h per 365 days.
SYLVIA, B.R. Niagara Mohawk Power Corp. 95/08/28. 1p. 85367:292-85367:292.

-**9509060161** Proposed TS 3.6.1.7, increasing time 12-inch & 14-inch containment purge sys supply & exhaust valves may be open in operational condition 1,2 & 3 from 90 h per 365 days to 135 h per 365 days & deleting expired footnotes for clarity.
* Niagara Mohawk Power Corp. 95/08/28. 14pp. 85367:293-85367:306.

9509080059 Transmits plant "Power Uprate Power Ascension Test Program Interim Startup Rept."
ABBOTT, R.B. Niagara Mohawk Power Corp. 95/08/29. Document Control Branch (Document Control Desk). 3pp. 85379:289-85379:291.

-**9509080062** "NMP NMPNS Unit 2 Power Uprate Power Ascension Test Program Interim Startup Rept."
* Niagara Mohawk Power Corp. 95/08/29. 55pp. 85379:292-85379:346.

9509050337 Forwards amend 68 to license NPF-69 & safety evaluation. Amend revises primary containment purge sys TS section 3.6.1.7, "LCO."
EDISON, G.E. 95/08/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 85314:048-85314:064.

-**9509050343** Amend 68 to license NPF-69, revising primary containment purge sys TS section 3.6.1.7, "LCO."
MARSH, L.B. 95/08/31. 6pp. 85314:052-85314:057.

-**9509050347** Safety evaluation supporting amend 68 to license NPF-69.
* 95/08/31. 7pp. 85314:058-85314:064.

9508310033 Suppl 5 to generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140221 Forwards amend 69 to license NPF-69 & safety evaluation. Amend incorporates LCO 3.3.3.1 from STS into TS 3/4.3.7.5, accident monitoring instrumentation & make associated changes in TS 3/4.2.SRVs.
EDISON, G.E. 95/09/11. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 85474:334-85474:354.

-**9509140223** Amend 69 to license NPF-69, incorporating LCO 3.3.3.1 from STS into TS 3/4.3.7.5, accident monitoring instrumentation & make associated changes in TS 3/4.2.SRVs.
MARSH, L.B. 95/09/11. 12pp. 85474:338-85474:349.

-**9509140224** Safety evaluation supporting amend 69 to license NPF-69.
* 95/09/11. 5pp. 85474:350-85474:354.

9509190307 Forwards amend 70 to license NPF-69 & safety evaluation. Amend revises TS Section 3.8.1.1 & 3.8.1.2, TS Surveillance Requirements Section 4.8.1.1, TS Bases Section 3/4.8.1.3 & TS Administrative Controls Section 6.8.4.
EDISON, G.E. 95/09/15. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 85525:260-85525:281.

-**9509190313** Amend 70 to license NPF-69, revising TS Section 3.8.1.1 & 3.8.1.2, TS Surveillance Requirements Section 4.8.1.1, TS Bases Section 3/4.8.1.3 & TS Administrative Controls Section 6.8.4.
MARSH, L.B. 95/09/15. 13pp. 85525:264-85525:269.

-**9509190324** Safety evaluation supporting amend 70 to license NPF-69.
* 95/09/15. 5pp. 85525:270-85525:281.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509060225 Forwards insp repts 50-220/95-16 & 50-410/95-16. No violations noted.
COWGILL, C.J. Region 1 (Post 820201). 95/08/25. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 85312:125-85312:144.

-**9509060237** insp repts 50-220/95-16 & 50-410/95-16 on 950604-0722. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support & SA/QV.
DOERFLEIN, L.T. Region 1 (Post 820201). 95/08/25. 17pp. 85312:126-85312:144.

9509060060 Forwards "Nine Mile Point, Unit 2 Summary Rept of Insp & Exams Performed for ASME B&PV Code Section XI, Class 1 & 2 Pressure Retaining Components & Supports at Culmination of Refueling Outage 4 Which Ended on 950602." ABBOTT, R.B. Niagara Mohawk Power Corp. 95/08/30. Document Control Branch (Document Control Desk). 1p. 85347:001-85347:242.

-9509060092 "Nine Mile Point, Unit 2 Summary Rept of Insp & Exams Performed for ASME Boiler & Pressure Vessel Code Section XI, Class 1 & 2 Pressure Retaining Components & Supports at Culmination of Refueling Outage 4 Which Ended on 950602." * Niagara Mohawk Power Corp. 95/08/30. 241pp. 85347:002-85347:242.

9509060231 Comment supporting revised NRC SALP Program. ABBOTT, R.B. Niagara Mohawk Power Corp. 95/08/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85312:150-85312:151.

9509110223 Informs that J Caruso & R Slade made arrangements for NRC to inspect licensed operator requalification program at plant during wk of 951211, in 950831 telcon. MEYER, G.W. Region 1 (Post 820201). 95/08/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 85344:083-85344:085.

9509110265 Discusses results of 950801 Executive Plant Performance Review for plant performance during period good & remained generally consistent w/previous SALP Table of future insps encl. COOPER, R.W. Region 1 (Post 820201). 95/09/01. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 85344:186-85344:189.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509260025 Forwards insp repts 50-220/95-22 & 50-410/95-22 on 950828-0901. No violations identified. JOYNER, J.H. Region 1 (Post 820201). 95/08/18. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 85569:024-85569:032.

-9509260033 Insp repts 50-220/95-22 & 50-410/95-22 on 950829-0901. No violations noted. Major areas inspected: radioactive liquid & gaseous effluent control programs including: mgmt controls, audits, air cleaning sys & implementation of ODCM. JANG, J.C., BORES, R.J. Region 1 (Post 820201). 95/09/18. 6pp. 85569:027-85569:032.

9509130016 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509280076 Forwards results of insps performed since mechanical stress improvement process applied in first refueling outage at facility for indication in weld joining HPCS nozzle safe end to safe-end extension (KC-32). TERRY, C.D. Niagara Mohawk Power Corp. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85647:304-85647:306.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.

R. Periodic operating reports & related correspondence

9509050186 Forwards "NMPNS Unit 2 Semiannual Radioactive Effluent Release Rept, Jan-June 1995," including summary of gaseous, liquid & solid effluents released from facility & summary of revs to ODCM & PCP during reporting period. MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/08/28. Document Control Branch (Document Control Desk). 1p. 85342:253-85342:274.

-9509050190 "NMPNS Unit 2 Semiannual Radioactive Effluent Release Rept, Jan-June 1995." * Niagara Mohawk Power Corp. 95/06/30. 20pp. 85342:255-85342:274.

9509260163 Monthly operating rept for Aug 1995 for NMP Unit 2 W/950915 ltr. CAROCCIO, C.J., ABBOTT, R.B. Niagara Mohawk Power Corp. 95/08/31. 5pp. 85580:307-85580:311.

V. Operator Examinations

9509110223 Informs that J Caruso & R Slade made arrangements for NRC to inspect licensed operator requalification program at plant during wk of 951211, in 950831 telcon. MEYER, G.W. Region 1 (Post 820201). 95/08/31. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 85344:083-85344:085.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509210302 Revised Emergency Preparedness Plan implementing Procedures, including Rev 7 to EPP/IP 1.3, Rev 0 to EPP/IP 1.7, Rev 11 to EPP/IP 1.1, Rev 7 to EPP/IP 1.2, Rev 6 to EPP/IP 1.3 & Rev 6 to EPP/IP 7.2 W/950818 ltr. THOMAS, G.S. Duquesne Light Co. 95/08/18. 202pp. 85575:044-85575:245.

9509140120 Forwards ERDS implementation documents & data point library updates. W/o encls. JOLICOEUR, J.R. Incident Response Branch. 95/09/07. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 85439:349-85439:349.

9509140059 Forwards request for addl info to complete review re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." CALVO, J.A. 95/09/11. STOLZ, J.F. 5pp. 85474:271-85474:275.

P. Operating license stage documents & correspondence

9509010018 Application for amends to licenses DPR-66 & NPF-73, consisting of TS changes 212 & 78, describing editorial changes which revise note numbers applicable to Table 3.3-1, Action Statements 2 & 7. THOMAS, G.S. Duquesne Light Co. 95/08/24. Document Control Branch (Document Control Desk). 3pp. 85315:321-85315:352.

-9509010020 Proposed tech specs, consisting of TS changes 212 & 78, describing editorial changes which revise note numbers applicable to Table 3.3-1, Action Statements 2 & 7. * Duquesne Light Co. 95/08/24. 29pp. 85315:324-85315:352.

9509070134 Forwards amends 191 & 74 to licenses DPR-66 & NPF-73 & SE. Amends delete BVPS-2 license Condition 2.C.(3), 2.C.(5), 2.C.(7), 2.C.(8), 2.C.(9) & 2.C.(10) to reflect completion of activities required by subj license conditions. BRINKMAN, D.S. 95/08/31. CROSS, J.E. Duquesne Light Co. 4pp. 85374:219-85374:266.

-9509070137 Amends 191 & 74 to licenses DPR-66 & NPF-73, respectively, deleting BVPS-2 license Conditions 2.C.(3), 2.C.(5), 2.C.(7), 2.C.(8), 2.C.(9) & 2.C.(10) to reflect completion of activities required by subj license conditions. STOLZ, J.F. 95/08/31. 33pp. 85374:223-85374:255.

-9509070138 Safety evaluation supporting amends 191 & 74 to licenses DPR-66 & NPF-73, respectively. * 95/08/31. 8pp. 85374:256-85374:263.

-9509070141 Notice of partial withdrawal of application for amend to facility licenses DPR-66 & NPF-73. BRINKMAN, D.S. 95/08/31. 3pp. 85374:264-85374:266.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140059 Forwards request for addl info to complete review re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." CALVO, J.A. 95/09/11. STOLZ, J.F. 5pp. 85474:271-85474:275.

9509190317 Application for amends to licenses DPR-66 & NPF-73, consisting of proposed TS Changes 231 & 101, revising administrative controls & bases sections to reflect current BVPS ODCM. THOMAS, G.S. Duquesne Light Co. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85532:041-85532:074.

-9509190320 Proposed tech specs, reflecting current BVPS ODCM. * Duquesne Light Co. 95/09/13. 32pp. 85532:043-85532:074.

9509190339 Forwards amends 192 & 75 to licenses DPR-66 & NPF-76 & safety evaluation. Amends revise BVPS-1 & BVPS-2 TSs 1.18, as listed. BRINKMAN, D.S. 95/09/15. CROSS, J.E. Duquesne Light Co. 2pp. 85525:140-85525:179.

-9509190347 Amends 192 & 75 to licenses DPR-66 & NPF-73, respectively, revising BVPS-1 & BVPS-2 TSs 1.18. STOLZ, J.F. 95/09/15. 34pp. 85525:143-85525:176.

-9509190349 Safety evaluation supporting amends 192 & 75 to licenses DPR-66 & NPF-73, respectively. * 95/09/15. 3pp. 85525:177-85525:179.

9509220165 Forwards amend 76 to license NPF-73 & safety evaluation. Amend revises TS 3/4.4.11, "Relief Valves" & associated Bases to make Unit 2 TS 3/4.4.11 consistent w/Unit 1 TS 3/4.4.11 which was revised by Unit 1 amend 187. BRINKMAN, D.S. 95/09/18. CROSS, J.E. Duquesne Light Co. 3pp. 85577:054-85577:068.

-9509220168 Amend 76 to license NPF-73, revising TS 3/4.4.11, "Relief Valves" & associated Bases to make Unit 2 TS 3/4.4.11 consistent w/Unit 1 TS 3/4.4.11 which was revised by Unit 1 license amend 187 issued on 950515. STOLZ, J.F. 95/09/18. 10pp. 85577:057-85577:066.

-9509220171 Safety evaluation supporting amend 76 to license NPF-73. * 95/09/18. 2pp. 85577:067-85577:068.

9509220221 Forwards notice of consideration of amend to license & proposed NSHC determination & opportunity for hearing for plant, units 1 & 2 on 950913 application re radioactive liquid & gaseous effluent limits & liquid holdup tank limit. BRINKMAN, D.S. 95/09/19. CROSS, J.E. Duquesne Light Co. 3pp. 85564:314-85564:324.

128 DOCKETED ITEMS

-9509220223 Notice of consideration of issuance of amends to licenses DPR-66 & NPF-73 & proposed NSHC determination & opportunity for hearing. Amends would revise administrative controls section & Bases section of TS to be consistent w/ ODCM.
BRINKMAN, D.S. 95/09/19. 8pp. 85564:317-85564:324.

9509280331 Forwards change to TS Bases 3/4.1.2, involving replacing EOL & equilibrium w/BOL & peak, respectively & based on change in methodology & assumptions used for calculating boration requirements.
THOMAS, G.S. Duquesne Light Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85657:352-85657:353.

-9509280332 Proposed TS Bases 3/4.1.2 re boration sys.
* Duquesne Light Co. 95/09/20. 1p. 85657:353-85657:353.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509150191 Notification of significant licensee meeting 95-85 w/util on 950925 to discuss licensee proposed plan to conduct SSFI of high & low head SIS in lieu of NRC conducted insp.
LAZARUS, W.J. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 3pp. 85485:065-85485:067.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/06. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180340 Forwards STI repts 50-334/95-80 & 50-412/95-80 on 950722-27. No violations noted.
COOPER, R.W. Region 1 (Post 820201). 95/09/08. CROSS, J.E. Duquesne Light Co. 3pp. 85502:264-85502:303.

-9509180344 STI insp repts 50-334/95-80 & 50-412/95-80 on 950722-27. No violations noted. Major areas inspected: valve tampering event circumstances & valve work activities.
ANDERSON, C.J. Region 1 (Post 820201). 95/08/30. 33pp. 85502:267-85502:303.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.

R. Periodic operating reports & related correspondence

9509010134 Forwards FFD program six month rept for period of Jan-June 1995, in accordance w/10CFR26.71(d).
THOMAS, G.S. Duquesne Light Co. 95/08/24. Document Control Branch (Document Control Desk). 4pp. 85346:334-85346:336.

9509180175 Monthly operating repts for Aug 1995 for Beaver Valley Power Station. W/950908 ltr.
JONES, D.T., NOONAN, T.P. Duquesne Light Co. 95/08/31. 11pp. 85523:054-85523:064.

S. Reportable occurrences, LERs & related correspondence

9509060175 Part 21 rept re mechanical failures discovered when conducting suppl testing on 3/8-24 x2 A-193 B7 HEX CAPSCREWS identified by head markings.
HATHCOCK, D.Z. Cardinal Industrial Products Corp. 95/08/29. Document Control Branch (Document Control Desk). 8pp. 85435:061-85435:068.

9509060276 LER 95-005-00 on 950226, discovered that TS SR 4.2.4a, quadrant power tilt ratio calculation not performed due to personnel error. Operator counseled & surveillance verification log will be further factored. W/950901 ltr.
FREELAND, L.R. Duquesne Light Co. 95/09/01. 5pp. 85371:345-85371:353.

9509190007 LER 95-006-00 on 950813, RT occurred due to main generator loss of field voltage regulator inspected. Current limiting resistors were satisfactory & ctr tap clamps were removed. W/950912 ltr.
FREELAND, L.R. Duquesne Light Co. 95/09/12. 5pp. 85533:313-85533:317.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509060065 Forwards public version of EPIP RP/O/B/5000/13, "Notification Requirements."
REHN, D.L. Duke Power Co. 95/07/13. Document Control Branch (Document Control Desk). 2pp. 85385:083-85385:112.

-9509060068 Public version of EPIP RP/O/B/5000/13, "Notification Requirements."
PATRICK, M.E., MITCHELL, G.L. Duke Power Co. 95/07/13. 27pp. 85385:085-85385:112.

9509200134 Forwards request for addl info related to external event analyses in IPEEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
MARTIN, R.E. 95/09/15. TUCKMAN, M.S. Duke Power Co. 11pp. 85543:241-85543:251.

9509290035 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
BERKOW, H.N. 95/09/22. TUCKMAN, M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial information

9509110237 Forwards 1994 annual repts for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl.
TUCKMAN, M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.

-9509110242 "DPC 1994 Annual Rept."
GRIGG, W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

-9509110246 "NC Electric Membership Corp 1994 Annual Rept."
KELLER, W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

-9509110244 "NC Municipal Power Agency 1 1994 Annual Rept."
CLAY, G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

-9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN, D.V. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

P. Operating license stage documents & correspondence

9509180115 Forwards proprietary request for info re computer software that could be used at facilities. Encl withheld (ref 10CFR2.790(a)).
BERKOW, H.N. 95/07/28. TUCKMAN, M.S. Duke Power Co. 3pp. 85520:321-85520:323.

9509010076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FFD testing.
TUCKMAN, M.S. Duke Power Co. 95/06/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

9509120172 Revs to "Catawba Nuclear Station Selected Licensee Commitments Manual."
STRICKLAND, K. Duke Power Co. 95/08/28. 13pp. 85432:334-85432:346.

9509110097 Forwards amend 413 & 414 to licenses NPF-35 & 52, respectively & SE Amends revise TS to increase enrichment limits for fuel stored in fuel pools & establish restricted loading patterns & associated burnup criteria.
MARTIN, R.E. 95/08/31. MCCOLLUM, W.R. Duke Power Co. 4pp. 85416:254-85416:280.

-9509110102 Amends 134 & 128 to licenses NPF-35 & NPF-52, respectively, revising TS to increase enrichment limits for fuel stored in fuel pools & establish restricted loading patterns & associated burnup criteria.
BERKOW, H.N. 95/08/31. 16pp. 85416:258-85416:273.

-9509110104 Safety evaluation supporting amends 134 & 128 to licenses NPF-35 & NPF-52, respectively.
* 95/08/31. 7pp. 85416:274-85416:280.

9509070277 Forwards RAI to complete review of response to GL 95-03, "Circumferential Cracking of SG Tubes."
MARTIN, R.E. 95/09/01. TUCKMAN, M.S. Duke Power Co. 5pp. 85325:175-85325:179.

9509110192 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
TUCKMAN, M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.

-9509110195 Proposed tech specs, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
* Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.

9509180322 Application for amends to licenses NPF-35 & NPF-52, requesting that NRC review & approve proposed UFSAR change to delete seismic qualification requirement from UFSAR per 10CFR50.90.
MCCOLLUM, W.R. Duke Power Co. 95/09/05. Document Control Branch (Document Control Desk). 11pp. 85523:065-85523:075.

- 9509120241** Forwards proprietary & nonproprietary topical rept evaluation of DPC-NE-3004-F, "Mass & Energy Release & Containment Response Methodology" for McGuire Nuclear Station & Catawba Nuclear Station. Proprietary; SE withheld. MARTIN, R.E. 95/09/06. TUCKMAN, M.S. Duke Power Co. 5pp. 85493-332-85493-358.
- 9509180325** Nonproprietary version of topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Analytical methodology in rept acceptable for use in predicting plants containment pressure. * 95/09/06. 22pp. 85493-337-85493-358.
- 9509130187** Forwards proprietary request for addl info re Topical Rept DPC-NE-3000, "Thermal-Hydraulic Transient Analysis Methodology." Nonproprietary RAI also encl. Proprietary RAI withheld per 10CFR2.790. MARTIN, R.E. 95/09/06. TUCKMAN, M.S. Duke Power Co. 7pp. 85473-352-85473-358.
- 9508310033** Suppl 5 to Genenc Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.
- 9509180174** Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2. BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521-339-85521-346.
- 9509180189** SER granting request for inservice insp relief for Duke Power Co. * 95/09/11. 4pp. 85521-343-85521-346.
- 9509120026** Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P. Encl withheld (ref 10CFR2.790). TUCKMAN, M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537-333-85537-345.
- 9509200102** Provides toxicity test results for Outfall 002. CARTER, J.S. Duke Power Co. 95/09/12. BEATY, V. South Carolina, State of. 6pp. 85543-328-85543-330.
- 9509180178** Application for amends to licenses NPF-35 & NPF-52, modifying notation for overpower delta temp RT heatup setpoint penalty coefficient as delineated in Note 3 on Page 2-10 in order to make nomenclature consistent w/NUREG-0452, Rev 4. MCCOLLUM, W.R. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 13pp. 85523-096-85523-111.
- 9509180180** Proposed tech specs, modifying notation for overpower delta temp RT heatup setpoint penalty coefficient as delineated in Note 3 on Pp 2-10, in order to make nomenclature consistent w/NUREG-0452, Rev 4. * Duke Power Co. 95/09/13. 3pp. 85523-109-85523-111.
- 9509280219** Confirms open mgt meeting on 951003 in York, SC to discuss performance improvement actions being taken &/or planned at plant, per 950913 teicon between Z Taylor & R Carroll. CRLENJAK, R.V. 95/09/14. MCCOLLUM, W.R. Duke Power Co. 4pp. 85613-351-85613-354.
- 9509200134** Forwards request for addl info related to external event analyses in IPEEE, including seismic analysis, fire analysis, analyses on effects of high winds, floods & others. MARTIN, R.E. 95/09/15. TUCKMAN, M.S. Duke Power Co. 11pp. 85543-241-85543-251.
- 9509220250** Forwards amends 135 & 129 to licenses NPF-35 & NPF-52 & SE. Amends revise TS Section 5.3.1, "Fuel Assemblies." MARTIN, R.E. 95/09/18. MCCOLLUM, W.R. Duke Power Co. 3pp. 85573-342-85573-353.
- 9509220258** Amends 135 & 129 to licenses " " " 35 & NPF-52, respectively, revising TS Section 5.3.1, "Fuel Assemblies." BERKOW, H.N. 95/09/18. 6pp. 85573-345-85573-350.
- 9509220262** Safety evaluation supporting amends 135 & 129 to licenses NPF-35 & NPF-52, respectively. * 95/09/18. 3pp. 85573-351-85573-353.
- 9509260003** Supplemental application for amend to license NPF-35, revising Table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints." TUCKMAN, M.S. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 5pp. 85589-059-85589-226.
- 9509260004** Proposed tech spec Table 2.2-1, "Reactor Trip Sys Instrumentation Trip Setpoints." * Duke Power Co. 95/09/18. 6pp. 85589-064-85589-069.
- 9509260005** "McGuire 1 & 2 & Catawba 1 Nuclear Generating Stations Replacement SG Topical Rept." REITER, D.P., KLARNER, R., BOYD, T. Babcock & Wilcox Co. BWI-222-7693-LR-01. 95/04/30. 160pp. 85589-070-85589-229.
- 9509250289** Responds to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes." TUCKMAN, M.S. Duke Power Co. 95/09/19. Document Control Branch (Document Control Desk). 5pp. 85601-279-85601-283.
- 9509250291** Revises 941014 request for mods of thermal limitations for outfall 001, changing daily average temp limitation of 95 F to weekly average temp. CARTER, J.S. Duke Power Co. 95/09/20. ELEAZER, T.M. South Carolina, State of. 8pp. 85616-337-85616-344.
- 9509250294** Requests approval to begin using dimethylamine which will be discharged in non-toxic concentrations. Product will be used in plant FW sys in order to reduce & prevent corrosion fouling. Chronic toxicity study on Pre-Tect 9002 encl. CARTER, J.S. Duke Power Co. 95/09/20. ELEAZER, T.M. South Carolina, State of. 3pp. 85615-319-85615-336.
- 9509250303** "Chronic Toxicity Study Performed on Pre-Tect 9002 HP." SMITH, A., RASNAKE, W.J. Biological Monitoring, Inc. 95/04/27. 15pp. 85615-322-85615-336.
- 9509260110** Submits revised request for approval of seismic analysis methodology. TUCKMAN, M.S. Duke Power Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85606-296-85606-298.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.
- 9509060140** Forwards safety evaluation re Request for Relief 95-01 from certain ASME Code requirements that were determined to be impractical to perform at Catawba Nuclear Station, Unit 1, during first 10-year inservice inspection interval. BERKOW, H.N. 95/08/31. MCCOLLUM, W.R. Duke Power Co. 3pp. 85325-346-85325-355.
- 9509060144** Safety evaluation granting licensee Request for Relief 95-01. * 95/08/31. 7pp. 85325-349-85325-355.
- 9509070161** Forwards insp repts 50-413/95-18 & 50-414/95-16 on 950709-0805 & notice of deviation. Deviation of concern because deviations from commitments re control room habitability sys potentially impacted ability to respond to gas release. CRLENJAK, R.V. Region 2 (Post 820201). 95/08/31. MCCOLLUM, W.R. Duke Power Co. 4pp. 85321-135-85321-156.
- 9509070171** Notice of deviation from insp on 950709-0805. Deviation noted: rehearsals using control room habitability sys to ensure donning of full face breathing apparatus on detection of high chlorine concentrations not conducted. * Region 2 (Post 820201). 95/08/31. 2pp. 85321-139-85321-140.
- 9509070177** Insp repts 50-413/95-18 & 50-414/95-16 on 950707-0805. Deviations noted. Major areas inspected: areas of plant operations, maint, engineering & plant support. FREUDENBURGER, CRLENJAK, R.V. Region 2 (Post 820201). 95/08/31. 16pp. 85321-141-85321-156.
- 9509120038** Forwards response to NRC 950807 ltr re violations noted in insp repts 50-413/95-16 & 50-414/95-16 on 950611-0708. Corrective actions: took appropriate actions to isolate letdown line leak. MCCOLLUM, W.R. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85427-334-85427-338.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.
- 9509180174** Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2. BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521-339-85521-346.
- 9509180189** SER granting request for inservice insp relief for Duke Power Co. * 95/09/11. 4pp. 85521-343-85521-346.
- 9509280282** Forwards insp repts 50-413/95-15 & 50-414/95-15 on stated dates. No violations noted. Periodic mgt meeting will be held to discuss plant performance. JOHNSON, J.R. Region 2 (Post 820201). 95/09/15. MCCOLLUM, W.R. Duke Power Co. 3pp. 85615-001-85615-031.
- 9509280287** Insp repts 50-413/95-15 & 50-414/95-15 on stated date. No violations noted. Major areas inspected: five functional areas of safety assessment/corrective action plant operations, engineering, maintenance & plant support. ROGERS, W.G. Region 2 (Post 820201). 95/09/14. 26pp. 85615-004-85615-031.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 8pp. 85561-251-85561-259.
- 9509140386** NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.
- 9509280191** Ack receipt of 950831 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-16 & 50-414/95-16. CRLENJAK, R.V. Region 2 (Post 820201). 95/09/20. MCCOLLUM, W.R. Duke Power Co. 3pp. 85613-216-85613-218.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

130 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

- 950910079 Forwards FFD program performance data repts for Duke Power, Oconee, McGuire & Catawba Nuclear Stations, per 10CFR26.71(d), for period of 950101-0630.
TUCKMAN, M.S. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.
- 9509180206 Forwards monthly operating repts for Aug 1995 for Catawba Nuclear Station & revised repts for Jul 1995.
WEBER, R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85523:158-85523:170.
- 9509180208 Monthly operating repts for Aug 1995 for Catawba Nuclear Station.
WILLIAMS, R.A. Duke Power Co. 95/08/31. 10pp. 85523:160-85523:169.
- 9509180211 Revised monthly operating repts for Jul 1995 for Catawba Nuclear Station.
* Duke Power Co. 95/07/31. 1p. 85523:170-85523:170.

S. Reportable occurrences, LERs & related correspondence

- 9509150061 Forwards rev to LER 95-003 re failure to perform TS surveillance due to unanticipated interaction of sys.
MCCOLLUM, W.R. Duke Power Co. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85518:283-85518:294.
- 9509150066 LER 95-003-01 on 950727 failed to perform TS surveillance due to unanticipated interaction of sys. Reviewed all penetrations to determine similar situations exist in valves.
KIMBALL, D.P. Duke Power Co. 95/07/27. 10pp. 85518:285-85518:294.
- 9509190378 Special rept on 950815, CNS Unit 1 DG 1A invalid failure occurred due to main bearing high temp trip signal. Caused by failed splice installed in circuit for RTD 1LDR05630. New RTD installed in main bearing #5.
MCCOLLUM, W.R. Duke Power Co. 95/09/14. Document Control Branch (Document Control Desk). 4pp. 85536:280-85536:283.
- 9509250056 LER 95-004-00 on 950805, TS 3.0.3 entry occurred due to ventilation sys inoperability. Provided specific instructions to personnel prior to ingressing to reactor bldg via CAD & instructions to Security Officers. W/950918 ltr.
KIMBALL, D.P., MCCOLLUM, W.R. Duke Power Co. 95/09/18. 7pp. 85606:144-85606:150.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9509060065 Forwards public version of EIP RP/O/B/5000/13, "Notification Requirements."
REHN, D.L. Duke Power Co. 95/07/13. Document Control Branch (Document Control Desk). 2pp. 85385:083-85385:112.
- 9509060068 Public version of EIP RP/O/B/5000/13, "Notification Requirements."
PATRICK, M.E., MITCHELL, G.L. Duke Power Co. 95/07/13. 27pp. 85385:085-85385:112.
- 9509200134 Forwards request for addl info related to external event analyses in IPEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
MARTIN, R.E. 95/09/15. TUCKMAN, M.S. Duke Power Co. 11pp. 85543:241-85543:251.
- 9509290035 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
BERKOW, H.N. 95/09/22. TUCKMAN, M.S. Duke Power Co. 4pp. 85636:314-85636:318.

I. Financial information

- 9509110237 Forwards 1994 annual repts for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl.
TUCKMAN, M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.
- 9509110242 "DPC 1994 Annual Rept."
GRIGG, W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.
- 9509110246 "NC Electric Membership Corp 1994 Annual Rept."
KELLER, W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.
- 9509110244 "NC Municipal Power Agency 1 1994 Annual Rept."
CLAY, G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.
- 9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN, D.V. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

P. Operating license stage documents & correspondence

- 9509180115 Forwards proprietary request for info re computer software that could be used at facilities. Encl withheld (ref 10CFR2.790(a)).
BERKOW, H.N. 95/07/28. TUCKMAN, M.S. Duke Power Co. 3pp. 85520:321-85520:323.
- 950910076 Provides summary rept from Duke Power Co corporate medical director of three instances of false-negative blind performance urine drug screens by lab used by Duke FFD testing.
TUCKMAN, M.S. Duke Power Co. 95/08/25. Document Control Branch (Document Control Desk). 5pp. 85320:347-85320:351.

- 9509120172 Revs to "Catawba Nuclear Station Selected Licensee Commitments Manual."
STRICKLAND, K. Duke Power Co. 95/08/28. 13pp. 85432:334-85432:346.
- 9509110097 Forwards amend 413 & 414 to licenses NPF-35 & 52, respectively & SE. Amends revise TS to increase enrichment limits for fuel stored in fuel pools & establish restricted loading patterns & associated burnup criteria.
MARTIN, R.E. 95/08/31. MCCOLLUM, W.R. Duke Power Co. 4pp. 85416:254-85416:280.
- 9509110102 Amends 134 & 128 to licenses NPF-35 & NPF-52, respectively, revising TS to increase enrichment limits for fuel stored in fuel pools & establish restricted loading patterns & associated burnup criteria.
BERKOW, H.N. 95/08/31. 16pp. 85416:256-85416:273.
- 9509110104 Safety evaluation supporting amends 134 & 128 to licenses NPF-35 & NPF-52, respectively.
* 95/08/31. 7pp. 85416:274-85416:280.
- 9509070277 Forwards RAI to complete review of response to GL 95-03, "Circumferential Cracking of SG Tubes."
MARTIN, R.E. 95/09/01. TUCKMAN, M.S. Duke Power Co. 5pp. 85325:175-85325:179.
- 9509110192 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
TUCKMAN, M.S. Duke Power Co. 95/09/01. Document Control Branch (Document Control Desk). 5pp. 85457:309-85457:334.
- 9509110195 Proposed tech specs, ref updated or recently approved methodologies used to calculate cycle-specific limits contained in COLR.
* Duke Power Co. 95/09/01. 21pp. 85457:314-85457:334.
- 9509180322 Application for amends to licenses NPF-35 & NPF-52, requesting that NRC review & approve proposed UFSAR change to delete seismic qualification requirement from UFSAR per 10CFR50.90.
MCCOLLUM, W.R. Duke Power Co. 95/09/05. Document Control Branch (Document Control Desk). 11pp. 85523:065-85523:075.
- 9509120241 Forwards proprietary & nonproprietary topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology" for McGuire Nuclear Station & Catawba Nuclear Station. Proprietary SE withheld.
MARTIN, R.E. 95/09/06. TUCKMAN, M.S. Duke Power Co. 5pp. 85493:332-85493:358.
- 9509180325 Nonproprietary version of topical rept evaluation of DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Analytical methodology in rept acceptable for use in predicting plants containment pressure.
* 95/09/06. 22pp. 85493:337-85493:358.
- 9508310033 Suppl 5 to Generic Ltr 86-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2; McGuire Nuclear Station, Units 1 & 2; Oconee Nuclear Station, Units 1 & 2.
BERKOW, H.N. 95/09/11. TUCKMAN, M.S. Duke Power Co. 2pp. 85521:339-85521:346.
- 9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.
- 9509190206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P Encl withheld (ref 10CFR2.790).
TUCKMAN, M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537:333-85537:345.
- 9509200102 Provides toxicity test results for Outfall 002.
CARTER, J.S. Duke Power Co. 95/09/12. BEATY, V. South Carolina, State of. 6pp. 85543:328-85543:330.
- 9509180178 Application for amends to licenses NPF-35 & NPF-52, modifying notation for overpower delta temp RT heatup setpoint penalty coefficient as delineated in Note 3 on Page 2-10 in order to make nomenclature consistent w/NUREG-0452, Rev 4.
MCCOLLUM, W.R. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 13pp. 85523:096-85523:111.
- 9509180180 Proposed tech specs, modifying notation for overpower delta temp RT heatup setpoint penalty coefficient as delineated in Note 3 on Pp 2-10, in order to make nomenclature consistent w/NUREG-0452, Rev 4.
* Duke Power Co. 95/09/13. 3pp. 85523:109-85523:111.
- 9509280219 Confirms open mgmt meeting on 951003 in York, SC to discuss performance improvement actions being taken &/or planned at plant, per 950913 telcon between Z Taylor & R Carrol.
CRLENAUK, R.V. 95/09/14. MCCOLLUM, W.R. Duke Power Co. 4pp. 85613:351-85613:354.
- 9509200134 Forwards request for addl info related to external event analyses in IPEE, including seismic analysis, fire analysis & analyses on effects of high winds, floods & others.
MARTIN, R.E. 95/09/15. TUCKMAN, M.S. Duke Power Co. 11pp. 85543:241-85543:251.
- 9509220250 Forwards amends 135 & 129 to licenses NPF-35 & NPF-52 & SE. Amends revise TS Section 5.3.1, "Fuel Assemblies."
MARTIN, R.E. 95/09/18. MCCOLLUM, W.R. Duke Power Co. 3pp. 85573:342-85573:353.
- 9509220258 Amends 135 & 129 to licenses NPF-35 & NPF-52, respectively, revising TS Section 5.3.1, "Fuel Assemblies."
BERKOW, H.N. 95/09/18. 6pp. 85573:345-85573:350.

-9509220262 Safety evaluation supporting amends 135 & 129 to licenses NPF-35 & NPF-52, respectively
* 95/09/18. 3pp. 85673:351-85673:353.

9509250289 Responds to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
TUCKMAN,M.S. Duke Power Co. 95/09/19. Document Control Branch (Document Control Desk). 5pp. 85601:279-85601:283.

9509250291 Revises 941014 request for mods of thermal limitations for outfall 001, changing daily average temp limitation of 95 F to weekly average temp.
CARTER,J.S. Duke Power Co. 95/09/20. ELEAZER,T.M. South Carolina, State of. app. 85616:337-85616:344.

9509250294 Requests approval to begin using dimethylamine which will be discharged in non-toxic concentrations. Product will be used in plant FW sys in order to reduce & prevent corrosion causing Chronic toxicity study on Pre-Tect 9002 encl.
CARTER,J.S. Duke Power Co. 95/09/20. ELEAZER,T.M. South Carolina, State of. 3pp. 85615:319-85615:336.

9509260110 Submits revised request for approval of seismic analysis methodology.
TUCKMAN,M.S. Duke Power Co. 95/09/20. Document Control Branch (Document Control Desk). 3pp. 85606:296-85606:298.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070161 Forwards insp repts 50-413/95-18 & 50-414/95-18 on 950709-0805 & notice of deviation. Deviation of concern because deviations from commitments re control room habitability sys potentially impacted ability to respond to gas release.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/31. MCCOLLUM,W.R. Duke Power Co. 4pp. 85321:135-85321:156.

-9509070171 Notice of deviation from insp on 950709-0805. Deviation noted: rehearsals using control room habitability sys to ensure donning of full face breathing apparatus on detection of high chlorine concentrations not conducted.
* Region 2 (Post 820201). 95/08/31. 2pp. 85321:139-85321:140.

-9509070177 Insp repts 50-413/95-18 & 50-414/95-18 on 950707-0805. Deviations noted. Major areas inspected: areas of plant operations, maint, engineering & plant support.
FREUDENBURGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/08/31. 16pp. 85321:141-85321:156.

9509120038 Forwards response to NRC 950807 ltr re violations noted in insp repts 50-413/95-16 & 50-414/95-16 on 950611-0706. Corrective actions: took appropriate actions to isolate letdown line leak.
MCCOLLUM,W.R. Duke Power Co. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85427:334-85427:338.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180174 Forwards SE re relief from code requirement for inservice insp testing for Catawba Nuclear Station, Units 1 & 2, McGuire Nuclear Station, Units 1 & 2 & Oconee Nuclear Station, Units 1 & 2.
BERKOW,H.N. 95/09/11. TUCKMAN,M.S. Duke Power Co. 2pp. 85521:339-85521:346.

-9509180189 SER granting request for inservice insp relief for Duke Power Co.
* 95/09/11. 4pp. 85521:343-85521:346.

9509260282 Forwards insp repts 50-413/95-15 & 50-414/95-15 on stated dates. No violations noted. Periodic mgt meeting will be held to discuss plant performance.
JOHNSON,J.R. Region 2 (Post 820201). 95/09/15. MCCOLLUM,W.R. Duke Power Co. 3pp. 85615:001-85615:031.

-9509260287 Insp repts 50-413/95-15 & 50-414/95-15 on stated date. No violations noted. Major areas inspected: five functional areas of safety assessment/corrective action, plant operations, engineering, maintenance & plant support.
ROGERS,W.G. Region 2 (Post 820201). 95/09/14. 28pp. 85615:004-85615:031.

9509250022 Responds to request for addl info re request for relief 95-04 for first 10-yr ISI interval.
MCCOLLUM,W.R. Duke Power Co. 95/09/18. Document Control Branch (Document Control Desk). 3pp. 85584:325-85584:327.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140382 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509260191 Ack receipt of 950831 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-16 & 50-414/95-16.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/20. MCCOLLUM,W.R. Duke Power Co. 3pp. 85613:216-85613:218.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509010079 Forwards FFD program performance data repts for Duke Power, Oconee, McGuire & Catawba Nuclear Stations, per 10CFR26.71(d), for period of 950101-0630.
TUCKMAN,M.S. Duke Power Co. 95/08/28. Document Control Branch (Document Control Desk). 13pp. 85346:317-85346:329.

9509180206 Forwards monthly operating repts for Aug 1995 for Catawba Nuclear Station & revised repts for Jul 1995.
WEBER,R.L. Duke Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85523:158-85523:170.

-9509180208 Monthly operating repts for Aug 1995 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/08/31. 10pp. 85523:160-85523:169.

-9509180211 Revised monthly operating repts for Jul 1995 for Catawba Nuclear Station.
* Duke Power Co. 95/07/31. 1p. 85523:170-85523:170.

S. Reportable occurrences, LERs & related correspondence

9509260027 Special rept on 950817, Unit 2 LPMS Channel 12 was declared inoperable due to channel sensor failing acceptance criteria during performance of PT/O/A4600/03.

MCCOLLUM,W.R. Duke Power Co. 95/09/19. Document Control Branch (Document Control Desk). 1p. 85592:165-85592:165.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509050291 Rev 28 to EPIP 10-S-01-6, "Notification of Offsite Agencies & Plant On-Call Emergency Personnel." W/950828 ltr.
HUDSON,R.Y., MEISNER,M.J. Entergy Operations, Inc. 95/08/28. 25pp. 85342:325-85342:349.

9509180219 Informs that 950711 submittal forwarding detailed scenario for full participation emergency preparedness exercise scheduled for wk of 950911 meet requirements for sub exercise.
BARR,K.P. Region 2 (Post 820201). 95/09/08. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 85502:167-85502:169.

9509140071 Forwards followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barrier." Licensee responses have been found incomplete.
CALVO,J.A. 95/09/11. BECKNER,W.D. 5pp. 85439:344-85439:348.

9509200311 Rev 12 to EPIP 10-S-01-17, "Emergency Personnel Exposure Control." W/950914 ltr.
MEISNER,M.J. Entergy Operations, Inc. 95/09/14. 20pp. 85551:321-85551:340.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509070232 Informs NRC that SPDS mods identified by V&V completed & fully meets requirements of NUREG-0737, Suppl 1, taking into account guidance provided in NUREG-1342.
HUTCHINSON,C. Entergy Operations, Inc. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85416:201-85416:202.

9509120142 Notification of 950920 meeting w/ listed participants in Arlington, TX to discuss plans, actions & other topics re transfer of NRC oversight of Callaway plant & GGNs from Regions II & III, respectively to Region IV.
DYER,J.E. Region 4 (Post 820201). 95/09/07. NRC - No Detailed Affiliation Given. 7pp. 85382:198-85382:204.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509120326 Transfers region's oversight responsibility for Grand Gulf Nuclear Station & Callaway Plant to Region IV.
ROE,J.W. 95/09/08. HUTCHINSON,C.F. Entergy Operations, Inc. 3pp. 85419:354-85419:356.

9509140071 Forwards followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barrier." Licensee responses have been found incomplete.
CALVO,J.A. 95/09/11. BECKNER,W.D. 5pp. 85439:344-85439:348.

132 DOCKETED ITEMS

9509200337 Notification of 950927 meeting w/plant in Arlington, TX to discuss licensee approach to safety & regulatory interface.
DYER, J.E. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 5pp. 85547:001-85547:005.

9509210258 Forwards plan used to identify & track activities associated w/transferring regional oversight responsibility for plants.
CALLAN, L.J. Region 4 (Post 820201). 95/09/18. RUSSELL, W.T. 3pp. 85545:059-85545:100.

-9509210348 Rev 1 to "Transition Implementation Plan," dtd 950918.
* NRC - No Detailed Affiliation Given. 95/09/18. 40pp. 85545:062-85545:100.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921033). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509070237 Forwards insp rept 50-416/95-12 on 950709-0812. No violations or deviations noted.
CHRISTENSEN, H. Region 2 (Post 820201). 95/08/24. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 85322:289-85322:310.

-9509070244 Insp rept 50-416/95-12 on 950709-0812. No violations or deviations noted. Major areas inspected: plant operations, review of nonconformance reports, followup of onsite events, effectiveness of licensee controls & maint observation.
TEDROW, J., HUGHEY, C., CHRISTENSEN, H. Region 2 (Post 820201). 95/08/24. 18pp. 85322:293-85322:310.

9509070195 Ack receipt of 950818 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/95-11.
CHRISTENSEN, H. Region 2 (Post 820201). 95/08/25. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 85321:304-85321:306.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509220188 Forwards rept NIS-1-00011, "ISI Summary Rept for Grand Gulf Nuclear Station Unit 1" for period ending w/seventh refueling outage. Rept contains overall summary of ISIs performed since 931204-950620.
HUTCHINSON, C.R. Entergy Operations, Inc. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85565:001-85565:265.

-9509220191 "ISI Summary Rept for Grand Gulf Nuclear Station Unit 1."
* Entergy Operations, Inc. NIS-1-00011. 95/09/08. 263pp. 85565:003-85565:265.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

S. Reportable occurrences, LERs & related correspondence

9509050146 LER 95-010-00 on 950730, reactor scram occurred due to main turbine/generator trip. Caused by failure of current transformer (CT) on 'A' phase for generator output breaker. Failed CT replaced in kind & returned to svc. W/950828 ltr.
HOLIFED, C., HUTCHINSON, C.R. Entergy Operations, Inc. 95/08/28. 4pp. 85371:330-85371:333.

V. Operator Examinations

9508250090 Summary of 950907 meeting w/util in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9509210258 Forwards plan used to identify & track activities associated w/transferring regional oversight responsibility for plants.
CALLAN, L.J. Region 4 (Post 820201). 95/09/18. RUSSELL, W.T. 3pp. 85545:059-85545:100.

-9509210348 Rev 1 to "Transition Implementation Plan," dtd 950918.
* NRC - No Detailed Affiliation Given. 95/09/18. 40pp. 85545:062-85545:100.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR Records in App D encl & being made available in PDR Printout of other documents available in PDR also encl.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND, J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9509070252 Rev 0 to EPOP 4422A, "Thermal Hydraulic Evaluation Methods."
DUBE, D.A. Northeast Nuclear Energy Co. 95/08/24. 43pp. 85395:308-85395:351.

9509120062 Forwards rev 12 to suitability, training & qualification plan. Encl withheld ref 10CFR2.790(a).
DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85425:356-85425:357.

9509150195 Rev 0 to EPOP 4450, "Unit 3 Vent & Containment Air Pass."
MUELLER, F. Northeast Nuclear Energy Co. 95/09/01. 2pp. 85507:316-85507:317.

9509180285 Forwards insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-26 & NOV.
JOYNER, J.H. Region 1 (Post 820201). 95/09/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85501:296-85501:309.

-9509180297 Insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-26. Violations noted. Major areas inspected: EP program insp, including changes in program, emergency facilities, equipment & instrumentation & supplies.
LUSHER, J. Region 1 (Post 820201). 95/09/13. 9pp. 85501:301-85501:309.

9509260040 Forwards insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822 & NOV.
COOPER, R.W. Region 1 (Post 820201). 95/09/19. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 85569:051-85569:099.

-9509260048 Insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, outage activities & security.
NICHOLSON, L.E. Region 1 (Post 820201). 95/09/18. 42pp. 85569:057-85569:099.

H. General correspondence

9509140009 Informs NRC staff of recent organizational change within Nuclear Group. Nuclear Safety Engineering now reports to Director Nuclear Planning, Licensing & Budgeting Dept.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85484:357-85484:359.

9509220095 Informs NRC of mgt change within nuclear group which affects distribution of NRC correspondence to CYAPCO & NNECO. Listed change reflected in encl rev to distribution lists for NRC correspondence.
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/09/15. Document Control Branch (Document Control Desk). 14pp. 85570:295-85570:308.

P. Operating license stage documents & correspondence

9509070315 Rev 18 QAT-95-4286, "Northeast Utilis QA Program Topical Rept Organizational Charts."
PALIUCA, Northeast Utilities. 95/08/15. 11pp. 85415:330-85415:340.

9509050141 Responds to NRC 950621 RAI re utilis 950602 ltr, requesting approval to use Code Case N-508-1, "Rotation of Serviced Snubbers & Pressure Relief Valves for Purpose of Testing, Section XI, Div 1."
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/08/25. Document Control Branch (Document Control Desk). 7pp. 85349:155-85349:161.

9509080087 Application for amend to license NPF-49, revising TS re main steam line isolation valves.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/08/30. Document Control Branch (Document Control Desk). 3pp. 85416:330-85416:340.

-9509080089 Proposed tech specs re main steam line isolation valves.
* Rochester Gas & Electric Corp. 95/08/30. 8pp. 85416:333-85416:340.

9509150217 Notification of significant licensee meeting 95-84 w/util on 950920 to discuss Northeast Util Reengineering Effort.
NICHOLSON, L. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 2pp. 85485:134-85485:134.

9508310033 Supp: 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509200293 Application for amend to license NPF-49, permitting individual that does not have current SRC license to hold operation managers position. DEBARBA, E.A. Northeast Nuclear Energy Co. DEBARBA, E.A. Northeast Utilities Service Co. 95/09/12. Document Control Branch (Document Control Desk). 8pp. 85552:337-85552:349.

-9509200295 Proposed tech specs, permitting individuals that do not have current SRC license to hold operations manager position.
* Northeast Nuclear Energy Co. 95/09/12. 4pp. G5552:346-85552:349.

9509200139 Submits response to issue on behalf of activities at Unit 3. Written response to issue requested to be submitted within 60 days from date of NRC ltr. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/09/13. COOPER, R.W. 3pp. 85543:325-85543:327.

9509250312 Transmits recent decisions by CT Dept of Public Utility Control & MA Dept of Public Utilities on restructuring electric industry relevant to economic regulation. OPEKA, J.F. Northeast Nuclear Energy Co. 95/09/20. Document Control Branch (Document Control Desk). 206pp. 85603:001-85603:206.

9509280335 Submits changes to & errors in ECCS evaluation model or application of model for facility. OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/22. Document Control Branch (Document Control Desk). 8pp. 85635:343-85635:350.

9509220099 "Milestone Nuclear Power Station Unit 3 Startup Test Rept Cycle 6." W/ 950912 ltr. MILLER, D.B. Northeast Nuclear Energy Co. MILLER, D.B. Northeast Utilities Service Co. 95/09/30. 14pp. 85570:260-85570:273.

G. Inspection reports, IE Bulletins & correspondence

9209240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (670411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050319 Final response to FOIA request for documents. Records in App A will be made available in PDF. App B records will be withheld in part (ref Exemption 7C). App C records will be withheld in entirety (ref Exemptions 4, 6 & 7D).
* Division of Freedom of Information & Publications Services (Post 940714). 95/07/27. BLANCH, P.M. Affiliation Not Assigned. 20pp. 85316:169-85316:286.

-9509050322 Partially withheld investigative rept 1-90-001 on 920831 Noncompliance noted. Major areas inspected: allegations that Blanch had been subjected to H&I by mgt. WILSON, E.P., LETTS, B.R., HAYES, B.B. Region 1 (Post 820201). 92/08/31. 99pp. 85316:169-85316:286.

9509050148 Requests approval to use Code Case N-535, "Alternative Requirements for ISI Intervals, Section XI, Div 1," as alternative to ASME Code Section XI. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/08/24. Document Control Branch (Document Control Desk). 2pp. 85346:349-85346:350.

9509080181 Forwards insp repts 50-245/95-33, 50-336/95-33 & 50-423/95-33. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/08/31. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85324:330-85324:339.

-9509080187 Insp repts 50-245/95-33, 50-336/95-33 & 50-423/95-33 on 950814-18. No violations noted. Major areas inspected: audits, mgt support & effectiveness of mgt controls, security program plans & protected area detection equipment. ALBERT, R.J., LIAMROTH, D.F. Region 1 (Post 820201). 95/08/18. 7pp. 85324:333-85324:339.

9509110235 Forwards insp repts 50-245/95-28, 50-336/95-28 & 50-423/95-28 on 940710-14. DURR, J.P. Region 1 (Post 820201). 95/09/01. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 85344:136-85344:181.

-9509110240 Insp repts 50-245/95-28, 50-336/95-28 & 50-423/95-28 on 950710-14. No violations noted. Major areas inspected: plant operations, operability determinations, maint & surveillance activities, licensee self-assessment & quality assessment. NICHOLSON, L.E. Region 1 (Post 820201). 95/08/30. 42pp. 85344:140-85344:181.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509120049 Forwards "ISI 1995 Outage Summary Rept of Millstone 3 Nuclear Power Station for Northeast Nuclear Energy Co for Interval 1, Period 3." OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/09/07. Document Control Branch (Document Control Desk). 1p. 85434:001-85434:157.

-9509120050 "ISI 1995 Outage Summary Rept of Millstone Unit 3 Nuclear Power Station for Northeast Nuclear Energy Co for Interval 1, Period 3." MACNEILL, D.R. Northeast Nuclear Energy Co. 95/08/31. 156pp. 85434:002-85434:157.

9509150228 Discusses 950707 ltr in response to insp repts 50-245/95-19, 50-336/95-19 & 50-423/95-19 & NOV Violations indicated apparent lack of attention to detail associated w/ radioactive matl control or labeling. HEHL, C.W. Region 1 (Post 820201). 95/09/07. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85485:140-85485:149.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509180214 Forwards insp repts 50-245/95-35, 50-336/95-35 & 50-423/95-35 on 950828-0901. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/09/11. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85500:337-85500:347.

-9509180222 Insp repts 50-245/95-35, 50-336/95-35 & 50-423/95-35 on 950828-0901. No violations noted. Major areas inspected: radwaste & transportation of radioactive matls programs, including assurance of quality & training. FURIA, J., BORES, R. Region 1 (Post 820201). 95/09/11. 8pp. 85500:340-85500:347.

9509180248 Forwards insp rept 50-423/95-17 on 950619-30. No violations noted. KELLY, E.M. Region 1 (Post 820201). 95/09/11. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85501:086-85501:103.

-9509180256 Insp rept 50-423/95-17 on 950619-30. No violations noted. Major areas inspected: program implementation of GL 89-10, "Safety Related MOV Testing & Surveillance." DEMPSEY, D.A., KELLY, E.M. Region 1 (Post 820201). 95/09/07. 15pp. 85501:089-85501:103.

9509180285 Forwards insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28 & NOV. JOYNER, J.H. Region 1 (Post 820201). 95/09/13. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 85501:296-85501:309.

-9509180293 Notice of violation from insp on 950724-28. Violation noted: licensee implemented NUMARC EALs for plant on 950630 w/o discussion w/or agreement of state & local governmental authorities.
* Region 1 (Post 820201). 95/09/13. 2pp. 85501:299-85501:300.

-9509180297 Insp repts 50-245/95-26, 50-336/95-26 & 50-423/95-26 on 950724-28. Violations noted. Major areas inspected: EP program insp, including changes in program, emergency facilities, equipment & instrumentation & supplies. LUSHER, J., KEIMING, R. Region 1 (Post 820201). 95/09/13. 9pp. 85501:301-85501:309.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509260040 Forwards insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822 & NOV. COOPER, R.W. Region 1 (Post 820201). 95/09/19. OPEKA, J.F. Northeast Nuclear Energy Co. 5pp. 85569:051-85569:099.

-9509260048 Insp repts 50-245/95-31, 50-336/95-31 & 50-423/95-31 on 950712-0822. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, outage activities & security. NICHOLSON, L.E. Region 1 (Post 820201). 95/09/18. 42pp. 85569:057-85569:099.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509080232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509190211 Monthly operating repts for Aug 1995 for Millstone Nuclear Power Station W/950913 ltr. NEWBURGH, G., MILLER, D.B. Northeast Nuclear Energy Co. 95/08/31. 16pp. 85531:308-85531:323.

V. Operator Examinations

9509050201 Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 5, "Operators Licensing Examiner Stds" & NUREG/BR-0122 to prepare written exams & operating tests. MEYER, G.W. Region 1 (Post 820201). 95/08/21. BROWN, M.B. Northeast Nuclear Energy Co. 1p. 85297:123-85297:123.

9509050143 Notices of intent to request waiver of experience provisions of NUREG-1021, ES202, Section E.2 for SK Walsh. Walsh currently enrolled in facility licensed operator initial training program for purpose of obtaining SOL. MARTIN, D.B. Northeast Nuclear Energy Co. MARTIN, D.B. Northeast Utilities Service Co. 95/06/24. MARTIN, T.T. Region 1 (Post 820201). 3pp. 85346:351-85346:353.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509200272 Forwards plant physical security & contingency plan re Amend 29 for hand geometry biometrics sys. Encl withheld, per 10CFR73.21. MCCOY, C.K. Georgia Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85536:325-85536:326.

9509290011 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation. BERKOW, H.N. 95/09/22. WOODARD, J.D. Georgia Power Co. 5pp. 85636:292-85636:296.

134 DOCKETED ITEMS

G. Adjudicatory correspondence

- 9509080112** Georgia Power Co response to intervenor motion to admit certain admissions & sections of OI rept into evidence.* Georgia Power neither admit nor deny admissions.W/Certificate of Svc & svc list.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17049. 95/08/22. Atomic Safety & Licensing Board Panel. 9pp. 85324-069-85324-077.
- 9508300032** Board notification 95-012:discussing addl allegations that GPC made false statements to NRC about DG testing conducted after 900320.site area emergency. BERKOW,H.N. . 95/08/29. Atomic Safety & Licensing Board Panel. 3pp. 85325-070-85325-082.
- 9509070279** Notice of violation & proposed imposition of civil penalty in amount of \$40,000.Noncompliance noted during 900320.site area emergency,declared at 9:40am,not accomplished until approx 10:40am,period of time in excess of 15 minutes.
EBNETER,S.D. Region 2 (Post 820201). 90/10/19. 3pp. 85325-077-85325-082.
- 9509080091** Transmits proposed interrogatory & document requests by intervenor from licensee in order to adequately respond to expert testimony & other factual assertions raised by licensee in proceeding.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 17072. 95/08/30. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 5pp. 85324-057-85324-061.
- 9509110075** Forwards documents which comprise Exhibits C,D & E to Prefiled Rebuttal Testimony of O'Young & Johnston W/o encls. Related Correspondence.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17081. 95/08/30. YOUNG,M.A. Office of the General Counsel (Post 860701). KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 1p. 85334-001-85334-001.
- 9509110049** Memorandum & order (motion to exclude OI conclusions).* GAP motion to exclude admission of OI conclusions,dt'd 950728 denied.W/Certificate of Svc.Served on 950901.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #395 1706. 95/09/01. Georgia Power Co. 11pp. 85333-005-85333-015.
- 9509110054** Intervenor motion to strike expert testimony of Hill & Ward & to conduct addl discovery.* Intervenor requests that Hill & Ward testimony be stricken & GAP file expedited responses to requested discovery W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 17087. 95/09/05. Atomic Safety & Licensing Board Panel. 24pp. 85333-016-85333-039.
- 9509210129** Georgia Power Company opposition to intervenor motion to strike testimony of Hill & Ward & to conduct addl discovery.* W/Certificate of Svc & svc list.
LEWIS,E.L. Georgia Power Co. LEWIS,E.L. Shaw, Pittman, Potts & Trowbridge. #395 17103. 95/09/11. Atomic Safety & Licensing Board Panel. 28pp. 85546-128-85546-155.
- 9509210139** GA Power Company motion for stay of licensing board order requiring production of attorney notes of privileged communications.* W/Certificate of Svc & svc list.
LEWIS,D. Georgia Power Co. LEWIS,D. Shaw, Pittman, Potts & Trowbridge. #395 17101. 95/09/11. Commissioners (Post 750119). 13pp. 85546-061-85546-073.
- 9509210109** Order.* Utl filed before Commission motion to stay,pending appellate review of ASLB order issued orally on record on 950906.Commission temporarily stays effectiveness of Board order W/Certificate of Svc.Served on 950913.
HOYLE,J.C. Office of the Secretary of the Commission. #395 17105. 95/09/13. Georgia Power Co. 5pp. 85546-001-85546-005.
- 9509210177** Georgia Power Co fourth suppl response to AL Mosbaugh third set of interrogatories & request for documents.* Related Correspondence.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17107. 95/09/13. Atomic Safety & Licensing Board Panel. 2pp. 85546-221-85546-233.
- 9509210185** Affidavit.* Affidavit of KC Stokes certifying that statements & opinions in such response true & correct to best of personal knowledge & belief.W/Certificate of Svc.
STOKES,K.C., STOKES,K.C. Georgia Power Co. 95/09/13. 12pp. 85546-223-85546-233.
- 9509140178** Board notification 95-014:discussing allegation of false statements re concern regarding high dew point temperature measurements obtained in 1990 for DG air sys,per challenge of utli application.
VARGA,S.A. 95/09/14. THE CHAIRMAN, JACKSON,S., ROGERS Commissioners (Post 750119). 6pp. 85627-291-85627-324.
- 9509210136** Forwards copy of "Testimony of EB Tomlinson & PH Skinner on Diesel Generator Air Quality."
YOUNG,M.A. Office of the General Counsel (Post 860701). #395 17113. 95/09/18. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 85546-165-85546-182.
- 9509210140** Testimony of EB Tomlinson & PH Skinner on Diesel Generator Air Quality.*
* NRC - No Detailed Affiliation Given. 95/09/18. 17pp. 85546-166-85546-182.
- 9509210114** Informs that no "as found" data was taken w/respect to Ailor VP-2466 instrument following last use on 900407 & prior to recalibration on 910515,based on investigation.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17122. 95/09/20. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 85546-014-85546-027.
- 9509210133** Affidavit.* Affidavit of MD Duncan re testimony on 950609, concerning Ailor test instrument.
DUNCAN,M.D. Georgia Power Co. 95/09/20. 10pp. 85546-016-85546-027.

9509210145 Georgia Power Co petition for review of order to produce attorney notes of privileged communications.* Commission should provide opportunity for oral argument on subj matter.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. BLAKE,E.L. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17121. 95/09/20. 19pp. 85546-195-85546-220.

-9509210155 Affidavit of J Lamberski.* Discusses violations of NRC regulations at plant, filed by A Mosbaugh w/NRC.W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 95/09/19. 7pp. 85546-214-85546-220.

P. Operating license stage documents & correspondence

- 9509060362** Forwards amends 90 & 68 to licenses NPF-68 & NPF-81 & SE. Amends revise TS w/editorial changes to Action Statements of TS 3.8.1.1 & 3.8.1.2 in order to reflect availability of third offsite ac electrical source.
WHEELER,L.L. 95/08/29. MCCOY,C.K. Georgia Power Co. 3pp. 85326-027-85326-050.
- 9509060368** Amends 90 & 68 to licenses NPF-68 & NPF-81, respectively, revising editorial changes to Action Statements of TS 3.8.1.1 & 3.8.1.2 in order to reflect availability of third offsite ac electrical source.
BERKOW,H.N. 95/08/29. 15pp. 85326-030-85326-044.
- 9509060372** Safety evaluation supporting amends 90 & 68 to licenses NPF-68 & NPF-81, respectively.
* 95/08/29. 1pp. 85326-045-85326-050.
- 9509070255** Discusses 950826 meeting re work controls reengineering through addition of performance teams & info technology. List of attendees & handout encls.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/30. HAIRSTON,G. Georgia Power Co. 17pp. 85323-006-85323-022.
- 9509060025** Forwards notice of consideration of issuance of amends to FOL & opportunity for hearing.
WHEELER,L.L. 95/08/31. MCCOY,C.K. Georgia Power Co. 3pp. 85373-096-85373-108.
- 9509060043** Notice of consideration of issuance of amends to FOL & opportunity for hearing. Amends revise TS to be consistent w/provisions of NUREG-1431.
WIENS,L.A. 95/08/31. Georgia Power Co. 10pp. 85373-099-85373-108.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.
- 9509190310** Forwards responses to NRC 950616 RAIs re IPE.
MCCOY,C.K. Georgia Power Co. 95/09/13. Document Control Branch (Document Control Desk). 134pp. 85550-147-85550-280.
- 9509260096** Application for amends to licenses NPF-68 & NPF-81, converting existing VEGP TS requirements to format & content of NUREG-1431.
MCCOY,C.K. Georgia Power Co. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85592-246-85592-294.
- 9509260103** Proposed tech specs, converting existing VEGP TS requirements to format & content of NUREG-1431.
* Georgia Power Co. 95/09/22. 46pp. 85592-249-85592-294.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.
- 9508300032** Board notification 95-012:discussing addl allegations that GPC made false statements to NRC about DG testing conducted after 900320.site area emergency. BERKOW,H.N. . 95/08/29. Atomic Safety & Licensing Board Panel. 3pp. 85325-070-85325-082.
- 9509070279** Notice of violation & proposed imposition of civil penalty in amount of \$40,000.Noncompliance noted during 900320.site area emergency,declared at 9:40am,not accomplished until approx 10:40am,period of time in excess of 15 minutes.
EBNETER,S.D. Region 2 (Post 820201). 90/10/19. 3pp. 85325-077-85325-082.
- 9509060376** Forwards comments on "Review of Revised NRC Systematic Assessment of Licensee Performance Program."
BECKHAM,J.T. Georgia Power Co. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85326-349-85326-350.
- 9509180366** Informs of predecisional enforcement conference to discuss apparent violation re 950804 decision & remand order issued by DOL, to be held in Atlanta,GA.Date of conference to be set following appropriate coordination w/staff.
EBNETER,S.D. Region 2 (Post 820201). 95/09/01. HAIRSTON,W.G. Georgia Power Co. 35pp. 85503-083-85503-126.
- 9509180361** Forwards insp repts 50-424/95-20 & 50-425/95-20 on 950821-24.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/06. MCCOY,C.K. Georgia Power Co. 2pp. 85502-345-85502-352.
- 9509180362** Insp repts 50-424/95-20 & 50-425/95-20 on 950821-24.No violations noted.Major areas inspected:electrical maint.
MOORE,R., SHYMLOCK,M. Region 2 (Post 820201). 95/09/06. 6pp. 85502-347-85502-352.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423.050-85423.060.

9509280201 Forwards insp repts 50-424/95-18 & 50-425/95-18 on 950716-0819 & NOV
CRLENJAK, R.V. Region 2 (Post 820201). 95/09/12. MCCOY, C.K. Georgia Power Co. 4pp. 85613.269-85613.307.

9509280206 Notice of violation from insp on 950716-0819. Violation noted on 950903, procedures not implemented.
* Regic- 2 (Post 820201). 95/09/12. 1p. 85613.293-85613.293.

9509280214 Insp repts 50-424/95-18 & 50-425/95-18 on 950716-0819. Violations noted. Major areas inspected: plant operations, surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment.
BONSER, B.R., HOPKINS, P.C., WIDMANN, M.T. Region 2 (Post 820201). 95/09/12. 14pp. 85613.294-85613.307.

9509140178 Board notification 95-014 discussing allegation of false statements re concern regarding high dew point temperature measurements obtained in 1990 for DG air sys, per challenge of utility application.
VARGA, S.A. 95/09/14. THE CHAIRMAN, JACKSON, S., ROGERS Commissioners (Post 750119). 6pp. 85627.291-85627.324.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561.251-85561.259.

9509280184 Confirms arrangement between J Woodard & E Merschoff on 950914 re enforcement conference scheduled for 951004 to discuss apparent violation of 10CFR50.7 Employee Protection that occurred in 1990.
CRLENJAK, R.V. Region 2 (Post 820201). 95/09/19. HAIRSTON, W.G. Georgia Power Co. 3pp. 85613.194-85613.196.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645.021-85645.029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627.325-85627.336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645.009-85645.020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645.001-85645.008.

R. Periodic operating reports & related correspondence

9509190282 Monthly operating repts for Aug 1995 for Vogtle Electric Generating Plant Units 1 & 2 W/950911 ltr.
HOOPER, G.L., MCCOY, C.K. Georgia Power Co. 95/08/31. 12pp. 85536.299-85536.310.

T. Hearing transcripts on non-antitrust matters

9509010148 Transcript of 950830 hearing in Rockville, MD. Pp 12,916- 12,937. Related info encl.
* Atomic Safety & Licensing Board Panel. 95/06/30. 24pp. 85339.338-85339.361.

9509080080 Transcript of 950905 hearing in Rockville, MD re plant. Pp 12,938-13,072.
* Atomic Safety & Licensing Board Panel. 95/09/05. 144pp. 85416.241-85419.020.

9509110051 Transcript of 950906 hearing in Rockville, MD re facility. Pp 13,073-13,219.
* Atomic Safety & Licensing Board Panel. 95/09/06. 183pp. 85454.001-85454.183.

9509110124 Transcript of 950907 hearing in Rockville, MD re facility. Pp 13,220-13,431.
* Atomic Safety & Licensing Board Panel. 95/09/07. 258pp. 85452.001-85452.258.

9509120330 Transcript of 950908 hearing in Rockville, MD re Vogtle Electric Plant, Units 1 & 2. Pp 13,432-13,582. Certificate of svc encl.
* Atomic Safety & Licensing Board Panel. 95/09/08. 192pp. 85473.098-85473.292.

9509150098 Transcript of 950913 hearing in Rockville, MD re facility. Pp 13,583-13,825.
* Atomic Safety & Licensing Board Panel. 95/09/13. 260pp. 85509.001-85509.260.

9509180356 Transcript of 950914 hearing in Rockville, MD re Vogtle Electric Generating Plant, Units 1 & 2. Pp 13,826-14,056. Certificate encl.
* Atomic Safety & Licensing Board Panel. 95/09/14. 243pp. 85551.001-85551.243.

9509190261 Transcript of 950915 hearing in Rockville, MD re facility. Pp 14,057-14,235.
* Atomic Safety & Licensing Board Panel. 95/09/15. 180pp. 85537.001-85537.181.

9509200323 Transcript of 950919 hearing in Rockville, MD re Vogtle Electric Generating Plant, Units 1 & 2. Pp 14,236-14,456.
* Atomic Safety & Licensing Board Panel. 95/09/19. 271pp. 85552.001-85552.271.

9509210217 Forwards corrected pages (13,436, 13,486, 13,491-92 & 13,509) for GPC Vogtle Electric Generating Plant, Units 1 & 2 transcript dtd 950908.
DONOVAN, S.K. Atomic Safety & Licensing Board Panel. 95/09/21. Atomic Safety & Licensing Board Panel. 6pp. 85568.340-85568.245.

9509250016 Transcript of 950921 hearing in Rockville, MD re facility. Pp 14,457-14,682.
* Atomic Safety & Licensing Board Panel. 95/09/21. 271pp. 85567.001-85567.271.

9509260014 Transcript of 950922 hearing in Rockville, MD re facility. Pp 14,693-14,868.
* Atomic Safety & Licensing Board Panel. 95/09/22. 200pp. 85604.001-85604.199.

9509270258 Transcript of 950926 hearing in Rockville, MD re Vogtle Electric Generating Plant, Units 1 & 2. Pp 14,869-15,099.
* Atomic Safety & Licensing Board Panel. 95/09/26. 236pp. 85646.001-85646.236.

9509280277 Transcript of 950927 hearing in Rockville, MD re Vogtle Electric Generating Plant Units 1 & 2. Pp 15,100-15,275.
* Atomic Safety & Licensing Board Panel. 95/09/27. 197pp. 85657.001-85657.197.

V. Operator Examinations

9509070196 Informs of arrangements made for administration of licensing exams at plant during wk of 951211, per 950807 telcon between M Ernstes & R Dorman. Exam guidelines encl.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/10. MCCOY, C.K. Georgia Power Co. 5pp. 85321.307-85321.311.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509200272 Forwards plant physical security & contingency plan re Amend 29 for hand geometry biometrics sys. Encl withheld, per 10CFR73.21.
MCCOY, C.K. Georgia Power Co. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85536.325-85536.326.

9509290011 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage, per 10CFR73.1(a). Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
BERKOW, H.N. 95/09/22. WOODARD, J.D. Georgia Power Co. 5pp. 85636.292-85636.296.

G. Adjudicatory correspondence

9509060112 Georgia Power Co response to intervenor motion to admit certain admissions & sections of OI rept into evidence.* Georgia Power neither admit nor deny admissions. W/ Certificate of Svc & svc list.
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17049. 95/08/22. Atomic Safety & Licensing Board Panel. 9pp. 85324.069-85324.077.

9508300032 Board notification 95-012 discussing addl allegations that GPC made false statements to NRC about DG testing conducted after 900320, site area emergency.
BERKOW, H.N. 95/08/29. Atomic Safety & Licensing Board Panel. 3pp. 85325.070-85325.082.

9509080091 Transmits proposed interrogatory & document requests by intervenor from licensee in order to adequately respond to expert testimony & other factual assertions raised by licensee in proceeding.
KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 17072. 95/08/30. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 5pp. 85324.057-85324.061.

9509110075 Forwards documents which comprise Exhibits C,D & E to Prefiled Rebuttal Testimony of O'Young & Johnston. W/o encls. Related Correspondence.
LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17081. 95/08/30. YOUNG, M.A. Office of the General Counsel (Post 860701). KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 1p. 85334.001-85334.001.

9509110049 Memorandum & order (motion to exclude OI conclusions). * GAP motion to exclude admission of OI conclusions, dtd 950728 denied. W/Certificate of Svc. Served on 950901.
BLOCH, P.B. Atomic Safety & Licensing Board Panel. #395 1706. 95/09/01. Georgia Power Co. 11pp. 85333.005-85333.015.

9509110054 Intervenor motion to strike expert testimony of Hill & Ward & to conduct addl discovery.* Intervenor requests that Hill & Ward testimony be stricken & GAP file expedited responses to requested discovery. W/Certificate of Svc.
KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 17087. 95/09/05. Atomic Safety & Licensing Board Panel. 24pp. 85333.016-85333.039.

9509210129 Georgia Power Company opposition to intervenor motion to strike testimony of Hill & Ward & to conduct addl discovery.* W/Certificate of Svc & svc list.
LEWIS, E.L. Georgia Power Co. LEWIS, E.L. Shaw, Pittman, Potts & Trowbridge. #395 17103. 95/09/11. Atomic Safety & Licensing Board Panel. 28pp. 85546.128-85546.155.

9509210139 GA Power Company motion for stay of licensing board order requiring production of attorney notes of privileged communications.* W/Certificate of Svc & svc list.
LEWIS, D. Georgia Power Co. LEWIS, D. Shaw, Pittman, Potts & Trowbridge. #395 17101. 95/09/11. Commissioners (Post 750119). 13pp. 85546.061-85546.073.

9509210109 Order.* Util filed before Commission motion to stay, pending appellate review, of ASLB order issued orally on record on 950906. Commission temporarily stays effectiveness of Board order. W/Certificate of Svc. Served on 950913.
HOYLE, J.C. Office of the Secretary of the Commission. #395 17105. 95/09/13. Georgia Power Co. 5pp. 85546.001-85546.005.

9509210177 Georgia Power Co fourth supplemental response to AL Mosbaugh third set of interrogatories & request for documents.* Related Correspondence.
LAMBERSKI, J. Georgia Power Co. LAMBERSKI, J. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17107. 95/09/13. Atomic Safety & Licensing Board Panel. 2pp. 85546.221-85546.233.

9509210185 Affidavit.* Affidavit of KC Stokes certifying that statements & opinions in such response true & correct to best of personal knowledge & belief. W/Certificate of Svc.
STOKES, K.C., STOKES, K.C. Georgia Power Co. 95/09/13. 12pp. 85546.223-85546.233.

136 DOCKETED ITEMS

- 9509140178** Board notification 95-014:discussing allegation of false statements re concern regarding high dew point temperature measurements obtained in 1990 for DG air sys,per challenge of util application.
VARGA,S.A. 95/09/14. THE CHAIRMAN, JACKSON,S., ROGERS Commissioners (Post 750119). 6pp. 85627:291-85627:324.
- 9509210136** Forwards copy of "Testimony of EB Tomlinson & PH Skinner on Diesel Generator Air Quality."
YOUNG,M.A. Office of the General Counsel (Post 860701). #395 17113. 95/09/15. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 85546:165-85546:182.
- 9509210114** Informs that no "as found" data was taken w/respect to Alnor VP-2466 instrument following last use on 900407 & prior to recalibration on 910515, based on investigation.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17122. 95/09/20. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 85546:014-85546:027.
- 9509210133** Affidavit.* Affidavit of MD Duncan re testimony on 950609, concerning Alnor test instrument.
DUNCAN,M.D. Georgia Power Co. 95/09/20. 10pp. 85546:016-85546:027.
- 9509210145** Georgia Power Co petition for review of order to produce attorney notes of privileged communications.* Commission should provide opportunity for oral argument on sub matter.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. BLAKE,E.L. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 17121. 95/09/20. 19pp. 85546:195-85546:220.
- 9509210155** Affidavit of J Lamberski.* Discusses violations of NRC regulations at plant, filed by A Mosbaugh w/NRC w/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 95/09/19. 7pp. 85546:214-85546:220.
- P. Operating license stage documents & correspondence**
- 9509260362** Forwards amends 90 & 68 to licenses NPF-68 & NPF-81 & SE. Amends revise TS w/additional changes to Action Statements of TS 3.8.1.1 & 3.8.1.2 in order to reflect availability of third onsite ac electrical source.
WHEELER,L.L. 95/08/29. MCCOY,C.K. Georgia Power Co. 3pp. 85326:027-85326:050.
- 9509060368** Amends 90 & 68 to licenses NPF-68 & NPF-81, respectively, revising editorial changes to Action Statements of TS 3.8.1.1 & 3.8.1.2 in order to reflect availability of third onsite ac electrical source.
BERKOW,H.N. 95/08/29. 15pp. 85326:030-85326:044.
- 9509060372** Safety evaluation supporting amends 90 & 68 to licenses NPF-68 & NPF-81, respectively.
* 95/08/29. 6pp. 85326:045-85326:050.
- 9509070255** Discusses 950828 meeting re work controls reengineering through addition of performance teams & info technology. List of attendees & handout ends.
CRLENJAK,R.V. Region 2 (Post 820201). 95/08/30. HAIRSTON,G. Georgia Power Co. 17pp. 85323:006-85323:022.
- 9509060025** Forwards notice of consideration of issuance of amends to FOL & opportunity for hearing.
WHEELER,L.L. 95/08/31. MCCOY,C.K. Georgia Power Co. 3pp. 85373:096-85373:108.
- 9509060043** Notice of consideration of issuance of amends to FOL & opportunity for hearing. Amends revise TS to be consistent w/provisions of NUREG-1431.
WIENS,L.A. 95/08/31. Georgia Power Co. 10pp. 85373:099-85373:108.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509190310** Forwards responses to NRC 950616 RAIs re IPE.
MCCOY,C.K. Georgia Power Co. 95/09/13. Document Control Branch (Document Control Desk). 134pp. 85550:147-85550:280.
- 9509260096** Application for amends to licenses NPF-68 & NPF-81, converting existing VEGP TS requirements to format & content of NUREG-1431.
MCCOY,C.K. Georgia Power Co. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85592:246-85592:294.
- 9509260103** Proposed tech specs, converting existing VEGP TS requirements to format & content of NUREG-1431.
* Georgia Power Co. 95/09/22. 46pp. 85592:249-85592:294.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9508300032** Board notification 95-012:discussing addl allegations that GPC made false statements to NRC about DG testing conducted after 900320, site area emergency.
BERKOW,H.N. 95/08/29. Atomic Safety & Licensing Board Panel. 3pp. 85325:070-85325:082.
- 9509070279** Notice of violation & proposed imposition of civil penalty in amount of \$40,000. Noncompliance noted: during 900320, site area emergency, declared at 9:40am, not accomplished until approx 10:40am, period of time in excess of 15 minutes.
EBNETER,S.D. Region 2 (Post 820201). 90/10/19. 3pp. 85325:077-85325:082.
- 9509060376** Forwards comments on "Review of Revised NRC Systematic Assessment of Licensee Performance Program."
BECKHAM,J.T. Georgia Power Co. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85326:349-85326:350.
- 9509180366** Informs of predecisional enforcement conference to discuss apparent violation re 950804 decision & remand order issued by DOL, to be held in Atlanta, GA. Date of conference to be set following appropriate coordination w/staff.
EBNETER,S.D. Region 2 (Post 820201). 95/09/01. HAIRSTON,W.G. Georgia Power Co. 35pp. 85503:093-85503:128.
- 9509180361** Forwards insp repts 50-424/95-20 & 50-425/95-20 on 950821-24. No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/06. MCCOY,C.K. Georgia Power Co. 2pp. 85502:345-85502:352.
- 9509180362** Insp repts 50-424/95-20 & 50-425/95-20 on 950821-24. No violations noted. Major areas inspected: electrical maint.
MOORE,R., SHYMLOCK,M. Region 2 (Post 820201). 95/09/06. 6pp. 85502:347-85502:352.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509280201** Forwards insp repts 50-424/95-18 & 50-425/95-18 on 950716-0819 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/12. MCCOY,C.K. Georgia Power Co. 4pp. 85613:269-85613:307.
- 9509280208** Notice of violation from insp on 950716-0819. Violation noted on 950803, procedures not implemented.
* Region 2 (Post 820201). 95/09/12. 1p. 85613:293-85613:293.
- 9509280214** Insp repts 50-424/95-18 & 50-425/95-18 on 950716-0819. Violations noted. Major areas inspected: plant operations, surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment.
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/09/12. 14pp. 85613:294-85613:307.
- 9509140178** Board notification 95-014:discussing allegation of false statements re concern regarding high dew point temperature measurements obtained in 1990 for DG air sys, per challenge of util application.
VARGA,S.A. 95/09/14. THE CHAIRMAN Commissioners (Post 750119). 6pp. 85627:291-85627:324.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509280184** Confirms arrangement between J Woodard & E Merschoff on 950914 re enforcement conference scheduled for 951004 to discuss apparent violation of 10CFR50.7, Employee Protection that occurred in 1990.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/19. HAIRSTON,W.G. Georgia Power Co. 3pp. 85613:194-85613:196.
- 9509140386** NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- R. Periodic operating reports & related correspondence**
- 9509190282** Monthly operating repts for Aug 1995 for Vogtle Electric Generating Plant Units 1 & 2 w/950911 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 95/08/31. 12pp. 85536:299-85536:310.
- S. Reportable occurrences, LERs & related correspondence**
- 9509120093** Special rept: on 950816, non-valid DG failure occurred due to circuits not properly set. Post-maint surveillance testing discovered problem prior to DG return to svc.
MCCOY,C.K. Georgia Power Co. 95/09/07. Document Control Branch (Document Control Desk). 2pp. 85458:216-85458:217.
- T. Hearing transcripts on non-antitrust matters**
- 9509010148** Transcript of 950830 hearing in Rockville, MD. Pp 12,916-12,937. Related info encl.
* Atomic Safety & Licensing Board Panel. 95/08/30. 24pp. 85339:338-85339:361.
- 9509080080** Transcript of 950905 hearing in Rockville, MD re plant Pp 12,938-13,072.
* Atomic Safety & Licensing Board Panel. 95/09/05. 144pp. 85418:241-85419:020.

9509110051 Transcript of 950906 hearing in Rockville, MD re facility. Pp 13,073-13,219.
* Atomic Safety & Licensing Board Panel. 95/09/06. 183pp. 85454:001-85454:183.

9509110124 Transcript of 950907 hearing in Rockville, MD re facility. Pp 13,220-13,431.
* Atomic Safety & Licensing Board Panel. 95/09/07. 256pp. 85452:001-85452:256.

9509120330 Transcript of 950908 hearing in Rockville, MD re Vogtle Electric Plant, Units 1 & 2. Pp 13,432-13,582. Certificate of svc encl.
* Atomic Safety & Licensing Board Panel. 95/09/08. 192pp. 85473:098-85473:292.

9509150098 Transcript of 950913 hearing in Rockville, MD re facility. Pp 13,583-13,825.
* Atomic Safety & Licensing Board Panel. 95/09/13. 260pp. 85509:001-85509:260.

9509180356 Transcript of 950914 hearing in Rockville, MD re Vogtle Electric Generating Plant, Units 1 & 2. Pp 13,826-14,056. Certificate encl.
* Atomic Safety & Licensing Board Panel. 95/09/14. 243pp. 85551:001-85551:243.

9509190261 Transcript of 950915 hearing in Rockville, MD re facility. Pp 14,057-14,235.
* Atomic Safety & Licensing Board Panel. 95/09/15. 180pp. 85537:001-85537:181.

9509200323 Transcript of 950919 hearing in Rockville, MD re Vogtle Electric Generating Plant, Units 1 & 2. Pp 14,236-14,456.
* Atomic Safety & Licensing Board Panel. 95/09/19. 271pp. 85552:001-85552:271.

9509210217 Forwards corrected pages (13,436, 13,486, 13,491-92 & 13,509) for GPC Vogtle Electric Generating Plant, Units 1 & 2 transcript dtd 950908.
DONOVAN, S.K. Atomic Safety & Licensing Board Panel. 95/09/21. Atomic Safety & Licensing Board Panel. 6pp. 85568:240-85568:245.

9509250015 Transcript of 950921 hearing in Rockville, MD re facility. Pp 14,457-14,692.
* Atomic Safety & Licensing Board Panel. 95/09/21. 271pp. 85587:001-85587:271.

9509250014 Transcript of 950922 hearing in Rockville, MD re facility. Pp 14,693-14,868.
* Atomic Safety & Licensing Board Panel. 95/09/22. 200pp. 85604:001-85604:199.

9509270259 Transcript of 950926 hearing in Rockville, MD re Vogtle Electric Generating Plant, Units 1 & 2. Pp 14,869-15,099.
* Atomic Safety & Licensing Board Panel. 95/09/26. 236pp. 85646:001-85646:236.

9509280277 Transcript of 950927 hearing in Rockville, MD re Vogtle Electric Generating Plant Units 1 & 2. Pp 15,100-15,275.
* Atomic Safety & Licensing Board Panel. 95/09/27. 197pp. 85657:001-85657:197.

V. Operator Examinations

9509070198 Informs of arrangements made for administration of licensing exams at plant during wk of 951211, per 950807 telcon between M Ernestes & R Dorman. Exam guidelines encl.
PEEBLES, T.A. Region 2 (Post 820201). 95/08/10. MCCOY, C.K. Georgia Power Co. 5pp. 85321:307-85321:311.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130016 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31.
IGNATONIS, A. Region 2 (Post 820201). 95/08/21. HARDING, M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CARRIER, P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD, M.O. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509280271 Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS, A. Region 2 (Post 820201). 95/09/14. HARDING, M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

J. Insurance & indemnity information

9509200283 Requests for cancellation of nuclear liability financial protection.
KAZANAS, N.C. Tennessee Valley Authority. 95/09/07. 2pp. 85552:306-85552:308.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130016 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9509070201 Provides number of allegations received & opened relating to TVA facilities from 950701-31.
IGNATONIS, A. Region 2 (Post 820201). 95/08/21. HARDING, M.R. Tennessee Valley Authority. 1p. 85321:313-85321:313.

9509120144 Forwards Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
CARRIER, P.P. Tennessee Valley Authority. 95/08/31. Document Control Branch (Document Control Desk). 4pp. 85458:218-85458:352.

-9509120157 Rev 6 to TVA-NQA-PLN89-A, "TVA Nuclear QA Plan."
MEDFORD, M.O. Tennessee Valley Authority. 95/08/31. 129pp. 85458:222-85458:352.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509280271 Provides allegations received & opened relating to licensee facilities from 950801-0831.
IGNATONIS, A. Region 2 (Post 820201). 95/09/14. HARDING, M.R. Tennessee Valley Authority. 3pp. 85614:332-85614:334.

138 DOCKETED ITEMS

J. Insurance & indemnity information

9509200283 Requests for cancellation of nuclear liability financial protection.
KAZANAS,N.C. Tennessee Valley Authority 95/09/07. 2pp. 85552:306-85552:308.

Q. Inspection reports, IE Bulletins & correspondence

9506240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509130172 Advises that 950822 rev 20 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/09/08. SHELTON,D.C. Centenor Energy. 2pp. 85473:359-85473:360.

9509200007 Change 1 to rev 1 to EPIP EPI-C5, "Emergency Response Organization Callouts & Assignments."
SHELTON,D.C. Centenor Energy. 95/09/11. 12pp. 85543:344-85543:355.

9509270217 Responds to 941215 & 950628 responses to RAI,concluding that info provided incomplete re GL 92-06 Requests transmission of followup RAI to licensee & that licensee submit revised response.Followup RAI encl.
CALVO,J.A. 95/09/25. MARCUS,G.H. 4pp. 85612:351-85612:355.

9509290043 Advises that 940414 rev to physical security plan consistent w/provision of 10CFR5.54(p) & acceptable.
HOPKINS,J.B. 95/09/26. SHELTON,D.C. Centenor Service Co. 4pp. 85673:268-85673:271.

P. Operating license stage documents & correspondence

9509060250 Application for amend to License NPF-58, revising Tech Specs allowable values & trip setpoints for selected plant process instrumentation using instrument setpoint methodology discussed in util 931015 ltr (PY-CEI/NRR-1706L).
SHELTON,D.C. Centenor Energy. 95/08/29. Document Control Branch (Document Control Desk). 5pp. 85326:328-85326:343.

9509060254 Proposed tech specs,incorporating new instrumentation trip setpoints & allowable values.
* Centenor Energy. 95/08/29. 11pp. 85326:333-85326:343.

9509120127 Informs that two changes to administrative process for procedures & instructions planned for implementation at PNPP NRC review of changes per 10CFR50.54(a)(3) requested. Details & bases for changes & marked-up USAR pages encl.
SHELTON,D.C. Centenor Energy. 95/08/31. Document Control Branch (Document Control Desk). 23pp. 85435:273-85435:295.

9509080105 Submits info discussed during 950809 telcon re revs to flow rates to plant storm drain sys during essential maint to be performed on plant SW & circulating water sys.
SHELTON,D.C. Centenor Energy. 95/09/01. UNDERWOOD,M. Environmental Protection Agency. 1p. 85419:319-85419:319.

9506310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140029 Forwards amend 71 to license NPF-58 & SE,Amend extends for one addl operating cycle,exception to Limiting Condition for Operation 3.0.4 re MSIV LCS TS.
HOPKINS,J.B. 95/09/08. SHELTON,D.C. Centenor Energy. 2pp. 85474:298-85474:311.

9509140035 Amend 71 to license NPF-58,extending for addl operating cycle,exception to Limiting Condition for Operation 3.0.4 re MSIV LCS TS.
HOPKINS,J.B. 95/09/08. 8pp. 85474:301-85474:308.

9509140036 Safety evaluation supporting amend 71 to license NPF-58.
* 95/09/08. 3pp. 85474:309-85474:311.

9509150111 Informs of repeat to chemical cleaning of main condenser in circulating water sys as necessary to control scale.
SHELTON,D.C. Centenor Energy. 95/09/12. MANN,M. Ohio. State of. 5pp. 85509:291-85509:295.

9509210342 Forwards amend 72 to license NPF-58 & safety evaluation. Amend revises TS consistent w/GL 89-01.
HOPKINS,J.B. 95/09/15. SHELTON,D.C. Centenor Energy. 3pp. 85564:169-85564:212.

9509210349 Amend 72 to license NPF-58, revising TS consistent w/GL 89-01, "Implementation of Programmatic Controls for Radiological Effluent TS in Administrative Controls Section of TS & Relocation of Procedural Details of RETS to ..."
HOPKINS,J.B. 95/09/15. 37pp. 85564:172-85564:208.

9509210352 Safety evaluation supporting amend 72 to license NPF-58.
* 95/09/15. 4pp. 85564:209-85564:212.

9509250220 Provides suppl info re license amend application to revise license to reflect proposed merger of operating companies.
SHELTON,D.C. Centenor Energy. 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85580:331-85580:332.

9509250369 Discusses GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
SHELTON,D.C. Centenor Energy. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85587:356-85587:357.

9509270217 Responds to 941215 & 950628 responses to RAI,concluding that info provided incomplete re GL 92-06 Requests transmission of followup RAI to licensee & that licensee submit revised response.Followup RAI encl.
CALVO,J.A. 95/09/25. MARCUS,G.H. 4pp. 85612:351-85612:355.

9509290041 Forwards EA & FONSI related to 941021 application for exemptions from requirements of 10CFR50.App J.Proposed exemptions would formalize staff approval for excluding MSIV valve leakage from inclusion in CILRT & combined LLRT.
HOPKINS,J.B. 95/09/26. SHELTON,D.C. Centenor Service Co. 4pp. 85636:301-85636:310.

9509290042 Environ assessment & finding of no significant impact re issuance of exemption from requirements of 10CFR50.App J. Proposed action would grant exemptions from requirements of listed sections.
HOPKINS,J.B. 95/09/26. 6pp. 85636:305-85636:310.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E.Documents released to public.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN,D. Hunton & Williams. 3pp. 85316:058-85316:156.

9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of Info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN,D.S. Project Directorate I-1. 94/05/11. ANDERSEN,J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509190071 Forwards insp rept 50-440/95-06 on 950527-0714.No violations noted.
LANKSURRY,R.D. Region 3 (Post 820201). 95/09/08. SHELTON,D.C. Centenor Service Co. 3pp. 85503:248-85503:269.

9509190077 Insp rept 50-440/95-06 on 950527-0714.No violations noted. Major areas inspected:operations,engineering,maint & plant support.
LANKSURRY,R.D. Region 3 (Post 820201). 95/09/08. 19pp. 85503:251-85503:269.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180250 Monthly operating rept for Aug 1995 for Perry Nuclear Power Plant/W/ 95C631 ltr. NEUMAN, G.M., SHELTON, D.C. Centenor Energy. 95/08/31. 6pp. 85520:355-85520:360.

9509180284 NPDES monthly rept forms for month of Aug 1995 W/950915 ltr. TIZZANO, D.G., SHELTON, D.C. Centenor Energy. 95/08/31. 5pp. 85522:351-85522:355.

9509180262 Forwards quarterly self-monitoring repts for PNPP sanitary waste sys for months of June, Jul & Aug 1995. Results from isotopic analysis & annual industrial wastewater questionnaire also encl. SHELTON, D.C. Centenor Energy. 95/09/15. LONG, G. Lake County, OH. 1p. 85522:346-85522:350.

-9509180271 "Industrial Pretreatment Quarterly Self-Monitoring Results" for June 1995. * Centenor Energy. 95/06/30. 1p. 85522:347-85522:347.

-9509180274 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Jul 1995. * Centenor Energy. 95/07/31. 1p. 85522:348-85522:348.

-9509180276 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Aug 1995. * Centenor Energy. 95/08/31. 2pp. 85522:349-85522:350.

S. Reportable occurrences, LERs & related correspondence

9509140350 PNO-III-95-048: on 950911, reactor scram occurred due to automatic start of FCIC sys. Caused by failed capacitor in instrument power supply. Util investigating cause of power supply failures. TONGUE, T., LANKSBURY, R. Region 3 (Post 820201). 95/09/12. 1p. 85533:228-85533:228.

V. Operator Examinations

9509190128 Informs that Centenor Energy has no comments re NRC Initial License Exam administered during 950828 that was discussed at exit conference conducted on 950901. SHELTON, D.C. Centenor Energy. 95/09/11. Region 3 (Post 820201). 1p. 85508:341-85508:341.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9509080105 Submits info discussed during 950809 telcon re revs to flow rates to plant storm drain sys during essential maint to be performed on plant SW & circulating water sys. SHELTON, D.C. Centenor Energy. 95/09/01. UNDERWOOD, M. Environmental Protection Agency. 1p. 85419:319-85419:319.

9508310033 Suppl 5 to Generic Ltr 85-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

F. Security, medical, emergency & fire protection plans

9509200007 Change 1 to rev 1 to EPIP EPI-C5, "Emergency Response Organization Callouts & Assignments." SHELTON, D.C. Centenor Energy. 95/09/11. 12pp. 85543:344-85543:355.

G. Inspection reports, RE Bulletins & correspondence

9206340122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 8pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 8pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180284 NPDES monthly rept forms for month of Aug 1995 W/950915 ltr. TIZZANO, D.G., SHELTON, D.C. Centenor Energy. 95/08/31. 5pp. 85522:351-85522:355.

9509180262 Forwards quarterly self-monitoring repts for PNPP sanitary waste sys for months of June, Jul & Aug 1995. Results from isotopic analysis & annual industrial wastewater questionnaire also encl. SHELTON, D.C. Centenor Energy. 95/09/15. LONG, G. Lake County, OH. 1p. 85522:346-85522:350.

-9509180271 "Industrial Pretreatment Quarterly Self-Monitoring Results" for June 1995. * Centenor Energy. 95/06/30. 1p. 85522:347-85522:347.

-9509180274 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Jul 1995. * Centenor Energy. 95/07/31. 1p. 85522:348-85522:348.

-9509180276 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Aug 1995. * Centenor Energy. 95/08/31. 2pp. 85522:349-85522:350.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509080066 Forwards change 1 to rev 26 to ERPIP ER1.2, "Emergency Plan Activation" & change 1 to rev 22 to ERPIP ER5.2, "Site Perimeter & Offsite Monitoring & Environ Sampling." FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85419:229-85419:296.

-9509080071 Revised EPIPs, including change 1 to rev 26 to ERPIP ER1.2, "Emergency Plan Activation" & change 1 to rev 22 to ERPIP ER5.2, "Site Perimeter & Offsite Monitoring & Environ Sampling." * North Atlantic Energy Service Corp. (NAESCO). 95/08/22. 72pp. 85419:231-85419:296.

H. General correspondence

9509190169 Comment supporting decommissioning of plant nuclear power reactors. KING, T.C. Affiliation Not Assigned. 95/09/12. JULIAN, E. Office of the Secretary of the Commission. 2pp. 85504:156-85504:157.

P. Operating license stage documents & correspondence

9509080011 Responds to Commission request for addl info re LAR 95-05 concerning positive moderator temp coefficient. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 95/08/28. Document Control Branch (Document Control Desk). 3pp. 85419:160-85419:164.

-9509080012 Proposed tech specs re positive moderator temp coefficient. * North Atlantic Energy Service Corp. (NAESCO). 95/08/28. 2pp. 85419:163-85419:164.

9509060086 Forwards amend 40 to license NPF-86 & safety evaluation. Amend revises App A re containment bldg penetrations. DE AGAZIO, A.W. 95/08/31. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85314:134-85314:152.

-9509060090 Amend 40 to license NPF-86, revising App A re containment bldg penetrations. MCKEE, P.F. 95/08/31. 7pp. 85314:137-85314:141.

-9509060093 Safety evaluation supporting amend 40 to license NMP-86. * 95/08/31. 8pp. 85314:145-85314:152.

9509110108 Forwards application for amend to license NPF-86 re revs to main steam safety valve setpoints & max allowable power range neutron flux high setpoints w/ inoperable main steam safety valves. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85459:205-85459:222.

-9509110112 Application for amend to license NPF-86, revising main steam safety valve setpoints & max allowable power range neutron flux high setpoints w/ inoperable main steam safety valves. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/05. 5pp. 85459:207-85459:211.

-9509110116 Proposed tech specs, revising main steam safety valve setpoints & max allowable power range neutron flux high setpoints w/ inoperable main steam safety valves. * North Atlantic Energy Service Corp. (NAESCO). 95/09/05. 11pp. 85459:212-85459:222.

140 DOCKETED ITEMS

9509150217 Notification of significant licensee meeting 95-84 w/util on 950920 to discuss Northeast Util Reengineering Effort.
NICHOLSON,L. Region 1 (Post 820201). 95/09/07. Region 1 (Post 820201). 2pp. 85485-134-85485-134.

9509310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509180102 Requests addl info re licensee 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes." Info to be provided by 951013.
DE AGAZIO,A.W. 95/09/12. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85521-276-85521-280.

9509190036 Application for amend to license NPF-86,TS bases for RCS safety valves bases section 3/4.4.2 were made to clarify what specifically constitutes operable pressurizer safety valve in Mode 5.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/12. Document Control Branch (Document Control Desk). 7pp. 85532-325-85532-336.

-9509190039 Proposed tech specs bases section clarifying what specifically constitutes operable pressurizer safety valve in Mode 5.
* North Atlantic Energy Service Corp. (NAESCO). 95/09/12. 5pp. 85532-332-85532-336.

9509190357 Forwards amend 41 to license NPF-86 & SE.Amend revises App A TS re change to upper limit for MTC for certain operating conditions.
DE AGAZIO,A.W. 95/09/14. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 85524-043-85524-060.

-9509190363 Amend 41 to license NPF-86, revising App A TSs re change to upper limit for MTC for certain operating conditions.
DE AGAZIO,A.W. 95/09/14. 10pp. 85524-047-85524-056.

-9509190366 Safety evaluation supporting amend 41 to license NPF-86.
* 95/09/14. 4pp. 85524-057-85524-060.

9509200021 Forwards amend 42 to license NPF-86 & SE.Amend revises App A TSs re core reactivity control available from borated water sources.
DE AGAZIO,A.W. 95/09/14. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 85543-165-85543-181.

-9509200024 Amend 42 to license NPF-86, revising App A TSs re core reactivity control available from borated water sources.
MCKEE,P.F. 95/09/14. 10pp. 85543-169-85543-178.

-9509200026 Safety evaluation supporting amend 42 to license NPF-86.
* 95/09/14. 3pp. 85543-179-85543-181.

9509250279 Application for amend to license NPF-86,changing TS 3/4.9.1 re refueling boron concentration (ref NUREG-1431).
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/20. Document Control Branch (Document Control Desk). 5pp. 85599-318-85599-327.

-9509250282 Proposed tech specs,changing plant TS Bases Section 3/4.9.1 for refueling B concentration.
* North Atlantic Energy Service Corp. (NAESCO). 95/09/20. 5pp. 85599-323-85599-327.

9509260053 Forwards LAR 95-08 & proposed TS,relating functional Unit 6.b. "FW Isolation-Low RCS Tag Coincident w/RT" from TS 3.3.2 in plant TS Requirements Manual licensee controlled document.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/20. Document Control Branch (Document Control Desk). 2pp. 85592-179-85592-196.

-9509260056 Application for amend to license NPF-86,relating functional Unit 6.b. "FW Isolation-Low RCS Tag Coincident w/RT" from TS 3.3.2 to plant TS Requirements Manual licensee controlled document.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 95/09/20. 4pp. 85592-181-85592-184.

-9509260061 Proposed tech specs,relating functional Unit 6.b. "FW Isolation-Low RCS Tag Coincident w/RT" from TS Requirements Manual licensee controlled document.
* North Atlantic Energy Service Corp. (NAESCO). 95/09/20. 12pp. 85592-185-85592-196.

9509290012 Forwards LAR 95-07,proposing changes to TS to correct action ref in Table 3.3-5 of TS 3.3.2 for Functional Unit 6.b. "Automatic Switchover to Containment Sump/RWST Level Low-Low."
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85638-321-85638-332.

-9509290015 Application for amend to license NPF-86,consisting of LAR 95-07 re automatic switchover to containment sump/RWST level low-low.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 95/09/22. 4pp. 85638-323-85638-326.

-9509290017 Proposed TS 3.3.2,Table 3.3-3. "ESFAS Instrumentation, correcting action ref for Functional Unit 6.b re automatic switchover to containment sump/RWST level low-low.
* North Atlantic Energy Service Corp. (NAESCO). 95/09/22. 5pp. 85638-327-85638-332.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509210116 Discusses 950906 telcon re arrangements made for NRC to inspect licensed operator requalification program at facility.Insp planned for wk of 951016.
MEYER,G.W. Region 1 (Post 820201). 95/09/12. FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85544-001-85544-003.

9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors."
COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140366 NRC Info Notice 95-040. "Supplemental info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509190209 Monthly operating rept for Aug 1995 for Seabrook Station Unit 1.W/950911 tr.
NARDONE,P.E. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/08/31. 5pp. 85531-356-85531-360.

S. Reportable occurrences, LERs & related correspondence

9509080215 LER 95-001-01: on 950608,overtemperature Delta T & overpower Delta T channel calibr inadequate.Caused by lack of design engineering involvement in initial surveillance procedure development.Verified proper overlap W/950830 tr.
PESCHEL,J.M. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/08/30. 5pp. 85435-015-85435-019.

9509190096 LER 95-005-00: on 950731,failed to comply w/action requirements in TS 3.3.1.Caused by inadequate job scoping of NI calibr work package.Ceased all TS related work that was removed from outage to non-outage period W/950913 tr.
PESCHEL,J.M. FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 95/09/13. 6pp. 85533-346-85533-351.

V. Operator Examinations

9509210116 Discusses 950906 telcon re arrangements made for NRC to inspect licensed operator requalification program at facility.Insp planned for wk of 951016.
MEYER,G.W. Region 1 (Post 820201). 95/09/12. FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85544-001-85544-003.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

H. General correspondence

9509190169 Comment supporting decommissioning of plant nuclear power reactors.
KING,T.C. Affiliation Not Assigned. 95/09/12. JULIAN,E. Office of the Secretary of the Commission. 2pp. 85504-156-85504-157.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19.
Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509120046 Forwards objectives & guidelines (extent of play notes) for CPSES emergency preparedness exercise. Present schedule for exercise 951206.
TERRY,C.L., WOODLAND,R. Texas Utilities Electric Co. (TU Electric). 95/09/06. Document Control Branch (Document Control Desk). 6pp. 85435:355-85435:360.

9509180195 Rev 23 to emergency plan, revising description of equipment used to perform: habitability monitoring in emergency response facility & replacing CAM in EOF w/portable continuous iodine monitor W/950914 tr.
TERRY,C.L., WOODLAND,R. Texas Utilities Electric Co. (TU Electric). 95/09/14. 18pp. 85523:261-85523:278.

P. Operating license stage documents & correspondence

9509060009 Third final response to FOIA request for documents. Records in App C encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/20. GUNTER,P. Nuclear Information & Resource Service. 2pp. 85328:348-85328:355.

9509060040 Forwards matl received from Comanche Peak re results of TSI ad-hoc testing performed w/upgraded joints W/o encl.
ARCHITZEL,R. 95/04/05. ULIE,J., PAUL,R. NRC - No Detailed Affiliation Given. 1p. 85328:355-85328:355.

9509060064 FOIA request for all correspondence between NRC & P Gramm re Haliburton Co. Brown & Root, South Texas Project, Fluor Corp & Texas Utilities.
WEBER,D.H. Affiliation Not Assigned. 95/06/22. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85328:001-85328:001.

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER,D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.

9509060103 Forwards announcement informing that Atomic Safety & Licensing Appeal Board scheduled oral argument 850103 on petition of Texas Utilities Electric Co & other owners in operating license proceeding for plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/12/18. House of Rep., Energy & Commerce. 1p. 85328:008-85328:008.

9509060110 Forwards announcement informing that NRC Atomic Safety & Licensing Appeal Board cancelled oral argument in plant operating license proceeding which was to have been held 860103 in Bethesda, MD.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/12/30. SIMPSON,A. House of Rep., Environment & Public Works. 1p. 85328:009-85328:009.

9509060114 Informs that NRC issued order extending latest const completion date for plant in Texas to 880801.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/02/11. MARKEY,E. House of Rep., Energy & Commerce. 2pp. 85328:010-85328:011.

9509060146 Forwards announcement informing that Atomic Safety & Licensing Appeal Board will hear oral argument on 850618 in Bethesda, MD re appeals form licensing board 860502 memo & order in NRC const permit extension proceeding for plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/06/05. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:019-85328:019.

9509060152 Informs of releasing of documentation re investigation of NRC activities involving plant under const, including, Nov 1986 rept of Oic of Inspector & Auditor, Mar 1987 rept of Comanche Peak review group & 870414 memo from EDO.
BRADBURN,J.C. Congressional Affairs (870413-911116). 87/08/19. GRAMM,P. Senate. 1p. 85328:020-85328:026.

9509110046 Final response to FOIA request for documents. Forwards App B records being withheld in part (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/16. WEBER,D. Affiliation Not Assigned. 3pp. 85415:065-85415:117.

9509110350 Forwards partially deleted communication re plant, to be investigated & forwarded for reply.
GRAMM,P. Senate. 87/12/16. KAMMERER,C. State, Local & Indian Tribe Programs (870413-900111). 2pp. 85415:072-85415:073.

9509060183 Forwards renewed EPA NPDES Permit TX0065854 & TX Natural Resource Conservation Commission Wastewater Discharge Permit 01854 for NRC records.
TERRY,C.L., WOODLAND,R. Texas Utilities Electric Co. (TU Electric). 95/08/30. Document Control Branch (Document Control Desk). 74pp. 85349:178-85349:251.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180120 Withdraws LARs 95-03, 95-04 & 95-06 re cycle-specific parameter limits.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/09/12. Document Control Branch (Document Control Desk). 3pp. 85510:349-85510:351.

9509190391 Forwards EA & FONSI re application dtd 940919 for exemption from requirements of 10CFR50.71(e) (4) for plants.
POLICH,T.J. 95/09/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 85525:195-85525:201.

9509190397 Environ assessment & finding of no significant impact re proposed action to licensee application dtd 940919 for exemption from requirements of 10CFR50.71(e)(4) re submission of rev to FSAR.
POLICH,T.J. 95/09/12. 4pp. 85525:198-85525:201.

9509180377 Forwards response to NRC 950523 RAI re LAR 94-022 concerning spent fuel storage capacity increase.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/09/14. Document Control Branch (Document Control Desk). 11pp. 85523:076-85523:086.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER,D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.

9509060131 Forwards announcement informing that staff proposed civil penalties against Texas Utilities Electric Co for several alleged violations of NRC requirements at plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/05/02. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:015-85328:015.

9509060351 Forwards insp repts 50-445/95-13 & 50-446/95-13 on 950612-0720 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/09/01. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 85312:238-85312:267.

9509060356 Notice of violation from insp on 950612-0720. Violation noted: written procedures established for operation & maint of safety-related auxiliary feedwater sys, work order 1-95-088724, not followed.
* Region 4 (Post 820201). 95/09/01. 3pp. 85312:244-85312:246.

9509060359 Insp repts 50-445/95-13 & 50-446/95-13 on 950612-0720. Violations noted: Major areas inspected: failure of Unit 1 turbine-driven auxiliary feedwater pump to operator on demand.
COLLINS,E.E. Region 4 (Post 820201). 95/08/30. 20pp. 85312:247-85312:267.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509110233 Forwards insp repts 50-445/95-12 & 50-446/95-12 on 950626-0720 & notice of violation. Violation of concern because adequate technical basis not developed to assure that class 1E safety-related ELGAR inverters would be available.
GWYNN,T.P. Region 4 (Post 820201). 95/09/08. Texas Utilities Electric Co. (TU Electric). 5pp. 85344:105-85344:135.

9509110243 Notice of violation from insp on 950626-0720. Violation noted: licensee personnel failed to define interval of calibration for low battery voltage shutdown device in Class 1E safety-related ELGAR inverters.
* Region 4 (Post 820201). 95/09/08. 2pp. 85344:110-85344:111.

9509110252 Insp repts 50-445/95-12 & 50-446/95-12 on 950626-0720. Violations noted: Major areas inspected: TS, Updated Safety Analysis Rept, site design documents, sys description, selected operating & test procedures, selected safety reviews, E.E. Region 4 (Post 820201). 95/09/05. 24pp. 85344:112-85344:135.

9509150032 Responds to violations noted in insp repts 50-445/95-08 & 50-446/95-08. Corrective actions: radiation protection instruction RPI-528 revised.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/09/11. Document Control Branch (Document Control Desk). 5pp. 85518:325-85518:328.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

142 DOCKETED ITEMS

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure". CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008

R. Periodic operating reports & related correspondence

9509190287 Monthly operating reports for Aug 1995 for CPSES Units 1 & 2. W/950915 ltr. SIRCOIS, E., MARSHALL, J.S., TETTY, C.L. Texas Utilities Electric Co. (TU Electric). 95/08/31. 9pp. 85536:290-85536:298

S. Reportable occurrences, LERs & related correspondence

9509120317 Forwards suppl LER 95-004-001 for CPSES Unit 1, because time requirements for action statements not met, per enforcement discretion for testing TDAFWP at Mode 3, granted by NRC 950615 ltr. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85472:059-85472:070

9509120329 LER 95-004-01 on 950614, AOT exceeded on TDAFWP which tripped on overspeed. Caused by failure of governor valve to control turbine speed. Defective parts repaired/replaced & TDAFWP successfully tested & declared operable on 950615. FLORES, R. Texas Utilities Electric Co. (TU Electric). 95/09/08. 10pp. 85472:061-85472:070

9509200375 Part 21 report re 3/4 inch ASME Section III Class 2 ball valves supplied by Canadian Worcester Controls Ltd (CWCL). KOTACK, G. 95/09/13. Document Control Branch (Document Control Desk). 9pp. 85552:297-85552:305

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utills in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl. GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509120046 Forwards objectives & guidelines (extent of play notes) for CPSES emergency preparedness exercise. Present schedule for exercise 951206. TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/09/06. Document Control Branch (Document Control Desk). 6pp. 85435:355-85435:360

9509180155 Rev 23 to emergency plan, revising description of equipment used to perform habitability monitoring in emergency response facility & replacing CAM in EOF w/portable continuous iodine monitor. W/950914 ltr. TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/09/14. 18pp. 85523:261-85523:278

P. Operating license stage documents & correspondence

9509060009 Third final response to FOIA request for documents. Records in App C encl & being made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/20. GUNTER, P. Nuclear Information & Resource Service. 2pp. 85328:348-85328:355

9509060040 Forwards mail received from Comanche Peak re results of TSI ad-hoc testing performed w/upgraded joints. W/o encl. ARCHITZEL, R. 95/04/05. ULIE, J., PAUL, R. NRC - No Detailed Affiliation Given. 1p. 85328:355-85328:355

9509060064 FOIA request for all correspondence between NRC & P Gramm re Halliburton Co. Brown & Root, South Texas Project, Fluor Corp & Texas Utilities. WEBER, D.H. Affiliation Not Assigned. 95/06/22. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85328:001-85328:001

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035

9509060103 Forwards announcement informing that Atomic Safety & Licensing Appeal Board scheduled oral argument 850103 on petition of Texas Utilities Electric Co & other owners in operating license proceeding for plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/12/18. House of Rep., Energy & Commerce. 1p. 85328:008-85328:008

9509060110 Forwards announcement informing that NRC Atomic Safety & Licensing Appeal Board cancelled oral argument in plant operating license proceeding which was to have been held 860103 in Bethesda, MD. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/12/30. SIMPSON, A. House of Rep., Environment & Public Works. 1p. 85328:009-85328:009

9509060152 Informs of releasing of documentation re investigation of NRC activities involving plant under const., including, Nov 1986 report of Otc of Inspector & Auditor. Mar 1987 report of Comanche Peak review group & 870414 memo from EDO. BRADBURN, J.C. Congressional Affairs (870413-911116). 87/08/19. GRAMM, P. Senate. 1p. 85328:020-85328:026

9509110046 Final response to FOIA request for documents. Forwards App B records being withheld in part (ref FOIA Exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/16. WEBER, D. Affiliation Not Assigned. 3pp. 85415:065-85415:117

9509110350 Forwards partially deleted communication re plant to be investigated & forwarded for reply. GRAMM, P. Senate. 87/12/18. KAMMERER, C. State, Local & Indian Tribe Programs (870413-900111). 2pp. 85415:072-85415:073

9509060183 Forwards renewed EPA NPDES Permit TX0065854 & TX Natural Resource Conservation Commission Wastewater Discharge Permit 01854 for NRC records. TERRY, C.L., WOODLAND, D.R. Texas Utilities Electric Co. (TU Electric). 95/08/30. Document Control Branch (Document Control Desk). 74pp. 85349:178-85349:251

95090310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/06. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049

9509180120 Withdraws LARs 95-03, 95-04 & 95-06 re cycle-specific parameter limits. TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 95/09/12. Document Control Branch (Document Control Desk). 3pp. 85510:349-85510:351

9509190391 Forwards EA & FONSI re application dtd 940919 for exemption from requirements of 10CFR50.71(e) (4) for plants. POLICH, T.J. 95/09/12. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 85525:195-85525:201

9509190397 Environ assessment & finding of no significant impact re proposed action to license application dtd 940919, for exemption from requirements of 10CFR50.71(e)(4) re submission of rev to FSAR. POLICH, T.J. 95/09/12. 4pp. 85525:198-85525:201

9509180377 Forwards response to NRC 950523 RAI re LAR 94-022 concerning spent fuel storage capacity increase. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/09/14. Document Control Branch (Document Control Desk). 11pp. 85523:076-85523:086

9509210318 Forwards non-proprietary version of WCAP-14315, "Analysis of Capsule U from TX Utilis Electric Co Comanche Peak Steam Electric Station Unit 2 Reactor Vessel Radiation Surveillance Program" & WCAP-14345, "Evaluation of...". MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85576:01-85576:151

9509210330 Non-proprietary WCAP-14315, "Analysis of Capsule U from TX Utilis Electric Co Comanche Peak Steam Electric Station Unit 2 Reactor Vessel Radiation Surveillance Program." RISHEL, R.D., AUERWALD, J.M., WILLIAMS, J.F. Westinghouse Electric Corp. WCAP-14315. 95/07/31. 130pp. 85576:003-85576:132

9509210346 Non-proprietary WCAP-14345, "Evaluation of Pressurized Thermal Shock for Comanche Peak Steam Electric Station (CPSES) Unit 2." RISHEL, R.D., PETER, P.A. Westinghouse Electric Corp. WCAP-14345. 95/07/31. 18pp. 85576:133-85576:151

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-821003). 02/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035

9509060131 Forwards announcement informing that staff proposed civil penalties against Texas Utilities Electric Co for several alleged violations of NRC requirements at plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/05/02. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:015-85328:015

9509060351 Forwards insp reports 50-445/95-13 & 50-446/95-13 on 950612-0720 & notice of violation. GWYNN, T.P. Region 4 (Post 820201). 95/09/01. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 85312:238-85312:267

9509060356 Notice of violation from insp on 950612-0720. Violation noted: written procedures established for operation & maint of safety-related auxiliary feedwater sys, work order 1-95-086724, not followed. * Region 4 (Post 820201). 95/09/01. 3pp. 85312:244-85312:246

9509060359 Insp reports 50-445/95-13 & 50-446/95-13 on 950612-0720. Violations noted: Major areas inspected: failure of Unit 1 turbine-driven auxiliary feedwater pump to operate on demand. COLLINS, E.E. Region 4 (Post 820201). 95/08/30. 20pp. 85312:247-85312:267

9506310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060

9509110233 Forwards insp reports 50-445/95-12 & 50-446/95-12 on 950626-0720 & notice of violation. Violation of concern because adequate technical basis not developed to assure that class 1E safety-related ELGAR inverters would be available. GWYNN, T.P. Region 4 (Post 820201). 95/09/08. Texas Utilities Electric Co. (TU Electric). 5pp. 85344:105-85344:135

-9509110243 Notice of violation from insp on 950626-0720 Violation noted licensee personnel failed to define interval of calibration for low battery voltage shutdown device in Class 1E safety-related ELGAR inverters.
* Region 4 (Post 820201). 95/09/08. 2pp. 85344-110-85344-111.

-9509110252 Insp repts 50-445/95-12 & 50-446/95-12 on 950626-0720. Violations noted Major areas inspected TS, Updated Safety Analysis Rept, site design documents, sys description, selected operating & test procedures, selected safety reviews, et al.
COLLINS, E.E. Region 4 (Post 820201). 95/09/05. 24pp. 85344-112-85344-135.

9509150032 Responds to violations noted in insp repts 50-445/95-08 & 50-446/95-08. Corrective actions: radiation protection instruction RPI-528 revised.
TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/09/11. Document Control Branch (Document Control Desk). 5pp. 85518-325-85518-329.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-006.

R. Periodic operating reports & related correspondence

9509190287 Monthly operating repts for Aug 1995 for CPSES Units 1 & 2. W/950915 ltr.
SIRDIS, E., MARSHALL, J.S., TETTY, C.L. Texas Utilities Electric Co. (TU Electric). 95/08/31. 8pp. 85536-290-85536-298.

S. Reportable occurrences, LERs & related correspondence

9509200375 Part 21 rept re 3/4 inch ASME Section III Class 2 ball valves supplied by Canadian Worcester Controls Ltd (CWCL).
KOTACK, G. 95/09/13. Document Control Branch (Document Control Desk). 9pp. 85552-297-85552-305.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/util in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558-039-85558-126.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509190015 Forwards rev 43 to security plan. Plan withheld (ref 10CFR73.21).
JOHNSON, I.M. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85535-258-85535-258.

9509190051 Responds to 950214 ltr. approving request to not update evacuation time estimate studies for plant EPZs.
CREED, J.R. Region 3 (Post 820201). 95/09/08. GRAESSER, K. Commonwealth Edison Co. 7pp. 85504-032-85504-038.

9509260376 Rev 16 to EPIP BZP 200-A1, "Byron Nuclear Power Station PWR EALs."
* Commonwealth Edison Co. 95/09/12. 85pp. 85623-129-85623-213.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555-001-85555-186.

9509260146 Responds to request for add info re GL 92-08, "Thermo-Lag Fire Barriers."
GRAESSER, K.L. Commonwealth Edison Co. 95/09/20. 2pp. 85605-338-85605-339.

P. Operating license stage documents & correspondence

9509060336 Notification of 950907 meeting w/util to discuss hydrodynamic loading calculations re SG support plates at Byron 1 & Braidwood 1.
DICK, G.F. 95/09/01. CAPRA, R.A. 3pp. 85314-299-85314-301.

9509110259 Forwards "Independent Verification of Byron/Braidwood D4 SG Tube Support Plate Differential Pressures During MSLB."
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/01. 2pp. 85456-124-85456-163.

-9509110261 "Independent Verification of Byron/Braidwood D4 SG Tube Support Plate Differential Pressures During MSLB."
* Commonwealth Edison Co. PSA-B-95-15 R00. 95/09/01. 36pp. 85456-126-85456-163.

9509110278 Forwards add info in response to questions re increase in interim plugging criteria.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/01. 9pp. 85453-296-85453-304.

9509110285 Forwards revised TS pages re increase in interim plugging criteria in response to discussions w/NRC staff re 950213 request for amend.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 44pp. 85456-164-85456-273.

-9509110289 Proposed tech specs re increase in interim plugging criteria.
* Commonwealth Edison Co. 95/09/01. 66pp. 85456-208-85456-273.

9509110293 Forwards add info re response to questions re increase in interim plugging criteria.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/01. 18pp. 85453-305-85453-322.

9509110313 Forwards add info in response to questions re increase in interim plugging criteria.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/04. 1p. 85456-309-85456-359.

-9509110319 "Calculation of Byron D4 SG Tube Support Plate Differential Pressures During MSLB W/RELAP5M2."
* Commonwealth Edison Co. PSA-B-95-11 R00. 95/09/04. 50pp. 85456-310-85456-359.

9509080193 Forwards amends 74,74.66 & 66 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 respectively & SE. Amends revise TS to permit replacement of reactor coolant resistance temp detector bypass manifold sys.
ASSA, R.R. 95/09/05. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85383-096-85383-131.

-9509080196 Amends 74,74.66, & 66 to licenses NPF-37, NPF-66, NPF-77 & NPF-77, respectively, revising TS to permit replacement of reactor coolant RTD bypass manifold sys.
DICK, G.F., ASSA, R.R. 95/09/05. 24pp. 85383-099-85383-122.

-9509080202 Safety evaluation supporting amends 74,74.66 & 66 to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively.
* 95/09/05. 9pp. 85383-123-85383-131.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509150180 Forwards add info re util request to increase interim plugging criteria for plant.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/08. 6pp. 85507-321-85507-326.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants, based on util response to GL 95-03. Response requested within 30 days of ltr receipt.
DICK, G.F. 95/09/13. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85527-335-85527-338.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLs, revising TS Section 6, "Administrative Controls."
BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531-335-85531-339.

9509200355 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 5.3.1, "Fuel Assemblies" to allow use of alternate zirconium based fuel cladding, ZIRLO & TS 5.4.1.a to refer to UFSAR rather than FSAR.
PONTIUS, H.D. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 7pp. 85552-278-85552-292.

-9509200359 Proposed Tech Specs 5.3.1, "Fuel Assemblies," allowing use of alternate zirconium based fuel cladding, ZIRLO & 5.4.1.a, referring to UFSAR rather than FSAR.
* Commonwealth Edison Co. 95/09/14. 8pp. 85552-285-85552-292.

9509220079 Requests approval of relief request from probe wear std described in GL 95-05 for Braidwood Unit 1 Cycle 6 & Byron Unit 1 through Cycle 8, consistent w/that granted in SER for Farley Units 1 & 2 dtd 950407. Comm Ed justification encl.
PONTIUS, H.D. Commonwealth Edison Co. 95/09/15. 8pp. 85577-150-85577-157.

9509220195 Notification of 950922 meeting w/util in Madison, PA to view mockup of SG tube support plate configurations, including various forms of degradation which had been used to calibrate eddy current exams.
LYNCH, M.D. 95/09/19. CAPRA, R.A. 3pp. 85574-342-85574-344.

9509250094 Responds to RAI questions re TS bases supporting pending license amends that involves increase in interim plugging criteria for SG tubes at plants Units 1.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/19. Document Control Branch (Document Control Desk). 18pp. 85580-282-85580-299.

9509250351 "Notice of Consideration of Issuance of Amend to FOL Proposed No Significant Hazards Consideration Determination & Opportunity for a Hearing."
LYNCH, M.D. 95/09/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85578-220-85578-239.

-9509250380 Notice of consideration of issuance of amend to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amend raises lower voltage limit of voltage-based repair criteria from 1.0 volt to 3.0 volts.
LYNCH, M.D. 95/09/19. 18pp. 85578-222-85578-239.

9509250124 Suppl application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, modifying TS 3.6.1.7, "Containment Purge Ventilation Sys."
PONTIUS, H.D. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 5pp. 85584-257-85584-261.

144 DOCKETED ITEMS

9509250271 Forwards documentation of issues clarified during 950913 telcon w/NRC re increase in interim plugging criteria for Byron Unit 1 & Braidwood Unit 1.
PONTIUS,H.D. Commonwealth Edison Co. 95/09/20. 8pp. 85601:317-85601:324.

9509260146 Responds to request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
GRAESSER,K.L. Commonwealth Edison Co. 95/09/20. 2pp. 85605:338-85605:339.

9509260123 Forwards addl info re request to increase SG tube interim plugging criteria for Byron unit 1 & Braidwood unit 1.
PONTIUS,H.D. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 8pp. 85606:313-85606:320.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509060264 Notification of 950906 meeting w/utl in Rockville,MD to discuss SG interim insp plan during forthcoming retuning outage at plant.
ASSA,R.R. 95/09/01. CAPRA,R.A. 3pp. 85314:176-85314:178.

9509110300 Forwards "SG Structural Insp Plan in Support of Braidwood 1 & Byron 1 3.0 Volt IPC."
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/02. 2pp. 85428:308-85428:355.

-9509110304 Rev 0 to "SG Structural Insp Plan in Support of Braidwood 1 & Byron 1 3.0 Volt IPC."
* Commonwealth Edison Co. 95/09/02. 46pp. 85428:310-85428:355.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509150017 Discusses B1R07 SG insp to verify load path necessary to support 3 volt interim plugging criteria.
GRAESSER,K.L. Commonwealth Edison Co. 95/09/08. 1p. 85504:354-85504:354.

9509150227 Submits Rev 10a of inservice testing program for pumps & Rev 13a of inservice testing program for valves for Units 1 & 2.
PONTIUS,H.D. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 56pp. 85508:219-85508:274.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants, based on utl response to GL 95-03. Response requested within 30 days of ltr receipt.
DICK,G.F. 95/09/13. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85527:335-85527:338.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Utl should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18.
ROE,J.W. 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180245 Monthly operating repts for Aug 1995 for Byron Nuclear Power Station. W/ 950908 ltr.
VOGL,J., KOFROM,K.L. Commonwealth Edison Co. 95/08/31. 14pp. 85522:296-85522:309.

S. Reportable occurrences, LERs & related correspondence

9509220153 LER 95-002-00: on 950818, Unit 1 train B H monitor was found inoperable due to isolated water trap. Removed Unit 1 train B H monitor line caps. W/950913 ltr.
GOULD,S., PIRNAT,W., KOFROM,K.L. Commonwealth Edison Co. 95/09/13. 7pp. 85573:245-85573:251.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509190015 Forwards rev 43 to security plan. Plan withheld (ref 10CFR73.21).
JOHNSON,I.M. Commonwealth Edison Co. 95/09/08. Document Control Branch (Document Control Desk). 1p. 85535:258-85535:258.

9509190091 Responds to 950214 ltr, approving request to not update evacuation time estimate studies for plant EPZs.
CREED,J.R. Region 3 (Post 820201). 95/09/08. GRAESSER,K. Commonwealth Edison Co. 7pp. 85504:032-85504:038.

9509260376 Rev 16 to EPIP BZP 200-A1, "Byron Nuclear Power Station PWR EALs."
* Commonwealth Edison Co. 95/09/12. 85pp. 85623:129-85623:213.

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

9509260146 Responds to request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
GRAESSER,K.L. Commonwealth Edison Co. 95/09/20. 2pp. 85605:338-85605:339.

P. Operating license stage documents & correspondence

9509110285 Forwards revised TS pages re increase in interim plugging criteria in response to discussions w/NRC staff re 950213 request for amend.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 44pp. 85456:164-85456:273.

-9509110289 Proposed tech specs re increase in interim plugging criteria.
* Commonwealth Edison Co. 95/09/01. 66pp. 85456:208-85456:273.

9509080193 Forwards amends 74,74,66 & 66 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 respectively & SE. Amends revise TS to permit replacement of reactor coolant resistance temp detector bypass manifold sys.
ASSA,R.R. 95/09/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85383:096-85383:131.

-9509080196 Amends 74,74,66, & 66 to licenses NPF-37,NPF-66,NPF-77 & NPF-77, respectively, revising TS to permit replacement of reactor coolant RTD bypass manifold sys.
DICK,G.F., ASSA,R.R. 95/09/05. 24pp. 85383:099-85383:122.

-9509080202 Safety evaluation supporting amends 74,74,66 & 66 to licenses NPF-37,NPF-66,NPF-72 & NPF-77, respectively.
* 95/09/05. 9pp. 85383:123-85383:131.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants, based on utl response to GL 95-03. Response requested within 30 days of ltr receipt.
DICK,G.F. 95/09/13. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85527:335-85527:338.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 5, "Administrative Controls."
BENES,G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509200355 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77, revising TS 5.3.1, "Fuel Assemblies" to allow use of alternate zirconium based fuel cladding, ZIRLO & TS 5.4.1.a to refer to UFSAR rather than FSAR.
PONTIUS,H.D. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 7pp. 85552:278-85552:292.

-9509200359 Proposed Tech Specs 5.3.1, "Fuel Assemblies," allowing use of alternate zirconium based fuel cladding, ZIRLO & 5.4.1.a, referring to UFSAR rather than FSAR.
* Commonwealth Edison Co. 95/09/14. 8pp. 85552:285-85552:292.

9509250351 Forwards "Notice of Consideration of Issuance of Amend to FOL, Proposed No Significant Hazards Consideration Determination & Opportunity for a Hearing."
LYNCH,M.D. 95/09/19. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85578:220-85578:239.

-9509250380 Notice of consideration of issuance of amend to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amend raises lower voltage limit of voltage-based repair criteria from 1.0 volt to 3.0 volts.
LYNCH,M.D. 95/09/19. 18pp. 85578:222-85578:239.

9509250124 Suppl application for amends to licenses NPF-37,NPF-66, NPF-72 & NPF-77, modifying TS 3.6.1.7, "Containment Purge Ventilation Sys."
PONTIUS,H.D. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 5pp. 85584:257-85584:261.

9509260146 Responds to request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
GRAESSER,K.L. Commonwealth Edison Co. 95/09/20. 2pp. 85605:338-85605:339.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509060264 Notification of 950906 meeting w/util in Rockville,MD to discuss SG inter-
mittent insp plan during forthcoming refueling outage at plant.
ASSA,R.R. . 95/09/01. CAPRA,R.A. . 3pp. 85314:176-85314:178.

950910196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During
Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp.
85423:024-85423:035.

9509050069 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in
Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp.
85423:050-85423:060.

9509150017 Discusses B1R07 SG insp to verify load path necessary to support 3 volt
interim plugging criteria.
GIAESSER,K.L. Commonwealth Edison Co. 95/09/08. 1p. 85504:354-85504:354.

9509150227 Submits Rev 10a of inservice testing program for pumps & Rev 13a of in-
service testing program for valves for Units 1 & 2.
PONTIQUIS,H.D. Commonwealth Edison Co. 95/09/08. Document Control Branch
(Document Control Desk). 56pp. 85506:219-85506:274.

9509200056 Forwards FAI re circumferential cracking of SG tubes for plants based on
util response to GL 95-03. Response requested within 30 days of ltr receipt.
DICK,G.F. . 95/09/13. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85527:335-
85527:338.

9509200233 Discusses reduced seismic criteria for temporary conditions, as document-
ed in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that
design-basis seismic capability is maintained in accordance w/GL 91-18.
ROE,J.W. . 95/09/15. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85536:331-
85536:333.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning
Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19.
Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Cir-
cumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp.
85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Result-
ing from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp.
85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic
Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp.
85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Cool-
ant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp.
85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509180245 Monthly operating repts for Aug 1995 for Byron Nuclear Power Station. W/
950908 ltr.
VOGL,J., KOFROM,K.L. Commonwealth Edison Co. 95/06/31. 14pp. 85522:296-
85522:309.

S. Reportable occurrences, LERs & related correspondence

9509180173 LER 95-004-00 on 950815, DG post maint was inadequate due to mgt
deficiency. Developed procedure which verified performance of voltage regulator &
governor under accident transient loading conditions. W/950814 ltr.
SARAN,D., KOFROM,K.L. Commonwealth Edison Co. 95/09/14. 7pp. 85533:251-
85533:257.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 186pp. 85555:001-85555:186.

9509270241 Responds to followup to request for addl info re GL 92-08, "Thermo-Lag
330-1 Fire Barriers."
CALVO,J.A. . 95/09/25. CAPRA,R.A. . 8pp. 85619:160-85619:167.

P. Operating license stage documents & correspondence

9509110177 Forwards WCAP-14229, "Evaluation of PTS for Braidwood Unit 2" &
WCAP-14242, "Evaluation of PTS for Braidwood Unit 1."
SACCOMANDO,D.M. Commonwealth Edison Co. 95/08/22. 2pp. 85449:121-
85449:160.

9509110180 "Evaluation of PTS for Braidwood Unit 2."
PETER,P.A. Westinghouse Electric Corp. WCAP-14229. 95/03/31. 18pp. 85449:123-
85449:141.

9509110182 "Evaluation of PTS for Braidwood Unit 1."
PETER,P.A. Westinghouse Electric Corp. WCAP-14242. 95/03/31. 18pp. 85449:142-
85449:160.

9509060277 Forwards SE which grants request for reliefs NR-20-22, per
10CFR50.55(a)(3)(11) & 950418 ltr.
CAPRA,R.A. . 95/09/01. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85314:161-
85314:175.

9509060280 SER granting request for reliefs NR-20-22, per 10CFR50.55(a)(3)(ii).
* . 95/09/01. 12pp. 85314:164-85314:175.

9509060336 Notification of 950907 meeting w/util to discuss hydrodynamic loading cal-
culations re SG support plates at Byron 1 & Braidwood 1.
DICK,G.F. . 95/09/01. CAPRA,R.A. . 3pp. 85314:299-85314:301.

9509110259 Forwards "Independent Verification of Byron/Braidwood D4 SG Tube Sup-
port Plate Differential Pressures During MSLB."
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/01. 2pp. 85456:124-
85456:163.

9509110261 "Independent Verification of Byron/Braidwood D4 SG Tube Support Plate
Differential Pressures During MSLB."
* Commonwealth Edison Co. PSA-B-95-15 R00. 95/09/01. 38pp. 85456:126-
85456:163.

9509110278 Forwards addl info in response to questions re increase in interim plugging
criteria.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/01. 9pp. 85453:296-
85453:304.

9509110285 Forwards revised TS pages re increase in interim plugging criteria in re-
sponse to discussions w/NRC staff re 950213 request for amend.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/01. Document Control
Branch (Document Control Desk). 44pp. 85456:184-85456:273.

9509110289 Proposed tech specs re increase in interim plugging criteria.
* Commonwealth Edison Co. 95/09/01. 66pp. 85456:208-85456:273.

9509110293 Forwards addl info re response to questions re increase in interim plugging
criteria.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/01. 18pp. 85453:305-
85453:322.

9509110313 Forwards addl info in response to questions re increase in interim plugging
criteria.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/09/04. 1p. 85456:309-
85456:359.

9509110319 "Calculation of Byron D4 SG Tube Support Plate Differential Pressures
During MSLB W/RELAP5M2."
* Commonwealth Edison Co. PSA-B-95-11 R00. 95/09/04. 50pp. 85456:310-
85456:359.

9509080193 Forwards amends 74,74.66 & 66 to licenses NPF-37,NPF-66, NPF-72 &
NPF-77 respectively & SE. Amends revise TS to permit replacement of reactor coolant
resistance temp detector bypass manifold sys.
ASSA,R.R. . 95/09/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85383:096-
85383:131.

9509080196 Amends 74,74.66 & 66 to licenses NPF-37,NPF-66,NPF-77 & NPF-
77, respectively, revising TS to permit replacement of reactor coolant RTD bypass
manifold sys.
DICK,G.F., ASSA,R.R. 95/09/05. 24pp. 85383:099-85383:122.

9509080202 Safety evaluation supporting amends 74,74.66 & 66 to licenses NPF-
37,NPF-66,NPF-72 & NPF-77, respectively.
* . 95/09/05. 9pp. 85383:123-85383:131.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP
status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp.
85423:036-85423:049.

9509150150 Forwards addl info re util request to increase interim plugging criteria for
plant.
SACCOMANDO,D. Commonwealth Edison Co. 95/09/08. 6pp. 85507:321-
85507:326.

9509190056 Confirms discussion between E Cobey & J Lewand re change of start time
for pre-conditional conference to be held on 950921 in Lisle, IL. Meeting to discuss cir-
cumstances surrounding 211 battery exhaust ventilation sys event.
AXELSON,W.L. Region 3 (Post 820201). 95/09/13. KAUP,K. Commonwealth Edison
Co. 1p. 85503:206-85503:206.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants based on
util response to GL 95-03. Response requested within 30 days of ltr receipt.
DICK,G.F. . 95/09/13. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85527:335-
85527:338.

9509190087 Documents three items clarified during recent discussions w/ NRC re
950424 application for amends to O.L.s, revising TS Section 6, "Administrative Con-
trols."
BENES,G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Docu-
ment Control Desk). 5pp. 85531:335-85531:339.

9509200355 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77, revis-
ing TS 5.3.1, "Fuel Assemblies" to allow use of alternate zirconium based fuel
cladding, ZIRLO & TS 5.4.1.a to refer to UFSAR rather than FSAR.
PONTIQUIS,H.D. Commonwealth Edison Co. 95/09/14. Document Control Branch
(Document Control Desk). 7pp. 85552:278-85552:292.

9509200359 Proposed Tech Specs 5.3.1, "Fuel Assemblies," allowing use of alternate
zirconium based fuel cladding, ZIRLO & 5.4.1.a, referring to UFSAR rather than FSAR.
* Commonwealth Edison Co. 95/09/14. 8pp. 85552:285-85552:292.

9508220079 Requests approval of relief request from probe wear std described in GL
95-05 for Braidwood Unit 1 Cycle 6 & Byron Unit 1 through Cycle 8, consistent w/that
granted in SER for Farley Units 1 & 2 dtd 950407 Comm Ed justification encl.
PONTIQUIS,H.D. Commonwealth Edison Co. 95/09/15. 8pp. 85577:150-85577:157.

9509220195 Notification of 950922 meeting w/util in Madison, PA to view mockup of SG
tube support plate configurations, including various forms of degradation which had
been used to calibrate eddy current exams.
LYNCH,M.D. . 95/09/19. CAPRA,R.A. . 3pp. 85574:342-85574:344.

146 DOCKETED ITEMS

9509250094 Responds to RAI questions re TS bases supporting pending license amendments that involves increase in interim plugging criteria for SG tubes at plants Units 1.
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/19. Document Control Branch (Document Control Desk). 18pp. 85580-282-85580-299.

9509250351 Forwards "Notice of Consideration of Issuance of Amend to FOL Proposed No Significant Hazards Consideration Determination & Opportunity for a Hearing."
LYNCH, M.D. 95/09/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85578-220-85578-239.

-9509250380 Notice of consideration of issuance of amend to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC determination & opportunity for hearing. Amend raises lower voltage limit of voltage-based repair criteria from 1.0 volt to 3.0 volts.
LYNCH, M.D. 95/09/19. 18pp. 85578-222-85578-239.

9509250124 Suppl application for amend to licenses NPF-37, NPF-66, NPF-72 & NPF-77, modifying TS 3.6.1.7. "Containment Purge Ventilation Sys."
PONTIUS, H.D. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 5pp. 85564-257-85564-261.

9509250271 Forwards documentation of issues clarified during 950913 telecon w/NRC re increase in interim plugging criteria for Byron Unit 1 & Braidwood Unit 1.
PONTIUS, H.D. Commonwealth Edison Co. 95/09/20. 8pp. 85601-317-85601-324.

9509260123 Forwards addl info re request to increase SG tube interim plugging criteria for Byron unit 1 & Braidwood unit 1.
PONTIUS, H.D. Commonwealth Edison Co. 95/09/22. Document Control Branch (Document Control Desk). 8pp. 85606-313-85606-320.

9509270241 Responds to followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
CALVO, J.A. 95/09/25. CAPRA, R.A. 8pp. 85619-160-85619-167.

Q. Inspection reports, IE Bulletin, & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9509050208 Forwards insp repts 50-456/95-11 & 50-457/95-11 on 950717-0821. Four violations noted & being considered for escalated enforcement action. No NOV issued.
GRANT, G.E. Region 3 (Post 820201). 95/08/29. KAUP, K. Commonwealth Edison Co. 3pp. 85297-139-85297-152.

-9509050217 Insp repts 50-456/95-11 & 50-457/95-11 on 950717-0821. No violations noted. Major areas inspected: circumstances surrounding installation of unauthorized temporary alteration to 211 battery exhaust ventilation sys.
JORDAN, M. Region 3 (Post 820201). 95/08/28. 10pp. 85297-143-85297-152.

9509080104 Confirms discussion between E Cobey & J Lewand re Pre-Decisional Enforcement Conference on 950921 to discuss circumstances surrounding 211 battery exhaust ventilation sys event noted in previous insp repts.
AXELSON, W.L. Region 3 (Post 820201). 95/08/30. KAUP, K. Commonwealth Edison Co. 1p. 85324-130-85324-130.

9509080264 Notification of 950906 meeting w/util in Rockville, MD to discuss SG internal insp plan during forthcoming refueling outage at plant.
ASSA, R.R. 95/09/01. CAPRA, R.A. 3pp. 85314-176-85314-178.

9509110300 Forwards "SG Structural Insp Plan in Support of Braidwood 1 & Byron 1 3.0 Volt IPC."
SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/02. 2pp. 85428-308-85428-355.

-9509110304 Rev 0 to "SG Structural Insp Plan in Support of Braidwood 1 & Byron 1 3.0 Volt IPC."
* Commonwealth Edison Co. 95/09/02. 46pp. 85428-310-85428-355.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/05/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509120113 Forwards insp repts 50-456/95-12 & 50-457/95-12. No violations noted.
RING, M.A. Region 3 (Post 820201). 95/09/08. KAUP, K. Commonwealth Edison Co. 2pp. 85382-155-85382-165.

-9509120119 Insp repts 50-456/95-12 & 50-457/95-12 on 950821-25. No violations noted. Major areas inspected: licensed operator requalification program evaluation insp.
LENNARTZ, J., BAILEY, R., BURDICK, T. Region 3 (Post 820201). 95/09/07. 9pp. 85382-157-85382-165.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants, based on util response to GL 95-03. Response requested within 30 days of Itr receipt.
DICK, G.F. 95/09/13. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85527-335-85527-338.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18.
ROE, J.W. 95/09/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85536-331-85536-333.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509270201 Forwards insp repts 50-456/95-10 & 50-457/95-10 & notice of violation.
AXELSON, W.L. Region 3 (Post 820201). 95/09/20. KAUP, K. Commonwealth Edison Co. 6pp. 85631-247-85631-278.

-9509270203 Notice of violation from insp on 950711-0821. Violation noted: poor material condition of auxiliary building floor drain sys which resulted in sys inability to fulfill design function.
* Region 3 (Post 820201). 95/09/20. 1p. 85631-253-85631-253.

-9509270204 Insp repts 50-456/95-10 & 50-457/95-10 on 950711-0821. Violations noted. Major areas inspected: operations, engineering, maint & plant support.
FARBER, M. Region 3 (Post 820201). 95/09/19. 25pp. 85631-254-85631-278.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD, D. 95/09/25. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509140003 Monthly operating repts for Aug 1995 for Braidwood Nuclear Generating Station W/950908 Itr.
PERSHEY, C., TULON, T.J. Commonwealth Edison Co. 95/08/31. 10pp. 85477-337-85477-346.

9509270073 Forwards errata to "Braidwood Station Semi-Annual Effluent Rept, for Jan-Dec 1994."
TULON, T.J. Commonwealth Edison Co. 95/09/15. AXELSON, W.L. Region 3 (Post 820201). 1p. 85633-331-85633-345.

-9509270133 Errata to "Semi-Annual Effluent Rept, for Jan-Dec 1994."
* Commonwealth Edison Co. 94/12/31. 14pp. 85633-332-85633-345.

S. Reportable occurrences, LERs & related correspondence

9509060258 LER 95-006-00: on 950810, missed CR ventilation 1-h LCOAR due to procedural deficiency & personnel error. Unit supervisor & shift engineer counseled & info re event disseminated to Operating Dept personnel W/950831 Itr.
STUDDARD, P., TULON, T.J. Commonwealth Edison Co. 95/08/31. 6pp. 85371-354-85371-359.

9509200143 LER 95-007-00: on 950713, testing of DG voltage regulator in 1988 was inadequate due to mgt deficiency. Developed procedure which verified performance of voltage regulator & governor under transient loading conditions W/950813 Itr.
GUSTAFSON, D., TULON, T.J. Commonwealth Edison Co. 95/09/14. 5pp. 85547-286-85547-291.

9509190093 LER 95-008-00: on 950818, ECCS equipment room differential pressure was not maintained due to mgt deficiency & personnel error. Revised barrier impairment procedure to be more descriptive W/950915 Itr.
BARNES, S., TULON, T.J. Commonwealth Edison Co. 95/09/18. 5pp. 85533-341-85533-345.

V. Operator Examinations

9509050008 Informs that WB McCue & JT Wright no longer require operator licenses at plant.
KAUP, K.L. Commonwealth Edison Co. 95/08/22. Document Control Branch (Document Control Desk). 1p. 85349-165-85349-165.

9509120113 Forwards insp repts 50-456/95-12 & 50-457/95-12. No violations noted.
RING, M.A. Region 3 (Post 820201). 95/09/08. KAUP, K. Commonwealth Edison Co. 2pp. 85382-155-85382-165.

-9509120119 Insp repts 50-456/95-12 & 50-457/95-12 on 950821-25. No violations noted. Major areas inspected: licensed operator requalification program evaluation insp.
LENNARTZ, J., BAILEY, R., BURDICK, T. Region 3 (Post 820201). 95/09/07. 9pp. 85382-157-85382-165.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509200187 Rev 7H to generating station emergency plan.
* Commonwealth Edison Co. 95/09/13. 196pp. 85555-001-85555-186.

9509270241 Responds to followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
CALVO, J.A. 95/09/25. CAPRA, R.A. 8pp. 85619-160-85619-167.

P. Operating license stage documents & correspondence

9509110177 Forwards WCAP-14229, "Evaluation of PTS for Braidwood Unit 2" & WCAP-14242, "Evaluation of PTS for Braidwood Unit 1" SACCOMANDO, D.M. Commonwealth Edison Co. 95/08/22. 2pp. 85449:121-85449:160.

-9509110180 "Evaluation of PTS for Braidwood Unit 2" PETER, P.A. Westinghouse Electric Corp. WCAP-14229. 95/03/31. 18pp. 85449:129-85449:141.

9509060277 Forwards SE which grants request for reliefs NR-20-22, per 10CFR50.55(a)(3)(11) & 950418 ltr. CAPRA, R.A. 95/09/01. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85314:161-85314:175.

-9509060280 SER granting request for reliefs NR-20-22, per 10CFR50.55(a)(3)(ii) * 95/09/01. 12pp. 85314:164-85314:175.

9509110285 Forwards revised TS pages re increase in interim plugging criteria in response to discussions w/NRC staff re 950213 request for amend. SACCOMANDO, D.M. Commonwealth Edison Co. 95/09/01. Document Control Branch (Document Control Desk). 44pp. 85456:164-85456:273.

-9509110289 Proposed tech specs re increase in interim plugging criteria. * Commonwealth Edison Co. 95/09/01. 66pp. 85456:208-85456:273.

9509080193 Forwards amends 74,74.66 & 66 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 respectively & SE. Amends revise TS to permit replacement of reactor coolant resistance temp detector bypass manifold sys. ASSA, R.R. 95/09/05. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85383:096-85383:131.

-9509080196 Amends 74,74.66, & 66 to licenses NPF-37, NPF-66, NPF-77 & NPF-77 respectively, revising TS to permit replacement of reactor coolant RTD bypass manifold sys. DICK, G.F. 95/09/05. 24pp. 85383:099-85383:122.

-9509080202 Safety evaluation supporting amends 74,74.66 & 66 to licenses NPF-37, NPF-66, NPF-72 & NPF-77 respectively. * 95/09/05. 9pp. 85383:123-85383:131.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509190056 Confirms discussion between E Cobey & J Lewand re change of start time for pre-decisional conference to be held on 950921 in Lisle, IL. Meeting to discuss circumstances surrounding 211 battery exhaust ventilation sys event. AXELSON, W.L. Region 3 (Post 820201). 95/09/13. KAUP, K. Commonwealth Edison Co. 1p. 85503:206-85503:206.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants, based on util response to GL 95-03. Response requested within 30 days of ltr receipt. DICK, G.F. 95/09/13. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85527:335-85527:338.

9509190087 Documents three items clarified during recent discussions w/ NRC re 950424 application for amends to OLS, revising TS Section 6, "Administrative Controls." BENES, G.G. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 5pp. 85531:335-85531:339.

9509200355 Application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, revising TS 5.3.1, "Fuel Assemblies" to allow use of alternate zirconium based fuel cladding, ZIRLO & TS 5.4.1.a to refer to UFSAR rather than FSAR. PONTIUS, H.D. Commonwealth Edison Co. 95/09/14. Document Control Branch (Document Control Desk). 7pp. 85552:278-85552:292.

-9509200359 Proposed Tech Specs 5.3.1, "Fuel Assemblies," allowing use of alternate zirconium based fuel cladding, ZIRLO & 5.4.1.a, referring to UFSAR rather than FSAR. * Commonwealth Edison Co. 95/09/14. 8pp. 85552:285-85552:292.

9509250351 Forwards "Notice of Consideration of Issuance of Amend to FOL, Proposed No Significant Hazards Consideration Determination & Opportunity for a Hearing." LYNCH, M.D. 95/09/19. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85578:220-85578:239.

-9509250380 Notice of consideration of issuance of amend to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC determination /a opportunity for hearing. Amend raises lower voltage limit of voltage-based repair criteria from 1.0 volt to 3.0 volts. LYNCH, M.D. 95/09/19. 18pp. 85578:222-85578:239.

9509250124 Suppl application for amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, modifying TS 3.6.1.7, "Containment Purge Ventilation Sys." PONTIUS, H.D. Commonwealth Edison Co. 95/09/20. Document Control Branch (Document Control Desk). 5pp. 85584:257-85584:261.

9509270241 Responds to followup to request for add info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." CALVO, J.A. 95/09/25. CAPRA, R.A. 8pp. 85619:160-85619:167.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050208 Forwards insp repts 50-456/95-11 & 50-457/95-11 on 950717-0821. Four violations noted & being considered for escalated enforcement action. No NOV issued. GRANT, G.E. Region 3 (Post 820201). 95/08/29. KAUP, K. Commonwealth Edison Co. 3pp. 85297:139-85297:152.

-9509050217 Insp repts 50-456/95-11 & 50-457/95-11 on 950717-0821. No violations noted. Major areas inspected: circumstances surrounding installation of unauthorized temporary alteration to 211 battery exhaust ventilation sys. JORDAN, M. Region 3 (Post 820201). 95/08/28. 10pp. 85297:143-85297:152.

9509080104 Confirms discussion between E Cobey & J Lewand re Pre-Decisional Enforcement Conference on 950921 to discuss circumstances surrounding 211 battery exhaust ventilation sys event noted in previous insp repts. AXELSON, W.L. Region 3 (Post 820201). 95/08/30. KAUP, K. Commonwealth Edison Co. 1p. 85324:130-85324:130.

9509060264 Notification of 950906 meeting w/util in Rockville, MD to discuss SG internal insp plan during forthcoming refueling outage at plant. ASSA, R.R. 95/09/01. CAPRA, R.A. 3pp. 85314:176-85314:178.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509120113 Forwards insp repts 50-456/95-12 & 50-457/95-12. No violations noted. RING, M.A. Region 3 (Post 820201). 95/09/08. KAUP, K. Commonwealth Edison Co. 2pp. 85382:155-85382:165.

-9509120119 Insp repts 50-456/95-12 & 50-457/95-12 on 950821-25. No violations noted. Major areas inspected: licensed operator requalification program evaluation insp. LENHARTZ, J., BAILEY, R., BURDICK, T. Region 3 (Post 820201). 95/09/07. 9pp. 85382:157-85382:165.

9509200056 Forwards RAI re circumferential cracking of SG tubes for plants, based on util response to GL 95-03. Response requested within 30 days of ltr receipt. DICK, G.F. 95/09/13. FARRAR, D.L. Commonwealth Edison Co. 4pp. 85527:335-85527:338.

9509200233 Discusses reduced seismic criteria for temporary conditions, as documented in LaSalle Insp Rept 54-05. Util should evaluate temporary conditions such that design-basis seismic capability is maintained in accordance w/GL 91-18. ROE, J.W. 95/09/15. FARRAR, D.L. Commonwealth Edison Co. 3pp. 85536:331-85536:333.

9509130118 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, L.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140388 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:011-85645:029.

9509270201 Forwards insp repts 50-456/95-10 & 50-457/95-10 & notice of violation. AXELSON, W.L. Region 3 (Post 820201). 95/09/20. KAUP, K. Commonwealth Edison Co. 6pp. 85631:247-85631:278.

-9509270203 Notice of violation from insp on 950711-0821. Violation noted: poor material condition of auxiliary building floor drain sys which resulted in sys inability to fulfill design function. * Region 3 (Post 820201). 95/09/20. 1p. 85631:253-85631:253.

-9509270204 Insp repts 50-456/95-10 & 50-457/95-10 on 950711-0821. Violations noted. Major areas inspected: operations, engineering, maint & plant support. FARBER, M. Region 3 (Post 820201). 95/09/19. 25pp. 85631:254-85631:278.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509140003 Monthly operating repts for Aug 1995 for Braidwood Nuclear Generating Station. W/950908 ltr. PERSHEY, C., TULON, T.J. Commonwealth Edison Co. 95/08/31. 10pp. 85477:337-85477:346.

9509270073 Forwards errata to "Braidwood Station Semi-Annual Effluent Rept, for Jan-Dec 1994." TULON, T.J. Commonwealth Edison Co. 95/09/15. AXELSON, W.L. Region 3 (Post 820201). 1p. 85633:331-85633:345.

-9509270133 Errata to "Semi-Annual Effluent Rept, for Jan-Dec 1994." * Commonwealth Edison Co. 94/12/31. 14pp. 85633:332-85633:345.

S. Reportable occurrences, LERs & related correspondence

148 DOCKETED ITEMS

9509060252 LER 95-005-00 on 950804, shutdown bank E would not withdraw, during performance of 2BwOS 1.3.1.2-1 due to set of relay contacts failing to open. Replaced defective relay. W/950631 ltr.
TURNER, D., TULON, T.J. Commonwealth Edison Co. 95/06/31. 5pp. 85373:078-85373:082.

9509260071 LER 95-006-00 on 950825, failed to perform surveillance as required when AFD alarm was inoperable due to personnel error. Entered LCOAR, started surveillance & updated PPC. W/950922 ltr.
BIEGEL, M., TULON, J.T. Commonwealth Edison Co. 95/09/22. 6pp. 85619:062-85619:067.

V. Operator Examinations

9509050008 Informs that WB McCue & JT Wright no longer require operator licenses at plant.
KAUP, K.L. Commonwealth Edison Co. 95/08/22. Document Control Branch (Document Control Desk). 1p. 85349:165-85349:165.

9509120113 Forwards insp repts 50-456/95-12 & 50-457/95-12. No violations noted.
RING, M.A. Region 3 (Post 820201). 95/09/08. KAUP, K. Commonwealth Edison Co. 2pp. 85382:155-85382:165.

-9509120119 Insp repts 50-456/95-12 & 50-457/95-12 on 950821-25. No violations noted. Major areas inspected; licensed operator requalification program evaluation insp.
LENNARTZ, J. Region 3 (Post 820201). 95/09/07. 9pp. 85382:157-85382:165.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509010131 Advises that Rev 12 to EIP-2-100, Rev 9 to EIP-2-104 & Rev 8 to EIP-2-105 reclassified as emergency planning procedures.
FISICARO, J.F. Entergy Operations, Inc. 95/06/24. Document Control Branch (Document Control Desk). 2pp. 85341:359-85341:360.

9509140064 Forwards followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee responses have been found to be incomplete.
CALVO, J.A. 95/09/11. BECKNER, W.D. 4pp. 85439:339-85439:343.

-9509140068 Discusses 950518 telcon w/A Marion & B Bradley re ampacity derating issues for Thermo-Lag fire barriers.
BERLINGER, C.H. 95/05/22. SHERON, B.W. 1p. 85439:343-85439:343.

9509180333 Forwards amend 83 to license NPF-47 & SE. Amend revises license condition on physical security & approves revs to physical security plan vital island requirements.
WIGGINTON, D.L. 95/09/12. MCGAHA, J.R. Entergy Operations, Inc. 3pp. 85521:347-85521:353.

-9509180336 Amend 83 to license NPF-47, revising license condition on physical security & approving revs to physical security plan vital island requirements.
WIGGINTON, D.L. 95/09/12. 2pp. 85521:350-85521:351.

-9509180339 Safety evaluation supporting amend 83 to license NPF-47.
95/09/12. 2pp. 85521:352-85521:353.

9509270227 Forwards corrected page 2 of amend 83 to license NPF-47, reflecting security change.
WIGGINTON, D.L. 95/09/23. MCGAHA, J.R. Entergy Operations, Inc. 2pp. 85608:348-85608:351.

-9509270230 Corrected page 2 of amend 83 to license NPF-47, reflecting security change.
WIGGINTON, D.L. 95/09/12. 2pp. 85608:350-85608:351.

9509270247 Informs that licensee 941221 & 950328 responses to 940209 & 1228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI.
WIGGINTON, D.L. 95/09/25. MCGAHA, J.R. Entergy Operations, Inc. 5pp. 85619:123-85619:127.

G. Adjudicatory correspondence

9508310126 Board notification 95-013; discusses petitions filed re amends 78 & 79 to license NPF-47, dtd 95068. US Court of Appeals issued order consolidating cases & LJ Callan informed util of 940130-950729 SALP results.
BECKNER, W.D. 95/06/31. Atomic Safety & Licensing Board Panel. 19pp. 85384:001-85384:116.

I. Financial information

9509070261 "1994 Annual Rept for Entergy Operations, Inc." W/950829 ltr.
LUPBERGER, E., FISICARO, J.J. Entergy Operations, Inc. 94/12/31. 61pp. 85416:133-85416:198.

M. Antitrust correspondence

9508310126 Board notification 95-013; discusses petitions filed re amends 78 & 79 to license NPF-47, dtd 95068. US Court of Appeals issued order consolidating cases & LJ Callan informed util of 940130-950729 SALP results.
BECKNER, W.D. 95/06/31. Atomic Safety & Licensing Board Panel. 19pp. 85384:001-85384:116.

P. Operating license stage documents & correspondence

9509060333 Notification of cancelled licensee meeting w/util on 950907 to discuss implementation of improved TS.
DYER, J.E. Region 4 (Post 820201). 95/09/01. Region 4 (Post 820201). 5pp. 85312:219-85312:223.

950310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509140064 Forwards followup to request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Licensee responses have been found to be incomplete.
CALVO, J.A. 95/09/11. BECKNER, W.D. 4pp. 85439:339-85439:343.

-9509140068 Discusses 950518 telcon w/A Marion & B Bradley re ampacity derating issues for Thermo-Lag fire barriers.
BERLINGER, C.H. 95/05/22. SHERON, B.W. 1p. 85439:343-85439:343.

9509180333 Forwards amend 83 to license NPF-47 & SE. Amend revises license condition on physical security & approves revs to physical security plan vital island requirements.
WIGGINTON, D.L. 95/09/12. MCGAHA, J.R. Entergy Operations, Inc. 3pp. 85521:347-85521:353.

-9509180336 Amend 83 to license NPF-47, revising license condition on physical security & approving revs to physical security plan vital island requirements.
WIGGINTON, D.L. 95/09/12. 2pp. 85521:350-85521:351.

-9509180339 Safety evaluation supporting amend 83 to license NPF-47.
95/09/12. 2pp. 85521:352-85521:353.

9509220081 Forwards application for renewal of NPDES Permit LA0042731. W/three oversize drawings.
FISICARO, J.J. Entergy Operations, Inc. 95/09/14. HATHAWAY, W.B. Environmental Protection Agency. 102pp. 85600:001-85600:102.

9509200349 Notification of 950925 meeting w/plant in Region IV Executive Conference Room to discuss implementation of improved TS.
DYER, J.E. Region 4 (Post 820201). 95/09/18. Region 4 (Post 820201). 5pp. 85547:008-85547:012.

9509260374 Forwards responses to NRC 950726 RAI re RBS, Unit 1 IPE, submitted on 930115 in accordance w/GL 88-20.
FISICARO, J.J. Entergy Operations, Inc. 95/09/22. Document Control Branch (Document Control Desk). 53pp. 85623:214-85623:266.

9509270227 Forwards corrected page 2 of amend 83 to license NPF-47, reflecting security change.
WIGGINTON, D.L. 95/09/23. MCGAHA, J.R. Entergy Operations, Inc. 2pp. 85608:348-85608:351.

-9509270230 Corrected page 2 of amend 83 to license NPF-47, reflecting security change.
WIGGINTON, D.L. 95/09/12. 2pp. 85608:350-85608:351.

9509270247 Informs that licensee 941221 & 950328 responses to 940209 & 1228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI.
WIGGINTON, D.L. 95/09/25. MCGAHA, J.R. Entergy Operations, Inc. 5pp. 85619:123-85619:127.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public.
POWELL, R.A. Division of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.

-9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of Info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees.
BRINKMAN, D.S. Project Directorate I-1. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.

9508310126 Board notification 95-013; discusses petitions filed re amends 78 & 79 to license NPF-47, dtd 95068. US Court of Appeals issued order consolidating cases & LJ Callan informed util of 940130-950729 SALP results.
BECKNER, W.D. 95/06/31. Atomic Safety & Licensing Board Panel. 19pp. 85384:001-85384:116.

9509080170 Ack receipt of 950815 ltr informing NRC of steps taken to correct violations noted in insp rept 50-456/95-04.
DYER, J.E. Region 4 (Post 820201). 95/09/05. MCGAHA, J.R. Entergy Operations, Inc. 4pp. 85324:308-85324:315.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOLD, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509270008 Discusses 950920 telcon between H Bundy, G Lewis & B Trudell to inspect licensed operator requalification program at plant during wk 951113. GWYNN, T.P. Region 4 (Post 820201). 95/09/21. MCGAHA, J.R. Entergy Operations, Inc. 6pp. 85588-020-85588-025.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-006.

R. Periodic operating reports & related correspondence

9509010143 Forwards fitness for duty six-month program performance data rept for Jan-June 1995. FISICARO, J.J. Entergy Operations, Inc. 95/08/28. Document Control Branch (Document Control Desk). 5pp. 85310-337-85310-341.

9509190243 Monthly operating rept for Aug 1995 for River Bend Station. W/950913 ltr. BOLKE, T.J., FISICARO, J.J. Entergy Operations, Inc. 95/08/31. 6pp. 85530-284-85530-289.

S. Reportable occurrences, LERs & related correspondence

9509190103 Interim special rept on 950816, EDG failed to start during monthly operability surveillance due to failure of Div II starting air block & vent valve. Forward block & vent valve replaced & surveillance test successfully completed. FISICARO, J.J. Entergy Operations, Inc. 95/09/12. Document Control Branch (Document Control Desk). 4pp. 85524-357-85524-360.

9509280060 Final special rept on 950119, Div II EDG experienced invalid failure due to failure of fan supply breaker to close. Replacement breaker installed & verifier operable & bell alarm feature on current spare breaker will be replaced. FISICARO, J.J. Entergy Operations, Inc. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85645-352-85645-353.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl. GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558-039-85558-126.

9509270008 Discusses 950920 telcon between H Bundy, G Lewis & B Trudell to inspect licensed operator requalification program at plant during wk 951113. GWYNN, T.P. Region 4 (Post 820201). 95/09/21. MCGAHA, J.R. Entergy Operations, Inc. 6pp. 85588-020-85588-025.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9509070028 Responds to follow-up to request for addl info re GL 92-08 & licensee safety evaluations of thermo-lag barriers. PICKETT, D.V. 95/08/30. PHARES, R.F. Illinois Power Co. 9pp. 85373-216-85373-224.

9509130075 Forwards NUCON Int'l, Inc rept NUCON 06IL902/01, "Pyrolysis Gas Chromatography Analysis of 9 Thermo-Lag Fire Barrier Samples" re GL 92-08. COOK, J.G. Illinois Power Co. 95/09/06. Document Control Branch (Document Control Desk). 3pp. 85489-112-85489-207.

9509130084 "Pyrolysis Gas Chromatography Analysis of 9 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.S. Nucon, Inc. NUCON 06IL902/01. 95/08/08. 93pp. 85489-115-85489-207.

9509190115 Informs that revs to plant emergency plan per advance change notice 10-5, acceptable. CREED, J.R. Region 3 (Post 820201). 95/09/11. COOK, J. Illinois Power Co. 2pp. 85504-110-85504-111.

9509270256 Informs that licensee 941216, 950316 & 28 responses to 940919 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI. CALVO, J.A. 95/09/25. MARCUS, G.H. 4pp. 85619-128-85619-131.

H. General correspondence

950912003F Forwards discussion of organizational changes at plant. PHARES, R.F. Illinois Power Co. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85435-353-85435-354.

F. Operating license stage documents & correspondence

9509070028 Responds to follow-up to request for addl info re GL 92-08 & licensee safety evaluations of thermo-lag barriers. PICKETT, D.V. 95/08/30. PHARES, R.F. Illinois Power Co. 9pp. 85373-216-85373-224.

9509130075 Forwards NUCON Int'l, Inc rept NUCON 06IL902/01, "Pyrolysis Gas Chromatography Analysis of 9 Thermo-Lag Fire Barrier Samples" re GL 92-08. COOK, J.G. Illinois Power Co. 95/09/06. Document Control Branch (Document Control Desk). 3pp. 85489-112-85489-207.

9509130084 "Pyrolysis Gas Chromatography Analysis of 9 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.S. Nucon, Inc. NUCON 06IL902/01. 95/08/08. 93pp. 85489-115-85489-207.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509190069 Forwards info re activities at plant for review & followup. Info to be withheld (ref 10CFR2.790(a)). AXELSON, W.L. Region 3 (Post 820201). 95/09/12. COOK, J. Illinois Power Co. 2pp. 85503-246-85503-247.

9509210275 Forwards amend 101 to license NPF-62 & safety evaluation. Amend modifies TS 4.1, "Site Location" to include description of exclusion area boundary. PICKETT, D.V. 95/09/14. PHARES, R.F. Illinois Power Co. 3pp. 85561-321-85561-330.

9509210277 Amend 101 to license NPF-62, modifying TS 4.1, "Site Location" to include description of exclusion area boundary. PICKETT, D.V. 95/09/14. 4pp. 85561-324-85561-327.

9509210280 Safety evaluation supporting amend 101 to license NPF-62. 95/09/14. 3pp. 85561-328-85561-330.

9509270256 Informs that licensee 941216, 950316 & 28 responses to 940919 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI. CALVO, J.A. 95/09/25. MARCUS, G.H. 4pp. 85619-128-85619-131.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627-337-85627-342.

9509080157 Forwards insp rept 50-461/95-10 on 950714-0725. No violations noted. CLAYTON, H.B. Region 3 (Post 820201). 95/08/24. COOK, J. Illinois Power Co. 2pp. 85324-262-85324-270.

9509080166 Insp rept 50-461/95-10 on 950714-25. No violations noted. Major areas inspected/self-assessment area, insp conducted utilizing portions of insp procedure 40500 to ascertain whether self-assessment effectively performed by licensee. CLAYTON, H.B. Region 3 (Post 820201). 95/08/24. 7pp. 85324-264-85324-270.

9509080105 Forwards insp rept 50-461/95-11 on 950625-0807. No violations noted. CLAYTON, B. Region 3 (Post 820201). 95/08/25. COOK, J. Illinois Power Co. 2pp. 85324-133-85324-143.

9509080109 Insp rept 50-461/95-11 on 950625-0807. No violations noted. Major areas inspected/licensee actions on previous insp findings, operations, maint, engineering & plant support. CLAYTON, B. Region 3 (Post 820201). 95/08/25. 9pp. 85324-135-85324-143.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509130091 Provides revised response to unresolved item noted in insp rept 50-461/95-08. Correct USAR page for proposed USAR rev re util commitment to ANSI N45.2.6-1978, "Qualifications of Insp, Exam & Testing Personnel for NPPs" encl. PHARES, R.F. Illinois Power Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85438-357-85438-359.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment: Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

150 DOCKETED ITEMS

9509220300 NRC info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane"
CRUTCHFIELD, D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509110170 Monthly operating report for Aug 1095 for Clinton Power Station. W/950906 tr.
HOLLON, M.C., PHARES, R.F. Illinois Power Co. 95/08/31. 5pp. 85457:281-85457:285.

S. Reportable occurrences, LERs & related correspondence

9509120054 LER 95-006-00 on 950801, lack of appropriate post maint testing due to personnel errors resulted in inoperable reactor recirculation flow control valve. Replaced components removed during main work. W/950905 tr.
MATTHEWS, R.A., COOK, J.G. Illinois Power Co. 95/09/05. 6pp. 85435:147-85435:152.

9509280075 Part 21 report re inverter PWM drive logic card failure. Inverter out of svc to replace logic card w/revised card in accordance w/scheduled maint activity.
COOK, J.G. Illinois Power Co. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85647:307-85647:309.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9509250192 Rev 15 to EPP-01-7.2, "Computer Dose Calculations." W/950919 tr.
STONE, D. Wolf Creek Nuclear Operating Corp. 95/08/22. 6pp. 85582:331-85582:336.

9509120037 Forwards rev 26 to security plan. Encl withheld per 10CFR73.21.
MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/09/06. Document Control Branch (Document Control Desk). 1p. 85466:349-85466:349.

9509120059 Responds to violations noted in insp report 50-482/95-19. Corrective actions: memo issued to all shift supervisors & supervising operators directing assurance that turbine bldg & auxiliary bldg watches carry operable flashlights.
CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85427:354-85427:357.

9509150214 Forwards insp report 50-482/95-12 on 950814-17. No violations noted. Exercise weaknesses discussed.
SCARANO, R.A. Region 4 (Post 820201). 95/09/08. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 85485:110-85485:133.

-9509150221 Insp report 50-482/95-12 on 950814-17. No violations noted. Major areas inspected: routine, announced insp of licensee performance & capabilities during full-scale exercise of emergency plan & implementing procedures.
DEXTER, T.W. Region 4 (Post 820201). 95/09/06. 19pp. 85485:115-85485:133.

F. Operating licensee stage documents & correspondence

9509101119 Discusses proposed changes to util QA program description submitted by tr dtd 950628. Proposed change reduces commitment to conduct biennial review of plant procedures IAW RG 1.33 & approved.
GWYNN, T.P. Region 4 (Post 820201). 95/08/30. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 6pp. 85279:002-85279:007.

9509160171 Forwards response to NRC 950628 RAI re IPE. Util believes WCGS IPE meets intent of GL 86-20.
CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/08/30. Document Control Branch (Document Control Desk). 150pp. 85348:163-85348:331.

9509050263 Forwards rev 11 of "Inservice Testing Program for Pumps & Valves."
CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/08/31. Document Control Branch (Document Control Desk). 1p. 85342:001-85342:242.

-9509050271 Rev 11 of WCOF-02, "IST Program for Pumps & Valves."
WAGNER, P.G. Wolf Creek Nuclear Operating Corp. 95/08/18. 241pp. 85342:002-85342:242.

9509070268 Summary of 950817 meeting w/Union Electric & Wolf Creek Nuclear Operating Corp in Louis, MS re status of current application for TS improvements & conversion to improved std TS.
STONE, J.C. 95/08/31. 8pp. 85373:320-85373:327.

9508310033 Suppl 5 to Generic Ltr 86-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509180251 Application for amend to license NPF-42, revising TS 3/4.5.5, "ECCS - RWST" to increase AOT of RWST for adjustment of boron concentration from one h to eight h.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/09/14. Document Control Branch (Document Control Desk). 17pp. 85522:310-85522:329.

-9509180257 Proposed TS 3/4.5.5, "ECCS - RWST," increasing AOT of RWST, for adjustment of boron concentration from one h to eight h.
* Wolf Creek Nuclear Operating Corp. 95/09/14. 3pp. 85522:327-85522:329.

9509220114 Application for amend to license NPF-42, revising TS 3/4.8.1, "Electrical Power Sys - AC Sources" & associated bases, proposing that guidance of RG 1.9, Rev 3, GL 93-05 & 94-01 be adopted.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/09/15. Document Control Branch (Document Control Desk). 40pp. 85565:266-85565:328.

-9509220124 Proposed Tech Specs, adopting guidance of RG 1.9, GL 93-05 & GL 94-01 to achieve overall improvement in EDG reliability & availability.
* Wolf Creek Nuclear Operating Corp. 95/09/15. 23pp. 85565:306-85565:328.

9509220067 Describes significant revs to ECCS evaluation models & estimated effect on limiting ECCS analysis for WCGS.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/09/18. Document Control Branch (Document Control Desk). 9pp. 85577:252-85577:260.

9509250021 Submits rev to request for exemption from requirements of 10CFR70.24, "Criticality Monitoring Requirements."
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/09/19. Document Control Branch (Document Control Desk). 6pp. 85600:348-85600:353.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509102119 Forwards "Wolf Creek Generating Station Second Interval ISI Program Plan."
CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/08/30. Document Control Branch (Document Control Desk). 1p. 85338:010-85338:337.

-950910220 "Wolf Creek Generating Station Second Interval ISI Program Plan."
* Wolf Creek Nuclear Operating Corp. 95/08/30. 621pp. 85338:011-85338:337.

9509060209 Discusses 950821 meeting re engineering issues identified in NRC insp report 50-482/95-07 & related matters. List of attendees & licensee presentation encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/01. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 26pp. 85312:035-85312:060.

9508310198 NRC info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509120057 Responds to violations noted in insp report 50-482/95-13. Corrective actions: review of event incorporated into licensee operator requalification training program.
CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85427:349-85427:353.

9509050009 NRC info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509120059 Responds to violations noted in insp report 50-482/95-19. Corrective actions: memo issued to all shift supervisors & supervising operators directing assurance that turbine bldg & auxiliary bldg watches carry operable flashlights.
CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/09/08. Document Control Branch (Document Control Desk). 4pp. 85427:354-85427:357.

9509150167 Forwards insp report 50-482/95-21 on 950807-11. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/09/08. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 85485:049-85485:064.

-9509150196 Insp report 50-482/95-21 on 950807-11. No violations noted. Major areas inspected: radiation protection activities including audits & appraisals, program changes, training & qualifications.
MURPHY, J. Region 3 (Post 820201). 95/09/07. 10pp. 85485:054-85485:064.

9509150214 Forwards insp report 50-482/95-12 on 950814-17. No violations noted. Exercise weaknesses discussed.
SCARANO, R.A. Region 4 (Post 820201). 95/09/08. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 85485:110-85485:133.

-9509150221 Insp report 50-482/95-12 on 950814-17. No violations noted. Major areas inspected: routine, announced insp of licensee performance & capabilities during full-scale exercise of emergency plan & implementing procedures.
DEXTER, T.W. Region 4 (Post 820201). 95/09/06. 19pp. 85485:115-85485:133.

9509160292 Forwards insp report 50-482/95-17 on 950716-0826 & notice of violation. Violations of concern because NRC continues to identify examples of weakness in planning for maint & quality control insp activities.
DYER, J.E. Region 4 (Post 820201). 95/09/11. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 85502:001-85502:030.

-9509180299 Notice of deviation from insp on 950716-0826. Deviation noted on 950716. Inspector noted that NK19 battery rack end-to-cell gap approx 1/2 inch.
* Region 4 (Post 820201). 95/09/11. 1p. 85502:006-85502:006.

-9509180309 Insp report 50-482/95-17 on 950716-0826. Violations noted. Major areas inspected: plant status, operational safety verification, maintenance observations, surveillance & plant support activities.
KIRSCH, D.F. Region 4 (Post 820201). 95/09/11. 24pp. 85502:007-85502:030.

9509130018 NRC info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC info Notice 95-040, "Supplemental info to Generic Ltr 95-03, 'Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509250270 Forwards corrected pages to second ten yr interval ISI program, including Pages D-153 to D-167, D-169 to D-170 & D-179 to D-184.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85601:284-85601:308.

-9509250272 Corrected pages to second ten yr interval ISI program, including Pages D-153 to D-167, D-169 to D-170 & D-179 to D-184.
* Wolf Creek Nuclear Operating Corp. 95/09/20. 24pp. 85601:285-85601:308.

950926062 Ack receipt of 950921 ltr informing NRC of steps taken to correct violations noted in insp rept 95-482/95-13
DYER,J.E. Region 4 (Post 820201). 95/09/21. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85569-117-85569-125.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

950920300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509180204 Monthly operating rept for Aug 1995 for Wolf Creek Generating Station W/950913 ltr
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/08/31. 7pp. 85527-348-85527-354.

9509180156 Forwards corrected page 19 from annual radioactive effluent release rept covering period from Jan-Dec 1993, reflecting jurisdiction of all waste classes rather than only Class A data, originally submitted
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85510-358-85510-359.

9509180157 Corrected page 19 from annual radioactive effluent release rept covering period from Jan-Dec 1993.
Wolf Creek Nuclear Operating Corp. 93/12/31. 1p. 85510-359-85510-359.

V. Operator Examinations

9509120057 Responds to violations noted in insp rept 95-482/95-13. Corrective actions:review of event incorporated into licensed operator requalification training program.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/09/07. Document Control Branch (Document Control Desk). 5pp. 85427-349-85427-353.

9509250099 Summary of 950907 meeting w/utilis in Arlington,TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNH,T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558-039-85558-126.

DOCKET STN-95-463 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509010227 Forwards response to request for addl info re security concerns. Encl withheld (10CFR2.790(a)(c))
SCHNELLD,F. Union Electric Co. 95/08/28. Document Control Branch (Document Control Desk). 2pp. 85375-357-85375-358.

9509070139 Revised EIPs, including Rev 11 to EIP-ZZ-A0020, Rev 13 to EIP-ZZ-C0010, Rev 11 to EIP-ZZ-PR020 & Rev 15 to EIP-ZZ-00240.
FAULKNER,M., NEVELS,G.L. Union Electric Co. 95/08/31. 101pp. 85376-001-85376-101.

9509200003 Rev 12 to EIP EIP-ZZ-00213, "Technical Assessment."
Union Electric Co. 95/08/31. 26pp. 85564-111-85564-136.

9509140047 Ack receipt of 950828 ltr re security concern at Callaway Nuclear Power Station & requests that supportive documentation of review be retained for one yr.
CREED,J.R. Region 3 (Post 820201). 95/09/08. SCHNELLD,F. Union Electric Co. 2pp. 85428-116-85428-117.

9509270260 Informs that licensee 941219,950328 & 0626 responses to 940919 & 1228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI.
CALVO,J.A. 95/09/25. MARCUS,G.H. 4pp. 85619-132-85619-136.

F. Operating license stage documents & correspondence

9509070266 Summary of 950817 meeting w/Union Electric & Wolf Creek Nuclear Operating Corp in Louis,MS re status of current application for TS improvements & conversion to improved std TS.
STONE,J.C. 95/08/31. 8pp. 85373-320-85373-327.

9509060357 Informs of implementation of amend 102 to license NPF-30. Amend 102 approved TS changes to Table 2.2-1 to reduce repeated alarms & partial reactor trips by revising overpower Delta-T setpoint function.
PASSWAFFER,A.C. Union Electric Co. 95/09/01. Document Control Branch (Document Control Desk). 2pp. 85381-251-85381-252.

9509070284 Discusses TS amend request re relocation of review & audit requirements. NRC accepts amend request provided that TS be placed in appropriate licensee controlled program.
WHARTON,L.R. 95/09/01. SCHNELLD,F. Union Electric Co. 5pp. 85325-154-85325-158.

9509120111 Application for amend to license NPF-30, revising TS Sections 5.3.1 & 5.6.1.1 & Figure 3.9-1 re spent fuel pool storage, Rev 0 of Rept LFNF-95-02, "Callaway Plant Region 1 Spent Fuel Rack Criticality Analysis" encl.
SCHNELLD,F. Union Electric Co. 95/09/06. Document Control Branch (Document Control Desk). 4pp. 85434-232-85434-293.

9509120115 Proposed tech specs sections 5.3.1 & 5.6.1.1 & Figure 3.9-1 re spent fuel pool storage.
Union Electric Co. 95/09/06. 26pp. 85434-236-85434-261.

9509120116 "Callaway Plant Region 1 Spent Fuel Rack Criticality Analysis."
MOOSE,J.M. Union Electric Co. LFNF-95-02 R00. 95/08/31. 33pp. 85434-262-85434-293.

9509120142 Notification of 950920 meeting w/listed participants in Arlington,TX to discuss plans, actions & other topics re transfer of NRC oversight of Callaway plant & GGNS from Regions II & III, respectively, to Region IV.
DYER,J.E. Region 4 (Post 820201). 95/09/07. NRC - No Detailed Affiliation Given. 7pp. 85382-198-85382-204.

9509190305 Provides info on differential pressure testing to fulfill commitment made in util GL 89-10 close-out supplemental submittal, dtd 940421.
SCHNELLD,F. Union Electric Co. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85532-158-85532-160.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licensees re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423-036-85423-049.

9509120326 Transfers regional oversight responsibility for Grand Gulf Nuclear Station & Callaway Plant to Region IV.
ROE,J.W. 95/09/08. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 85419-354-85419-356.

9509190176 Informs of NRC decision to transfer regional oversight responsibilities for plant from Region II to Region IV etc, effective 951001.
ROE,J.W. 95/09/08. SCHNELLD,F. Union Electric Co. 3pp. 85524-090-85524-092.

9509190029 Forwards addl info re 941209 application for amend to license NPF-42, revising TS 4.3.2.2 & 4.7.1.2.1 & bases for TS 3/4.7.1.2 for auxiliary feedwater sys, per telcon.
SCHNELLD,F. Union Electric Co. 95/09/13. Document Control Branch (Document Control Desk). 7pp. 85531-241-85531-247.

9509210258 Forwards plan used to identify & track activities associated w/transferring regional oversight responsibility for plants.
CALLAN,L.J. Region 4 (Post 820201). 95/09/18. RUSSELL,W.T. 3pp. 85545-059-85545-100.

9509210348 Rev 1, to "Transition Implementation Plan," dtd 950918.
NRC - No Detailed Affiliation Given. 95/09/18. 40pp. 85545-062-85545-100.

9509270260 Informs that licensee 941219,950328 & 0626 responses to 940919 & 1228 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete. Forwards follow-up RAI.
CALVO,J.A. 95/09/25. MARCUS,G.H. 4pp. 85619-132-85619-136.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509050009 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645-001-85645-008.

R. Periodic operating reports & related correspondence

9509190105 Monthly operating rept for Aug 1995 for Callaway Plant Unit 1 W/950912 ltr
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 95/08/31. 7pp. 85538-349-85538-354.

152 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9509200004 LER 95-005-00 on 950816, RT occurred due to turbine trip at greater than 50% reactor power due to loss of condenser vacuum. Replaced pump rheostat & recalibr transmitted for C-9 loops & main turbine trip switches W/950915 tr. BONO, H.D., AFFOLTER, R.D. Union Electric Co. 95/09/15. 6pp. 85547:172-85547:177.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.

-9509060134 Forwards announcement informing that subcommittee of ACRS will hold technical meeting on 860529-30 to discuss application of HL&P for license to operate plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/05/21. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:016-85328:016.

9509190191 Forwards request for deviation from commitment to 10CFR50, App F, Section III.G.2.c for lack of suppression in Fire Area 7 & Rev 0 of "Thermo-Lag Assessment Rept for HL&P STP Electric Generating Station." CLOWNINGER, T.H. Houston Lighting & Power Co. 95/09/14. Document Control Branch (Document Control Desk). 13pp. 85530:097-85530:266.

-9509190199 "Thermo-Lag Assessment Rept for HL&P STP Electric Generating Station." * Houston Lighting & Power Co. 95/09/14. 150pp. 85530:110-85530:266.

9509270228 Responds to 941219 & 950328 responses to RAI, concluding that info provided incomplete re GL 92-06. Requests transmission of followup RAI to licensee & that licensee submit revised response within 60 days. Followup RAI incl. CALVO, J.A. 95/09/25. BECKNER, W.D. 5pp. 85608:332-85608:341.

H. General correspondence

9509260167 Fourth partial response to FOIA request for documents. Records in App G incl & being made available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND, J.G. Baker & Botts. 3pp. 85610:112-85610:296.

-9509260306 Responds to 950322 facsimile, forwarding amended complaint filed before DOL re alleged discrimination against T.J. Saporito in Feb 1992. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/04/12. SAPORITO, T.J. Saporito, T.J. 2pp. 85610:287-85610:296.

P. Operating license stage documents & correspondence

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.

-9509060074 Forwards Atomic Safety & Licensing Appeal Board decision concerning plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/02/07. House of Rep., Energy & Commerce. 1p. 85328:004-85328:004.

-9509060082 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled prehearing conference for 850430 in NRC operating license proceeding for plant. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 95/04/15. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:005-85328:005.

-9509060091 Forwards announcement informing that HL&P will review records of recently settled lawsuit involving HL&P, partners & Brown & Root, Inc. to see if documents contain any matters of safety significance which might affect plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/06/18. SIMPSON, A. House of Rep., Environment & Public Works. 1p. 85328:006-85328:006.

-9509060096 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled evidentiary hearings to resume 850711 in NRC operating license proceeding for plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/07/01. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:007-85328:007.

-9509060120 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled prehearing conference 850321 in NRC operating proceeding for plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/03/07. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:012-85328:012.

-9509060128 Forwards announcement informing that NRC staff issued Draft Environ Statement on environ considerations associated w/application of HL&P for license to operate plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/03/24. SIMPSON, A. House of Rep., Environment & Public Works. 2pp. 85328:013-85328:014.

-9509060139 Forwards announcement informing that staff published results of safety review of application of HL&P & three other owners for license to operate the plant. KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/05/13. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:017-85328:017.

-9509060157 Ack receipt of 880310 tr. concerning licensing of plant. BRADBURNE, J.C. Congressional Affairs (870413-911116). 88/05/02. GRAMM, P. Senate. 7pp. 85328:027-85328:035.

9509180129 Requests review of encl info & provide responses to NRC re computer software that could be in use at facility W/c encl. ALEXION, T.W. 95/08/02. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 85521:302-85521:305.

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND, J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9308190106 Forwards recommendations for NRC actions resulting from diagnostic evaluation of plant, per NRC mgt directive 8.7, "NRC Diagnostic Evaluation Program." JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director 93/07/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 7pp. 85526:195-85526:202.

-9401070366 Forwards SE accepting licensee reevaluation of boron dilution event under all rods out conditions & related TSS. JONES, R.C. Reactor Systems Branch. 93/12/28. BLACK, S.C. Project Directorate IV-2. 1p. 85526:267-85526:267.

-9409260106 Responds to request that SPSE perform first level assessment of risk impact of dampers & fans. BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

-9412080021 Discusses Plant Sys Branch evaluation of staff action item 4, "Assessment of Tornado Dampers & Their Periodic Testing" identified during DET insp at plant. Concludes that no action should be taken w/respect to HVAC/room cooler sys. MCCracken, C.E. Division of Systems Safety & Analysis (Post 921004). 94/12/01. BECKNER, W.D. Project Directorate IV-1. 2pp. 85526:340-85526:346.

-9412080028 Discusses damper & fan risk impact calculations performed & provided by licensee personnel. BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Probabilistic Safety Assessment Branch. 5pp. 85526:342-85526:346.

-9509150268 Provides Commission w/summary of discussions held at 930126 NRC Senior Mgt Meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119). 109pp. 85526:061-85526:154.

-9509150282 Forwards STP Operational Readiness Plan, first part of response to DET rept. PULLANI, S. NRC - No Detailed Affiliation Given. 93/09/10. NRC - No Detailed Affiliation Given. 22pp. 85526:203-85526:225.

-9509150286 Forwards STP Business Plan, second part of response to DET rept w/c encl. PULLANI, S. NRC - No Detailed Affiliation Given. 93/10/26. NRC - No Detailed Affiliation Given. 1p. 85526:226-85526:254.

-9509150326 Safety evaluation re boron dilution analysis w/all rods out. * Reactor Systems Branch. 93/12/26. 4pp. 85526:268-85526:280.

-9509150332 Provides w/update status on staff action item 1.b resulting from DET rept on STP. SWENSON, W.H. Human Factors Assessment Branch. 94/03/24. KOKAJKO, L.E. Project Directorate IV-2. 2pp. 85526:281-85526:282.

-9509150350 Submits list of proposed E-Mail to NRR for review. PULLANI, S.V. NRC - No Detailed Affiliation Given. 94/06/27. PRESCOTT, P.J. NRC - No Detailed Affiliation Given. 1p. 85526:300-85526:300.

-9509150356 Discusses STP DET Staff Action 6.b. PULLANI, S.V. NRC - No Detailed Affiliation Given. 94/07/12. KOKAJKO, L.E. NRC - No Detailed Affiliation Given. 7pp. 85526:301-85526:308.

-9509150370 Requests that WT Russell discuss all NRR open items in annual rept to be submitted in Jan of each year until all open items resolved. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/07/26. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 85526:309-85526:339.

-9509150377 Provides requested info all NRR open items. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. TAYLOR, J.M. Ofc of the Executive Director for Operations. 3pp. 85526:347-85526:349.

-9509200249 Submits daily highlight of 940214 meeting held at HL&P Co South Texas Project facility. KOKAJKO, L.E. 94/02/16. MURLEY, T. NRC - No Detailed Affiliation Given. 1p. 85526:155-85526:155.

-9509200252 Submits daily highlight. On 940216, unit 1 entered mode 2. Licensee has put voluntary restraint on mode 1 entry pending establishment of operable main feed-water pump. KOKAJKO, L.E. 94/02/18. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 14pp. 85526:156-85526:194.

9509110022 Third partial response to FOIA request for documents. Records in App E already available in PDR. Records in App F encl & being made available for PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/08. COPELAND, J.G. Baker & Botts. 4pp. 85406:189-85407:141.

-9509110026 Forwards meeting notes for plant panel meetings conducted on 930225-931202. COLLINS, S.J. Region 4 (Post 820201). 93/12/06. Region 4 (Post 820201). 70pp. 85406:193-85406:272.

-9509110035 Forwards meeting notes for plant restart panel meeting conducted on 940105. COLLINS, S.J. Region 4 (Post 820201). 94/01/24. Region 4 (Post 820201). 13pp. 85406:273-85406:285.

- 9509110040 Forwards 940127 meeting notes for plant restart panel meeting. COLLINS,S.J. Region 4 (Post 820201). 94/02/02. Region 4 (Post 820201). 5pp. 85406:266-85406:294.
- 9509110056 Forwards 940204 & 0211 meeting notes for plant restart panel meeting. COLLINS,S.J. Region 4 (Post 820201). 94/02/08. Region 4 (Post 820201). 8pp. 85406:295-85406:302.
- 9509110059 Forwards 940214-15 meeting notes for plant restart panel meeting. COLLINS,S.J. Region 4 (Post 820201). 94/02/23. Region 4 (Post 820201). 8pp. 85406:303-85406:310.
- 9509110063 Forwards 940418 meeting notes for plant restart panel meeting. BEACH,A.B. Region 4 (Post 820201). 94/04/12. Region 4 (Post 820201). 4pp. 85406:311-85406:314.
- 9509110066 Forwards 940412 meeting notes for plant restart panel meeting. BEACH,A.B. Region 4 (Post 820201). 95/04/18. Region 4 (Post 820201). 4pp. 85406:315-85406:318.
- 9509110071 Forwards 940419 meeting notes for plant restart panel meeting. BEACH,A.B. Region 4 (Post 820201). 94/04/20. Region 4 (Post 820201). 5pp. 85406:319-85406:323.
- 9509110074 Forwards 940504 meeting notes for plant restart panel meeting. BEACH,A.B. Region 4 (Post 820201). 94/05/10. Region 4 (Post 820201). 24pp. 85406:324-85406:347.
- 9509110158 Informs of licensee being in final stages of completing business plan in response to overall concerns raised by NRC during diagnostic evaluation. COTTLE,W.T. Houston Lighting & Power Co. 93/09/29. MILHOAN,J.L. Region 4 (Post 820201). 14pp. 85406:348-85406:361.
- 9509110187 Submits changes to licensee 930826 Operation Readiness Plan for plant. COTTLE,W.T. Houston Lighting & Power Co. 93/12/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 85407:001-85407:029.
- 9509110250 Forwards rev 4 of plant restart action plan. Purpose of rev to update checklists following completion of remainder of checklist items in preparation for restart of Unit 1. COLLINS,S.J. Region 4 (Post 820201). 94/03/02. CALLAN,L.J. Region 4 (Post 820201). 5pp. 85407:030-85407:089.
- 9509110260 Ack receipt of 940420 ltr which requested opportunity to observe all significant meetings & hear all significant telcons between NRC & licensee re plant. CALLAN,L.J. Region 4 (Post 820201). 94/05/02. MOORE,J. Austin, TX. 3pp. 85407:090-85407:092.
- 9509110274 Responds to 940520 request for briefing of Austin City Council on issues re plant on 940526. CALLAN,L.J. Region 4 (Post 820201). 94/05/24. MOORE,J. Austin, TX. 1p. 85407:096-85407:096.
- 9509110280 Requests that issues be addressed re plant shutdown & restart before public meeting of Austin City Council. MOORE,J. Austin, TX. 94/05/20. CALLAN,L.J. Region 4 (Post 820201). 1p. 85407:097-85407:097.
- 9509110308 Forwards response to 941011 inquiry from General Accounting Ofc re 10 examples from June 1993 Diagnostic Evaluation Team Rpt on plant. TAPIA,J.J. Region 4 (Post 820201). 94/10/27. GWYNN,T.P. Region 4 (Post 820201). 11pp. 85407:131-85407:141.
- 9509130013 Third final response to FOIA request for documents. Records in App E and C being made available for PDR. App F withheld in part (ref FOIA exemption 7). * Division of Freedom of Information & Publications Services (Post 940714). 95/08/11. SAPORITO,T. Saporto, T.J. 4pp. 85437:001-85437:313.
- 9509130027 Submits second supplemental statement of DP Hall re 920726 interview by V Van Cleave concerning whereabouts on author on 920221. HALL,D.P. Newman & Holtzinger. 92/09/17. NRC - No Detailed Affiliation Given. 1p. 85437:010-85437:010.
- 9509130031 "Rept of interview w/BJ Brown." VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:011-85437:012.
- 9509130034 "Rept of interview w/JD Sharpe." VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:013-85437:014.
- 9509130039 "Rept of interview w/TJ Millsap." VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:015-85437:016.
- 9509130050 "Rept of interview w/AW Woods." VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:017-85437:018.
- 9509110046 Final response to FOIA request for documents. Forwards App B records being withheld in part (ref FOIA Exemption 6). POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/16. WEBER,D. Affiliation Not Assigned. 3pp. 85415:065-85415:117.
- 9509110361 Partially deleted ltr which responds to 880125 ltr requesting info re DR Lighter concern about drug testing in absence of probable cause at plant. PARLER,W.C. Office of the General Counsel (Post 860701). 88/02/10. GRAMM,P. Senate. 2pp. 85415:074-85415:075.
- 9509070001 Application for amends to licenses NPF-76 & NPF-80, requesting addition of TS 3.10.8 which would allow extension of SDG AOT for cumulative 21 days on each SDG once per fuel cycle. CLONINGER,T.H. Houston Lighting & Power Co. 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85376:144-85376:193.
- 9509070002 Proposed tech specs reflecting addition of TS 3.10.8 allowing extension of SDG AOT for cumulative 21 days on each SDG once per fuel cycle & extension of AOT on each essential CW loop for cumulative 7 days once per fuel cycle. * Houston Lighting & Power Co. 95/08/28. 44pp. 85376:150-85376:193.
- 9509120089 Final response to FOIA request for documents. Records in App A & B available in PDR. Records in App C partially released. Records in App D withheld in their entirety (ref FOIA Exemptions 5 & 6). POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. GARTH,S.T. Affiliation Not Assigned. 7pp. 85427:005-85427:212.
- 9311190196 Forwards nonproprietary & proprietary response to NRC demand for info re termination of three former HL&P employees. Proprietary response withheld. per 10CFR2.790 & 10CFR9.17. COTTLE,W.T. Houston Lighting & Power Co. 93/11/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 50pp. 85427:023-85427:072.
- 9509120104 Confirms 931018 telcon granting extension for HL&P response to 930929 "Demand for info." informs that response by R Balcom to 930929 ltr & "Demand for info" will be provided on 931115. COTTLE,W.T. Houston Lighting & Power Co. 93/10/19. SNIEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 1p. 85427:022-85427:022.
- 9509120373 Forwards partially deleted response to 930929 "Demand for info." BALCOM,R.L. Affiliation Not Assigned. 93/11/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 85427:091-85427:091.
- 9509070313 Discusses review of preliminary accident sequence precursor analysis. MARTIN,L.E. Houston Lighting & Power Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:344-85415:346.
- 9509070135 Notification of licensee meeting w/util on 951016 to discuss NRC views on current trends within both industry & NRC to foster open discussion on Mgt Committee role at STP. DYER,J.E. Region 4 (Post 820201). 95/09/01. Region 4 (Post 820201). 5pp. 85321:022-85321:026.
- 9509130085 Forwards amends 79 & 68 to licenses NPF-76 & NPF-80, respectively & safety evaluation. Amends modify TS 3/4.1.2.1, "Boration Sys/Flow Paths - Shutdown," TS 3/4.1.2.2, "Boration Sys/Flow Paths - Operating" & TS 3/4.1.2.5. ALEXION,T.W. 95/09/05. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 85423:078-85423:099.
- 9509130089 Amends 76 & 68 to licenses NPF-76 & NPF-80, respectively, modifying TS 3/4.1.2.1, "Boration Sys/Flow Paths-Shutdown," TS 3/4.1.2.2, "Boration Sys/Flow Paths-Operating," TS 3/4.1.2.3, "Charging Pumps-Shutdown" & TS 3/4.1.2.4. ALEXION,T.W. 95/09/05. 15pp. 85423:081-85423:095.
- 9509130096 Safety evaluation supporting amends 79 & 86 to licenses NPF-76 & NPF-80, respectively. * 95/09/05. 4pp. 85423:096-85423:099.
- 9509110142 Forwards amends 82 & 69 to licenses NPF-76 & NPF-80, respectively & SE. Amends revise TS on containment leakage, making action statement consistent w/need to perform Type C testing at power. ALEXION,T.W. 95/09/07. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 85416:287-85416:302.
- 9509110157 Amends 80 & 69 to licenses NPF-76 & NPF-80, respectively, revising TS on containment leakage, making action statement consistent w/need to perform Type C testing at power & replacing surveillance requirements. ALEXION,T.W. 95/09/07. 9pp. 85416:290-85416:299.
- 9509110163 Safety evaluation supporting amends 80 & 69 to licenses NPF-76 & NPF-80, respectively. * 95/09/07. 3pp. 85416:300-85416:302.
- 9509120029 Withdraws proposed amend to license NPF-76 re revising TS 3.4.5 to allow implementation of alternate SG tube plugging criteria for tube to-tubesheet joints & 3.4.6.2 to allow alternate SG tube plugging for tube support plate. THOMAS,S.E. Houston Lighting & Power Co. 95/09/07. Document Control Branch (Document Control Desk). 2pp. 85427:332-85427:333.
- 9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status events re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509120268 Forwards RAI re licensee response to GL 95-03, "Circumferential Cracking of SG Tubes." Requests response within 30 days of receipt of ltr. ALEXION,T.W. 95/09/08. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85411:339-85411:343.
- 9509180331 Submits request for opinion similar to previous request NRC made in Aug 1994 re licensability of small increase in rated thermal power for Units similar to SNUPP design. Copies of ltrs attached for ease of ref. LIPARULO,N.J. Westinghouse Electric Corp. 95/09/12. Document Control Branch (Document Control Desk). 2pp. 85523:179-85523:184.
- 9509190191 Forwards request for deviation from commitment to 10CFR50, App R, Section III.G.2.c for lack of suppression in Fire Area 7 & Rev 0 of "Thermo-Lag Assessment Rpt for HL&P STP Electric Generating Station." CLONINGER,T.H. Houston Lighting & Power Co. 95/09/14. Document Control Branch (Document Control Desk). 13pp. 85530:067-85530:266.
- 9509190195 "Thermo-Lag Assessment Rpt for HL&P STP Electric Generating Station." * Houston Lighting & Power Co. 95/09/14. 150pp. 85530:110-85530:266.
- 9509220073 Informs that HL&P does not use software identified in encl to NRC 950802 RAI. MANGAN,F.K. Houston Lighting & Power Co. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85564:338-85564:339.
- 9509200312 Forwards revised page 3 to SE issued w/amends 71 & 60 to licenses NPF-76 & NPF-80, respectively. Statements re testing of NDG & total required loading on NDG revised. ALEXION,T.W. 95/09/18. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 85561:271-85561:274.

154 DOCKETED ITEMS

- 9509210206 Revised page 3 of SE supporting amends 71 & 60 to licenses NPF-76 & NPF-80, respectively.
* 95/09/18. 1p. 85561:274-85561:274.
- 9509200357 Forwards withdrawal of amend request for license NPF-76. Proposed change would have modified facility TS pertaining to use of alternate plugging criteria on SG tubes that are defective or degraded within certain areas within tubesheet.
ALEXION,T.W. 95/09/18. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 85543:282-85543:286.
- 9509200361 Notice of withdrawal of application for amend to license NPF-76. Proposed amend would have revised TS pertaining to use of alternate plugging criteria on SG tubes that are defective or degraded within certain areas within tubesheet.
ALEXION,T.W. 95/09/18. 2pp. 85543:285-85543:286.
- 9509260167 Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND,J.G. Baker & Botts. 3pp. 85610:112-85610:296.
- 9303310111 Discusses performance evaluation tree for plant using insp repts & LERs from 920101-930226. Overall performance rated low adequate. Evaluation marked pre-conditional due to subjective nature.
ZECH,G.G. Performance & Quality Evaluation Branch. 93/03/25. BLACK,S.C. Project Directorate IV-2. 6pp. 85610:131-85610:136.
- 9509260174 Forwards proposed staff actions resulting from South Texas Project evaluation for review.
JORDAN,E.I. Office for Analysis & Evaluation of Operational Data. Director. 93/06/17. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). MILHOAN,J.L. Region 4 (Post 820201). 6pp. 85610:125-85610:130.
- 9509260269 Forwards South Texas Project, Unit 1 restart coverage plan.
BEACH,A.B. Region 4 (Post 820201). 94/03/07. KOKAJKO,L. NRC - No Detailed Affiliation Given. 5pp. 85610:208-85610:212.
- 9509260271 Forwards STP, Unit 1 restart coverage plan.
BEACH,A.B. Region 4 (Post 820201). 94/02/03. NRC - No Detailed Affiliation Given. 5pp. 85610:213-85610:217.
- 9509260292 Discusses request, dtd 941108, for depositions of eleven current NRC senior official & employees. Request denied.
CYR,D. Office of the General Counsel (Post 860701). 94/12/19. EGAN,J.R. Affiliation Not Assigned. 2pp. 85610:285-85610:286.
- 9509260083 Fifth partial response to FOIA request for document. Record in App H released in part. Records in appendices I & J withheld in their entirety (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/22. COPELAND,J.G. Baker & Botts. 7pp. 85592:075-85592:111.
- 9509260140 Senior mgmt meeting held in June 1993 re STP.
* NRC - No Detailed Affiliation Given. 93/06/30. 20pp. 85592:092-85592:111.
- 9509270228 Responds to 941219 & 950328 responses to RAI, concluding that info provided incomplete re GL 92-08. Requests transmission of followup RAI to licensee & that licensee submit revised response within 60 days. Followup RAI encl.
CALVO,J.A. 95/09/25. BECKNER,W.D. 5pp. 85608:332-85608:341.
- G. Inspection reports, IE Bulletins & correspondence**
- 9206240122 NRC Bulletin 92-001. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.
- 9509060073 FOIA request for documents re listed NRC insp conducted at South Texas Nuclear Project.
LAWRENCE,J.W. Affiliation Not Assigned. 95/04/21. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85332:063-85332:065.
- 9509060079 Final response to FOIA request for documents. Records in App A encl & being placed in PDR.
REED,C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. LAWRENCE,J. Affiliation Not Assigned. 2pp. 85332:066-85332:141.
- 9509060086 Computer printout of NRC Fac fees & insp fee info sheets.
* NRC - No Detailed Affiliation Given. 95/07/18. 74pp. 85332:068-85332:141.
- 9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER,D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.
- 9509190156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.
- 9404220093 Forwards SALP input for util operational readiness assessment team insp conducted 931206 - 940121.
IMBRO,E.V. Special Inspection Branch. 94/04/15. BLACK,S.C. Project Directorate IV-2. 5pp. 85526:283-85526:292.
- 9509120089 Final response to FOIA request for documents. Records in App A & B available in PDR. Records in App C partially released. Records in App D withheld in their entirety (ref FOIA Exemptions 5 & 6).
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. GARTH,S.T. Affiliation Not Assigned. 7pp. 85427:005-85427:212.
- 9310080241 Forwards Demand for info re actions taken by recipient that may be subject to deliberate misconduct rule 10CFR50.5 re violations of 10CFR50.7. "Employee Protection." Partially deleted.
SNIJEZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/09/29. BALCOM,R. Affiliation Not Assigned. 2pp. 85427:061-85427:090.
- 9310080255 Demand for info to determine whether NRC should take enforcement action against individual for violations of 10CFR50.5.
SNIJEZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/09/29. 8pp. 85427:083-85427:090.
- 9509120353 Submits review of HL&P 931115 response to NRC "Demand for info" re specific info concerning apparent violations of 10CFR50.7.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/12/30. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85427:073-85427:080.
- 9509120377 Partially deleted "Response of RL Balcom to Demand for Info."
BALCOM,R.L. Affiliation Not Assigned. 93/11/15. 6pp. 85427:092-85427:159.
- 9509120379 Partially deleted "Response of HL&P to Demand for Info dtd 930929."
* Houston Lighting & Power Co. 93/11/15. 7pp. 85427:160-85427:209.
- 9509120384 Submits review of 931115 response to 930929 demand for info concerning specific info re apparent violations of 10CFR50.7. Advises awaiting DOL ALJ decision, re matter being considered, before resolving enforcement issue.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/12/30. Affiliation Not Assigned. 3pp. 85427:210-85427:212.
- 9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/06. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509130018 NRC Info Notice 95-039. "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386 NRC Info Notice 95-040. "Supplemental info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509260167 Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND,J.G. Baker & Botts. 3pp. 85610:112-85610:296.
- 9403240122 Forwards draft notice of violation re operational readiness assessment team insp.
IMBRO,E.V. Special Inspection Branch. 94/03/22. BEACH,A.B. Region 4 (Post 820201). 5pp. 85610:218-85610:222.
- 9509260181 Discusses insp program credit for diagnostic evaluation at South Texas.
HEHL,C.W. NRC - No Detailed Affiliation Given. 93/06/10. BEACH,A.B. Region 4 (Post 820201). 38pp. 85610:137-85610:176.
- 9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:008-85645:020.
- 9509280203 Forwards insp repts 50-498/95-20 & 50-499/95-20. No violations noted.
DYER,J.E. Region 4 (Post 820201). 95/09/25. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85613:308-85613:332.
- 9509280210 Insp repts 50-498/95-20 & 50-499/95-20 on 950717-0826. No violations noted. Major areas inspected: plant status, onsite followup of events, operational safety verification, maint & surveillance observations & plant support activities review.
YANDELL,L.A. Region 4 (Post 820201). 95/09/25. 20pp. 85613:313-85613:332.
- 9509220300 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- R. Periodic operating reports & related correspondence**
- 9509050161 Forwards semiannual FFD program performance rept for Jan-June 1995, per 10CFR26.71(d).
MCRAE,R.R. Houston Lighting & Power Co. 95/08/29. Document Control Branch (Document Control Desk). 5pp. 85345:342-85345:346.
- 9509200114 Monthly operating repts for Aug 1995 for STP Electric Generating Station W/950914 tr.
BERGENDAHL,D.M. MYERS,L.W., MCBURNETT,M.A. Houston Lighting & Power Co. 95/08/31. 14pp. 85536:311-85536:324.
- S. Reportable occurrences, LERs & related correspondence**
- 9509080014 LER 95-008-00 on 950728. RCS flow instrument was inoperable due to FT0447 exceeded total allowance limit. Recalibrated affected RCS flow transmitter W/950830 tr.
SCHULKER,D., MYERS,L.W. on Lighting & Power Co. 95/08/30. 6pp. 85435:082-85435:087.
- 9509260167 Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND,J.G. Baker & Botts. 3pp. 85610:112-85610:296.

-9404210021 Discusses AEOD 940404-07 visit to plant to gather info on cause of SDG inadvertent starts. Advises that tests show that existing start transistors from SDG control circuit fail to operate when environmental temp reaches over 100 F.
LEE, E.J. Division of Safety Programs (Post 870413). 94/04/13. ROSENTHAL, J.E. Division of Safety Programs (Post 870413). 2pp. 85610:223-85610:224.

9509280073 Special report on 950823, valid failure of SDG 12 occurred due to misalignment of reset coil contacts resulting in intermittent failure of K1 relay. K1 relay in SDG 12 replaced.
MYERS, L.W. Houston Lighting & Power Co. 95/09/21. Document Control Branch (Document Control Desk). 4pp. 85647:310-85647:313.

T. Hearing transcripts on non-antitrust matters

9509110014 Second partial response to FOIA request for documents. Forwards App C & portions of App D documents. App C record placed in PDR. Portions of App D documents withheld (ref FOIA Exemption 7).
* Division of Freedom of Information & Publications Services (Post 940714). 95/08/10. Saporito, T. Saporito, T.J. 4pp. 85410:022-85411:189.

-9509110019 Partially withheld transcript of investigative interview of RJ Rehkugler on 920715 in Bay City, TX. Pp 1-27.
* Ofc of Investigations (Post 880201). 92/07/15. 28pp. 85410:030-85410:057.

-9509110028 Partially withheld transcript of investigative interview of RW Cink on 920715 in Bay City, TX. Pp 1-81.
* Ofc of Investigations (Post 880201). 92/07/15. 81pp. 85410:058-85410:138.

-9509110030 Partially withheld transcript of 920716 interview of JW Odom in Bay City, TX. Pp 1-38.
* Ofc of Investigations (Post 880201). 92/07/16. 38pp. 85410:139-85410:176.

-9509110037 Partially withheld transcript of 920716 interview of MR Wisenburg in Bay City, TX. Pp 1-44.
* NRC - No Detailed Affiliation Given. 92/07/16. 44pp. 85410:177-85410:220.

-9509110041 Partially withheld transcript of 920616 investigative interview of WJ Jump in Bay City, TX. Pp 1-140.
* Ofc of Investigations (Post 880201). 92/06/16. 140pp. 85410:221-85411:001.

-9509110045 Partially withheld transcript of 920717 investigative interview of WH Kinsey in Bay City, TX. Pp 1-28.
* NRC - No Detailed Affiliation Given. 92/07/17. 28pp. 85411:002-85411:029.

-9509110050 Partially withheld investigative interview of DP Sanchez in Bay City, TX. Pp 1-46.
* Ofc of Investigations (Post 880201). 92/07/27. 46pp. 85411:030-85411:075.

-9509110052 Partially withheld transcript of 920727 interview of RL Balcom in Bay City, TX. Pp 1-114.
* NRC - No Detailed Affiliation Given. 92/07/27. 114pp. 85411:076-85411:189.

9509130013 Third final response to FOIA request for documents. Records in App E encl & being made available for PDR. App F withheld in part (ref FOIA exemption 7).
* Division of Freedom of Information & Publications Services (Post 940714). 95/08/11. Saporito, T. Saporito, T.J. 4pp. 85437:001-85437:313.

-9509130057 Partially deleted transcript of 920728 interview w/DP Hall in Bay City, TX. Pp 1-59.
* NRC - No Detailed Affiliation Given. 92/07/28. 59pp. 85437:019-85437:077.

-9509130065 Transcript of 920728 investigative interview of JW Hinson in Bay City, TX. Pp 1-171.
* Ofc of Investigations (Post 880201). 92/07/28. 171pp. 85437:078-85437:248.

-9509130068 Partially deleted transcript of 920728 interview of WG Iserau in Bay City, TX. Pp 1-57.
* NRC - No Detailed Affiliation Given. 92/07/28. 57pp. 85437:249-85437:313.

V. Operator Examinations

9509120022 Advises that applications for operator licenses for GP LY & CA Brewer retracted.
CARLIN, J.T. Houston Lighting & Power Co. 95/09/06. PELLET, J.L. 2pp. 85459:359-85459:360.

9509250099 Summary of 950907 meeting w/utills in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts. encl.
GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.

-9509060134 Forwards announcement informing that subcommittee of ACRS will hold technical meeting on 860529-30 to discuss application of HL&P for license to operate plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/05/21. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:016-85328:016.

9509190191 Forwards request for revision from commitment to 10CFR50, App R, Section III.G.2.c for lack of suppression in Fire Area 7 & Rev 0 of "Thermo-Lag Assessment Rept for HL&P STP Electric Generating Station."
CLONINGER, T.H. Houston Lighting & Power Co. 95/09/14. Document Control Branch (Document Control Desk). 13pp. 85530:097-85530:266.

-9509190195 "Thermo-Lag Assessment Rept for HL&P STP Electric Generating Station."
* Houston Lighting & Power Co. 95/09/14. 150pp. 85530:110-85530:266.

9509270228 Responds to 941219 & 950328 responses to RAI, concluding that info provided incomplete re GL 92-08 Requests transmission of followup RAI to licensee & that licensee submit revised response within 60 days. Followup RAI encl.
CALVO, J.A. 95/09/25. BECKNER, W.D. 5pp. 85608:332-85608:341.

H. General correspondence

9509260167 Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND, J.G. Baker & Botts. 3pp. 85610:112-85610:296.

-9509260306 Responds to 950322 facsimile, forwarding amended complaint filed before DOL re alleged discrimination against T.J. Saporito in Feb 1992.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/04/12. Saporito, T.J. Saporito, T.J. 2pp. 85610:287-85610:296.

P. Operating license stage documents & correspondence

9509060070 First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.

-9509060074 Forwards Atomic Safety & Licensing Appeal Board decision concerning plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/02/07. House of Rep., Energy & Commerce. 1p. 853:94-85328:004.

-9509060082 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled prehearing conference for 850430 in NRC operating license proceeding for plant.
KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 95/04/15. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:005-85328:005.

-9509060091 Forwards announcement informing that HL&P will review records of recently settled lawsuit involving HL&P, partners & Brown & Root, Inc. to see if documents contain any matters of safety significance which might affect plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/06/18. SIMPSON, A. House of Rep., Environment & Public Works. 1p. 85328:006-85328:006.

-9509060096 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled evidentiary hearings to resume 850711 in NRC operating license proceeding for plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 85/07/07. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:007-85328:007.

-9509060120 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled prehearing conference 860321 in NRC operating license proceeding for plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/03/07. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:012-85328:012.

-9509060126 Forwards announcement informing that NRC staff issued Draft Environ Statement on environ considerations associated w/application of HL&P for license to operate plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/03/24. SIMPSON, A. House of Rep., Environment & Public Works. 2pp. 85328:013-85328:014.

-9509060139 Forwards announcement informing that staff published results of safety review of application of HL&P & three other owners for license to operate the plant.
KAMMERER, C. Office of Congressional Affairs (Pre 870413). 86/05/13. MARKEY, E. House of Rep., Energy & Commerce. 1p. 85328:017-85328:017.

-9509060157 Ack receipt of 880310 ltr. concerning licensing of plant.
BRADBURN, J.C. Congressional Affairs (870413-911116). 88/05/02. GRAMM, P. Senate. 7pp. 85328:02-85328:035.

9509180129 Requests review of encl info & provide responses to NRC re computer software that could be in use at facility w/c encl.
ALEXION, T.W. 95/08/02. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 85521:302-85521:305.

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND, J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9308190106 Forwards recommendations for NRC actions resulting from diagnostic evaluation of plant, per NRC mgt directive B.7, "NRC Diagnostic Evaluation Program."
JORDANE, L. Office for Analysis & Evaluation of Operational Data. Director. 93/07/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 7pp. 85526:195-85526:202.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Plant Systems Branch. 8pp. 85526:350-85526:360.

-9412080021 Discusses Plant Sys Branch evaluation of staff action item 4, "Assessment of Tornado Dampers & Their Periodic Testing" identified during DET insp at plant. Concludes that no action should be taken w/respect to HVAC/room cooler sys.
MCCRACKEN, C.E. Division of Systems Safety & Analysis (Post 921004). 94/12/01. BECKNER, W.D. Project Directorate IV-1. 2pp. 85526:340-85526:346.

-9412080028 Discusses damper & fan risk impact calculations performed & provided by licensee personnel.
BUTCHER, E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken, C.E. Probabilistic Safety Assessment Branch. 5pp. 85526:342-85526:346.

156 DOCKETED ITEMS

- 9509150268 Provides Commission w/summary of discussions held at 930126 NRC Senior Mgt Meeting.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN, BELIN,J., ROGERS,K.C. Commissioners (Post 750119). 109pp. 85526:061-85526:154.
- 9509150282 Forwards STP Operational Readiness Plan,first part of response to DET rept.
PULLANI,S. NRC - No Detailed Affiliation Given. 93/09/10. NRC - No Detailed Affiliation Given. 22pp. 85526:203-85526:225.
- 9509150286 Forwards STP Business Plan,second part of response to DET rept.W/o encl.
PULLANI,S. NRC - No Detailed Affiliation Given. 93/10/26. NRC - No Detailed Affiliation Given. 1p. 85526:226-85526:254.
- 9509150326 Safety evaluation re boron dilution analysis w/all rods out.
* Reactor Systems Branch. 93/12/28. 4pp. 85526:268-85526:280.
- 9509150332 Provides w/update status on staff action item 1.b resulting from DET rept on STP.
SWENSON,W.H. Human Factors Assessment Branch. 94/03/24. KOKAJKO,L.E. Project Directorate IV-2. 2pp. 85526:281-85526:282.
- 9509150350 Submits list of proposed E-Mail to NRR,for review.
PULLANI,S.V. NRC - No Detailed Affiliation Given. 94/06/27. PRESCOTT,P.J. NRC - No Detailed Affiliation Given. 1p. 85526:300-85526:300.
- 9509150356 Discusses STP DET Staff Action 6.b.
PULLANI,S.V. NRC - No Detailed Affiliation Given. 94/07/12. KOKAJKO,L.E. NRC - No Detailed Affiliation Given. 7pp. 85526:301-85526:308.
- 9509150370 Requests that WT Russell discuss all NRR open items in annual rept to be submitted in Jan of each year until all open items resolved.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/07/26. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 85526:309-85526:339.
- 9509150377 Provides requested info all NRR open items.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 85526:347-85526:349.
- 9509200249 Submits daily highlight of 940214 meeting held at HL&P Co South Texas Project facility.
KOKAJKO,L.E. 94/02/16. MURLEY,T. NRC - No Detailed Affiliation Given. 1p. 85526:155-85526:155.
- 9509200252 Submits daily highlight.On 940218:unit 1 entered mode 2. Licensee has put voluntary restraint on mode 1 entry pending establishment of operable main feed-water pump.
KOKAJKO,L.E. 94/02/18. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 14pp. 85526:156-85526:194.
- 9509110022 Third partial response to FOIA request for documents.Records in App E already available in PDR.Records in App F encl & being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/08. COPELAND,J.G. Baker & Botts. 4pp. 85406:189-85407:141.
- 9509110026 Forwards meeting notes for plant panel meetings conducted on 930225-931202.
COLLINS,S.J. Region 4 (Post 820201). 93/12/06. Region 4 (Post 820201). 70pp. 85406:193-85406:272.
- 9509110035 Forwards meeting notes for plant restart panel meeting conducted on 940105.
COLLINS,S.J. Region 4 (Post 820201). 94/01/24. Region 4 (Post 820201). 13pp. 85406:273-85406:285.
- 9509110040 Forwards 940127 meeting notes for plant restart panel meeting.
COLLINS,S.J. Region 4 (Post 820201). 94/02/02. Region 4 (Post 820201). 5pp. 85406:286-85406:294.
- 9509110056 Forwards 940204 & 0211 meeting notes for plant restart panel meeting.
COLLINS,S.J. Region 4 (Post 820201). 94/02/08. Region 4 (Post 820201). 8pp. 85406:295-85406:302.
- 9509110059 Forwards 940214-15 meeting notes for plant restart panel meeting.
COLLINS,S.J. Region 4 (Post 820201). 94/02/23. Region 4 (Post 820201). 8pp. 85406:303-85406:310.
- 9509110063 Forwards 940418 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 94/04/12. Region 4 (Post 820201). 4pp. 85406:311-85406:314.
- 9509110066 Forwards 940412 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 95/04/18. Region 4 (Post 820201). 4pp. 85406:315-85406:318.
- 9509110071 Forwards 940419 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 94/04/20. Region 4 (Post 820201). 5pp. 85406:319-85406:323.
- 9509110074 Forwards 940504 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 94/05/10. Region 4 (Post 820201). 24pp. 85406:324-85406:347.
- 9509110158 Informs of licensee being in final stages of completing business plan in response to overall concerns raised by NRC during diagnostic evaluation.
COTTLE,W.T. Houston Lighting & Power Co. 93/09/29. MILHOAN,J.L. Region 4 (Post 820201). 14pp. 85406:348-85406:361.
- 9509110167 Submits changes to licensee 930828 Operation Readiness Plan for plant.
COTTLE,W.T. Houston Lighting & Power Co. 93/12/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 85407:001-85407:029.
- 9509110250 Forwards rev 4 of plant restart action plan.Purpose of rev to update checklists following completion of remainder of checklist items in preparation for restart of Unit 1.
COLLINS,S.J. Region 4 (Post 820201). 94/03/02. CALLAN,L.J. Region 4 (Post 820201). 58pp. 85407:030-85407:089.
- 9509110260 Ack receipt of 940420 ltr which requested opportunity to observe all significant meetings & hear all significant telcons between NRC & licensee re plant.
CALLAN,L.J. Region 4 (Post 820201). 94/05/02. MOORE,J. Austin, TX. 3pp. 85407:090-85407:092.
- 9509110270 Confirms 940509 telcon which requested mgt meeting w/NRC on 940517.Purpose of meeting to discuss status & readiness for return to power operation of plant.
COTTLE,W.T. Houston Lighting & Power Co. 94/05/09. CALLAN,L.J. Region 4 (Post 820201). 3pp. 85407:093-85407:095.
- 9509110274 Responds to 940520 request for briefing of Austin City Council on issues re plant on 940526.
CALLAN,L.J. Region 4 (Post 820201). 94/05/24. MOORE,J. Austin, TX. 1p. 85407:096-85407:096.
- 9509110280 Requests that issues be addressed re plant shutdown & restart before public meeting of Austin City Council.
MOORE,J. Austin, TX. 94/05/20. CALLAN,L.J. Region 4 (Post 820201). 1p. 85407:097-85407:097.
- 9509110292 Documents discussions & presentation of 940517,which informed of status of licensee actions to implement plant 931015 CAL 4-93-048 & status of tasks associated w/plant restart action plan for Unit 2.
BEACH,A.B. Region 4 (Post 820201). 94/05/31. CALLAN,L.J. Region 4 (Post 820201). 5pp. 85407:098-85407:130.
- 9509110308 Forwards response to 941011 inquiry from General Accounting Ofc re 10 examples from June 1993 Diagnostic Evaluation Team Rept on plant.
TAPIA,J.J. Region 4 (Post 820201). 94/10/27. GWYNN,T.P. Region 4 (Post 820201). 11pp. 85407:131-85407:141.
- 9509130013 Third final response to FOIA request for documents.Records in App E encl & being made available for PDR.App F withheld in part (ref FOIA exemption 7).
* Division of Freedom of Information & Publications Services (Post 940714). 95/08/11. SAPORITO,T. Saporito, T.J. 4pp. 85437:001-85437:313.
- 9509130027 Submits second supplemental statement of DP Hall re 920728 interview by V Van Cleave concerning whereabouts on author on 920221.
HALL,D.P. Newman & Holtzinger. 92/09/17. NRC - No Detailed Affiliation Given. 1p. 85437:010-85437:010.
- 9509130031 "Rept of interview w/BJ Brown."
VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:011-85437:012.
- 9509130034 "Rept of interview W/JD Sharpe."
VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:013-85437:014.
- 9509130039 "Rept of interview w/TJ Millsap."
VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:015-85437:016.
- 9509130050 "Rept of interview w/AW Woods."
VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:017-85437:018.
- 9509110046 Final response to FOIA request for documents.Forwards App B records being withheld in part (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/16. WEBER,D. Affiliation Not Assigned. 3pp. 85415:065-85415:117.
- 9509110361 Partially deleted ltr which responds to 880125 ltr requesting info re DR Lighter concern about drug testing in absence of probable cause at plant.
PARLER,W.C. Office of the General Counsel (Post 860701). 88/02/10. GRAMM,P. Senate. 2pp. 85415:074-85415:075.
- 9509070001 Application for amends to licenses NPF-76 & NPF-80, requesting addition of TS 3.10.8 which would allow extension of SDG AOT for cumulative 21 days on each SDG once per fuel cycle.
CLONINGER,T.H. Houston Lighting & Power Co. 95/08/28. Document Control Branch (Document Control Desk). 6pp. 85376:144-85376:193.
- 9509070002 Proposed tech specs,reflecting addition of TS 3.10.8 allowing extension of SDG AOT for cumulative 21 days on each SDG once per fuel cycle & extension of AOT on each essential CW loop for cumulative 7 days once per fuel cycle.
* Houston Lighting & Power Co. 95/08/28. 44pp. 85376:150-85376:193.
- 9509120089 Final response to FOIA request for documents.Records in App A & B available in PDR.Records in App C partially released.Records in App D withheld in their entirety (ref FOIA Exemptions 5 & 6).
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. GARTH,S.T. Affiliation Not Assigned. 7pp. 85427:005-85427:212.
- 9311190198 Forwards nonproprietary & proprietary response to NRC demand for info re termination of three former HL&P employees.Proprietary response withheld,per 10CFR2.790 & 10CFR2.17.
COTTLE,W.T. Houston Lighting & Power Co. 93/11/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 50pp. 85427:023-85427:072.
- 9509120164 Confirms 931018 telcon,granting extension for HL&P response to 930929 "Demand for info." Informs that response by R Balcom to 930929 ltr & "Demand for info" will be provided on 931115.
COTTLE,W.T. Houston Lighting & Power Co. 93/10/19. SNIJEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg.Regional Operations & Research (Post 890205). 1p. 85427:022-85427:022.
- 9509120373 Forwards partially deleted response to 930929 "Demand for info."
BALCOM,R.L. Affiliation Not Assigned. 93/11/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 85427:091-85427:091.

- 9509130108** Ninth partial response to FOIA request for documents. Records in App J will be made available in PDR. App K records will be withheld in part (ref Exemption 4). POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. IRWIN, D. Hunton & Williams. 4pp. 85477:001-85477:312.
- 9405200190** Informs Commission of restart of South Texas Project Unit 2 & related staff actions. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/05/13. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 85477:007-85477:008.
- 9509070313** Discusses review of preliminary accident sequence precursor analysis. MARTIN, L.E. Houston Lighting & Power Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:344-85415:346.
- 9509070135** Notification of licensee meeting w/util on 951016 to discuss NRC views on current trends within both industry & NRC to foster open discussion on Mgt Committee role at STP. DYER, J.E. Region 4 (Post 820201). 95/09/01. Region 4 (Post 820201). 5pp. 85321:022-85321:026.
- 9509130085** Forwards amends 79 & 88 to licenses NPF-76 & NPF-80, respectively & safety evaluation. Amends modify TS 3/4.1.2.1, "Boration Sys/Flow Paths - Shutdown," TS 3/4.1.2.2, "Boration Sys/Flow Paths - Operating" & TS 3/4.1.2.5. ALEXION, T.W. 95/09/05. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 85423:078-85423:099.
- 9509130089** Amends 76 & 88 to licenses NPF-76 & NPF-80, respectively, modifying TS 3/4.1.2.1, "Boration Sys/Flow Paths-Shutdown," TS 3/4.1.2.2, "Boration Sys/Flow Paths-Operating," TS 3/4.1.2.3, "Charging Pumps-Shutdown" & TS 3/4.1.2.4. ALEXION, T.W. 95/09/05. 15pp. 85423:081-85423:095.
- 9509130090** Safety evaluation supporting amends 79 & 86 to licenses NPF-76 & NPF-80, respectively. 95/09/05. App. 85423:096-85423:099.
- 9509110142** Forwards amends 82 & 89 to licenses NPF-76 & NPF-80, respectively & SE. Amends revise TS on containment leakage, making action statement consistent w/need to perform Type C testing at power. ALEXION, T.W. 95/09/07. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 85416:287-85416:302.
- 9509110157** Amends 80 & 89 to licenses NPF-76 & NPF-80, respectively, revising TS on containment leakage, making action statement consistent w/need to perform Type C testing at power & replacing surveillance requirements. ALEXION, T.W. 95/09/07. 9pp. 85416:290-85416:299.
- 9509110163** Safety evaluation supporting amends 80 & 89 to licenses NPF-76 & NPF-80, respectively. 95/09/07. 3pp. 85416:300-85416:302.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9509120268** Forwards RAI re licensee response to GL 95-03, "Circumferential Cracking of SG Tubes." Requests response within 30 days of receipt of ltr. ALEXION, T.W. 95/09/08. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 85411:339-85411:343.
- 9509180331** Submits request for opinion similar to previous request NRC made in Aug 1994 re licensability of small increase in rated thermal power for Units similar to SNUPP design. Copies of ltrs attached for ease of ref. LIPARULO, N.J. Westinghouse Electric Corp. 95/09/12. Document Control Branch (Document Control Desk). 2pp. 85523:179-85523:184.
- 9509180191** Forwards request for deviation from commitment to 10CFR50, App R, Section III.G.2.c for lack of suppression in Fire Area 7 & Rev 0 of "Thermo-Lag Assessment Rept for HL&P STP Electric Generating Station." CLONINGER, T.H. Houston Lighting & Power Co. 95/09/14. Document Control Branch (Document Control Desk). 13pp. 85530:097-85530:266.
- 9509190195** "Thermo-Lag Assessment Rept for HL&P STP Electric Generating Station." Houston Lighting & Power Co. 95/09/14. 150pp. 85530:110-85530:266.
- 9509220073** Informs that HL&P does not use software identified in encl to NRC 950802 RAI. MANGAN, F.K. Houston Lighting & Power Co. 95/09/14. Document Control Branch (Document Control Desk). 2pp. 85564:338-85564:339.
- 9509200312** Forwards revised page 3 to SE issued w/amends 71 & 60 to licenses NPF-76 & NPF-80, respectively. Statements re testing of NDG & total required loading on NDG revised. ALEXION, T.W. 95/09/18. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 85561:271-85561:274.
- 9509210206** Revised page 3 of SE supporting amends 71 & 60 to licenses NPF-76 & NPF-80, respectively. 95/09/18. 1p. 85561:274-85561:274.
- 9509260167** Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND, J.G. Baker & Botts. 3pp. 85610:112-85610:296.
- 9509260174** Forwards proposed staff actions resulting from South Texas Project evaluation for review. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 93/06/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). MILHOAN, J.L. Region 4 (Post 820201). 6pp. 85610:125-85610:130.
- 9509260277** Forwards South Texas Project Unit 2 restart action plan, rev 0. BEACH, A.B., ADENSAM, E.G. Region 4 (Post 820201). 94/04/28. CALLAN, L.J. Region 4 (Post 820201). REYES, L.A. Associate Director for Projects (Post 870411). 16pp. 85610:225-85610:284.
- 9509260292** Discusses request, dtd 941108, for depositions of eleven current NRC senior official & employees. Request denied. CYR, D. Office of the General Counsel (Post 860701). 94/12/19. EGAN, J.R. Affiliation Not Assigned. 2pp. 85610:285-85610:286.
- 9509260083** Fifth partial response to FOIA request for document. Record in App H released in part. Records in appendices I & J withheld in their entirety (ref FOIA Exemptions 4 & 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/22. COPELAND, J.G. Baker & Botts. 7pp. 85592:075-85592:111.
- 9509260140** Senior mgt meeting held in June 1993 re STP. * NRC - No Detailed Affiliation Given. 93/06/30. 20pp. 85592:092-85592:111.
- 9509270228** Responds to 941219 & 950328 responses to RAI, concluding that info provided incomplete re GL 92-06. Requests transmission of followup RAI to licensee & that licensee submit revised response within 60 days. Followup RAI encl. CALVO, J.A. 95/09/25. BECKNER, W.D. 5pp. 85608:332-85608:341.

Q. Inspection reports, IE Bulletins & correspondence

- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330" re "mer Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870-11-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.
- 9509060073** FOIA request for documents re listed NRC insp conducted at South Texas Nuclear Project. LAWRENCE, J.W. Affiliation Not Assigned. 95/04/21. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85332:063-85332:065.
- 9509060079** Final response to FOIA request for documents. Records in App A encl & being placed in PDR. REED, C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. LAWRENCE, J. Affiliation Not Assigned. 3pp. 85332:066-85332:141.
- 9509060088** Computer printout of NRC Faciles & insp fee info sheets. * NRC - No Detailed Affiliation Given. 95/07/18. 74pp. 85332:068-85332:141.
- 9509060070** First partial response to FOIA request for documents. Records in App A available in PDR. Review of addl records continuing. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER, D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.
- 9509150156** Second partial response to FOIA request for documents. App C documents available in PDR. Records in App D encl & being made available in PDR. Printout of other documents available in PDR also encl. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND, J.G. Baker & Botts. 51pp. 85526:001-85526:360.
- 9404220093** Forwards SALP input for util operational readiness assessment team insp conducted 931206 - 940121. IMBRO, E.V. Special Inspection Branch. 94/04/15. BLACK, S.C. Project Directorate IV-2. 5pp. 85526:283-85526:292.
- 9509120089** Final response to FOIA request for documents. Records in App A & B available in PDR. Records in App C partially released. Records in App D withheld in their entirety (ref FOIA Exemptions 5 & 6). POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. GARTH, S.T. Affiliation Not Assigned. 7pp. 85427:005-85427:212.
- 9310080241** Forwards Demand for Info re actions taken by recipient that may be subj to deliberate misconduct rule 10CFR50.5 re violations of 10CFR50.7, "Employee Protection." Partially deleted. SNIJEZAK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/09/29. BALCOM, R. Affiliation Not Assigned. 2pp. 85427:081-85427:090.
- 9310080255** Demand for info to determine whether NRC should take enforcement action against individual for violations of 10CFR50.5. SNIJEZAK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/09/29. 8pp. 85427:083-85427:090.
- 9509120353** Submits review of HL&P 931115 response to NRC "Demand for info" re specific info concerning apparent violations of 10CFR50.7. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/12/30. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 85427:073-85427:080.
- 9509120377** Partially deleted "Response of RL Balcom to Demand for Info." BALCOM, R.L. Affiliation Not Assigned. 93/11/15. 68pp. 85427:092-85427:159.
- 9509120379** Partially deleted "Response of HL&P to Demand for Info dtd 930929." Houston Lighting & Power Co. 93/11/15. 49pp. 85427:160-85427:209.
- 9509120384** Submits review of 931115 response to 930929 demand for info concerning specific info re apparent violations of 10CFR50.7. Advises awaiting DOL ALJ decision re matter being considered, before resolving enforcement issue. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 93/12/30. Affiliation Not Assigned. 3pp. 85427:210-85427:212.
- 9508310196** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

158 DOCKETED ITEMS

- 9509140386** NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509260167** Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND, J.G. Baker & Botts. 3pp. 85610:112-85610:296.
- 9509260181** Discusses insp program credit for diagnostic evaluation at South Texas. HEHL, C.W. NRC - No Detailed Affiliation Given. 93/06/10. BEACH, A.B. Region 4 (Post 820201). 38pp. 85610:137-85610:176.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509280203** Forwards insp repts 50-498/95-20 & 50-499/95-20. No violations noted. DYER, J.E. Region 4 (Post 820201). 95/09/25. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 85613:308-85613:332.
- 9509280210** Insp repts 50-498/95-20 & 50-499/95-20 on 950717-0626. No violations noted. Major areas inspected, plant status, on-site followup of events, operational safety verification, maint & surveillance observations & plant support activities review. YANDELL, L.A. Region 4 (Post 820201). 95/09/25. 20pp. 85613:313-85613:332.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- R. Periodic operating reports & related correspondence**
- 9509050161** Forwards semiannual FFD program performance rept for Jan- June 1995, per 10CFR26.71(d). MCRAE, R.R. Houston Lighting & Power Co. 95/08/29. Document Control Branch (Document Control Desk). 5pp. 85345:342-85345:346.
- 9509200114** Monthly operating repts for Aug 1995 for STP Electric Generating Station W/950914 tr. BERGENDAHL, D.M., MYERS, L.W., MCBURNETT, M.A. Houston Lighting & Power Co. 95/08/31. 14pp. 85536:311-85536:324.
- S. Reportable occurrences, LERs & related correspondence**
- 9509070005** Forwards Rev 5 to LER 94-005 re inadvertent test-mode starts of SDGs attributed to electronic noise. Rev includes details from recent inadvertent test-mode start & corrective actions in progress to address root cause. MASSE, R.E. Houston Lighting & Power Co. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85373:088-85373:095.
- 9509070007** LER 94-005-05 on 940607, inadvertent test-mode starts of SDGs occurred due to electronic noise. Added ceramic capacitors & surge suppression diodes across Allen Bradley run relays. HEAD, S. Houston Lighting & Power Co. 95/07/19. 6pp. 85373:090-85373:095.
- 9509260167** Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND, J.G. Baker & Botts. 3pp. 85610:112-85610:296.
- 9404210021** Discusses AEOD 940404-07 visit to plant to gather info on cause of SDG inadvertent starts. Advises that tests show that existing start transistors from SDG control circuit fail to operate when environmental temp reaches over 100 F. LEE, E.J. Division of Safety Programs (Post 870413). 94/04/13. ROSENTHAL, J.E. Division of Safety Programs (Post 870413). 2pp. 85610:223-85610:224.
- T. Hearing transcripts on non-antitrust matters**
- 9509110014** Second partial response to FOIA request for documents. Forwards App C & portions of App D documents. App C record placed in PDR. Portions of App D documents withheld (ref FOIA Exemption 7). * Division of Freedom of Information & Publications Services (Post 940714). 95/08/10. SAPORITO, T. Saporito, T.J. 4pp. 85410:022-85411:189.
- 9509110019** Partially withheld transcript of investigative interview of FJ Rehkugler on 920715 in Bay City, TX. Pp 1-27. * Ofc of Investigations (Post 880201). 92/07/15. 28pp. 85410:030-85410:057.
- 9509110028** Partially withheld transcript of investigative interview of RW Cink on 920715 in Bay City, TX. Pp 1-81. * Ofc of Investigations (Post 880201). 92/07/15. 81pp. 85410:058-85410:138.
- 9509110030** Partially withheld transcript of 920716 interview of JW Odom in Bay City, TX. Pp 1-38. * Ofc of Investigations (Post 880201). 92/07/16. 38pp. 85410:139-85410:176.
- 9509110037** Partially withheld transcript of 920716 interview of MR Wisenburg in Bay City, TX. Pp 1-44. * NRC - No Detailed Affiliation Given. 92/07/16. 44pp. 85410:177-85410:220.
- 9509110041** Partially withheld transcript of 920616 investigative interview of WJ Jump in Bay City, TX. Pp 1-140. * Ofc of Investigations (Post 880201). 92/06/16. 140pp. 85410:221-85411:001.
- 9509110045** Partially withheld transcript of 920717 investigative interview of WH Kinsey in Bay City, TX. Pp 1-26. * NRC - No Detailed Affiliation Given. 92/07/17. 26pp. 85411:002-85411:029.
- 9509110050** Partially withheld investigative interview of 920727 of DP Sanchez in Bay City, TX. Pp 1-46. * Ofc of Investigations (Post 880201). 92/07/27. 46pp. 85411:030-85411:075.
- 9509110052** Partially withheld transcript of 920727 interview of RL Baicom in Bay City, TX. Pp 1-114. * NRC - No Detailed Affiliation Given. 92/07/27. 114pp. 85411:076-85411:189.
- 9509130013** Third final response to FOIA request for documents. Records in App E encl & being made available for PDR. App F withheld in part (ref FOIA exemption 7). * Division of Freedom of Information & Publications Services (Post 940714). 95/08/11. SAPORITO, T. Saporito, T.J. 4pp. 85437:001-85437:313.
- 9509130057** Partially deleted transcript of 920728 interview w/DP Hall in Bay City, TX. Pp 1-59. * NRC - No Detailed Affiliation Given. 92/07/28. 59pp. 85437:019-85437:077.
- 9509130065** Transcript of 920728 investigative interview of JW Hinson in Bay City, TX. Pp 1-171. * Ofc of Investigations (Post 880201). 92/07/28. 171pp. 85437:078-85437:248.
- 9509130058** Partially deleted transcript of 920728 interview of WG Isereau in Bay City, TX. Pp 1-57. * NRC - No Detailed Affiliation Given. 92/07/28. 57pp. 85437:249-85437:313.
- V. Operator Examinations**
- 9509120022** Advises that applications for operator licenses for GP LY & CA Brewer retracted. CARLIN, J.T. Houston Lighting & Power Co. 95/09/06. PELLET, J.L. 2pp. 85459:359-85459:360.
- 9509250099** Summary of 950907 meeting w/utilis in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl. GWYNN, T.P. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.
- DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3**
- A. Application/construction stage documents & correspondence**
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9206240122** NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barner Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSSI, C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.
- 9508310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD, D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors." COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes." CRUTCHFIELD, D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1**
- F. Security, medical, emergency & fire protection plans**
- 9509270150** Forwards public version of Rev 9 to EPIP-33, "Offset Assistance." KRAINIK, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/16. Document Control Branch (Document Control Desk). 4pp. 85612:317-85612:329.

-9509270168 Public version of Rev 9 to EPIP-33, "Offsite Assistance."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/20. 10pp. 85612:320-85612:329.

9509060197 Comment opposing review of revised NRC SALP.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312:003-85312:011.

9509190059 Submits notification of security computer replacement project, per telcons & agreement between LK Houghtby, TW Dexter & AB Earnest.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85531:340-85531:341.

9509200176 Informs that licensee responses to requests for add info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. BATEMAN,W.H. 4pp. 85542:357-85542:361.

I. Financial Information

9509010176 Forwards 1994 Annual Financial Repts for participants who jointly own PVNGS.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85441:001-85442:192.

-9509010179 "Arizona Public Svc Co 1994 Annual Rept."
SNELL,R., DEMICHELE,O.M., POST,W.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 32pp. 85441:003-85441:037.

-9509010187 "Pinnacle West Capitol Corp 1994 Annual Rept."
SNELL,R. Pinnacle West Capital Corp. 94/12/31. 103pp. 85441:038-85441:140.

-9509010190 "El Paso Annual Rept for 1994."
WIGGS,D.H. El Paso Electric Co. 94/12/31. 177pp. 85441:141-85441:317.

-9509010195 "Public Svc Co Of NM 1994 Annual Rept."
ACKERMAN,J.T., MONTOYA,B.F. Public Service Co. of New Mexico. 94/12/31. 178pp. 85441:318-85442:131.

-9509010198 "Los Angeles Dept of Water & Power Annual Rept 1993-1994."
TITO,D.A. Los Angeles Dept. of Water & Power. 94/12/31. 61pp. 85442:132-85442:192.

K. Utility Final Safety Analysis Report (FSAR) & amends

9509260132 Informs NRC of intention of delaying next rev of updated FSAR & submitting future revs on 18 month periodicity.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/17. Document Control Branch (Document Control Desk). 1p. 85625:026-85625:026.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents.App C documents available in PDR,Records in App D encl & being made available in PDR,Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509060322 Forwards amends 98.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively & safety evaluation.Amends clarify shutdown definition,change shutdown margin applicability & surveillance requirements.
THOMAS,C.R. 95/09/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85385:187-85385:267.

-9509080324 Amends 98.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively,clarifying shutdown margin definition,changing shutdown margin applicability & surveillance requirements to comply w/safety analysis assumptions.
THOMAS,C.R. 95/09/01. 71pp. 85385:191-85385:262.

-9509060327 Safety evaluation supporting amends 98.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/01. 5pp. 85385:263-85385:267.

9509140191 Forwards Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively,revising surveillance requirements & bases section of TS 4.7.1.6 to increase min nitrogen accumulator pressure for atmospheric dump valves.
THOMAS,C.R. 95/09/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85476:267-85476:295.

-9509140196 Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively,revising surveillance requirements & bases section of TS 4.7.1.6 to increase min nitrogen accumulator pressure for atmospheric dump valves.
THOMAS,C.R. 95/09/06. 21pp. 85476:271-85476:292.

-9509140199 Safety evaluation supporting Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/06. 3pp. 85476:293-85476:295.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509120257 Notification of 950920 meeting w/util in Rockville,MD to discuss plant SG tube eddy current results & cycle length.
HOLIAN,B.E. 95/09/08. BATEMAN,W.H. 5pp. 85411:344-85411:348.

9509250248 Application for amends to licenses NPF-41,NPF-51 & NPF-74, providing mutually agreed upon mods to proposed amends.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. Document Control Branch (Document Control Desk). 10pp. 85580:109-85580:110.

-9509250249 Proposed tech specs,providing mutually agreed upon mods to proposed amend to TS 3/4.8.1.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. 55pp. 85580:056-85580:110.

9509260060 Informs that util intends to store various QA records in electronic form on computer document mgt sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. Document Control Branch (Document Control Desk). 6pp. 85592:209-85592:214.

9509250364 Summary of 950628 meeting w/util to discuss power uprate issues.Meeting attendees & viewgraphs distributed at meeting encl.
HOLIAN,B.E. 95/09/14. 21pp. 85578:263-85578:283.

9509200176 Informs that licensee responses to requests for add info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. BATEMAN,W.H. 4pp. 85542:357-85542:361.

9509250314 Forwards amends 100.86 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amends change note 5 to Table 4.3-1 of TS 3/4.3.1 to allow verification of shape-annealing matrix elements used in core protection calculators.
HOLIAN,B.E. 95/09/20. STEWART,W.L. Alabama Public Service Co. 2pp. 85577:335-85577:356.

-9509250318 Amends 100.86 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing Note 5 to Table 4.3-1 of TS 3/4.3.1 to allow verification of shape-annealing matrix elements used in core protection calculators.
HOLIAN,B.E. 95/09/20. 15pp. 85577:337-85577:353.

-9509250326 Safety evaluation supporting amends 100.86 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/20. 3pp. 85577:354-85577:356.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509010150 Forwards "Palo Verde Nuclear Generating Station Unit 1 ISI Rept for Fifth Refueling Outage."
KRAINIK,K.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/23. Document Control Branch (Document Control Desk). 2pp. 85310:212-85310:267.

-9509010152 "Palo Verde Nuclear Generating Station Unit 1 ISI Rept Fifth Refueling Outage."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/17. 56pp. 85310:214-85310:267.

9509050144 Forwards response to NRC 950727 ltr re violation noted in insp rept 50-528/95-12 on950521-0701.Corrective actions:lead test performer counseled & methodology used to perform surveillance test evaluated.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/25. Document Control Branch (Document Control Desk). 6pp. 85349:172-85349:177.

9509010061 Forwards insp repts 50-528/95-14,50-529/95-14 & 50-530/95-14 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/08/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 85313:247-85313:274.

-9509010064 Notice of violation from insp on 950702-0813.Violation noted:rigging equipment selected to lift loaded spent resin container did not have capacity that exceeded weight of load to be lifted.
* Region 4 (Post 820201). 95/08/28. 2pp. 85313:252-85313:253.

-9509010070 Insp repts 50-528/95-14,50-529/95-14 & 50-530/95-14 950702-0813.Violations noted:Major areas inspected:onsite response to plant events,operational safety,man & surveillance activities & onsite engineering.
* Region 4 (Post 820201). 95/08/24. 20pp. 85313:254-85313:274.

9509060197 Comment opposing review of revised NRC SALP.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312:003-85312:011.

9508310196 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509210243 Forwards insp repts 50-528/95-17,50-529/95-17 & 50-530/95-17 on 950828-0901.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/18. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85545:038-85545:049.

-9509210253 Insp repts 50-528/95-17,50-529/95-17 & 50-530/95-17 on 950828-0901.No violations noted:Major areas inspected: licensee programs for solid radwaste mgt & transportation of radioactive matl,including audits & appraisals & changes.
MURRAY,B. Region 4 (Post 820201). 95/09/15. 6pp. 85545:042-85545:049.

160 DOCKETED ITEMS

9509130018 NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 6pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060176 Forwards FFD program semiannual performance rept for Jan-June 1995.
KRAJNIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/30. Document Control Branch (Document Control Desk). 9pp. 85367:161-85367:169.

9509190226 Monthly operating reports for Aug 1995 for Palo Verde Nuclear Generating Station W/950913 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. 16pp. 85530:323-85530:338.

S. Reportable occurrences, LERs & related correspondence

9509050102 Forwards LER 95-002-01, providing addl info on cause, corrective actions & safety significance of temp dependent shutdown margin used in Mode 3 steam line break analysis reported in original submittal.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/25. Document Control Branch (Document Control Desk). 1p. 85371:315-85371:322.

-**9509050111** LER 95-002-01 on 950303, identified that SLB analyses failed to consider as initial condition one percent SDM for all rods in (ARI) due to lack of coordination & unclear div of responsibilities. ARI core data book SDM curves modified.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/25. 7pp. 85371:316-85371:322.

9508050127 LER 95-003-00 on 950729, switchyard voltage dropped below administratively imposed limit of 524 kV for approx 10 seconds due to transient grid voltage. No C/A taken since transmission sys transient short duration. W/950827 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/27. 6pp. 85371:309-85371:314.

9509050147 LER 95-009-00 on 950727, TS 3.0.3 entered following loss of both trains for LPSI inoperable EDG-B contributed to event. Investigation being conducted. No C/A to prevent recurrence identified. W/950827 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/27. 6pp. 85371:299-85371:304.

9509120065 Forwards suppl LER 95-005 reporting six electrical penetration circuits.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/04. Document Control Branch (Document Control Desk). 1p. 85435:138-85435:146.

-**9509120076** LER 95-004-01 on 950329, containment electrical penetration overcurrent protective devices found outside design E.L.s. Caused by error on part of original architect engineer. Modified affected circuits critical to normal operation.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/04. 6pp. 85435:139-85435:146.

9509260106 LER 95-010-00 on 950727, equipment qualification of air handling unit caused essential CW pump to be inoperable. Used work orders to drill weep holes in motor lead connection boxes. W/950921 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/21. 8pp.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utila in Arlington, TX re pilot exam development program. Attendance list, meeting agenda & handouts, encl.
GWYNN,T.P. Region 4 (Post 829201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9509270159 Forwards public version of Rev 9 to EPIP-33, "Offset Assistance."
KRAJNIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/18. Document Control Branch (Document Control Desk). 4pp. 85612:317-85612:329.

-**9509270168** Public version of Rev 9 to EPIP-33, "Offset Assistance."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/20. 10pp. 85612:320-85612:329.

9509060197 Comment opposing review of revised NRC SALP.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312:003-85312:011.

9509190059 Submits notification of security computer replacement project, per telcons & agreement between LK Houghtby, TW Dexter & AB Earnest.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85531:340-85531:341.

9509200176 Informs that licensee responses to requests for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. BATEMAN,W.H. 4pp. 85542:357-85542:361.

I. Financial Information

9509010176 Forwards 1994 Annual Financial Rept. for participants who jointly own PVNGS.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85441:001-85441:002.

-**9509010179** "Arizona Public Svc Co 1994 Annual Rept."
SNELL,R., DEMICHELE,O.M., POST,W.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 32pp. 85441:003-85441:037.

-**9509010187** "Pinnacle West Capital Corp 1994 Annual Rept."
SNELL,R. Pinnacle West Capital Corp. 94/12/31. 103pp. 85441:038-85441:140.

-**9509010190** "El Paso Annual Rept for 1994."
WIGGS,D.H. El Paso Electric Co. 94/12/31. 177pp. 85441:141-85441:317.

-**9509010195** "Public Svc Co Of NM 1994 Annual Rept."
ACKERMAN,J.T., MONTOYA,B.F. Public Service Co. of New Mexico. 94/12/31. 178pp. 85441:318-85441:331.

-**9509010196** "Los Angeles Dept of Water & Power Annual Rept 1993-1994."
TITO,D.A. Los Angeles Dept. of Water & Power. 94/12/31. 61pp. 85442:132-85442:192.

K. Utility Final Safety Analysis Report (FSAR) & amendments

9509260132 Informs NRC of intention of delaying next rev of updated FSAR & submitting future revs on 18 month periodicity.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/17. Document Control Branch (Document Control Desk). 1p. 85625:026-85625:026.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents. App C documents available in PDR Records in App D encl & being made available in PDR Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

-**9409260106** Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509080322 Forwards amends 96.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively & safety evaluation. Amends clarify shutdown definition, change shutdown margin applicability & surveillance requirements.
THOMAS,C.R. 95/09/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85385:187-85385:267.

-**9509080324** Amends 96.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively, clarifying shutdown margin definition, changing shutdown margin applicability & surveillance requirements to comply w/safety analysis assumptions.
THOMAS,C.R. 95/09/01. 71pp. 85385:191-85385:262.

-**9509080327** Safety evaluation supporting amends 96.86 & 69 to licenses NPF-41,NPF-51 & NPF-69, respectively.
* 95/09/01. 5pp. 85385:263-85385:267.

9509140191 Forwards Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively, revising surveillance requirements & bases section of TS 4.7.1.6 to increase min nitrogen accumulator pressure for atmospheric dump valves.
THOMAS,C.R. 95/09/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85476:267-85476:295.

-**9509140196** Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively, revising surveillance requirements & bases section of TS 4.7.1.6 to increase min nitrogen accumulator pressure for atmospheric dump valves.
THOMAS,C.R. 95/09/06. 21pp. 85476:271-85476:292.

-**9509140199** Safety evaluation supporting Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/06. 3pp. 85476:293-85476:295.

9509120071 Forwards "PVNGS Unit 2 SG Evaluation." Rept discusses ECT exams results along w/methodologies used to develop Unit 2 run time analysis.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85458:001-85458:215.

-**9509120077** "PVNGS Unit 2 SG Evaluation."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. 212pp. 85458:004-85458:215.

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

9509120257 Notification of 950920 meeting w/util in Rockville,MD to discuss plant SG tube eddy current results & cycle length.
HOLIAN,B.E. 95/09/08. BATEMAN,W.H. 5pp. 85411:344-85411:348.

9509250248 Application for amends to licenses NPF-41,NPF-51 & NPF-74, providing mutually agreed upon mods to proposed amends.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. Document Control Branch (Document Control Desk). 10pp. 85580:049-85580:110.

-9509250249 Proposed tech specs,providing mutually agreed upon mods to proposed amend to TS 3/4.8.1.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. 5pp. 85580:056-85580:110.

9509260060 Informs that util intends to store various QA records in electronic form on computer document mgmt sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. Document Control Branch (Document Control Desk). 6pp. 85592:209-85592:214.

9509250364 Summary of 950628 meeting w/util to discuss power uprate issues.Meeting attendees & viewgraphs distributed at meeting encl.
HOLIAN,B.E. 95/09/14. 21pp. 85578:263-85578:283.

9509200176 Informs that licensee responses to requests for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. BATEMAN,W.H. 4pp. 85542:357-85542:361.

9509250314 Forwards amends 100.88 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amends change note 5 to Table 4.3-1 of TS 3/4.3.1 to allow verification of shape-annealing matrix elements used in core protection calculators.
HOLIAN,B.E. 95/09/20. STEWART,W.L. Alabama Public Service Co. 2pp. 85577:335-85577:356.

-9509250318 Amends 100.88 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing Note 5 to Table 4.3-1 of TS 3/4.3.1 to allow verification of shape-annealing matrix elements used in core protection calculators.
HOLIAN,B. 95/09/20. 15pp. 85577:337-85577:353.

-9509250326 Safety evaluation supporting amends 100.88 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/20. 3pp. 85577:354-85577:356.

Q. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627:337-85627:342.

9509010061 Forwards insp repts 50-528/95-14,50-529/95-14 & 50-530/95-14 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/06/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 85313:247-85313:274.

-9509010070 Insp repts 50-528/95-14,50-529/95-14 & 50-530/95-14 on 950702-0813 Violations noted.Major areas inspected:onsite response to plant events,operational safety,maint & surveillance activities & onsite engineering.
HUEY,F.R. Region 4 (Post 820201). 95/06/24. 20pp. 85313:254-85313:274.

9509060187 Comment opposing review of revised NRC SALP.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312:003-85312:011.

9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050008 NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509210243 Forwards insp repts 50-528/95-17,50-529/95-17 & 50-530/95-17 on 950828-0901.No violations noted.
SCARANCO,R.A. Region 4 (Post 820201). 95/09/18. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85545:038-85545:049.

-9509210253 Insp repts 50-528/95-17,50-529/95-17 & 50-530/95-17 on 950828-0901.No violations noted.Major areas inspected:licensee programs for solid radwaste mgmt & transportation of radioactive matl,including audits & appraisals & changes.
MURRAY,B. Region 4 (Post 820201). 95/09/15. 8pp. 85545:042-85545:049.

9509130018 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220300 NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/26. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060178 Forwards FFD program semiannual performance rept for Jan-June 1995.
KRAJNIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. Document Control Branch (Document Control Desk). 9pp. 85367:161-85367:169.

9509130225 Monthly operating repts for Aug 1995 for Palo Verde Nuclear Generating Station W/950913 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/31. 16pp. 85530:323-85530:338.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/util in Arlington,TX re pilot exam development program.Attendance list,meeting agenda & handouts,encl.
GWYNN,T.F. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9509270159 Forwards public version of Rev 9 to EPIP-33, "Offset Assistance."
KRAJNIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/18. Document Control Branch (Document Control Desk). 4pp. 85612:317-85612:329.

-9509270168 Public version of Rev 9 to EPIP-33, "Offsite Assistance."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/20. 10pp. 85612:320-85612:329.

9509060187 Comment opposing review of revised NRC SALP.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312:003-85312:011.

9509190059 Submits notification of security computer replacement project,per telcons & agreement between LK Houghtby, TW Dexter & AB Earnest.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85531:340-85531:341.

9509200176 Informs that licensee responses to requests for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. BATEMAN,W.H. 4pp. 85542:357-85542:361.

I. Financial information

9509010176 Forwards 1994 Annual Financial Repts for participants who jointly own PVNGS.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 2pp. 85441:001-85441:012.

-9509010179 "Arizona Public Svc Co 1994 Annual Rept."
SNELL,R., DEMICHELE,O.M., POST,W.J. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 32pp. 85441:003-85441:037.

-9509010187 "Pinnacle West Capitol Corp 1994 Annual Rept."
SNELL,R. Pinnacle West Capital Corp. 94/12/31. 103pp. 85441:038-85441:140.

-9509010190 "El Paso Annual Rept for 1994."
WIGGS,D.H. El Paso Electric Co. 94/12/31. 177pp. 85441:141-85441:317.

-9509010195 "Public Svc Co Of NM 1994 Annual Rept."
ACKERMAN,J.T., MONTOYA,B.F. Public Service Co. of New Mexico. 94/12/31. 178pp. 85441:318-85441:311.

-9509010198 "Los Angeles Dept of Water & Power Annual Rept 1993-1994."
TITO,D.A. Los Angeles Dept. of Water & Power. 94/12/31. 61pp. 85442:132-85442:192.

K. Utility Final Safety Analysis Report (FSAR) & amends

9509260132 Informs NRC of intention of delaying next rev of updated FSAR & submitting future revs on 18 month periodicity.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/17. Document Control Branch (Document Control Desk). 1p. 85625:026-85625:026.

P. Operating license stage documents & correspondence

9509150156 Second partial response to FOIA request for documents.App C documents available in PDR.Records in App D encl & being made available in PDR.Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.

162 DOCKETED ITEMS

-9409260106 Responds to request that SPSE perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/03/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.

9509080322 Forwards amends 98.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively,safety evaluation.Amendments clarify shutdown definition,change shutdown margin applicability & surveillance requirements.
THOMAS,C.R. 95/09/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85385:187-85385:267.

-9509080324 Amends 98.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively,clarifying shutdown margin definition,changing shutdown margin applicability & surveillance requirements to comply w/safety analysis assumptions.
THOMAS,C.R. 95/09/01. 71pp. 85385:191-85385:262.

-9509080327 Safety evaluation supporting amends 98.86 & 69 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/01. 5pp. 85385:263-85385:267.

9509140191 Forwards Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively,revising surveillance requirements & bases section of TS 4.7.1.6 to increase min nitrogen accumulator pressure for atmospheric dump valves.
THOMAS,C.R. 95/09/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85476:267-85476:295.

-9509140196 Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively,revising surveillance requirements & bases section of TS 4.7.1.6 to increase min nitrogen accumulator pressure for atmospheric dump valves.
THOMAS,C.R. 95/09/06. 21pp. 85476:271-85476:292.

-9509140199 Safety evaluation supporting Amends 99.87 & 70 to Licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/06. 3pp. 85476:293-85476:295.

9509310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:016-85423:049.

9509120257 Notification of 950920 meeting w/util in Rockville,MD to discuss plant SG tube eddy current results & cycle length.
HOLIAN,B.E. 95/09/08. BATEMAN,W.H. 5pp. 85411:344-85411:348.

9509250248 Application for amends to licenses NPF-41,NPF-51 & NPF-74, providing mutually agreed upon mods to proposed amends.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. Document Control Branch (Document Control Desk). 10pp. 85580:049-85580:110.

-9509250249 Proposed tech specs,providing mutually agreed upon mods to proposed amend to TS 3/4.6.1.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. 55pp. 85580:056-85580:110.

9509260060 Informs that util intends to store various QA records in electronic form on computer document mgmt sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/10. Document Control Branch (Document Control Desk). 6pp. 85592:209-85592:214.

9509250364 Summary of 950628 meeting w/util to discuss power uprate issues.Meeting attendees & viewgraphs distributed at meeting encl.
HOLIAN,B.E. 95/09/14. 21pp. 85578:263-85578:283.

9509200176 Informs that licensee responses to requests for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CALVO,J.A. 95/09/15. BATEMAN,W.H. 4pp. 85542:357-85542:361.

9509250314 Forwards amends 100.88 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amendments change note 5 to Table 4.3-1 of TS 3/4.3.1 to allow verification of shape-annealing matrix elements used in core protection calculators.
HOLIAN,B.E. 95/09/20. STEWART,W.L. Alabama Public Service Co. 2pp. 85577:335-85577:356.

-9509250318 Amends 100.88 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing Note 5 to Table 4.3-1 of TS 3/4.3.1 to allow verification of shape-annealing matrix elements used in core protection calculators.
HOLIAN,B.E. 95/09/20. 15pp. 85577:337-85577:353.

-9509250326 Safety evaluation supporting amends 100.88 & 71 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* 95/09/20. 3pp. 85577:354-85577:356.

G. Inspection reports, IE Bulletins & correspondence

9206240122 NRC Bulletin 92-01. "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage."
ROSSI,C.E. Division of Operational Events Assessment (870411-921003). 92/06/24. Consolidated Edison Co. of New York, Inc. 6pp. 85627:337-85627:342.

9509010061 Forwards insp repts 50-526/95-14,50-529/95-14 & 50-530/95-14 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/08/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 85313:247-85313:274.

-9509010064 Notice of violation from insp on 950702-0813.Violation noted:rigging equipment selected to lift loaded spent resin container did not have capacity that exceeded weight of load to be lifted.
* Region 4 (Post 820201). 95/08/28. 2pp. 85313:252-85313:253.

-9509010070 Insp repts 50-526/95-14,50-529/95-14 & 50-530/95-14 on 950702-0813. Violations noted.Major areas inspected:onsite response to plant events,operational safety,permit & surveillance activities & onsite engineering.
HUEY,F.R. Region 4 (Post 820201). 95/08/24. 20pp. 85313:254-85313:274.

9509060197 Comment opposing review of revised NRC SALP.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312:003-85312:011.

9508310198 NRC Info Notice 95-037. "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.

9509050009 NRC Info Notice 95-038. "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423:050-85423:060.

9509210243 Forwards insp repts 50-528/95-17,50-529/95-17 & 50-530/95-17 on 950828-0901.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/18. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85545:038-85545:049.

-9509210253 Insp repts 50-528/95-17,50-529/95-17 & 50-530/95-17 on 950828-0901.No violations noted.Major areas inspected:licensee programs for solid radwaste mgmt & transportation of radioactive matl,including audits & appraisals & changes.
MURRAY,B. Region 4 (Post 820201). 95/09/15. 8pp. 85545:042-85545:049.

9509130018 NRC Info Notice 95-039. "Brachytherapy Incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.

9509140386 NRC Info Notice 95-040. "Supplemental Info to Generic Ltr 95-03. "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509180341 NRC Info Notice 95-041. "Degradation of Ventilation Sys Charcoal Resulting from Chemical Clearing of SGs."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.

9509200232 NRC Info Notice 95-042. "Commission Decision on Resolution of Generic Issue 23. "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.

9509220270 NRC Info Notice 95-043. "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.

R. Periodic operating reports & related correspondence

9509060176 Forwards FFD program semiannual performance rept for Jan-June 1995.
KRAJINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/30. Document Control Branch (Document Control Desk). 9pp. 85367:161-85367:169.

9509190226 Monthly operating repts for Aug 1995 for Palo Verde Nuclear Generating Station W/950913 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/31. 16pp. 85530:323-85530:338.

V. Operator Examinations

9509250099 Summary of 950907 meeting w/utilis in Arlington,TX re pilot exam development program.Attendance list,meeting agenda & handouts.encl.
GWYNN,T.F. Region 4 (Post 820201). 95/09/15. Region 4 (Post 820201). 87pp. 85558:039-85558:126.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9508310033 Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities.
CRUTCHFIELD,D. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.

DOCKET 50-668 WESTINGHOUSE ADVANCED PWR STANDARD DESIGN (WAPWR)

P. Operating license stage documents & correspondence

9509110238 Informs that staff completed review of Westinghouse TR, WCAP-13632 Rev 2. "Elimination of Pressure Response Time Testing Requirements," dtd Aug 1995.Forwards staff SE.
SIEGEL,B.L. 95/09/08. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85385:321-85385:345.

-9509070066 Discusses results of review of Westinghouse Topical Rep' WCAP-13632 Rev 2. "Elimination of Pressure Sensor Response Time Testing Requirements," dtd Aug 1995.Rept discusses Westinghouse Owners Group Program MUHP-3040 Rev 1.
BOGER,B.A. 95/09/05. NEWTON,R.A. Wisconsin Electric Power Co. 22pp. 85385:324-85385:345.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

- 9509190079** Forwards missing pp 103-117 from attachment B of 950901 ltr from SR Specker on behalf of GE Nuclear Energy re response to "Proposed RM for Std Design Certification of US Advanced BWR Design."
FRANTZ,S.P. Morgan, Lewis & Bockius. 95/09/15. Docketing & Services Branch. 19pp. 85503:273-85503:288.
- 9509120073** Comment supporting PR 52 60FR17902 re "Standard Design Certification for US Advanced BWR Design."
ROBERTS,J. Entergy Operations, Inc. 95/08/31. Docketing & Services Branch. 2pp. 85382:002-85382:003.
- 9509120099** Forwards analysis of OCRE 950812 supplemental comments on design of ABWR notice of final rule & statement of considerations, in order to ensure that NRC has complete technical info on subj.
SPECKER,S.R. General Electric Co. 95/09/01. Docketing & Services Branch. 200pp. 85382:011-85382:154.
- 9509120085** Forwards response to OCRE 950812 comment on design features of GE ABWR. Disagrees w/any suggestion that NRC extend favorable consideration of comment to Sys 80+ std plant design.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/05. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 85382:007-85382:010.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

- 9509140107** Forwards correction to comment 20 re proposed design certification rules for standardized advanced reactors. Last line of text may have been lost due to word processing error.
WALLACE,M.J. Commonwealth Edison Co. 95/08/23. Docketing & Services Branch. 2pp. 85428:176-85428:180.
- 9509140113** Corrected comment on proposed rule 10CFR52 re proposed design certification rules for standardized advanced reactors. Supports NEI comments.
WALLACE,M.J. Commonwealth Edison Co. 95/08/10. Docketing & Services Branch. 3pp. 85428:178-85428:180.
- 9509140124** Forwards correction to comment 19 re proposed design certification rules for standardized advanced reactors. Last line on first page may have been lost due to word processing error.
WALLACE,M.J. Commonwealth Edison Co. 95/08/23. Docketing & Services Branch. 2pp. 85428:181-85428:185.
- 9509140127** Correction to comment on proposed rule 10CFR52 re proposed design certification rules for standardized advanced reactors. Supports NEI comments.
WALLACE,M.J. Commonwealth Edison Co. 95/08/10. Docketing & Services Branch. 3pp. 85428:183-85428:185.
- 9509120153** Forwards ABB-CE proposed statement of considerations to accompany ABB-CE proposed rule, presented in form of complete rulemaking package.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/05. HOYLE,J.C. Office of the Secretary of the Commission. 123pp. 85382:249-85383:011.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

- 9509250344** Requests addl info re June 1992 application for design certification of AP600 & advises portions of info submitted will be withheld from public disclosure, per 10CFR2.790, pending staff final determination.
COYNE,K. 95/07/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85578:217-85578:219.
- 950910334** Forwards summary of paper, "NRC Confirmatory AP600 Safety Sys Phase I Testing in ROSA/AP600 Test Facility," to be presented at 1995 water reactor safety info meeting.
RHEE,G.S. 95/08/02. MONTELEONE,S. Brookhaven National Laboratory. 1p. 85312:348-85312:351.
- 950910339** "NRC Confirmatory AP600 Safety Sys Phase I Testing in ROSA/AP600 Test Facility."
RHEE,G.S., KUKITA,Y., SCHULTZ,R. 95/08/02. 3pp. 85312:349-85312:351.
- 9509250379** Forwards NRC staff comments on several areas evaluated in AP600 PRA & RAI re structural evaluation in support of conditional containment failure probability assessment.
FRANOVICH,M.X. 95/08/04. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 85578:128-85578:156.
- 9509250381** Forwards info prepared by HS Blackman discussing manner in which Westinghouse quantified Level 2 human actions in AP600 PRA. Recommends that sensitivity calculations be performed to assess importance of Westinghouse assumptions.
REMPE,J.L. Idaho National Engineering Laboratory. 95/06/07. PALLAR, R. - No Detailed Affiliation Given. 23pp. 85578:134-85578:156.
- 9509050197** Provides rev to analyses of multiple SG tube rupture events for AP600 design. Rev incorporates changes & sensitivities discussed w/NRC during meeting on 950425.
LIPARULO,N.J. Westinghouse Electric Corp. 95/08/22. QUAY,T.R. Document Control Branch (Document Control Desk). 138pp. 85349:001-85349:138.
- 9509060305** Summary of 950410-11 meeting w/W re containment & hydrogen issues on AP600. List of attendees encl.
KENYON,T.J. 95/08/29. 11pp. 85314:246-85314:256.
- 9509070017** Summary of 950214-15 meeting w/Westinghouse re leak-before-break for AP600 design. List of attendees & presentation mats encl.
KENYON,T.J. 95/08/29. 90pp. 85325:180-85325:270.
- 9509050020** Requests addl info on Licensing Topical Rept WCAP-1416-P, "W SF Rack Criticality Analysis Methodology."
KOPP,L. 95/08/30. NEWTON,R.A. Westinghouse Electric Corp. 3pp. 85314:131-85314:133.

- 9509070015** Summary of 950817 meeting w/Westinghouse in Rockville, MD re external reactor vessel cooling for Westinghouse AP600 design.
FRANOVICH,M.X. 95/08/30. 22pp. 85325:271-85325:292.
- 9509070095** Forwards disk containing WordPerfect files for Rev 4 of AP600 SSAR & listing of files included on disk, in response to NRC request to assist in ongoing review of AP600 W/o disk.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/08/30. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 85373:356-85373:358.
- 9509050349** Summary of 950427 meeting w/W to discuss issues re in-vessel retention capability of AP600 following severe accident. Forwards list of attendees & status of follow-on questions discussed at meeting.
KENYON,T.J. 95/08/31. 10pp. 85314:108-85314:117.
- 9509060127** Forwards discussion of design considerations for ADS & IRWST. Document prepared in response to NRC request & intended to assist review currently underway by Containment & Severe Accident Branch.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/08/31. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. 85367:322-85367:327.
- 9509060132** Forwards tables developed to assist ongoing review of AP600 passive containment cooling sys design basis analyses (DBA). Tables outline PCS DBA methodology & have been revised to reflect items discussed in recent meetings w/NRC.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/08/31. QUAY,T.R. Document Control Branch (Document Control Desk). 27pp. 85332:273-85332:312.
- 9509060367** Summary of 950222-23 meeting w/W re design of plant sys in AP600 design. List of attendees encl.
KENYON,T.J. 95/09/01. 33pp. 85314:309-85314:341.
- 9509070047** Notification of 950912-14 meeting w/Westinghouse in Monroeville, PA to perform detailed review of how numerous MAAP4 probabilistic risk assessment event trees analyses into four bounding cases for AP600 thermal-hydraulic studies.
HUFFMAN,W.C. 95/09/01. QUAY,T.R. 3pp. 85373:275-85373:277.
- 9509110123** Forwards proprietary "WCOBRA/TRAC OSU Long-Term Cooling Preliminary Validation Rept." Encl withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/01. Document Control Branch (Document Control Desk). 4pp. 85449:270-85449:280.
- 9509110129** Requests that "WCOBRA/TRAC OSU Long-Term Cooling Preliminary Validation Rept." be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/01. Document Control Branch (Document Control Desk). 7pp. 85449:274-85449:280.
- 9509080030** Discusses status of AP600 DSER open items re element 4 of HFEPRI.
HUFFMAN,W.C. 95/09/05. LIPARULO,N.J. Westinghouse Electric Corp. 10pp. 85398:347-85398:356.
- 9509120083** Forwards listed mail re AP600 containment vessel as requested during meeting w/NRC & NRC consultants at CBI ofcs on 950830 & 31.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/06. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. 85435:191-85435:196.
- 9509110295** Forwards staff comments on AP600 PRA. Requests response to questions & comments within 60 days of receipt of ltr.
FRANOVICH,M.X. 95/09/07. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 85385:346-85385:350.
- 9509140219** Appreciates opportunity to review NUREG/CR-6166, "Valve Reliability for Passive Advanced LWRs," for mail proprietary to Westinghouse. Table 5.7 columns labeled environ & key open/close requirements considered proprietary.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/08. JACKSON,D.T. Document Control Branch (Document Control Desk). 2pp. 85476:335-85476:336.
- 9509140331** Summary of 950824 meeting w/W in Rockville, MD to discuss util pilot certified design mail for AP600 design. DOE & NEI also in attendance.
BOYCE,T.H. 95/09/11. 28pp. 85472:206-85472:233.
- 9509140337** Summary of 950817 meeting w/util to discuss AP600 open item tracking sys & other topics. Agenda & list of attendees encl.
JACKSON,D.T. 95/09/11. 6pp. 85505:141-85505:146.
- 9509140143** Forwards proprietary "Addendum to NOTRUMP Preliminary Validation Rept for SPES-2 Tests." Proprietary addendum withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/09/12. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85491:029-85491:039.
- 9509140150** Requests that proprietary "Addendum to NOTRUMP Preliminary Validation Rept for SPES-2 Tests" be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/12. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 85491:033-85491:039.
- 9509140163** Forwards proprietary "Addendum to NOTRUMP Preliminary Validation Rept for OSU Tests." Proprietary addendum withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/12. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85491:017-85491:028.
- 9509140167** Requests that proprietary "Addendum to NOTRUMP Preliminary Validation Rept for OSU Tests" be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/12. QUAY,T.R. Document Control Branch (Document Control Desk). 8pp. 85491:021-85491:028.
- 9509190272** Forwards nonproprietary & proprietary version of listed info documenting aspects of AP600 leak-before-break analysis program. Proprietary version of listed info withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/12. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85537:182-85537:233.
- 9509190274** Requests that proprietary AP600 design certification program leak-before-break info be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/12. QUAY,T.R. Document Control Branch (Document Control Desk). 49pp. 85537:186-85537:233.

164 DOCKETED ITEMS

- 9509190314** Informs that rev pages & instructions to WCAP-14309, "AP600 Design Certification Program, SPES-2 Tests Final Data Rept" will be withheld from public disclosure (ref 10CFR2.790).
MAGRUDER,S.L. 95/09/12. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85524:164-85524:166.
- 9509200016** Informs that licensee has reviewed proprietary matl & review indicates that identified matls contain no info that licensee considers proprietary.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/13. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 85543:356-85543:356.
- 9509200201** Requests approval of use of ASME B&PV Code Case N-284, Rev 1 for const of components in nuclear power facility.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85554:196-85554:196.
- 9509140233** Informs that Westinghouse estimates determining & reaching agreement on task details & logic can be completed by mid to late Oct,1995. Associated schedule can be completed month later.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/14. RUSSELL,W.T. NRC - No Detailed Affiliation Given. 1p. 85476:334-85476:334.
- 9509200310** Advises that info re AP600 reactor vessel insulation design to permit external reactor vessel cooling during severe accident will be withheld from public disclosure (ref 10CFR2.790).
FRANOVICH,M.X. 95/09/14. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85525:351-85525:353.
- 9509210090** Advises that info designated proprietary in WCAP-14425 in accordance w/ requirements of 10CFR2.790 will not be withheld from public disclosure, per 950713 request.
MAGRUDER,S.L. 95/09/14. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85562:334-85562:336.
- 9509190264** Forwards WCAP-14253, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept."
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/15. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 85528:001-85530:096.
- 9509190267** "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept."
* Westinghouse Electric Corp. WCAP-14253. 95/05/31. 822pp. 85528:003-85530:096.
- 9509200300** Discusses rationale for use of SATAN computer code for AP600.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/15. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 85554:294-85554:295.
- 9509200332** Forwards proprietary "as-built" drawings of AP600 automatic depressurization sys Phase B test facility in Cassacia, Italy. Drawings withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/15. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 85606:001-85606:013.
- 9509200341** Requests that proprietary AP600 automatic depressurization sys test facility re suppl as-built drawings, be withheld (ref 10CFR2.790).
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/15. QUAY,T.R. Document Control Branch (Document Control Desk). 10pp. 85606:003-85606:013.
- 9509250340** Forwards status review of AP600 proprietary submittals. Scope of review limited to documents identified in 950811 ltr.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/18. QUAY,T.R. Document Control Branch (Document Control Desk). 21pp. 85599:337-85599:357.
- 9509250296** Summary of 950824 senior mgt meeting w/ util re review of AP600. List of attendees & slides used in presentation encl.
HUFFMAN,W.C. 95/09/19. 68pp. 85577:261-85577:329.
- 9509250345** Forwards requested info re scaling role in AP600 PCS DBA analysis.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/19. QUAY,T.R. Document Control Branch (Document Control Desk). 9pp. 85599:328-85599:336.
- 9509250304** Forwards Generic issues to be deleted from FSER Review for Westinghouse AP600 Design.
DONOHEW,J.N. 95/09/21. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 85578:289-85578:292.
- 9509260120** Forwards proprietary & nonproprietary versions of MACCS input file for AP600 CI release category. Electronic copy of proprietary MACCS input file also encl. Proprietary MACCS input file & electronic copy of MACCS file withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/21. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85608:297-85608:316.
- 9509260124** Requests that proprietary version of MACCS input file for AP600 CI release category be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/21. QUAY,T.R. Document Control Branch (Document Control Desk). 16pp. 85608:301-85608:316.
- 9509260209** Summary of 950911 & 19 meeting w/ representatives of Westinghouse & NRC staff re several DSER open items in Chapters 4, 5 & 6.
JACKSON,D.T. 95/09/22. 11pp. 85636:274-85636:283.
- 9509260224** Summary of 950914 telcon between Westinghouse & NRC re several DSER open items in SSAR Chapter 11.
JACKSON,D.T. 95/09/22. 8pp. 85601:154-85601:161.
- DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.**
- 9509140045** Forwards request for addl info re SBWR design Q950.54. Requests response within 30 days of receipt of ltr.
WILSON,J.H. 95/07/24. QUINN,J.E. General Electric Co. 4pp. 85471:352-85471:355.
- 9509140044** Forwards request for addl info re SBWR design Q901.159. Requests response within 30 days of receipt of ltr.
WILSON,J.H. 95/06/08. QUINN,J.E. General Electric Co. 4pp. 85471:348-85471:351.
- 9509010112** Forwards proprietary Rev C to Topical Rept NEDC-32391P, "SBWR Test & Analysis Program Description." Topical Rept NEDC-32391P withheld (ref 10CFR2.790).
QUINN,J.E. General Electric Co. 95/08/28. QUAY,T.E. 11pp. 85317:337-85317:347.
- 9509010359** Forwards proprietary version of Suppl 1 to Licensing TR NEDC-32391P, "SBWR Test & Analysis Program Description Suppl 1 - Discussion of PIRT Parameters." Encl withheld per 10CFR2.790.
QUINN,J.E. General Electric Co. 95/08/28. QUAY,T.E. 6pp. 85316:354-85316:359.
- 9509060301** Advises that response to NRC question re internal test facility will be withheld from public disclosure (ref 10CFR2.790).
SCALETTI,D.C. 95/08/30. QUINN,J.E. General Electric Co. 3pp. 85314:153-85314:155.
- 9509110060** Forwards non-proprietary "PANTHERS-PCC Data Analysis Rept."
QUINN,J.E. General Electric Co. 95/08/30. QUAY,T.E. 2pp. 85449:198-85449:224.
- 9509110168** "Panthers-PCC Data Analysis Rept."
SILVERIII,R. Italy. Govt. of. 95/06/22. 25pp. 85449:200-85449:224.
- 9509120052** Forwards responses to questions re PANTHERS/PCC data.
QUINN,J.E. General Electric Co. 95/08/30. QUAY,T.E. 10pp. 85427:322-85427:331.
- 9509010264** Forwards Rev C to NEDC-32391, "SBWR Test & Analysis Program Description."
QUINN,J.E. General Electric Co. 95/08/31. QUAY,T.E. 1p. 85341:128-85341:128.
- 9509010267** "SBWR Test & Analysis Program Description."
SHIRALKAR,B.S., MCINTYRE,T.R., HEALZER,J.M. General Electric Co. NEDC-32391 RC. 95/08/31. 200pp. 85341:129-85341:328.
- 9509010302** Forwards nonproprietary version of Suppl 1 of Licensing TR NEDC-32391, "SBWR Test & Analysis Program Description Suppl 1 - Discussion of PIRT Parameters."
QUINN,J.E. General Electric Co. 95/08/31. QUAY,T.E. 2pp. 85313:325-85313:337.
- 9509010306** Nonproprietary version of Suppl 1 of "SBWR Test & Analysis Program Description Suppl 1 - Discussion of PIRT Parameters." W/disk.
SHIRALKAR,B.S., ANDERSEN,J., BLAESIG,H. General Electric Co. NEDC-32391 S01. 95/08/31. 11pp. 85313:327-85313:337.
- 9509070158** Advises that info contained in response to staff RAI will not be withheld from public disclosure (ref 10CFR2.790, per 941101 request).
SCALETTI,D.C. 95/09/05. QUINN,J.E. General Electric Co. 3pp. 85323:168-85323:170.
- 9509060018** Advises that GE, "SBWR Overall Plant Design Description, Requirements & Parameters," Volumes 1 & 2 will not be withheld from public disclosure (ref 10CFR 2.790, per 910503 request).
SCALETTI,D.C. 95/09/05. QUINN,J.E. General Electric Co. 2pp. 85385:081-85385:082.
- 9509110198** Advises that info re GE presentation charts used during 931116 meeting w/NRC will be withheld from public disclosure (ref 10CFR2.790, per 931118 request).
SCALETTI,D.C. 95/09/07. QUINN,J.E. General Electric Co. 3pp. 85416:327-85416:329.
- 9509120352** Advises that info identified in drawings & from SSAR Sections 4.7 & 11 will be withheld from public disclosure (ref 10CFR2.790, per 920827 & 930228 requests).
SCALETTI,D.C. 95/09/07. QUINN,J.E. General Electric Co. 3pp. 85421:347-85421:349.
- 9509140162** Advises that General Electric graffe testing program, "Feature Technology of Simplified BWR, Section 4.3.2, Nov 1990," will not be withheld from public disclosure (ref 10CFR2.790, per 920513 request).
SCALETTI,D.C. 95/09/08. QUINN,J.E. General Electric Co. 3pp. 85472:247-85472:249.
- 9509190268** Forwards proprietary TRACC containment model road map as agreed in GE/NRC TRACC containment meeting on 950821 & 22. Encl withheld per 10CFR2.790.
QUINN,J.E. General Electric Co. 95/09/14. QUAY,T.E. 6pp. 85537:353-85537:360.
- 9509220187** Advises that listed pages of submitted info will not be withheld from public disclosure & remaining portion of handout will be withheld from public disclosure (ref 10CFR2.790(b)(5) & Section 103(b), per 950822 request).
NINH,S.Q. 95/09/19. QUINN,J.E. General Electric Co. 3pp. 85576:353-85576:355.
- 9509260151** Requests that NRC consider remedy in need of NRC need for having matl on docket & return matl GE considers proprietary rather than place matl in PDR.
QUINN,J.E. General Electric Co. 95/09/19. QUAY,T.E. 2pp. 85605:340-85605:341.
- DOCKET DOCKET UNKNOWN**
- 9509120112** Final response to FOIA request for documents. Forwards App A records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/25. PARKS,L.R. Affiliation Not Assigned. 7pp. 85561:002-85561:250.
- 9509120308** Forwards special nuclear matl license SNM-641.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/10/17. Affiliation Not Assigned. 1p. 85561:009-85561:009.
- 9509120323** License SNM-641 for Philco Corp. authorizing use of Pu-239 for calibr of alpha counting equipment as described in application by AEC on 620924.
* Atomic Energy Commission (Pre 750119). 62/10/17. 5pp. 85561:010-85561:014.
- 9509120331** Notifies that special nuclear matl license SNM-641 expires on 651031. Informs that application for renewal of license should be filed at least 30 days before expiration date of existing license.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 65/09/07. Affiliation Not Assigned. 1p. 85561:015-85561:015.
- 9509120346** Application for renewal of special nuclear matl license SNM-641, authorizing possession of 23.5 ugs Pu-239 for calibr of Alpha counting equipment.
BYRD,E.L. Affiliation Not Assigned. 65/09/23. 1p. 85561:016-85561:016.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9509120355 Forwards special nuclear matl license SNM-641,as renewed. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/10/07. BYRD,E.L. Affiliation Not Assigned. 1p. 85561:017-85561:017.

9509120363 License SNM-641 for Phico Corp.authorizing use of Plutonium in accordance w/procedures described in 620924 application, supplemented on 650923. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/10/07. 1p. 85561:018-85561:018.

9509120366 Safety insp on 660420 of license SNM-641.insp findings:no item of non-compliance found. FISH,R.F. Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 66/04/20. 5pp. 85561:019-85561:023.

9509120376 informs that certain activities appear to be in noncompliance w/AEC requirements,as result of insp of license SNM-641.Extends opportunity to advise AEC in writing of corrective steps taken. SMITH,R.W. Atomic Energy Commission (Pre 750119). 66/05/03. BROWNING,C.R. Affiliation Not Assigned. 2pp. 85561:025-85561:026.

9509120378 Forwards licensee reply to AEC ltr & Form AEC-592 re insp conducted on 660420.Notes that licensee applied for license to correct item (a) on Form AEC-592. BOOK,H.E. Atomic Energy Commission (Pre 750119). 66/05/20. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 85561:027-85561:027.

9509120381 Reports licensee actions re alleged noncompliance w/AEC requirements.Lists actions taken. BYRD,E.L. Affiliation Not Assigned. 66/05/18. SMITH,R.W. Atomic Energy Commission (Pre 750119). 2pp. 85561:028-85561:029.

9509120383 Notifies that special nuclear matl license SNM-641 expires on 681031.informs that application for renewal of license should be filed at least 30 days before expiration of existing license. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/08/26. BYRD,E.L. Affiliation Not Assigned. 1p. 85561:030-85561:030.

9509120385 Application for renewal of special nuclear matl license SNM-641,authorizing possession of 235 ug Pu-239 for calibr of Alpha counting equipment. UMPHLETT,W.D. Affiliation Not Assigned. 68/09/17. 1p. 85561:031-85561:031.

9509130025 Forwards special nuclear matl license SNM-641,as renewed. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/09/30. UMPHLETT,W.D. Affiliation Not Assigned. 1p. 85561:032-85561:032.

9509130029 License SNM-641 for Phico Corp.authorizing use of Plutonium in std alpha sources in accordance w/statements, representations & conditions specified in licensee 680917 application. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/09/30. 1p. 85561:033-85561:033.

9509130032 Notifies that special nuclear matl license SNM-641 expires on 730930.informs that application for renewal of license should be filed at least 30 days before expiration date of existing license. MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/06/13. Affiliation Not Assigned. 1p. 85561:034-85561:034.

9509130037 Application for renewal of license SNM-641,authorizing possession of 23.5 ug Pu-239 for calibr of Alpha counting equipment. UMPHLETT,W.D. Affiliation Not Assigned. 73/07/16. 1p. 85561:035-85561:035.

9509130042 Forwards application for renewal of license SNM-641,reviewed by USAF Radiosotope Committee.Requests that any amend issued per review of application be forwarded through Committee. CASE,D.R. Air Force, Dept. of. 73/08/10. Atomic Energy Commission (Pre 750119). 1p. 85561:036-85561:036.

9509130045 Amend 1 to license SNM-641 for Phico Ford Corp.authorizing use of Plutonium as calibr source in accordance w/statements & procedures contained in 730716 ltr. DAVIS,F.C. Atomic Energy Commission (Pre 750119). 73/10/03. 1p. 85561:037-85561:037.

9509130052 Certificate of disposition of matls.all matls procured &/or possessed by licensee under license SNM-641,transferred to Dept of Air Force,Vandenberg Air Force Base,CA. KELLY,T.E. Affiliation Not Assigned. 78/12/18. 1p. 85561:038-85561:038.

9509130086 IE insp rept of license SNM-641 on 810309.No noncompliance noted.Major areas inspected:matls possessed under license transferred to Dept of Air Force,Vandenberg Air Force Base, CA. THOMAS,R.D., BOOK,H.E. Ofc of Inspection & Enforcement, Director (820201-870413). 81/03/12. 6pp. 85561:039-85561:044.

9509130096 Requests advice as to what type of license can be obtained to cover use of radiosotope ablation sensors on selected re-entry vehicle flights launched from natl missile test ranges. MURRAY,R.K. Affiliation Not Assigned. 86/05/04. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85561:045-85561:047.

9509150070 Informs of 860504 application submitted for licensee to possess & use byproduct matl Cs-137.Forwards authorization for Precision Measurement Equipment Lab to use listed matl. BYRD,E.L. Affiliation Not Assigned. 86/05/18. Atomic Energy Commission (Pre 750119). 2pp. 85561:206-85561:207.

9509080162 Discusses property listed at former Aerojet Corp facility between Fostoria Way & Crow Canyon Road in San Ramon,CA. Property one of 22 sites at which remedial action will be necessary for release of property for unrestricted use. COOK,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/08/04. MENTOR,T. Affiliation Not Assigned. 2pp. 85447:327-85447:328.

9509200377 Forwards NRC 950713 ltr to Frome Investment Co.along w/ responses & documents which client forwarding for info. HAROUTUNIAN,E. Affiliation Not Assigned. 95/09/12. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 85552:293-85552:296.

9509280009 Provides comments on proposed Part 70 rev issued under 950331 cover ltr from RF Burnett. WARD,D.C. Babcock & Wilcox Co. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 5pp. 85625:349-85625:353.

9509180158 "Semi-Annual Effluent Monitoring Rept for Jan-June 1995." W/ 950830 ltr. OLSEN,A.F. Babcock & Wilcox Co. 95/06/30. 6pp. 85523:279-85523:284.

9509070300 Notifies of shipment to Brookhaven National Lab,consisting of solid aluminum clad fuel elements. CAMPLIN,W.F. Babcock & Wilcox Co. 95/07/19. BENNINGTON,W.F. NRC - No Detailed Affiliation Given. 2pp. 85323:151-85323:152.

9509070295 Submits info re NRC window shipments to Univ of MO. FOSTER,P.L. Babcock & Wilcox Co. 95/07/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. MASNYSKE,O. Region 2 (Post 820201). 2pp. 85323:149-85323:150.

9509070054 Requests sixty day extension to thirty day time limit specified for completion & distribution of Nuclear Transaction Rept form (DOE/NRC-741) required by 10CFR74.15 & NUREG/BR-0006,Rev 3. SUWALA,M.C. Babcock & Wilcox Co. 95/08/29. PIERSON,R.C. Licensing Branch. 1p. 85373:252-85373:252.

9509080228 Forwards amend 72 to license SNM-42 & safeguards evaluation rept.Amend includes rev 24 & App U of physical security plan. PIERSON,R.C. Licensing Branch. 95/08/29. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 85442:265-85442:275.

9509080230 Amend 72 to license SNM-42 for B&W.including rev 24 & App U of physical security plan. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/29. 11pp. 85442:267-85442:277.

9509080231 Safeguards evaluation rept supporting amend 72 to license SNM-42. * NRC - No Detailed Affiliation Given. 95/08/29. 2pp. 85442:278-85442:279.

9509150374 Forwards revised table of applicable pages for Chapter 4 of license renewal application,dtd 950821. OLSEN,A.F. Babcock & Wilcox Co. 95/08/29. PIERSON,R.C. Licensing Branch. 2pp. 85518:346-85518:347.

9509070014 Requests that CA Collins be added to list of individuals to be granted unescorted access to facilities in Paducah,KY & Portsmouth,OH. EYCKE,Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/30. CONNER,J.A. Babcock & Wilcox Co. 1p. 85334:358-85334:358.

9509180282 Forwards corrected semiannual effluent monitoring rept correcting typos. OLSEN,A.F. Babcock & Wilcox Co. 95/08/30. Region 2 (Post 820201). 1p. 85523:171-85523:172.

9509180289 Revised semi-annual rept for Jul-Dec 1994. * Babcock & Wilcox Co. 94/12/31. 1p. 85523:172-85523:172.

9509080284 Forwards environ assessment & finding of no significant impact,prepared to support renewal of matls License SNM-42. FLACK,E.Q. Licensing Branch. 95/08/31. OLSEN,A.F. Babcock & Wilcox Co. 1p. 85447:058-85447:123.

9509080295 Finding of no significant impact & notice of opportunity for hearing re renewal of license SNM-42. PIERSON,R.C. Licensing Branch. 95/08/30. 11pp. 85447:059-85447:069.

9509080302 Suppl environ assessment for renewal of License SNM-42. * Office of Nuclear Material Safety & Safeguards. 95/08/30. 49pp. 85447:070-85447:123.

9509180236 Forwards insp rept 70-0027/95-16 on 950708-0804 & notice of violation. COLLINS,D.M. Region 2 (Post 820201). 95/09/01. CONNER,J.A. Babcock & Wilcox Co. 3pp. 85501:035-85501:047.

9509180247 Notice of violation from insp on 950708-0804.Violation noted:failure to close tray valve & bank supply valve after nitric acid addition which resulted in radioactive nitric acid spill in U Recovery. * Region 2 (Post 820201). 95/09/01. 1p. 85501:038-85501:038.

9509180261 Insp rept 70-0027/95-16 on 950708-0804.Violations noted. Major areas inspected:selected records,interviews w/personnel & direct observation of work activities in areas of management organization & facility observations. ELLIOT,M.P., TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 95/09/01. 9pp. 85501:039-85501:047.

9509280138 Informs that delays made necessary to select new completion date for installation of chemical addition sys from 950901 to 960102. OLSEN,A.F. Babcock & Wilcox Co. 95/09/01. Region 2 (Post 820201). 1p. 85646:347-85646:347.

9509110328 Forwards insp rept 70-0027/95-17 on 950807-11.No violations noted. COLLINS,D.M. Region 2 (Post 820201). 95/09/06. CONNER,J.A. Babcock & Wilcox Co. 3pp. 85344:194-85344:197.

9509110333 Partially deleted insp rept 70-0027/95-17 on 950807-11 (ref 10CFR95).No violations noted.Major areas inspected:alarm stations,explosive,metal & X-Ray detectors,interior alarms, personnel searches & intrusion detection sys. THOMPSON,D.H., MCGUIRE,D.R. Region 2 (Post 820201). 95/09/05. 1p. 85344:197-85344:197.

9509140251 Application for amend to License SNM-42,changing FNMC,per 10CFR70.32(c) W/c encl. SUWALA,M.C. Babcock & Wilcox Co. 95/09/07. PIERSON,R.C. Licensing Branch. 4pp. 85474:355-85474:358.

166 DOCKETED ITEMS

- 9509140234 Forwards amend 73 to license SNM-42 & safeguards evaluation rept. Amend allows delaying of receipt measurements on certain specified matl. BRACH,E.W. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/09/11. OLSEN,A.F. Babcock & Wilcox Co. 3pp. 85476:318-85476:333.
- 9509140236 Amend 73 to license SNM-42 for B&W, allowing delaying of receipt measurements on certain specified matl. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/09/08. 11pp. 85476:321-85476:331.
- 9509140238 Safeguards evaluation rept supporting amend 73 to license SNM-42. * NRC - No Detailed Affiliation Given. 95/09/11. 2pp. 85476:332-85476:333.
- 9509150387 Requests withdrawal of 950519 application, requesting removal of License Condition S-7. OLSEN,A.F. Babcock & Wilcox Co. 95/09/12. PIERSON,R.C. Licensing Branch. 1p. 85518:352-85518:352.
- 9509260118 Grants request to withdraw 950519 ltr, which would remove license condition S-7 from License SNM-42. PIERSON,R.C. Licensing Branch. 95/09/18. OLSEN,A.F. Babcock & Wilcox Co. 1p. 85520:356-85520:356.
- 9509270124 Forwards insp rept 70-0027/95-204 on 950912. No violations noted. TING,P. Operations Branch. 95/09/25. CONNER,J.A. Babcock & Wilcox Co. 1p. 85631:352-85631:356.
- 9509270130 Insp rept 70-0027/95-204 on 950912. No violations noted. Major areas inspected: chemical process safety related to handling of licensed matl. General facility tours also conducted w/ emphasis on use & storage of chemicals within facility. STOUT,D.E., SMITH,G.A., ROTH,J. Operations Branch. 95/09/25. 4pp. 85631:353-85631:356.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

- 9509260185 Requests guidance on whether or not licensee could release matl as effluent unrestricted area under requirements in old Part 20. SHEAR,G.L. Region 3 (Post 820201). 95/07/10. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 16pp. 85570:042-85570:058.
- 9509110012 Suppls sampling process for shipment of UF6 of Russian origin scheduled to be received on 950905. SHARKEY,R.W. ASEA Brown Boveri, inc. 95/08/14. PIERSON,R.C. Licensing Branch. 1p. 85457:135-85457:135.
- 9509080266 Forwards comments on C-E 950222 ltr, responding to GL 95-01 & 940930 ltr, forwarding pre-fire plan for facility. PIERSON,R.C. Licensing Branch. 95/08/28. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 85449:354-85449:356.
- 9509130212 Forwards final status survey plan for site creek, per request in Insp Rept 70-0036/95-03. As soon as approval of plan received, samples will be collected & sent to contract lab for analysis. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/01. SHEAR,G.L. Office of Nuclear Material Safety & Safeguards. 7pp. 85474:192-85474:198.
- 9509260024 Confirms public meeting w/ licensee on 951003 in Lisle, IL to discuss plant operations, licensee site creek survey plan & other topics of interest. SHEAR,G.L. Region 3 (Post 820201). 95/09/19. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 85569:023-85569:023.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

- 9509140267 Final response to FOIA request for records. App A & B records encl & available in PDF. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. MORIANO,D.J. Affiliation Not Assigned. 9pp. 85562:002-85562:135.
- 9311050001 Responds to 930903 & 930914 ltrs requesting assigned project managers to Clevite & Horizons cases. GREEVES,J.T. Division of Low-Level Waste Management & Decommissioning (870413-940402). 93/11/01. AXELSON,W.L. Region 3 (Post 820201). 1p. 85562:045-85562:051.
- 9509140270 "Survey Plan Clevite (Neighborhood Progress) Cleveland, OH." WIEDEMAN,D.G., MCCANN,G.M. Region 3 (Post 820201). 93/12/01. 29pp. 85562:013-85562:044.
- 9509140282 Trip rept of 931116 visit to Horizons & Clevite sites in Cleveland, OH to tour facilities & observe controls for access to radioactive areas. JOHNSON,T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/12/21. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 85562:052-85562:056.
- 9509140287 Summary of 931116 meetings to discuss contaminated facilities & remediation plans w/ Neighborhood Programs, Inc. MCCANN,G.M. Region 3 (Post 820201). 94/02/02. SHEAR,G.L. Region 3 (Post 820201). 6pp. 85562:057-85562:062.
- 9509140291 Forwards "Characterization, Remediation & Health & Safety Plans." W/o encl. LICKFIELD,K.W. Severson Environmental Services, Inc. 94/03/03. WIEDEMAN,D. Region 3 (Post 820201). 1p. 85562:063-85562:063.
- 9509140296 Forwards revised "Characterization, Remediation & Health & Safety Plans." W/o encl. LICKFIELD,K.W. Severson Environmental Services, Inc. 94/06/17. WIEDEMAN,D. Region 3 (Post 820201). 2pp. 85562:064-85562:065.
- 9509140301 Forwards revised "Characterization, Remediation, Termination & Health & Safety Plans." W/o plan. Related documentation encl. LICKFIELD,K.W. Severson Environmental Services, Inc. 94/09/15. WIEDEMAN,D. Region 3 (Post 820201). 6pp. 85562:066-85562:071.

- 9509140305 Forwards revised "Characterization Survey, Termination Survey, Remediation & Health & Safety Plans." W/o plan. Related documentation encl. LICKFIELD,K.W. Severson Environmental Services, Inc. 95/01/10. WIEDEMAN,D. Region 3 (Post 820201). 2pp. 85562:072-85562:078.
- 9509180001 Lists contacts for Clevite Facility per 931108 request. WIEDEMAN,D.G. Region 3 (Post 820201). 93/11/09. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85562:079-85562:079.
- 9509180002 Advises that characterization study of facility unlikely during holidays. NRC will not authorize beginning of characterization until revised work plan considered satisfactory. LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 93/12/14. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85562:080-85562:080.
- 9509180005 Forwards list of Clevite documents from 580131 forward w/o encl. HOOD,M.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/16. GLINSKI,R.L. Region 3 (Post 820201). 3pp. 85562:084-85562:086.
- 9509180006 Advises of review of comments on Clevite Site. LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/09. GLINSKI,R.L. Region 3 (Post 820201). 2pp. 85562:087-85562:088.
- 9509180007 Forwards rept of telcon w/R Pearce of Neighborhood Progress, Inc re plans to reconstruct & renovate within contaminated areas of site. LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/01. GLINSKI,R.L. Region 3 (Post 820201). 9pp. 85562:089-85562:097.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

- 9509260196 Forwards insp repts 70-0135/94-03 & 70-0364/94-03 on 941212-950803. No safety concerns or violations noted. JOYNER,J.H. Region 1 (Post 820201). 95/09/18. CEPICKA,J.J. Babcock & Wilcox Co. 3pp. 85570:075-85570:209.
- 9509260201 Insp repts 70-0135/94-03 & 70-364/94-03 on 941212-0803. No violations or safety concerns noted. Major areas inspected: Apollo office bldg demolition, surveys & NRC confirmatory surveys. RAGLAND,R.C., BORES,R.J. Region 1 (Post 820201). 95/09/18. 132pp. 85570:078-85570:209.
- 9509110016 "1994 Annual Health Physics (ALARA) Rept." CONWAY,K.C. Babcock & Wilcox Co. 94/12/31. 40pp. 85457:141-85457:183.
- 9509080216 Informs that based on review of subj info, Apollo Otc Bldg grounds can be released for unrestricted use, as requested. PIERSON,R.C. Licensing Branch. 95/08/25. SGARLATA,D.K. Babcock & Wilcox Co. 1p. 85421:361-85421:361.
- 9509080249 Corrects date ref in first sentence of second paragraph of NRC 950825 ltr re release of Apollo Otc Bldg grounds for unrestricted use from 950907 to 940907. PIERSON,R.C. Licensing Branch. 95/09/01. SGARLATA,D.K. Babcock & Wilcox Co. 1p. 85447:357-85447:357.
- 9509270240 Forwards info requested re quarterly ground water monitoring radiological analytical results for Apollo Decommissioning Project site. SGARLATA,D.K. Babcock & Wilcox Co. 95/09/13. HARDIN,K.J. Division of Fuel Cycle Safety & Safeguards (Post 930207). 5pp. 85624:351-85624:355.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

- 9509080100 "Radioactivity in Effluent Liquid & Air, Jan-June 1995." W/ 950829 ltr. MAXIN,A.M. Nuclear Fuel Services, Inc. 95/06/30. EBNETER,S.D. Region 2 (Post 820201). 9pp. 85419:310-85419:318.
- 9509070190 Forwards insp rept 70-0143/95-05 on 950724-26 & notice of violation. COLLINS,D.M. Region 2 (Post 820201). 95/08/28. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 85321:274-85321:284.
- 9509070196 Notice of violation from insp on 950724-26. Violation noted: during tours of facility controlled areas, numerous breath mints, smoking matls, nonprescription drugs, throat lozenges, candy & gum were found in bldg 302 & 303. * Region 2 (Post 820201). 95/08/28. 2pp. 85321:276-85321:277.
- 9509070199 Insp rept 70-0143/95-05 on 950724-26. Violations noted. Major areas inspected: corrective actions taken in response to previous findings, mgt organization & controls & fire alarm testing results. TESTA,E.D., MCALPINE,E.J. Region 2 (Post 820201). 95/08/28. 7pp. 85321:278-85321:284.
- 9509110266 Provides replacement page which were inadvertently omitted from 941129 amend request. MAXIN,A.M. Nuclear Fuel Services, Inc. 95/08/30. PIERSON,R.C. Licensing Branch. 2pp. 85456:274-85456:276.
- 9509110362 Revised page to license SNM-124, Part 1, List Of Figures. * Nuclear Fuel Services, Inc. 95/08/30. 1p. 85456:278-85456:278.
- 9509180306 Forwards insp rept 70-0143/95-06 on 950807-11. No violations noted. COLLINS,D.M. Region 2 (Post 820201). 95/09/08. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 85502:107-85502:124.
- 9509180315 Insp rept 70-0143/95-06 on 950807-11. No violations noted. Major areas inspected: onsite review of environmental monitoring program effluent controls & mgt program, status of "Pond 4" area decommissioning project. GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 95/09/08. 16pp. 85502:109-85502:124.

9509270235 Requests for NRC approval to include two former on-site waste disposal areas designated as solid waste mgt unit #11 under scope of Pond 4 remediation effort.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/09/22. PIERSON,R.C. Licensing Branch. 4pp. 85624:356-85624:360.

DOCKET 70-0221 GENERAL DYNAMICS CORP., GROTON, CT

9509250111 Safety insp on 950719 of license SNM-205. Insp findings: no violations observed.
GIBSON,R. Region 1 (Post 820201). * General Dynamics Corp. 95/07/19. 1p. 85558:136-85558:136.

DOCKET 70-0337 NUCLEAR MATERIALS & EQUIPMENT CORP., APOLLO, PA

9509110373 First partial response to FOIA request for documents. Records in App A will be made available in PDR. App A documents encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/25. DEKOK,D. Affiliation Not Assigned. 2pp. 85415:056-85415:064.

-9509110377 Discusses application for SNM fuel allocation.
AMTSBERG,H.C. Westinghouse Electric Corp. 60/12/13. PRICE,H.L. Atomic Energy Commission (Pre 750119). 4pp. 85415:056-85415:064.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9509260196 Forwards insp repts 70-0135/94-03 & 70-0364/94-03 on 941212-950803. No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/18. CEPICKA,J.J. Babcock & Wilcox Co. 3pp. 85570:075-85570:209.

-9509260201 Insp repts 70-0135/94-03 & 70-364/94-03 on 941212-0803. No violations or safety concerns noted. Major areas inspected. Apollo office bldg demolition, surveys & NRC confirmatory surveys.
RAGLAND,R.C., BORES,R.J. Region 1 (Post 820201). 95/09/18. 132pp. 85570:078-85570:209.

9509110016 "1994 Annual Health Physics (ALARA) Rept."
CONWAY,K.C. Babcock & Wilcox Co. 94/12/31. 40pp. 85457:141-85457:183.

9509070040 Summary of 950725 meeting w/B&W, Atlantic Richfield Co., ORNL & PA Dept of Environ Protection re B&W remediation proposal & NRC addl info request for development of EIS for B&W Shallow Land Disposal Area.
ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/23. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 85373:179-85373:183.

9509200124 Forwards new Exhibit 5-1a, containing info on wells MW-37 through MW-46 to Parks Shallow Land Disposal Area 1995 field program plan, dtd Aug 1995. Encl should replace Exhibit 5-1a provided by licensee 950825 ltr.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/09/07. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 85555:275-85555:281.

9509210011 Forwards "Parks Shallow Land Disposal Area Geomorphology & Seismic Hazards Rept."
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/09/11. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85566:037-85566:088.

-9509210014 "Parks Shallow Land Disposal Area Geomorphology & Seismic Hazards Rept."
LINDSEY,G. Atlantic Richfield Co. (ARCO). 95/08/31. 52pp. 85568:038-85568:088.

9509260223 Follow up to recent telcon re addition of language more fully identifies ltr of credit for SLDA financial assurance. Revised ltr of credit encl.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/09/25. JONES,B.W. Office of the General Counsel (Post 860701). 3pp. 85626:032-85626:035.

DOCKET 70-0396 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &

9509080239 Ack receipt of 950815 ltr, providing corrected page 12 to NIST decommissioning funding plan.
SOONG,S. Licensing Branch. 95/08/31. PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standards). 1p. 85447:356-85447:356.

DOCKET 70-0696 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9509270173 PNC-1-95-040 on 950922, contamination found on exterior of package & on shoes of driver from intl package. Shipment consisted of surface contaminated robotics equipment used for insp & maint of SG tubes at PWR.
WHITE,E., KIRKWOOD,A. Region 1 (Post 820201). 95/09/25. 1pp. 85619:121-85619:122.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9509110375 Forwards revised "Radiological Contingency Plan," August 1995.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/08/30. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85428:188-85428:307.

-9509110378 Revised "Radiological Contingency Plan."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/08/31. 119pp. 85428:188-85428:307.

DOCKET 70-0820 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

9509010236 "NRC EA re Request to Terminate License SNM-777 UNC Site Wood River Junction, RI."
PARROTT,J.D. NRC - No Detailed Affiliation Given. 95/04/21. 30pp. 85313:144-85313:173.

9509180100 Forwards FR notice of finding of no significant impact re termination & opportunity for hearing on termination of License SNM-777.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/20. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 85510:335-85510:340.

-9509180104 Environ assessment re release of UNC Wood River Junction site & termination of License SNM-777.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/09. 4pp. 85510:337-85510:340.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9509080138 Forwards notice of consideration of issuance of amend to license SNM-928 & opportunity for hearing on licensee 950504 amend request for decommissioning former nuclear fuel fabrication facility in Crescent, OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/23. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85447:323-85447:326.

-9509080141 Notice of consideration of issuance of amend to license SNM-928 & opportunity for hearing on licensee 950504 amend request for decommissioning of former nuclear fuel fabrication facility in Crescent, OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/23. 3pp. 85447:324-85447:326.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9509080044 "Semiannual Effluent Rept Jan - June 1995." W/950821 ltr.
KLAPPROTH,J.F. General Electric Co. 95/06/30. EBNETER,S.D. Region 2 (Post 820201). 2pp. 85419:186-85419:187.

9509080214 Notification of 950927 & 28 meetings w/GE in Wilmington, NC to discuss GE upcoming dry conversion process & license renewal application.
* NRC - No Detailed Affiliation Given. 95/08/25. NRC - No Detailed Affiliation Given. 1p. 85447:336-85447:336.

9509080222 Forwards amend 44 to license SNM-1097 & safeguards evaluation rept. Amend incorporates revs to FNMCP, in accordance w/941214 application, modified by 950209, 0814 & 15 submittals.
PIERSON,R.C. Licensing Branch. 95/06/28. KLAPPROTH,J.F. General Electric Co. 1p. 85447:337-85447:342.

-9509080224 Amend 44 to license SNM-1097 for GE, incorporating revs to FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/28. 3pp. 85447:338-85447:340.

-9509080225 Safeguards evaluation rept supporting amend 44 to license SNM-1097.
* NRC - No Detailed Affiliation Given. 95/08/28. 2pp. 85447:341-85447:342.

9509080226 Summary of 950806 meeting w/GE in Rockville, MD re license renewal application & upcoming dry conversion process.
MCDANIEL,K.K. Licensing Branch. 95/08/29. PIERSON,R.C. Licensing Branch. 95pp. 85447:343-85447:347.

9509110227 Forwards Insp Rept 70-1113/95-202 on 950805-11. Details of rept withheld (ref 10CFR2.790(d)).
TING,P. Operations Branch. 95/09/07. KIPP,C.P. General Electric Co. 1p. 85419:352-85419:353.

-9509110234 Partially withheld Insp Rept 70-1113/95-202 on 950805-11. Details withheld, per 10CFR2.790.
ONG,L.D.Y., WHALEY,D.L., ROTH,D.L. Operations Branch. 95/09/06. 1p. 85419:353-85419:353.

9509260377 Provides response to NRC request for addl info made in ltr dtd 950706 re CaF2 storage.
KLAPPROTH,J.F. General Electric Co. 95/09/20. MCDANIEL,K.K. Licensing Branch. 12pp. 85620:344-85620:355.

9509280172 Forwards insp rept 70-1113/95-06 on 950822-24. No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/09/20. KIPP,C.P. General Electric Co. 2pp. 85613:096-85613:106.

-9509280176 Insp rept 70-1113/95-06 on 950822-24. No violations noted. Major areas inspected: nuclear criticality safety, facility operations & maint & surveillance testing.
BASSETT,C., MCALPINE,E.J. Region 2 (Post 820201). 95/09/20. 9pp. 85613:098-85613:106.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9509180302 Gaseous effluent discharges & liquid effluent discharges repts for Jan-June 1995 W/950825 ltr.
GOODWIN,W.L. Westinghouse Electric Corp. 95/06/30. 3pp. 85523:173-85523:175.

9509070245 Forwards insp rept 70-1151/95-05 on 950724-28. No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/08/24. FICI,J.A. Westinghouse Electric Corp. 2p. 85322:342-85322:362.

-9509070254 Insp rept 70-1151/95-05 on 950724-28. No violations noted. Major areas inspected: radiological liquid, gaseous effluent waste mgt, solid radiological waste mgt & disposal.
GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 95/06/24. 17pp. 85322:344-85322:362.

9509110090 Requests extension of reporting date from 950909 to 950925 for inventory.
SANDERS,C.F. Westinghouse Electric Corp. 95/06/30. PIERSON,R. Licensing Branch. 1p. 85454:360-85454:360.

168 DOCKETED ITEMS

9509190310 Ack receipt of 950824 ltr referring to routine Insp Rept 70-1151/95-05 of facility environ protection program on 950724-28.
GOODWIN,W.L. Westinghouse Electric Corp. 95/08/30. COLLINS,D.M. Region 2 (Post 820201). 1p. 85522-112-85522-112.

9509270192 Forwards proprietary "SNM & Source Matl Physical Inventory Summary Rept." for period ending 950809.Rept withheld.
SANDERS,C.F. Westinghouse Electric Corp. 95/09/11. Licensing Branch. 1p.

9509290163 Forwards proprietary "SNM & Source Matl Physical Inventory Summary Rept." for period ending 950809.Rept withheld.
SANDERS,C.F. Westinghouse Electric Corp. 95/09/14. Licensing Branch. 1p. 85554-348-85554-348.

DOCKET 70-1163 BOSTON UNIV., BOSTON, MA

9509110076 Final response to FOIA request for documents.Records in App A encl & being made available in PDF.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. BOVE,J.A. Boston Univ., Boston, MA. 7pp. 85559-002-85560-330.

-7909130224 Requests renewal of Matl/Byproduct License SNM-1121 authorizing use of Pu-Ba neutron source for student training in neutron radiation physics & calibr of neutron detectors.
JOHNSON,R.U. Boston Univ., Boston, MA. 79/08/02. LAMASTRA,M.A. Materials Licensing Branch. 10pp. 85559-088-85559-097.

-8503120071 Forwards Amend 3.renewing License SNM-1121.
JOHANSEN,J.M. Region 1 (Post 820201). 85/02/27. MILLER,J. Boston Univ., Boston, MA. 1p. 85559-225-85559-226.

-8503120079 Ack receipt of application for renewal of License SNM-1121.
GLENN,J.E. Div of Engineering & Technical Programs, R1. 84/10/12. MILLER,J. Boston Univ., Boston, MA. 6pp. 85559-219-85559-224.

-8894150127 Discusses Safety insps 30-10860/88-01,30-09831/88-01 & 70-1163/88-01 & forwards notice of violation.
KINNEMAN,J.D. Region 1 (Post 820201). 88/04/06. KEATING,J. Boston Univ., Boston, MA. 2pp. 85560-155-85560-160.

-8808030048 Ack receipt of 880505 ltr informing NRC of steps taken to correct violations noted in Insp Repts 30-10860/88-01, 30-09831/88-01 & 70-1163/88-01.
KINNEMAN,J.D. Region 1 (Post 820201). 88/07/28. KEATING,J. Boston Univ., Boston, MA. 2pp. 85560-140-85560-154.

-8808030050 Responds to NRC 880412 ltr re violations noted in Insps 30-10860/88-01,30-09831/88-01 & 70-1163/88-01.Corrective actions:calculations for evaluation of sink disposal record will be performed in future.
SLADE,R.I. Boston Univ., Boston, MA. 88/05/05. KINNEMAN,J.D. Region 1 (Post 820201). 2pp. 85560-142-85560-143.

-8808030051 Forwards results of urine test for "Student A" taken on 871001 indicating no detectable P-32 as counted in liquid scintillation counter & evaluation of sink disposal data for radioactive matl discharged into sanitary sewerage sys.
SLADE,R.I. Boston Univ., Boston, MA. 88/03/02. JENSEN,J.T. Region 1 (Post 820201). 11pp. 85560-144-85560-154.

-9509120007 Application for renewal of license SNM-1121,changing location of source as stated.
MILLER,J. Boston Univ., Boston, MA. 84/09/27. Materials Licensing Branch. 1p. 85559-218-85559-218.

-9509130077 Forwards background info for Enforcement Conference to be held at Region 1 on 851218.
JOYNER,J.H. Region 1 (Post 820201). 85/12/16. MURLEY,T.E. Region 1 (Post 820201). 3pp. 85560-181-85560-186.

-9509130118 Responds to NRC 851231 ltr re violations noted in insp rept of licenses 20-00805-10,20-00805-11 & 2000805-13.Corrective actions:all records re Radiation Safety Program have now been relocated to ofc of RSO.
WESTLING,J. Boston Univ., Boston, MA. 85/01/28. Region 1 (Post 820201). 11pp. 85560-187-85560-209.

-9509130119 Notification of significant licensee meeting 85-127 w/util on 851218 to discuss violations identified during insp 85-01.
JENSEN,J.T. Region 1 (Post 820201). 85/12/10. Region 1 (Post 820201). 2pp. 85560-210-85560-211.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9509280136 "Semi-Annual Gaseous Effluent Rept." W/950830 ltr.
KNAPP,K.S. B&W Fuel Co. 95/06/30. 2pp. 85645-354-85645-355.

9509180117 Responds to violations noted in insp rept 70-1201/95-02. Corrective actions:Safety & Licensing personnel instructed that both criteria for safe units & arrays must be addressed prior to authorizing use of modified SNM sys.
CARR,C.W. B&W Fuel Co. 95/09/07. Document Control Branch (Document Control Desk). 8pp. 85510-341-85510-348.

9509200205 Forwards proprietary "SNM & Source Matl Physical Inventory Summary Rept." for period ending 950716.Summary Rept withheld (ref 10CFR2.790(d)).
CARR,C.W. Babcock & Wilcox Co. 95/09/11. MILSTEIN,R. Licensing Branch. 1p. 85554-349-85554-349.

9509220197 Forwards comments on "Complete rept on Clean Up of Wet Weather Stream B&W Fuel Co Commercial Nuclear Fuel Plant,Dec 1994."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/19. PIERSON,R. Licensing Branch. 4pp. 85564-331-85564-334.

9509250197 Forwards insp rept 70-1201/95-201 on 950913.No violations noted.
TING,P. Operations Branch. 95/09/21. CARR,C.W. B&W Fuel Co. 1p. 85562-325-85562-330.

-9509250209 Insp rept 70-1201/95-201 on 950913.No violations noted.Major areas inspected:chemical process safety re handling of licensed matl & general facility tours also conducted w/ emphasis on use & storage of chemicals within facility.
STOUT,D.E., SMITH,G.A., ROTH,J. Operations Branch. 95/09/20. 5pp. 85562-326-85562-330.

9509260129 informs that licensee possession limit for natural UF6 of 350 grams does not support actual amount of UF6 stored on site.
KNAPP,K.S. B&W Fuel Co. 95/09/22. PIERSON,R. Licensing Branch. 1p. 85623-360-85623-360.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9509150262 Submits advance notification of listed shipment,per requirements from implementation of convention of physical protection of nuclear matl.
* Edlow International Co. 95/07/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85485-203-85485-203.

9509150237 Notifies of upcoming shipment by Edlow International Co of U hexafluoride to Russia.
* Edlow International Co. 95/07/28. BENNINGTON,G. Division of Safeguards & Transportation (870413-930206). 1p. 85485-185-85485-185.

9509150161 Submits advanced notification of upcoming shipment of Uranium hexafluoride,non-fissile.Gross weight 192,256 lbs.
* Edlow International Co. 95/06/02. Office of Nuclear Material Safety & Safeguards. 1p. 85485-001-85485-001.

9509250045 Submits notification of upcoming shipment of U hexafluoride fissile from United Kingdom to Columbia,SC.
AUMULLER,J.N. Edlow International Co. 95/08/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85558-032-85558-032.

9509150264 Notifies of shipment of UF6,non-fissile,gross weight of 128,997 lb,contained in four cylinders numbered 1122/0794, 1168,1256 & 1265.
* Edlow International Co. 95/08/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85485-204-85485-204.

9509070251 Provides list of deliveries made between 950701 & 0815,in accordance w/ requirements of Convention on Physical Protection of Nuclear Matl.
CONDREY,D. Edlow International Co. 95/08/15. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 85323-004-85323-004.

9509250023 Notifies NRC of shipment to Westinghouse Electric Corp in Columbia,SC of UF6,fissile.
* Edlow International Co. 95/08/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85558-025-85558-025.

9509250027 Submits advance notification of listed import shipment from UK,IAW convention on physical protection of nuclear matl.
CUMMILLER,J.U. Edlow International Co. 95/08/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85558-026-85558-026.

9509250014 Submits notification of upcoming shipment of U hexafluoride, fissile,gross weight 26,000 kgs U,contained in 7 cylinders & PSP secured onto 2 X 20ft flat racks.
* Edlow International Co. 95/09/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85558-022-85558-022.

9509250037 Submits Rev 2,canceling notification of upcoming shipment of U hexafluoride,fissile.Informs that charter shipment not done by Edlow Intl,another company handled shipment.
AUMULLER,J.N. Edlow International Co. 95/09/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85558-029-85558-029.

9509250004 Submits notification of upcoming shipment of U hexafluoride, fissile,gross weight 26,000 kgs U,contained in 7 cylinders & PSP secured onto 2 X 20ft flat racks.
* Edlow International Co. 95/09/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85558-011-85558-011.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9509280043 Expresses appreciation re opportunity to comment on NRC proposed rev to Domestic Licensing of special nuclear materials.
FEMREITE,B.N. Siemens Corp. 95/05/01. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. 85631-199-85631-201.

9509210218 Confirms receipt of 950802 & 09 responses to NOV's & unresolved item issued w/insp rept 70-1257/95-202 on 950707.
TING,P. Operations Branch. 95/09/19. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 85568-247-85568-247.

DOCKET 70-1308 GENERAL ELECTRIC CO., SAN JOSE, CA

9509260122 Announces appointment of T.J. McGinty as NMSS/SFPO Project Manager for GE Morns Operation.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/09/22. ELLIS,J.E. General Electric Co. 2pp. 85623-342-85623-343.

DOCKET 70-1331 VETERANS ADMIN. MEDICAL CENTER, BUFFALO, NY

9509210146 Ack receipt of 950622 ltr reporting loss of nuclear pacemaker in Oct 1983.
JOHANSEN,J.M. Region 1 (Post 820201). 95/09/06. DROSKE,R.S. Veterans Admn. Medical Center, Buffalo, NY. 1p. 85544-026-85544-026.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9509150235 Submits advance notification for import shipment of 3 model 30B cylinders on NCI-21-PF-1 packagings containing RQ UFB, radioactive matl UN2977 (U-238,U-235) solid UFB.
GEORGE,M. Transnuclear, Inc. 95/08/03. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85485:183-85485:184.

9509150305 Notifies NRC of low strategic material to Wilmington,NC.
GEORGE,M. Transco, Inc. 95/08/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85485:218-85485:219.

9509150183 Submits advance notification of listed import shipment IAW requirements per 10CFR73.74(a)(1)(2) for import shipment of low strategic significance matl from countries not party to convention on physical protection of nuclear matl.
GEORGE,M. Transnuclear, Inc. 95/08/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85485:046-85485:047.

9509150260 Submits advance notification of listed import shipment IAW requirements per 10CFR73.74(a)(1)(2) for import shipment of low strategic significance matl from countries not party to convention on physical protection of nuclear matl.
GEORGE,M. Transnuclear, Inc. 95/08/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85485:201-85485:202.

9509250006 Submits advance notification for import of listed nuclear matl from countries not party to convention on physical protection of nuclear matl,per 10CFR73.74(a)(1)(2).
MCLAUGHLIN,J. Transnuclear, Inc. 95/08/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85558:014-85558:015.

9509250009 Submits notification for import shipment of 11 model 30B cylinders containing RQ "UFB,Fissile (containing more than 1% U-235) 7,UN2977 (U-238,U-235) Radioactive Matl Inside Protective Overpacks."
GEORGE,M. Transnuclear, Inc. 95/08/21. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85558:018-85558:019.

9509250020 Submits advance notification of listed import shipment,per requirements from implementation of convention of physical protection of nuclear matl.Physical description of shipment consisted on 76 type A model DHTF drums.
GEORGE,M. Transnuclear, Inc. 95/08/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85558:023-85558:024.

9509250042 Submits advance notification of listed import shipment,per requirements from implementation of convention of physical protection of nuclear matl.Physical description of shipment consisted of 71 type A model DHTF drums.
GEORGE,M. Transnuclear, Inc. 95/08/25. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85558:030-85558:031.

DOCKET 70-2981 SOUTHEASTERN OKLAHOMA STATE UNIV., DURANT, OK

9509200062 Safety insp on 950905 of license SNM-1921.Insp findings: no violations noted.
* Region 4 (Post 820201). * Southeastern Oklahoma State Univ., Durant, OK. 95/09/05. 1p. 85510:001-85510:001.

DOCKET 70-3052 M.A.S.S., INC., BELLEFONTE, PA

9509260230 Forwards certificates of disposal from Republic Environ Sys, Inc for matls formerly located in small bldg at ref facility,per discussion on 941020.
GUSTKEY,A.S. Blazosky Associates, Inc. 94/10/20. AMATO,C. Region 1 (Post 820201). 6pp. 85606:257-85606:295.

-9509260233 Informs of present status of clean-up project at ref facility.Certificates of disposal from Republic Environ Sys, Inc for matls formerly located in small storage bldg on site.Bldg presently empty & scheduled for demolition.
GUSTKEY,A.S. Blazosky Associates, Inc. 94/10/12. AMATO,C. Region 1 (Post 820201). 1p. 85606:263-85606:263.

-9509260236 Responds to 940210 ltr.confirming that client MAAS,Inc searched property at listed address for radioactive matl & identified none.NRC cannot retire license issued to MAAS,Inc until NRC completes close-out insp of property.
PASCIAK,W.J. Region 1 (Post 820201). 94/03/01. Affiliation Not Assigned. 2pp. 85606:264-85606:265.

-9509260244 Confirms that client advised author that property leased by Precision American Technologies Corp in Bellefonte,PA searched & no radioactive matl located.Requests that NRC close file re matter.
TRUSCELLI,P.L. Affiliation Not Assigned. 94/02/10. PASCIAK,W. Region 1 (Post 820201). 1p. 85606:266-85606:266.

-9509260246 Forwards Applied Health Physics,Inc "HP Rept of Radiological Svcs Performed at MAAS,Inc."
SMITSKY,R. Blazosky Associates, Inc. 93/09/01. AMATO,C. Region 1 (Post 820201). 30pp. 85606:267-85606:295.

9509250229 Submits notification that license SNM-1978 retired,using info in insp rept 70-3052/94-01 & "Health Physics Rept of Radiological Svcs Performed at M.A.S.S.,Inc."
PASCIAK,W.J. Region 1 (Post 820201). 95/08/29. HEYMAN,C. M.A.S.S., Inc. 1p.pp. 85558:218-85558:218.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9509060234 Responds to ltr to Chairman Jackson,expressing concern about possible adverse environ effects from const & operation of Louisiana Energy Svcs proposed U enrichment facility & requesting that required NRC license not be issued.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/30. RYERSBACH,Z. Affiliation Not Assigned. 4pp. 85334:350-85334:353.

9508270185 Forwards response to request re central interstate low-level radwaste compact facility.
HARRIS,R. Louisiana, State of. 95/09/18. HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 6pp. 85631:341-85631:346.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9509080049 Forwards notice of consideration of issuance of amend to license SNM-1999 & opportunity for hearing on licensee 950509 amend request for decommissioning of former enriched U & thorium processing facility in Cushing,OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/23. MEYER,D.L. Division of Information & Publications Services (Post 940714). 1p. 85442:348-85442:351.

-9509080053 Notice of consideration of issuance of amend to license SNM-1999 & opportunity for hearing on licensee 950509 amend request for decommissioning of former enriched U & thorium processing facility in Cushing,OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/23. 3pp. 85442:349-85442:351.

9509200136 Forwards draft "Radiological & Other Industrial Waste Disposal Cell Site Characterization Workplan Cushing,OK Refinery Site."
LUX,J. Kerr-McGee Corp. 95/08/25. FAUVER,D. Office of Nuclear Material Safety & Safeguards. 1p. 85568:001-85568:036.

-9509200278 "Radiological & Other Industrial Waste Disposal Cell Site Characterization Workplan Cushing,OK Refinery Site."
* Affiliation Not Assigned. 95/08/16. 33pp. 85568:002-85568:036.

9509190208 Forwards "Confirmatory Survey Plan for Four Unaffected Areas of Cushing Refinery Site Kerr-McGee Corp Cushing,OK."
ABELQUIST,E.W. Oak Ridge Associated Universities. 95/08/31. FAUVER,D. Division of Waste Management (NMSS 940403). 1p. 85524:287-85524:297.

-9509190212 "Confirmatory Survey Plan for Four Unaffected Areas of Cushing Refinery Site Kerr-McGee Corp Cushing,OK."
* Oak Ridge Associated Universities. 95/08/31. 10pp. 85524:288-85524:297.

DOCKET 70-3078 ATLANTIC RICHFIELD CO., LOS ANGELES, CA

9509250145 Safety insp on 950829 of license SNM-1993.Insp findings:no violations observed.
* Region 1 (Post 820201). * . 95/08/29. 1p. 85558:160-85558:160.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9509050218 Revised application sections for COC for Portsmouth,OH & Paducah,KY Gaseous Diffusion Plants.
RIFAKES,G.P. United States Enrichment Corp. (USEC) 95/09/01. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1,356pp. 85368:001-85371:266.

9509190286 Forwards rev 1 to application for certificate of compliance 7001 for Portsmouth,OH Gaseous Diffusion Plant,vols 1-4. W/two oversize drawings.
RIFAKES,G.P. United States Enrichment Corp. (USEC) 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 35pp. 85593:001-85599:255.

-9509190290 "Application for US NRC Certification," Vols 1-4
* United States Enrichment Corp. (USEC). 95/09/15. 2,405pp. 85593:034-85599:255.

9509200221 Forwards initial response to request for gaseous diffusion plant & plant procedures within scope of regulatory oversight agreement W/o encl.
JACKSON,J.D. Energy, Dept. of. 95/07/10. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 1p. 85554:292-85554:292.

9509200219 Forwards second installment in response to request for gaseous diffusion plant & plant procedures within scope of regulatory oversight agreement W/o encl.
JACKSON,J.D. Energy, Dept. of. 95/07/25. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 1p. 85554:291-85554:291.

9509200216 Forwards documents third installment in response to request for procedures from Portsmouth & Paducah gaseous diffusion plants.W/o encl.
JACKSON,J.D. Energy, Dept. of. 95/08/08. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 2pp. 85554:288-85554:289.

9509080294 Transmits non-proprietary copies of "near final" sections of revised Application for certificate of compliance for Portsmouth,OH & Paducah,KY gaseous diffusion plants.Encl withheld.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/08/25. Office of Nuclear Material Safety & Safeguards. 2pp. 85419:209-85419:210.

9509080046 Requests that CA Collins be added to list of individuals to be granted unrestricted access to facilities in Paducah,KY & Portsmouth,OH.
EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/30. WOOLLEY,R. United States Enrichment Corp. (USEC). 1p. 85442:347-85442:347.

9509070108 Summary of 950810 meeting w/US Enrichment Corp to discuss initial draft sections of certification application re TSR, configuration control,maint,operation,human factors & other miscellaneous matters.Attendees listed in encl 3.
* NRC - No Detailed Affiliation Given. 95/09/05. 25pp. 85373:225-85373:249.

9509080244 Informs of completion of advance review of listed application plans submitted by US Enrichment Corp ltr's GDP 95-007 & GDP 95-008 dtd 950825.Proprietary & confidential comments encl.Ends withheld.
HICKEY,J.W. Enrichment Branch. 95/09/05. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 3pp. 85447:358-85447:360.

9509080247 Informs of completion of advance review of listed application sections submitted by 950825 ltr (GDP 95-006). Questions/comments on near final sections encl.
HICKEY,J.W. Enrichment Branch. 95/09/05. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 22pp. 85442:280-85442:301.

9509120151 Forwards insp rept 70-7001/95-03 on 950627-0810.No violations noted.Systemic weakness in procedures,maintenance & corrective action programs appeared to contribute to safety-related performance problems.
SHEAR,G.L. Region 3 (Post 820201). 95/09/05. RIFAKES,G.P. United States Enrichment Corp. (USEC). 2pp. 85382:230-85382:248.

170 DOCKETED ITEMS

-9509120182 Insp rept 70-7001/95-03 on 950627-0810.No violations noted. Major areas inspected:plant operations,maintenance, engineering & plant support. SHEAR,G.L. Region 3 (Post 820201). 95/08/30. 17pp. 85382.232-85382.248.

9509130098 Forwards revised DOE compliance plan items for NRC advance review. PARKS,J.W. Energy, Dept. of. 95/09/05. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 24pp. 85440.336-85440.359.

9509110034 Summary of 950822 meeting w/DOE & USEC to discuss "Organization" section of certification application. * Enrichment Branch. 95/09/07. Enrichment Branch. 7pp. 85459.256-85459.262.

9509110072 Provides summary of comments provided to US Enrichment Corp. Comments were provided by various NRC representatives during period of 950721-28. HORN,M. NRC - No Detailed Affiliation Given. 95/09/07. NRC - No Detailed Affiliation Given. 9p. 85459.243-85459.251.

9509120075 Notification of 950926 meeting w/US Enrichment Corp in Rockville,MD to discuss application for certification of gaseous diffusion plants at Paducah,KY & Portsmouth,OH status & review by NRC. * NRC - No Detailed Affiliation Given. 95/09/07. NRC - No Detailed Affiliation Given. 1p. 85459.353-85459.353.

9509140262 Informs that listed application sections submitted by 950901 ltr considered acceptable for submittal w/formal application.Questions/comments for consideration prior to submitting formal application encl. HICKEY,J.W. Enrichment Branch. 95/09/12. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 9pp. 85520.085-85520.093.

9509200256 Informs of completion of NRC advance review of listed draft compliance plan items submitted by DOE 950905 ltr. HICKEY,J.W. Engineering & Geosciences Branch (NMSS 940403). 95/09/14. PARKS,J.W. Energy, Dept. of. 1p. 85547.297-85547.297.

9509190129 Revised application for certificate of compliance 7002 for Portsmouth,OH gaseous diffusion plant. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 18pp. 85532.281-85532.298.

9509200032 Forwards listed plans in support of application for certificate of compliance.Plans withheld (ref 10CFR2.790 & 9.17(a)(4)). RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 22pp. 85554.302-85554.323.

9509200071 "NRC Receives Revised Application Form USEC for Certification of U Enrichment Plants." * Office of Public Affairs (Post 911117). 95/09/15. 2pp. 85547.198-85547.199.

9509210227 Notice of receipt of 950915 application for certification for gaseous diffusion plants,comment period & public meetings. HICKEY,J.W. Enrichment Branch. 95/09/15. 5pp. 85568.248-85568.252.

9509210238 Informs that NRC received revised application from US Enrichment Corp (USEC) for certification of gaseous diffusion plants (GDP) at Paducah,KY & Piketon,OH. Application for Paducah GDP encl for review w/o encl. HICKEY,J.W. Enrichment Branch. 95/09/15. BARNHILL,D. Affiliation Not Assigned. 1p. 85568.239-85568.239.

9509210249 Informs that NRC received revised application from US Enrichment Corp for certification of gaseous diffusion plants (GDP) at Paducah,KY & Piketon,OH.Application for Paducah & Portsmouth GDPs encl for comments.W/o encls. HICKEY,J.W. Enrichment Branch. 95/09/15. CEE,R. Salt Lake City, UT. 2pp. 85568.316-85568.317.

9509210245 Notification of 950920 meeting w/US Enrichment Corp in Rockville,MD.Meeting open to public,but segment may be closed if necessary to discuss sensitive or classified info. * NRC - No Detailed Affiliation Given. 95/09/19. NRC - No Detailed Affiliation Given. 3pp. 85568.313-85568.315.

9509260105 Ack's receipt of 950915 application for certification of Paducah & Portsmouth Gaseous Diffusion Plants. HICKEY,J.W. Enrichment Branch. 95/09/21. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85600.241-85600.241.

9509280087 Forwards NRC comments on near final compliance plan items submitted by DOE 950911 ltr. HICKEY,J.W. Enrichment Branch. 95/09/21. PARKS,J.W. Energy, Dept. of. 4pp. 85647.271-85647.274.

9509260164 Forwards FR notice which ack receipt of revised application & notices public comment period & public meetings re gaseous diffusion plants. HICKEY,J.W. Enrichment Branch. 95/09/22. Enrichment Branch. 14pp. 85600.224-85600.237.

9509260178 Forwards Rev 0 to UEO-1041, "Radioactive Matl Packaging & Transportation QA Program" for Portsmouth,OH & Paducah,KY Gaseous Diffusion Plants for review & approval. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85604.312-85604.347.

-9509260182 Rev 0 to "Radioactive Matl Packaging & Transportation QA Program." * United States Enrichment Corp. (USEC). 95/09/21. 34pp. 85604.314-85604.347.

9509260298 Forwards proprietary "Paducah Gaseous Diffusion Plant (GDP) FNMCP Annex (Annex)" for Paducah,KY GDP (PGDP) Annex provides supplementary & general info re PGDP & MC&A sys.as described in NUREG/CR-5734.Annex withheld per 10CFR76.33(a). RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85606.356-85606.359.

9509270022 Forwards Paducah Gaseous Diffusion Plant OSR/TSR Mapping Document. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/25. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 41pp. 85624.304-85624.344.

9509270178 Summary of 950926 meeting w/US Enrichment Corp & DOE to discuss DOE/NRC transition document & schedule for certification.NRC attendance sheet encl. * NRC - No Detailed Affiliation Given. 95/09/26. NRC - No Detailed Affiliation Given. 3pp. 85631.349-85631.351.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)

9509060218 Revised application sections for COC for Portsmouth,OH & Paducah,KY Gaseous Diffusion Plants. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/01. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1,358pp. 85366.001-85371.266.

9509190299 Forwards rev 1 to application for certificate of compliance 7002 for Paducah,KY gaseous diffusion plant. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 24pp. 85658.001-85663.013.

-9509190301 "Application for US NRC Certification." Vols 1-4.W/three oversize encl. * United States Enrichment Corp. (USEC). 95/09/15. 1,809pp. 85658.025-85663.013.

9509200221 Forwards initial response to request for gaseous diffusion plant & plant procedures within scope of regulatory oversight agreement.W/o encl. JACKSON,J.D. Energy, Dept. of. 95/07/10. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 1p. 85554.292-85554.292.

9509200219 Forwards second installment in response to request for gaseous diffusion plant & plant procedures within scope of regulatory oversight agreement.W/o encl. JACKSON,J.D. Energy, Dept. of. 95/07/25. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 1p. 85554.291-85554.291.

9509200216 Forwards documents third installment in response to request for procedures from Portsmouth & Paducah gaseous diffusion plants.W/o encl. JACKSON,J.D. Energy, Dept. of. 95/06/08. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 2pp. 85554.288-85554.289.

9509080294 Transmits non-proprietary copies of "near final" sections of revised Application for certificate of compliance for Portsmouth,OH & Paducah,KY gaseous diffusion plants.Encl withheld. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/08/25. Office of Nuclear Material Safety & Safeguards. 2pp. 85419.209-85419.210.

9509080046 Requests that CA Collins be added to list of individuals to be granted unescorted access to facilities in Paducah,KY & Portsmouth,OH. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/30. WOOLLEY,R. United States Enrichment Corp. (USEC). 1p. 85442.347-85442.347.

9509070108 Summary of 950810 meeting w/US Enrichment Corp to discuss initial draft sections of certification application re TSR, configuration control,maint,operation,human factors & other miscellaneous matters.Attendees listed in encl 3. * NRC - No Detailed Affiliation Given. 95/09/05. 25pp. 85373.225-85373.249.

9509080244 Informs of completion of advance review of listed application plans submitted by US Enrichment Corp ltr's GDP 95-007 & GDP 95-008 dtd 950825.Proprietary & confidential comments encl.Encls withheld. HICKEY,J.W. Enrichment Branch. 95/09/05. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 3pp. 85447.356-85447.360.

9509080247 Informs of completion of advance review of listed application sections submitted by 950825 ltr (GDP 95-0006). Questions/comments on near final sections encl. HICKEY,J.W. Enrichment Branch. 95/09/05. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 22pp. 85442.280-85442.301.

9509130098 Forwards revised DOE compliance plan items for NRC advance review. PARKS,J.W. Energy, Dept. of. 95/09/05. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 24pp. 85440.336-85440.359.

9509110034 Summary of 950822 meeting w/DOE & USEC to discuss "Organization" section of certification application. * Enrichment Branch. 95/09/07. Enrichment Branch. 7pp. 85459.256-85459.262.

9509110072 Provides summary of comments provided to US Enrichment Corp. Comments were provided by various NRC representatives during period of 950721-28. HORN,M. NRC - No Detailed Affiliation Given. 95/09/07. NRC - No Detailed Affiliation Given. 9p. 85459.243-85459.251.

9509120075 Notification of 950926 meeting w/US Enrichment Corp in Rockville,MD to discuss application for certification of gaseous diffusion plants at Paducah,KY & Portsmouth,OH status & review by NRC. * NRC - No Detailed Affiliation Given. 95/09/07. NRC - No Detailed Affiliation Given. 1p. 85459.353-85459.353.

9509140262 Informs that listed application sections submitted by 950901 ltr considered acceptable for submittal w/formal application.Questions/comments for consideration prior to submitting formal application encl. HICKEY,J.W. Enrichment Branch. 95/09/12. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 9pp. 85520.085-85520.093.

9509200256 Informs of completion of NRC advance review of listed draft compliance plan items submitted by DOE 950905 ltr. HICKEY,J.W. Engineering & Geosciences Branch (NMSS 940403). 95/09/14. PARKS,J.W. Energy, Dept. of. 1p. 85547.297-85547.297.

9509190138 Revised application for certificate of compliance 7002 for Paducah,KY gaseous diffusion plant. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 16pp. 85532.309-85532.324.

9509200071 "NRC Receives Revised Application Form USEC for Certification of U Enrichment Plants." * Office of Public Affairs (Post 911117). 95/09/15. 2pp. 85547.198-85547.199.

950920079 Forwards listed plans in support of rev 1 to application for certificate of compliance Plans withheld (ref 10CFR2.790 & 9.17(a)(4)). RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 24pp. 85554.324-85554.347.

9509210222 Informs that NRC received revised application from United States Enrichment Corp (USEC) for certification of gaseous diffusion plants at Paducah,KY & Piketon,OH. Application for Portsmouth Gaseous Diffusion Plant encl.W/o encl. HICKEY,J.W. Enrichment Branch. 95/09/15. MURPHY,W.M. Cincinnati, OH. 1p. 85566.246-85566.246.

9509210227 Notice of receipt of 950915 application for certification for gaseous diffusion plants, comment period & public meetings. HICKEY,J.W. Enrichment Branch. 95/09/15. 5pp. 85566.248-85566.252.

9509210229 Discusses consultation between EPA & NRC re gaseous diffusion plant (GDP) in Piketon,OH. Nonproprietary portion of US Enrichment Corp revised application for Portsmouth GDP encl for review & comments.W/o encl. HICKEY,J.W. Enrichment Branch. 95/09/15. ADAMKUS,V.V. Environmental Protection Agency. 2pp. 85566.308-85566.309.

9509210238 Informs that NRC received revised application from US Enrichment Corp (USEC) for certification of gaseous diffusion plants (GDP) at Paducah,KY & Piketon,OH. Application for Paducah GDP encl for review.W/o encl. HICKEY,J.W. Enrichment Branch. 95/09/15. BARNHILL,D. Affiliation Not Assigned. 1p. 85566.239-85566.239.

9509210245 Informs that NRC received revised application from US Enrichment Corp for certification of gaseous diffusion plants (GDP) at Paducah,KY & Piketon,OH. Application for Paducah & Portsmouth GDPs encl for comments.W/o encl. HICKEY,J.W. Enrichment Branch. 95/09/15. CEE,R. Salt Lake City, UT. 2pp. 85566.316-85566.317.

9509210245 Notification of 950920 meeting w/US Enrichment Corp in Rockville,MD. Meeting open to public, but segment may be closed if necessary to discuss sensitive or classified info. * NRC - No Detailed Affiliation Given. 95/09/19. NRC - No Detailed Affiliation Given. 3pp. 85566.313-85566.315.

9509260105 Ack's receipt of 950915 application for certification of Paducah & Portsmouth Gaseous Diffusion Plants. HICKEY,J.W. Enrichment Branch. 95/09/21. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85600.241-85600.241.

9509260387 Forwards NRC comments on near final compliance plan items submitted by DOE 950911 ltr. HICKEY,J.W. Enrichment Branch. 95/09/21. PARKS,J.W. Energy, Dept. of. 4pp. 85647.271-85647.274.

9509260164 Forwards FRI notice which ack receipt of revised application & notices public comment period & public meetings re gaseous diffusion plants. HICKEY,J.W. Enrichment Branch. 95/09/22. Enrichment Branch. 14pp. 85600.224-85600.237.

9509260178 Forwards Rev 0 to UEO-1041, "Radioactive Matl Packaging & Transportation QA Program" for Portsmouth,OH & Paducah,KY Gaseous Diffusion Plants for review & approval. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85604.312-85604.347.

9509260182 Rev 0 to "Radioactive Matl Packaging & Transportation QA Program". * United States Enrichment Corp. (USEC). 95/09/21. 34pp. 85604.314-85604.347.

9509260288 Forwards proprietary "Portsmouth Gaseous Diffusion Plant (GDP) FNMCP Annex (Annex)" for Portsmouth,OH GDP (PORTS). Annex provides supplementary & general info re PORTS & M&A sys,as described in NUREG/CR-5734. Annex withheld. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85607.350-85607.353.

9509270025 Forwards Portsmouth Gaseous Diffusion Plant OSR/TSR Mapping Document. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/25. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 88pp. 85638.143-85638.227.

9509270178 Summary of 950926 meeting w/US Enrichment Corp & DOE to discuss DOE/NRC transition document & schedule for certification.NRC attendance sheet encl. * NRC - No Detailed Affiliation Given. 95/09/26. NRC - No Detailed Affiliation Given. 3pp. 85631.349-85631.351.

DOCKET DOCKET UNKNOWN

9509140097 Requests that NRC review encl Japanese Package Design Certificate -/143/AF-85 for RAJ-II package & make recommendation re revaluation of certificate for import & export shipments. Proprietary encl withheld. BOYLE,R.W. Transportation, Dept. of. 95/09/08. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 129pp. 85491.206-85491.332.

9509120163 Forwards "10CFR71 QA Program for Shipment of 239 Pu-Beryllium Neutron Sources" for review & approval. SWANSON,R.L. Navy, Dept. of, Naval Weapons Station, Concord, CA. 95/08/15. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 85432.347-85432.350.

9509120167 "10CFR71 QA Program for Shipment of 239 Pu-Beryllium Neutron Sources". GUYMAN,R. Navy, Dept. of, Naval Weapons Station, Concord, CA. 95/08/15. 3pp. 85432.348-85432.350.

9509130051 Requests that NRC review encl UK Certificates of Competent Authority GB/2767B/B(U)F, Issue 4 & GB/2767B/B(U)F, Issue 6 for Model 2767B package & make recommendation re revaluation of certificates for import & export shipments.W/2 drawings. BOYLE,R.W. Transportation, Dept. of. 95/08/28. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 55pp. 85574.281-85574.335.

9509150042 Forwards page 21 which was inadvertently omitted from QA Program Description submittal. PARKYN,J.D. Affiliation Not Assigned. 95/08/29. Office of Nuclear Material Safety & Safeguards. 1p. 85504.352-85504.353.

9509150105 Page 21 which was inadvertently omitted from QA Program Description submittal. * Affiliation Not Assigned. 95/08/29. 1p. 85504.353-85504.353.

9509010276 Forwards "QA Program Type B Quantity Shipments of Radiographic Matl." per telcon. Requests registration as user Tech Ops 660 gamma projectors. Fee paid. SPENCER,G. 95/08/30. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 85313.340-85313.342.

9509010282 "QA Program Type B Shipments of Radiographic Matl." * 95/08/30. 2pp. 85313.341-85313.342.

9509110093 Forwards "10CFR71 QA Program" for review & approval. SPENCER,G. Affiliation Not Assigned. 95/08/31. JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 85419.337-85419.339.

9509110098 "10CFR71 QA Program." * Affiliation Not Assigned. 95/08/31. 2pp. 85419.338-85419.339.

9509260045 Submits fee omitted from 07100829 licensee QA program description submittal. PARKYN,J.D. Mesalero Apache Tribe. 95/09/01. Office of Nuclear Material Safety & Safeguards. 1p. 85605.331-85605.331.

9509120173 Forwards QA program approval for radioactive material package 0827,rev 0. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08. SPENCER,G. Affiliation Not Assigned. 1p. 85432.351-85432.352.

9509120176 QA program approval for radioactive matl package:0827,Rev 0. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08. 1p. 85432.352-85432.352.

9509140175 Forwards QA program approval for radioactive material package 0828,rev 0. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/12. SWANSON,R.L. Navy, Dept. of, Naval Weapons Station, Concord, CA. 1p. 85471.356-85471.360.

9509140180 QA program approval for radioactive matl package:0828,Rev 0. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/12. 1p. 85471.357-85471.360.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0001 ANEFCO, INC.

9509220282 Forwards US Enrichment Corp revised application for certification of Paducah Gaseous Diffusion Plant (except for proprietary & classified info) for review.W/o encl. HICKEY,J.W. Enrichment Branch. 95/09/15. LINTON,A.G. Environmental Protection Agency. 2pp. 85582.271-85582.272.

DOCKET 71-0153 ANCHOR-DARLING VALVE CO.

9509080096 Advises that Anchor Darling Valve Co terminated QA license 0153 effective 950131. Matl's license also terminated. LARSON,G.D. Anchor/Darling Valve Co. 95/08/28. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 85419.309-85419.309.

9509190336 Terminates QA program approval 0153,as requested in 950828 ltr. Authority to use COCs 9028.9032.9033.9035.9107.9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON,G.D. Anchor/Darling Valve Co. 1p. 85535.355-85535.355.

DOCKET 71-0185 FBF, INC.

9509080073 Responds to 950828 memo re FBF, Inc insp fee invoice MM0605-95. Break-down of insp rept 71-0185/95-201 activities charged to FBF listed. JANKOVICH,J. Source Containment & Devices Branch (Post 911213). 95/08/30. JACKSON,G. License Fee & Debt Collection Branch (Post 890827). 1p. 85442.352-85442.360.

9509080077 Forwards 950817 FAX from licensee re h billed on insp fee invoice MM0605-95 for comments on accuracy invoice & backup also encl. JACKSON,G.C. License Fee & Debt Collection Branch (Post 890827). 95/08/28. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 85442.353-85442.353.

9509080082 Expresses concern re amount of insp fee invoice MM0605-95 dtd 950724 w/regard to 49 h for routine effort & requests reduction in amount of invoice. STRINGFIELD,H. FBF, Inc. 95/08/17. MESSIER,M. NRC - No Detailed Affiliation Given. 7pp. 85442.354-85442.360.

DOCKET 71-0192 PACIFIC NUCLEAR SYSTEMS, INC.

9509080115 Application for renewal of QA program approval for radioactive matl package 0192. Fee paid. AYRES,R.A. Vectra Technologies, Inc. 95/08/21. BAER,R. Source Containment & Devices Branch (Post 911213). 2pp. 85419.320-85419.321.

172 DOCKETED ITEMS

9509120152 Forwards QA program approval for radioactive material packages 0192,rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
AYRES,R.A. Vectra Technologies, Inc. 1p. 85459:356-85459:357.

-9509120158 QA program approval for radioactive material package:0192,Rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
1p. 85459:357-85459:357.

DOCKET 71-0383 BALTIMORE GAS & ELECTRIC CO.

9509110064 Advises that QA program approval for radioactive material package:0383 expires on 951031.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/07.
CREEL,G.C. Baltimore Gas & Electric Co. 1p. 85457:275-85457:275.

DOCKET 71-0390 COMMERCE, DEPT. OF

9509120193 Forwards QA program approval for radioactive material package 0390,rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
PEVEY,L.E. Commerce, Dept. of. 1p. 85435:343-85435:344.

-9509120194 QA program approval for radioactive material package:0390,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
1p. 85435:344-85435:344.

DOCKET 71-0417 CARIBE SHELL & TUBE, INC.

9509120263 Informs that QA program approval for radioactive material package 0417,rev 3,has changed.In order for approval to remain current,licensee should request amend to program indicating changes W/\$240.00 fee.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
LILLARD,R.W. NDT Services, Inc. (formerly Caribe Shell & Tube, Inc.). 1p. 85469:322-85469:323.

-9509120266 Informs that NRC has not received reply to NRC Bulletin 95-001.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/21.
JENSON,M.A. NDT Services, Inc. (formerly Caribe Shell & Tube, Inc.). 1p. 85469:323-85469:323.

9509200217 Application for amend to QA program approval for radioactive material package:0417,changing mailing address as listed.Fee paid.
LILLARD,R. NDT Services, Inc. (formerly Caribe Shell & Tube, Inc.). 95/09/13.
BAER,R. Office of Nuclear Material Safety & Safeguards. 1p. 85554:290-85554:290.

9509260184 Responds to NRC Bulletin 95-001. "QA Program for Transportation of Radioactive Material."
LILLARD,R.W. NDT Services, Inc. (formerly Caribe Shell & Tube, Inc.). 95/09/14.
Document Control Branch (Document Control Desk). 4pp. 85625:027-85625:030.

DOCKET 71-0516 LONG ISLAND LIGHTING CO.

9509110020 Requests amend of LILCO's QA Program approval 0516.W/\$240 check encl.
KENEALLY,J.T. Long Island Lighting Co. 95/08/17. BAER,R.L. Office of Nuclear Material Safety & Safeguards. 1p. 85457:132-85457:132.

9509220347 Requests termination of registrations for approval 0516, except for corresponding COCs 9032 & 9033,per 950920 conversation.Request in addition to original amend request ltr dtd 950817.
KENEALLY,J.T. Long Island Lighting Co. 95/09/20. O'CONNOR,S. Office of Nuclear Material Safety & Safeguards. 1p. 85589:333-85589:333.

9509270211 Forwards QA program approval for radioactive material package 0516,rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/25.
KENEALLY,J.T. Long Island Lighting Co. 2pp. 85656:352-85656:354.

-9509270212 QA program approval for radioactive material package:0516,Rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/25.
1p. 85656:354-85656:354.

DOCKET 71-0538 WALASHEK ENTERPRISES, INC.

9509110190 Advises that QA program approval for radioactive material package:0538 expires on 951031.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/07.
CARROLL,T.A. Walashek Enterprises, Inc. 1p. 85454:354-85454:354.

DOCKET 71-0541 CLEVELAND ELECTRIC ILLUMINATING CO.

9509150028 Discusses QA program for packaging & transportation per 10CFR71.
SHELTON,D.C. Centenor Energy. 95/09/13. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 2pp. 85518:323-85518:324.

9509200227 Application for reinstatement of QA program approval for radioactive material package:0541.Fee paid.
SHELTON,D.C. Centenor Energy. 95/09/13. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 2pp. 85547:292-85547:293.

9509200270 Forwards QA program approval for radioactive material package: 0541,Rev 3,as reinstated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/14.
SHELTON,D.C. Centenor Energy. 1p. 85547:298-85547:299.

-9509200274 QA program approval for radioactive material package:0541,Rev 3.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/14. 1p. 85547:298-85547:299.

DOCKET 71-0654 POWER INSPECTION, INC.

9509200254 Informs vendor that for QA program approval 0654 to remain current,vendor should request amend to QA program indicating change of address & any other changes made since QA Program 0654,Rev 2.Stated fee should be included w/amend request.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/14.
ANDERSON,W.D. Power Inspection, Inc. 1p. 85551:360-85551:360.

DOCKET 71-0692 T&K INSPECTION

9509120161 Forwards QA program approval for radioactive material packages 0692,rev 1.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
KAIN,K. T&K Inspection. 1p. 85459:354-85459:355.

-9509120166 QA program approval for radioactive material package:0692,Rev 1.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/08.
1p. 85459:355-85459:355.

DOCKET 71-0708 WESTINGHOUSE ELECTRIC CORP.

9509110183 Advises that QA program approval for radioactive material package:0708 expires on 951031.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/07.
NARDIA,J. Westinghouse Electric Corp. 1p. 85454:355-85454:355.

9509260031 Application for renewal of QA program approval 0708.Current program approval incorporates ref to NRC approved topical rept WCAP 8370/7800.
NARDIA,J. Westinghouse Electric Corp. 95/09/19. Office of Nuclear Material Safety & Safeguards. 1p. 85607:197-85607:203.

DOCKET 71-0745 CTI (CONFIDENCE THROUGH INSPECTION), INC.

9509110068 Informs that QA program approval 0745 is hereby terminated, as requested by 950814 ltr.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/07.
PETERSON,J.K. CTI & Associates, Inc. (formerly Construction Testing & Inspection, Inc.). 1p. 85457:274-85457:274.

DOCKET 71-0764 DIAMOND H TESTING CO.

9509060181 Requests that Amersham Model 680B be added to QA program approval HANGES,P.J. Diamond H. Testing Co. 95/08/25. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 85326:358-85326:358.

DOCKET 71-0776 BRAZOS VALLEY INSPECTION SVC.

9509050250 Informs that Brazos Valley Insp Svc (BVIS) would like to terminate license LO 2859 due to fact that BVIS activities only in State of TX at temporary job sites.
MCCULLOUGH,R.L. 95/08/26. O'CONNOR,S. Office of Nuclear Material Safety & Safeguards. 1p. 85345:347-85345:347.

9509190328 Terminates QA program approval 0776,as requested in 950826 ltr.Records required by 10CFR71.91 & 71.135 to be retained for period of three years.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/15.
MCCULLOUGH,R.L. 1p. 85532:166-85532:166.

DOCKET 71-0785 GTS DURATEK

9509200335 Informs that for QA program approval 0785 to remain current, vendor should request amend to QA program indicating change of address & any other changes made since QA program 0785, Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/14.
CORRIE,T.L. Duratek Corp. 1p. 85551:350-85551:350.

DOCKET 71-0789 NEWPORT NEWS SHIPBUILDING

9509130083 Requests that QA program approval 0789 be terminated.
FLOWE,J.M. Newport News Shipbuilding & Dry Dock Co. 95/09/07. BAER,R. Office of Nuclear Material Safety & Safeguards. 1p. 85474:159-85474:159.

9509150381 Notifies that as requested in ltr dtd 950907,QA program approval:0789 terminated.Authority to use Certificate of Compliance 6244 under general license,per 10CFR71.12,also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/13.
FLOWE,J.M. Newport News Shipbuilding & Dry Dock Co. 1p. 85518:346-85518:348.

DOCKET 71-0817 MESCALERO ENVIRO, INC.

9509110061 Requests clarification re listed questions & issues concerning Mescalero Environ,Inc QA program package 0817,Rev 0.
HUGHES,L. Native Americans for a Clean Environment. 95/08/24. HAUGHNEY,C.J. NRC - No Detailed Affiliation Given. 3pp. 85419:340-85419:345.

9509120270 Responds 950824 ltr to CJ Haughney,in which several questions re approval of 10CFR71 QA program submitted to NRC by Mescalero Environmental,Inc.
RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 95/09/11. HUGHES,L. Native Americans for a Clean Environment. 2pp. 85469:303-85469:304.

DOCKET 71-3025 MODEL: TN 7-2 TRANSPORT CASK, TRANSPORTATION, DEPT. OF

9509080185 Provides questions on model TN 7-2. LEE, H. Office of Nuclear Material Safety & Safeguards. 95/08/30. BOYLE, R. Transportation, Dept. of. 2pp. 85442:195-85442:220.

-9509080189 Forwards addl info for review of TN 7/2 package as requested by NRC w/FAX dtd 950830, Rev 1. HILBERT, F. Affiliation Not Assigned. 95/09/04. CHAPPELL, R. NRC - No Detailed Affiliation Given. 6pp. 85442:197-85442:202.

-9509080190 Forwards FAX received from Edlow Intl Co re TN 7-2 cask validation. BOYLE, R. Transportation, Dept. of. 95/08/28. CHAPPELL, R. NRC - No Detailed Affiliation Given. 4pp. 85442:203-85442:206.

-9509080191 Forwards addl info for review of TN 7/2 package as requested by NRC w/FAX dtd 950830. HILBERT, F. Affiliation Not Assigned. 95/09/01. CHAPPELL, R. NRC - No Detailed Affiliation Given. 13pp. 85442:207-85442:220.

9509080241 Forwards evaluation record for model TN 7-2 package, in response to 950504 ltr, requesting assistance in evaluating model TN 7-2 package authorized by German Certificate of Competent Authority D/4160/B(U) F-85, Rev 4. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/01. BOYLE, R. Transportation, Dept. of. 6pp. 85426:172-85426:177.

DOCKET 71-3026 MODEL: TE 440/70 TRANSPORTATION, DEPT. OF

9509250158 Requests addl listed info to complete review of Model TE 440/70 package authorized by German Certificate D/4522/IF85, Rev 0, per 950630 request. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. BOYLE, R. Transportation, Dept. of. 1p. 85582:348-85582:348.

DOCKET 71-3027 MODEL: NT-IV TRANSPORTATION, DEPT. OF

9509250164 Requests addl listed info to complete review of Model NT-IV package authorized by Japanese Certificate J/37/AF-85, Rev 1. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. BOYLE, R. Transportation, Dept. of. 1p. 85582:347-85582:347.

DOCKET 71-3029 MODEL: RAJ-II TRANSPORTATION, DEPT. OF

9509260132 Responds to 950908 ltr, requesting assistance in evaluating Model RAJ-II package authorized by Japanese Certificate J/143/AF-85, issue date 950127. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/25. BOYLE, R. Transportation, Dept. of. 1p. 85645:359-85645:359.

DOCKET 71-5805 MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.

9509110031 Requests registration as user of model CNS 3-55 radioactive matl shipping cask. HOOD, W.S. OHM Corp. 95/08/30. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 85459:269-85459:269.

9509220306 Notification of registration as user of certificate of compliances 5805, 6601, 9096 & 9168 in response to 950920 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. SUMMERS, R. OHM Corp. 1p. 85589:345-85589:345.

DOCKET 71-5862 MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS

9509060249 Forwards application for renewal of COC 5862 for radioisotope thermoelectric generator type Sentinel 100F series. No changes in design or procedures occurred since certificate last renewed. MONTGOMERY, N.D. Air Force, Dept. of. 95/08/15. CHAPPELL, R. NRC - No Detailed Affiliation Given. 1p. 85367:226-85367:227.

-9509060257 Application for renewal of certificate of compliance 5862 for radioisotope thermoelectric generator type Sentinel 100F series & amend to reflect listed change of address. SHAFFER, G.D. Air Force, Dept. of. 95/07/13. NRC - No Detailed Affiliation Given. 1p. 85367:227-85367:227.

DOCKET 71-9957 MODEL: BMI-1, CINTICHEM, INC.

9509210039 Requests registration as user of model BMI-1 cask. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 95/09/12. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 1p. 85548:309-85548:309.

DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9509150366 Forwards Certificate of Compliance 6078, Rev 20, for Model 927A1. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/13. MICHELSEN, M.A. ABE Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 85518:341-85518:345.

-9509150368 Certificate of Compliance 6078, Rev 20, for Model 927A1 & 927C1 packages. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/13. 3pp. 85518:343-85518:345.

DOCKET 71-6206 MODEL: MODEL B, B&W FUEL CO.

9509270236 Forwards certificate of compliance 6206, rev 19 for Model B package, as requested by 950731 application. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/25. KNAPP, K.S. Babcock & Wilcox Co. 1p. 85656:355-85656:360.

-9509270245 Certificate of compliance 6206, rev 19, for model B package. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/25. 5pp. 85656:356-85656:360.

9509280130 Requests addl info re 950731 application, requesting amend to COC 6206 for model B package. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/25. KNAPP, K.S. Babcock & Wilcox Co. 2pp. 85646:341-85646:342.

DOCKET 71-6244 MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.

9509150381 Notices that as requested in ltr dtd 950907, QA program approval 0789 terminated. Authority to use Certificate of Compliance 6244 under general license, per 10CFR71.12, also terminated. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/13. FLOWE, J.M. Newport News Shipbuilding & Dry Dock Co. 1p. 85518:348-85518:348.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9509210255 Informs that DOE anticipates that drawings to be listed in COC 6553 for Paducah Tiger package & requested justification requested in NRC 950712 ltr will be submitted by 951013. ACHARYA, S. Energy, Dept. of. 95/09/12. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 85568:318-85568:319.

DOCKET 71-6601 MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.

9509110029 Requests registration as user of model CNS 8-120A radioactive matl shipping cask. HOOD, W.S. OHM Corp. 95/08/30. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 85459:270-85459:270.

9509220306 Notification of registration as user of certificate of compliances 5805, 6601, 9096 & 9168 in response to 950920 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. SUMMERS, R. OHM Corp. 1p. 85589:345-85589:345.

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9509250153 Informs of registration as user of Certificates of Compliance 6717, 9032 & 9033, per 950801 request. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. ROBERTS, K.L. Atomic Inspection Labs, Inc. 1p. 85582:349-85582:349.

DOCKET 71-9001 MODEL: IF-300, NUCLEAR PACKAGING, INC.

9509250170 Forwards Certificate of Compliance 9001, Rev 30 for Model IF-300 package. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/21. TEMUS, C.J. Vectra Technologies, Inc. 1p. 85582:337-85582:344.

-9509250175 Certificate of Compliance 9001, Rev 30, for Model IF-300. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/21. 7pp. 85582:338-85582:344.

DOCKET 71-9006 MODEL: AI 500 SU, AMERSHAM CORP.

9509070086 Forwards COC 9006, rev 11, for model AI 500 SU package, as requested by 950628 application. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/03. ROUGHAN, C. Amersham Corp. 1p. 85415:353-85415:356.

-9509070089 Certificate of compliance 9006, rev 11, for model AI 500 SU. Approval record encl. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/03. 3pp. 85415:354-85415:356.

DOCKET 71-9009 MODEL: FL 10-1, GENERAL ELECTRIC CO.

9509080058 Application for renewal of certificates of compliance 9009 & 90096 for models CNS 21-300 & FL 10-1, respectively. MAXIN, A.M. Nuclear Fuel Services, Inc. 95/08/31. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85419:190-85419:191.

9509210315 Notification of registration as user of certificate of compliance 9009, in response to 950831 request. Holder of certificate of compliance 9096 has submitted request to renew certificate. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. MAXIN, A.M. Nuclear Fuel Services, Inc. 1p. 85568:302-85568:302.

DOCKET 71-9019 MODEL: BU-7, GENERAL ELECTRIC CO.

9509250134 Forwards Certificate of Compliance 9019, rev 20 for Model BU-7. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. KL/PPROTH, J.F. General Electric Co. 1p. 85584:262-85584:268.

-9509250138 Certificate of Compliance 9019, Rev 20, for Model BU-7. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. 6pp. 85584:263-85584:268.

174 DOCKETED ITEMS

DOCKET 71-9028 MODEL: 684 & 684E, AMERSHAM CORP.

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr. Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Daring Valve Co. 1p. 85535:355-85535:355.

DOCKET 71-9029 MODEL: 676 & 676E, AMERSHAM CORP.

9509250186 Forwards request for addl info re 940906 application, as supplemented on 950612, requesting amend to Certificate of Compliance 9029 for Models 676, 676E, 676AE, 676B & 676BE packages. Response requested within 30 days of ltr date. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. ROUGHAN, C. Amersham Corp. 2pp. 85582:345-85582:346.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9509080106 Requests addl info re 950623 application, requesting amend to COC 9032 for model 650 shipping package. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/06. ROUGHAN, C. Amersham Corp. 2pp. 85447:139-85447:141.

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr. Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Daring Valve Co. 1p. 85535:355-85535:355.

9509220347 Requests termination of registrations for approval 0516, except for corresponding COCs 9032 & 9033, per 950920 conversation. Request in addition to original amend request ltr dtd 950817. KENEALLY, J.T. Long Island Lighting Co. 95/09/20. O'CONNOR, S. Office of Nuclear Material Safety & Safeguards. 1p. 85589:333-85589:333.

9509250153 Informs of registration as user of Certificates of Compliance 6717, 9032 & 9033, per 950801 request. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. ROBERTS, K.L. Atomic Inspection Labs, Inc. 1p. 85582:349-85582:349.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr. Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Daring Valve Co. 1p. 85535:355-85535:355.

9509220347 Requests termination of registrations for approval 0516, except for corresponding COCs 9032 & 9033, per 950920 conversation. Request in addition to original amend request ltr dtd 950817. KENEALLY, J.T. Long Island Lighting Co. 95/09/20. O'CONNOR, S. Office of Nuclear Material Safety & Safeguards. 1p. 85589:333-85589:333.

9509250153 Informs of registration as user of Certificates of Compliance 6717, 9032 & 9033, per 950801 request. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. ROBERTS, K.L. Atomic Inspection Labs, Inc. 1p. 85582:349-85582:349.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9509060181 Requests that Amersham Model 680B be added to QA program approval. HANGES, P.J. Diamond H. Testing Co. 95/08/25. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 85326:358-85326:358.

9509060178 Requests registration as user of models 680 & 680E. JOSLYN, K.R. BIX Testing Laboratories. 95/08/30. Office of Nuclear Material Safety & Safeguards. 1p. 85326:357-85326:357.

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr. Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Daring Valve Co. 1p. 85535:355-85535:355.

9509210242 Notification of registration as user of certificate of compliance 9035, in response to 950830 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. JOSLYN, K.R. BIX Testing Laboratories. 1p. 85528:312-85568:312.

9509210320 Notification of registration as user of certificate of compliance 9035, in response to 950825 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. HANGES, P.J. Diamond H. Testing Co. 1p. 85568:303-85568:303.

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9509200130 Forwards certificate of compliance 9036, rev 8, model C-1 package, as requested by 950731 application. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. DICHARRY, R.D. Source Production & Equipment Co., Inc. 1p. 85546:353-85546:356.

-9509200133 Certificate of compliance 9036, rev 8, for model C-1 package. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. 3pp. 85546:354-85546:356.

DOCKET 71-9057 MODEL: FPD-100, GENERAL ATOMICS

9509070080 Application for renewal of COC 9057 for model FPD-100 for period of five years. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 95/08/30. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85349:348-85349:348.

DOCKET 71-9094 MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.

9509140021 Requests registration as user of Chem Nuclear Sys, Inc Model CNS 14-195-H radioactive shipping cask. COUTURE, K. Navy, Dept. of 95/09/06. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85477:360-85477:360.

DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.

9509060222 Application for renewal of certificate of compliance 9096 for model CNS 21-300 packaging. LINDER, C. Chem-Nuclear Systems, Inc. 95/08/28. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 85367:223-85367:228.

9509110033 Requests registration as user of model CNS 21-300 radioactive material shipping cask. HOOD, W.S. OHM Corp. 95/06/30. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 85458:353-85458:353.

9509080058 Application for renewal of certificate of compliance 9009 & 90096 for models CNS 21-300 & FL 10-1, respectively. MAXIN, A.M. Nuclear Fuel Services, Inc. 95/08/31. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85419:190-85419:191.

9509200294 Forwards certificate of compliance 9096, rev 11, for model CNS 21-300 package, as requested by 950828 application. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. WITT, C.R. Chem-Nuclear Systems, Inc. 1p. 85552:350-85552:354.

-9509200299 Certificate of compliance 9096, rev 11, for model CNS 21-300. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. 4pp. 85552:351-85552:354.

9509210315 Notification of registration as user of certificate of compliance 9009, in response to 950831 request. Holder of certificate of compliance 9096 has submitted request to renew certificate. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. MAXIN, A.M. Nuclear Fuel Services, Inc. 1p. 85568:302-85568:302.

9509220306 Notification of registration as user of certificate of compliances 5805, 6601, 8096 & 9168 in response to 950920 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. SUMMERS, R. OHM Corp. 1p. 85589:345-85589:345.

DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr. Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Daring Valve Co. 1p. 85535:355-85535:355.

DOCKET 71-9147 MODEL: 850, AMERSHAM CORP.

9509050308 Corrected copy of application for renewal of COC 9147 for model 850 Type B device. OKVIST, E. Amersham Corp. 95/08/15. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 85345:327-85345:333.

9509150361 Forwards Certificate of Compliance 9147, Rev 5, for Model 850 package. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/13. OKVIST, E. Amersham Corp. 1p. 85518:337-85518:340.

-9509150365 Certificate of Compliance 9147, Rev 5, for Model 850. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/13. 2pp. 85518:338-85518:340.

DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr. Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Daring Valve Co. 1p. 85535:355-85535:355.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9509060196 Requests registration as user of models IR-50, IR-100 & OP-100. KNOBLAUCH, J.W. Affiliation Not Assigned. 95/08/29. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 85326:359-85326:359.

9509210261 Notification of registration as user of certificate of compliances 9156, 9157 & 9185, in response to 950829 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. KNOBLAUCH, J.W. Affiliation Not Assigned. 1p. 85568:238-85568:238.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9509060196 Requests registration as user of models IR-50, IR-100 & OP-100. KNOBLAUCH, J.W. Affiliation Not Assigned. 95/08/29. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 85326:359-85326:359.

9509210261 Notification of registration as user of certificate of compliances 9156, 9157 & 9185, in response to 950829 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. KNOBLAUCH, J.W. Affiliation Not Assigned. 1p. 85568:238-85568:238.

DOCKET 71-9165 MODEL: 855, AMERSHAM CORP.

9509260137 Forwards copies of pp 2-4 & 4-1 of model 855 SAR. OKVIST, E. Amersham Corp. 95/09/21. DUDESIL, Division of Industrial & Medical Nuclear Safety (Post 870729). 16pp. 85606:334-85606:349.

DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

9509110027 Requests registration as user of Chem-Nuclear Sys, Inc Model CNS 8-120B radioactive matl shipping cask. HOOD, W.S. OHM Corp. 95/08/30. CHAPPELL, C.R. Transportation Branch (Post 930207). 1p. 85459:271-85459:271.

9509220306 Notification of registration as user of certificate of compliances 5805, 6001, 9096 & 9168 in response to 950920 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. SUMMERS, R. OHM Corp. 1p. 85589:345-85589:345.

9509260366 Requests registration as user of model CNS 8-120B radioactive matls shipping cask. GREAVES, R.A. DuPont Merck Pharmaceutical Co. 95/09/20. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 85620:313-85620:313.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9509060196 Requests registration as user of models IR-50, IR-100 & OP-100. KNOBLAUCH, J.W. Affiliation Not Assigned. 95/08/29. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 85326:359-85326:359.

9509210261 Notification of registration as user of certificate of compliances 9156, 9157 & 9185, in response to 950829 request. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/20. KNOBLAUCH, J.W. Affiliation Not Assigned. 1p. 85568:238-85568:238.

DOCKET 71-9193 MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.

9509260276 Advises that NES used license 06-20775-01 to ship Co-60 irradiator within model NES-5 shipping cask. Certificate of Compliance 9193. DESANTI, J. Nuclear Energy Services (NES) Manufacturing. 89/02/28. WHITE, J.R. NRC - No Detailed Affiliation Given. 6pp. 85763:277-85763:282.

9509260212 Fourth partial response to FOIA request for documents. Records in App F will be made available in PDR. BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/19. GHEZZI, J.W. Affiliation Not Assigned. 18pp. 85684:001-85685:237.

9509260215 Advises that Nuclear Energy Svcs will use license to ship one Co-60 irradiator within Model NES-5 Shipping Cask. Certificate of Compliance 9193. DESANTI, J. Nuclear Energy Services, Inc. 89/02/28. WHITE, J.R. NRC - No Detailed Affiliation Given. 9pp. 85684:015-85684:023.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9509270053 Forwards nonproprietary & proprietary versions of Rev 9 to UX-30 SAR, incorporating revised UX-30 Foam Spec NPI.F12, per request for clarification of UX-30 foam spec. Proprietary version of Rev 9 to UX-30 SAR withheld per 10CFR2.790. TEMUS, C.J. Vectra Technologies, Inc. 95/09/21. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 4pp.

9509270063 Nonproprietary version of Rev 9 to UX-30 SAR. * Vectra Technologies, Inc. 95/09/30. 6pp.

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.

9509200125 Forwards certificate of compliance 9225, rev 8 for model NAC-LWT shipping package, as requested by 95C815 application. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. TIERSLAND, G.T. Nuclear Assurance Corp. 1p. 85555:282-85555:290.

9509200127 Certificate of compliance 9225, rev 8 for model NAC-LWT. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. 8pp. 85555:283-85555:290.

DOCKET 71-9226 MODEL: GA-4, GENERAL ATOMICS

9509260211 Notification of 951003 meeting w/GA & DOE in Rockville, MD to discuss planned structural drop analysis methodology in response to NRC request for info. RADOATZ, M.G. Office of Nuclear Material Safety & Safeguards. 95/09/20. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 85580:359-85580:360.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9509200285 Forwards certificate of compliance 9228, rev 8, for model 2000 package, as requested by 940728 application. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. CUNNINGHAM, G.E. General Electric Co. 1p. 85552:322-85552:332.

9509200287 Certificate of compliance 9228, rev 8, for model 2000 package. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/15. 10pp. 85552:323-85552:332.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9509270006 Requests that COC 9234, Rev 5 for Model NCI-21PF-1 package be extended beyond current expiration date of 951031 to provide for addl time required to complete review & approval process. ARNOLD, W.M. Nuclear Containers, Inc. 95/09/22. CHAPPELL, C.R. NRC - No Detailed Affiliation Given. 2pp. 85632:356-85632:357.

DOCKET 71-9238 MODEL: PATHFINDER, NORTHERN STATES POWER CO.

9509080211 Informs that COC 9238, for Model Pathfinder Reactor Vessel Package has been terminated, therefore no need to renew. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/06. PARKER, T.M. Northern States Power Co. 1p. 85425:355-85425:355.

DOCKET 71-9245 MODEL: RTS-420, RTS TECHNOLOGY, INC.

9509190336 Terminates QA program approval 0153, as requested in 950828 ltr Authority to use COCs 9028, 9032, 9033, 9035, 9107, 9148 & 9245 also terminated. Records required by 10CFR71.91 & 71.135 to be retained for period of three years. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/09/15. LARSON, G.D. Anchor/Darling Valve Co. 1p. 85535:355-85535:355.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9509210205 Submits response to request for addl info re application to amend COC 9248. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/09/12. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 3pp. 85568:299-85568:301.

DOCKET 71-9251 MODEL: BW-2901, B&W FUEL CO.

9509270078 Application for rev 5 to certificate of compliance 9251 for model BW-2901. KNAPP, K.S. B&W Fuel Co. 95/09/22. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 100pp. 85634:221-85634:349.

9509180078 Summary of 950720 telcon mtg w/B&W & Region II re status of Model BW-2901 package authorized in COC 9251. WHITE, B.H. Office of Nuclear Material Safety & Safeguards. 95/09/12. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 85510:323-85510:325.

9509210365 Forwards draft drawings to support telcon scheduled for 950914. Separate federal express package sent to NRC containing chapter six of SAR & supporting drawings. W/three oversize drawings. KNAPP, K.S. B&W Fuel Co. 95/09/13. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85625:072-85625:082.

DOCKET 71-9253 MODEL: TN-FSV, TRANSNUCLEAR, INC.

9509210203 Application for rev to certificate of compliance 9253 for TN-FSV spent fuel shipping package. Revs to drawings necessary to correct location of lifting points on impact limiters. FISCHER, M.J. Public Service Co. of Colorado. 95/09/11. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 33pp. 85568:089-85568:130.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9509130022 Forwards nonproprietary version of Rev 3 to rept HI-951251, "10CFR71 SAR for Packaging for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)". SINGH, K.P. Holtec International. 95/09/08. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 85475:001-85475:242.

9509130041 Nonproprietary version of "10CFR71 SAR for Packaging for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)". * Holtec International. HI-951251 R03. 95/06/31. 233pp. 85475:010-85475:242.

DOCKET 71-9262 YNPS RPV PACKAGE

9509060332 Forwards response to NRC request for addl info re Certificate of Compliance 9262, including Calculation YRC-1031, "Yankee Rowe Component Activation Analysis" & replacement pages for SAR submitted by utl 950323 ltr. THAYER, J.K. Yankee Atomic Electric Co. 95/08/30. CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 8pp. 85377:001-85379:160.

9509060338 Calculation YRC-1031, "Yankee Rowe Component Activation Analysis." * Yankee Atomic Electric Co. YRC-1031. 93/09/14. 767pp. 85377:009-85379:160.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9509260368 Requests registration as user of model SPEC-150 gamma radiography exposure device. MCINTIRE, M. Southwest X-Ray. 95/09/18. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 85620:324-85620:326.

176 LOCKETED ITEMS

DOCKET 71-9793 MODEL: M-140, ENERGY, DEPT. OF

9509070090 Forwards COC 9713, rev 4 for model M-140 package, as requested by 941014 application.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/03.
ENGEL, W.P. Energy, Dept. of. 1p. 85416:212-85416:222.

-9509070093 Certificate of compliance 9793, rev 4, for model M-140. Approval record encl.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/09/03. 10pp.
85416:213-85416:222.

DOCKET 71-9794 MODEL: CGN 25/35 REACTOR COMPARTMENT, DOE DIV OF NAVAL

9509280122 Forwards certificate of compliance 9794, rev 0 for model CGN 25/35 reactor compartment disposal package, as requested by 940712 application.
TRIVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/25.
ENGEL, W.P. Energy, Dept. of. 1p. 85647:254-85647:267.

-9509280124 Certificate of compliance 9794, rev 0, for model CGN 25/35 reactor compartment package.
TRIVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/09/25. 2pp.
85647:255-85647:256.

-9509280129 Safety evaluation approving model CGN 25/35 Reactor Compartment Disposal Package.
* Office of Nuclear Material Safety & Safeguards. 95/09/25. 9pp. 85647:257-85647:267.

DOCKET DOCKET UNKNOWN

9509120270 Responds 950824, ltr to CJ Haughney, in which several questions re approval of 10CFR71 QA program submitted to NRC by Mescaero Environmental, Inc.
RADDATZ, M. Office of Nuclear Material Safety & Safeguards. 95/09/11. HUGHES, L. Native Americans for a Clean Environment. 2pp. 85469:303-85469:304.

9509180110 Responds to 950821 ltr to JM Taylor that provided copies of resolutions opposed to Mescaero Fuel Storage Project, requesting that NRC cease working w/ Mescaero Tribal Council re fuel storage.
PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/09/12.
HAYNSWORTH, H. 1p. 85500:008-85500:008.

9509200128 Summary of 950830 pre-application meeting w/ Mescaero/Util in Rockville, MD re Mescaero spent fuel storage project. Meeting presentation hand-out, list of attendees & tourism & business info provided by Mescaero Apache Tribe encl.
MCGINTY, T.J. Office of Nuclear Material Safety & Safeguards. 95/09/14.
TRIVERS, W.D. Office of Nuclear Material Safety & Safeguards. 79pp. 85551:244-85551:320.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308

9509260122 Announces appointment of TJ McGinty as NMSS/SFPO Project Manager for GE Morris Operation.
RADDATZ, M.G. Office of Nuclear Material Safety & Safeguards. 95/09/22. ELLIS, J.E. General Electric Co. 2pp. 85623:342-85623:343.

DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO. 50-280 & 50-281

9509180064 Forwards proposed agenda for project status meeting scheduled for 950906 at otrs in Rockville, MD to confirm previous conversations w/ staff.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31.
TRIVERS, W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 85510:319-85510:322.

9509120016 Advises of change of address as listed for facility.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85432:358-85432:359.

9509210075 Summary of 950906 meeting w/ VEPCO in Rockville, MD re VEPCO spent fuel storage projects & licensing review of TN-32 storage cask.
LUSARDI, M. Office of Nuclear Material Safety & Safeguards. 95/09/14.
TRIVERS, W.D. Office of Nuclear Material Safety & Safeguards. 18pp. 85568:281-85568:296.

DOCKET 72-0003 H.B. ROBINSON ISFSI, 50-261

950910202 Forwards "HB Robinson Steam Electric Plant, Unit 2, Effluent & Waste Disposal Semiannual Rept, Jan-June 1995" & Rev 9 to "HB Robinson Steam Electric Plant, Unit 2 ODCM." Rept contains info re ISFSI.
KRICH, R.M. Carolina Power & Light Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 85310:001-85310:199.

-950910206 "HB Robinson Steam Electric Plant, Unit 2, Effluent & Waste Disposal Semiannual Rept for Jan-June 1995."
* Carolina Power & Light Co. 95/06/30. 22pp. 85310:002-85310:023.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9509110237 Forwards 1994 annual repts for DPC, NC Municipal Power Agency, NC Electric Membership Cooperative, Piedmont Municipal Power Agency & Saluda River Electric Cooperative. DPC form 10-K also encl.
TUCKMAN, M.S. Duke Power Co. 95/09/07. Document Control Branch (Document Control Desk). 64pp. 85440:001-85440:258.

-9509110242 "DPC 1994 Annual Rept."
GRIGG, W.H. Duke Power Co. 94/12/31. 51pp. 85440:065-85440:116.

-9509110246 "NC Electric Membership Corp 1994 Annual Rept."
KELLER, W.D. North Carolina Electric Membership Corp. 94/12/31. 46pp. 85440:117-85440:163.

-9509110244 "NC Municipal Power Agency 1 1994 Annual Rept."
CLAY, G.W. North Carolina Municipal Power Agencies. 94/12/31. 39pp. 85440:164-85440:205.

-9509110255 "Piedmont Municipal Power Agency 1994 Annual Rept."
DUNCAN, D.V. Piedmont Municipal Power Agency. 94/12/31. 53pp. 85440:206-85440:258.

DOCKET 72-0005 ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301

9509110080 Encourages development of reg guide outlining requirements of SAR for cask certification above & beyond that currently required in TSAR for ISFSI. Reg Guide 3.61.
SHILLINGLAW, J. Affiliation Not Assigned. 95/08/18. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85459:252-85459:255.

9509080161 Requests response to listed questions re NRC evaluation of lifting lugs on casks.
SHILLINGLAW, J. Affiliation Not Assigned. 95/08/30. HANSEN, NRC - No Detailed Affiliation Given. 1p. 85419:322-85419:322.

9509050328 Discusses 950822 ltr to A Hansen re dry cask storage at plant. Informs that list of changes to cask sys will be reviewed.
HANSEN, A.G. 95/09/01. DUMS, D. Citizens' Utility Board. 11pp. 85325:085-85325:096.

9509060003 Responds to 950802 ltr to S Jackson re dry cask storage at plants.
MARCUS, G.H. 95/09/01. RABATA, C. Affiliation Not Assigned. 4pp. 85314:231-85314:234.

9509250109 Informs that util must comply w/ 10CFR72.82(e) & file rpt of preoperational test acceptance & test results. Rept must be filed at least 30 days prior to receipt of spent fuel at ISFSI.
HIRT, A. Affiliation Not Assigned. 95/09/02. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 85578:353-85578:355.

9509250076 Encourages staff to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 1p. 85600:356-85600:357.

9509250085 Encourages NRC to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85587:353-85587:354.

9509110176 Responds to 950718-0818 ltrs re dry cask storage at plant. Informs th new docket numbers recently issued for several sites. Forwards branch technical position on QA programs for independent SF storage facilities.
MARCUS, G.H. 95/09/06. SHILLINGLAW, J. Affiliation Not Assigned. 8pp. 85385:272-85385:297.

-9509110194 Forwards guidance, "Std Review Plan for QA Programs for ISFSI, 10CFR72," prepared by NRC QA Branch.
ROUSE, L.C. Advanced Fuel & Spent Fuel Licensing Branch. 88/06/20. Affiliation Not Assigned. 1p. 85385:280-85385:280.

-9509110203 "QA Programs for ISFSI Branch Technical Position, Advanced Fuel & SF Licensing Branch."
* QA Br, Div of QA, Vendor & Technical Training Center Programs. IE (850212-870413). 86/06/20. 17pp. 85385:281-85385:297.

9509210186 Discusses application of WEPC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at BPNP located in Town of Two Creeks, Manitowoc County.
DORR, L.L. Wisconsin, State of 95/09/11. HANSEN, A.G. ROEMER, E. Lake Michigan Federation. GORDER, S. Affiliation Not Assigned. 5pp. 85548:291-85548:295.

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON, J.N. 95/09/12. SHILLINGLAW, J. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

9509210289 Questions why WEPC delayed loading casks until Dec, whether dry run for WEPC complete, whether NRC reviewed unloading procedure & how procedure different from Palisades.
SHILLINGLAW, J. Affiliation Not Assigned. 95/09/14. HANSEN, A. NRC - No Detailed Affiliation Given. 4pp. 85568:323-85568:326.

9509270199 Forwards insp repts 50-266/95-08 & 50-301/95-08 on 950617-0811 & NOV
FARBER, M.J. Region 3 (Post 820201). 95/09/14. LINK, R. Wisconsin Electric Power Co. 2pp. 85631:279-85631:295.

9509210096 Ack receipt of 950906 response to F Shillinglaw 950718 & 0818 ltrs. Questions re proprietary nature of stated documents & whether insp of metal components for Point Beach done by NRC listed.
SHILLINGLAW, J. Affiliation Not Assigned. 95/09/15. MARCUS, G.H. 2pp. 85568:327-85568:328.

9509260267 Requests identification of submitted technical issues not explicitly addressed in dry cask storage action plan.
DUMS, D. Affiliation Not Assigned. 95/09/19. HANSEN, A. NRC - No Detailed Affiliation Given. 3pp. 85625:036-85625:038.

9509250141 Informs that J Bork extremely concerned about util request to skip required 30 day preoperational testing on NUHOMS 24 cask.
BORK, J. Affiliation Not Assigned. 95/09/25. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85578:351-85578:352.

DOCKET 72-0007 ISFSI PALISADES GEN LIC/VSC-24, 50-255

9509110080 Encourages development of reg guide outlining requirements of SAR for cask certification above & beyond that currently required in TSA's for ISFSI, Reg Guide 3.61.

SHILLINGLAW, F. Affiliation Not Assigned. 95/08/18. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. App. 85459:252-85459:255.

9509080161 Requests response to listed questions re NRC evaluation of lifting lugs on casks.
SHILLINGLAW, F. Affiliation Not Assigned. 95/08/30. HANSEN NRC - No Detailed Affiliation Given. 1p. 85419:322-85419:322.

9509060003 Responds to 950802 ltr to S Jackson re dry cask storage at plants.
MARCUS, G.H. 95/09/01. RABATA, C. Affiliation Not Assigned. App. 85314:231-85314:234.

9509250109 Informs that util must comply w/10CFR72.82(e) & file rept of preoperational test acceptance & test results. Rept must be filed at least 30 days prior to receipt of spent fuel at ISFSI.
HIRT, A. Affiliation Not Assigned. 95/09/02. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 85578:353-85578:355.

9509250076 Encourages staff to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 1p. 85600:356-85600:357.

9509250085 Encourages NRC to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85587:353-85587:354.

9509110176 Responds to 950718-0818 ltr re dry cask storage at plant. Informs that new docket numbers recently issued for several sites. Forwards branch technical position on QA programs for independent SF storage facilities.
MARCUS, G.H. 95/09/06. SHILLINGLAW, F. Affiliation Not Assigned. 8pp. 85385:272-85385:297.

9509110194 Forwards guidance, "Std Review Plan for QA Programs for ISFSI, 10CFR72," prepared by NRC QA Branch.
ROUSE, L.C. Advanced Fuel & Spent Fuel Licensing Branch. 86/06/20. Affiliation Not Assigned. 1p. 85385:280-85385:280.

9509110203 "QA Programs for ISFSI Branch Technical Position, Advanced Fuel & SF Licensing Branch."
QA Br, Div of QA, Vendor & Technical Training Center Programs, IE (850212-870413). 86/06/20. 17pp. 85385:281-85385:287.

9509210186 Discusses application of WEPC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at PBNP located in Town of Two Creeks, Manitowoc County.
DORR, L.L. Wisconsin, State of. 95/09/11. HANSEN, A.G. ROEMER, E. Lake Michigan Federation. GORDER, S. Affiliation Not Assigned. 5pp. 85548:291-85548:295.

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON, J.N. 95/09/12. SHILLINGLAW, F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

9509190396 Requests addl info re unloading procedure for multi-assembly sealed basket.
GAMBERONI, M. 95/09/14. HAAS, K.M. Consumers Power Co. 9pp. 85525:202-85525:244.

9509210289 Questions why WEPC delayed loading casks until Dec, whether dry run for WEPC complete, whether NRC reviewed unloading procedure & how procedure different from Palisades.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/14. HANSEN, A. NRC - No Detailed Affiliation Given. 4pp. 85568:323-85568:326.

9509210096 Ack receipt of 950906 response to F Shillinglaw 950718 & 0818 ltrs. Questions re proprietary nature of stated documents & whether insp of metal components for Point Beach done by NRC listed.
SHILLINGLAW, F. Affiliation Not Assigned. 95/09/15. MARCUS, G.H. 2pp. 85568:327-85568:328.

9509250267 Requests identification of submitted technical issues not explicitly addressed in dry cask storage action plan.
DUMS, D. Affiliation Not Assigned. 95/09/19. HANSEN, A. NRC - No Detailed Affiliation Given. 3pp. 85625:036-85625:038.

9509250141 Informs that J Bork extremely concerned about util request to skip required 30 day preoperational testing on NUHOMS 24 cask.
BORK, J. Affiliation Not Assigned. 95/09/25. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85578:351-85578:352.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9509060013 Forwards safety evaluation re LNG Hazards analysis. NRC concludes that safe operation of plant & ISFSI will not be jeopardized by operation of LNG terminal located at Cove Point.
MARSH, L.B. 95/08/31. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 85326:001-85326:017.

9509060023 Safety evaluation re LNG hazards analysis. NRC concludes that safe operation of plant & ISFSI will not be jeopardized by operation of LNG terminal located at Cove Point.
95/08/31. 14pp. 85326:004-85326:017.

9509060027 Forwards Safety Evaluation re updated hazard analysis for liquefied natural gas terminal located at Cove Point, MD.
MARSH, L.B. 95/08/31. OCHS, R. Maryland Safe Energy Coalition. 2pp. 85325:312-85325:330.

9509060041 Advises that updated hazard analysis for liquefied natural gas will not be jeopardized by operation of LNG terminal located at Cove Point.
MARSH, L.B. 95/08/31. DENTON, R.E. Boston Edison Co. 3pp. 85325:314-85325:318.

9509060045 Safety evaluation re liquefied natural gas hazards analysis. NRC concludes that safe operation of plant, including ISFSI, will not be jeopardized by operation of LNG terminal at Cove Point.
95/08/31. 13pp. 85325:317-85325:330.

9509070296 Informs that util plans to implement changes to emergency plan re ISFSI.
DENTON, R.E. Baltimore Gas & Electric Co. 95/08/31. Document Control Branch (Document Control Desk). 3pp. 85415:357-85415:359.

9509260351 Forwards proprietary Rev 4 to "Calvert Cliffs ISFSI USA." Rev withheld.
DENTON, R.E. Baltimore Gas & Electric Co. 95/09/20. Office of Nuclear Material Safety & Safeguards. 6pp. 85607:354-99203:303.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9509060018 Notification of 950907 meeting w/util in Rockville, MD to discuss merger of two util & future applications to NRC re merger.
WETZEL, B.A. 95/08/31. HANNON, J. 4pp. 85326:051-85326:054.

9509080021 Summary of 950822 meeting w/NEI in Rockville, MD re technical, programmatic & administrative issues re ISFSIs. List of attendees encl.
KUGLER, A.J. 95/09/01. 16pp. 85385:043-85385:058.

9509220309 Forwards Rev 3 to ISFSI security plan. Rev withheld.
WADLEY, M.D. Northern States Power Co. 95/09/13. Document Control Branch (Document Control Desk). 1p. 85570:330-85570:330.

9509280031 Ack receipt of 950731 ltr responding to special dry cask insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02.
KROPP, W.J. Region 3 (Post 820201). 95/09/18. ANDERSON, R.O. Northern States Power Co. 1p. 85613:003-85613:003.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9509200120 Forwards request for addl info re plant ISFSI application, dtd 911004. Addl info specified in encl. should be provided within 45 days of date of request.
RADDATZ, M. Office of Nuclear Material Safety & Safeguards. 95/09/12. SHETLER, J.R. Sacramento Municipal Utility District. 5pp. 85554:355-85554:358.

DOCKET 72-0013 ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368

9509200042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANNON, J.N. 95/09/12. SHILLINGLAW, F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

DOCKET 72-0014 ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346

9509250109 Informs that util must comply w/10CFR72.82(e) & file rept of preoperational test acceptance & test results. Rept must be filed at least 30 days prior to receipt of spent fuel at ISFSI.
HIRT, A. Affiliation Not Assigned. 95/09/02. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 85578:353-85578:355.

9509250065 Requests NRC deny util request to skip 30 day preoperational test of NUHOMS 24 cask sys.
WASHING, J.R. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 2pp. 85582:356-85582:358.

9509250076 Encourages staff to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 1p. 85600:356-85600:357.

9509250085 Encourages NRC to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON, C.F. Affiliation Not Assigned. 95/09/05. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85587:353-85587:354.

9509250064 Requests NRC deny util request to skip 30 day preoperational test of NUHOMS 24 cask.
CRABTREE, C. Affiliation Not Assigned. 95/09/07. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 85600:354-85600:355.

9509250061 Requests denial of util request to avoid 30 day preoperational test of NUHOMS 24 cask.
SHIH, M. Affiliation Not Assigned. 95/09/13. BOHRER, K. Office of Nuclear Material Safety & Safeguards. 2pp. 85599:358-85599:359.

9509210286 Responds to 950728 ltr asserting that plant should not have to comply w/section 72.82(e) of Commission regulations re ISFSI storage requirements.
ROE, J.W. 95/09/19. STETZ, J.P. Toledo Edison Co. 7pp. 85561:303-85561:309.

9509290052 Requests schedule exemption from submitting rept under 10CFR72.82(e) 30 days prior to fueling loading & proposes to submit rept three days prior to commencement of fuel loading. Supporting info listed.
STETZ, J.P. Centenor Energy. 95/09/22. Document Control Branch (Document Control Desk). 4pp. 85638:346-85638:349.

9509250141 Informs that J Bork extremely concerned about util request to skip required 30 day preoperational testing on NUHOMS 24 cask.
BORK, J. Affiliation Not Assigned. 95/09/25. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 85578:351-85578:352.

DOCKET 72-0016 VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339

9509180064 Forwards proposed agenda for project status meeting scheduled for 950906 at otrs in Rockville, MD to confirm previous conversations w/staff.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/08/31. TRAYERS, W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 85510:319-85510:322.

178 DOCKETED ITEMS

9509210075 Summary of 950906 meeting w/VEPCO in Rockville,MD re VEPCO spent fuel storage projects & licensing review of TN-32 storage cask.
LUSARDI,M. Office of Nuclear Material Safety & Safeguards. 95/09/14.
TRAYERS,W.D. Office of Nuclear Material Safety & Safeguards. 18pp. 85568:281-85568:298.

DOCKET 72-0016 PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306

9508310224 Responds to 950727 request for prompt attention to 950718 resolution from Economic Development Authority of Lake City, MN re proposed alternative spent fuel storage facility in Goodhue County. Offers no comments.
THE CHAIRMAN Commissioners (Post 750119). 95/08/17. ZEIGLER,R. 1p. 85290:030-85290:032.

-9508310225 Forwards resolution passed by Economic Development Authority of Lake City, MN at 950718 meeting. Resolution re proposed alternative dry cask storage for spent nuclear fuel from Prairie Island Nuclear Plant outside of Red Wing, MN.
ZEIGLER,R. 95/07/27. THE CHAIRMAN Commissioners (Post 750119). 2pp. 85290:031-85290:032.

DOCKET 72-0019 MESCALERO ENVIRONMENTAL, INC.

9509110061 Requests clarification re listed questions & issues concerning Mescalero Environ, Inc QA program package 0817, Rev 0.
HUGHES,L. Native Americans for a Clean Environment. 95/08/14. HAUGHNEY,C.J. NRC - No Detailed Affiliation Given. 3pp. 85419:340-85419:345.

DOCKET 72-1002 MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.

9509010294 Forwards completed table on NAC Intl commitments to NUREG-0612 & ANSI N14.6-1986 for four NAC designed dual-purpose or storage casks currently holding 10CFR72 COC or design approval. Ir, per request.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/08/22. SCHNEIDER,J. Office of Nuclear Material Safety & Safeguards. 2pp. 85313:336-85313:339.

DOCKET 72-1003 MODEL: NAC-C28 S/T, NUCLEAR ASSURANCE CORP.

9509010294 Forwards completed table on NAC Intl commitments to NUREG-0612 & ANSI N14.6-1986 for four NAC designed dual-purpose or storage casks currently holding 10CFR72 COC or design approval. Ir, per request.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/08/22. SCHNEIDER,J. Office of Nuclear Material Safety & Safeguards. 2pp. 853:3-336-85313:339.

DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM

9509110095 Forwards supplemental response to NRC CAL dtd 950707, addressing dry shielded canister (DSC) shell weld thinning. Revised Calculation NUH004.0213, "Standardized NUHOMS-24P DSC Shell Min Acceptable Uniform Thickness" also encl.
FRANCESCHI,V. Vectra Technologies, Inc. 95/09/05. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 14pp. 85451:128-85451:285.

-9509110101 "Standardized NUHOMS-24P DSC Shell Min Acceptable Uniform Thickness."
SISLEY,S.E., INGLES,W. Vectra Technologies, Inc. NUH004.0213 R01. 95/08/23. 144pp. 85451:142-85451:285.

9509250109 Informs that util must comply w/10CFR72.82(e) & file rept of preoperational test acceptance & test results. Rept must be filed at least 30 days prior to receipt of spent fuel at ISFSI.
HIRT,A. Affiliation Not Assigned. 95/09/02. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 85578:353-85578:355.

9509130094 Encourages NRC to consider all safety requirements concerning preoperational test acceptance criteria & test results re planned dry cask sys at Davis Besse (& Wisconsin Electric Power).
JOHNSTON,C.F. Affiliation Not Assigned. 95/09/05. HANSEN,A.G. 2pp. 85474:223-85474:224.

9509250065 Requests NRC deny util request to skip 30 day preoperational test of NUHOMS 24 cask sys.
WASHINGTON,J.R. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 2pp. 85582:356-85582:358.

9509250076 Encourages staff to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON,C.F. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 1p. 85600:356-85600:357.

9509250085 Encourages NRC to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON,C.F. Affiliation Not Assigned. 95/09/05. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 1p. 85587:353-85587:354.

9509250064 Requests NRC deny util request to skip 30 day preoperational test of NUHOMS 24 cask.
CRASTREE,C. Affiliation Not Assigned. 95/09/07. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 85600:354-85600:355.

9509250061 Requests denial of util request to avoid 30 day preoperational test of NUHOMS 24 cask.
SHIH,M. Affiliation Not Assigned. 95/09/13. BOHRER,K. Office of Nuclear Material Safety & Safeguards. 2pp. 85599:358-85599:359.

9509250141 Informs that J Bork extremely concerned about util request to skip required 30 day preoperational testing on NUHOMS 24 cask.
BORK,J. Affiliation Not Assigned. 95/09/25. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 1p. 85578:351-85578:352.

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9509190116 Submits comments on EPRI TR-100305 (PNL-7839), "Performance Testing & Analyses of VSC-17 Ventilated Concrete Cask," in response to 950811 telcon re "off-gassing" of RX-277 neutron shield mat during testing of VSC-17.
THOMPSON,T.C. Sierra Nuclear, Inc. 95/06/14. LEU,K.C. NRC - No Detailed Affiliation Given. 1p. 85524:351-85524:351.

9509110080 Encourages development of reg guide outlining requirements of SAR for cask certification above & beyond that currently required in TSAR for ISFSI, Reg Guide 3.61.
SHILLINGLAW,J. Affiliation Not Assigned. 95/08/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85459:252-85459:255.

9509250109 Informs that util must comply w/10CFR72.82(e) & file rept of preoperational test acceptance & test results. Rept must be filed at least 30 days prior to receipt of spent fuel at ISFSI.
HIRT,A. Affiliation Not Assigned. 95/09/02. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 85578:353-85578:355.

9509250076 Encourages staff to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON,C.F. Affiliation Not Assigned. 95/09/05. NRC - No Detailed Affiliation Given. 1p. 85600:356-85600:357.

9509250085 Encourages NRC to consider safety requirements re preoperational test acceptance criteria & test results.
JOHNSTON,C.F. Affiliation Not Assigned. 95/09/05. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 1p. 85587:353-85587:354.

9509110176 Responds to 950718-0818 ltrs re dry cask storage at plant. Informs that new docket numbers recently issued for several sites. Forwards branch technical position on QA programs for independent SF storage facilities.
MARCUS,G.H. 95/09/06. SHILLINGLAW,F. Affiliation Not Assigned. 6pp. 85385:272-85385:297.

-9509110194 Forwards guidance, "Std Review Plan for QA Programs for ISFSI 10CFR72," prepared by NRC QA Branch.
ROUSE,L.C. Advanced Fuel & Spent Fuel Licensing Branch. 86/06/20. Affiliation Not Assigned. 1p. 85385:280-85385:280.

-9509110203 "QA Programs for ISFSI Branch Technical Position, Advanced Fuel & SF Licensing Branch."
* QA Br, Div of QA, Vendor & Technical Training Center Programs, IE (850212-870413). 86/06/20. 17pp. 85385:261-85385:297.

9509210186 Discusses application of WEPC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at PBNP located in Town of Two Creeks, Manitowoc County.
DORR,L.L. Wisconsin, State of. 95/09/11. HANSEN,A.G. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 85548:291-85548:295.

9509110042 Ack receipt of 941112 ltr re dry cask storage of SF & submits responses.
HANON,J.N. 95/09/12. SHILLINGLAW,F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

9509210289 Questions why WEPC delayed loading casks until Dec, whether dry run for WEPC complete, whether NRC reviewed unloading procedure & how procedure different from Palisades.
SHILLINGLAW,F. Affiliation Not Assigned. 95/09/14. HANSEN,A. NRC - No Detailed Affiliation Given. 4pp. 85568:323-85568:326.

9509210096 Ack receipt of 950906 response to F Shillinglaw 950718 & 0818 ltrs. Questions re proprietary nature of stated documents & whether insp of metal components for Point Beach done by NRC listed.
SHILLINGLAW,F. Affiliation Not Assigned. 95/09/15. MARCUS,G.H. 2pp. 85568:327-85568:328.

9509260267 Requests identification of submitted technical issues not explicitly addressed in dry cask storage action plan.
DUMS,D. Affiliation Not Assigned. 95/09/19. HANSEN,A. NRC - No Detailed Affiliation Given. 3pp. 85625:036-85625:038.

9509250141 Informs that J Bork extremely concerned about util request to skip required 30 day preoperational testing on NUHOMS 24 cask.
BORK,J. Affiliation Not Assigned. 95/09/25. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 1p. 85578:351-85578:352.

DOCKET 72-1008 MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL

9509130063 Forwards nonproprietary version of Rev 3 to Holtec Rept HI-941184, "10CFR72 Topical SAR for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)."
SINGH,K.P. Holtec International. 95/09/08. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 9pp. 85476:001-85476:255.

-9509130066 Nonproprietary "10CFR72 Topical SAR for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)."
* Holtec International. HI-941184 R03. 95/08/31. 246pp. 85476:010-85476:255.

9509130180 Forwards proprietary Rev 3 to Holtec Rept HI-941184, "10CFR72 Topical SAR for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)."
* Proprietary Rev 3 of Topical SAR HI-941184 withheld.
SINGH,K.P. Holtec International. 95/09/08. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 85474:135-85474:140.

DOCKET 72-1009 DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE

9509110277 Informs that deficiencies were identified which did not meet applicable QA program requirements during first audit conducted by Westinghouse. Audit was conducted during week of 950731. Also, informs of issuance of SWO effective, 950803.
WILLIAMS,J.R. Energy, Dept. of. 95/08/11. TRAYERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 85436:312-85436:313.

9509200222 Confirms discussions of Westinghouse MPC team & subsequent conversations w/M Lusardi of NRC otc re re-scheduling of upcoming planned meeting from 950829 to 0907.
HAELSIG,R.T. PacTec, Inc. 95/08/19. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85554.293-85554.293.

9509070051 Informs that SWO issued by W for Packaging Technology (PT) on 950802 lifted on 950810.W lifted SWO after reviewing & agreeing that activities performed by PT to correct quality discrepancies & to prevent future occurrence adequate.
WILLIAMS,J.R. Energy, Dept. of. 95/08/22. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 85436.312-85436.313.

DOCKET 72-1010 DOE-MPC-44B FOR BWR FUEL

9509110277 Informs that deficiencies were identified which did not meet applicable QA program requirements during first audit conducted by Westinghouse.Audit was conducted during week of 950731.Also,informs of issuance of SWO effective,950803.
WILLIAMS,J.R. Energy, Dept. of. 95/08/11. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 85436.312-85436.313.

9509200222 Confirms discussions of Westinghouse MPC team & subsequent conversations w/M Lusardi of NRC otc re re-scheduling of upcoming planned meeting from 950829 to 0907.
HAELSIG,R.T. PacTec, Inc. 95/08/19. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85554.293-85554.293.

DOCKET 72-1011 DOE-MPC-12P FOR PWR FUEL

9509110277 Informs that deficiencies were identified which did not meet applicable QA program requirements during first audit conducted by Westinghouse.Audit was conducted during week of 950731.Also,informs of issuance of SWO effective,950803.
WILLIAMS,J.R. Energy, Dept. of. 95/08/11. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 85436.312-85436.313.

9509200222 Confirms discussions of Westinghouse MPC team & subsequent conversations w/M Lusardi of NRC otc re re-scheduling of upcoming planned meeting from 950829 to 0907.
HAELSIG,R.T. PacTec, Inc. 95/08/19. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85554.293-85554.293.

DOCKET 72-1012 DOE-MPC-24B FOR BWR FUEL

9509110277 Informs that deficiencies were identified which did not meet applicable QA program requirements during first audit conducted by Westinghouse.Audit was conducted during week of 950731.Also,informs of issuance of SWO effective,950803.
WILLIAMS,J.R. Energy, Dept. of. 95/08/11. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 85436.312-85436.313.

9509200222 Confirms discussions of Westinghouse MPC team & subsequent conversations w/M Lusardi of NRC otc re re-scheduling of upcoming planned meeting from 950829 to 0907.
HAELSIG,R.T. PacTec, Inc. 95/08/19. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85554.293-85554.293.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

- 9506300021** Staff requirements memo re meeting w/ACRS to discuss T/H issues, status of Westinghouse AP600 design review, regulatory analysis guidelines, application of risk analysis RM, proposed final rule on T/S, cracking & fatigue in nuclear components. BATES, A.L. Office of the Secretary of the Commission. FACA. 95/06/16. NRC - No Detailed Affiliation Given. 2pp. 64510:333-64510:334.
- 9507060034** Staff requirements memo re 950622 affirmation/discussion & vote. HOYLE, J.C. Office of the Secretary of the Commission. AF06-2 003. 95/06/22. TAYLOR, J.M. Ofc of the Executive Director for Operations. App. 84531:356-84531:359.
- 9508100330** Staff requirements memo re 950726 briefing on status of main rule. HOYLE, J.C. Office of the Secretary of the Commission. FACA. 95/08/09. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85144:100-85144:100.
- 9509050075** Transcript of 950629 public meeting in Rockville, MD re affirmation/discussion & vote. Pp 1-4.
* Commissioners (Post 750119). 95/06/29. 8pp. 85314:020-85314:027.
- 9509050076** Staff requirements memo re SECY-95-195. "Final Amends to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Matis." BATES, A.L. Office of the Secretary of the Commission. M950830. 95/08/31. TAYLOR, J.M. Ofc of the Executive Director for Operations. CORDES, J.F. Office of Commission Appellate Adjudication (Post 910701). 2pp. 85314:018-85314:019.
- 9509050077** Transcript of 950830 meeting in Rockville, MD re affirmation session. Pp 1-5.
* Commissioners (Post 750119). 95/08/30. 8pp. 85314:118-85314:126.
- 9509060232** Transcript of public meeting on 950822 in Rockville, MD re briefing on changes to performance indication program. Pp 1-50.
* Commissioners (Post 750119). 95/08/22. 84pp. 85323:179-85323:262.
- 9509060236** Transcript of public meeting on 950822 in Rockville, MD re affirmation session. Pp 1-4.
* Commissioners (Post 750119). 95/08/22. 9pp. 85326:018-85326:025.
- 9509140061** Staff requirements memo re 950912 affirmation session in Rockville, MD on "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches. HOYLE, J.C. Office of the Secretary of the Commission. M950912B. 95/09/12. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85505:156-85505:156.
- 9509180144** Transcript of 950912 public meeting in Rockville, MD re All Employees meeting. Pp 1-48. Supporting documentation encl.
* Commissioners (Post 750119). 95/09/12. 52pp. 85521:070-85521:121.
- 9509180188** Transcript of 950912 meeting in Rockville, MD re Affirmation Session - Public Meeting. Pp 1-4.
* Commissioners (Post 750119). 95/09/12. 8pp. 85497:337-85497:344.
- 9509190026** Transcript of 950912 fourth annual all employees public meeting in Rockville, MD. Pp 1-38. Supporting documentation encl.
* Commissioners (Post 750119). 95/09/12. 43pp. 85524:001-85524:042.
- 9509190202** Staff requirements memo re activities at Watts Bar licensing. HOYLE, J.C. Office of the Secretary of the Commission. M950911. 95/09/15. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85524:163-85524:163.
- 9509190220** Staff requirements memo re 950912 meeting w/NRC staff to address Commissioners directly. HOYLE, J.C. Office of the Secretary of the Commission. M950912A/C. 95/09/15. Office of the Secretary of the Commission. 1p. 85524:162-85524:162.
- 9509200093** Forwards Agreement State Program info re reimbursement of NRC cost. LOHAUS, P. Office of State Programs (Post 911117). SP-95-153. 95/09/13. General. 2pp. 85510:032-85510:038.
- 9509200100** Staff requirements memo re SECY-95-192. "Agreement State Reimbursement of NRC Costs." HOYLE, J.C. Office of the Secretary of the Commission. 95/08/25. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85510:035-85510:035.
- 9509200230** Transcript of 950911 public meeting in Rockville, MD re briefing on status of Watts Bar licensing - public meeting. Pp 1-83.
* NRC - No Detailed Affiliation Given. 95/09/11. 83pp. 85543:001-85543:130.
- 9509220212** Staff requirements memo re SECY-95-220. "Lead Responsibility for NRC Activities During Responses to Emergencies." HOYLE, J.C. Office of the Secretary of the Commission. 95/09/15. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85562:343-85562:346.
- 9509220213** Staff requirements memo re SECY-95-183. "Final Rule on Rev of NRC Transportation Regulations." HOYLE, J.C. Office of the Secretary of the Commission. 95/08/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85562:352-85562:352.
- 9509220229** Staff requirements memo re SECY-95-211. Final. "Revised Guidance on Disposal of Non-Atomic Energy Act of 1954, Section 11e(2) Byproduct Mat in Tailings Impoundments," & Final. "Position & Guidance on Use of U MI Feed Matis Other...." HOYLE, J.C. Office of the Secretary of the Commission. 95/09/01. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85574:352-85574:352.
- 9509220317** Staff requirements memo re SECY-95-201. "Alternative to Terminating NRC LLRW Disposal Program." HOYLE, J.C. Office of the Secretary of the Commission. 95/09/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. LARKINS, J.T. Advisory Committee on Nuclear Waste. 2pp. 85576:358-85576:359.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

- 9509130173** NUREG-1423 V65 A COMPILATION OF REPORTS OF THE ADVISORY COMMITTEE ON NUCLEAR WASTE July 1993 - June 1995.
* Advisory Committee on Nuclear Waste. 95/08/31. 75pp. 85433:144-85433:210.
- 9509220317** Staff requirements memo re SECY-95-201. "Alternative to Terminating NRC LLRW Disposal Program." HOYLE, J.C. Office of the Secretary of the Commission. 95/09/14. TAYLOR, J.M. Ofc of the Executive Director for Operations. LARKINS, J.T. Advisory Committee on Nuclear Waste. 2pp. 85576:358-85576:359.
- 9509260017** Transcript of ACNW 77th meeting on 950921 in Rockville, MD. Pp 354-491.
* Advisory Committee on Nuclear Waste. 95/09/21. 160pp. 85605:171-85605:330.
- 9509260023** Transcript of ACNW 77th meeting on 950920 in Rockville, MD. Pp 1-353. Related info encl.
* Advisory Committee on Nuclear Waste. 95/09/20. 654pp. 85626:001-85627:290.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

- 9509050087** Responds to 950616 ltr, listing primary concerns re use of nuclear heat during hydrotesting, concerning proposed FR & RG for fracture toughness requirements for LWR PVs. Informs of plans to recommend that amend to 10CRF50, App G be published. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/21. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 85314:017-85314:017.
- 9509080002** "NRC Seeks Qualified Candidates for ACRS."
* Office of Public Affairs (Post 911117). 95/09/05. 2pp. 85435:052-85435:053.
- 9509130058** Transcript of ACRS 424th meeting on 950908 in Rockville, MD. Pp 313-443.
* ACRS - Advisory Committee on Reactor Safeguards. 95/09/08. 181pp. 85490:001-85490:161.
- 9509130061** Transcript of ACRS 424th meeting on 950907 in Rockville, MD. Pp 1-312.
* ACRS - Advisory Committee on Reactor Safeguards. 95/09/07. 475pp. 85488:001-85488:111.
- 9509140266** First partial response to FOIA request for documents. Records in App A encl & available in PDR. NRC continuing to review records subj to requests & will notify recipient upon completion of review.
* Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. DEKOK, D. Affiliation Not Assigned. 8pp. 85494:001-85494:353.
- 9509150124** Forwards listed info on FBR demonstration plant for review. W/o encl. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/02/13. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:092-85494:092.
- 9509150126** Forwards errata sheets dtd 690202 from AI for AI-67-MEMO-149 & AI-67-MEMO-150. Vol I for FBR demonstration plant for review W/o encl. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/02/27. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:093-85494:093.
- 9509150149** Forwards transmittal ltr dtd 690416 & comments by Air Resources Environ Lab - ESSA on Vols I & II of safety analysis for FBR demonstration plant for review W/o encl. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/05/13. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:114-85494:114.
- 9509150153** Forwards summary of 690604 meeting w/ACRS Subcommittee re factors germane to evaluation of Pu dispersions & AI/GPU demonstration plant. KLECKER, R.W. Atomic Energy Commission (Pre 750119). 69/06/11. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 1p. 85494:118-85494:118.
- 9509150155** Summary of 690604 meeting w/ACRS Subcommittee re recent fire at Rocky Flats, CO plant, biological effects from Pu exposures, Pu transport (dispersion) & AI FBR accident evaluation model. BAKER, R.E. Atomic Energy Commission (Pre 750119). 69/06/11. Atomic Energy Commission (Pre 750119). 7pp. 85494:119-85494:125.
- 9509150172** Forwards preliminary responses to AEC/DRL question on GPU/AI 500 MWe FBR demonstration plant SER, dtd 690813 for review. W/o encl. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/06/18. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:145-85494:145.
- 9509150178** Forwards 690820 ltr from Fish & Wildlife Svc, DOI transmitting comments on documents submitted by AI for preapplication site review of proposed FBR demonstration plant in Wyoming County, PA for review W/o encl. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/09/08. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 85494:146-85494:149.
- 9509150185** Forwards final draft responses to AEC/DRL questions on GPU/AI 500 MWe FBR demonstration plant SER dtd 691008. Encls delivered to ACRS on 691010 by Lofthess, W/o encl. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/10/14. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:150-85494:150.
- 9509150190** Forwards input for ACRS rept on FBR. Notices that radiological consequences section of ACRS rept will be handled by Advanced Concepts Branch. HOWE, P.W. Atomic Energy Commission (Pre 750119). 69/10/16. BOYD, R.S. Atomic Energy Commission (Pre 750119). 5pp. 85494:151-85494:155.
- 9509150197** Forwards revised geology & seismology section for FBR ACRS rept. HOWE, P.W. Atomic Energy Commission (Pre 750119). 69/10/23. BOYD, R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:156-85494:157.

182 NONDOCKETED ITEMS

- 9509150203 Forwards list of items identified by ACRS Subcommittee Chairman for presentation & for discussion during Nov 1969 ACRS meeting on FBR demonstration plant.
HARD,J.E. ACRS - Advisory Committee on Reactor Safeguards 69/10/24.
IRELAND,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:158-85494:160.
- 9509150207 Forwards Suppl 1 to Vol 1 of AI-67-MEMO-150. "SE of 500-MWe FBR Demonstration Plant - Answers to DRL Questions," dtd 691024 & page setting forth changes in listed document submitted from final draft for review.W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/10/31. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:161-85494:161.
- 9509150211 Forwards 691030 ltr from USGS & rept on hydrologic aspects of planned location of FBR demonstration plant for review. W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/11/06. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 85494:162-85494:163.
- 9509150252 Forwards list of items identified for presentation & discussion during Feb 1970 ACRS meeting on FBR demonstration plant.
HARD,J.E. ACRS - Advisory Committee on Reactor Safeguards. 70/01/27.
IRELAND,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:203-85494:205.
- 9509150256 Forwards "Rept to ACRS GPU/AI Preliminary Site Review for Proposed FBR Demonstration Power Plant" for review.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 70/01/28. HENDRIE,J.M. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:206-85494:206.
- 9509150263 "Rept to ACRS GPU/AI Preliminary Site Review for Proposed FBR Demonstration Power Plant."
* Atomic Energy Commission (Pre 750119). 70/01/27. 78pp. 85494:207-85494:282.
- 9509150275 Summary of ACRS 109th meeting on 690508-10 & 118th meeting on 700205-07 re suitability of Scottsville,PA site for sodium-cooled,fast-neutron reactor.
HENDRIE,J.M. ACRS - Advisory Committee on Reactor Safeguards. 70/02/11.
SEABORG,G.T. Atomic Energy Commission (Pre 750119). 4pp. 85494:285-85494:288.
- 9509150280 Forwards ACRS rept re Committee review of PENELEC & AI request for pre-application site review of proposed fast-neutron sodium-cooled power reactor to be located near Scottsville,PA for info.W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 70/03/12. DODSON,N.G. Pennsylvania Electric Co. FLAHERTY,J.J. Atomic International. 5pp. 85494:289-85494:293.
- 9509270001 "NRC ACRS to Meet 951005-07 in Rockville,MD."
* Office of Public Affairs (Post 911117). 95/09/22. 3pp. 85728:314-85728:316.
- 9509270106 Summary of 423rd meeting of ACRS on 950913-14 on proposed resolution of GI 24, "Automatic ECCS Switchover to Recirculation." ACRS concurs w/resolution proposed by NRC.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/09/12.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85619:101-85619:101.
- 9509270112 Discusses health effects valuation & lists reasons ACRS continue to recommend use of discounted \$2,000 per person-yr.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/09/13.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 85619:102-85619:103.
- 9509270113 Informs that during 424th meeting of ACRS on 950907-08,ACRS decided not to comment on proposed reg. 1 to Reg Guide 1.153, "Criteria for Safety Sys" (Draft Reg Guide DG-1042).
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 95/09/13.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85619:104-85619:104.
- 9509270118 Summary of 424th meeting of ACRS on 950907-08 re development of improved NDE techniques.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/09/15.
JACKSON,S.A. Commissioners (Post 750119). 2pp. 85619:105-85619:106.
- 9509270122 Summary of 424th meeting of ACRS on 950907-08 re Nuclear Energy inst petition for rulemaking to amend 10CFR50.48, "Fire Protection."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/09/15.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 85619:107-85619:109.
- 9509270142 Forwards listed ACRS repts,commenting on NEI petition proposing to amend fire protection rule,health effects valuation & proposed resolution of Generic Issue 24.
* Office of Public Affairs (Post 911117). 95/09/21. 1p. 85619:111-85619:120.
- ADVCOM NRC ADVISORY COMMITTEE**
- 9509130110 Final response to FOIA request for documents.Records in App A encl & being made available for PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. ROSE,C.H. Affiliation Not Assigned. 2pp. 85436:186-85436:225.
- 9509130173 NUREG-1423 V05 A COMPILATION OF REPORTS OF THE ADVISORY COMMITTEE ON NUCLEAR WASTE,July 1993 - June 1995.
* Advisory Committee on Nuclear Waste. 95/08/31. 75pp. 85433:144-85433:210.
- 9509150311 Forwards briefing book for Advisory Committee on Medical Uses of Isotopes Subcommittee meeting on 950927.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/09/14. Document Control Branch (Document Control Desk). 158pp. 85505:157-85505:314.
- 9509220317 Staff requirements memo re SECY-95-201, "Alternative to Terminating NRC LLRW Disposal Program."
HOYLE,J.C. Office of the Secretary of the Commission. 95/09/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. LARKINS,J.T. Advisory Committee on Nuclear Waste. 2pp. 85576:358-85576:359.
- 9509260017 Transcript of ACNW 77th meeting on 950921 in Rockville,MD.Pp 354-491.
* Advisory Committee on Nuclear Waste. 95/09/21. 180pp. 85605:171-85605:330.
- 9509260023 Transcript of ACNW 77th meeting on 950920 in Rockville,MD.Pp 1-353. Related info encl.
* Advisory Committee on Nuclear Waste. 95/09/20. 654pp. 85626:001-85627:290.
- 9509270126 "NRC Advisory Committee on Medical Uses of isotopes to Meet 951018-19 in Rockville,MD."
* Office of Public Affairs (Post 911117). 95/09/26. 1p. 85619:110-85619:110.
- COMMISSION NRC COMMISSIONERS**
- 9505100174 Informs Commission of staff plans to develop insp procedure to evaluate licensee employee concerns programs & to conduct pilot review of employee concerns process at several plants beginning in May 1995.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/01. THE CHAIRMAN, JACKSON,S.A., DE PLANQUE,K.C. Commissioners (Post 750119). 8pp. 85548:271-85548:278.
- 9508310224 Responds to 950727 request for prompt attention to 950718 resolution from Economic Development Authority of Lake City, MN re proposed alternative spent fuel storage facility in Goodhue County Offers no comments.
THE CHAIRMAN, Commissioners (Post 750119). 95/08/17. ZEIGLER,R. 1p. 85290:030-85290:032.
- 9508310225 Forwards resolution passed by Economic Development Authority of Lake City,MN at 950718 meeting.Resolution re proposed alternative dry cask storage for spent nuclear fuel from Prairie Island Nuclear Plant outside of Red Wing,MN.
ZEIGLER,R. 95/07/27. THE CHAIRMAN, Commissioners (Post 750119). 2pp. 85290:031-85290:032.
- 9509010052 "Entering 21st Century on Technical Info Highway," presented to Nuclear Info & Records Mgt Assoc '95 Symposium.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/28. 10pp. 85315:092-85315:101.
- 9509050215 Ack receipt of 950718 ltr expressing state interest in NRC Agreement State Program.Commission appreciates K Coleman responsibility in evaluating feasibility of state participation in program.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/28. COLEMAN,K. Alaska, State of. 5pp. 85297:195-85297:200.
- 9509050221 Congratulates SA Jackson on appointment as Chairman of the Commission.Expresses state interest in NRC Agreement State Program.
COLEMAN,K. Alaska, State of. 95/07/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85297:200-85297:200.
- 9509060365 SECY-95-221 Weekly info rept for wk ending 950825.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/08/30. 22pp. 85323:310-85323:332.
- 9509110153 Ack receipt of 950718 ltr re interest in NRC Agreement State Program.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/28. COLEMAN,K. Alabama, State of. 1p. 85472:008-85472:010.
- 9509110162 Discusses possibility for State of Alaska to participate in Agreement State Program.
COLEMAN,K. Alabama, State of. 95/07/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85472:010-85472:010.
- 9509110173 Submits comments on provisions of legislation added or amended since Commission last statement of views on S. 943, proposed to J Glenn on 950625.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/28. GLENN,J. Senate. Governmental Affairs. 2pp. 85416:324-85416:326.
- 9509120042 Ack receipt of 950726 ltr enclosing policy resolutions on transportation,storage & disposal of spent fuel & high-level radwaste adopted during 1995 Annual Meeting of Western Governors Association.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/09/01. SCHAFFER,E.T., NELSON,E.B. Western Governors' Association. 2pp. 85411:324-85411:337.
- 9509120045 Forwards copies of selected policy resolutions which were adopted during 1995 annual meeting.Policy resolutions express governors collective position on significant issues & federal legislation affecting West.
NELSON,E.B., SCHAFFER,E. Western Governors' Association. 95/07/26. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 12pp. 85411:326-85411:337.
- 9509150043 SECY-95-227 Weekly info rept for wk ending 950901.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/07. 20pp. 85520:301-85520:320.
- 9509190244 SECY-95-231 Weekly info rept for wk ending 950906.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/13. 16pp. 85523:304-85523:319.
- 9509200093 Forwards Agreement State Program info re reimbursement of NRC cost. LOHAUS,P. Office of State Programs (Post 911117). SP-95-153. 95/09/13. General. 2pp. 85510:032-85510:038.
- 9509200109 Notation vote disapproving w/comments,SECY-95-192, "Agreement State Reimbursement of NRC Cost."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 85510:036-85510:037.
- 9509200119 Notation vote disapproving w/comments,SECY-95-192, "Agreement State Reimbursement of NRC Costs."
ROGERS,K.C. Commissioners (Post 750119). 95/08/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85510:038-85510:038.
- 9509220001 S-95-17 Speech entitled, "Changing NRC Environ," presented by SA Jackson at Commission Mtg w/NRC Staff Rockville,MD on 950912.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/09/12. 6pp. 85573:270-85573:275.
- 9509220189 Affirmation vote approving SECY-95-195 - "Final Amendments to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Materials."
ROGERS,K.C. Commissioners (Post 750119). 95/08/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85574:348-85574:348.

9509220204 Notation vote approving w/comments,SECY-95-181, "Final Amend to 10CFR50, App J, "Containment Leakage Testing," To Adopt Performance-Oriented & Risk-Based Approaches."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/24
HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 85562:350-85562:351.

9509220237 Informs that vote on SECY-95-201, "Alternative to Terminating NRC Low-Level Radioactive Waste Disposal Program," will not be necessary at this time & forwards paper to staff.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/09/01
HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85574:353-85574:353.

9509220242 Notation Vote approving SECY-95-211 - final "Revised Guidance on Disposal of Non-Atomic Energy Act of 1954, Section 11e.(2) Byproduct Material in Tailings Impoundments" & final "Position & Guidance on Use of U..."
ROGERS,K.C. Commissioners (Post 750119). 95/09/01. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85574:347-85574:347.

9509220243 Notation Vote approving SECY-95-211 - final "Revised Guidance on Disposal of Non-Atomic Material of 1954, Section 11e.(2) Byproduct Material in Tailing Impoundments" & final "Position & Guidance on Use of U..."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/09/30.
HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85574:339-85574:339.

9509220274 Notation Vote approving w/comments,SECY-95-181, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
ROGERS,K.C. Commissioners (Post 750119). 95/08/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85574:354-85574:354.

9509220293 Notation vote approving w/b comment SECY-95-195, "Final Amends to 10CFR20 & 35 on Medical Administration of Radiation & Radioactive Matls."
JACKSON,S.A. Commissioners (Post 750119). 95/08/16. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85574:355-85574:355.

9508250375 Forwards "Semiannual Rept on Status of Thermo-Lag Action Plan & Fire Protection Task Action Plan."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/20. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 20pp. 85582:289-85582:308.

9505290090 SECY-95-241 Weekly info rept for wk ending 950915.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/20. 20pp. 85636:326-85636:345.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9509050047 Ltr contract,definitizing task order 17 to, "PC Codes for Calculating Public Dose."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-91-047. FIN J-6039. 95/08/29. KNOX,I.H. Advanced Systems Technology, Inc. 4pp. 85314:034-85314:037.

9509050050 Ltr contract,mod 1 to task order 66,providing incremental funding in listed amount which fully funds task order to, "GE Vendor Insp."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. FIN J-2258-5. 95/08/31. LOFY,R.A. PARAMETER, Inc. 1p. 85314:038-85314:038.

9509080208 Ltr contract,mod 1 to Task Order 12, revising Statement of Work,w/no change in obligation amount or current task order ceiling amount,to "Technical Assistance for Training in Health Physics & Radiation Protection."
MATTIA,M.G. Division of Contracts (Post 940714). NRC-26-91-292. 95/08/31. HOLMBERG,A. IT Corp. 4pp. 85385:065-85385:069.

9509140055 Ltr contract,definitizing task order 6 w/listed cost ceiling, to "Technical Assistance in Review of Revision Z of Ventilated Storage Cask SAR Dated October 1994."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-003. 95/09/03. LONG,D. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 85505:152-85505:155.

9509140078 Ltr contract,authorizing & directing organization to initiate work in accordance w/statement of work to "NRC Strategic Assessment & Rebaselining."
HALMONE,E. Division of Contracts (Post 940714). NRC-34-95-302. 95/09/11. ARMAJANI,B. 12pp. 85505:119-85505:130.

9509150021 Ltr contract,mod 1 to task order 41,increasing number of professional hours by listed amount to obtain contractor assistance,to "1995 LER Review & Data Incorporation Into Human Factor Info Sys."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2015-5. NRC-03-93-036. 95/09/07. COLINA,I. Science & Engineering Associates, Inc. 4pp. 85505:321-85505:324.

9509150026 Ltr contract,refinizing task order 53,to "Emergency Operating Procedures Insp - Watts Bar Nuclear Plant Follow-up."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. NRC-03-93-036. 95/09/07. COLINA,I. Science & Engineering Associates, Inc. 6pp. 85505:315-85505:320.

9509210263 Ltr contract,mod 4 to task order 29,definitizing subj task order by increasing listed obligated & order ceiling amounts & extending task order period of performance until 960128.
MACE,M. Division of Contracts (Post 940714). FIN J-5048. NRC-02-90-009. 95/09/18. LONG,D. Science Applications International Corp. (formerly Science Applications, Inc.). 3pp. 85561:275-85561:286.

-9509210284 Discusses & forwards proposal 01-0309-71-0960-016,mod 3 to task order 29. "Technical Assistance in Review of SMUD Application for License to Operate ISFSI."
LONG,D.M. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-02-90-009. 95/06/30. EASTMAN,J.G. Division of Contracts (Post 940714). 9pp. 85561:278-85561:286.

9509210291 Ltr contract,mod 3 to task order 25,extending expiration date of task order from 950731 to 950929 at no addl cost or obligation to govt.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-90-027. 95/07/31. KOMORIYA,H. International Technical Services, Inc. 2pp. 85561:310-85561:311.

9509250024 Ltr contract: "Technical Assistance for Rulemakings: Amending of Nuclear Power Plant Decommissioning Financial Assurance Requirements." awarded to ICF, Inc.
MACE,M. Division of Contracts (Post 940714). NRC-04-95-065. 95/09/20. HALLA ICF, Inc. 4pp. 85578:285-85578:286.

9509260098 Ltr contract,definitizing task order 3. "Completion of Draft NUREG on Automatic ECCS Switchover to Recirculation."
MACE,M.H. Division of Contracts (Post 940714). FIN W-6325. NRC-04-95-047. 95/09/22. COLINA,I.R. Science & Engineering Associates, Inc. 3pp. 85586:358-85586:360.

9509260194 Ltr contract,mod 1 to task order 74, reducing task order level of effort & ceiling amount,to "Followup to SWSOPI - Brunswick under NRC contract NRC-03-93-026."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-5. NRC-03-93-026. 95/09/13. LOFY,R.A. PARAMETER, Inc. 4pp. 85608:278-85608:281.

9509260197 Ltr contract,task order 2,definitizing task order to "Technical Assistance for Rulemakings:Amending of NPP Decommissioning Financial Assurance Requirements."
MACE,M.H. Division of Contracts (Post 940714). FIN W-6294. NRC-04-95-065. 95/09/20. HALLA, ICF, Inc. 4pp. 85608:282-85608:285.

9509260205 Ltr contract,task order 23,definitizing task order to "Technical Assistance in Initial Exam for Indian Point NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. NRC-03-94-035. 95/08/29. VOGEL,A.M. Sonalysts, Inc. 4pp. 85608:286-85608:289.

9509260254 Ltr contract,Mod 1 to task order,accomodating issuance of NRC change order dtd 950726 by listed amount,to "Revision of 10CFR20 to include provision for constraint of 10 MREM per yr to any member of public..."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-91-047. 95/09/21. KNOX,I.H. Advanced Systems Technology, Inc. 4pp. 85601:180-85601:183.

9509270007 Ltr contract,mod 2,providing incremental funding in listed amount to increase ceiling amount to, "Optical Character Recognition of Text & Scanning of Images."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-146. 95/09/22. HURST,F. Justice, Dept. of. 1p. 85601:238-85601:238.

9509270019 Ltr contract,mod 9,providing incremental funding,thereby increasing amount obligated,to "Technical Assistance for Watts Bar Operational Readiness Evaluation."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/09/22. LOFY,R.A. PARAMETER, Inc. 1p. 85608:356-85608:356.

9509270021 Ltr contract,Mod 1 to task order 26,increasing funding to allow for increase in number of operator exams administered from two to four,to "Technical Assistance in Initial Exam for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. NRC-03-94-035. 95/09/21. VOGEL,A.M. Sonalysts, Inc. 3pp. 85601:239-85601:241.

9509270026 Ltr contract,Mod 1,increasing obligated amount for performance & preparatory work necessary for NRC vehicle barrier demonstration from \$20,000 to \$40,000,to "NRC Safeguards Inspector Training."
MATTIA,M.J. Division of Contracts (Post 940714). FIN J-2317. NRC-26-95-279. 95/09/22. Virginia, Commonwealth of. 2pp. 85601:242-85601:243.

9509280002 Ltr contract,mod 12,providing addl listed funding amount to interagency agreement,to "Financial Review & Assessment."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-1965. NRC-09-92-201. 95/09/27. GOLDBERG,T. Labor, Dept. of. 2pp. 85625:359-85625:360.

9509280008 Ltr contract,NRC-33-93-194,mod 7 to task order 1,providing addl listed funding amount & extending period of performance to "Customer Support Desk."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1010. NRC-33-93-194. 95/09/26. STARK,R. Global Management Systems, Inc. 2pp. 85625:354-85625:355.

9509280081 Ltr Contract NRC-33-93-194,Mod 3 Task Order 2 to "Develop & Implement CSC Enhancements for Call Tracking, Requisition Tracking,Inventory Mgt & Remote Access."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-194. 95/09/27. STARK,R. Global Management Systems, Inc. 2pp.

9509280088 Ltr of Contract NRC-04-91-068,Mod 5 Task 36 to "Individual Plant Exam Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only (Millstone Unit 2)."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9508280128 FOIA request for documents re Foote Mineral/Shieldalloy/ Cyprus Mineral Site in Cambridge,OH.
GRAHAM,M.E. Affiliation Not Assigned. 95/03/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85228:029-85228:030.

9508310201 FOIA request for documents re number of direct NRC insp hours in each of listed combined resident insps.
WILLIAMS,O.G. JRA Associates. OGW-95-093. 95/05/12. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85288:216-85288:216.

9508310206 First final response to FOIA request for documents,Records in App A encl & will be available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/20. WILLIAMS,O.G. JRA Associates. 2pp. 85288:217-85288:220.

-9509010277 Listing of hours & costs for processing request.
* NRC - No Detailed Affiliation Given. 95/06/20. 2pp. 85288:219-85288:220.

9509050100 Fifth partial response to FOIA request for documents,Records in App G will be made available in PDR,App H records will be withheld in part (ref Exemption 6).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. KUNTZ,P. Wall Street Journal. 4pp. 85318:088-85318:146.

184 NONDOCKETED ITEMS

- 9509050103 Responds to 910422 ltr to A Spector re capability of Birdsboro Ferrocast, Inc to supply casks for storage & transportation of high-level radioactive waste. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 91/06/28. GATES, E.D. 87pp. 85318:012-85318:137.
- 9509050107 Submits info on behalf of ED Gates re capability of Birdsboro Ferrocast, Inc to produce cast stainless steel "casks" for storage of high level radioactive waste. SPECTOR, A. Senate. 91/06/12. RATHBUN, D.K. Congressional Affairs (870413-911116). 2pp. 85318:138-85318:139.
- 9509050114 Partially withheld response to 901129 ltr to A Spector, expressing concerns re evaporation of TMI-2 accident generated water. MARTIN, T.T. Region 1 (Post 820201). 92/02/13. RUSSO, N.G. 2pp. 85318:140-85318:141.
- 9509050117 Partially withheld ltr expressing appreciation for visit to Region 1 office to express views re radiography requirements. SWETLAND, P.D. NRC - No Detailed Affiliation Given. 91/12/09. HICKS, T. 1p. 85318:142-85318:142.
- 9509050119 Partially withheld response to 901129 ltr to A Spector which expressed concerns re evaporation of TMI-2 accident generated water. MARTIN, T.T. Region 1 (Post 820201). 92/02/21. HICKS, T.R. 2pp. 85318:143-85318:144.
- 9509050123 Partially withheld ltr forwarding matls provided by NG Russo re possibility of presence of radioactive water at plant. SPECTOR, A. Senate. 91/01/31. RATHBUN, D.K. Congressional Affairs (870413-911116). 2pp. 85318:145-85318:146.
- 9509050108 FOIA request for documents re basis for decommissioning fund requirement placed upon Advanced Medical Sys, Inc. ENGLISH, L.K. Northeast Ohio Regional Sewer District. 95/04/24. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85317:001-85317:001.
- 9509050115 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. ENGLISH, L.K. Northeast Ohio Regional Sewer District. 2pp. 85317:002-85317:136.
- 9503150189 Informs that ICF inc & OGC has reviewed & provided comments on Advanced Medical Sys Inc, nonstandard financial assurance submittal. Requests careful review of all comments before preparing deficiency rept. ICF & OGC comments encl. W/o encl. BYKOSKI, L.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/03. NULL, K. Region 3 (Post 820201). 1p. 85317:096-85317:096.
- 9509050125 Discusses request for assistance in review of financial documents submitted by Advanced Medical Sys, Inc. PEDERSON, C.D. Region 3 (Post 820201). 95/04/14. GREEVES, J.T. Division of Waste Management (NMSS 940403). 1p. 85317:004-85317:004.
- 9509050129 Forwards Decommissioning Funding Plan, for review. AXELSON, W.L. Region 3 (Post 820201). 95/02/01. GREEVES, J.T. Division of Waste Management (NMSS 940403). 10pp. 85317:005-85317:014.
- 9509050131 "Decommissioning Cost Estimate for London Road Site in Cleveland, OH." * Advanced Medical Systems, Inc. 95/01/31. 81pp. 85317:015-85317:095.
- 9509070099 Discusses submitted decommissioning funding plan using amended ltr of credit & revised standby trust agreement. COLLIER, J. ICF, Inc. 95/02/28. BYKOSKI, L. Office of Nuclear Material Safety & Safeguards. 13pp. 85317:097-85317:112.
- 9509070102 Forwards modified & restated decommissioning trust w/Corporate Resolution. CESAR, D. Advanced Medical Systems, Inc. 95/03/31. GROBE, J.A. Region 3 (Post 820201). 23pp. 85317:113-85317:136.
- 9509050132 FOIA request for documents re communications to & from R Lugar. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Public Document Branch. 7pp. 85318:001-85318:007.
- 9509050169 Final response to FOIA request for documents. Records in App F will be made available in PDR. App E records will be withheld in part (ref Exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. KUNTZ, P. Wall Street Journal. 4pp. 85316:302-85316:341.
- 9101150315 Responds to ltr to Senator A Spector requesting assistance in obtaining info re training & evaluation of maint workers at commercial nuclear power plants. List of senators serving on Committee on Environ & Public Works encl. ROE, J.W. Division of Licensee Performance & Quality Evaluation (870411-921003). 91/01/07. HORNBERGER, C.K. Berks Vocational Technical School, Leesport, PA. 10pp. 85316:313-85316:321.
- 9106070085 Partially withheld ltr ack receipt of 910422 ltr to A Spector re NRC requirements to ensure that employees at nuclear reactors do not rept to work under influence of drugs. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 91/05/30. O'BRIEN, J. Affiliation Not Assigned. 1p. 85316:322-85316:322.
- 9509050178 Forwards 910422 ltr re safety rules to ensure that employees of nuclear plants not under influence of drugs on job. SPECTER, A. Senate. 91/05/16. RATHBUN, D.K. Congressional Affairs (870413-911116). 2pp. 85316:323-85316:324.
- 9509050182 Partially withheld ltr responding to A Spector ltr of 930325 which requested that NRC give due consideration to concerns expressed in 930311 ltr to A Spector. LIEBERMAN, J. Otc of Enforcement (Post 870413). 93/04/16. UNALA, Greater Harrisburg Cancer Center, Harrisburg, PA. 2pp. 85316:325-85316:326.
- 9509050185 Forwards 930311 ltr from A Unal re NRC investigation of operations of Oncology Svcs Corp, which provides high dose radiation svcs to Harrisburg Cancer Ctr. Partially withheld curriculum vitae, encl. SPECTER, A. Senate. 93/03/25. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 10pp. 85316:327-85316:341.
- 9509050180 FOIA request for documents re Site Characterization for PERMAGRAIN site in Media, PA & D & D cost estimate. BASTENBECK, B. ESA-2126. 95/05/31. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85317:137-85317:137.
- 9509050184 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/13. BASTENBECK, B. 2pp. 85317:138-85317:310.
- 9509050188 Forwards final rept, "Radiological Characterization of Quehanna, PA Site," for review. REILLY, M.A. Pennsylvania, Commonwealth of. 93/04/02. KINNEMAN, J. Region 1 (Post 820201). 1p. 85317:140-85317:141.
- 9509050191 "Radiological Characterization of Quehanna, PA Site." * Canberra Industries, Inc. 117249. 93/01/31. 160pp. 85317:142-85317:301.
- 9509070115 Forwards amend to NRC material license 37-17860-02. KINNEMAN, J.D. Region 1 (Post 820201). 117249. 93/10/13. WITT, A.E. Permagrain Products, Inc. 9pp. 85317:302-85317:310.
- 9509050298 FOIA request for documents re any allegations or complaints made by J.L. Martin about Detroit Edison Co during period of 930101 to present. MARQUARDT, P.A. Detroit Edison Co. 95/03/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85316:296-85316:301.
- 9509050302 Final response to FOIA request for documents. Records in App A will be made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. BASTENBECK, B. 2pp. 85316:296-85316:301.
- 9509050304 Package consisting of sites found contaminated by terminated license rework. * 95/07/14. 4pp. 85316:298-85316:301.
- 9509050307 FOIA request for documents which had been reported by agency as info contained in GAO Rept to Ranking Minority Member, Committee on Govt Affairs, US Senate, "Nuclear Regulation - Slow Progress in Identifying..." BASTENBECK, B. 95/06/07. NRC - No Detailed Affiliation Given. 2pp. 85316:294-85316:295.
- 9509050309 Fourth partial response to FOIA request for documents. Forwards documents listed in Apps D & E. Documents released to public. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. IRWIN, D. Hunton & Williams. 3pp. 85316:058-85316:156.
- 9310140155 Discusses potential core shroud cracking at BWRs. Informs that NRR has issued info Notice 93-79 to inform holders of BWR OLCs of cracking. Notice encl. WIGGINS, J.T. Division of Engineering (Post 921004). IEIN-93-079. 93/10/05. HODGES, M.W. Region 1 (Post 820201). 2pp. 85316:109-85316:130.
- 931120144 Forwards core shroud cracking packet, including listed info response to cracks found in Brunswick Unit 1 core shroud, as result of OP&L in-vessel visual insps performed during current refueling outage for facility W/o encl. WIGGINS, J.T. Division of Engineering (Post 921004). 93/11/01. HOLAHAN, G.M. Division of Safety Programs (Post 870413). 2pp. 85316:131-85316:132.
- 9312070210 Discusses encl petition received on 931014 from M Kohn for Natl Whistleblower Ctr requesting that NRC take action re plant, units 1 & 2 alleged mgt coverup of shroud cracking listed under case 2-93-059/R11-93-A-0205. W/o encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2,206. 93/11/22. HAYES, B.B. Otc of Investigations (Post 880201). 1p. 85316:133-85316:133.
- 9405230154 Informs of circumferential cracking in heat affected zone of core shroud weld H-3 at Brunswick 1 plant & of issuance of info Notice 93-079 to alert BWR licensees of cracking. Responses to listed questions required from licensees. BRINKMAN, D.S. Project Directorate I-1. IEIN-93-079. 94/05/11. ANDERSEN, J. NRC - No Detailed Affiliation Given. 2pp. 85316:134-85316:135.
- 9406070127 Forwards preliminary safety assessment of BWR core shroud cracking & risk insights for core shroud cracking. RUBIN, M.P. Division of Systems Safety & Analysis (Post 921004). 94/05/23. COLLINS, T.E. Reactor Systems Branch. 8pp. 85316:136-85316:143.
- 9412120036 Event tracking & follow up assignment sheets of 930701 event re cracks at two weld regions of core shroud. GREEN, T. NRC - No Detailed Affiliation Given. 94/11/07. 29pp. 85316:082-85316:106.
- 9501310196 Forwards SE accepting licensee response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shroud in BWRs." STROSNIDER, J. Office of Nuclear Reactor Regulation (Post 941001). GL-94-03. 95/01/22. MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 85316:144-85316:146.
- 9509070049 Safety evaluation supporting response to GL 94-03 re proposed core shroud modification design. * Office of Nuclear Reactor Regulation (Post 941001). GL-94-03. 95/01/22. 10pp. 85316:147-85316:156.
- 9509050310 Final response to FOIA request for documents. Confirms telcon w/N Pugh on 950627 that requester does not wish further processing of request. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/28. MARQUARDT, P.A. Detroit Edison Co. 1p. 85316:158-85316:158.
- 9509050311 Final response to FOIA request for documents. Records in App A made available through another public distribution program. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. BYRD-COLLINS, C. 2pp. 85316:288-85316:293.
- 9509050312 Listing of bank card holders. * NRC - No Detailed Affiliation Given. 95/07/25. 4pp. 85316:290-85316:293.

- 9509050316 FOIA request for listing of all credit card/VISA impact card holders at agency.
BYRD-COLLINS,C. 95/07/05. POWELL,R.A. Public Document Branch. 1p. 85316:267-85316:267.
- 9509050318 FOIA request for documents re investigation of Southern & subsidiary,Gulf Power Co.
ROWLEY,S. Affiliation Not Assigned. 94/07/07. MITCHELL,B. Justice, Dept. of. 2pp. 85316:159-85316:160.
- 9509050319 Final response to FOIA request for documents.Records in App A will be made available in PDR,App B records will be withheld in part (ref Exemption 7C),App C records will be withheld in entirety (ref Exemptions 4,6 & 7D).
* Division of Freedom of Information & Publications Services (Post 940714). 95/07/27. BLANCH,P.M. Affiliation Not Assigned. 20pp. 85316:169-85316:286.
- 9509050322 Partially withheld investigative rept 1-90-001 on 920831.Noncompliance noted.Major areas inspected.allegations that Blanch had been subjected to H&I by ngt.
WILSON,E.P., LETTTS,B.R., HAYES,B.B. Region 1 (Post 820201). 92/08/31. 99pp. 85316:189-85316:286.
- 9509050321 First final response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/20. ROWLEY,S.T. Affiliation Not Assigned. 2pp. 85316:161-85316:167.
- 9509050326 Forwards 4 pages of mail for direct response to requester.
GAY,B.L. Justice, Dept. of. 95/05/25. NRC - No Detailed Affiliation Given. 1p. 85316:163-85316:163.
- 9509050331 Introduces OI of NRC & requests assistance re provision of info re Southern Co.
VORSE,J. Region 2 (Post 820201). 95/05/29. WHITLEY,J.D. Justice, Dept. of. 2pp. 85316:164-85316:167.
- 9509050324 Third partial response to FOIA request for documents.Records in App C withheld in entirety (ref FOIA exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. IRWIN,D. Hunton & Williams. 3pp. 85487:232-85487:236.
- 9509050325 FOIA request for NRC Office of Investigations rept 90-01 w/exhibits.
BLANCH,P.M. Affiliation Not Assigned. 93/06/11. FORTUNA,R. Ofc of Investigations (Post 880201). 1p. 85316:168-85316:168.
- 9509060009 Third final response to FOIA request for documents.Records in App C encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/20. GUNTER,P. Nuclear Information & Resource Service. 2pp. 85328:348-85328:355.
- 9208280099 Ack receipt of technical documents obtained in response to OIG subpoena served on Industrial Testing Lab,Inc.
ARCHITZEL,R. Plant Systems Branch. 92/06/04. WALKER,K.E. NRC - No Detailed Affiliation Given. 2pp. 85328:353-85328:353.
- 9509060031 Summarizes telcon w/R Feldman on 920626 re bulletin & info notice.
ARCHITZEL,R.E. NRC - No Detailed Affiliation Given. 92/06/26. MCCracken,C. NRC - No Detailed Affiliation Given. 1p. 85328:354-85328:354.
- 9509060040 Forwards mail received from Comanche Peak re results of TSI ad-hoc testing performed w/upgraded joints.W/o encl.
ARCHITZEL,R. 95/04/05. ULIE,J., PAUL,R. NRC - No Detailed Affiliation Given. 1p. 85328:355-85328:355.
- 9509060014 FOIA request for documents re decommissioning & release for unrestricted use of Gamma Industries site in Port Norris, Commercial Township,NJ.
EVES,C.S. Affiliation Not Assigned. 95/05/17. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85334:263-85334:264.
- 9509060020 Second partial response to FOIA request for documents. Records in App B being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/12. EVES,C.S. Affiliation Not Assigned. 2pp. 85334:265-85334:284.
- 9509060026 Application for amend,renewing license 29-12346-01.
DICHARRY,R.F. Gamma Industries, Inc. 72/12/05. Region 2 (Post 820201). 17pp. 85334:267-85334:284.
- 9509060037 Appeals 950208 FOIA request for documents re investigation conducted by AEC region 1 div of compliance of alleged irregularities connected w/const of plant in late 1960s.
DEKOK,D. Affiliation Not Assigned. 95/03/26. Ofc of the Executive Director for Operations. 2pp. 85328:040-85328:041.
- 9509060051 Responds to 950326 appeal of FOIA request for documents re investigation conducted by Region 1 Division of Compliance of alleged irregularities connected w/const of plant in late 1960s.Appel granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/31. DEKOK,D. Affiliation Not Assigned. 1p. 85328:042-85328:218.
- 8509060137 Expresses deep regret for delay in responding to 890620 ltr re nuclear power plant on Oyster Bay.
MUSKIE,E.S. Senate. 69/09/06. HARRIS,W.M. Keenan, Carroll, Harris, Creary & Seck. 2pp. 85328:043-85328:218.
- 9509060064 FOIA request for all correspondence between NRC & P Gramm re Halliburton Co,Brown & Root,South Texas Project,Fluor Corp & Texas Utilities.
WEBER,D.H. Affiliation Not Assigned. 95/06/22. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85328:001-85328:001.
- 9509060070 First partial response to FOIA request for documents.Records in App A available in PDR.Review of addl records continuing.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. WEBER,D. Affiliation Not Assigned. 2pp. 85328:002-85328:035.
- 9509060074 Forwards Atomic Safety & Licensing Appeal Board decision concerning plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/02/07. House of Rep., Energy & Commerce. 1p. 85328:004-85328:004.
- 9509060082 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled prehearing conference for 850430 in NRC operating license proceeding for plant.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/04/15. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:005-85328:005.
- 9509060091 Forwards announcement informing that HL&P will review records of recently settled lawsuit involving HL&P,partners & Brown & Root,Inc. to see if documents contain any matters of safety significance which might affect plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/06/18. SIMPSON,A. House of Rep., Environment & Public Works. 1p. 85328:006-85328:006.
- 9509060096 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled evidentiary hearings to resume 850711 in NRC operating license proceeding for plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/07/01. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:007-85328:007.
- 9509060103 Forwards announcement informing that Atomic Safety & Licensing Appeal Board scheduled oral argument 850103 on petition of Texas Utilities Electric Co & other owners in operating license proceeding for plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/12/18. House of Rep., Energy & Commerce. 1p. 85328:008-85328:008.
- 9509060110 Forwards announcement informing that NRC Atomic Safety & Licensing Appeal Board cancelled oral argument in plant operating license proceeding which was to have been held 860103 in Bethesda,MD.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 85/12/30. SIMPSON,A. House of Rep., Environment & Public Works. 1p. 85328:009-85328:009.
- 9509060114 Informs that NRC issued order extending latest const completion date for plant in Texas to 880801.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/02/11. MARKEY,E. House of Rep., Energy & Commerce. 2pp. 85328:010-85328:011.
- 9509060120 Forwards announcement informing that presiding Atomic Safety & Licensing Board scheduled prehearing conference 860321 in NRC operating license proceeding for plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/03/07. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:012-85328:012.
- 9509060128 Forwards announcement informing that NRC staff issued Draft Environ Statement on environ considerations associated w/application of HL&P for license to operate plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/03/24. SIMPSON,A. House of Rep., Environment & Public Works. 2pp. 85328:013-85328:014.
- 9509060131 Forwards announcement informing that staff proposed civil penalties against Texas Utilities Electric Co for several alleged violations of NRC requirements at plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/05/02. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:015-85328:015.
- 9509060134 Forwards announcement informing that subcommittee of ACRS will hold technical meeting on 860529-30 to discuss application of HL&P for license to operate plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/05/21. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:016-85328:016.
- 9509060139 Forwards announcement informing that staff published results of safety review of application of HL&P & three other owners for license to operate the plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/05/13. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:017-85328:017.
- 9509060143 Forwards announcement informing that ACRS to hold technical meeting on 860605-07.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/05/27. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:018-85328:018.
- 9509060146 Forwards announcement informing that Atomic Safety & Licensing Appeal Board will hear oral argument on 860618 in Bethesda,MD re appeals form licensing board 860502 memo & order in NRC const permit extension proceeding for plant.
KAMMERER,C. Office of Congressional Affairs (Pre 870413). 86/06/05. MARKEY,E. House of Rep., Energy & Commerce. 1p. 85328:019-85328:019.
- 9509060152 Informs of releasing of documentation re investigation of NRC activities involving plant under const,including, Nov 1986 rept of Ofc of Inspector & Auditor,Mar 1987 rept of Comanche Peak review group & 870414 memo from EDO.
BRADBURN,J.C. Congressional Affairs (870413-911116). 87/08/19. GRAMM,P. Senate. 1p. 85328:020-85328:026.
- 9509060157 Ack receipt of 860310 ltr.concerning licensing of plant.
BRADBURN,J.C. Congressional Affairs (870413-911116). 86/05/02. GRAMM,P. Senate. 7pp. 85328:027-85328:035.
- 9509060073 FOIA request for documents re listed NRC insp conducted at South Texas Nuclear Project.
LAWRENCE,J.W. Affiliation Not Assigned. 95/04/21. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85332:063-85332:065.
- 9509060079 Final response to FOIA request for documents.Records in App A encl & being placed in PDR.
REED,C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. LAWRENCE,J. Affiliation Not Assigned. 2pp. 85332:066-85332:141.
- 9509060088 Computer printout of NRC Factees & insp fee info sheets.
* NRC - No Detailed Affiliation Given. 95/07/18. 74pp. 85332:068-85332:141.

186 NONDOCKETED ITEMS

- 9509060095** FOIA request for documents re all meetings from 950101 to 950701 between two or more of listed organizations.
 MASON, M. Affiliation Not Assigned. 95/07/01. NRC - No Detailed Affiliation Given. 1p. 85332:356-85332:356.
- 9509060099** Final response to FOIA request for documents. Records in App A encl & being made available in PDR.
 POOL, M. Division of Freedom of Information & Publications Services (Post 940714). 95/07/27. MASON, M. Affiliation Not Assigned. 2pp. 85332:357-85332:360.
- 9509060102** Computer printout of list of meeting dates & locations.
 * NRC - No Detailed Affiliation Given. 95/07/27. 2pp. 85332:359-85332:360.
- 9509060108** FOIA request for documents re IR 90-01.w/exhibits.
 HUBBARD, V.F. Winston & Strawn. 93/07/14. GRIMSLEY, D.H. Freedom of Information & Local Public Document Room Branch. 1p. 85332:021-85332:021.
- 9509060113** FOIA request for documents providing names of unsuccessful offerors & respective "bottom line" sell prices re NRC solicitation RS-AED-95-269.
 COBERTH, C.R. Affiliation Not Assigned. NRC-26-95-269. TROJ-C95-0256. 95/06/12. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85318:147-85318:148.
- 9509060118** Final response to FOIA request for documents. Records in App A being withheld in entirety (ref FOIA exemption 4).
 POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. COBERTH, C.R. Affiliation Not Assigned. 2pp. 85318:149-85318:150.
- 9509060126** Final response to FOIA request for documents. Records in App A being made available in PDR. Records in App B being withheld in part (ref FOIA Exemption 7). Records in App C being withheld in entirety (ref FOIA Exemption 4).
 POOL, M. Division of Freedom of Information & Publications Services (Post 940714). 95/07/27. GELMAN, M.R. Winston & Strawn. 20pp. 85332:022-85332:041.
- 9509060133** Fifth partial response to FOIA request for documents. Records in App F encl & being made available in PDR.
 POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. IRWIN, D. Hunt & Williams. 2pp. 85332:042-85332:062.
- 9407010161** Expresses opinion that shroud head bolt crack issue may not raise any new & significant safety concerns re current outage at plant.
 COLLINS, T. Reactor Systems Branch. 94/06/23. VIRGILIO, M. Division of Systems Safety & Analysis (Post 921004). 4pp. 85332:046-85332:049.
- 9409120183** Forwards review of core shroud cracking ultrasonic insp results focusing on undersizing of flaws by ultrasonic insp methods used at Dresden Unit 3 & Quad Cities Unit 1.
 SHAO, L.C. Division of Engineering (870413-941217). 94/09/06. SHERON, B.W. Division of Engineering (Post 921004). 2pp. 85332:053-85332:062.
- 9409120185** Provides review of core shroud cracking in Dresden Unit 3 & Quad Cities Unit 1.
 DOCTOR, S.R. Battelle Memorial Institute, Pacific Northwest Laboratory. 94/07/13. HISER, A.L. NRC - No Detailed Affiliation Given. 4pp. 85332:055-85332:062.
- 9504190173** Requests addl info re core shroud repair mod installed on plant, specifically info re analytical model & supporting calculations performed to determine calculated gap size of cracks in H6B weld.
 MANOLY, K.A. 95/04/14. BERKOW, H.N. 3pp. 85332:050-85332:052.
- 9509060135** First partial response to FOIA request for documents. Records in App A encl & being made available for PDR.
 POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/20. VOINCHE, W. Affiliation Not Assigned. 3pp. 85332:145-85332:175.
- 9509060142** Discusses 790404 ltr requesting comments on proposal to recommend approval of export from Canada to Romania of mats used in fabrication of CANDU reactors & subject to US Part 810 authorization.
 SHEA, J.R. Office of International Programs (Pre 870413). 79/04/17. HUDGINS, V. Energy, Dept. of. 1p. 85332:148-85332:148.
- 9509060147** Advises that NRC does not object to DOE proposal to authorize Babcock & Wilcox & Foster Wheeler to transfer nuclear SG technology to Romania, per 790418 ltr.
 SHEA, J.R. Office of International Programs (Pre 870413). 79/06/15. HUDGINS, V. Energy, Dept. of. 1p. 85332:149-85332:149.
- 9509060154** Advises that NRC does not object to DOE plans to approve Fluor Corp request to assist China Natl Technical Import Corp in modernization of U mining & yellowcake facilities.
 SHEA, J.R. Office of International Programs (Pre 870413). 79/06/18. HUDGINS, V. Energy, Dept. of. 1p. 85332:150-85332:150.
- 9509060184** Discusses 800425 ltr which transmitted request from Dravo Corp to export portable U mill to PRC.
 SHEA, J.R. Office of International Programs (Pre 870413). 80/05/19. HUDGINS, V.H. Energy, Dept. of. 1p. 85332:151-85332:151.
- 9509060186** Discusses 800425 request for NRC comments on proposed transfer of portable U mill to PRC.
 SHEA, J.R. Office of International Programs (Pre 870413). 80/06/23. HUDGINS, V.H. Energy, Dept. of. 1p. 85332:152-85332:152.
- 9509060194** Advises that NRC has no objection to Exxon training proposal for DG Liu, provided DOE recommendations to implement training program are in effect at time of assignment, per 810402 request.
 SHEA, J.R. Office of International Programs (Pre 870413). 81/04/21. GRIFFIN, J.A. Energy, Dept. of. 1p. 85332:153-85332:153.
- 9509060199** Advises that NRC does not object to DOE authorizing Babcock & Wilcox to transfer to Romania CANDU nuclear mtg technology related to heat & ion exchangers & pressurizers.
 DEVINE, J.B. Office of International Programs (Pre 870413). 81/08/03. GRIFFIN, J.A. Energy, Dept. of. 1p. 85332:154-85332:154.
- 9509060206** Advises that NRC does not object to proposed 10CFR810 authorization for 2-yr assignment for two nuclear engineers from PRC at Westinghouse, per 820121 ltr & 820201 telcon between W Upshaw & J Raymond.
 DEVINE, J.B. Office of International Programs (Pre 870413). 82/02/08. GRIFFIN, J.A. Energy, Dept. of. 1p. 85332:155-85332:155.
- 9509060208** Responds to 821028 ltr re Westinghouse request to transfer proprietary commercial nuclear power plant technology to Peoples Republic of China.
 ZIMMERMAN, J.V. Office of International Programs (Pre 870413). 82/10/12. GRIFFIN, J.A. Energy, Dept. of. 1p. 85332:156-85332:156.
- 9509060213** Discusses 830110 ltrs re two requests by Ebasco Svc Inc to transfer nuclear power plant technology to Peoples Republic of China.
 ZIMMERMAN, J.V. Office of International Programs (Pre 870413). 83/01/24. GRIFFIN, J.A. Energy, Dept. of. 1p. 85332:157-85332:157.
- 9509060227** Provides follow up to telcon w/E Hemby re status of license application involving export of four electric penetration feedthrough module assemblies to D Djakovic in Yugoslavia.
 ZIMMERMAN, J.V. Office of International Programs (Pre 870413). 83/04/30. MECH, T.H. Conax Corp. (formerly Conax Buffalo Corp.). 1p. 85332:158-85332:158.
- 9509060233** Discusses 830622 ltr transmitting Gibb & Hill, Inc & Quadrex Int'l Corp request for authorization per 10CFR810, to provide design, engineering & mgt svc for Guangdong Nuclear Power Project in Peoples Republic of China.
 SHEA, J.R. Office of International Programs (Pre 870413). 83/07/01. TORRES, J.L. Energy, Dept. of. 1p. 85332:159-85332:159.
- 9509060243** Discusses 840524 ltr to J.R. Shea & telcon w/M Peterson re request from Westinghouse for authorization to transfer nuclear-related technology applicable to design to Peoples Republic of China.
 ZIMMERMAN, J.V. Office of International Programs (Pre 870413). 84/06/01. THORNE, C.E. Energy, Dept. of. 1p. 85332:160-85332:160.
- 9509060259** Forwards ltr from Carolina Power & Light Co that discusses intentions to negotiate sale of used control room simulator for nuclear power plant to Sci-Tech, Inc.
 DENTON, H.R. Office of Nuclear Reactor Regulation (800428-851124). 85/05/06. SHEA, J.R. Office of International Programs (Pre 870413). 1p. 85332:161-85332:161.
- 9509060265** Forwards 850506 memo from NRR transmitting 850425 ltr from Carolina Power & Light Co re intention to negotiate sale of control room simulator for nuclear power plant to Sci-Tech, Inc for possible export to Peoples Republic of China.
 SHEA, J.R. Office of International Programs (Pre 870413). 85/05/06. THORNE, C.E. Energy, Dept. of. 1p. 85332:162-85332:162.
- 9509060271** Advises that Commission notes DOE staff plan to recommend that Secretary of Energy authorize listed transfers, per 850815 ltr.
 SHEA, J.R. Office of International Programs (Pre 870413). 85/12/02. THORNE, C.E. Energy, Dept. of. 1p. 85332:163-85332:163.
- 9509060278** Advises that NRC does not object to approval of specific authorization to permit Chinese national work in commercial nuclear power facility in US for period of 18 months.
 SHEA, J.R. Office of International Programs (Pre 870413). 87/03/30. ROONEY, J.M. Energy, Dept. of. 1p. 85332:164-85332:164.
- 9509060281** Advises that NRC does not object to approval of Stone & Webster Engineering Corp & NUS Corp request to transfer power reactor technology to PRC, per 870331 ltr re Cases 86CH002 & 86CH006.
 PETERSON, M.R. Office of International Programs (Pre 870413). 87/06/05. ROONEY, J. Energy, Dept. of. 1p. 85332:165-85332:165.
- 9509060283** Advises that NRC has reviewed requests from Bechtel Power Corp & Westinghouse Electric Corp to provide project mgt & planning svcs to PAKS units 5 & 6 nuclear power reactors in Hungary.
 PETERSON, M.R. Office of International Programs (Pre 870413). 87/07/10. ROONEY, J. Energy, Dept. of. 1p. 85332:166-85332:166.
- 9509060289** Requests response to listed info in order to comment on Case 87CH004 re Sargent & Lundy request to provide consulting svcs to PRC for use in const of new 600 MWe nuclear power reactor at Qin Shan.
 PETERSON, M.R. Office of International Programs (Pre 870413). 87/10/02. ROONEY, J. Energy, Dept. of. 1p. 85332:167-85332:167.
- 9509060291** Advises that NRC has reviewed request from Westinghouse to provide Soviet Union technology related to probabilistic safety assessment for commercial nuclear power facilities.
 PETERSON, M.R. Office of International Programs (Pre 870413). 87/11/27. ROONEY, J.M. Energy, Dept. of. 1p. 85332:168-85332:168.
- 9509060297** Advises that Commission does not object to approval of Part 810 request from Sargent & Lundy to provide consulting svc to PRC for use in const of new 600 MWe nuclear power reactor at Qin Shan.
 PETERSON, M.R. Office of International Programs (Pre 870413). 88/01/12. ROONEY, J.M. Energy, Dept. of. 1p. 85332:169-85332:169.
- 9509060296** Confirms that NRC has reviewed Part 810 applications from Conax Buffalo Corp & Bechtel Natl Inc & submits comments on application.
 PETERSON, M.R. Assistant Director for International Security (870413-890225). 88/04/07. HOLLANDER, Z. Energy, Dept. of. 2pp. 85332:170-85332:171.
- 9509060302** Advises that Commission does not object to DOE staff plan to recommend that Secretary of Energy authorize listed transfers.
 SHEA, J.R. Office of International Programs (Pre 870413). 88/05/31. HENOCH, W.W. Energy, Dept. of. 1p. 85332:172-85332:172.
- 9509060309** Informs that Commission does not object to approval of request from Conax Buffalo Corp to transfer technology for mfg of containment penetration assemblies to Yugoslav firm, D Djakovic for sale & use in commercial power reactors.
 PETERSON, M.R. International Programs (870413-911116). 88/06/01. ROONEY, J.M. Energy, Dept. of. 1p. 85332:173-85332:173.
- 9509060311** Advises that Commission does not object to DOE plan to recommend that Secretary of Energy authorize listed transfers, per 881115 ltr.
 SHEA, J.R. Office of International Programs (Pre 870413). 88/12/23. THORNE, C.E. Energy, Dept. of. 1p. 85332:174-85332:174.

- 9509060314 Confirms that Commission does not object to approval of Part B10 application from Industrial Simulation Corp to provide full-scope training control room simulator for Guangdong Nuclear Power Station in Peoples Republic of China. PETERSON, M.R. Assistant Director for International Security (870413-890225). 89/01/04. ROONEY, J.M. Energy, Dept. of. 1p. 85332-175-85332-175.
- 9509060141 Final response to FOIA request for documents. Records in App A available in PDR. App B records will be made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. DEE, B.A. Affiliation Not Assigned. 1p. 85328-220-85328-347.
- 9406270014 Forwards evaluation of potential sediment buildup problem at Tuba City, AZ, disposal site. BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 94/06/07. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 26pp. 85328-221-85328-246.
- 9412090191 Informs of review of DOE 930203 response to NRC comments on draft completion req't for Tuba City, AZ & provides evaluation of site cleanup issues. BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 94/11/28. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85328-247-85328-347.
- 9509060149 FOIA request for documents re gov't employee travel. KING, J. Affiliation Not Assigned. 95/06/23. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85328-036-85328-036.
- 9509060150 FOIA request for documents re abandoned Cameron U mines on Navajo Reservation in state of AZ. DEE, B.A. Affiliation Not Assigned. 95/07/06. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85328-219-85328-219.
- 9509060151 Final response to FOIA request for documents. Forwards App A records being made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/31. KING, J. Affiliation Not Assigned. 2pp. 85328-037-85328-039.
- 9509060155 Undated fact sheet, responding to FOIA 95-283. Lists gov't charge card contractor percentage of NRC employees holding card & percentage of NRC employees late w/ monthly payments by listed days. * NRC - No Detailed Affiliation Given. 95/07/31. 1p. 85328-039-85328-039.
- 9509060160 FOIA request for documents re summary/meeting minutes of NRC Senior Mgt Meeting conducted on 950606-07. FREEMAN, E.S. Winston & Strawn. 95/06/07. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85327-279-85327-279.
- 9509060162 Final response to FOIA request for documents. Forwards App A records being partially withheld (ref FOIA Exemption 5). POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/07/31. FREEMAN, E.S. Winston & Strawn. 3pp. 85327-280-85327-337.
- 9509060165 Partially deleted memo which provides Commission w/ summary of discussions held at 950606-07 NRC Senior Mgt Meeting & copies of ltrs to be sent to licensees of plants on problem plant list to be discussed at 950622 Commission Meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/16. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 54pp. 85327-283-85327-337.
- 9509070008 FOIA request for documents re insp or investigation performed by NRC investigator at Nuclear Energy Svcs, Inc. GHEZZI, J.W. Affiliation Not Assigned. 95/04/20. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85373-115-85373-118.
- 9509070012 First partial response to FOIA request for documents. App A records already available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. GHEZZI, J.W. Affiliation Not Assigned. 2pp. 85373-118-85373-120.
- 9509070018 Final response to FOIA request for documents. Forwards App F records being made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. THOMAS, F.M. Morgan, Lewis & Bockius. 2pp. 85373-121-85373-138.
- 9509070024 Informs Commission of export licenses XSOU-8721 & XSOU-8722, which Ofc of Int'l Programs will soon issue for export shipments of mineral ores to Thailand & Kazakhstan. STOIBER, C.R. Office of International Programs (Post 911117). 93/05/07. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 2pp. 85373-125-85373-126.
- 9509070027 Forwards article on, "Waste Company to Lose Import License," which concerns waste site at Muskogee, OK. THOMPSON, H.L. Dep. Exec Dir for Nuc Matls Safety, Safeguards & Operations Support (Post 890205). 94/04/18. STOIBER, C.R. Office of International Programs (Post 911117). BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 1p. 85373-127-85373-127.
- 9509070031 JPRS-TND-94-006 "JPRS Rept. Proliferation Issues." * Affiliation Not Assigned. 94/03/16. 3pp. 85373-128-85373-134.
- 9509070038 Discusses export of tantalum & columbium oxide containing low concentrations of U & thorium as contaminants to Thailand. SHERR, T.S. Division of Fuel Cycle Safety & Safeguards (Post 890207). 93/03/31. HAUBER, R. Office of International Programs (Post 911117). 2pp. 85373-135-85373-136.
- 9509070045 Requests that recipient read encl note from M Weber re concerns expressed by Native American group related to Fansteel proposed export of contaminated sludges to Thailand. SPIRO, H.J. Decommissioning & Regulatory Issues Branch (Post 901230). 93/03/31. HAUBER, R.D. Office of International Programs (Post 911117). 1p. 85373-137-85373-137.
- 9509070052 Discusses Native Americans for Clean Environ concerns re Fansteel proposed export of U/Th residues to Thailand. WEBER, M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 93/03/30. SPIRO, H.J. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 85373-138-85373-138.
- 9509070023 Sixth partial response to FOIA request for documents. Records in App G available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. IRWIN, D. 2pp. 85373-141-85373-170.
- 9509070131 Final response to FOIA request for documents. Records in App A will be made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/03. WILSON, L.P. 2pp. 85332-177-85332-272.
- 9207290065 Safety insp on 920519 of license 37-28520-01. Insp findings: no violations noted. DAVIDSON, W. Region 1 (Post 820201). 92/05/19. 60pp. 85332-202-85332-272.
- 9509070132 Forwards draft NOV & insp field notes re 930913 & 14. Region II insp of Cardiac Fitness, Inc in Farmington, VA & Pittsburgh, PA. COLLINS, D.M. Region 2 (Post 820201). 93/10/07. BELLAMY, R.R. Region 2 (Post 820201). 23pp. 85332-179-85332-201.
- 9509070136 FOIA request for any & all NRC insp results for Cardiac Fitness Inc in Pittsburgh, PA. WILSON, L.P. 95/06/12. Region 1 (Post 820201). 1p. 85332-176-85332-176.
- 9509070308 FOIA request for documents re communication that Williams had w/ NRC on 950719. HENDRIX, R.W. Affiliation Not Assigned. 95/07/20. EVANS, C. Region 2 (Post 820201). 3pp. 85406-001-85406-003.
- 9509070311 Final response to FOIA request for documents. No agency records subject to request have been located. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/03. HENDRIX, R.W. Affiliation Not Assigned. 1p. 85406-004-85406-004.
- 9509080023 Third final response to FOIA request for documents. Records in App D encl & being withheld in part (ref FOIA Exemption 5). REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/01. WILLIAMS, O.G. JRA Associates. 3pp. 85406-033-85406-081.
- 9509080025 Submits results of NRC Senior Mgt Meeting held on 950118-19. Summary of meeting, problem plant list ltrs to licensees, trending ltrs to licensees, draft mgt meeting summary & list of attendees encl. Portions of encl deleted. TAYLOR, J. Ofc of the Executive Director for Operations. 95/01/27. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 44pp. 85406-037-85406-081.
- 9509080032 Seventh partial response to FOIA request for documents. Records in App H available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/09. IRWIN, D. 3pp. 85406-082-85406-185.
- 9409280326 Informs that two plants submitted unsatisfactory re plant specific assessment of core shroud response to structural loading concerning structural assessments considered to be most susceptible to core shroud cracking. JONES, R.C. Reactor Systems Branch. GL-94-03. 94/09/22. STROSNIDER, J.R. Materials & Chemical Engineering Branch. 14pp. 85406-158-85406-170.
- 9411150586 Event tracking sheet re 940420 discovery of 360 degree circumferential crack in one of welds on lower portion of core shroud during Apr 1994 refueling outage. GREENE, T. Events Assessment Branch. 94/09/23. 4pp. 85406-152-85406-155.
- 9412120059 Forwards SER accepting plant operation w/ proposed core shroud repair installed. JONES, R.C. Reactor Systems Branch. GL-94-03. 94/12/05. WESSMAN, R. Mechanical Engineering Branch. 4pp. 85406-171-85406-174.
- 9502140196 Provides list of refs for shroud cracking writeup, as requested. Concurs w/ unit 1 discussion. GRIMES, B.K. 95/02/03. ROSSI, C.E. Office for Analysis & Evaluation of Operational Data. Director. 2pp. 85406-156-85406-157.
- 9503170142 Forwards SER input re plant core shroud repair, per GL 94-03. Proposed repair does not pose adverse consequences to plant safety & therefore plant operation acceptable w/ proposed core shroud repair installed. CHATTERTON, M. GL-94-03. 95/03/15. MANOLY, K.A. 6pp. 85406-175-85406-181.
- 9503310304 Forwards SE accepting proposed mods of plant core shroud based on review of shroud mod hardware from structural, sys, matls & fabrication considerations. WESSMAN, R.H. 95/03/26. MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 37pp. 85406-087-85406-151.
- 9507060332 Informs that NRC staff issued SE on 940721 re core shroud cracking at Dresden, unit 3 & Quad Cities, unit 1. Staff concluded that cracked shrouds will satisfy ASME code margin against weld failure for 15 months of operation. PHILLIPS, L.E. TAC M91298. 95/06/20. HERMANN, R.A. 4pp. 85406-182-85406-185.
- 9509080039 FOIA request for documents re copies of all testing, investigation, analysis, modeling, study or discussion re structural integrity of Advanced Medical Sys. ENGLISH, L.K. Northeast Ohio Regional Sewer District. 95/05/02. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85560-331-85560-331.
- 9509080217 FOIA request for documents re communications from ofcs of M Hatfield, B Packwood, P DeFazio & R Wyden from 890101 to present. WALTH, B. Affiliation Not Assigned. 95/06/09. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85426-145-85426-148.
- 9509080223 Final response to FOIA request for documents. Records in App A already placed in PDR. App B records encl & also placed in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/03. WALTH, B. Affiliation Not Assigned. 3pp. 85426-149-85426-167.
- 9509080227 Forwards correspondence received from AE Reisen re concerns about NRC policy re export license fees & detrimental affect on Reisen company, Teledyne Wah Chang. HATFIELD, M.O. Senate. 92/01/30. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 2pp. 85426-161-85426-162.

188 NONDOCKETED ITEMS

- 9509080233 Discusses concerns about new fee structure being applied to NRC export license applications.
BUCKLEY,W. Teledyne Wah Chang Albany (formerly Wah Chang Corp.), 91/12/11. WRIGHT,E. NRC - No Detailed Affiliation Given. 2pp. 85406:163-85406:167.
- 9509110001 Second final response to FOIA request for documents.Records in App B encl & placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/31. DEKOK,D. Affiliation Not Assigned. 2pp. 85407:148-85410:021.
- 9509110005 AI-67-MEMO-150_V02 "Safety Evaluation of 500 Mwe FBR Demonstration Plant,Site & Environment." Volume II.
* General Public Utilities Corp. - GPU Service Corp. * . 68/05/06. 130pp. 85407:150-85407:277.
- 9509110007 AI-67-MEMO-149 "500 Mwe FBR Demonstration Plant Description."
* Atomics International. 69/02/02. 318pp. 85407:278-85408:252.
- 9509110006 AI-67-MEMO-150_V02 Revised Vol 2 to "SE of 500 Mwe FBR Demonstration Plant,Site & Environ." Vol II.Supporting documentation encl.
* General Public Utilities Corp. - GPU Service Corp. 69/02/02. 197pp. 85408:253-85410:021.
- 9509110010 FOIA request for documents re investigation concerning violations of licenses 22-00057-06 & 22-00057-32G.
LEE,S.K. Affiliation Not Assigned. 95/07/13. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85406:186-85406:186.
- 9509110011 FOIA request for documents in files dtd between 1965 & 1975 re breeder reactor program of Atomics International,division of North American Rockwell.
DEKOK,D. Affiliation Not Assigned. 95/05/21. Division of Freedom of Information & Publications Services (Post 940714) 6pp. 85407:142-85407:147.
- 9509110013 Final response to FOIA request for documents.App A records already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/16. LEE,S.K. Affiliation Not Assigned. 2pp. 85406:187-85406:188.
- 9509110014 Second partial response to FOIA request for documents. Forward App C & portions of App D documents.App C records placed in PDR.Portion of App D documents withheld (ref FOIA Exemption 7).
* Division of Freedom of Information & Publications Services (Post 940714). 95/08/10. SAVORITO,T. Saporito, T.J. 4pp. 85410:022-85411:189.
- 9509110019 Partially withheld transcript of investigative interview of RJ Rehkugler on 920715 in Bay City,TX.Pp 1-27.
* Ofc of Investigations (Post 880201). 92/07/15. 28pp. 85410:030-85410:057.
- 9509110028 Partially withheld transcript of investigative interview of RW Cink on 920715 in Bay City,TX.Pp 1-81.
* Ofc of Investigations (Post 880201). 92/07/15. 81pp. 85410:058-85410:138.
- 9509110030 Partially withheld transcript of 920716 interview of JW Odom in Bay City,TX.Pp 1-38.
* Ofc of Investigations (Post 880201). 92/07/16. 38pp. 85410:139-85410:176.
- 9509110037 Partially withheld transcript of 920716 interview of MR Wisenburg in Bay City,TX.Pp 1-44.
* NRC - No Detailed Affiliation Given. 92/07/16. 44pp. 85410:177-85410:220.
- 9509110041 Partially withheld transcript of 920616 investigative interview of WJ Jump in Bay City,TX.Pp 1-140.
* Ofc of Investigations (Post 880201). 92/06/16. 140pp. 85410:221-85411:001.
- 9509110045 Partially withheld transcript of 920717 investigative interview of WH Kinsey in Bay City,TX.Pp 1-28.
* NRC - No Detailed Affiliation Given. 92/07/17. 28pp. 85411:002-85411:029.
- 9509110050 Partially withheld investigative interview of 920727 of DP Sanchez in Bay City,TX.Pp 1-46.
* Ofc of Investigations (Post 880201). 92/07/27. 46pp. 85411:030-85411:075.
- 9509110052 Partially withheld transcript of 920727 interview of RL Balcom in Bay City,TX.Pp 1-114.
* NRC - No Detailed Affiliation Given. 92/07/27. 114pp. 85411:076-85411:189.
- 9509110022 Third partial response to FOIA request for documents.Records in App E already available in PDR.Records in App F encl & being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/08. COPELAND,J.G. Baker & Botts. 4pp. 85406:189-85407:141.
- 9509110026 Forwards meeting notes for plant panel meetings conducted on 930225-931202.
COLLINS,S.J. Region 4 (Post 820201). 93/12/06. Region 4 (Post 820201). 70pp. 85406:193-85406:272.
- 9509110035 Forwards meeting notes for plant restart panel meeting conducted on 940105.
COLLINS,S.J. Region 4 (Post 820201). 94/01/24. Region 4 (Post 820201). 13pp. 85406:273-85406:285.
- 9509110040 Forwards 940127 meeting notes for plant restart panel meeting.
COLLINS,S.J. Region 4 (Post 820201). 94/02/02. Region 4 (Post 820201). 5pp. 85406:286-85406:294.
- 9509110056 Forwards 940204 & 0211 meeting notes for plant restart panel meeting.
COLLINS,S.J. Region 4 (Post 820201). 94/02/08. Region 4 (Post 820201). 8pp. 85406:295-85406:302.
- 9509110059 Forwards 940214-15 meeting notes for plant restart panel meeting.
COLLINS,S.J. Region 4 (Post 820201). 94/02/23. Region 4 (Post 820201). 8pp. 85406:303-85406:310.
- 9509110063 Forwards 940415 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 94/04/12. Region 4 (Post 820201). 4pp. 85406:311-85406:314.
- 9509110066 Forwards 940412 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 95/04/18. Region 4 (Post 820201). 4pp. 85406:315-85406:318.
- 9509110071 Forwards 940419 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 94/04/20. Region 4 (Post 820201). 5pp. 85406:319-85406:323.
- 9509110074 Forwards 940504 meeting notes for plant restart panel meeting.
BEACH,A.B. Region 4 (Post 820201). 94/05/10. Region 4 (Post 820201). 24pp. 85406:324-85406:347.
- 9509110158 Informs of licensee being in final stages of completing business plan in response to overall concerns raised by NRC during diagnostic evaluation.
COTTLE,W.T. Houston Lighting & Power Co. ST-HL-AE-4586. 93/09/29. MILHOAN,J.L. Region 4 (Post 820201). 14pp. 85406:348-85406:361.
- 9509110187 Submits changes to licensee 930828 Operation Readiness Plan for plant.
COTTLE,W.T. Houston Lighting & Power Co. ST-HL-AE-100004. 93/12/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 85407:001-85407:029.
- 9509110250 Forwards rev 4 of plant restart action plan.Purpose of rev to update checklists following completion of remainder of checklist items in preparation for restart of Unit 1.
COLLINS,S.J. Region 4 (Post 820201). 94/03/02. CALLAN,L.J. Region 4 (Post 820201). 58pp. 85407:030-85407:089.
- 9509110260 Ack receipt of 940420 ltr which requested opportunity to observe all significant meetings & hear all significant telcons between NRC & licensee re plant.
CALLAN,L.J. Region 4 (Post 820201). 94/05/02. MOORE,J. Austin, TX. 3pp. 85407:090-85407:092.
- 9509110270 Confirms 940509 telcon which requested mgmt meeting w/NRC on 940517.Purpose of meeting to discuss status & readiness for return to power operation of plant.
COTTLE,W.T. Houston Lighting & Power Co. ST-HL-AE-4794. 94/05/09. CALLAN,L.J. Region 4 (Post 820201). 3pp. 85407:093-85407:095.
- 9509110274 Responds to 940520 request for briefing of Austin City Council on issues re plant on 940526.
CALLAN,L.J. Region 4 (Post 820201). 94/05/24. MOORE,J. Austin, TX. 1p. 85407:096-85407:096.
- 9509110280 Requests that issues be addressed re plant shutdown & restart before public meeting of Austin City Council.
MOORE,J. Austin, TX. 94/05/20. CALLAN,L.J. Region 4 (Post 820201). 1p. 85407:097-85407:097.
- 9509110292 Documents discussions & presentation of 940517,which informed of status of licensee actions to implement plant 931015 CAL 4-93-04B & status of tasks associated w/plant restart action plan for Unit 2.
BEACH,A.B. Region 4 (Post 820201). CAL. 94/05/31. CALLAN,L.J. Region 4 (Post 820201). 5pp. 85407:098-85407:130.
- 9509110306 Forwards response to 941011 inquiry from General Accounting Ofc re 10 examples from June 1993 Diagnostic Evaluation Team Rpt on plant.
TAPIA,J.I. Region 4 (Post 820201). 94/10/27. GWYNN,T.P. Region 4 (Post 820201). 11pp. 85407:131-85407:141.
- 9509110043 FOIA request for documents re complete file on record for Boston Univ.
BOVE,J.A. Boston Univ., Boston, MA. 95/04/19. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85559:001-85559:001.
- 9509110046 Final response to FOIA request for documents.Forwards App B records being withheld in part (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/16. WEBER,D. Affiliation Not Assigned. 3pp. 85415:065-85415:117.
- 9509110350 Forwards partially deleted communication re plant,to be investigated & forwarded for reply.
GRAMM,P. Senate. 87/12/16. KAMMERER,C. State, Local & Indian Tribe Programs (870413-900111). 2pp. 85415:072-85415:073.
- 9509110361 Partially deleted ltr which responds to 880125 ltr requesting info re DR Lighter concern about drug testing in absence of probable cause at plant.
FARLER,W.C. Office of the General Counsel (Post 860701). 88/02/10. GRAMM,P. Senate. 2pp. 85415:074-85415:075.
- 9509110371 Forwards partially deleted communication,to be investigated & forwarded for reply.
GRAMM,P. Senate. 88/01/25. Office of Public Affairs (Pre 870413). 6pp. 85415:076-85415:117.
- 9509110076 Final response to FOIA request for documents.Records in App A encl & being made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. BOVE,J.A. Boston Univ., Boston, MA. 7pp. 85559:002-85560:330.
- 7909130224 Requests renewal of Matl/Byproduct License SNM-1121 authorizing use of Pu-Be neutron source for student training in neutron radiation physics & calibr of neutron detectors.
JOHNSON,R.U. Boston Univ., Boston, MA. 13830. 79/08/02. LAMASTRA,M.A. Materials Licensing Branch. 10pp. 85559:088-85559:097.
- 8005280793 Ack receipt of application for renewal of Matl/Byproduct License 20-00805-01.License will not expire until final action has been taken by NRC.
WALKER,W.J. Materials Licensing Branch. 03335. 80/04/17. MENDILLO,M. Boston Univ., Boston, MA. 1p. 85559:135-85559:135.
- 8305270158 IE Insp Findings & Licensee Ack dtd 830511 of Licenses 20-00805-10,20-00805-11 & 20-00805-12 insp findings,no noncompliance noted.
JOHANSEN,J.M. Region 1 (Post 820201). 83/05/11. 1p. 85560:212-85560:212.
- 8503120071 Forwards Amend 3,renewing License SNM-1121.
JOHANSEN,J.M. Region 1 (Post 820201). 24218. 85/02/27. MILLER,J. Boston Univ., Boston, MA. 1p. 85559:225-85559:226.
- 8503120079 Ack receipt of application for renewal of License SNM-1121.
GLENN,J.E. Div of Engineering & Technical Programs. R1. 24218. 84/10/12. MILLER,J. Boston Univ., Boston, MA. 6pp. 85559:219-85559:224.

- 8512160432 Amend 4 to License 20-00805-10 for Boston Univ.authorizing address change & deleting Condition 17.
JOHANSEN,J.M. Region 1 (Post 820201). 85/11/20. 9pp. 85560:269-85560:282.
- 8512160436 Forwards Amend 4 to License 20-00805-10.
JOHANSEN,J.M. Region 1 (Post 820201). 104594. 85/11/20. MILLER,J. Boston Univ., Boston, MA. 2pp. 85560:278-85560:279.
- 8512160440 Application for amends to Licenses 20-00805-11 & 20-00805-10,reflecting change of address & relocation of J.L. Shepherd irradiator, respectively.
MILLER,J. Boston Univ., Boston, MA. 104594. 85/10/21. GLENN,J.E. Region 1 (Post 820201). 4pp. 85560:280-85560:282.
- 8601030266 Amend 6 to License 20-00805-11 for Boston Univ.amending Condition 10 re authorized locations for use of licensed mats.
JOHANSEN,J.M. Region 1 (Post 820201). 85/12/06. 1p. 85560:029-85560:029.
- 8601030269 Forwards Ameno 6 to License 20-00805-11.
JOHANSEN,J.M. Region 1 (Post 820201). 104557. 85/12/06. MILLER,J. Boston Univ., Boston, MA. 4pp. 85559:252-85559:255.
- 8601030272 Application for amend to License 20-00805-11,changing address of chemistry dept & relocating J.L. Shepherd irradiator.
MILLER,J. Boston Univ., Boston, MA. 104555. 85/10/21. GLENN,J.E. Region 1 (Post 820201). 3pp. 85559:244-85559:246.
- 8602070229 Amend 5 to License 20-00805-11 for Boston Univ.amending Items 6,7,8 & 9 re licensed mats & Conditions 10 & 21 re possession & use of licensed matl.
GLENN,J.E. Region 1 (Post 820201). 85/11/07. 2pp. 85560:030-85560:031.
- 8602070230 Forwards Amend 5 to License 20-00805-11.
GLENN,J.E. Region 1 (Post 820201). 103823. 85/11/07. MILLER,J. Boston Univ., Boston, MA. 2pp. 85559:247-85559:248.
- 8602070232 Responds to questions re amend to License 20-00805-11.C-14 source will be used as light source to calibr optical devices.Record of 851011 telcon w/J Miller encl.
MILLER,J. Boston Univ., Boston, MA. 03823. 85/10/11. GLENN,J.E. Region 1 (Post 820201). 1p. 85559:243-85559:243.
- 8602070233 Notifies that addl info re 850514 application for amend to License 20-00805-11 required within 30 days of ltr date or application will be considered abandoned.
GLENN,J.E. Region 1 (Post 820201). 03823. 85/10/07. MILLER,J. Boston Univ., Boston, MA. 2pp. 85559:241-85559:242.
- 8602070235 Requests addl info re 850514 application to amend License 20-00805-11,including description of purpose for use of C-14 source & security procedures.
GLENN,J.E. Region 1 (Post 820201). 03823. 85/08/29. MILLER,J. Boston Univ., Boston, MA. 1p. 85559:240-85559:240.
- 8602070236 Forwards application for amend to License 20-00805-11.
MILLER,J. Boston Univ., Boston, MA. 03823. 85/05/14. Region 1 (Post 820201). 1p. 85559:227-85559:239.
- 8602070237 Application for amend to License 20-00805-11,authorizing use of 35 mCi C-14 in mobile van lab.
* Boston Univ., Boston, MA. 03823. 85/05/17. 12pp. 85559:228-85559:239.
- 8801040278 Amend 8 to License 20-00805-11 for Boston Univ.amending license in entirety.
THOMPSON,T.K. Region 1 (Post 820201). 87/06/24. 4pp. 85560:021-85560:024.
- 8801040282 Forwards Amend 8 to License 20-00805-11.Record of 870603 telcon encl.
THOMPSON,T.K. Region 1 (Post 820201). 107089. 87/06/24. SLADE,R. Boston Univ., Boston, MA. 3pp. 85559:304-85559:305.
- 8801040291 Forwards info to suppl 870325 application to amend License 20-00805-11,per request.Termination surveys encl for each lab where licensed matl used or stored.
MOHR,S. Boston Univ., Boston, MA. 107089. 87/05/12. THOMPSON Region 1 (Post 820201). 10pp. 85559:294-85559:303.
- 8801040302 Requests addl info to continue review of 870325 request to amend License 20-00805-11.Submit wipe tests & survey meter readings sufficiently detailed to assure no remaining licensed byproduct mats exist at facilities within 30 days.
THOMPSON,T.K. Region 1 (Post 820201). 107089. 87/05/07. MILLER,J. Boston Univ., Boston, MA. 1p. 85559:293-85559:293.
- 8801040318 Forwards application for amend to License 20-00805-11, designating RI Slade as radiation safety officer & amending Condition 10.A re location.Training & experience encl.
MILLER,J. Boston Univ., Boston, MA. 107089. 87/03/25. Region 1 (Post 820201). 3pp. 85559:266-85559:292.
- 8801040527 Application for amend to License 20-00805-11,authorizing use of 10 uCi Am-241,25 uCi Cf-252 & 1 mCi Am-241 in scintillation detectors.Fee paid.
MILLER,J.P. Boston Univ., Boston, MA. 107089. 87/03/25. 24pp. 85559:269-85559:292.
- 8801260174 Corrected Amend 8 to License 20-00805-11 for Boston Univ, amending license in entirety.
THOMPSON,T.K. Region 1 (Post 820201). 87/08/14. 4pp. 85560:017-85560:020.
- 8801260182 Forwards Corrected Amend 8 to License 20-00805-11.NRC made corrections to license as requested in 870707 ltr,by adding Am-241 as Item M & isotopes in Items 6,K & 6.L to license.
THOMPSON,T.K. Region 1 (Post 820201). 107089. 87/08/14. SLADE,R. Boston Univ., Boston, MA. 2pp. 85559:308-85559:309.
- 8801260188 Informs of errors found in Amend 8 to License 20-00805-11. Atomic Number 241 erroneously excluded from Item 6,K of license.
SLADE,R.I. Boston Univ., Boston, MA. 87/07/07. Region 1 (Post 820201). 2pp. 85559:306-85559:307.
- 8804150127 Discusses Safety Insp 30-10860/88-01,30-09831/88-01 & 70-1163/88-01 & forwards notice of violation.
KINNEMAN,J.D. Region 1 (Post 820201). 88/04/06. KEATING,J. Boston Univ., Boston, MA. 2pp. 85560:155-85560:160.
- 8804150131 Notice of violation from insp on 880208-09 Violation noted: evaluation not made to assure compliance w/10CFR20.303 which limits disposal of licensed matl by release to sanitary sewerage sys.
* Region 1 (Post 820201). 88/04/06. 1p. 85560:157-85560:160.
- 8808030048 Ack receipt of 880505 ltr informing NRC of steps taken to correct violations noted in insp Repts 30-10860/88-01, 30-09831/88-01 & 70-1163/88-01.
KINNEMAN,J.D. Region 1 (Post 820201). 88/07/28. KEATING,J. Boston Univ., Boston, MA. 2pp. 85560:140-85560:154.
- 8808030050 Responds to NRC 880412 ltr re violations noted in insps 30-10860/88-01,30-09831/88-01 & 70-1163/88-01.Corrective actions:calculations for evaluation of sink disposal record will be performed in future.
SLADE,R.I. Boston Univ., Boston, MA. 88/05/05. KINNEMAN,J.D. Region 1 (Post 820201). 2pp. 85560:142-85560:143.
- 8808030051 Forwards results of urine test for "Student A" taken on 871001 indicating no detectable P-32 as counted in liquid scintillation counter & evaluation of sink disposal data for radioactive matl discharged into sanitary sewerage sys.
SLADE,R.I. Boston Univ., Boston, MA. 88/03/02. JENSEN,J.T. Region 1 (Post 820201). 11pp. 85560:144-85560:154.
- 8901120510 Amend 9 to License 20-00805-11 for Boston Univ.amending license in entirety.
DAVIS,J. Region 1 (Post 820201). 87/11/27. 4pp. 85560:013-85560:016.
- 8901120515 Forwards Amend 9 to License 20-00805-11.
DAVIS,J. Region 1 (Post 820201). 108008. 87/11/27. SLADE,R.I. Boston Univ., Boston, MA. 2pp. 85559:311-85559:312.
- 8901120518 Application for amend to License 20-00805-11,authorizing use of licensed matl at stated location.
SLADE,R.I. Boston Univ., Boston, MA. 108008. 87/10/27. GLENN,J.E. Region 1 (Post 820201). 2pp. 85559:310-85559:310.
- 8903140630 Amend 10 to License 20-00805-11 for Boston Univ.amending license in entirety.
GLENN,J.E. Region 1 (Post 820201). 88/02/05. 4pp. 85560:005-85560:006.
- 8903140837 Forwards Amend 10 to License 20-00805-11.
GLENN,J.E. Region 1 (Post 820201). 108218. 88/02/05. SLADE,R.I. Boston Univ., Boston, MA. 2pp. 85559:354-85559:355.
- 8903140841 Application for amend to License 20-00805-11,changing mailing address,as listed.
SLADE,R.I. Boston Univ., Boston, MA. 108218. 87/11/24. GLENN,J.E. Region 1 (Post 820201). 1p. 85559:313-85559:313.
- 9003120112 Mats licensing package for Amend 5 to License 20-00805-10 for Boston Univ.Control:109946.
DAVIS,J. Region 1 (Post 820201). 109946. 89/04/26. 2pp. 85560:224-85560:245.
- 9008070236 Advises that escrow agreement will be method used in meeting financial assurance requirements for decommissioning. Required certification will be submitted no later than 900914.
WILLIAMS,S.A. Boston Univ., Boston, MA. 90/08/03. Document Control Branch (Document Control Desk). 1p. 85560:050-85560:050.
- 9009210230 Informs of status of efforts to meet financial assurance for decommissioning requirements.Univ intends to set up two escrow accounts next month.
WILLIAMS,S.A. Boston Univ., Boston, MA. 90/09/13. Region 1 (Post 820201). 2pp. 85560:052-85560:054.
- 9009260141 Responds to 900726 ltr requesting exemption from requirements of decommissioning rule.Request will be considered as amend to License 20-02115-01 requiring amend fee,per 10CFR170.31,Category 7A.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 90/09/01. WILLIAMS,S.A. Boston Univ., Boston, MA. 1p. 85560:051-85560:051.
- 9009260143 Application for amend to License 20-00215-01,authorizing address change as indicated,removing 15 mCi Ni-63,decreasing possession limit for I-131,C-14 & Atomic B2 to 500 mCi & increasing limits for S-35 to 3 Ci & I-125 to 2 Ci.
MCNARY,W. Boston Univ. Medical Center, Boston, MA. 90/07/25. Region 1 (Post 820201). 2pp. 85560:047-85560:048.
- 9103080257 Mats licensing package for Amend 7 to License 20-00805-11 for Boston Univ.Control:104722.
JOHANSEN,J.M. Region 1 (Post 820201). 104722. 86/04/30. 38pp. 85560:025-85560:028.
- 9103080259 Mats licensing package for Amend 11 to License 20-00805-11 for Boston Univ.Control:109377.
FRIEDMAN,L.F. Region 1 (Post 820201). 109377. 88/08/31. 4pp. 85560:009-85560:012.
- 9207010049 Safety insp on 920511-13 of Licenses 20-00805-11 & 20-00805-10.insp findings:no violations noted.
* Region 1 (Post 820201). 92/05/13. 1p. 85560:101-85560:101.
- 9509110086 Forwards application for broad specific license for use of radioisotopes as requested.
JOHNSON,R.U. Boston Univ., Boston, MA. 74/10/30. BROWN,J.M. Atomic Energy Commission, Directorate of Licensing (720101-750118). 23pp. 85559:009-85559:031.
- 9509110094 Application for license,authorizing use of 0.1 Ci of each isotope between atomic numbers 3 & 83 & 3 Ci H-3.
* Boston Univ., Boston, MA. 74/11/05. Atomic Energy Commission (Pre 750119). 35pp. 85559:032-85559:065.
- 9509110105 Refers to 741105 application to consolidate several licenses held by Boston Univ covering byproduct matl programs authorized at Charles Reyer Campus under broad license. Requests addl info in support of application.
DAVIS,F.C. NRC - No Detailed Affiliation Given. 75/01/20. HAYNA, Boston Univ., Boston, MA. 2pp. 85559:066-85559:069.

190 NONDOCKETED ITEMS

- 9509110193 Responds to ltr dtd 750120 to A Heyn requesting addl info re application submitted by Boston Univ.
JOHNSON,R.U. Boston Univ., Boston, MA. 75/02/10. DAVID,F.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 8pp. 85559-070-85559-077.
- 9509110195 Advises that if addl info requested not received within 30 days of notice application will be considered abandoned.
COWY,R.J.E. Materials Licensing Branch, 75/03/10. HEYNA, Boston Univ., Boston, MA. 1p. 85559-078-85559-078.
- 9509110258 Refers to ltr dtd 750210 from RU Johnson re request for broad license. Requests addl info re listed items.
D'VIS,F.C. NRC - No Detailed Affiliation Given, 75/04/10. HAYNA, Boston Univ., Boston, MA. 2pp. 85559-079-85559-080.
- 9509110262 Submits response to ltr dtd 750410.
JOHNSON,R.U. Boston Univ., Boston, MA. 53022. 75/04/17. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 85559-081-85559-082.
- 9509110267 Submits rev to license 20-00805-11 re address change.
JOHNSON,R.U. Harvard Univ., Cambridge, MA. 75/06/26. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 85559-083-85559-083.
- 9509110272 Requests notification as to whether matl authorized in license used exclusively for teaching, training, or medical purposes.
CABELLA,S. License Fee Management Branch (Pre 861124). 76/07/16. HEYNA, Boston Univ., Boston, MA. 1p. 85559-084-85559-084.
- 9509110279 Ack receipt of ltr questioning licensee exemption from fees. Advises that A Heyn had turned ltr over to Vice President of Operations of Boston Univ.
HEYNA, Boston Univ., Boston, MA. 76/07/27. License Fee Management Branch (Pre 861124). 1p. 85559-085-85559-085.
- 9509110282 Forwards copy of NRC ltr dtd 760719 re use of byproduct matl authorized by licenses 20-00805-10 & 20-00805-11. Requests response to ltr w/o encl.
CABELLA,S. License Fee Management Branch (Pre 861124). 76/10/28. HEYNA, Boston Univ., Boston, MA. 1p. 85559-086-85559-086.
- 9509110290 Responds to inquiries dtd 760719 & 1028 re use of byproduct matl authorized by licensee.
HAYNA, Boston Univ., Boston, MA. 77/01/19. CABELLA,S. License Fee Management Branch (Pre 861124). 1p. 85559-087-85559-087.
- 9509110296 Forwards renewal application of license 20-00805-11.
JOHNSON,R.U. Boston Univ., Boston, MA. 80/03/26. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 85559-098-85559-098.
- 9509110305 Application renewing license 20-00805-11.
MENDILLO,M. Boston Univ., Boston, MA. 03335. 80/03/28. 35pp. 85559-099-85559-134.
- 9509110315 Forwards check 174504. No fees required for license issued to nonprofit educational institution for teaching, training or medical purposes. W/o encl.
JACKSON,G. License Fee Management Branch (Pre 861124). 80/05/05. MENDILLO,M. Boston Univ., Boston, MA. 10pp. 85559-136-85559-144.
- 9509110324 Application for license, authorizing use of listed byproduct matl.
CARROLL,W. Boston Univ., Boston, MA. 82/07/02. 32pp. 85559-145-85559-177.
- 9509110327 Forwards amend 2 to license 20-00805-11.
GLENN,F.E. Region 1 (Post 820201). 00733. 82/08/04. CARROLL,W. Boston Univ., Boston, MA. 1p. 85559-178-85559-195.
- 9509110337 Forwards check 412 for amend to license 20-00805-11. No fees required for license issued to nonprofit educational institution to be used for teaching, training or medical purposes.
JACKSON,G. License Fee Management Branch (Pre 861124). 82/08/25. LEVY,C. Boston Univ., Boston, MA. 1p. 85559-196-85559-196.
- 9509110342 Requests addl info re application to renew license 20-00805-11.
GLENN,J.E. Region 1 (Post 820201). 03335. 82/11/29. MENDILLO,M. Boston Univ., Boston, MA. 6pp. 85559-197-85559-201.
- 9509110348 Submits requested addl info re renewal application for Boston Univ.
JOHNSON,R.U. Boston Univ., Boston, MA. 03335. 83/01/08. GLENN,J.E. Region 1 (Post 820201). 7pp. 85559-202-85559-208.
- 9509110349 Forwards amend 3 to renew license 20-00805-11 W/o encl.
GLENN,J.E. Region 1 (Post 820201). 03335. 83/01/21. MENDILLO,M. Boston Univ., Boston, MA. 1p. 85559-209-85559-209.
- 9509110352 Forwards corrected copy of amend 3 to license 20-00805-11 W/o encl.
GLENN,F.E. Region 1 (Post 820201). 03335. 83/05/24. MENDILLO,M. Boston Univ., Boston, MA. 1p. 85559-210-85559-210.
- 9509110356 Informs that J Miller has been appointed to be Chairman of Radioisotope Committee, Charles River Campus.
HEYNA, Boston Univ., Boston, MA. 83/11/15. Region 1 (Post 820201). 1p. 85559-211-85559-211.
- 9509110358 Informs that J Miller has been appointed to be Chairman of Radioisotope Committee at Charles River Campus.
MENDILLO,M. Boston Univ., Boston, MA. 83/12/16. Region 1 (Post 820201). 3pp. 85559-212-85559-214.
- 9509120005 Notifies that JP Miller replaced A Heyn as Chairman of Radioactivity Safety Committee at Charles River Campus. Forwards description of experience re handling radioactive substances.
MILLER,J.P. Boston Univ., Boston, MA. 01966. 84/01/06. DAVIS,J. Region 1 (Post 820201). 2pp. 85559-215-85559-216.
- 9509120006 Forwards amend 4 to amend license 20-00805-11 W/o encl.
KINNEMAN,J.D. Region 1 (Post 820201). 01966. 84/02/01. MENDILLO,M. Boston Univ., Boston, MA. 1p. 85559-217-85559-217.
- 9509120007 Application for renewal of license SNM-1121, changing location of source as stated.
MILLER,J. Boston Univ., Boston, MA. 24218. 84/09/27. Materials Licensing Branch. 1p. 85559-218-85559-218.
- 9509120031 Forwards application for amend to license 20-00805-11.
MILLER,J. Boston Univ., Boston, MA. 85/11/24. GLENN,J.E. Region 1 (Post 820201). 1p. 85559-249-85559-249.
- 9509120033 Application for amend to license 20-00805-11, authorizing use of listed byproduct matl.
MILLER,J. Boston Univ., Boston, MA. 85/11/15. 2pp. 85559-250-85559-251.
- 9509120213 Application for amend to license 20-00905-11, authorizing use of 160 mCi Cm-244.
WEINSTEIN,G. Boston Univ., Boston, MA. 104722. 86/02/19. JACKSON,G. License Fee Management Branch (Pre 861124). 6pp. 85559-256-85559-261.
- 9509120220 Responds to TAR dtd 860103 requesting review of amend request from Boston Univ.
MILLER,V.L. Materials Licensing Branch. 104722. 86/01/27. GLENN,J.E. Region 1 (Post 820201). 1p. 85559-262-85559-262.
- 9509120322 Forwards refund in listed amount for overpayment of amend fee for application dtd 851125 for license 20-00805-11.
JACKSON,G. License Fee Management Branch (Pre 861124). 86/03/10. MILLER,J. Boston Univ., Boston, MA. 1p. 85559-263-85559-263.
- 9509120324 Forwards amend 7 to license 20-00805-11.
GLENN,J.E. Region 1 (Post 820201). 104722. 86/04/30. MILLER,J. Boston Univ., Boston, MA. 2pp. 85559-264-85559-265.
- 9509130004 Application for renewal of license 20-00805-01.
SLADE,R.I. Boston Univ., Boston, MA. 108244. 87/12/28. Region 1 (Post 820201). 3pp. 85559-314-85559-323.
- 9509130005 Ack receipt of application for renewal of license 20-00805-11.
GLENN,J.E. Region 1 (Post 820201). 108244. 88/01/27. SLADE,R.I. Boston Univ., Boston, MA. 1p. 85559-353-85559-353.
- 9509130008 Application for amend of license 20-00805-11, changing condition 10.A.
SLADE,R.I. Boston Univ., Boston, MA. 108244. 88/08/04. FRIEDMAN,L. Region 1 (Post 820201). 2pp. 85559-356-85559-357.
- 9509130010 Submits listed addl info re license renewal application for license 20-00805-11.
SLADE,R.I. Boston Univ., Boston, MA. 108244. 88/08/29. FRIEDMAN,L. Region 1 (Post 820201). 2pp. 85560-001-85560-002.
- 9509130011 Forwards renewal of licensee license 20-00805-11, for review.
FRIEDMAN,L.F. Region 1 (Post 820201). 108244. 88/08/31. SLADE,R.I. Boston Univ., Boston, MA. 2pp. 85560-003-85560-004.
- 9509130020 Advises that licensee will not be able to meet deadline for filing certification of financial assurance for decommissioning re listed licenses.
WILLIAMS,S.A. Boston Univ., Boston, MA. 90/07/26. Document Control Branch (Document Control Desk). 1p. 85560-049-85560-049.
- 9509130043 Reports incident recently occurred in one lab operated under license 20-00805-11.
SLADE,R.I. Boston Univ., Boston, MA. MLER-87-181. 87/10/20. GLENN,J.E. Region 1 (Post 820201). 3pp. 85560-061-85560-066.
- 9509130048 Advises that listed correspondence has been returned to NRC as "Not Deliverable As Addressed."
STOCKSTILL,R.A. Division of Fuel Cycle & Material Safety (Pre 870413). 87/03/05. GLENN,J. Region 1 (Post 820201). 1p. 85560-067-85560-068.
- 9509130053 Discusses accident occurred on 780206 at Stone Lab. Finds no evidence of any release of contamination resulting from accident.
JOHNSON,R.U. Boston Univ., Boston, MA. 78/02/14. MCCLINTOCK,R. Region 1, IE (720101-810228). 2pp. 85560-072-85560-074.
- 9509130056 Ack receipt of 750912 ltr re contamination detected on Boston Univ NA-22 radioactive source.
NELSON,P. Region 1, IE (720101-810228). 75/09/29. JOHNSON,R.U. Harvard Univ., Cambridge, MA. 3pp. 85560-075-85560-076.
- 9509130059 Submits results of leak test made of source under NRC license 20-00805-11.
JOHNSON,R.U. Boston Univ., Boston, MA. 75/09/12. Region 1, IE (720101-810228). 1p. 85560-077-85560-085.
- 9509130064 Safety insp on 950711-12 of licenses 20-00805-10 & 20-00805-11. Insp findings no violations noted. Steps taken to correct violations from last insp verified.
* Region 1 (Post 820201). * 90/07/12. 1p. 85560-120-85560-120.
- 9509130077 Forwards background info for Enforcement Conference to be held at Region 1 on 851218.
JOYNER,J.H. Region 1 (Post 820201). 85/12/16. MURLEY,T.E. Region 1 (Post 820201). 3pp. 85560-181-85560-186.
- 9509130118 Responds to NRC 851231 ltr re violations noted in insp rept of licenses 20-00805-10, 20-00805-11 & 2000805-13. Corrective actions: all records re Radiation Safety Program have now been relocated to ofc of RSO.
WESTLING,J. Boston Univ., Boston, MA. 86/01/26. Region 1 (Post 820201). 11pp. 85560-187-85560-209.
- 9509130119 Notification of significant licensee meeting 85-127 w/util on 851218 to discuss violations identified during insp 85-01.
JENSEN,J.T. Region 1 (Post 820201). 85-127. 85/12/10. Region 1 (Post 820201). 2pp. 85560-210-85560-211.
- 9509130123 Ack receipt of application for renewal of license 20-00805-10.
VILLAR,S. Region 1 (Post 820201). 119677. 94/05/03. SLADE,R. Boston Univ., Boston, MA. 1p. 85560-221-85560-221.
- 9509130126 Submits documents re license 20-00805-10, for review.
JOUSTRA,J. Region 1 (Post 820201). 119677. 94/10/27. LIBERMAN,D.F. Boston Univ., Boston, MA. 3pp. 85560-213-85560-215.

- 9509130130 Responds to telephone request for addl info to continue NRC review of licensee application dtd 940429 to renew license 20-00805-10.
SLADE,R. Boston Univ., Boston, MA. 119677. 94/09/12. JOUSTRA,J. Region 1 (Post 820201). 5pp. 85560:216-85560:220.
- 9509130140 Application for renewal of license 20-00805-10.
SLADE,R. LIBERMAN,D.F. Boston Univ., Boston, MA. 119677. 94/04/29. Region 1 (Post 820201). 2pp. 85560:222-85560:223.
- 9509130147 Forwards renewal of license 20-00805-10,for review.
DAVIS,J. Region 1 (Post 820201). 109946. 89/04/26. SLADE,R. Boston Univ., Boston, MA. 3pp. 85560:246-85560:248.
- 9509130149 Responds to request for addl info needed to continue review of licensee 881128 Itr.
SLADE,R. Boston Univ., Boston, MA. 109946. 89/03/17. VARELA,M.A. Region 1 (Post 820201). 5pp. 85560:249-85560:253.
- 9509130153 Responds to request for info needed to continue review of licensee 881128 Itr. Submits requested info.
SLADE,R.I. Boston Univ., Boston, MA. 109946. 89/02/23. VARELA,M.A. Region 1 (Post 820201). 7pp. 85560:254-85560:260.
- 9509130157 Confirms telcon on 881220 re info needed to continue review of licensee 881128 Itr.
WHITE,J.R. Region 1 (Post 820201). 109946. 89/01/28. SLADE,R.I. Boston Univ., Boston, MA. 1p. 85560:261-85560:261.
- 9509130160 Ack receipt of application for renewal of license 20-00805-10.
FOSTER,D.J. Region 1 (Post 820201). 109946. 88/12/15. SLADE,R. Boston Univ., Boston, MA. 1p. 85560:262-85560:262.
- 9509130166 Application for renewal of license 20-00805-10.
SLADE,R.I. Boston Univ., Boston, MA. 88/11/28. Region 1 (Post 820201). 2pp. 85560:263-85560:264.
- 9509130171 Amend 2 to license 20-00805-10,amending license in entirety.
* Division of Fuel Cycle & Material Safety (Pre 870413). 78/11/01. 3pp. 85560:265-85560:267.
- 9509130177 Amend 3 to license 20-00805-10,changing conditions 16,17 & 18 to read as stated.
* Materials Licensing Branch. 83/12/28. 1p. 85560:268-85560:268.
- 9509150039 Ack receipt of application for renewal of license 20-00805-10.
VACCA,P. Region 1 (Post 820201). 15928. 83/10/27. HEYN,A. Boston Univ., Boston, MA. 1p. 85560:283-85560:283.
- 9509150041 Application for renewal of license 20-00805-10,in reply to notice.
HEYN,A. Boston Univ., Boston, MA. 83/09/29. Materials Licensing Branch. 16pp. 85560:284-85560:299.
- 9509150045 Submits changes to license 20-00805-10.
HEYN,A. Boston Univ., Boston, MA. 73/12/26. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 85560:300-85560:301.
- 9509150046 Submits results of surveys re license 20-00805-10.
HEYN,A. Boston Univ., Boston, MA. 46339. 73/12/27. Atomic Energy Commission, Directorate of Licensing (720101-750118). 12pp. 85560:302-85560:324.
- 9509200321 "Rules & Regulations Governing Use of Radioisotopes & Ionizing Radiation."
* Boston Univ., Boston, MA. 87/03/31. 30pp. 85559:324-85559:352.
- 9509200324 Amend 4 to license 20-00805-11 for Boston Univ,amending conditions 12 & 21 to read as stated.
* Region 1 (Post 820201). 95/09/11. 1p. 85560:032-85560:032.
- 9509200328 Corrected amend 3 to license 20-00805-11 for Boston Univ, amending license in entirety.
GLENN,G.E. Region 1 (Post 820201). 83/01/23. 4pp. 85560:033-85560:036.
- 9509200333 Amend 3 to license 20-00805-11 for Boston Univ,amending license in entirety.
GLENN,J.E. Region 1 (Post 820201). 83/01/21. 4pp. 85560:037-85560:040.
- 9509200336 Amend 2 to license 20-00805-11 for Boston Univ,amending condition 19 to read as stated.
GLENN,J.F. Region 1 (Post 820201). 82/06/04. 1p. 85560:041-85560:041.
- 9509200339 Amend 1 to license 20-00805-11 for Boston Univ,amending condition 10 to read as stated.
BOWYER,J.E. Region 1 (Post 820201). 75/08/07. 1p. 85560:042-85560:042.
- 9509200342 License 20-00805-11 for Boston Univ.
* Region 1 (Post 820201). 75/06/02. 4pp. 85560:043-85560:046.
- 9509210031 Informs of spill of damaged sealed NA-22 source w/original nominal activity of 2 mCi.Lab closed for more than 24 h. Radiation safety committee audited entire program & protocols.
SLADE,R.I. Boston Univ., Boston, MA. MLER-RI-91-200. 91/10/24. MCGRATH,J. Region 1 (Post 820201). 6pp. 85560:055-85560:060.
- 9509210034 Notifies that for period of 810509-3901 during A Heyn absence from campus,HJ Berman will be replacement as Chairperson of Radioisotope Committee,Charles River Campus.
HEYN,A. Boston Univ., Boston, MA. 81/04/27. Region 1, Ofc of the Director (810301-820201). 1p. 85560:069-85560:069.
- 9509210036 Ack receipt of 780214 Itr describing surveys at Boston Univ Stone Labs.
MCCLINTOCK,R.O. Region 1, IE (720101-810228). 81/02/23. JOHNSON,R.U. Harvard Univ., Cambridge, MA. 2pp. 85560:070-85560:071.
- 9509210041 Insp repts 30-09831/94-01 & 30-10860/94-01 on 940509 & 12. No violations noted.Major areas inspected:organization & scope of program,training,retraining & instructions to workers & internal audits,reviews or insps.
* Region 1 (Post 820201). 30-10860/94-01. 94/05/12. 15PP. 85560:086-85560:100.
- 9509210045 Insp repts 30-09831/92-01 & 30-10860/92-01 on 920511-13. No violations noted.
* Region 1 (Post 820201). 30-10860/92-01. 92/06/17. 18pp. 85560:102-85560:119.
- 9509210047 Insp rept 30-10860/90-01 on 900711-12.No noncompliance noted.
* Region 1 (Post 820201). 90/07/20. 19pp. 85560:121-85560:139.
- 9509210054 Insp rept 30-09831/88-01 on 880208-09.Noncompliance noted.
* Region 1 (Post 820201). 88/03/31. 12pp. 85560:161-85560:180.
- 9509210058 Amend 1 to license 20-00805-10 for Boston Univ,amending condition 15 to read as stated.
DAVIS,F.C. Region 1, IE (720101-810228). 74/04/03. 1p. 85560:325-85560:325.
- 9509210061 License 20-00805-10 for Boston Univ,authorizing 14,500 Ci Co-60 for use in J.L. Shepherd & Assoc model 109 irradiator for irradiation of mats.
DAVIS,F.C. Region 1, IE (720101-810228). 73/09/06. 3pp. 85560:326-85560:330.
- 9509110081 Fifth partial response to FOIA request for records re Foote Mineral/Shield Alloy/Cyprus Mineral site in Cambridge,OH. Records in App G available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/06. GRAHAM,M.E. Affiliation Not Assigned. 2pp. 85448:001-85448:120.
- 9304090230 Record of telcon w/B Fonner (Ofc of General Counsel) on 930223 re Shieldalloy responsibility for licensed matl potentially removed in unauthorized manner from Cambridge,OH site.
HARVEY,M. NRC - No Detailed Affiliation Given. 93/02/23. 1p. 85448:003-85448:003.
- 9309130195 Certificate of Commencement of Case re Metallurg,Inc & Shieldalloy Metallurgical Corp petition requesting relief under chapter 11 of Bankruptcy Code (title 11 of US Code).
MORRIS,C.G. U.S. District Court, Southern District of New York. 93/09/02. 400pp. 85448:004-85448:041.
- 9309140105 Notice of proposed order per bankruptcy code Sections 328(a) & 1103 authorizing retention of Kekst & Co NUNC PRO TUNC to 930902 as public relations consultants for debtors.
RAPISARDI,J.J. Wei, Gotshal & Manges. 93/09/03. 21pp. 85449:042-85449:062.
- 9502100029 Forwards request for addl info on invoices submitted to licensee for action.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 95/02/07. BEVERIDGE,G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 3pp. 85449:113-85449:120.
- 9502100040 Requests addl info on invoices charged to licenses SMB-743 & SMB-1507,invoices encl.
EVES,C.S. Shieldalloy Metallurgical Corp. 94/12/16. MESSIER,M. Office of Nuclear Material Safety & Safeguards. 50pp. 85449:063-85449:112.
- 9509110091 Eight partial response to FOIA request for documents. Releasable portions of records identified on App I encl & portions of App I records withheld (ref FOIA Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/18. IRWIN,D.P. Hinton & Williams. 4pp. 85414:211-85415:052.
- 9408120211 Forwards sanitized version of GENE-523-A114P-0894, "Responses to NRC Questions on Core Shroud & Reactor Internals."
PINELLI,R.A. BWR Owners Group. BWROG-94100. 94/08/05. Document Control Branch (Document Control Desk). 6pp. 85414:323-85414:328.
- 9408150176 Forwards sanitized Rev 1 to GENE-523-A107P-0794, "BWR Shroud Cracking Generic Safety Assessment."
PINELLI,R.A. BWR Owners Group. BWROG-94097. 94/08/05. Document Control Branch (Document Control Desk). 6pp. 85414:270-85414:275.
- 9509110110 GENE-523-A107P-0794 Sanitized version of Rev 1 to GENE-523-A107P-0794, "BWR Shroud Cracking Generic Assessment."
CAINE,T.A., CASILLAS,J.L., CHOE,H. General Electric Co. 94/08/31. 45pp. 85414:276-85414:322.
- 9509110117 GENE-523-A114P-0894 "Responses to NRC Questions on Core Shroud & Reactor Internals," sanitized version.
STARK,S.J. General Electric Co. 94/06/31. 35pp. 85414:329-85415:052.
- 9509120167 GENE-523-A107P-0794 Sanitized version of GENE-523-A107P-0794, "BWR Shroud Cracking Generic Safety Assessment."
CAINE,T.A., CASILLAS,J.L., CHOE,H. General Electric Co. 94/07/31. 45pp. 85414:222-85414:268.
- 9509110214 First partial response to FOIA request for documents,Records in App A available in PDR,App B records encl & placed in PDR,Records listed in App C withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/25. JOHNSON,D.G. LeBoeuf, Lamb, Leiby & MacRae. 5pp. 85411:192-85411:296.
- 9509110217 "NRC Generic Communications re Nuclear Reactor Issues." NRC insp manual.
* NRC - No Detailed Affiliation Given. 94/03/21. 97pp. 85411:197-85411:293.
- 9509110220 Discusses matters which had been agreed would make progress re Commission investigation into allegations about safety of Five Star products.
MCBRIDE,M.F. LeBoeuf, Lamb, Leiby & MacRae. 95/01/06. SHAPIRO,D.M. Office of the General Counsel (Post 860701). 3pp. 85411:294-85411:296.
- 9509110222 FOIA request for documents prepared on or after 920601 re testing of products of Five Star Products,Inc.
JOHNSON,D.G. LeBoeuf, Lamb, Leiby & MacRae. 95/06/19. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85411:190-85411:191.
- 9509110248 Final response to FOIA request for documents,Records in App A encl & also placed in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/08/18. SELDON,R., SACHS,R. Government Accountability Project. 3pp. 85426:180-85426:296.

192 NONDOCKETED ITEMS

- 9509110251 Informs that J Kelly will notify program director of NRC decision to join US Public Health, Division of Federal Occupational Health Metropolitan Consortium & formalize that agreement upon receipt of signed interagency agreement. KELLEY, J. Health & Human Services, Dept. of, U.S. Public Health Service. 93/12/08. KAPLAN, P. Ofc of Personnel (Post 870413). 1p. 85426:183-85426:183.
- 9509110253 Interagency agreement between NRC & US Public Health Svc for establishment & operation of employee assistance program, effective 940101. BIRD, P.E. Ofc of Personnel (Post 870413). KELLEY, J. Health & Human Services, Dept. of, U.S. Public Health Service. 89/06/30. 11pp. 85426:184-85426:194.
- 9509110257 Memorandum of agreement between NRC & US Public Health Svc re development of coordinated, interagency Employee Counseling Svc Program to provides listed svcs. BIRD, P. Ofc of Personnel (Post 870413). * Health & Human Services, Dept. of, U.S. Public Health Service. 91/01/24. 10pp. 85426:195-85426:204.
- 9509110263 Discusses request that US Public Health Svc, Division of Federal Occupational Health, Region III provide consultative assistance re design & development of Occupational Health Ctr. FELMLY, R. Health & Human Services, Dept. of, U.S. Public Health Service. 93/03/01. KAPLAN, P.S. NRC - No Detailed Affiliation Given. 7pp. 85426:205-85426:212.
- 9509110264 Requests funds be obligated to Public Health Svc/Division of Federal Employee Occupational Health for providing Headquarters employees health svcs as listed. MONACO, N. Ofc of Personnel (Post 870413). FIN D-22532. 92/03/26. ROSSIA, Office of the Controller (Post 890205). 7pp. 85426:222-85426:228.
- 9509110269 Informs that Div of Federal Occupational Health will be initiating Prostate Cancer Screening Program for NRC employees. Prostate Specific Antigen screening program is offered in three phases as listed. KOENIG, L.C. Health & Human Services, Dept. of, U.S. Public Health Service. 93/10/22. KAPLAN, P. NRC - No Detailed Affiliation Given. 3pp. 85426:213-85426:215.
- 9509110271 Requests funds be obligated to Public Health Svc/Division of Federal Employee Occupational Health, Region III for initiating Prostate Cancer Screening Program for NRC employees as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN H-8402. 93/11/19. ROSSIA, Office of the Controller (Post 890205). 4pp. 85426:216-85426:219.
- 9509110276 Requests increase in funds be recorded to be obligated for US Public Health Svc, Dept of Health & Human Svcs, Division of Federal Occupational Health for Prostate Cancer Program as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN H-8402. 94/08/19. ROSSIA, Office of the Controller (Post 890205). 2pp. 85426:220-85426:221.
- 9509110284 Forwards NRC FY 1992 population survey info for Health Units ZOR, Z75 & Z4L. MONACO, N. Ofc of Personnel (Post 870413). 91/09/06. PRESANT, N. Health & Human Services, Dept. of, U.S. Public Health Service. 10pp. 85426:229-85426:238.
- 9509110291 Requests that funds be obligated to Public Health Svc/Div of Federal Employee Occupational Health for Providing Headquarters employees health svcs as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN P-8422. 93/07/20. ROSSIA, Office of the Controller (Post 890205). 1p. 85426:239-85426:239.
- 9509110294 Forwards NRC FY 1993 population survey info for Health Units ZOR, Z75 & Z4L. SMITH, R.J. Ofc of Personnel (Post 870413). 95/08/18. PRESANT, N. Health & Human Services, Dept. of, U.S. Public Health Service. 14pp. 85426:240-85426:253.
- 9509110299 Requests that obligation of funds be recorded to Division of Federal Occupational Health, US Public Health Svc, Dept of Health & Human Svcs, for Employee Counseling Svcs Program as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN H-8402. 93/12/27. ROSSIA, Office of the Controller (Post 890205). 4pp. 85426:254-85426:257.
- 9509110303 Requests obligation of funds be recorded to Division of Federal Occupational Health, US Public Health Svc, Dept of Health & Human Svcs, for Headquarters Employee Counseling Svc Program as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN A-8410. 95/02/23. BIRD, J. Office of the Controller (Post 890205). 5pp. 85426:258-85426:262.
- 9509110306 Requests that funds be obligated to Public Health Svc/Div of Federal Employee Occupational & Beneficiary Health Svcs for providing Employee Counseling Svc Program to Regional employee as listed. MONACO, N. Ofc of Personnel (Post 870413). FIN D-22532. 92/07/17. ROSSIA, Office of the Controller (Post 890205). 9pp. 85426:263-85426:271.
- 9509110314 Requests that funds be obligated to Public Health Svc/Div of Federal Occupational Health for providing Employee Assistance Program to Regional employees as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN P-8422. 93/08/04. ROSSIA, Office of the Controller (Post 890205). 16pp. 85426:272-85426:294.
- 9509110320 Informs of termination of agreement between NRC & Public Health Svc for operation of NRC occupational health unit by Div of Federal Occupational Health. BIRD, P.E. Ofc of Personnel (Post 870413). 94/07/29. HISLE, J.W. Health & Human Services, Dept. of, U.S. Public Health Service. 1p. 85426:295-85426:295.
- 9509110325 Notifies J Kelley that NRC is withdrawing from PHS Division of Federal Occupational Health Metropolitan Consortium as of 950630. BIRD, P.E. Ofc of Personnel (Post 870413). 95/05/03. KELLEY, J. Health & Human Services, Dept. of, U.S. Public Health Service. 1p. 85426:296-85426:296.
- 9509110251 Informs that J Kelly will notify program director of NRC decision to join US Public Health, Division of Federal Occupational Health Metropolitan Consortium & formalize that agreement upon receipt of signed interagency agreement. KELLEY, J. Health & Human Services, Dept. of, U.S. Public Health Service. 93/12/08. KAPLAN, P. Ofc of Personnel (Post 870413). 1p. 85426:183-85426:183.
- 9509110253 Interagency agreement between NRC & US Public Health Svc for establishment & operation of employee assistance program, effective 940101. BIRD, P.E. Ofc of Personnel (Post 870413). KELLEY, J. Health & Human Services, Dept. of, U.S. Public Health Service. 89/06/30. 11pp. 85426:184-85426:194.
- 9509110257 Memorandum of agreement between NRC & US Public Health Svc re development of coordinated, interagency Employee Counseling Svc Program to provides listed svcs. BIRD, P. Ofc of Personnel (Post 870413). * Health & Human Services, Dept. of, U.S. Public Health Service. 91/01/24. 10pp. 85426:195-85426:204.
- 9509110263 Discusses request that US Public Health Svc, Division of Federal Occupational Health, Region III provide consultative assistance re design & development of Occupational Health Ctr. FELMLY, R. Health & Human Services, Dept. of, U.S. Public Health Service. 93/03/01. KAPLAN, P.S. NRC - No Detailed Affiliation Given. 7pp. 85426:205-85426:212.
- 9509110264 Requests funds be obligated to Public Health Svc/Division of Federal Employee Occupational Health for providing Headquarters employees health svcs as listed. MONACO, N. Ofc of Personnel (Post 870413). FIN D-22532. 92/03/26. ROSSIA, Office of the Controller (Post 890205). 7pp. 85426:222-85426:228.
- 9509110269 Informs that Div of Federal Occupational Health will be initiating Prostate Cancer Screening Program for NRC employees. Prostate Specific Antigen screening program is offered in three phases as listed. KOENIG, L.C. Health & Human Services, Dept. of, U.S. Public Health Service. 93/10/22. KAPLAN, P. NRC - No Detailed Affiliation Given. 3pp. 85426:213-85426:215.
- 9509110271 Requests funds be obligated to Public Health Svc/Division of Federal Employee Occupational Health, Region III for initiating Prostate Cancer Screening Program for NRC employees as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN H-8402. 93/11/19. ROSSIA, Office of the Controller (Post 890205). 4pp. 85426:216-85426:219.
- 9509110276 Requests increase in funds be recorded to be obligated for US Public Health Svc, Dept of Health & Human Svcs, Division of Federal Occupational Health for Prostate Cancer Program as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN H-8402. 94/08/19. ROSSIA, Office of the Controller (Post 890205). 2pp. 85426:220-85426:221.
- 9509110284 Forwards NRC FY 1992 population survey info for Health Units ZOR, Z75 & Z4L. MONACO, N. Ofc of Personnel (Post 870413). 91/09/06. PRESANT, N. Health & Human Services, Dept. of, U.S. Public Health Service. 10pp. 85426:229-85426:238.
- 9509110291 Requests that funds be obligated to Public Health Svc/Div of Federal Employee Occupational Health for Providing Headquarters employees health svcs as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN P-8422. 93/07/20. ROSSIA, Office of the Controller (Post 890205). 1p. 85426:239-85426:239.
- 9509110294 Forwards NRC FY 1993 population survey info for Health Units ZOR, Z75 & Z4L. SMITH, R.J. Ofc of Personnel (Post 870413). 95/08/18. PRESANT, N. Health & Human Services, Dept. of, U.S. Public Health Service. 14pp. 85426:240-85426:253.
- 9509110299 Requests that obligation of funds be recorded to Division of Federal Occupational Health, US Public Health Svc, Dept of Health & Human Svcs, for Employee Counseling Svcs Program as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN H-8402. 93/12/27. ROSSIA, Office of the Controller (Post 890205). 4pp. 85426:254-85426:257.
- 9509110303 Requests obligation of funds be recorded to Division of Federal Occupational Health, US Public Health Svc, Dept of Health & Human Svcs, for Headquarters Employee Counseling Svc Program as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN A-8410. 95/02/23. BIRD, J. Office of the Controller (Post 890205). 5pp. 85426:258-85426:262.
- 9509110306 Requests that funds be obligated to Public Health Svc/Div of Federal Employee Occupational & Beneficiary Health Svcs for providing Employee Counseling Svc Program to Regional employee as listed. MONACO, N. Ofc of Personnel (Post 870413). FIN D-22532. 92/07/17. ROSSIA, Office of the Controller (Post 890205). 9pp. 85426:263-85426:271.
- 9509110314 Requests that funds be obligated to Public Health Svc/Div of Federal Occupational Health for providing Employee Assistance Program to Regional employees as listed. SMITH, R.J. Ofc of Personnel (Post 870413). FIN P-8422. 93/08/04. ROSSIA, Office of the Controller (Post 890205). 16pp. 85426:272-85426:294.
- 9509110320 Informs of termination of agreement between NRC & Public Health Svc for operation of NRC occupational health unit by Div of Federal Occupational Health. BIRD, P.E. Ofc of Personnel (Post 870413). 94/07/29. HISLE, J.W. Health & Human Services, Dept. of, U.S. Public Health Service. 1p. 85426:295-85426:295.
- 9509110325 Notifies J Kelley that NRC is withdrawing from PHS Division of Federal Occupational Health Metropolitan Consortium as of 950630. BIRD, P.E. Ofc of Personnel (Post 870413). 95/05/03. KELLEY, J. Health & Human Services, Dept. of, U.S. Public Health Service. 1p. 85426:296-85426:296.
- 9509110321 First partial response to FOIA request for documents. Documents in App A already available in PDR. Forwards documents listed in App B. Documents will be available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/03/08. Environment Consultants, Inc. 9pp. 85674:001-85675:356.
- 7903280220 IE Insp Findings & Licensee Ack dtd 790131 of License 34-12165-01. Insp findings no noncompliances noted. * Region III, IE (720101-810228). 79/01/31. 1p. 85674:347-85674:347.
- 7910010753 IE Insp Findings & Licensee Ack dtd 790621 of License 37-17265-01. Insp findings no items of noncompliance noted. EPSTEIN, E. Region I, IE (720101-810228). 79/08/21. 1p. 85675:106-85675:106.
- 7910250002 Discusses IE insp of License 34-05124-01 on 790921 & forwards notice of violation. KEPPLER, J.G. Region III, IE (720101-810228). 79/10/16. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 2pp. 85675:242-85675:245.

- 7910250003 Notice of violation from insp on 790921. Noncompliance noted: no medical isotopes committee meeting held between 781116 & 790921. Jose calibrator not checked within specified time & finger badges not routinely worn.
* Region III, IE (720101-810228). 79/10/16. 2pp. 85675.244-85675.245.
- 7912310309 Responds to NRC 791016 ltr re violations noted in IE insp of License 34-05124-01 on 791016. Corrective actions: quarterly meetings of isotope committee, dose calibrator to be checked quarterly & unannounced insp have been initiated.
FADER, A. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 79/11/07. KEPPLER, J.G. Region III, IE (720101-810228). 7pp. 85675.247-85675.253.
- 8005070786 Discusses IE insp of License 34-01505-01 on 800321 & forwards notice of violation.
DAVIS, A.B. Fuel Facility & Materials Safety Branch, R3. 80/04/16. NOTEBAERT, E. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 2pp. 85674.215-85674.218.
- 8005070791 Notice of violation from insp on 800321. Noncompliance noted: quarterly radiisotope committee meetings were not held. Cs-137 & Ba-133 Jose calibrator ref sources have not been leak tested at six-month intervals.
* Fuel Facility & Materials Safety Branch, R3. 80/04/16. 2pp. 85674.217-85674.218.
- 8006180860 Ack receipt of 800507 ltr informing NRC of steps taken to correct violations noted in IE insp of License 34-01505-01.
DAVIS, A.B. Fuel Facility & Materials Safety Branch, R3. 80/06/02. NOTEBAERT, E. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674.219-85674.227.
- 8006180863 Responds to NRC 800416 ltr re violations noted in IE insp of License 34-01505-01. Corrective actions: radiisotope committee meetings have been scheduled. Calibr sources have been leak tested.
ARCHER, B.T. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 80/05/07. DAVIS, A.B. Fuel Facility & Materials Safety Branch, R3. 8pp. 85674.220-85674.227.
- 8203020400 IE Insp Findings & Licensee Ack dtd 820218 of License 34-11165-01. Insp findings: records of radiation exposure not properly maintained in accordance w/ 10CFR20.401(a).
MATTSON, E. Region 3 (Post 820201). 82/02/18. 1p. 85674.358-85674.358.
- 8207220557 Discusses IE insp of License 34-17932-01 on 820629. No noncompliance noted. Major areas inspected: selective exam of procedures & representative records, observations, independent measurements & interviews w/ personnel.
SRENIAWSKI, D.J. Div of Engineering, R3. 82/07/15. HOETH, R.C. Meridia Euclid Hosp., Euclid, OH (formerly Euclid General Hosp.). 1p. 85675.117-85675.117.
- 8208300143 Forwards IE Insp Findings & Licensee Ack dtd 820811 of License 34-09739-01. No noncompliance noted.
MATSON, E.R. Region 3 (Post 820201). 82/08/23. MOSS, R. Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 1p. 85674.080-85674.082.
- 8208300145 IE Insp Findings & Licensee Ack dtd 820811 of License 34-09739-01. Insp findings: no noncompliance noted.
MATSON, E.R. Region 3 (Post 820201). 82/08/11. 2pp. 85674.081-85674.082.
- 8208300237 Forwards IE Insp Findings & Licensee Ack dtd 820812 w/o encl.
MATSON, E.R. Region 3 (Post 820201). 82/08/23. GRESKO, M.C. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 1p. 85675.256-85675.256.
- 8209270397 IE Insp Findings & Licensee Ack dtd 820812 of License 34-05124-01. Insp findings: isotope committee failed to meet during second quarter of 1982.
GRESKO, M. Region 3 (Post 820201). 82/08/12. 2pp. 85675.254-85675.255.
- 8305060216 Ack receipt of 830412 ltr informing NRC of steps taken to correct violations noted in IE insp of License 34-01505-01 on 830318.
SRENIAWSKI, D. Region 3 (Post 820201). 83/05/03. MOEBIUS, G. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 3pp. 85674.228-85674.232.
- 8606130040 Insp Findings & Licensee Ack on 860506 of License 34-01505-01. Insp findings: containers of milk & soda pop found in hot lab refrigerator in violation of License Condition 16.
PATTERSON, J.W. Region 3 (Post 820201). 86/05/06. 1p. 85674.255-85674.255.
- 9003070031 Discusses safety insp of License 34-01505-01 on 900109 & forwards notice of violation.
SRENIAWSKI, D.J. Region 3 (Post 820201). 90/02/27. JARM, T. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674.273-85674.274.
- 9003070055 Notice of violation from insp on 900109. Violation noted: from 890629-0828, survey w/ radiation detection instrument not performed in area where radio-pharms prepared & administered & licensed mail used by unauthorized individual since 1989.
SRENIAWSKI, D.J. Region 3 (Post 820201). 90/02/27. 1p. 85674.274-85674.274.
- 9006210123 Responds to NRC 900109 ltr re violations noted in insp of License 34-01505-01. Corrective actions: surveys will be performed at end of each day of use where radio-pharms prepared or administered.
JARM, T. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 90/05/22. SRENIAWSKI, D.J. Region 3 (Post 820201). 1p. 85674.272-85674.272.
- 9006210125 Responds to NRC 900109 ltr re violations noted in insp of License 34-01505-01. Corrective actions: activity linearity tests will be performed quarterly.
JARM, T. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 90/04/03. SRENIAWSKI, D.J. Region 3 (Post 820201). 1p. 85674.271-85674.271.
- 9509110336 Safety insp on 640623 of license 34-09739-01. Insp findings: no item of noncompliance found.
* Atomic Energy Commission (Pre 750119). * Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 64/08/05. 9pp. 85674.012-85674.020.
- 9509110346 Discusses insp repts of licenses 34-06771-01 & 34-09739-01. No item of noncompliance noted.
FOSTER, D.L. Atomic Energy Commission (Pre 750119). 64/07/14. RNNER, R.R. 1p. 85674.021-85674.021.
- 9509110355 Safety insp on 690509 of license 34-09739-01. Insp findings: no item of noncompliance found.
* Atomic Energy Commission (Pre 750119). * Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 69/05/09. 8pp. 85674.022-85674.029.
- 9509110360 Discusses broad medical licensed program issued to institution authorizing medical research, diagnosis & therapy, biological & chemical research, in vitro & lab animals & for instructional purposes.
HUETER, L.J. Region III, IE (720101-810228). 72/03/21. ALLEN, J.M. Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 1p. 85674.030-85674.030.
- 9509110365 Safety insp on 720321 of license 34-09739-01. Insp findings: no items of noncompliance or unsafe conditions found.
HUETER, L.J. Region III, IE (720101-810228). * Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 72/03/21. 24pp. 85674.031-85674.053.
- 9509110369 Safety insp on 770602 of license 34-09739-01. Insp findings: no items of noncompliance or unsafe conditions found.
* Region III, IE (720101-810228). * Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 77/06/02. 1p. 85674.054-85674.054.
- 9509110372 Safety insp on 790201 of license 34-09739-01. Insp findings: no item of noncompliance or unsafe conditions found.
* Region III, IE (720101-810228). * Meridia Hillcrest Hosp., Mayfield Heights, OH (formerly Hillcrest Hosp. Complex). 79/02/01. 2pp. 85674.068-85674.069.
- 9509110381 Insp rept 30-02791/87-01 on 870129. No violations noted. Major areas inspected: organization, insp history, scope of program, internal audits or insp.
SIMMONS, T. NRC - No Detailed Affiliation Given. 87/02/04. 12pp. 85674.098-85674.109.
- 9509110382 Insp rept of 34-09739-01 on 890411. Violations noted but not cited. Major areas inspected: organization, insp history, scope of program, internal audits or insp.
PATTERSON, F.W. NRC - No Detailed Affiliation Given. 89/04/24. 24pp. 85674.110-85674.133.
- 9509110383 Insp rept 30-02791/91-01 on 911219. No violations noted. Major areas inspected: organization, insp history, scope of program, internal audits or insp.
SIMMONS, J., SCHULL, W.H. Region 3 (Post 820201). 91/12/30. 18pp. 85674.134-85674.152.
- 9509110384 Insp rept 30-02791/93-01 on 931116. No violations noted. Major areas inspected: organization, insp history, scope of program, internal audits or insp.
* Region 3 (Post 820201). 93/11/23. 19pp. 85674.153-85674.176.
- 9509110385 Forwards compliance insp rept of license 34-01505-01 on 580213.
* Atomic Energy Commission (Pre 750119). 58/04/16. MANN, M.M. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674.177-85674.177.
- 9509110386 Compliance insp rept of license 34-01505-01 on 580213. No violations noted. Major areas inspected: I-131, iodide for diagnosis of thyroid function, treatment of hyperthyroidism & cardiac conditions.
MALLOTT, L., HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 58/04/02. 5pp. 85674.178-85674.182.
- 9509120180 Informs of 601213 insp of license 34-01505-01. No item of noncompliance noted.
* Atomic Energy Commission (Pre 750119). 60/12/13. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674.183-85674.183.
- 9509120199 Safety insp on 650818 of license 34-01505-01. Insp findings: containers not properly labeled to indicate presence of radioactive material.
* Region III, IE (720101-810228). * Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 65/09/02. 6pp. 85674.184-85674.189.
- 9509120209 Safety insp on 680627 of license 34-01505-01. Insp findings: no item of noncompliance found.
* Region III, IE (720101-810228). * 68/07/16. 8pp. 85674.190-85674.197.
- 9509120216 Insp rept 30-02750/80-01 on 800321. No violations noted. Major areas inspected: organization, licensee internal audits, training & qualification of personnel.
SLAWINSKI, W.J., SCHULTZ, W.H. NRC - No Detailed Affiliation Given. 80/03/28. 17pp. 85674.198-85674.214.
- 9509120372 Safety insp on 680726 of license 34-12165-01. Insp findings: no item of compliance found.
* Region III, IE (720101-810228). * Brentwood Hosp., Cleveland, OH. 68/09/04. 10pp. 85674.329-85674.338.
- 9509120374 Safety insp on 760611 of license 34-12165-01. Insp findings: no items of noncompliance or unsafe conditions found.
* Region III, IE (720101-810228). * Brentwood Hosp., Cleveland, OH. 76/06/11. 8pp. 85674.339-85674.346.
- 9509120380 Insp rept 30-02826/85-01 on 850110. No noncompliance noted. Major areas inspected: insp history, organization, summary of program, internal audits or insp.
SIMMONS, F. Region 3 (Post 820201). 85/01/14. 16pp. 85675.014-85675.029.
- 9509120382 Insp rept 30-02826/88-01 on 880128. No violations noted. Major areas inspected: organization, insp history, scope of program, internal audits or insp.
* NRC - No Detailed Affiliation Given. 88/02/08. 12pp. 85675.030-85675.041.
- 9509130026 Insp rept 30-02826/91-01 on 910715. Violations noted. Major areas inspected: organization, insp history, scope of program, internal audits or insp, training, retraining & instructions to workers.
SCHULTZ, W.H. Region 3 (Post 820201). 91/07/26. 18pp. 85675.042-85675.079.
- 9509130060 Insp rept 30-02826/93-01 on 931117. No violations noted. Major areas inspected: organization, insp history, scope of program, internal audits or insp, training, retraining & instructions to workers.
* Region 3 (Post 820201). 93/12/02. 19pp. 85675.080-85675.105.

194 NONDOCKETED ITEMS

- 9509130095 Insp rept 30-02791/77-01 on 770602.No noncompliance noted. Major areas inspected:organization,summary of licensed program,internal audits or insp.training,retraining & instruction to workers.
SCHULTZ,W.H. Region III, IE (720101-810228). FINN,J.A. Region 3 (Post 820201). 77/06/10. 13pp. 85674.055-85674.067.
- 9509130100 Insp rept 30-02750/86-01 on 860506.No noncompliance noted. Major areas inspected:insp history,organization,summary of program,internal audits or insp.training,retraining & instruction to workers & radiological protection procedures.
PATTERSON,J.W. Region 3 (Post 820201). 86/05/06. 15pp. 85674.256-85674.270.
- 9509130102 Insp rept 30-02680/89-01 on 890206.Violations noted.Major areas inspected:insp history,scope of program,internal audits of insp.training,retraining & instruction to workers, radiological protection procedures,materials & facilities.
SIMMONS,F. Region 3 (Post 820201). 90/02/03. 12pp. 85674.275-85674.286.
- 9509130104 Insp rept 30-02680/92-01 on 920226.Violations noted.Major areas inspected:insp history,scope of program,internal audits or insp.training,retraining & instructions to workers,facilities & equipment.
SCHULTZ,W.H. Region 3 (Post 820201). 92/03/19. 20pp. 85674.210.
- 9509130109 Insp rept 30-02791/82-01 on 820222.No noncompliance noted. Major areas inspected:insp history,organization,summary of program,internal audits or instructions,training,retraining & instruction to workers.
MATSON,E.R. Region 3 (Post 820201). 82/08/16. 15pp. 85674.083-85674.097.
- 9509130120 Discusses 940304 application for renewal of license 34-01505-01 & informs that required fee must be submitted prior to issuance of renewal.
CRUTCHFIELD,S. License Fee & Debt Collection Branch (Post 890827). 94/03/22. FRAZEE,D. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674.311-85674.311.
- 9509130122 Forwards addl info requested during telcon w/VA Gargaro from Universal Consultants,Inc on 940420.
VITANYE,M. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 94/05/31. LEE,P. Region 3 (Post 820201). 1p. 85674.312-85674.312.
- 9509130129 Ack receipt of application for renewal of material license 34-01505-01.
MEEHAN,M. Region 3 (Post 820201). 396574. 94/03/11. THYNME,A.M. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674.313-85674.313.
- 9509130132 Application for amend,renewing license 34-01505-01.
CASEY,S. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 94/03/04. NRC - No Detailed Affiliation Given. 1p. 85674.314-85674.314.
- 9509130134 Forwards application for renewal of license 34-01505-01.
FRAZEE,D. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 94/02/24. Region 3 (Post 820201). 8pp. 85674.315-85674.328.
- 9509130148 Insp rept 30-02626/79-01 on 790131.No noncompliance noted. Major areas inspected:organization,licensee internal audits, training & qualification of personnel,radiation protection procedures & storage of materials.
SCHULTZ,W.H. Region III, IE (720101-810228). 79/02/13. 10pp. 85674.348-85674.357.
- 9509130156 Insp rept 30-02826/82-01 on 810806.Noncompliance noted. Major areas inspected:insp history,organization,summary of program,internal audits or insp.training,retraining & instruction to workers.
MATSON,E.R. Region 3 (Post 820201). 82/02/22. 15pp. 85674.359-85675.013.
- 9509130164 Insp rept 30-13671/79-01 on 790816.No noncompliance noted. Major areas inspected:organization,licensee internal audits, training & qualification of personnel,radiation protection procedures & use of mats.
SCHULTZ,W.H. Region III, IE (720101-810228). 79/08/22. 10pp. 85675.107-85675.116.
- 9509130169 Insp rept 30-13671/82-01 on 820629.No noncompliance noted. Major areas inspected:insp history,organization,summary of program,internal audits or insp.training,retraining & instruction to workers.
REICHHOLD,W.P. Region 3 (Post 820201). 82/07/07. 16pp. 85675.118-85675.133.
- 9509130175 Insp rept 30-13671/85-01 on 850410.No noncompliance noted. Major areas inspected:insp history,organization,summary of program,internal audits or insp.training,retraining & instruction to workers.
* Region 3 (Post 820201). 85/04/16. 17pp. 85675.134-85675.150.
- 9509130186 Insp rept 30-13671/88-01 on 880809.No violations noted. Major areas inspected:organization,insp history,scope of program,internal audits or insp.training,retraining & instruction to workers.
* Region 3 (Post 820201). 88/08/16. 15pp. 85675.151-85675.165.
- 9509130194 Insp rept 30-13671/91-01 on 910726.No violations noted. Major areas inspected:organization,insp history,scope of program,internal audits or instructions,training,retraining & instructions to workers.
SCHULTZ,W.H. Region 3 (Post 820201). 91/08/05. 17pp. 85675.166-85675.182.
- 9509130195 Application for amend,renewing license 34-17932-01.
JACKSON,F. Meridia Euclid Hosp., Euclid, OH (formerly Euclid General Hosp.). 94/02/21. 20pp. 85675.183-85675.207.
- 9509130211 Forwards compliance insp rept 34-05124-01.Four items of noncompliance noted.
MORETTI,E. Atomic Energy Commission (Pre 750119). 62/12/01. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 85675.208-85675.208.
- 9509130219 Insp rept of license 34-05124-01 on 620913.Noncompliance noted.Major areas inspected:program,organization, radiological safety procedures,facilities,equipment & personnel monitoring.
TWALER,W.E. Atomic Energy Commission (Pre 750119). MORETTI,E.J. Region 3 (Post 820201). 62/10/26. 6pp. 85675.209-85675.215.
- 9509130226 Discusses 620913 insp of license 34-05124-01.Informs that response required within 20 days of notice,including corrective actions & date of full compliance.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 63/01/26. CARTMELL,J.R. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 2pp. 85675.216-85675.217.
- 9509130229 Forwards memo dtd 630102 re compliance insp rept of license 34-05124-01.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 63/01/08. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 85675.218-85675.218.
- 9509130235 Ack receipt of 630206 ltr informing NRC of steps taken to correct deficiencies.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 63/02/15. CARTMELL,J.R. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 1p. 85675.219-85675.219.
- 9509130236 Responds to NRC 630126 ltr re violations noted in insp of license 34-05124-01.Corrective actions:records of waste disposal & survey records have been maintained in accordance w/10CFR20.401(b).
CARTMELL,J.R. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 63/02/06. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 85675.220-85675.221.
- 9509140211 Safety insp on 661027 of license 34-05124-01.Insp findings: no item of noncompliance was found.
* Region 3 (Post 820201). * Affiliation Not Assigned. 66/10/27. 8pp. 85675.222-85675.229.
- 9509140253 Insp rept 30-02739/79-01 on 790921.No violations noted. Major areas inspected:organization,licensee internal audits, training & qualification of personnel,radiation protection procedures & use of materials.
SCHULTZ,W.H. NRC - No Detailed Affiliation Given. 79/10/05. 12pp. 85675.230-85675.241.
- 9509140342 Insp rept 30-02739/82-01 on 820812.Noncompliance.Major areas inspected:insp history,organization,summary of program,internal audits or insp.training,retraining & instruction to workers.
MATSON,E.R. NRC - No Detailed Affiliation Given. 82/08/16. 13pp. 85675.257-85675.269.
- 9509140348 Insp rept 30-02739/86-01 on 861202.No violations noted. Major areas inspected:organization,insp history,scope of program,internal audits or insp.training,retraining & instruction to workers.
* NRC - No Detailed Affiliation Given. 86/12/09. 12pp. 85675.270-85675.281.
- 9509140355 Insp rept 30-02739/90-01 on 900111.Violations noted. Major areas inspected:organization,insp history, internal audits or insp.training,retraining & instruction to workers.
SIMMONS,F. NRC - No Detailed Affiliation Given. 90/02/09. 12pp. 85675.282-85675.293.
- 9509140364 Application for amend,renewing license 34-05124-01.
GRESKO,M.C. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 90/03/02. NRC - No Detailed Affiliation Given. 15pp. 85675.331-85675.345.
- 9509140370 Insp rept 30-02739/92-01 on 920303.No violations noted. Major areas inspected:organization,insp history,scope of program,internal audits or insp.
SIMMONS,F., SCHULTZ,W.H. Region 3 (Post 820201). 92/03/15. 17pp. 85675.294-85675.310.
- 9509140374 Application for amend to license 34-05124-01.
STRAUSS,T.J. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 93/03/12. Region 3 (Post 820201). 8pp. 85675.311-85675.318.
- 9509140379 Responds to inquiries re application for amend of license 34-05124-01.
STRAUSS,T.J. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 93/07/02. WATSON,G. Region 3 (Post 820201). 6pp. 85675.319-85675.324.
- 9509140381 Forwards info re retraining & experience authorized user or radiation safety officer.
ENGLISH,D.E. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 94897. 93/07/09. WATSON,G. Region 3 (Post 820201). 6pp. 85675.325-85675.330.
- 9509150059 Responds to concerns of amend application dtd 930312 re addition of remote storage area.
STRAUSS,T.J. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 93/08/10. WATSON,G. Region 3 (Post 820201). 4pp. 85675.346-85675.354.
- 9509150065 Amend 40 to license 34-05124-01 for Meridia South Pointe Hosp amend-ing license in entirety.
PIKURA,D.A. Region 3 (Post 820201). 397796. 95/01/03. 2pp. 85675.355-85675.356.
- 9509110330 FOIA request for documents operative in any or all of FY 1992-95,related to Division of Federal Occupational Health Interagency Agreements to provide occupational health svcs to NRC.
SELDON,R.C., SACHS,R. Government Accountability Project. 95/06/28. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85426.178-85426.179.
- 9509110339 Final response to FOIA request for documents.Records in App A encl & placed in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/23. MICHENFELDER,A. 2pp. 85415.120-85415.131.
- 9509110345 Forwards two executed originals of American Radiolabeled Chemicals escrow agreement.
BUSACCA,A.J. 00080. 92/01/23. Region 3 (Post 820201). 10pp. 85415.122-85415.131.
- 9509110351 FOIA request for info re closure or decommissioning bond posted by American Radiological Chemicals,Inc,under license 24-21362-01.
MICHENFELDER,A. 95/08/02. KAMMERER,K. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85415.118-85415.119.

9509110363 Final response to FOIA request for documents. Records in App A encl & placed in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/23. KIELY, E. Westinghouse Electric Corp. 2pp. 85412:002-85414:210.

9509110366 "10CFR20 Training Manual."
* NRC - No Detailed Affiliation Given. 93/07/31. 927pp. 85412:004-85414:210.

9509110367 FOIA request for NRC Technical Training Ctr. "10CFR20 Training Manual."
KIELY, E. Westinghouse Electric Corp. 95/07/27. NRC - No Detailed Affiliation Given. 1p. 85412:001-85412:001.

9509110373 First partial response to FOIA request for documents. Records in App A will be made available in PDR. App A documents encl.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/25. DEKOK, D. Affiliation Not Assigned. 2pp. 85415:056-85415:064.

9509110377 Discusses application for SNM fuel allocation.
AMTBERG, H.C. Westinghouse Electric Corp. 60/12/13. PRICE, H.L. Atomic Energy Commission (Pre 750119). 4pp. 85415:058-85415:064.

9509110380 FOIA request for correspondence between Westinghouse & AEC re Westinghouse work on Saxton experimental reactor in Saxton, PA between years of 1956 & 1974.
DEKOK, D. Affiliation Not Assigned. 95/06/07. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85415:053-85415:055.

9509120008 FOIA request for documents. "Limited Payability Cancellation Lists."
SAWYER, K.S. 95/06/19. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85491:333-85491:333.

9509120009 Final response to FOIA request for documents. Records in App A available in PDR.
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/31. SAWYER, K. 2pp. 85491:334-85491:339.

9509120013 Limited Payability Cancellation Lists for Periods Sept 1994 - May 1995.
* NRC - No Detailed Affiliation Given. 95/08/31. 4pp. 85491:336-85491:339.

9509120011 Second partial response to FOIA request for documents. Records in App B will be made available in PDR.
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/29. VOINCHE, W. Affiliation Not Assigned. 2pp. 85426:338-85426:344.

9509120017 Responds to DM Kerr 781215 ltr to Oplinger of NRC staff which requested comments of Commission on proposed transfer of two power reactors from France to Peoples Republic of China.
HENDRIE, J.M. NRC - No Detailed Affiliation Given. 95/08/15. SCHLESINGER, J. Energy. Dept. of. 2pp. 85426:340-85426:344.

9509120024 Final response to FOIA request for documents. Records in App A will be made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/23. ENGLISH, L.K. Northeast Ohio Regional Sewer District. 2pp. 85426:329-85426:337.

9509120041 Requests assistance in review of emergency plan.
GROBE, J.A. NRC - No Detailed Affiliation Given. 397891. 95/03/02. COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85426:337-85426:337.

9509120028 FOIA request for documents re application by W. authorization by DOE since 1980 & clarifications, interpretations, explanations or supporting info concerning scope, legality, application or effectiveness of listed items.
BAYLON, J.M. Affiliation Not Assigned. 95/03/20. SESSOMS, G. Energy. Dept. of. 2pp. 85426:345-85426:346.

9509120035 Second partial response to FOIA request for documents. Forwards App B records being made available in PDR.
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/29. BAYLON, J. Affiliation Not Assigned. 2pp. 85426:347-85426:350.

9509120064 Undated ltr which responds to 781215 ltr requesting comments of Commission on proposed transfer of two power reactors from France to Peoples Republic of China.
HENDRIE, J.M. Commissioners (Post 750119). 95/08/26. SCHLESINGER, J. Energy. Dept. of. 2pp. 85426:349-85426:350.

9509120044 FOIA request for documents re NRC handling to D Lamb & J Dean claims against HL&P numbered 93-ERA-7 & 93-ERA-6.
GARTH, S.T. Affiliation Not Assigned. 95/05/24. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 4pp. 85427:001-85427:004.

9509120047 FOIA request for documents re all testings, investigation, analysis, modeling, study or discussion or reports of or re any effects or potential effects on health, safety or property of release of 165 Cu of unsealed Co-60.
ENGLISH, L.K. Northeast Ohio Regional Sewer District. 95/07/25. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85426:327-85426:328.

9509120053 Final response to FOIA request for documents. Records in App A, encl. App B records will be withheld in part (ref Exemption 6).
POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. COLKITT, M.L. Oncology Svcs Corp., Harnsburg & State College, PA. 4pp. 85426:298-85426:326.

9509120081 FOIA request for documents re Oncology Svcs, Inc. Oncology Svcs Corp. Oncology of State College, PA &/or D Colkitt.
ALEXANDER, J.M. Affiliation Not Assigned. 93/05/20. POWELL, R. Public Document Branch. 1p. 85426:305-85426:305.

9509120092 FOIA request for all statements made by JE Bauer to NRC.
BAUER, J.E. Indiana Regional Cancer Treatment Center, Indiana, PA. 94/01/24. HEHL, C.W. Region 1 (Post 820201). ZOBLE, M.L. NRC - No Detailed Affiliation Given. 1p. 85426:309-85426:309.

9509120121 FOIA request for documents re qualifications for licensure to use nuclear mats in practice of medicine, licensing procedures & list of relevant available publications re medical uses of radioactive mats in treatment of cancers.
CARINO, A.J. Affiliation Not Assigned. 95/01/31. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85426:314-85426:315.

9509120140 Partially withheld FOIA request for written or recorded statements given by Bauer, written or recorded statements by any technicians employed by Ctr & summaries of interviews w/technician-employees under direction of Bauer in 1989-90.
CARION, A.J. Affiliation Not Assigned. 95/01/31. CYR, K. Office of the General Counsel (Post 860701). 2pp. 85426:322-85426:326.

9509120110 FOIA request to inspect all records & documents re NRC insp of IN Regional Cancer Ctr & Scenery Hill Manor, Inc in Indiana, PA.
CICCONI, C.A. Affiliation Not Assigned. 94/07/20. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85426:313-85426:313.

9509120070 FOIA request for documents re Oncology Svcs Corp.
BOUDWIN, J.A. Affiliation Not Assigned. 93/02/26. Rules & Directives Review Branch (Post 920323). 1p. 85426:304-85426:304.

9509120081 FOIA request for documents re Oncology Svcs, Inc. Oncology Svcs Corp. Oncology of State College, PA &/or D Colkitt.
ALEXANDER, J.M. Affiliation Not Assigned. 93/05/20. POWELL, R. Public Document Branch. 1p. 85426:305-85426:305.

9509120082 FOIA request for documents re any warnings, hearings, proceedings & licensure reviews which NRC has conducted re Onco Tech, Inc. Oncology Svcs Corp. Oncology Associates, PC Colkitt &/or Derdel licenses to perform cancer treatment.
DAVIS, D.A. Affiliation Not Assigned. 93/08/18. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 2pp. 85426:306-85426:307.

9509120086 FOIA request for documents re any investigation in any form whatsoever involving Joyner v Omnitron Intl incident.
FISHER, S.L. Affiliation Not Assigned. 94/03/07. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 85426:308-85426:308.

9509120092 FOIA request for all statements made by JE Bauer to NRC.
BAUER, J.E. Indiana Regional Cancer Treatment Center, Indiana, PA. 94/01/24. HEHL, C.W. Region 1 (Post 820201). ZOBLE, M.L. NRC - No Detailed Affiliation Given. 1p. 85426:309-85426:309.

9509120095 FOIA request for statements made by J Derdel to NRC.
DERDEL, J. Oncology Svcs Corp., Harnsburg & State College, PA. 94/02/05. HEHL, C.W. Region 1 (Post 820201). ZOBLE, M.L. NRC - No Detailed Affiliation Given. 1p. 85426:310-85426:310.

9509120105 FOIA request for all statements given by M Jarosz, C Santus, J Derdel, J Bauer & P Korywachak to NRC OI Office in Dec 1993 & Jan 1994 re use of eye applicator to treat skin lesions under NRC license 37-28179-01.
SIMERAL, B. Affiliation Not Assigned. 94/04/05. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 85426:311-85426:312.

9509120110 FOIA request to inspect all records & documents re NRC insp of IN Regional Cancer Ctr & Scenery Hill Manor, Inc in Indiana, PA.
CICCONI, C.A. Affiliation Not Assigned. 94/07/20. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85426:313-85426:313.

9509120121 FOIA request for documents re qualifications for licensure to use nuclear mats in practice of medicine, licensing procedures & list of relevant available publications re medical uses of radioactive mats in treatment of cancers.
CARINO, A.J. Affiliation Not Assigned. 95/01/31. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85426:314-85426:315.

9509120130 Partially withheld FOIA request for documents which include NRC correspondence, internal & NRC memorandums, NRC bulletins, circulars, info notices, insp & investigation notices & LER.
TYSARCZYK, M.A. Affiliation Not Assigned. 93/11/03. Rules & Directives Review Branch (Post 920323). 4pp. 85426:316-85426:319.

9509120136 Partially withheld FOIA request for documents re Oncology Svcs Corp having address at 2171 Sandy Drive, State College, PA & US NRC to address listed.
GRIFFIN, T.G. Affiliation Not Assigned. 95/01/04. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85426:320-85426:321.

9509120140 Partially withheld FOIA request for written or recorded statements given by Bauer, written or recorded statements by any technicians employed by Ctr & summaries of interviews w/technician-employees under direction of Bauer in 1989-90.
CARION, A.J. Affiliation Not Assigned. 95/01/31. CYR, K. Office of the General Counsel (Post 860701). 2pp. 85426:322-85426:326.

9509120082 FOIA request for documents re any warnings, hearings, proceedings & licensure reviews which NRC has conducted re Onco Tech, Inc. Oncology Svcs Corp. Oncology Associates, PC Colkitt &/or Derdel licenses to perform cancer treatment.
DAVIS, D.A. Affiliation Not Assigned. 93/08/18. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 2pp. 85426:306-85426:307.

9509120095 FOIA request for statements made by J Derdel to NRC.
DERDEL, J. Oncology Svcs Corp., Harnsburg & State College, PA. 94/02/05. HEHL, C.W. Region 1 (Post 820201). ZOBLE, M.L. NRC - No Detailed Affiliation Given. 1p. 85426:310-85426:310.

9509120086 FOIA request for documents re any investigation in any form whatsoever involving Joyner v Omnitron Intl incident.
FISHER, S.L. Affiliation Not Assigned. 94/03/07. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 85426:308-85426:308.

9509120136 Partially withheld FOIA request for documents re Oncology Svcs Corp having address at 2171 Sandy Drive, State College, PA & US NRC to address listed.
GRIFFIN, T.G. Affiliation Not Assigned. 95/01/04. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85426:320-85426:321.

9509120105 FOIA request for all statements given by M Jarosz, C Santus, J Derdel, J Bauer & P Korywachak to NRC OI Office in Dec 1993 & Jan 1994 re use of eye applicator to treat skin lesions under NRC license 37-28179-01.
SIMERAL, B. Affiliation Not Assigned. 94/04/05. POWELL, R. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 85426:311-85426:312.

196 NONDOCKETED ITEMS

- 9509120130 Partially withheld FOIA request for documents which include NRC correspondence, internal & NRC memorandums, NRC bulletins, circulars, info notices, insp & investigation notices & LER. TYSAJCZYK, M.A. Affiliation Not Assigned. 93/11/03. Rules & Directives Review Branch (Post 920323). 4pp. 85426:316-85426:319.
- 9509120063 FOIA request for any & all FOIA requests made by anyone other than ML Colkitt &/or Oncology Svcs Corp which in any manner re Oncology Svcs Corp &/or IN Regional Cancer Treatment Ctr. COLKITT, M.L. Oncology Services Corp., Hamsburg & State College, PA. 95/06/28. BROWN, N. NRC - No Detailed Affiliation Given. 1p. 85426:297-85426:297.
- 9509120089 Final response to FOIA request for documents. Records in App A & B available in PDR, Records in App C partially released, Records in App D withheld in their entirety (ref FOIA Exemptions 5 & 6). POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/08/30. GARTH, S.T. Affiliation Not Assigned. 7pp. 85427:005-85427:212.
- 9310080241 Forwards Demand for info re actions taken by recipient that may be subj to deliberate misconduct rule 10CFR50.5 re violations of 10CFR50.7, "Employee Protection." Partially deleted. SNIEZEK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). EA-93-222. 93/09/29. BALCOM, R. Affiliation Not Assigned. 2pp. 85427:081-85427:090.
- 9310080255 Demand for info to determine whether NRC should take enforcement action against individual for violations of 10CFR50.5. SNIEZEK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). EA-93-222. 93/09/29. 8pp. 85427:083-85427:090.
- 931190198 Forwards nonproprietary & proprietary response to NRC demand for info re termination of three former HL&P employees. Proprietary response withheld, per 10CFR2.790 & 10CFR9.17. COTTE, W.T. Houston Lighting & Power Co. ST-HL-AE-4628. 93/11/15. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 50pp. 85427:029-85427:072.
- 9509120104 Confirms 931018 telcon, granting extension for HL&P response to 930929 "Demand for Info." Informs that response by R Balcom to 930929 ltr & "Demand for Info." will be provided on 931115. COTTE, W.T. Houston Lighting & Power Co. ST-HL-AE-4605. 93/10/19. SNIEZEK, J.H. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 1p. 85427:022-85427:022.
- 9509120353 Submits review of HL&P 931115 response to NRC "Demand for Info" re specific info concerning apparent violations of 10CFR50.7. LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-043. 93/12/30. COTTE, W.T. Houston Lighting & Power Co. 4pp. 85427:073-85427:080.
- 9509120373 Forwards partially deleted response to 930929 "Demand for Info." BALCOM, R.L. Affiliation Not Assigned. EA-93-222. 93/11/15. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 1p. 85427:091-85427:091.
- 9509120377 Partially deleted "Response of RL Balcom to Demand for Info." BALCOM, R.L. Affiliation Not Assigned. 93/11/15. 68pp. 85427:092-85427:159.
- 9509120379 Partially deleted "Response of HL&P to Demand for Info dtd 930929." * Houston Lighting & Power Co. EA-93-043. 93/11/15. 49pp. 85427:160-85427:209.
- 9509120384 Submits review of 931115 response to 930929 demand for info concerning specific info re apparent violations of 10CFR50.7. Advises awaiting DOL ALJ decision, re matter being considered, before resolving enforcement issue. LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-222. 93/12/30. Affiliation Not Assigned. 3pp. 85427:210-85427:212.
- 9509120091 FOIA request for records re communication to & from Senator R Lugar. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85427:214-85427:214.
- 9509120094 FOIA request for records re communication to & from Senator A Specter. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85427:215-85427:215.
- 9509120096 FOIA request for records re communication to & from Senator B Dole. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85427:216-85427:216.
- 9509120097 FOIA request for records re communication to or from Representative N Gingrich. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85427:217-85427:217.
- 9509120100 FOIA request for documents re facility located in Newport Beach, CA which may be listed under Ford Aeronautics, Philco Ford Aeronautics or Loral Aeronautics. PARKS, L.R. Affiliation Not Assigned. 95/03/01. BERNERO, R. Office of Nuclear Material Safety & Safeguards. 1p. 85561:001-85561:001.
- 9509120101 First partial response to FOIA request for records. App A records encl & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/11. KUNTZ, P. Wall Street Journal. 3pp. 85427:218-85427:321.
- 9202040251 Responds to 910806, 0913, 1010 & 23 requests for extension of payment due date & exemption from payment of FY91 annual fee for License 37-20519-01. Requests denied. TAYLOR, J.M. Ofc of the Executive Director for Operations. 56FR14870. 92/01/17. HIGGINBOTHAM, H. Allegheny County, PA. 3pp. 85427:281-85427:286.
- 9202040255 Ack receipt of third notice of delinquent debt. Response to request for exemption from matts fee for 1991 & reduction in fee in following yrs still requested. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/23. License Fee & Debt Collection Branch (Post 890827). 13pp. 85427:291-85427:314.
- 9202040257 Requests ack of receipt of ltrs requesting exemption from matts fee for 1991 & reduction in forthcoming yrs. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/10. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:290-85427:290.
- 9202040261 Requests exemption from matts fee for 1991 & reduction in fee thereafter. Exemption justified for listed reasons, including lack of extra departmental resources from which to draw amount of money for fee payment. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/09/13. License Fee & Debt Collection Branch (Post 890827). 2pp. 85427:288-85427:289.
- 9202040265 Requests extension of date for payment of annual matts fee. Extension needed to allow dept to locate funds & give county controller adequate time to issue payment invoice & record of 910814 telcon encl. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/08/06. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:287-85427:287.
- 9509120106 Forwards Senator R Dole 910708 ltr re rulemaking to increase fees & annual charges for direct response. EASTON, J.J. Energy, Dept. of. 56FR14870. 91/07/23. HOLLOWAY, C.J. Office of the Controller (Post 890205). 7pp. 85427:250-85427:280.
- 9509120118 Requests response to F Speaker ltr re obtaining matts on citations or other actions taken against US nuclear power plants. SPECTER, A. Senate, Judiciary. 94/06/06. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 3pp. 85427:315-85427:321.
- 9509120112 Final response to FOIA request for documents. Forwards App A records being made available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/25. PARKS, L.R. Affiliation Not Assigned. 7pp. 85561:002-85561:250.
- 9509120308 Forwards special nuclear matt license SNM-641. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/10/17. Affiliation Not Assigned. 1p. 85561:009-85561:009.
- 9509120323 License SNM-641 for Philco Corp, authorizing use of Pu-239 for calibr of alpha counting equipment as described in application by AEC on 620924. * Atomic Energy Commission (Pre 750119). 62/10/17. 5pp. 85561:010-85561:014.
- 9509120331 Notifies that special nuclear matt license SNM-641 expires on 651031. Informs that application for renewal of license should be filed at least 30 days before expiration date of existing license. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 65/09/07. Affiliation Not Assigned. 1p. 85561:015-85561:015.
- 9509120348 Application for renewal of special nuclear matt license SNM-641, authorizing possession of 23.5 ugs Pu-239 for calibr of Alpha counting equipment. BYRD, E.L. Affiliation Not Assigned. 65/09/23. 1p. 85561:016-85561:016.
- 9509120355 Forwards special nuclear matt license SNM-641, as renewed. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 65/10/07. BYRD, E.L. Affiliation Not Assigned. 1p. 85561:017-85561:017.
- 9509120363 License SNM-641 for Philco Corp, authorizing use of Plutonium in accordance w/procedures described in 620924 application, supplemented on 650923. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 65/10/07. 1p. 85561:018-85561:018.
- 9509120368 Safety insp on 650420 of license SNM-641. Insp findings: no item of non-compliance found. FISH, R.F. Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 66/04/20. 5pp. 85561:019-85561:023.
- 9509120376 Informs that certain activities appear to be in noncompliance w/AEC requirements, as result of insp of license SNM-641. Extends opportunity to advise AEC in writing of corrective steps taken. SMITH, R.W. Atomic Energy Commission (Pre 750119). 66/05/03. BROWNING, C.R. Affiliation Not Assigned. 2pp. 85561:025-85561:026.
- 9509120378 Forwards licensee reply to AEC ltr & Form AEC-592 re insp conducted on 650420. Notes that licensee applied for license to correct item (a) on Form AEC-592. BOCK, H.E. Atomic Energy Commission (Pre 750119). 66/05/20. PAGE, R.G. Atomic Energy Commission (Pre 750119). 1p. 85561:027-85561:027.
- 9509120381 Reports licensee actions re alleged noncompliance w/AEC requirements. Lists actions taken. BYRD, E.L. Affiliation Not Assigned. 66/05/18. SMITH, R.W. Atomic Energy Commission (Pre 750119). 2pp. 85561:028-85561:029.
- 9509120383 Notifies that special nuclear matt license SNM-641 expires on 681031. Informs that application for renewal of license should be filed at least 30 days before expiration of existing license. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 68/08/26. BYRD, E.L. Affiliation Not Assigned. 1p. 85561:030-85561:030.
- 9509120385 Application for renewal of special nuclear matt license SNM-641, authorizing possession of 235 ug Pu-239 for calibr of Alpha counting equipment. UMPHLETT, W.D. Affiliation Not Assigned. 68/09/17. 1p. 85561:031-85561:031.
- 9509130025 Forwards special nuclear matt license SNM-641, as renewed. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 68/09/30. UMPHLETT, W.D. Affiliation Not Assigned. 1p. 85561:032-85561:032.
- 9509130029 License SNM-641 for Philco Corp, authorizing use of Plutonium in std alpha sources in accordance w/statements, representations & conditions specified in licensee 680617 application. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 68/09/30. 1p. 85561:033-85561:033.
- 9509130032 Notifies that special nuclear matt license SNM-641 expires on 730930. Informs that application for renewal of license should be filed at least 30 days before expiration date of existing license. MALARO, J.C. Atomic Energy Commission (Pre 750119). 73/06/13. Affiliation Not Assigned. 1p. 85561:034-85561:034.
- 9509130037 Application for renewal of license SNM-641, authorizing possession of 23.5 ug Pu-239 for calibr of Alpha counting equipment. UMPHLETT, W.D. Affiliation Not Assigned. 73/07/16. 1p. 85561:035-85561:035.

- 9509130042 Forwards application for renewal of license SNM-641, reviewed by USAF Radiosotope Committee. Requests that any amend issued per review of application be forwarded through Committee.
CASE, D.R. Air Force, Dept. of. 73/08/10. Atomic Energy Commission (Pre 750119). 1p. 85561:036-85561:036.
- 9509130045 Amend 1 to license SNM-641 for Philco Ford Corp. authorizing use of Plutonium as calibr source in accordance w/statements & procedures contained in 730716 ltr.
DAVIS, F.C. Atomic Energy Commission (Pre 750119). 73/10/03. 1p. 85561:037-85561:037.
- 9509130052 Certificate of disposition of mats: all mats procured &/or possessed by licensee under license SNM-641, transferred to Dept of Air Force, Vandenberg Air Force Base, CA.
KELLY, T.E. Affiliation Not Assigned. 78/12/18. 1p. 85561:038-85561:038.
- 9509130086 IE insp rept of license SNM-641 on 810309. No noncompliance noted. Major areas inspected mats possessed under license transferred to Dept of Air Force, Vandenberg Air Force Base, CA.
THOMAS, R.D. BOOK, H.E. Ofc of Inspection & Enforcement, Director (820201-870413). 81/03/12. 6pp. 85561:039-85561:044.
- 9509130096 Requests advice as to what type of license can be obtained to cover use of radiosotope ablation sensors on selected re-entry vehicle flights launched from natl missile test ranges.
MURRAY, R.K. Affiliation Not Assigned. 66/05/04. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 3pp. 85561:045-85561:047.
- 9509130103 License 04-11694-01 for Philco Corp. authorizing use of Ta-182 to be possessed as part of package instrument assembly during assembly & pre-operational check of re-entry vehicle.
BUCHANAN, C.R. Atomic Energy Commission (Pre 750119). 66/06/05. 4pp. 85561:048-85561:051.
- 9509130106 Expresses appreciation for quick response in requested authorization. Informs that radioactive matl used in connection w/660516 flight successful & completed on schedule.
MURRAY, R.K. Affiliation Not Assigned. 66/J5/16. BUCHANAN, C. Atomic Energy Commission (Pre 750119). 3pp. 85561:052-85561:054.
- 9509130111 Informs that USAF Radiosotope Committee reviewed encl application for byproduct matl license & requests that subj license be transmitted through Committee.
ODLAND, L.T. Air Force, Dept. of. 67/01/30. Atomic Energy Commission (Pre 750119). 25pp. 85561:055-85561:079.
- 9509130114 Application for license authorizing listed byproduct matl to be assembled by Philco-Ford personnel in research re-entry vehicles for launch flights by assigned USAF test wings.
LAWSON, J.B. Affiliation Not Assigned. 67/02/13. 2pp. 85561:080-85561:105.
- 9509130127 License 04-11694-02 for Philco-Ford Corp. authorizing use of listed byproduct matl in research re-entry vehicles.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/02/16. 4pp. 85561:106-85561:108.
- 9509130133 Requests immediate attention to license application to possess & store radiosotope in order to meet forthcoming contract commitments which require use of radioactive matl.
MURRAY, R.K. Affiliation Not Assigned. 67/03/07. BUCHANAN, C. Atomic Energy Commission (Pre 750119). 1p. 85561:110-85561:110.
- 9509130135 Forwards application for amend 1 to byproduct matl license 04-11694-02. Requests that license amend &/or correspondence issued per review be transmitted through USAF Radiosotope Committee.
PIZZUTO, J.S. Air Force, Dept. of. 67/07/11. Atomic Energy Commission (Pre 750119). 1p. 85561:111-85561:111.
- 9509130138 Application for amend 1 to license 04-11694-02, authorizing use of Ta-182 metallic wire in graphic phenolic plugs & line wire sources.
LAWSON, J.B. Affiliation Not Assigned. 67/07/13. 2pp. 85561:112-85561:113.
- 9509130151 Amend 1 to license 04-11694-02 for Philco-Ford Corp. revising item 8.C to read as listed.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/07/20. 1p. 85561:114-85561:114.
- 9509130155 Corrected amend 1 to license 04-11694-02 for Philco-Ford Corp. amending items 8.C, 7.C, 8.C & 9.C to read as listed.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/08/10. 2pp. 85561:115-85561:116.
- 9509130161 Forwards application for amend 2 to byproduct matl license 04-11694-02. Requests that license amend &/or correspondence issued per review of application be transmitted through USAF Radiosotope Committee.
PIZZUTO, J.S. Air Force, Dept. of. 67/09/28. Atomic Energy Commission (Pre 750119). 1p. 85561:117-85561:117.
- 9509130163 Application for amend 2 to license 04-11694-02, deleting last sentence & adding new listed sentence.
LAWSON, J.B. Affiliation Not Assigned. 67/09/20. 2pp. 85561:118-85561:119.
- 9509130165 Amend 2 to license 04-11694-02 for Philco-Ford Corp. amending Condition 13 to read as listed.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 67/10/10. 1p. 85561:120-85561:120.
- 9509130170 Informs that HS North will be in area making insps during period 671127-30 & plan to inspect activities authorized by licenses 04-11694-01 & 04-11694-02 on 671128.
NORTH, H.S. Atomic Energy Commission (Pre 750119). 67/11/20. LAWSON, J.B. Affiliation Not Assigned. 1p. 85561:121-85561:121.
- 9509130174 Safety insp on 671128 of license 04-11694-02. Insp findings: no noncompliance found.
* Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 67/11/26. 1p. 85561:122-85561:122.
- 9509130183 Discusses Philco-Ford Corp license 04-11694-02 which authorizes possession of listed byproduct matl for assembly into research re-entry vehicles at Vandenberg Air Force Base.
NORTH, H.S. Atomic Energy Commission (Pre 750119). 68/01/10. Atomic Energy Commission (Pre 750119). 1p. 85561:123-85561:123.
- 9509130188 Informs that at time of 671128 insp, licensee possessed no matl & had never possessed any matl under license 04-11694-02.
NORTH, H.S. Atomic Energy Commission (Pre 750119). 68/01/10. BOOK, H.E. Atomic Energy Commission (Pre 750119). 7pp. 85561:124-85561:130.
- 9509130196 Informs that license 04-11751-01 should be scheduled for insp at time other licenses at Vandenberg inspected.
NORTH, H.S. Atomic Energy Commission (Pre 750119). 68/12/05. Atomic Energy Commission (Pre 750119). 1p. 85561:131-85561:131.
- 9509130199 Informs that HS North will be in area making insps during period 681216-17 & plan to inspect licensee activities authorized by license 04-11694-02 on 681217.
NORTH, H.S. Atomic Energy Commission (Pre 750119). 68/12/05. MORRISSEY, T.F. Affiliation Not Assigned. 1p. 85561:132-85561:132.
- 9509130202 Safety insp on 681217 of license 04-11694-02. Insp findings: no noncompliance found.
* Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 68/12/17. 1p. 85561:133-85561:133.
- 9509130209 Informs that license 04-11694-02 authorizes assembly of certain specified isotopes as well as any byproduct matl in limited quantities into research re-entry vehicles at Vandenberg Air Force Base, CA.
NORTH, H.S. Atomic Energy Commission (Pre 750119). 69/01/03. BOOK, H.E. Atomic Energy Commission (Pre 750119). 6pp. 85561:134-85561:139.
- 9509130215 Forwards application for amend & renewal of byproduct matl license 04-11694-02. Requests that license amend &/or correspondence issued per review be forwarded to USAF Radiosotope Committee.
KAUFMAN, H.R. Air Force, Dept. of. 69/01/22. Atomic Energy Commission (Pre 750119). 1p. 85561:140-85561:140.
- 9509130220 Application for amend, renewing license 04-11694-02, authorizing that listed byproduct matl be assembled by Philco-Ford personnel in research re-entry vehicles for launch flights by assigned USAF test wings.
LAWSON, J.B. Affiliation Not Assigned. 69/01/10. 3pp. 85561:141-85561:143.
- 9509130221 Amend 3 to license 04-11694-02 for Philco-Ford Corp. amending license in entirety.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 69/02/07. 2pp. 85561:144-85561:145.
- 9509130225 Ack receipt of amend 3 to license 04-11694-02. Discusses 690110 application request that total phenolic plugs possession limit be increased to 20 per re-entry vehicle.
MURRAY, R.K. Affiliation Not Assigned. 69/02/12. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 85561:146-85561:150.
- 9509130227 Corrected amend 3 to license 04-11694-02 for Philco-Ford Corp. amending license in entirety.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 69/02/20. 2pp. 85561:151-85561:152.
- 9509140200 Informs that USAF Radiosotope Committee reviewed encl application for renewal of byproduct matl license 04-11694-02. Requests that license be transmitted through Committee.
FURTADO, V.C. Air Force, Dept. of. 69/06/24. Atomic Energy Commission (Pre 750119). 2pp. 85561:153-85561:153.
- 9509140208 Application for amend, renewing license 04-11694-02 in entirety.
LAWSON, J.B. Affiliation Not Assigned. 69/06/11. 2pp. 85561:154-85561:155.
- 9509140214 Amend 4 to license 04-11694-02 for Philco-Ford Corp. amending license in entirety to read as listed.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 69/07/14. 2pp. 85561:156-85561:157.
- 9509140232 Informs that USAF Radiosotope Committee reviewed encl application for amend of byproduct matl license 04-11694-02. Requests that license amend be transmitted through Committee.
FURTADO, V.C. Air Force, Dept. of. 70/04/21. Atomic Energy Commission (Pre 750119). 2pp. 85561:158-85561:158.
- 9509140236 Application for amend, renewing license 04-11694-02 to read as listed.
LAWSON, J.B. Affiliation Not Assigned. 70/04/07. 2pp. 85561:159-85561:160.
- 9509140241 Amend 5 to license 04-11694-02 for Philco-Ford Corp. amending Subitem 8.C to read as listed.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 70/05/01. 2pp. 85561:161-85561:162.
- 9509140242 Application for amend 6 to license 04-11694-02, amending license as listed.
LAWSON, J.B. Affiliation Not Assigned. 70/08/05. 3pp. 85561:163-85561:165.
- 9509140244 Forwards amend 6 to byproduct matl license 04-11694-02, to increase Ta-182 possession limit at Vandenberg Air Force Base.
WOOD, D.G. Air Force, Dept. of. 70/08/17. Atomic Energy Commission (Pre 750119). 2pp. 85561:166-85561:169.
- 9509140245 Amend 6 to license 04-11694-02 for Philco-Ford Corp. amending Subitem 8.C to read as listed.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 70/08/26. 1p. 85561:170-85561:170.
- 9509140246 Safety insp on 710121 of license 04-11694-02. Insp findings: no item of noncompliance found.
* Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 71/01/21. 1p. 85561:171-85561:171.

198 NONDOCKETED ITEMS

- 9509140326 Forwards inspector evaluation of license 04-11694-02. Informs of no health or safety problems associated w/activities under sub license. METZGER, J.R. Atomic Energy Commission (Pre 750119). 71/02/04. BOOK, H.E. Atomic Energy Commission (Pre 750119). 7pp. 85561:172-85561:179.
- 9509140333 Notifies that byproduct matl license 04-11694-02 expired & no renewal application in accordance w/10CFR30.34 filed. Requests that licensee complete Form AEC-314a, "Certificate-Disposition of Radioisotopes." MALARC, J.C. Atomic Energy Commission (Pre 750119). 74/02/28. Affiliation Not Assigned. 2pp. 85561:180-85561:181.
- 9509140335 Discusses 740403 telcon in which RK Murray stated that Vandenberg-Phico-Ford facility closed & no mats possessed at location. NORTH, H.S. Region V, IE (720101-810228). 74/04/04. Region V, IE (720101-810228). 1p. 85561:182-85561:182.
- 9509140357 Certificate of disposition of radioisotopes: mats transferred to Launch Complex in Vandenberg, CA & AVCO Corp. MURRAY, R.K. Affiliation Not Assigned. 74/04/04. 1p. 85561:183-85561:183.
- 9509140367 Forwards 740410 application for byproduct matl license. Lists address application should be forwarded to. COLLINS, D.M. Atomic Energy Commission (Pre 750119). 74/07/01. HEIJIG, L.F. Affiliation Not Assigned. 1p. 85561:184-85561:184.
- 9509140372 Informs that due to changing circumstances, licensee withdrawing 740410 byproduct matl license application & requests return of application fee. MURRAY, R.K. Affiliation Not Assigned. 74/08/26. COLLINS, D.M. Atomic Energy Commission (Pre 750119). 6pp. 85561:185-85561:190.
- 9509140376 Informs that RK Murray was contacted on 741210 for purpose of announcing insp of license 04-11694-02 during wk of 741216. ZURAKOWSKI, P.R. Region V, IE (720101-810228). 74/12/12. Region V, IE (720101-810228). 1p. 85561:191-85561:191.
- 9509140384 Requests status of license 04-11694-02 to determine whether byproduct matl being possessed & used w/o valid license. ROY, G.W. Office of Inspection & Enforcement (750101-801210). 76/08/25. BOOK, H.E. Region V, IE (720101-810228). 1p. 85561:192-85561:196.
- 9509150053 Application for license, authorizing use of Cs-137 as std for calibr of radiation detectors. BYRD, E. Affiliation Not Assigned. 66/05/04. 9pp. 85561:197-85561:205.
- 9509150070 Informs of 660504 application submitted for licensee to possess & use byproduct matl Cs-137. Forwards authorization for Precision Measurement Equipment Lab to use listed matl. BYRD, E.L. Affiliation Not Assigned. 66/05/18. Atomic Energy Commission (Pre 750119). 2pp. 85561:206-85561:207.
- 9509150090 Forwards application for byproduct matl license, submitted by Philco Corp. Committee recommends approval of sub application. FEIGHTNER, C.C. Air Force, Dept. of. 66/06/09. Atomic Energy Commission (Pre 750119). 2pp. 85561:208-85561:209.
- 9509150094 Application for license, authorizing use of Cs-137 as std for calibr of radiation detectors. BYRD, E.L. Affiliation Not Assigned. 66/05/23. 6pp. 85561:210-85561:215.
- 9509150100 License 04-11751-01 for Philco Corp, authorizing use of listed byproduct matl. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/06/24. 3pp. 85561:216-85561:218.
- 9509150107 Application for license 04-11751-01, authorizing use of Cs-137 as std for calibr of radiation detectors. UMPHLETT, W.D. Affiliation Not Assigned. 66/05/20. 7pp. 85561:219-85561:225.
- 9509150116 Amend 1 to license 04-11751-01 for Philco-Ford, amending Item 1 & Condition 12 to read as listed & changing expiration date in Item 4 to 730630. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 68/06/17. 1p. 85561:226-85561:227.
- 9509150129 Forwards application for renewal of license 04-11751-01, submitted by licensee. Requests that amend renewing license be forwarded through USAF Radioisotope Committee. PENIKAS, V.T. Air Force, Dept. of. 73/05/21. Atomic Energy Commission (Pre 750119). 2pp. 85561:228-85561:230.
- 9509150130 Application for amend, renewing license 04-11751-01 for use of Cs-137 as std for calibr of radiation detectors. UMPHLETT, W.D. Affiliation Not Assigned. 73/05/02. 5pp. 85561:231-85561:235.
- 9509150133 Amend 2 to license 04-11751-01 for Philco-Ford, changing expiration date in Item 4 to 780630 & amending Condition 12 to read as listed. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 73/06/20. 1p. 85561:236-85561:236.
- 9509150135 License 42-05834-04 for Dept of Air Force, authorizing use of listed byproduct mats. WRIGHT, E.G. Radioisotopes Licensing Branch (Pre 790501). 78/02/10. 7pp. 85561:237-85561:243.
- 9509150154 Informs that licenses 04-11751-01 & SNM-641 expired & no renewal application filed in accordance w/10CFR30.37 or 10CFR70.33. Requests statement explaining disposition of licensed mats. Certificate of disposition of mats encl. BOOK, H.E. Office of Nuclear Material Safety & Safeguards. 78/11/01. FERRIGNO, E. Affiliation Not Assigned. 3pp. 85561:244-85561:246.
- 9509150159 Forwards certificates of disposition of mats. KELLY, T.E. Affiliation Not Assigned. 78/12/18. FONG, F.T. Region V, IE (720101-810228). 1p. 85561:247-85561:247.
- 9509150164 Certificate of disposition of mats: all mats procured &/or possessed by licensee under license 04-11751-01, transferred to Dept of Air Force Base, CA which has NRC license 42-05834-04. KELLY, T.E. Affiliation Not Assigned. 78/12/18. 2pp. 85561:248-85561:249.
- 9509150173 IE insp rept for license 04-11751-01 on 810309. No nonconformance noted. Major areas inspected: transfer of mats under license 04-11751-01. THOMAS, R.D., BOOK, H.E. Ofc of Inspection & Enforcement, Director (820201-870413). 81/03/12. 1p. 85561:250-85561:250.
- 9509120141 FOIA request for records re communication to or from Senator P Gramm. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85459:001-85459:001.
- 9509120145 FOIA request for records re communication to & from Representative R Dorman. KUNTZ, P. Wall Street Journal. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85459:002-85459:007.
- 9509120146 Second partial response to FOIA request for records. App C records encl & available in PDR. App B records partially withheld (ref FOIA Exemption 6). REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/11. KUNTZ, P. Wall Street Journal. 4pp. 85459:008-85459:204.
- 9509120155 Partially withheld ltr requesting response to T Van Deusen 910301 ltr re transportation of nuclear devices. GRAMM, P. Senate. 91/03/05. MOORE, J. Office of Governmental & Public Affairs (870413-911116). 4pp. 85459:013-85459:016.
- 9509120160 Forwards duplicate of ltr sent by Senator Gramm on 940311. FOLDS, L. NRC - No Detailed Affiliation Given. 94/04/06. CHAMP, B. NRC - No Detailed Affiliation Given. 10pp. 85459:017-85459:026.
- 9509120165 Responds to 950302 ltr requesting concerns raised by J Lehmann re handling request to have NRC transfer surplus school equipment directly to Adamson High School in Dallas, TX. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/04/13. GRAMM, P. Senate. 1p. 85459:027-85459:027.
- 9509120169 Forwards J Lehmann 950222 ltr re executive order 12821 on school donation program. BAZACOL, L. Senate. 95/03/02. Office of Governmental & Public Affairs (870413-911116). 3pp. 85459:028-85459:030.
- 9509120170 Responds to 950515 ltr re D Hunnicutt 950422 ltr requesting reduction of number of Commissioners from five to three. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 95/06/08. GRAMM, P. Senate. 1p. 85459:031-85459:031.
- 9509120175 Forwards DM Hunnicutt 950422 ltr re reduction in number of Commissioners from five to three for response. GRAMM, P. Senate. 95/05/15. BAZACOL, L. NRC - No Detailed Affiliation Given. 3pp. 85459:032-85459:034.
- 9509120186 Forwards correspondence from A Specter re Savannah River Plant for response. RATHBUN, D.K. Congressional Affairs (870413-911116). 91/03/11. KARPINSKI, J.C. Energy, Dept. of. 1p. 85459:035-85459:035.
- 9509120189 Forwards MT Hoftfeld ltr re Savannah River Plant for response. SPECTER, A. Senate. 91/03/01. RATHBUN, D.K. Congressional Affairs (870413-911116). 2pp. 85459:036-85459:037.
- 9509120192 Forwards TR Hicks ltr re safety stds established by NRC. SPECTER, A. Senate. 92/01/28. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 6pp. 85459:038-85459:043.
- 9509120195 Ack receipt of 920126 ltr forwarding TR Hicks ltr re NRC radiation safety stds. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/02/12. SPECTER, A. Senate. 1p. 85459:044-85459:062.
- 9509120198 Responds to S Voythe ltr raising concerns on selection & approval of low-level waste disposal site for Central Interstate Compact. RATHBUN, D.K. Congressional Affairs (870413-911116). 91/09/09. DOLE, R. Senate. 2pp. 85459:063-85459:064.
- 9509120203 "Extensive Process to Site Low-Level Waste Disposal Facility in NE." REZENDES, V.S. General Accounting Office. 91/07/05. 46pp. 85459:065-85459:143.
- 9509120214 Notices of public workshop to exchange info & review lessons learned in site decommissioning mgt plan, or SDMP for remediating radiologically contaminated sites on 921119 in Rockville, MD. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/11/04. SPECTER, A. Senate. 1p. 85459:144-85459:144.
- 9509120218 "NRC to Hold Workshop 921119 on Cleanup of Contaminated Sites." * Office of Congressional Affairs (Post 911117). 92/11/02. 7pp. 85459:145-85459:152.
- 9509120224 Forwards MJ Becker ltr re Savannah River Plant for response. SPECTER, A. Senate. 91/02/28. RATHBUN, D.K. Congressional Affairs (870413-911116). 3pp. 85459:153-85459:204.
- 9509120232 Third partial response to FOIA request for records. App D records encl & available in PDR. App D records partially withheld (ref FOIA Exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/12. KUNTZ, P. Wall Street Journal. 3pp. 85422:269-85422:345.
- 9509120233 Forwards Senator A Specter 910314 ltr, forwarding ML Conway ltr re Savannah River Plant. RATHBUN, D.K. Congressional Affairs (870413-911116). 91/03/18. KARPINSKI, J.C. Energy, Dept. of. 1p. 85422:279-85422:279.
- 9509120236 Forwards ML Conway ltr re Savannah River Plant. SPECTER, A. Senate. 91/03/14. RATHBUN, D.K. Congressional Affairs (870413-911116). 2pp. 85422:280-85422:281.
- 9509120238 Partially withheld ltr re employment at TM. TAYLOR, J.M. Ofc of the Executive Director for Operations. 94/03/17. SPECTER, A. Senate. 2pp. 85422:282-85422:283.

- 9509120240 Partially withheld ltr re correspondence received for response. SPECTER, A. Senate. 91/01/28. Office of Congressional Affairs (Post 911117). 2pp. 85422:284-85422:345
- 9509120272 Fourth partial response to FOIA request for records.App E encl & available in PDR. REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. THOMAS,F.M. Morgan, Lewis & Bockius. 2pp. 85473:295-85473:314.
- 9509120275 Forwards License XSOU-8721 for info. WRIGHT,B.L. Assistant Director for Export/Import & International Safeguards. 93/05/20. HUNTER,J.J. Fansteel Metals. 1p. 85473:297-85473:299.
- 9509120282 Forwards three maps of facility in Thailand. HUNTER,J. Fansteel Metals. 93/03/10. WRIGHT,B. Assistant Director for Export/Import & International Safeguards. 6pp. 85473:300-85473:314.
- 9509130002 Seventh final response to FOIA request for documents.Records in App I available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/28. GRAHAM,M.E. Affiliation Not Assigned. 4pp. 85436:001-85436:164.
- 9509130014 Responds to 940729 ltr from Beveridge & Diamond,PC, re Cyprus Amax initiatives to address presence of radioactive slag at residential & public properties.Urges that Cyprus Amax assess extent of contamination & determine remedial action. AXELSON,W.L. Region 3 (Post 820201). 94/09/07. LEE,P. Affiliation Not Assigned. 7pp. 85436:014-85436:020.
- 9509130016 Responds to 940907 ltr re presence of allegedly radioactive slag used as fill at Ohio properties.Informs of plans to perform preliminary dose assessment for subj properties & respond w/course of action.Requests addl NRC technical info. LEE,P.E. Affiliation Not Assigned. 94/09/16. AXELSON,W.L. Region 3 (Post 820201). 3pp. 85436:021-85436:023.
- 9509130023 "Phase I Work Plan for Scoping Survey of Vicinity Properties in Cambridge,OH." * Affiliation Not Assigned. 94/10/11. 88pp. 85436:024-85436:111.
- 9509130028 Submits preliminary agenda for meeting scheduled for 941101 w/NRC & copies of slides re action slides. LEE,P.E. Affiliation Not Assigned. 94/10/28. GLENN,C. NRC - No Detailed Affiliation Given. 19pp. 85436:112-85436:130.
- 9509130030 "Work Plan for Phase II Investigation,Cambridge,OH." * Affiliation Not Assigned. 95/01/30. 37pp. 85436:131-85436:164.
- 9509130013 Third final response to FOIA request for documents.Records in App E encl & being made available for PDR.App F withheld in part (ref FOIA exemption 7). * Division of Freedom of Information & Publications Services (Post 940714). 95/08/11. Saporito,T. Saporito, T.J. 4pp. 85437:001-85437:313.
- 9509130019 Submits suppl statement of DP Hall re T Saporito,10CFR2.206 petition or related matters. HALL,D.P. Newman & Holtzinger. 2.206. 92/07/29. NRC - No Detailed Affiliation Given. 1p. 85437:009-85437:009.
- 9509130027 Submits second supplemental statement of DP Hall re 920728 interview by V Van Cleave concerning whereabouts on author on 920221. HALL,D.P. Newman & Holtzinger. 92/09/17. NRC - No Detailed Affiliation Given. 1p. 85437:010-85437:010.
- 9509130031 "Rept of Interview w/BJ Brown." VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:011-85437:012.
- 9509130034 "Rept of Interview w/JD Sharpe." VAN CLEAVE,V. Region 4 (Post 820201). 2.206. 92/08/03. 2pp. 85437:013-85437:014.
- 9509130039 "Rept of Interview w/TJ Millsap." VAN CLEAVE,V. Region 4 (Post 820201). 2.206. 92/08/03. 2pp. 85437:015-85437:016.
- 9509130050 "Rept of Interview w/AW Woods." VAN CLEAVE,V. Region 4 (Post 820201). 92/08/03. 2pp. 85437:017-85437:018.
- 9509130057 Partially deleted transcript of 920728 interview w/DP Hall in Bay City,TX.Pp 1-59. * NRC - No Detailed Affiliation Given. 92/07/28. 59pp. 85437:019-85437:077.
- 9509130065 Transcript of 920728 investigative interview of JW Hinson in Bay City,TX.Pp 1-171. * Otc of investigations (Post 880201). 92/07/28. 171pp. 85437:078-85437:248.
- 9509130068 Partially deleted transcript of 920728 interview of WG Isereau in Bay City,TX.Pp 1-57. * NRC - No Detailed Affiliation Given. 92/07/28. 65pp. 85437:249-85437:313.
- 9509130067 FOIA request for documents containing holders of gov't IMPAC card. BAUMANN,C. 95/06/28. Region 1 (Post 820201). 1p. 85459:285-85459:285.
- 9509130092 Final response to FOIA request for documents.Records in App A being made available for PDR & are encl. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. BAUMANN,C. 2pp. 85459:286-85459:291.
- 9509130093 Package containing list of IMPAC holders. * NRC - No Detailed Affiliation Given. 95/09/30. 4pp. 85459:288-85459:291.
- 9509130101 Sixth partial response to FOIA request for documents.Records in App H withheld in part (ref FOIA Exemption 6). POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/25. GRAHAM,M.E. Affiliation Not Assigned. 3pp. 85438:031-85438:321.
- 9509130107 Forwards responses to 940720 & 25 telcons between S Bauman & CD Pederson about concerns re Sheldalloy Metallurgical Corp, Cambridge,OH site. AXELSON,W.L. Region 3 (Post 820201). 94/09/01. BAUMAN,S. Affiliation Not Assigned. 7pp. 85438:043-85438:265.
- 9509130112 Informs of 60 day delay in completing review & response to 940913 meeting transcript. SHEAR,G.L. Region 3 (Post 820201). 94/11/28. BAUMAN,S. Affiliation Not Assigned. 1p. 85438:266-85438:276.
- 9509130139 Forwards portions of transcripts of SF Bauman,addressing LLW mgmt issues,in response to "Save Wills Creek Water Resources Committee" 940913 meeting w/NRC re decommissioning of current & formerly licensed sites in Ohio. SHEAR,G.L. Region 3 (Post 820201). 95/01/19. GLENN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 16pp. 85438:277-85438:292.
- 9509130145 Forwards portions of transcripts of SF Bauman,addressing EPA actions & issues,in response to "Save Wills Creek Water Resources Committee" 940913 meeting w/NRC re decommissioning of current & formerly licensed sites in Ohio. SHEAR,G.L. Region 3 (Post 820201). 95/01/19. WENDEL,J. Environmental Protection Agency. 14pp. 85438:293-85438:306.
- 9509130185 Forwards portions of transcripts of SF Bauman,addressing Army Corp of Engineers issues,in response to "Save Wills Creek Water Resource Committee" 940913 meeting w/NRC re decommissioning of current & formerly licensed Ohio sites. SHEAR,G.L. Region 3 (Post 820201). 95/01/19. CRAIG,R. Army, Dept. of, Corps of Engineers. 13pp. 85438:307-85438:319.
- 9509130190 Forwards portions of transcript of SF Bauman,addressing DOE issues,in response to "Save Wills Creek Water Resources Committee" 940913 meeting w/NRC re decommissioning of current & formerly licensed sites in Ohio. SHEAR,G.L. Region 3 (Post 820201). 95/01/19. JACKSON,D. Energy, Dept. of. 2p. 85438:320-85438:321.
- 9509130105 FOIA request for documents re 950511 meeting of Advisory Committee on Medical Use of Isotopes which discussed training & experience requirements for physician to become authorized user. ROSE,C.H. Affiliation Not Assigned. 95/07/19. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85436:165-85436:165.
- 9509130108 Ninth partial response to FOIA request for documents.Records in App J will be made available in PDR.App K records will be withheld in part (ref Exemption 4). POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. IRWIND, D. Hunton & Williams. 4pp. 85477:001-85477:312.
- 9405200190 Informs Commission of restart of South Texas Project Unit 2 & related staff actions. TAYLOR,J.M. Otc of the Executive Director for Operations. 94/05/13. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 85477:007-85477:008.
- 9411140134 Discusses 941027-28 meeting w/indian delegation in Rockville,MD re BWR safety,core shroud cracking,Fire at Indian plant & companson w/US plant events also discussed. MCPHERSON,G.D. Division of Systems Safety & Analysis (Post 921004). 94/11/02. THADANI,A. Associate Director for Inspection & Technical Assessment (Post 870411). 3pp. 85477:008-85477:019.
- 9509130113 GENE-771-81-1194 R01 Partially withheld,Rev 1. "Shroud & Shroud Repair Hardware Analysis Volume I,Shroud Repair Hardware." ZALIZNYAK,S. WU,Y. General Electric Co. 95/05/12. 48pp. 85477:105-85477:179.
- 9509130131 GENE-771-82-1194 R101 Partially withheld,Rev 1. "Backup Calculations for Dresden Shroud Repair Shroud Stress Rept for Commonwealth Edison Dresden Nuclear Power Station,Units 2 & 3." May 1995. SHAHRIVAR,F. PATEL,M., SVARIEY,R.P. General Electric Co. 95/05/12. 25pp. 85477:180-85477:204.
- 9509130136 GENE-771-83-1194 R01 Rev 1. "Shroud & Shroud Repair Hardware Analysis Volume1, Shroud Repair Hardware Backup Calculations." ZALIZNYAK,S. KAUL,M., WU,M. General Electric Co. 95/05/12. 15pp. 85477:205-85477:237.
- 9509130144 GENE-771-77-1194 R02 Rev 2. "Shroud Repairs Program for Dresden Units 2 & 3, Back-up Calculations for RPV Stress Rept Number 25A5691." May 1995. HERLEKAR,A.S. General Electric Co. 95/05/12. 4pp. 85477:238-85477:255.
- 9509130152 GENE-771-96-0195 R01 Partially withheld,Rev 1 to "Dresden Units 2 & 3 Top Ring Plate & Star Truss Stress Analysis Backup Calculations." HOWER,S., KAUL,M.K., KARIM-PANAHI,K. General Electric Co. 95/05/11. 13pp. 85477:256-85477:268.
- 9509130159 GE-NE-523-A181-1294 Partially withheld Rev O. "Primary Structure Seismic Models." Dec 1994. HENRIED,K., MUSE,J.A., RANGANATH,S. General Electric Co. 94/12/31. 12pp. 85477:269-85477:276.
- 9509140093 Rev 0,mod M12-2&3-94-004 to NEP 04-03, "10CFR50.59 SE." * General Electric Co. 95/05/23. 20pp. 85477:277-85477:312.
- 9509140336 Advises that repts submitted in 950524 ltr & util affidavit executed by D Roberts,td 950519 will be withheld from public disclosure ref 10CFR2.790. STANG,J.F. 95/07/26. FARRAR,D.L. Commonwealth Edison Co. 16pp. 85477:020-85477:104.
- 9509130110 Final response to FOIA request for documents.Records in App A encl & being made available for PDR. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. ROSE,C.H. Affiliation Not Assigned. 2pp. 85436:166-85436:225.
- 8602190522 Forwards FR notice re revised training & experience criteria for physicians requesting authorization to use byproduct mats in nuclear medicine procedures.Rev effective on 840701.W/o encl. MILLER,V.L. Materials Licensing Branch. 82/12/07. Affiliation Not Assigned. 17pp. 85436:171-85436:187.
- 9201310253 Clarifies 10CFR35.920, "Training for Imaging & Localization Studies," in response to 920115 ltr.Physician may become authorized user of radiopharm.generator or reagent kit in 10CFR35.200 through completion of 10CFR35.920(b). GLENN,J.E. Medical, Academic & Commercial Use Safety Branch. 92/01/15. FRYE,R. American College of Cardiology. 1p. 85436:170-85436:170.

200 NONDOCKETED ITEMS

- 9504130046 Discusses 950309 telcon re NRC training & experience criteria for physicians who request authorization of byproduct mat'l for medical uses, described in 10CFR35 of Code of Federal Regulations. CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 95/03/29. CLARK,T. Affiliation Not Assigned. 3pp. 85436:166-85436:169.
- 9507170366 Responds to 950522 ltr re recent deliberations of NRC ACMU w/regard to NRC physician training & experience criteria. CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 95/06/23. ISKANDRIAN,A.S., WACKERS,F.J. Affiliation Not Assigned. 3pp. 85436:224-85436:225.
- 9508130178 First partial response to FOIA request for documents.App A records available in PDR.Records in App B encl & being made available for PDR.App C partially withheld & App D completely withheld (ref FOIA exemptions 4 & 6). RED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/03. GILLON,P.M. Weil, Gotshal & Manges. 10pp. 85590:001-85592:012.
- 9312020277 Forwards notice of intent to prepare EIS & to conduct scoping process for decommissioning shield alloy metallurgical corp facility in Newfield,NJ. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/11/19. MEYER,D.L. Facility Management Branch. 5pp. 85590:141-85590:145.
- 9312030282 FR notice of intent to prepare EIS & to conduct scoping process for decommissioning facility. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/11/19. 17pp. 85590:147-85590:214.
- 9312080170 Forwards FR notice of intent to prepare EIS to conduct scoping process for EIS & to conduct scoping meeting for decommissioning of facility. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 93/11/23. BLAHA,J.L. Assistant for Operations (Post 890205). 1p. 85590:146-85590:146.
- 9403310249 Forwards responses to questions identified by ORNL on summary repts for EIS scoping process initiated for repts Shieldalloy Metallurgical Corporation's (Shieldalloy's) facilities in Newfield,NJ & Cambridge,OH. COMFORT,G. Licensing Branch. 94/03/25. MCCOY,L.D. Oak Ridge National Laboratory. 11pp. 85590:332-85590:343.
- 9404190173 Forwards "EIS Scoping Summary Rept for Shieldalloy Metallurgical Corp Facility in Cambridge,OH" for review & comment by 940420 W/o encl. AUSTIN,J.H. Office of Nuclear Material Safety & Safeguards. 94/04/05. WENDEL,J.L. Environmental Protection Agency. 2pp. 85590:344-85590:346.
- 9509130193 "EIS Scoping Summary Rept." * NRC - No Detailed Affiliation Given. 94/03/31. 93pp. 85590:013-85590:105.
- 9509130198 "Comparison of NRC Decommissioning Process w/Ohio EPA Remediation Process." NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/03. 34pp. 85590:106-85590:139.
- 9509130206 Summary of 931103 meeting w/Shieldalloy Metallurgical Corp, Rockville,MD re Shieldalloy decision to file for bankruptcy protection under Chapter 11 of US Bankruptcy code. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 93/11/18. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85590:140-85590:140.
- 9509130230 Forwards ltrs of invitation to participants in scoping process in developing EISs for Shieldalloy sites in Cambridge,OH & Newfield,NJ. WEBER,M.F. NRC - No Detailed Affiliation Given. 93/11/24. MCCANN,G.M. NRC - No Detailed Affiliation Given. 5pp. 85590:215-85590:219.
- 9509130231 Invites representative of agency to participate in scoping process that NRC has initiated to prepare environ impact statement re Shieldalloy Metallurgical Corp facility near Cambridge,OH. GREEVES,J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 93/11/26. MUNO,W.E. Environmental Protection Agency. SUPPES,R., SHREGARDUS,D.R. Ohio, State of. 32pp. 85590:220-85590:283.
- 9509150052 informs that J Bergstein otc will be handling all activities concerning Shieldalloy & EIS. GLENN,C.J. NRC - No Detailed Affiliation Given. 94/01/24. COMFORT,G.C. NRC - No Detailed Affiliation Given. 1p. 85590:284-85590:284.
- 9509150056 Requests meeting to discuss logistics of handling listed interactions. NELSON,R.A. NRC - No Detailed Affiliation Given. 94/01/21. GLENN,C.J. NRC - No Detailed Affiliation Given. 1p. 85590:285-85590:285.
- 9509150063 Discusses 940124 telcon from J Wendel, which informs that DOJ requested EPA prepare statement on why Shieldalloy Ohio site should not be abandoned in bankruptcy proceeding. GLENN,C.J. NRC - No Detailed Affiliation Given. 94/01/24. NELSON,R.A., COMFORT,G.C. NRC - No Detailed Affiliation Given. 1p. 85590:286-85590:286.
- 9509150069 Discusses R Glinski telcon informing of 940222 visit to Shieldalloy site w/ W Axelson & G Shear. NELSON,R.A. NRC - No Detailed Affiliation Given. 94/01/25. GLENN,C.J. NRC - No Detailed Affiliation Given. 1p. 85590:287-85590:287.
- 9509150076 Discusses NRC response to listed pages of draft Summary Rept for Shieldalloy Metallurgical Corp. WADE,M.C. Oak Ridge National Laboratory. 94/01/31. GLENN,C. Division of Low-Level Waste Management & Decommissioning (870413-940402). 1p. 85590:288-85590:288.
- 9509150082 Forwards draft Summary Rept for Shieldalloy Metallurgical Corp Facility Document includes comments received as of 940126 W/o encl. WADE,M.C. Oak Ridge National Laboratory. 94/01/28. GLENN,C. Division of Low-Level Waste Management & Decommissioning (870413-940402). 4pp. 85590:289-85590:292.
- 9509150097 "CA Rept on Baghouse Dust Treatment Project Shieldalloy Metallurgical Corp." * Affiliation Not Assigned. 90/05/14. 30pp. 85590:293-85590:322.
- 9509150119 Requests NRC estimated staff cost for preparation of EISs for Shieldalloy Cambridge & Newfield sites. COMFORT,G.C. NRC - No Detailed Affiliation Given. 94/03/21. GLENN,C.J. NRC - No Detailed Affiliation Given. 1p. 85590:323-85590:323.
- 9509150127 Discusses results of review of meeting summary re contract schedule. GLENN,C.J. NRC - No Detailed Affiliation Given. 94/03/22. WEBER,M.F. NRC - No Detailed Affiliation Given. 3pp. 85590:324-85590:326.
- 9509150134 Forwards preliminary index to be included in repository for Shieldalloy Metallurgical Corp site. HUNT,D. Ohio, State of. 94/03/24. GLENN,C. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 85590:327-85590:330.
- 9509150141 Ack receipt of summary Requests that cooperating agencies be made aware of schedule & plans to allow 10 working days for document review. GLENN,C.J. NRC - No Detailed Affiliation Given. 94/03/25. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85590:331-85590:331.
- 9509150165 Informs of listed members of environ impac. statement team plans to visit Cambridge,OH site on 940428. WADE,M.C. Oak Ridge National Laboratory. 94/04/11. GLENN,C. Division of Low-Level Waste Management & Decommissioning (870413-940402). 3pp. 85590:347-85590:349.
- 9509150324 Informs of listed members of EIS team plans to attend 940421 site visit in Newfield,NJ. TERRY,J. Oak Ridge National Laboratory. 94/04/07. COMFORT,G. NRC - No Detailed Affiliation Given. 1p. 85590:350-85590:350.
- 9509150329 Informs of not being able to provide list of documents or mats that team members would like to see upon arriving in Newfield. TERRY,J. Oak Ridge National Laboratory. 94/04/12. COMFORT,G. NRC - No Detailed Affiliation Given. 6pp. 85590:351-85590:355.
- 9509150335 Informs that it would be beneficial to coordinate press release w/other agencies in advance of its release to demonstrate that agencies are cooperating & to address concerns that may arise later re offsite contamination. WENCH,T. NRC - No Detailed Affiliation Given. 94/05/03. WEBER,M.F. NRC - No Detailed Affiliation Given. 8pp. 85590:356-85591:013.
- 9509150345 Requests meeting to discuss project mgt responsibility for offsite contamination at Shieldalloy Cambridge site. GREEVES,J.T. NRC - No Detailed Affiliation Given. 94/05/09. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:014-85591:014.
- 9509150348 Requests that listed documents be forwarded. CURRY,J.E. NRC - No Detailed Affiliation Given. 94/05/10. GLENN,C.J. NRC - No Detailed Affiliation Given. 1p. 85591:015-85591:017.
- 9509150362 Submits responses to questions re disposal of Shieldalloy wastes. COMFORT,G.C. NRC - No Detailed Affiliation Given. 94/05/20. WEBER,M.F. NRC - No Detailed Affiliation Given. 2pp. 85591:018-85591:019.
- 9509150363 Forwards requested info from NRC docket & listed documents. W/o encl. GLENN,C. NRC - No Detailed Affiliation Given. 94/06/01. WADE,M. Oak Ridge National Laboratory. 4pp. 85591:020-85591:114.
- 9509180023 Submits summary of action items agreed upon at 940812 meeting on developing EIS for Shieldalloy sites. THAGGARD,M. NRC - No Detailed Affiliation Given. 94/08/17. FEDERLINE,M., AUSTIN,J., EISENBERG,N. NRC - No Detailed Affiliation Given. 1p. 85591:115-85591:115.
- 9509180026 Informs that PAWG will be involved in undertaking some of analyses required in support of EIS for Shieldalloy sites. THAGGARD,M. NRC - No Detailed Affiliation Given. 94/08/18. NRC - No Detailed Affiliation Given. 7pp. 85591:116-85591:123.
- 9509180029 Replies to rescheduling of Shieldalloy meeting.Suggests that other options be considered that would have Shieldalloy set aside funds in escrow account at rate proportional to accumulation of slag on site. COMFORT,G.C. NRC - No Detailed Affiliation Given. 94/08/30. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:124-85591:125.
- 9509180049 Summarizes results of preliminary review of Shieldalloy response to info request for decommissioning Cambridge site. MCCOY,L.D. Oak Ridge National Laboratory. 94/09/12. GLENN,C. Office of Nuclear Material Safety & Safeguards. 21pp. 85591:126-85591:146.
- 9509180052 Informs that 941104 all-day meeting has been rescheduled for 941109. DEMARCO,D.A. NRC - No Detailed Affiliation Given. 94/11/03. GLENN,C.J., COMFORT,G.C. NRC - No Detailed Affiliation Given. 1p. 85591:147-85591:147.
- 9509180059 Informs that staff working session re progress of Shieldalloy task orders,scheduled for 941109. DEMARCO,D.A. NRC - No Detailed Affiliation Given. 94/11/08. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 85591:148-85591:149.
- 9509180062 Informs of availability to participate in mgt meeting on 941115 & working session on 941109. DEMARCO,D.A. NRC - No Detailed Affiliation Given. 94/11/08. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:150-85591:150.
- 9509180068 Offers no comments re writeup of 941102 OEPA meeting. FONNER,R.L. NRC - No Detailed Affiliation Given. 94/11/09. WENCK,T. NRC - No Detailed Affiliation Given. 1p. 85591:151-85591:151.
- 9509180075 Informs that encl comparison of NRC decommissioning process w/Ohio EPA remediation process has been prepared,per Agreement at 941102 meeting. NELSON,B. NRC - No Detailed Affiliation Given. 94/11/09. BLAIR,B. Ohio, State of. 7pp. 85591:152-85591:158.
- 9509180081 Forwards rept of 941101 regulatory meeting w/representatives from Ohio Atty General Otc,for review & comments. GLENN,C. NRC - No Detailed Affiliation Given. 94/11/09. WEBER,M. NRC - No Detailed Affiliation Given. 5pp. 85591:159-85591:163.

- 9509180105 Forwards comments on draft annotated outline w/o encl.
NELSON,R.A. NRC - No Detailed Affiliation Given. 34/11/09. GLENN,C.J. NRC - No Detailed Affiliation Given. 1p. 85591:164-85591:164.
- 9509180111 Informs that NMSS has found funding for radon & thoron testing above East & West pits at Sheldalloy-Cambridge site.
GLENN,C. NRC - No Detailed Affiliation Given. 94/11/10. GLINSKI,R., NELSON,R. NRC - No Detailed Affiliation Given. 1p. 85591:165-85591:165.
- 9509180118 Discusses NRC decision to not sponsor aerial survey due to expense & need for ground surveys.
WEBER,M.F. NRC - No Detailed Affiliation Given. 94/11/14. GLENN,C.J. NRC - No Detailed Affiliation Given. 1p. 85591:166-85591:166.
- 9509180121 Requests NRC interest in radiologic survey of Sheldalloy & vicinity properties in Ohio.
GLENN,C.J. NRC - No Detailed Affiliation Given. 94/11/14. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 85591:167-85591:167.
- 9509180123 Forwards list of info that will be needed in order to complete description of proposed action & alternatives & environ impact statement.
WADE,M.C. Oak Ridge National Laboratory. 94/11/16. NELSON,R. NRC - No Detailed Affiliation Given. 7pp. 85591:168-85591:174.
- 9509180130 Presents issues & recommendations for resolution relating to 941109 meeting, which was held to review comments on ORNL annotated outline for Sheldalloy EIS & to discuss performance assessment working group involvement.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/11/17. AUSTIN,J., FEDERLINE,M. NRC - No Detailed Affiliation Given. 4pp. 85591:175-85591:179.
- 9509180177 Informs that Sheldalloy likely to request meeting at Bernero level in near future to discuss three issues re development of EISs for sites.
NELSON,R. NRC - No Detailed Affiliation Given. 94/11/21. WEBER,M. NRC - No Detailed Affiliation Given. 1p. 85591:180-85591:180.
- 9509180186 Forwards SOW which incorporates provided comments & draft revised schedule for Sheldalloy EIS.
NELSON,R. NRC - No Detailed Affiliation Given. FIN L-2094. TAC L10138. 94/12/07. WEBER,M., COMFORT,G., DEMARCO,D. NRC - No Detailed Affiliation Given. 18pp. 85591:181-85591:198.
- 9509180195 Submits comments & question to changes made to Sheldalloy EIS SOW.
THAGGARD,M. NRC - No Detailed Affiliation Given. 94/12/07. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 85591:199-85591:206.
- 9509180199 Informs of not scheduling meeting & forwards mail received from MF Weber.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/14. SHULTZ,E.D. NRC - No Detailed Affiliation Given. 1p. 85591:207-85591:207.
- 9509180201 Informs that mail received from ED Schultz forwarded.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/13. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:208-85591:208.
- 9509180209 Requests date & time of meeting w/ RM Bailey.
WEBER,M.F. NRC - No Detailed Affiliation Given. 94/12/13. SCHULTZ,E.D. NRC - No Detailed Affiliation Given. 1p. 85591:209-85591:209.
- 9509180212 Responds to phone message re 941222 meeting.
NELSON,R.A. NRC - No Detailed Affiliation Given. FIN L-2094. 94/12/14. DEMARCO,D.A. NRC - No Detailed Affiliation Given. 1p. 85591:210-85591:210.
- 9509180216 Informs that pre-brief w/B Bernero scheduled for 941220.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/14. KNAPP,M. NRC - No Detailed Affiliation Given. 1p. 85591:211-85591:211.
- 9509180220 Responds to request for meeting re EIS SOW & Sheldalloy.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/14. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:212-85591:212.
- 9509180224 Responds to Sheldalloy EIS SOE & Schedule.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/15. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:213-85591:213.
- 9509180225 Responds to Sheldalloy proposed RI/FS schedule, per Thaggard request.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/15. AUSTIN,J.H. NRC - No Detailed Affiliation Given. 1p. 85591:214-85591:214.
- 9509180228 Informs of development of pre-brief package on Sheldalloy site.
NELSON,R.A. NRC - No Detailed Affiliation Given. 94/12/15. WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85591:215-85591:215.
- 9509180241 Responds to requested guidance on application of Commission open meeting policy.
WEBER,M.F. NRC - No Detailed Affiliation Given. 94/12/19. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 85591:216-85591:216.
- 9509180248 Forwards revised proposal for EIS, Sheldalloy Metallurgical Corp (task order 2 under fin L2094).
WADE,M.C. Oak Ridge National Laboratory. FIN L-2094. 94/03/25. DEMARCO,D. Division of Low-Level Waste Management & Decommissioning (870413-940402). 78pp. 85591:217-85591:291.
- 9509180253 Transmits proposal for Task Order 4 under FIN L2094, for approval.
TERRY,J.W. Oak Ridge National Laboratory. FIN L-2094. 94/03/25. DEMARCO,D. Office of Nuclear Material Safety & Safeguards. 81pp. 85591:292-85591:292.
- 9509130205 First partial response to FOIA request for documents. Records in App A available in PDR.
EVES,C.S. Division of Freedom of Information & Publications Services (Post 940714). 95/07/11. POWELL,R.A. Affiliation Not Assigned. 5pp. 85632:001-85632:243.
- 9509130218 Application for amend to license 29-12096-01, authorizing allowance of storage only of all equipment in locked wooden frame bldg on property at 1 Gamma Dr, Port Norris, NJ.
THOMPSON,C.F. Gamma Industries, Inc. 67/07/03. BRINKMAN,R. Atomic Energy Commission (Pre 750119). 1p. 85632:008-85632:008.
- 9509130223 Application for license authorizing use of listed byproduct matl.
JEFFRIES,L.R. Gamma Industries, Inc. 67/07/13. Atomic Energy Commission (Pre 750119). 11pp. 85632:009-85632:019.
- 9509130228 License 29-12346-01 for Cumberland Research Corp, authorizing storage, decontamination & instrumentation calibr of listed byproduct matl.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/07/18. 3pp. 85632:020-85632:022.
- 9509130232 Application for license, authorizing use of byproduct matl for listed purposes.
THOMPSON,C.F. Gamma Industries, Inc. 67/08/29. Atomic Energy Commission (Pre 750119). 16pp. 85632:023-85632:038.
- 9505140012 Submits RA re application to amend license 29-12346-01 to allow handling of bare Co-60 & Ir-192 in quantities of up to 2000 Ci each.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/11/09. THOMPSON,C.F. Gamma Industries, Inc. 1p. 85632:039-85632:039.
- 9509150046 Responds to 671109 ltr re amend to license 29-12346-01, discussing design & operation of hot cell to prevent spread contamination. Submits info to be incorporated into administrative & operating procedures.
THOMPSON,C.F. Gamma Industries, Inc. 67/11/14. Atomic Energy Commission (Pre 750119). 3pp. 85632:040-85632:042.
- 9509150067 Application for amend to license 29-12096-01, authorizing omission of second sentence beginning "These Limits Are Tentative," in pp 3, item 2 of "Contamination Controls Limit" & requests reversal of words in quotes & average in table.
THOMPSON,C.F. Gamma Industries, Inc. 67/12/14. DUBER, Atomic Energy Commission (Pre 750119). 1p. 85332:043-85632:043.
- 9509150073 Amend 1 to license 29-12346-01 for Cumberland Research Corp.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/12/21. 2pp. 85632:044-85632:045.
- 9509150087 Forwards source ML SUB-948 w/o encl.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/04/01. THOMPSON,C.F. Gamma Industries, Inc. 1p. 85632:046-85632:046.
- 9509150101 Application for license authorizing shielding studies, incorporation into ICC 55 containers & loading sealed sources into approved radiography devices containing depleted U.
THOMPSON,C.F. Gamma Industries, Inc. 68/08/18. Atomic Energy Commission (Pre 750119). 3pp. 85632:047-85632:049.
- 9509150112 Licensing SUB-948 for Cumberland Research Corp, authorizing use of U metal in accordance w/ procedures described in 680318 application.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/04/01. 1p. 85632:050-85632:050.
- 9509150125 Application for amend to license 29-12346-01, authorizing allowance of removal storage handling of approx 1,100 curies Cs 137 sealed source from AECL caestron in hot cell.
THOMPSON,C.F. Gamma Industries, Inc. 68/08/16. Atomic Energy Commission (Pre 750119). 1p. 85632:051-85632:051.
- 9509150142 Licensing 2 to license 29-12346-01 for Cumberland Research Corp.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 68/08/19. 1p. 85632:052-85632:052.
- 9509150148 Amend 3 to license 29-12346-01 for Cumberland Research Corp.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/01/08. 1p. 85632:053-85632:053.
- 9509150160 Application for amend to license 29-12346-01, authorizing increase possession limit item SD, from 2,000 to 5,000 curies IF 192.
* Gamma Industries, Inc. 69/01/08. BRINKMAN,R. Atomic Energy Commission (Pre 750119). 1p. 85632:054-85632:054.
- 9509150322 Safety insp on 691230 of license SUB-948. Insp findings: no violations noted.
BRANDKAMP,F.N. Atomic Energy Commission (Pre 750119). * 69/12/30. 1p. 85632:055-85632:055.
- 9509150333 Application for amend to license 29-12346-01, authorizing increase in possession limit, (item 8C), to 3000 curies of Co 60 max of 2,000 curies T be exposed at one time.
THOMPSON,C.F. Gamma Industries, Inc. 70/06/03. BRINKMAN,R. Atomic Energy Commission (Pre 750119). 1p. 85632:056-85632:056.
- 9509150339 Amend 4 to license 29-12346-01 for Cumberland Research Corp.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 70/06/05. 1p. 85632:057-85632:057.
- 9509150347 Application for amend to license 29-12346-01, authorizing addition of three "Individual Users," Hollinger, W.L., Jones, DC & Nutt, BA.
THOMPSON,C.F. Gamma Industries, Inc. 71/02/11. BRINKMAN,R. Atomic Energy Commission (Pre 750119). 16pp. 85632:058-85632:073.
- 9509150353 Amend 5 to license 29-12346-01 for Cumberland Research Corp.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/02/22. 1p. 85632:074-85632:074.
- 9509150358 Application for amend to license 29-12346-01, authorizing change to item 8C from 3,000 to 4,000 curies inform that no more than 2,500 curies will be exposed in hot cell at any one time.
THOMPSON,C.F. Gamma Industries, Inc. 71/08/24. BRINKMAN,R. Atomic Energy Commission (Pre 750119). 3pp. 85632:075-85632:077.
- 9509150364 Amend 6 to license 29-12346-01 for Cumberland Research Corp.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/09/02. 1p. 85632:078-85632:078.
- 9509150367 Application for amend to license 29-12346-01, authorizing allowance of possession of encapsulated Cs 137 sources & possession limit for up to 1,500 curies.
THOMPSON,C.F. Gamma Industries, Inc. 71/10/26. BRINKMAN,R. Atomic Energy Commission (Pre 750119). 3pp. 85632:079-85632:081.

202 NONDOCKETED ITEMS

- 9509150372 Amend 7 to 29-12346-01 for Cumberland Research Corp. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 71/11/04. 1p. 85632:082-85632:082.
- 9509150376 Notifies that payment must be received by 711122 for listed annual fee for license 29-12346-01, Invoice L-0728-71. JOHNSON,L. Atomic Energy Commission (Pre 750119). 71/11/08. THOMPSON,C.F. Gamma Industries, Inc. 1p. 85632:083-85632:083.
- 9509150379 Forwards copy of receipt for Ir-192 camera & source received from A Kurtz & informs that camera will not be released until provided w/copy of proper AEC license. THOMPSON,C.F. Gamma Industries, Inc. 71/11/09. BASSIN,N. Atomic Energy Commission (Pre 750119). 2pp. 85632:084-85632:085.
- 9509150385 Requests that licensee provide listed info within 48 hrs re serious flooding conditions existing in East during past wk. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 72/06/27. THOMPSON,C.F. Gamma Industries, Inc. 1p. 85632:086-85632:086.
- 9509180008 Application for license authorizing use of listed byproduct matl. THOMPSON,C.F. Gamma Industries, Inc. 72/07/01. Atomic Energy Commission (Pre 750119). 1pp. 85632:087-85632:102.
- 9509180009 Amend 8 to license 29-12346-01 for Cumberland Research Corp. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 72/07/13. 5pp. 85632:103-85632:107.
- 9509180014 Notifies that license SUB-948 will expire on 730331 & informs of process for license application renewal. MALARCO,J.C. Atomic Energy Commission (Pre 750119). 73/01/10. Gamma Industries, Inc. 1p. 85632:108-85632:108.
- 9509180020 Application for renewal of license SUB-948, authorizing use of byproduct matl for listed purposes. THOMAS,C.F. Affiliation Not Assigned. 73/01/12. 8pp. 85632:109-85632:116.
- 9509180022 Forwards amend 9 to license 29-12346-01 in partial response to 721220 application & requests advisement re proposed changes in order to consider adequacy of facilities prior to amending license further. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/01/18. THOMPSON,C.F. Gamma Industries, Inc. 1p. 85632:117-85632:117.
- 9509180027 Amend 1 to license SUB-948 for Gamma Industries. DAVIS,F.C. Atomic Energy Commission (Pre 750119). 73/03/08. 1p. 85632:118-85632:118.
- 9509180032 Application for amend to license 29-12346-01, authorizing storage of up to 25,000 curies Co-60 in approved DOT containers in licensee bldg. THOMPSON,C.F. Gamma Industries, Inc. 73/03/15. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 1p. 85632:119-85632:119.
- 9509180034 Application for license authorizing production use of listed byproduct matl. * Gamma Industries, Inc. 73/03/05. Atomic Energy Commission (Pre 750119). 18pp. 85632:120-85632:137.
- 9509180039 Amend 10 to license 29-12346-01 for Gamma Industries. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 73/03/16. 6pp. 85632:138-85632:141.
- 9509180044 Forwards insp rept 30-05409/73-02 on 731129. No violations noted. NELSON,P.R. Region I, IE (720101-810228). 73/12/13. THOMPSON,C.F. Gamma Industries, Inc. 2pp. 85632:142-85632:143.
- 9509180061 Insp rept 30-05409/73-02 on 731109. No violations noted. Major areas inspected: selective exams of procedures & representative records, interviews w/ personnel, measurements made by inspector & observations by inspector. EPSTEIN,E. Region I, IE (720101-810228). 73/12/12. 5pp. 85632:144-85632:148.
- 9509180067 Responds to 731213 ltr deleting proprietary info from Epstein rept & forwarding revised pp three of rept. NELSON,P.R. Region I, IE (720101-810228). 74/01/03. THOMPSON,C.F. Gamma Industries, Inc. 3pp. 85632:149-85632:151.
- 9509180074 Application for amend to license 29-12346-01, authorizing change in license category from 3A to 3B, since no items manufactured at Port Norris plant require product safety evaluation by Commission. THOMPSON,C.F. Gamma Industries, Inc. 74/01/24. Atomic Energy Commission (Pre 750119). 1p. 85632:152-85632:152.
- 9509180080 Application for amend to license 29-12346-01, authorizing changes to item 8C, increasing from 1,500 to 20,000 curies, & item 12, removing names of WL Hollinger, DC Jones & J Cason as supervisors since no longer employed by licensee. THOMPSON,C.F. Gamma Industries, Inc. 74/01/28. Atomic Energy Commission (Pre 750119). 1p. 85632:153-85632:153.
- 9509180085 Amend 11 to license 29-12346-01 for Gamma Industries. * Atomic Energy Commission (Pre 750119). 74/02/21. 3pp. 85632:154-85632:156.
- 9509180090 Responds to 740124 request forwarding revised invoice L-3697-74 for license 29-12346-01 reflecting fee category change from 3A to 3B. MILLER,W.O. Atomic Energy Commission (Pre 750119). 74/03/01. Gamma Industries, Inc. 3pp. 85632:157-85632:159.
- 9509190044 Application for amend to license 29-12346-01, authorizing name change of facility to Gamma Industries-Port Norris & increase of possession limit of item 6A to 50,000 curies in order to purchase large lots of Co-60 in form of pellets. THOMPSON,C.F. Gamma Industries, Inc. 72/12/20. Atomic Energy Commission (Pre 750119). 2pp. 85632:160-85632:161.
- 9509200229 Application for amend to license 29-12346-01, authorizing allowance of possession limit of 75,000 curies of Co 60. THOMPSON,C.F. Gamma Industries, Inc. 74/08/06. Atomic Energy Commission (Pre 750119). 1p. 85632:173-85632:173.
- 9509200239 Responds to 740715 ltr re continued use of packaging authorized under DOT special permit 6287, informing licensee about submission of radioactive matl packages to USAEC for design approval. Requests submission schedule within 30 days. MACDONALD,C.E. Atomic Energy Commission (Pre 750119). 74/08/23. THOMPSON,C.F. Gamma Industries, Inc. 3pp. 85632:174-85632:176.
- 9509200351 Amend 12 to license 29-12346-01 for Gamma Industries. * Atomic Energy Commission (Pre 750119). 74/09/11. 1p. 85632:177-85632:177.
- 9509200374 Forwards copy of transmittal & insp rept from Region I re defective cask used by Gamma Industries, Baton Rouge, LA & requests that State of LA be notified of insp results & points raised in Region I transmittal of 741023. ROY,G.W. Atomic Energy Commission (Pre 750119). 74/11/06. KERR,W. Atomic Energy Commission (Pre 750119). 1p. 85632:178-85632:178.
- 9509210010 Forwards insp rept 7402 & recommends State of LA be informed of findings & corrective action needed, ensuring that defective cask remain out of svc until repaired & defective casks through QC measures are identified by licensee. NELSON,P.R. Region I, IE (720101-810228). 74/10/23. THORNBERG,H.D. Atomic Energy Commission (Pre 750119). 1p. 85632:179-85632:179.
- 9509210022 Forwards insp rept 30-05409/74-02 on 740913 & NOV. NELSON,P.R. Region I, IE (720101-810228). 74/10/23. THOMPSON,C. Gamma Industries, Inc. 2pp. 85632:180-85632:181.
- 9509210027 Notice of violation from insp rept 30-05409/74-02. Violation noted: required repts not submitted to employee terminated 740515. * Region I, IE (720101-810228). 74/10/23. 1p. 85632:182-85632:182.
- 9509210033 Insp rept 30-05409/74-02 on 740913. Violations noted: Major areas inspected: unusual occurrence at Newark Airport, Newark, NJ on 740828. BRANDKAMP,F.A., MCCLINTOCK,R. Region I, IE (720101-810228). 74/10/16. 5pp. 85632:183-85632:187.
- 9509210046 Discusses problems w/obtaining sources from Gamma Industries in Port Norris, NJ. Advises that QC problem may exist in assuring that replacement sources dimensionally correct so that they fit device for which intended. SINGER,B. Atomic Energy Commission (Pre 750119). 75/01/30. THORNBERG,H.D. Atomic Energy Commission (Pre 750119). 2pp. 85632:188-85632:189.
- 9509210049 Discusses insp rept 30-05409/76-01 on 760311 & forwards NOV. NELSON,P.R. Region I, IE (720101-810228). 76/03/23. THOMPSON,C. Gamma Industries, Inc. 2pp. 85632:190-85632:191.
- 9509210052 Notice of violation from insp on 760311. Violation noted: failed to pick up package containing 7,225 curies of Co-60 from carrier terminal in Tacoma, WA for three days following receipt of notification of package arrival. * Region I, IE (720101-810228). 76/03/23. 1p. 85632:192-85632:192.
- 9509210070 Insp rept 30-05409/76-01 on 760311. No violations noted. Major areas inspected: selective exams of procedures & representative records, interviews w/ personnel, measurements made by inspector & observations by inspector. SLOBODIEN,M.J., MCCLINTOCK,R.O. Region I, IE (720101-810228). 76/03/22. 6pp. 85632:193-85632:198.
- 9509210085 Ack receipt of 760618 ltr informing NRC of steps taken to correct violations noted in insp 30-05409/76-01 on 760623. NELSON,P.R. Region I, IE (720101-810228). 76/06/24. THOMPSON,C. Gamma Industries, Inc. 1p. 85632:199-85632:199.
- 9509210097 Responds to NRC 760323 ltr re violations noted in insp rept 30-05409/76-01 on 760323. Corrective actions implemented of listed policy to meet objectives for teletherapy shipments. PARKER,R.A. Nuclear Systems, Inc. 76/06/18. NELSON,P.R. Region I, IE (720101-810228). 3pp. 85632:200-85632:202.
- 9509210104 Discusses insp rept 30-05409/77-01 on 770504 & 25 & forwards NOV. NELSON,P.R. Region I, IE (720101-810228). 77/06/21. PARKER,R. Gamma Industries, Inc. 3pp. 85632:203-85632:205.
- 9509210111 Notice of violation from insp on 770504 & 25. Violation noted: failure to submit appropriate "Personnel Exposure & Monitoring Rept" for 1976 per 10CFR20.407, section 9.a.s of 770504. SLOBODIEN,M.J. Region I, IE (720101-810228). 77/06/21. 14pp. 85632:206-85632:206.
- 9509210119 Insp rept 30-05409/77-01 on 770504 & 25. No violations noted. Major areas inspected: matl inventory receipt & transfer of matl, personnel radiation protection, external & internal effluent control, waste disposal, posting & labeling. SLOBODIEN,M.J., MCCLINTOCK,R.O. Region I, IE (720101-810228). 77/06/13. 14pp. 85632:207-85632:220.
- 9509220014 Application for license authorizing use of Co-60 for listed purposes. PARKER,R.A. Gamma Industries, Inc. 77/06/30. NRC - No Detailed Affiliation Given. 16pp. 85632:221-85632:236.
- 9509220019 Amend 13 terminating license 29-12346-01 for Gamma Industries. BROWN,J.M. NRC - No Detailed Affiliation Given. 77/07/22. 1p. 85632:237-85632:237.
- 9509220040 Certificate of disposition of matl: all waste transferred to authorized commercial waste disposal firm & proper disposal records maintained. PARKER,R.A. Gamma Industries, Inc. 78/03/01. 6pp. 85632:238-85632:243.
- 9509220149 Responds to 740514 application, denying request to use Type B shipping container for radioactive isotopes. Application does not include evaluation of ability of package to meet package stds in requirements of 10CFR71, subpart C. CHAPPELL,C.R. Atomic Energy Commission (Pre 750119). 74/07/12. THOMPSON,C.F. Gamma Industries, Inc. 1p. 85632:162-85632:162.
- 9509220157 Application for amend to license 29-12346-01, authorizing package to be used to transport up to 5,000 curies of Co-60. THOMPSON,C.F. Gamma Industries, Inc. 74/05/14. Atomic Energy Commission (Pre 750119). 10pp. 85632:163-85632:172.

- 9509130210** First partial response to FOIA request for documents. Records in App A,B & C encl & will be available in PDR.
 POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/12. LENHART,T. Northeast Ohio Regional Sewer District. 26pp. 85626.001-85631.141.
- 9103210102** Enforcement conference rept 30-16055/91-01 on 910215. Major areas discussed: status of emergency plan development including results of offsite emergency response agency comments on plan.
 SLAWINSKI,W. Region 3 (Post 820201). 91/03/12. 5pp. 85629:198-85629:202.
- 9103280056** Memorandum & order (granting NRC Staff motion for summary disposition & terminating proceeding). * Memorandum & order granted & proceeding denied due to lack of reasons. W/ Certificate of Svc. Served on 910320.
 LAZO,R.N. Atomic Safety & Licensing Board Panel. #191 11558. CIVP. 91/03/19. Office of the General Counsel (Post 860701). 37pp. 85629:203-85629:238.
- 9105160373** Advanced Medical Sys, Inc brief in support of reversal of Licensing Board order granting NRC Staff motion for summary disposition & terminating proceeding. * Order granting motion should be reversed. W/Certificate of Svc.
 ALDRICH,J.G. Advanced Medical Systems, Inc. #291 11709. CIVP. 91/04/26. Commissioners (Post 750119). 68pp. 85629:241-85629:308.
- 9105240090** Notice of appearance. * Notice given that listed atty enters appearance in facility proceeding. W/Certificate of Svc.
 STEIN,S.J. Advanced Medical Systems, Inc. #291 11752. CIVP. 91/05/03. 2pp. 85629:309-85629:310.
- 9109250051** Requests documentation re abeyance of decontamination issue & reasons for not wanting consolidation of cases.
 ALDRICH,J.G. Aldrich, J.G. #391 12222. OM. 91/08/22. WOODHEAD,C.P. Office of the General Counsel (Post 860701). 1p. 85629:312-85629:312.
- 9109250119** Ack receipt of 910701 ltr indicating that atty for Advanced Medical Sys, Inc requested & received permission from Board to hold decontamination proceeding in abeyance pending completion of decontamination. Related correspondence.
 STEIN,S.J. Stein, S.J. #391 12181. OM. 91/07/18. WOODHEAD,C.P. Office of the General Counsel (Post 860701). 1p. 85629:311-85629:311.
- 9201310021** Clarifies & summarizes present status of Commission order modifying license & related confirmatory order modifying license dtd 870723 & 871030 concerning decontamination & mod of London Road facility.
 NORELIUS,C.E. Region 3 (Post 820201). 92/01/23. STEIN,S. Advanced Medical Systems, Inc. 5pp. 85629:315-85629:319.
- 9209150077** Forwards corrected pages 2,3 & 7 of motion re Advanced Medical Sys, Inc decontamination order.
 STEIN,S.J. Stein, S.J. #392 13208. OM. 92/09/08. JULIAN,E.L. Docketing & Services Branch. 4pp. 85629:320-85629:323.
- 9209150093** Advanced Medical Sys, Inc combined motion to deny NRC Staff motion for termination of proceeding & request for order that NRC Staff be compelled to respond to interrogatories filed 890605 & cooperate w/discovery. * W/Certificate of Svc.
 STEIN,S.J. Advanced Medical Testing Systems, St. Louis, MO. #392 13203. OM. 92/09/08. Atomic Safety & Licensing Board Panel. 11pp. 85629:324-85629:334.
- 9210090071** Advanced Medical Sys, Inc (AMS) response to issues raised by NRC Staff response in opposition to AMS combined motion to deny staff motion for termination & request for order compelling staff response. * W/Certificate of Svc.
 STEIN,S.J. Advanced Medical Systems, Inc. #492 13253. OM. 92/10/01. Atomic Safety & Licensing Board Panel. 7pp. 85629:336-85629:342.
- 9210160073** Requests info re status of pending appeal of licensee from Board memorandum & order in proceeding LBP-90-17, filed on 900723.
 STEIN,S.J. Advanced Medical Testing Systems, St. Louis, MO. #492 13272. SP. 92/10/08. Office of the Secretary of the Commission. 1p. 85629:343-85630:012.
- 9306140113** Forwards rept summarizing ORISE/ESSAP activities at facility in Sept & Oct 1992. Recommendations of consultant from Battelle & results of independent comparative surveys at facility also encl.
 BERGER,J.D. Oak Ridge Associated Universities. 93/01/25. CANIANO,R. Region 3 (Post 820201). 8pp. 85630:015-85630:038.
- 9306140129** Forwards response to list of questions generated during investigation & insp of hot cell facility in Cleveland, OH.
 HALLGREN,J. Battelle Memorial Institute, Columbus Laboratories. 92/10/16. SLAWINSKI,W. Region 3 (Post 820201). 16pp. 85630:023-85630:038.
- 9306140163** Discusses environ survey & site assessment program review of rept entitled "Preliminary Review of Data Adequacy & Potential Radiological Dose Scenarios for Southerly Wastewater Treatment Plant."
 BERGER,J.D. Oak Ridge Associated Universities. 93/03/19. NALLUSWAMI,S. Office of Nuclear Material Safety & Safeguards. 4pp. 85628:307-85628:320.
- 9306190157** Forwards draft radiological characterization survey rept.
 SMITH,B.M. Oak Ridge Associated Universities. 92/06/03. SRENIAWSKI,D. Region 3 (Post 820201). 1p. 85628:252-85628:255.
- 9309230171** Forwards petition filed per 10CFR2.206 by Northeast Ohio Regional Sewer District re Advanced Medical Sys, Inc. draft ltr of ack to District & draft notice of receipt of petition for publication in FR.
 GOLDBERG,J.R. Assistant General Counsel for Enforcement. 2.206. 93/03/17. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 1p. 85628:306-85628:306.
- 9310080071** Forwards comments re final radiological status survey plan, Ash Lagoon Remediation Project, Northeast Ohio Regional Sewer District, Cuyahoga Heights, OH for consideration.
 LANDIS,M.R. Oak Ridge Associated Universities. 93/06/28. NALLUSWAMI,S. NRC - No Detailed Affiliation Given. 6pp. 85629:018-85629:085.
- 9311180041** Forwards Environ Survey & Site Assessment Program of Oak Ridge Inst for Science & Education comments on Northeast OH Regional Sewer District final survey data for Ash Settling Lagoons at Southerly Wastewater Treatment Plant.
 ADAMS,W.C. Oak Ridge Associated Universities. 93/11/02. NALLUSWAMI,S. NRC - No Detailed Affiliation Given. 3pp. 85629:097-85629:099.
- 9509130213** Forwards waste disposal records, front of notebook & sewer type info, per request.
 KAPSAR,B. Victoreen, Inc. 93/09/08. MADERA,J. Region 3 (Post 820201). 36pp. 85628:030-85628:065.
- 9509130216** Forwards page 38 of lab book 264 showing bottom lines of page.
 KAPSAR,B. Victoreen, Inc. 93/09/16. MADERA,J. NRC - No Detailed Affiliation Given. 97pp. 85628:066-85628:251.
- 9509130224** Trip rept of 920810, 0811 & 0811-12 visits to Northeast OH Regional Sewer District, Southerly Plant, Chemetron Corp & Alcoa, Inc re possibility of ash slurry pond overflowing into near by river due to recent heavy rain.
 LAMBERT,L.J. Region 3 (Post 820201). 92/09/01. WIEDEMAN,D.G. Region 3 (Post 820201). 4pp. 85628:256-85628:259.
- 9509140018** Responds to 920821 ltr which requested that NRC inform Village Council of status & nature of radiation problem at Southerly Wastewater Treatment Plant of Northeast Regional Sewer District.
 DAVIS,A.B. Region 3 (Post 820201). 92/09/04. BACCI,L.J. Cuyahoga County, OH. 8pp. 85628:260-85628:305.
- 9509140032** Responds to request to review & concur on draft update of SDMP Commission paper. Marked-up copy of draft w/comments.
 NORELIUS,C.E. Region 3 (Post 820201). 93/04/19. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (870413-940402). 27pp. 85628:321-85629:017.
- 9509140152** Forwards request from S Stein of Advanced Medical Sys, Inc dtd 930805 for documents re Northeast OH Regional Sewer District.
 GROBE,J. Region 3 (Post 820201). 93/08/25. CLAYTON,K. Region 3 (Post 820201). 1p. 85629:086-85629:086.
- 9509140254** Requests that insp repts 99990003/93-10 & 30-16055/93-02 be provided to Advanced Medical Sys, Inc.
 STEIN,S.J. Advanced Medical Systems, Inc. 93/08/05. NORELIUS,C.E. Region 3 (Post 820201). 2pp. 85629:087-85629:088.
- 9509140258** Discusses 931104 telcon w/B Koh in response to inquiry re whether NORSD had any intentions to perform radiation survey of aeration tanks to determine Co-60 concentration in ash which fills tanks.
 SRENIAWSKI,D.J. NRC - No Detailed Affiliation Given. 93/11/05. NRC - No Detailed Affiliation Given. 1p. 85629:089-85629:089.
- 9509140271** Forwards responses to ORISE comments on Final Radiological Status Survey Plan & Data Packages for Lagoons A & B.
 ADAMS,T. 93/11/05. SRENIAWSKI,D. NRC - No Detailed Affiliation Given. 1p. 85629:090-85629:090.
- 9509140276** Forwards responses to ORISE comments on Final Radiological Survey Plan & Data Packages for Lagoons A & B.
 ADAMS,T.G. 93/11/05. SRENIAWSKI,D. Region 3 (Post 820201). 6pp. 85629:091-85629:096.
- 9509140283** Forwards survey plan for confirmatory survey activities at Northeast OH Regional Sewer District Southerly Wastewater Treatment Plant. Survey scheduled for 931115-19 & estimated to cost approx \$90,000.
 ADAMS,W.C. Oak Ridge Associated Universities. 93/11/09. NALLUSWAMI,S. NRC - No Detailed Affiliation Given. 1p. 85629:100-85629:100.
- 9509140289** "Confirmatory Survey Plan for Lagoons A & B," Northeast OH Regional Sewer District Southerly Waste Treatment Plant, Cleveland, OH.
 * Oak Ridge Associated Universities. FIN A-9093. 93/11/08. 10pp. 85629:101-85629:110.
- 9509140302** Submits summary of facts used to estimate amount of Co-60 found at Southerly Chronology & map of site, encl.
 SRENIAWSKI,D.J. Region 3 (Post 820201). 93/12/16. MCCANN,G.M. Region 3 (Post 820201). 14pp. 85629:111-85629:130.
- 9509140313** Discusses proposal "Joint Agreement" between NRC & Northeast OH Regional Sewer District. Agreement mechanism would address items such as description of locations, volumes & concentrations of stored mats.
 AXELSON,W.L. Region 3 (Post 820201). 94/01/21. GREEVES,J.T. Division of Low-Level Waste Management & Decommissioning (870413-940402). 8pp. 85629:132-85629:139.
- 9509140322** Forwards registration of generally licensed device which had been inadvertently sent to Region II. Extends apologies for any inconvenience error may have caused.
 LENHART,T.E. Northeast Ohio Regional Sewer District. 93/12/05. Region 3 (Post 820201). 1p. 85629:140-85629:140.
- 9509140325** Forwards registration forms required for Registration of Generally Licensed Devices.
 SHAW,K.M. Northeast Ohio Regional Sewer District. 93/12/01. Region 2 (Post 820201). 7pp. 85629:141-85629:157.
- 9509140330** Forwards transcript for 940621 joint hearing before Senate Governmental Affairs Committee & Subcommittee on Environment, Energy & Natural Resources of House Committee on Govt Operations for review & editing.
 RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 94/07/20. THE CHAIRMAN, SELIN,I., DE PLANQUE,G. Commissioners (Post 750119). 4pp. 85629:158-85629:184.
- 9509140361** Informs that land surveyor needs to conduct survey or prior land surveyor documents should be referred to to determine where AMS property line is.
 KURTH,M.F. NRC - No Detailed Affiliation Given. 94/11/08. FLIEGEL,M.H. NRC - No Detailed Affiliation Given. 1p. 85629:185-85629:185.
- 9509140382** Informs that allegation file RIII-91-A-0017, re alleged radioactive dump site along Cleveland, OH Lakeggon, considered closed.
 MCCANN,G.M. Region 3 (Post 820201). 94/11/08. FUNK,D.E. NRC - No Detailed Affiliation Given. 1p. 85629:186-85629:186.

204 NONDOCKETED ITEMS

- 9509150278 Informs of re-establishment of team responsible for AMS & NEOSD projects due to pending reassignment to Reactor Support Programs Branch. CANIANO,R.J. Region 3 (Post 820201). 94/11/09. SHEAR,G.L., HOLT,B.J., GROBE,J.A. Region 3 (Post 820201). 1p. 85629:187-85629:187.
- 9509150295 Forwards check in stated amount to cover balance due on application fees IAW 850108 Itr. IRWIN,H.R. Advanced Medical Systems, Inc. 85/01/17. JACKSON,G. NRC - No Detailed Affiliation Given. 10pp. 85629:188-85629:197.
- 9509150331 Discusses outstanding technical issues re Advanced Medical Sys, Inc de-terminated order, modified on 871030. GROBE,J.A. Region 3 (Post 820201). EA-87-139. 91/04/04. WOODHEAD,C. Office of the General Counsel (Post 860701). 2pp. 85629:239-85629:240.
- 9509150371 Forwards "AMS Response to Issues Raised by NRC Staff Response in Opposition to AMS Combined Motion to Deny Staff Motion for Termination & Request for Order Compelling Staff Response to Interrogatories." SANZOTTA,C. Stern, S.J. OM. 92/10/01. JULIAN,E.L. Docketing & Services Branch. 1p. 85629:335-85629:335.
- 9509180031 Submits concerns expressed by W Slawinski re 930119 & 20 insp of svc work. LOESER,M. Advanced Medical Systems, Inc. 93/01/20. MADERA,J. Region 3 (Post 820201). 2pp. 85630:013-85630:014.
- 9509180035 Forwards amend 26 to license 34-19089-01 IAW request. Conditions to adhere to listed. MADERA,J.R. Region 3 (Post 820201). 393436. 93/01/25. STEIN,S. Advanced Medical Systems, Inc. 2pp. 85630:039-85630:040.
- 9509180036 Informs that amend fee necessary to amend license 34-19089-01. JACQUES,R. License Fee & Debt Collection Branch (Post 890827). 93/02/08. CESAR,D. Advanced Medical Systems, Inc. 16pp. 85630:041-85630:057.
- 9509200008 Insp rept 30-16055/93-01 on 930119-20. No violations noted. Major areas inspected organization, internal audits or insps, training, retraining & instructions to workers. * Region 3 (Post 820201). 93/02/26. 14pp. 85630:058-85630:081.
- 9509200011 Responds to 921112 Itr & addresses issues raised in Section 5.1 of that Itr. Advanced Medical Sys will control amount of matl introduced into Hot Cell & provide administrative controls for removal of all radwaste generated. STEIN,S.J. Advanced Medical Systems, Inc. 92/12/22. GROBE,J.A. Region 3 (Post 820201). 9pp. 85630:082-85630:103.
- 9509200012 Forwards amend 27 to license 34-19089-01. Lists regulations for licensee to adhere to re license. MADERA,J.R. Region 3 (Post 820201). 93/03/04. STEIN,S. Advanced Medical Systems, Inc. 3pp. 85630:104-85630:106.
- 9509200034 Forwards Rev C to Advanced Medical Sys Control of Transient Combustibles procedures w/ respect to first concern re Airlock between Isotope Shop & Isotope Warehouse, in response to 930202 telcon. LOESER,M.W. Advanced Medical Systems, Inc. 93/02/04. MADERA,J. Region 3 (Post 820201). 7pp. 85630:107-85630:117.
- 9509200048 Discusses 930309 & 10 site visits at Advanced Medical Sys, Inc. w/ S Stein & S Haddock. Informs that Advanced Medical Sys, Inc change in ownership conference scheduled for 930312, has been cancelled. MADERA,J.R. Region 3 (Post 820201). 93/03/19. Region 3 (Post 820201). 1p. 85630:118-85630:118.
- 9509200050 Submits chronology of events for 930311 & 12 & description of CA & subsequent actions to prevent recurrence. LOESER,M.W. Advanced Medical Systems, Inc. 93/03/23. MADERA,J. Region 3 (Post 820201). 7pp. 85630:119-85630:141.
- 9509200055 Informs that company interested in reducing license limits to more realistic amounts. Submits proposed initial reduction. STEIN,S.J. Advanced Medical Systems, Inc. 93/06/15. CANIANO,R. Region 3 (Post 820201). 2pp. 85630:142-85630:143.
- 9509200058 Informs NRC of current status of sealed source inventory w/ respect to license amend 27, condition 14.C. Requests extension to complete sealed source inventory. LOESER,M.W. Advanced Medical Systems, Inc. 93/03/30. MADERA,J. Region 3 (Post 820201). 2pp. 85630:144-85630:145.
- 9509200243 Forwards Itr re extension for completion of sealed source inventory. STEIN,S.J. Advanced Medical Systems, Inc. 93/03/30. MADERA,J. NRC - No Detailed Affiliation Given. 1p. 85630:146-85630:148.
- 9509200245 Informs that actual physical inventory of source garden was completed by 930331 & four Cs sources had been shipped to JL Shepherd on 930405. STEIN,S.J. Advanced Medical Systems, Inc. 93/04/16. MADERA,J. Region 3 (Post 820201). 1p. 85630:149-85630:149.
- 9509200246 Forwards amend 26 to license 34-19089-01 IAW request dtd 930330. Issuance of amend extends required date for completion of physical inventory of all radioactive matl possessed under license. NORELIUS,C.E. Region 3 (Post 820201). 93/04/19. STEIN,S. Advanced Medical Systems, Inc. 4pp. 85630:150-85630:153.
- 9509200255 Confirms discussions between C Norelius & J Grobe on 930425, re plans to resolve issues re AMS-NEOSD. NORELIUS,C.E. Region 3 (Post 820201). 93/04/30. GROBE,J.A. Region 3 (Post 820201). 2pp. 85630:154-85630:155.
- 9509200263 Forwards corrected copy of license 34-19089-01 which contained error. MADERA,J.R. Region 3 (Post 820201). 93/05/13. LOESER,M. Advanced Medical Systems, Inc. 1p. 85630:156-85630:156.
- 9509200268 Submits info in response to request for status of physical inventory. STEIN,S.J. Advanced Medical Systems, Inc. 93/05/17. MADERA,J. Region 3 (Post 820201). 4pp. 85630:157-85630:160.
- 9509200275 Discusses rept which concerns my accompaniment of Transportation Branch during insp of Advanced Medical Sys quality assurance program. LUBINSKI,J.W. Source Containment & Devices Branch (Post 911213). 93/05/11. HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 5pp. 85630:161-85630:165.
- 9509200282 Informs that on 930603, Advanced Medical Sys, Inc shipped last remaining Picker Cs-137 sources PX59, PX78 & PX81 to JL Shepard & Associates. STEIN,S.J. Advanced Medical Systems, Inc. 93/06/07. MADERA,J. Region 3 (Post 820201). 4pp. 85630:166-85630:169.
- 9509200288 Discusses 930625 conversation re resolution of isotope inventory. LOESER,M.W. Advanced Medical Systems, Inc. 93/06/30. MADERA,J. Region 3 (Post 820201). 2pp. 85630:171-85630:172.
- 9509200309 Discusses concern that despite many NRC insp that have been performed through years re unfounded allegations of improper discharge of water by company that still wish to continue investigating company on same topic. STEIN,S.J. Advanced Medical Systems, Inc. 93/07/08. MARTIN,J.B. Region 3 (Post 820201). 2pp. 85630:173-85630:174.
- 9509200316 Forwards copy of article that appeared in July 1993 issue of Small Business News. STEIN,S.J. Advanced Medical Systems, Inc. 93/07/09. MARTIN,J.B. Region 3 (Post 820201). 2pp. 85630:175-85630:209.
- 9509200326 Informs that S Stein has commitment from JL Shepherd & Associates for fifteen addl sources. Sources will be shipped to Southwest Research Institute in two shipments. STEIN,S.J. Advanced Medical Systems, Inc. 93/08/04. MADERA,J. Region 3 (Post 820201). 1p. 85630:210-85630:226.
- 9509200331 Discusses violation of license condition 14.C license 34-19089-01. Violation involved failure of company to retain sufficient staff & aggressively make facility changes to accommodate & complete inventory. MARTIN,J.B. Region 3 (Post 820201). 93/08/13. STEIN,S. Advanced Medical Systems, Inc. 3pp. 85630:227-85630:332.
- 9509200348 Discusses 851008 telcon between G Murphy & RE Burgin re operational & radiological safety assessment scheduled for 851020-25. AXELSON,W.L. Region 3 (Post 820201). 85/10/09. MURPHY,G. Oak Ridge Associated Universities. 6pp. 85630:333-85630:342.
- 9509200353 "An Evaluation of Fire Protection at Advanced Medical Sys, Inc." London Road Facility. GORANSON,H.E., MOWRER,D.S. 85/11/08. 28pp. 85630:343-85631:012.
- 9509200358 Informs that Advanced Medical Sys, Inc continuing to do everything possible to enable hot cell front plug to be dislodged & contents inventoried, re 930830 visit to facility. STEIN,S.J. Advanced Medical Testing Systems, St. Louis, MO. 93/09/01. MARTIN,J.B. Region 3 (Post 820201). 2pp. 85631:013-85631:017.
- 9509200362 Informs that S Stein received four bids from consultants on removal of hot cell front plug on 930913 & that listed sources had been sent to Southwest Research Institute for JL Shepherd & Associates on 930916. STEIN,S.J. Advanced Medical Systems, Inc. 93/09/21. MARTIN,J.B. Region 3 (Post 820201). 1p. 85631:018-85631:025.
- 9509210009 Discusses ref to Advanced Medical Sys Emergency Pre-Plan Section 7.3 which states that Advanced Medical Sys will conduct biennial, full-scale exercise w/ onsite & off-site personnel. List of objectives & plausible scenario, encl. LOESER,M.W. Advanced Medical Systems, Inc. 93/09/22. CANIANO,R. NRC - No Detailed Affiliation Given. 4pp. 85631:026-85631:032.
- 9509210016 Forwards work logs dtd 931006 re hot cell front plug removal operation began as scheduled on 930927. STEIN,S.J. Advanced Medical Systems, Inc. 93/10/06. MARTIN,J.B. Region 3 (Post 820201). 5pp. 85631:033-85631:043.
- 9509210021 Discusses 931006 Itr which describes AMS actions taken in response to 930813 Itr & to comply w/ Condition 14.C of license 34-19089-01. AXELSON,W.L. Region 3 (Post 820201). 93/11/05. STEIN,S. Advanced Medical Systems, Inc. 4pp. 85631:044-85631:047.
- 9509210023 Discusses 931216 telcon re failure of emergency generator & actions taken to regain use of emergency generator. LOESER,M.W. Advanced Medical Testing Systems, St. Louis, MO. 93/12/16. MADERA,J. Region 3 (Post 820201). 2pp. 85631:048-85631:049.
- 9509210026 Updates NRC on status of of London Road facility. Airon rept to Advanced Medical Sys re attempts made by Airon Corp & recommended actions, encl. LOESER,M. Advanced Medical Systems, Inc. 94/02/23. MADERA,J. NRC - No Detailed Affiliation Given. 2pp. 85631:050-85631:054.
- 9509210028 Provides record of 940310 telcon re Advanced Medical Sys project. HINSON,A.R. ALARON Corp. 94/03/10. SLAWINSKI,W. Region 3 (Post 820201). 2pp. 85631:055-85631:079.
- 9509210030 Discusses involvement in attempt to dislodge floor plug located within Advanced Medical Sys London Road facility hot cell. LOESER,M.W. Advanced Medical Systems, Inc. 93/12/07. Document Control Branch (Document Control Desk). 3pp. 85631:080-85631:082.
- 9509210032 Partially withheld info re individual that received estimated overexposure to personnel rept IAW 10CFR20.405. * Advanced Medical Systems, Inc. 93/12/07. Document Control Branch (Document Control Desk). 1p. 85631:083-85631:083.
- 9509210035 Discusses 940427 meeting conducted by RJ Caniano & J Madera of NRC w/ D Cesar & J Michuta at Advanced Medical Sys London Road facility. CANIANO,R.J. Region 3 (Post 820201). 94/05/13. CESAR,D. Advanced Medical Systems, Inc. 2pp. 85631:084-85631:091.

- 9509210036 Expresses apologies for delay in preparing correspondence to RJ Caniano re time lines for projects concerning facility at 1020 London Road. Projects underway which need completion submitted.
CESAR,D. Advanced Medical Systems, Inc. 94/06/07. CANIANO,R.J. Region 3 (Post 820201). 2pp. 85631:092-85631:093.
- 9509210043 Submits time line for issues that arose during NRC visit to facility on 940609 & 10.
CESAR,D. Advanced Medical Systems, Inc. 94/06/16. CANIANO,R.J. Region 3 (Post 820201). 2pp. 85631:094-85631:099.
- 9509210351 Insp rept 30-16055/94-02 on 940706-07 Violators noted. Major areas inspected: organization & scope of program, training, retraining, instructions to workers, internal audits, reviews or inspections & radwaste.
* Region 3 (Post 820201). 94/06/31. 12pp. 85631:100-85631:114.
- 9509210358 Forwards amend 31 to license 34-19089-01 IAW request. Submits regulations for licensee to abide by while in possession of license.
MADERA,J.R. Region 3 (Post 820201). 94/10/14. CESAR,D. Advanced Medical Systems, Inc. 2pp. 85631:115-85631:116.
- 9509210359 Forwards check in stated amount to cover cost of amending license 34-19089-01 to reflect RSO as R Meschter.
CESAR,D. Advanced Medical Systems, Inc. 94/10/13. Region 3 (Post 820201). 2pp. 85631:117-85631:117.
- 9509220011 Informs that J Michuta leaving Advanced Medical Sys on 940923 to pursue other career opportunities. Requests that R Meschter be added to license as Radiation Safety Officer.
CESAR,D. Advanced Medical Systems, Inc. 94/09/21. MADERA,J.R. Region 3 (Post 820201). 7pp. 85631:119-85631:125.
- 9509220015 Forwards info re B Meschter nuclear experience, par request.
CESAR,D. Advanced Medical Systems, Inc. 94/09/21. MADERA,J.R. Region 3 (Post 820201). 2pp. 85631:126-85631:133.
- 9509220028 Discusses inquiry re radiological conditions at Advanced Medical Sys London Road facility.
SLAWINSKI,W. NRC - No Detailed Affiliation Given. 94/11/17. Region 3 (Post 820201). 2pp. 85631:134-85631:141.
- 9509140031 Final response to FOIA request for documents. Records in App A encl & will be available in PDR. App B records withheld in part (ref FOIA exemptions 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/07/25. ENGLISH,L.K. Northeast Ohio Regional Sewer District. 5pp. 85560:332-85560:352.
- 9509140038 Forwards info needed for structural integrity/structural stability evaluation at Advance Medical Sys, Inc.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 94/08/12. MADERA,J. NRC - No Detailed Affiliation Given. 3pp. 85560:337-85560:339.
- 9509140048 Forwards configuration sheets concerning botton of manhole designated as elevation 0.00 ft. Concludes that rate of flow into basement has increased as differential head has decreased.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 95/01/26. SLANINSKI,W. NRC - No Detailed Affiliation Given. 4pp. 85560:340-85560:343.
- 9509140052 Discusses update on Advance Medical Sys re basement slab.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 95/01/27. GROBE,J., SLAWINSKI,W. NRC - No Detailed Affiliation Given. 2pp. 85560:344-85560:345.
- 9509140062 Discusses info on basement slab borings.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 95/01/30. SLAWINSKI,W. NRC - No Detailed Affiliation Given. 1p. 85560:346-85560:346.
- 9509140066 Responds to info on basement slab borings.
SLAWINSKI,W.J. NRC - No Detailed Affiliation Given. 95/01/31. SHEWMAKER,R. NRC - No Detailed Affiliation Given. 1p. 85560:347-85560:347.
- 9509140069 Requests for support on building structural integrity question at Advanced Medical Sys, London Road facility for wk of 950424.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 95/04/07. SLAWINSKI,W. NRC - No Detailed Affiliation Given. 2pp. 85560:348-85560:349.
- 9509140072 Forwards info re second round insp needs for Advanced Medical Sys facility, London Road, structural integrity.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 95/04/21. WEBER,M. NRC - No Detailed Affiliation Given. 2pp. 85560:350-85560:351.
- 9509140077 Partially withheld memo re current status & note on slab thickness.
SHEWMAKER,R.E. NRC - No Detailed Affiliation Given. 94/12/13. SLAWINSKI,W. NRC - No Detailed Affiliation Given. 1p. 85560:352-85560:352.
- 9509140085 FOIA request for records re Amersham/Sentinel model 660B device license.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 95/02/21. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85492:001-85492:001.
- 9509140087 Final response to FOIA request for records. App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. DICHARRY,R.D. Source Production & Equipment Co., Inc. 7pp. 85492:002-85492:092.
- 9509140095 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660.
* NRC - No Detailed Affiliation Given. 76/06/01. 3pp. 85492:009-85492:011.
- 9509140098 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660. Certificate: NR-628-D-133-U.
* NRC - No Detailed Affiliation Given. NR-628-D-133-U. 77/07/31. 4pp. 85492:012-85492:015.
- 9509140103 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660. Certificate: NR-628-D-133-S.
BAGGETT,S., BELL,S.W. NRC - No Detailed Affiliation Given. NR-628-D-133-S. 88/09/14. 6pp. 85492:016-85492:021.
- 9509140106 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660. Certificate: NR-628-D-133-S.
RICH,T.M., BAGGETT,S. NRC - No Detailed Affiliation Given. NR-628-D-133-S. 90/12/11. 18pp. 85492:022-85492:039.
- 9509140110 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660 & 660E. Certificate: NR-628-D-124-S.
RICH,T.M., BAGGETT,S. NRC - No Detailed Affiliation Given. NR-628-D-124-S. 92/02/28. 18pp. 85492:040-85492:057.
- 9509140115 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660 & 660 E. Certificate: NR-628-D-124-S.
RICH,T.M. NRC - No Detailed Affiliation Given. NR-628-D-124-S. 92/09/30. 13pp. 85492:058-85492:070.
- 9509140121 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660 & 660 E. Certificate: NR-628-D-124-S.
RICH,T.M., BAGGETT,S. NRC - No Detailed Affiliation Given. NR-628-D-124-S. 93/02/25. 21pp. 85492:071-85492:091.
- 9509140125 Provides set of drawings & photos covering new model 660 Gamma Radiography Projector.
CAREY,R.B. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 69/12/19. VEERLING,P. Atomic Energy Commission (Pre 750119). 5pp. 85492:092-85492:096.
- 9509140131 Forwards copy of model 660 Gamma Ray Projector Operation & Svc manual.
CAREY,R.B. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 70/01/19. VEERLING,P. Atomic Energy Commission (Pre 750119). 21pp. 85492:097-85492:097.
- 9509140133 "Model 660 Series Gamma Ray Projection Sys" operation & svc manual.
* Tech/Ops, Inc. (formerly Technical Operations, Inc.). 70/01/19. 30pp. 85492:098-85492:116.
- 9509140135 Refers to telcon re application for approval of model 660 projector & provides photostatic copy of radiation profile as requested.
CAREY,R.B. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 70/01/26. VEERLING,P. Atomic Energy Commission (Pre 750119). 1p. 85492:119-85492:119.
- 9509140138 Informs that NRC has reviewed info on licensee model 660 radiography exposure device submitted w/691219 & 700126 ltrs.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 70/02/11. CAREY,R.B. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 4pp. 85492:120-85492:123.
- 9509140142 Provides info requested in 700211 ltr re recent application for approval of radiography device.
CAREY,R.B. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 70/03/03. MALARO,J. Atomic Energy Commission (Pre 750119). 6pp. 85492:124-85492:129.
- 9509140151 Discusses "Fail-Safe" connector on Tech Ops model 660 radiographic exposure device.
VEERLING,J.P. Atomic Energy Commission (Pre 750119). 70/03/30. Atomic Energy Commission (Pre 750119). 1p. 85492:130-85492:130.
- 9509140158 Informs that NRC has evaluated info re model 660 radiography exposure device & model A424-9 Ir-192 source assembly & found acceptable for licensing purposes.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 70/04/01. CAREY,R.B. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 1p. 85492:131-85492:131.
- 9509140170 Provides copy of ltr sent to customers informing of possible defect in newest family of projectors specifically models 660, 665, 670, 672 & 680.
LIMA,J. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 70/12/02. HARMON,D. Atomic Energy Commission (Pre 750119). 15pp. 85492:132-85492:146.
- 9509140172 Informs that Electric Boat Division of General Dynamics of Groton, CT wishes to use 20 mCi Co-60 source in licensee model 660 projector.
LIMA,J. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 74/07/24. SINGER Atomic Energy Commission (Pre 750119). 16pp. 85492:147-85492:162.
- 9509140176 Responds to 740703 request re fire testing on depleted U.
BARKER,R.S. Atomic Energy Commission (Pre 750119). 74/09/03. WEHNER,H. Germany, Federal Republic of. 5pp. 85492:163-85492:167.
- 9509140181 Trip rept of 740513 visit to Technical Operations Ltd in Tennessee Valley Gashhead to inspect radioactive package that had been involved in road transport fire.
PARTRIDGE,A.H. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 74/07/31. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 5pp. 85492:168-85492:172.
- 9509140184 Requests that NRC review drawings & data describing licensee model A424-19 source assembly.
MUNRO,J.J. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 74/09/26. SINGER,B. Atomic Energy Commission (Pre 750119). 1p. 85492:173-85492:173.
- 9509140186 Informs that NRC has evaluated info contained in 740916 & 740926 ltrs concerning new radiography source assembly model 424-19 & determined model to be acceptable.
SHUPE,M.W. Atomic Energy Commission (Pre 750119). 75/01/13. MURRO,J. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 1p. 85492:174-85492:174.
- 9509140190 Informs that NRC has evaluated info submitted 750724 & by 750609 telcon & found use of 200 Ci of Y-169 in model 660 radiographic projector to be acceptable for licensing purposes.
SHUPE,M.W. NRC - No Detailed Affiliation Given. 75/06/20. LIMA,J. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 1p. 85492:175-85492:175.
- 9509140193 Forwards 780519 ltr from State of FL which indicates problem w/tube connector nuts of model 660 exposure devices.
MILLER,V.L. NRC - No Detailed Affiliation Given. 79/02/15. MUNRO,J. Tech/Ops, Inc. (formerly Technical Operations, Inc.). 3pp. 85492:176-85492:180.
- 9509140206 Forwards amends to three device registration sheets. Informs that to facilitate review licensee has formatted amend to same format used on NRC registration sheets.
ROUGHAN,C.M. Amersham Corp. 89/10/01. CACKENZIE,D. Medical, Academic & Commercial Use Safety Branch (870413-870728). 27pp. 85492:181-85492:207.

206 NONDOCKETED ITEMS

- 9509140210** Amended Certificate of Registration numbers NR-628-D-127-S, NR-628-D-128-S & NR-628-133-E for model 773, 650 & 660 devices, respectively. BAGGETT, S.L. Medical, Academic & Commercial Use Safety Branch. 88/03/14. ROUGHAN, C.M. Amersham Corp. 1p. 85492:206-85492:208.
- 9509140212** Advises that effective 8/8/93 licensees will be modifying model 660 exposure device registration sheet #NR-628-D-133-U as described. ROUGHAN, C.M. Amersham Corp. 88/09/26. BAGGETT, S. Medical, Academic & Commercial Use Safety Branch. 3pp. 85492:209-85492:218.
- 9509140222** Informs that licensee will be conducting field trials of modified 660 exposure device. ROUGHAN, C.M. Amersham Corp. 89/10/02. BAGGETT, S. Materials Certification & Procedures Branch. 5pp. 85492:219-85492:223.
- 9509140226** Requests technical assistance re source & device evaluation. * Office of Nuclear Material Safety & Safeguards. 89/10/25. BAGGETT, S. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85492:224-85492:224.
- 9509140228** Requests, on behalf of Burlington, MA facility, amend to registration NR-628-D-133-S for model 660 radiography exposure device. BAKER, B.W. Amersham Corp. 89/10/25. BAGGETT, S. NRC - No Detailed Affiliation Given. 11pp. 85492:225-85492:235.
- 9509140231** Requests technical assistance re source & device evaluation. KEMBERLY, S. Office of Nuclear Material Safety & Safeguards. 92/02/12. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85492:236-85492:236.
- 9509140235** Forwards application for Health & Safety review for modified 660. ROUGHAN, C.M. Amersham Corp. 89/11/30. BAGGETT, S. Medical, Academic & Commercial Use Safety Branch (870413-870728). 1p. 85492:237-85492:237.
- 9509140237** Informs that licensee will be adding another participant to field testing of modified 660. ROUGHAN, C.M. Amersham Corp. 90/02/27. BAGGETT, S. Medical, Academic & Commercial Use Safety Branch (870413-870728). 1p. 85492:238-85492:238.
- 9509140240** Concludes that model 8990X-Series radiographic source assemblies acceptable for specific licensing purposes, based on test data submitted in 891222 ltr. RICH, T.W. Medical, Academic & Commercial Use Safety Branch (870413-870728). 90/03/01. ROUGHAN, C.M. Amersham Corp. 1p. 85492:239-85492:239.
- 9509140247** Informs that licensee wants evaluation to enable NRC to complete review of requested amend of NR-628-D-133-S to include Cs-137. BAKER, B.W. Amersham Corp. 90/03/07. BAGGETT, S. NRC - No Detailed Affiliation Given. 1p. 85492:240-85492:240.
- 9509140248** Provides sealed source evaluation number IL-136-S-146-S. KLINGER, J.G. Illinois, State of. 90/02/27. BOLLING, L. NRC - No Detailed Affiliation Given. 1p. 85492:241-85492:241.
- 9509140249** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models CDC 192/1 & CDC 192/2 Certificate, IL-136-S-146-S. PODOLAK, L. Amersham Corp. KLINGER, J.G. Illinois, State of. IL-136-S-146-S. 90/02/27. 5pp. 85492:242-85492:247.
- 9509140250** Informs that licensee will be continuing w/field trials of modified Amersham model 660 that has been designed to meet Part 34 requirements. ROUGHAN, C.M. Amersham Corp. 90/03/19. BAGGETT, S. Office of Nuclear Material Safety & Safeguards. 2pp. 85492:248-85492:249.
- 9509140252** Provides requested info re results of field testing of model 660 w/automatic securing mechanism. ROUGHAN, C.M. Amersham Corp. 90/06/22. BAGGETT, S. Medical, Academic & Commercial Use Safety Branch (870413-870728). 7pp. 85492:250-85492:256.
- 9509140255** Provides addl info requested re 660 submission. ROUGHAN, C.M. Amersham Corp. 90/06/16. BAGGETT, S. Office of Nuclear Material Safety & Safeguards. 15pp. 85492:257-85492:271.
- 9509140257** Provides addl info requested for registration of Amersham model 660 sys. ROUGHAN, C.M. Amersham Corp. 90/10/05. RICH, T. Office of Nuclear Material Safety & Safeguards. 4pp. 85492:272-85492:275.
- 9509140259** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models CDC 192/1 & CDC 192/2 Certificate, IL-136-S-146-S. PODOLAK, L. Amersham Corp. KLINGER, J.G. Illinois, State of. IL-136-S-146-S. 90/04/20. 20pp. 85492:276-85492:295.
- 9509140260** Informs that test repts part of addl info requested on 660. ROUGHAN, C.M. Amersham Corp. 90/10/09. RICH, T. Office of Nuclear Material Safety & Safeguards. 3pp. 85492:296-85492:298.
- 9509140261** Informs that NRC has reviewed application & supporting documents. Provides draft registration certificate & requests that licensee read over certificate in entirety. RICH, T.M. Medical, Academic & Commercial Use Safety Branch (870413-870728). 90/10/17. ROUGHAN, C.M. Amersham Corp. 20pp. 85492:299-85492:318.
- 9509140264** Provides addl info re request for registration of 660 sys. ROUGHAN, C.M. Amersham Corp. 90/11/05. RICH, T. Medical, Academic & Commercial Use Safety Branch (870413-870728). 5pp. 85492:319-85492:323.
- 9509140285** Informs that licensee will mark control assemblies & guide tubes used in sys w/ either word "Amersham" or "A" symbol or similar marking. PODOLAK, L. Amersham Corp. 90/11/29. RICH, T. Medical, Academic & Commercial Use Safety Branch (870413-870728). 1p. 85492:324-85492:326.
- 9509140292** Requests modifications to models 660, 660 E & 660 sys for purposes of clarity. PODOLAK, L. Amersham Corp. 90/12/06. BAGGETT, S. Medical, Academic & Commercial Use Safety Branch (870413-870728). 5pp. 85492:329-85492:333.
- 9509140297** Provides copies of listed engineering drawings for various versions of 660 radiography device. PODOLAK, L. Amersham Corp. 90/12/07. RICH, T. Medical, Academic & Commercial Use Safety Branch (870413-870728). 19pp. 85492:334-85492:353.
- 9509140304** Addresses specific issues to provide addl clarity re implementation of 10CFR34 equipment rules. GLENN, J.E. Medical, Academic & Commercial Use Safety Branch. 91/02/13. MACDANIEL, W. Amersham Corp. 1p. 85492:354-85492:354.
- 9509140309** Requests technical assistance re source & device evaluation. * Office of Nuclear Material Safety & Safeguards. 91/02/20. BAGGETT, S. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85492:355-85492:355.
- 9509140312** Informs that error was discovered in external radiation level section after review of registry sheet NR-628-D-133-S for model 660 radiography devices. PODOLAK, L. Amersham Corp. 91/02/20. RICH, T. Medical, Academic & Commercial Use Safety Branch. 6pp. 85492:356-85492:361.
- 9509140314** Informs that NRC has made correction to page 6 of registration certificate NR-628-D-133-S. RICH, T.W. Medical, Academic & Commercial Use Safety Branch. 91/06/06. PODOLAK, L. Amersham Corp. 1p. 85493:002-85493:008.
- 9509140321** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models 660, 660 E & 660 sys. Certificate, NR-628-D-133-S. RICH, T.W. BAGGETT, S. NRC - No Detailed Affiliation Given. NR-628-D-133-S. 91/08/05. 20pp. 85493:009-85493:029.
- 9509140328** Informs source assemblies & devices listed in ltr meet Part 34 requirements & requests to be added to list of Part 34 acceptable devices & sources that has been generated by ofc & distributed to regional NRC ofcs. ROUGHAN, C.M. Amersham Corp. 92/02/20. BAGGETT, S. Medical, Academic & Commercial Use Safety Branch. 5pp. 85493:030-85493:034.
- 9509140335** Informs that NRC has amended appropriate registration certificates based on info submitted in 920220 ltr. RICH, T.W. Source Containment & Devices Branch (Post 911213). 92/02/23. PODOLAK, L. Amersham Corp. 1p. 85493:035-85493:046.
- 9509140340** Requests for technical assistance for sealed source or device evaluation. RICH, T. Medical, Academic & Commercial Use Safety Branch. 92/09/22. Medical, Academic & Commercial Use Safety Branch. 1p. 85493:047-85493:047.
- 9509140343** Requests amend to sealed source registration sheet number NR-628-S-104-S issued for model A424 series to reflect proper info for Cs-137 source assembly. ROUGHAN, C.M. Amersham Corp. 92/09/21. RICH, T. Medical, Academic & Commercial Use Safety Branch. 5pp. 85493:048-85493:057.
- 9509140349** Provides addl info requested on model A 424-22 source assembly. ROUGHAN, C.M. Amersham Corp. 92/09/28. RICH, T. Medical, Academic & Commercial Use Safety Branch. 2pp. 85493:058-85493:059.
- 9509140352** Informs that listed info supports request to amend registration sheet NR-628-S-104-S to add model A424-22 source assembly. PODOLAK, L. Amersham Corp. 92/09/30. RICH, T. Medical, Academic & Commercial Use Safety Branch. 1p. 85493:060-85493:060.
- 9509140356** Informs that based on info & test data provided in application dtd 920921 & telefaxes dtd 920928 & 920930, concludes that model A424-22 sealed source assembly acceptable for licensing purposes. RICH, T.W. Source Containment & Devices Branch (Post 911213). 92/09/30. ROUGHAN, C.M. Amersham Corp. 1p. 85493:061-85493:061.
- 9509140359** Provides necessary info to assure that licensee model 657 & 957 automatic exposure controls will be authorized for use w/approved exposure devices. ROUGHAN, C.M. Amersham Corp. 93/02/12. RICH, T. Source Containment & Devices Branch (Post 911213). 6pp. 85493:062-85493:067.
- 9509140363** Informs that based on info & test data in 930212 ltr, NRC has amended registration certificate NR-628-D-124-S to reflect models 657 & 957 automatic exposure controls & continues that models acceptable for licensing purposes. RICH, T.W. Source Containment & Devices Branch (Post 911213). 93/02/25. ROUGHAN, C.M. Amersham Corp. 1p. 85493:068-85493:068.
- 9509140366** Provides info requested concerning licensee model 550 connector. ROUGHAN, C.M. Amersham Corp. 93/10/27. BAGGETT, S. Source Containment & Devices Branch (Post 911213). 1p. 85493:069-85493:069.
- 9509140368** Forwards copy of test rept for model 550 female connector requested by NRC. ROUGHAN, C.M. Amersham Corp. 93/07/28. LUBINSKI, J. Source Containment & Devices Branch (Post 911213). 3pp. 85493:070-85493:092.
- 9509140099** FOIA request for records re contract NRC-33-95-173. PISHKY, J. INPUT, Inc. NRC-33-95-173. 95/06/01. ROMAN, K. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85493:234-85493:234.
- 9509140104** Final response to FOIA request for records. App A records encl & available in PDR. POOL, M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/05. PISHKY, J. INPUT, Inc. 2pp. 85493:235-85493:331.
- 9509140109** Solicitation RS-IRM-95-173. * RAI, RS-IRM-95-173. 95/02/27. 94pp. 85493:237-85493:331.
- 9509140265** Addendum to final response to FOIA request for records. Fees adjusted as listed. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. MORANO, D.J. Affiliation Not Assigned. 1p. 85562:001-85562:001.
- 9509140266** First partial response to FOIA request for documents. Records in App A encl & available in PDR, NRC continuing to review records subj to requests & will notify recipient upon completion of review. * Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. DEKOK, D. Affiliation Not Assigned. 8pp. 85494:001-85494:353.
- 9509140279** Summary of 680320 meeting w/Atomic Intl, div of North American Rockwell Co & PENELEC re forthcoming submission of site & conceptual design of demonstration fast breeder power reactor. RIB, L.N. Atomic Energy Commission (Pre 750119). 68/05/08. BOYD, R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:015-85494:016.

- 9509140266 Requests pre-application site review for demonstration fast breeder reactor plant.
FLAHERTY,J.J. Atomics International BOVIER,R. Pennsylvania Electric Co. 68AT 2346. 68/05/16. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 4pp. 85494:017-85494:020.
- 9509140294 Forwards replacement title page for Vol I of document AI-67-MEMO 150, "Safety Evaluation of 500 MWe FBR Demonstration Plant Safety Analysis."
MANN,D. Atomics International. 68AT 2681. 68/05/28. MORRIS,P. Atomic Energy Commission (Pre 750119). 1p. 85494:021-85494:021.
- 9509140299 AI-67-MEMO-150 Vol I Title page for Vol I of "Safety Evaluation of 500 MWe FBR Demonstration Plant Safety Analysis."
* Atomics International. 68/05/06. 2pp. 85494:022-85494:024.
- 9509140307 Summary of 690621 meeting w/GPU & AI re GPU-AI FBR proposal. GPU & AI plan to file PSAR Jan 1970 & to start const Apr 1971.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 68/06/24. Atomic Energy Commission (Pre 750119). 1p. 85494:025-85494:025.
- 9509140311 Forwards Vols I & II of AI-67-MEMO-150, AI-67-MEMO-149 & GPU-AI Itr re 350-500 MWe demonstration fast breeder reactor plant for review W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 68/07/03. ZABEL,C.W. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:026-85494:026.
- 9509140323 Discusses site review for fast breeder reactor.
PRICE,H.L. Atomic Energy Commission (Pre 750119). 68/07/26. SEABORG, RAMEY, TAPE Atomic Energy Commission (Pre 750119). 2pp. 85494:027-85494:028.
- 9509140327 Advises that preliminary review of 500 MWe FBR made & addl info will be required in listed areas.
HOWE,P.W. Atomic Energy Commission (Pre 750119). 68/08/07. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:029-85494:030.
- 9509140336 Informs of NRC plans to meet w/Atomics Intl & PENELEC to discuss scope of NRC pre-application site review involving design of 500 MWe FBR characteristics of proposed site & proposed schedules.
PRICE,H.L. Atomic Energy Commission (Pre 750119). 68/08/14. CONWAY,J.T. Congress, Joint Committee on Atomic Energy. 2pp. 85494:031-85494:032.
- 9509140344 Discusses telcon w/Atomics Intl (AI) on 680623 re AI-FBR preliminary site review. Comments listed.
DOHM,A.J. Atomic Energy Commission (Pre 750119). 68/08/28. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85494:033-85494:035.
- 9509140353 Refers to JJ Flaherty visit of 680728 & 0524 Itr which volunteered info on concept design phase of joint GPU & Atomics Intl (AI) FBR program. NRC planning to meet w/AI on 681030 to discuss AI/GPU demonstration plant concept.
SHAW,M. Atomic Energy Commission (Pre 750119). 68/09/04. FLAHERTY,J.J. Atomics International. 2pp. 85494:036-85494:037.
- 9509140362 Discusses telcons on 680917 w/C Gerber of Atomics Intl re status of NRC preliminary site review re AI-FBR (PENELEC). Comments listed.
DOHM,A.J. Atomic Energy Commission (Pre 750119). 68/09/24. Atomic Energy Commission (Pre 750119). 3pp. 85494:038-85494:040.
- 9509140371 Lists members of regulatory staff who will attend 681030 meeting in which AI/GPU will describe LMFBR demonstration plant.
MINGOGUE,R.B. Atomic Energy Commission (Pre 750119). 68/10/29. WENSCH,G.W. Atomic Energy Commission (Pre 750119). 1p. 85494:041-85494:041.
- 9509140377 Advises that preliminary review of info submitted in support of joint request from PENELEC & Atomics Intl for pre-application site review for proposed site for 350 to 500 MWe FBR demonstration plant disclosed that addl info needed.
PRICE,H.L. Atomic Energy Commission (Pre 750119). 68/10/29. SEABORG, RAMEY, TAPE Atomic Energy Commission (Pre 750119). 3pp. 85494:042-85494:044.
- 9509140380 "NR/CPU FBR Program Presentation to AEC" on 681031.
* Atomics International. 68/10/31. 16pp. 85494:045-85494:060.
- 9509150072 Forwards Atomics Intl (AI) memos expanding on AI 681030 presentation of FBR program to AEC W/o encls.
GERBER,R.C. Atomics International. 68AT 5441. 68/11/14. IRELAND,R.E. Atomic Energy Commission (Pre 750119). 1p. 85494:061-85494:061.
- 9509150079 Forwards briefing charts used for 681030 presentation to AEC W/o encls.
GERBER,R.C. Atomics International. 68AT 5686. 68/12/05. IRELAND,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:062-85494:063.
- 9509150085 Notification of 681220 meeting w/Atomics Intl & GPU in Bethesda, MD to discuss pre-application site review of proposed 500 MWe FBR demonstration plant project.
DOHM,A.J. Atomic Energy Commission (Pre 750119). 68/12/17. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 1p. 85494:064-85494:066.
- 9509150092 Transmits memos AI-68-MEMO-83, AI-68-MEMO-84 & AI-68-MEMO-122 re 500 MWe FBR demonstration plant W/o encls.
GERBER,R.C. Atomics International. 68AT 5899a. 68/12/27. IRELAND,R.E. Atomic Energy Commission (Pre 750119). 1p. 85494:067-85494:067.
- 9509150104 Requests assistance in review of AI/GPU FBR demonstration plant.
IRELAND,R.E. Atomic Energy Commission (Pre 750119). 69/01/09. HOLT,A.B. Atomic Energy Commission (Pre 750119). 1p. 85494:068-85494:068.
- 9509150109 Discusses 690103 telcon w/C Gerber of Atomics Intl (AI) re AI-FBR (PENELEC) pre-application site review.
DOHM,A.J. Atomic Energy Commission (Pre 750119). 69/01/30. BOYD,R.S. Atomic Energy Commission (Pre 750119). 1p. 85494:069-85494:069.
- 9509150115 Discusses 690129 telcon w/R Beelley at AI re AI-FBR (PENELEC) pre-application site review.
DOHM,A.J. Atomic Energy Commission (Pre 750119). 69/02/07. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:070-85494:071.
- 9509150120 Forwards revised repts. AI-67-MEMO-149, "500 MWe FBR Demonstration Plant Description," Vol II of AI-67-MEMO-150, "SE of 500 MWe FBR Demonstration Plant - Site Environ" & Vol I of AI-67-MEMO-150, "Safety Analysis." W/o encls.
FLAHERTY,J.J. Atomics International DODSON,N.G. Pennsylvania Electric Co. 68AT 157. 69/02/07. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 2pp. 85494:072-85494:073.
- 9509150121 Summary of 681220 meeting w/AI & GPU re pre-application site review of proposed 500 MWe FBR demonstration plant. Comments encl.
DOHM,A. Atomic Energy Commission (Pre 750119). 69/02/07. Atomic Energy Commission (Pre 750119). 18pp. 85494:074-85494:091.
- 9509150124 Forwards listed info on FBR demonstration plant for review. W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/02/13. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:092-85494:092.
- 9509150126 Forwards errata sheets dtd 690202 from AI for AI-67-MEMO-149 & AI-67-MEMO-150, Vol I for FBR demonstration plant for review W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/02/27. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:093-85494:093.
- 9509150132 Summary of 680320 meeting w/AI & PENELEC re AI/PENELEC plans for prototype FBR. Charts showing program schedule, input from AEC-LMBR program, AI program milestones & licensing & regulatory milestones encl.
BIRKEL,R.A. Atomic Energy Commission (Pre 750119). 68/03/21. THOMPSON,D. Atomic Energy Commission (Pre 750119). 6pp. 85494:094-85494:099.
- 9509150136 Forwards listed documents submitted by AI for pre-application site review of proposed FBR demonstration plant, in accordance w/understandings reflected in Udall 640320 Itr to Seaborg W/o encls.
BOYD,R.S. Atomic Energy Commission (Pre 750119). 69/03/28. SCHNEIDER,R. Interior, Dept. of Geological Survey WHITE,W.M. Interior, Dept. of Fish & Wildlife Service. PACK,D.H. 5pp. 85494:100-85494:105.
- 9509150139 Submits site review questions re cover gas transport in sodium coolant.
KLECKER,R.W. Atomic Energy Commission (Pre 750119). 69/04/21. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85494:106-85494:108.
- 9509150144 Recommends that AEC ask AI to respond to encl questions re experimental reactor physics program for AI 500 MWe FBR demonstration plant.
WILLIAMS,P.M. Atomic Energy Commission (Pre 750119). 69/05/05. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85494:109-85494:113.
- 9509150149 Forwards transmittal Itr dtd 690416 & comments by Air Resources Environ Lab - ESSA on Vols I & II of safety analysis for FBR demonstration plant for review W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/05/13. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:114-85494:114.
- 9509150151 Discusses 690422 telcon from AI, informing of organizational changes at AI & to transmit info on startup core for FBR demonstration plant. Specs of "typical" startup core encl.
DOHM,A.J. Atomic Energy Commission (Pre 750119). 69/05/22. Atomic Energy Commission (Pre 750119). 3pp. 85494:115-85494:117.
- 9509150153 Forwards summary of 690604 meeting w/ACRS Subcommittee re factors germane to evaluation of Pu dispersions & AI/GPU demonstration plant.
KLECKER,R.W. Atomic Energy Commission (Pre 750119). 69/06/11. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 1p. 85494:118-85494:118.
- 9509150155 Summary of 690504 meeting w/ACRS Subcommittee re recent fire at Rocky Flats, CO plant. Operational effects from Pu exposures, Pu transport (dispersion) & AI FBR accident evaluation model.
BAKER,R.E. Atomic Energy Commission (Pre 750119). 69/06/11. Atomic Energy Commission (Pre 750119). 7pp. 85494:119-85494:125.
- 9509150156 Forwards RAI, in connection w/preliminary site review for proposed GPU/AI FBR demonstration plant.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/06/06. DODSON,N.G. Pennsylvania Electric Co. FLAHERTY,J.J. Atomics International. 9pp. 85494:126-85494:141.
- 9509150163 Forwards Itr & list of questions, transmitted to AI & GPU on 690808 re preliminary site review being conducted for proposed AI/GPU FBR demonstration plant W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/08/08. MANN,M.M., HENDERSON,C., BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 85494:142-85494:143.
- 9509150170 Forwards Itr & list of questions transmitted to AI & GPU on 690808 re preliminary site review being conducted for proposed AI/GPU FBR demonstration plant for review W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/08/12. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:144-85494:144.
- 9509150172 Forwards preliminary responses to AEC/DRL question on GPU/AI 500 MWe FBR demonstration plant SER, dtd 690813 for review W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/08/18. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:145-85494:145.
- 9509150176 Forwards 690820 Itr from Fish & Wildlife Svc, DOI transmitting comments on documents submitted by AI for preapplication site review of proposed FBR demonstration plant in Wyoming County, PA for review W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/09/08. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 85494:146-85494:149.
- 9509150185 Forwards final draft responses to AEC/DRL questions on GPU/AI 500 MWe FBR demonstration plant SER dtd 691008. Encls delivered to ACRS on 691010 by Loftness W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/10/14. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:150-85494:150.
- 9509150190 Forwards input for ACRS rept on FBR. Notices that radiological consequences section of ACRS rept will be handled by Advanced Concepts Branch.
HOWE,P.W. Atomic Energy Commission (Pre 750119). 69/10/16. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85494:151-85494:155.
- 9509150197 Forwards revised geology & seismology section for FBR ACRS rept.
HOWE,P.W. Atomic Energy Commission (Pre 750119). 69/10/23. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:156-85494:157.

208 NONDOCKETED ITEMS

- 9509150203 Forwards list of items identified by ACRS Subcommittee Chairman for presentation & for discussion during Nov 1969 ACRS meeting on FBR demonstration plant.
HARD,J.E. ACRS - Advisory Committee on Reactor Safeguards. 69/10/24. IRELAND,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:158-85494:160.
- 9509150207 Forwards Suppl 1 to Vol 1 of AI-67-MEMO-150, "SE of 500-MWe FBR Demonstration Plant - Answers to DFL Questions," dtd 691024 & page setting forth changes in listed document submitted from final draft for review. W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/10/31. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:161-85494:161.
- 9509150211 Forwards 691030 ltr from USGS & rept on hydrologic aspects of planned location of FBR demonstration plant for review. W/o encls.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 69/11/06. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 85494:162-85494:163.
- 9509150218 Forwards file of ltrs to editor & editorials printed in Tunkhannock Publication & New Age from Apr to Nov of 1969 re AI/GPU fast breeder project, per request. HEWARD,P.W. General Public Utilities Corp. - GPU Service Corp. 69/11/14. DOHMA,A. Atomic Energy Commission (Pre 750119). 14pp. 85494:164-85494:176.
- 9509150230 Informs that Suppl 1 to SER on GPU/AI 500 MWe FBR (AI-67-MEMO-150, Vol 1, Suppl 1) transmitted to AEC under separate cover. Document contains info intended to answer questions in AEC 690806 ltr.
FLAHERTY,J.J. Atomic International. DODSON,N.G. Pennsylvania Electric Co. 69A4566. 69/11/19. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 2pp. 85494:177-85494:178.
- 9509150244 Forwards GPU document, answers to informal AEC questions, dtd Jan 1970 for review. Document responds to DRL question during 691126 meeting in Bethesda re need for clarified info on DBA analysis & GPU/AI position re AEC LMFBR program plan.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 70/01/21. HANAUER,S.H. ACRS - Advisory Committee on Reactor Safeguards. 25pp. 85494:179-85494:202.
- 9509150252 Forwards list of items identified for presentation & discussion during Feb 1970 ACRS meeting on FBR demonstration plant.
HARD,J.E. ACRS - Advisory Committee on Reactor Safeguards. 70/01/27. IRELAND,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:203-85494:205.
- 9509150256 Forwards "Rept to ACRS GPU/AI Preliminary Site Review for Proposed FBR Demonstration Power Plant" for review.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 70/01/28. HENDRIE,J.M. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:206-85494:206.
- 9509150263 "Rept to ACRS GPU/AI Preliminary Site Review for Proposed FBR Demonstration Power Plant."
* Atomic Energy Commission (Pre 750119). 70/01/27. 76pp. 85494:207-85494:282.
- 9509150269 Forwards rept to ACRS on preliminary site review for proposed FBR demonstration power plant by GPU & AI. W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 70/01/30. SHAW,M. Atomic Energy Commission (Pre 750119). 1p. 85494:283-85494:283.
- 9509150274 Discusses 700130 telcon received from D Heward of GPU re public meeting in Tunkhannock, PA re proposed GPU/AI FBR.
DOHMA,A.J. Atomic Energy Commission (Pre 750119). 70/01/30. MORRIS,P.A., SCHROEDER,F., BOYD,R.S. Atomic Energy Commission (Pre 750119). 1p. 85494:284-85494:284.
- 9509150275 Summary of ACRS 109th meeting on 690508-10 & 118th meeting on 700205-07 re suitability of Scottsville, PA site for sodium-cooled, fast-neutron reactor.
HENDRIE,J.M. ACRS - Advisory Committee on Reactor Safeguards. 70/02/11. SEABORG,G.T. Atomic Energy Commission (Pre 750119). 4pp. 85494:285-85494:288.
- 9509150280 Forwards ACRS rept re Committee review of PENELEC & AI request for pre-application site review of proposed fast-neutron sodium-cooled power reactor to be located near Scottsville, PA for info. W/o encl.
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 70/03/12. DODSON,N.G. Pennsylvania Electric Co. FLAHERTY,J.J. Atomic International. 5pp. 85494:289-85494:293.
- 9509150291 Forwards summaries of status & history of public acceptance record for GPU-PENELEC/AI study project on LMFBR for site PENELEC owns at Scottsville, Wyoming County, PA, formalizing public acceptance communication w/ AEC. W/o encl.
LUMMITZER,P.L. Pennsylvania Electric Co. 70/05/06. BROWN,H. Atomic Energy Commission (Pre 750119). 3pp. 85494:294-85494:296.
- 9509150293 Forwards info re concern constituents F Rowe re proposed const of fast breeder nuclear reactor near Tunkhannock, PA in response to recent note. W/o encl.
* Atomic Energy Commission (Pre 750119). 70/06/03. SCOTT,H.L. Senate. 2pp. 85494:297-85494:298.
- 9509150301 Ack receipt of 700521 note, encl 700415 ltr from SR lde re proposed fast breeder nuclear reactor near Meshoppen, PA. Comments on nuclear power by SR lde in 700415 ltr to HL Scott encl.
* Atomic Energy Commission (Pre 750119). 70/07/07. SCOTT,H.L. Senate. 6pp. 85494:299-85494:304.
- 9509150308 Forwards 700814 ltr from Citizens Committee for Environ Concern, forwarding petition disapproving proposed erection of fast breeder nuclear reactor intended to be constructed by PENELEC.
DINUNHO,J.J. Atomic Energy Commission (Pre 750119). 70/09/15. HENDERSON,C.L. Atomic Energy Commission (Pre 750119). 1p. 85494:305-85494:305.
- 9509150313 Forwards petition disapproving erection of fast breeder nuclear reactor to be constructed by PENELEC, subsidiary of GPU, near Meshoppen, PA.
LEE,B., DANIELS,J. Affiliation Not Assigned. 70/08/14. Atomic Energy Commission (Pre 750119). 3pp. 85494:306-85494:310.
- 9509150314 Expresses concern on behalf of constituents in Wyoming County, PA re proposed development of fast breeder nuclear power plant in county.
SCOTT,H. Senate. 70/09/01. SEABORG,G.T. Atomic Energy Commission (Pre 750119). 3pp. 85494:311-85494:313.
- 9509150317 Discusses need to consider alternate or fall-back site in addition to preliminary site at Tunkhannock, PA on PENELEC sys.
DIECKAMP,H. Atomic International. DIECKAMP,H. North American Rockwell. 70AT3410. 70/09/04. HOLLINGSWORTH. Atomic Energy Commission (Pre 750119). 3pp. 85494:314-85494:316.
- 9509150325 Forwards order issued by PA Public Utilities Commission (PaPUC), proposing to amend PaPUC electric regulation by adopting Law Rule 17, "Environ Review."
BLOOM,J.L. Atomic Energy Commission (Pre 750119). 70/09/10. PRICE,H., HENNESSEY,J., WHITMAN,M. Atomic Energy Commission (Pre 750119). 12pp. 85494:317-85494:328.
- 9509150328 Forwards supplemental info in response to 700901 ltr re proposed FBR in Wyoming County, PA.
* Atomic Energy Commission (Pre 750119). 70/10/02. SCOTT,H.L. Senate. 12pp. 85494:329-85494:340.
- 9509150330 Requests info on present status of any application or request which may have been made by GPU or AI in connection w/ proposed fast-breeder nuclear power plant to be constructed near Meshoppen, PA.
MCDADE,J.M. Senate. 70/10/03. SEABORG,G.T. Atomic Energy Commission (Pre 750119). 2pp. 85494:341-85494:342.
- 9509150334 Forwards response to 700917 ltr re fast breeder nuclear power plant proposed near Meshoppen, PA.
SEABORG,G.T. Atomic Energy Commission (Pre 750119). 70/10/12. FETTER,L.E. 6pp. 85494:343-85494:348.
- 9509150336 Forwards listed documents to update AEC existing ref matl on AI FBR demonstrator plant. W/o encls.
BALENT,R. Atomic International. BALENT,R. North American Rockwell. 71AT453. 71/02/04. IRELAND,R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:349-85494:351.
- 9509150338 Responds to 710510 ltr to President, expressing concern re funding provided for breeder reactor development & fusion research.
SHAW,M. Atomic Energy Commission (Pre 750119). 71/05/18. LIKE,I. Reilly & Like. 2pp. 85494:352-85494:353.
- 9509140261 Final response to FOIA request for records. App A & B records encl & available in P/O.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/14. MORANO,D.J. Affiliation Not Assigned. 8pp. 85562:002-85562:135.
- 9307190026 Forwards insp rept 99990003/93-11 on 930527. No violations noted.
GROBE,J.A. Region 3 (Post 820201). 93/07/13. RUSH,D. Neighborhood Progress, Inc. 2pp. 85562:125-85562:135.
- 9307190027 Insp rept 99990003/93-11 on 930527. No violations noted. Major areas inspected: review of former licensee activities associated w/ decontamination & remediation of formerly used mfg & processing areas.
WIEDEMAN,D.G. Region 3 (Post 820201). 93/07/13. 9pp. 85562:127-85562:135.
- 9311050001 Responds to 930903 & 930914 ltrs requesting assigned project managers to Clevite & Horizons cases.
GREEVES,J.T. Division of Low-Level Waste Management & Decommissioning (870413-940402). 93/11/01. AXELSON,W.L. Region 3 (Post 820201). 1p. 85562:045-85562:051.
- 9401120005 Forwards insp rept 99990003/93-41 on 931206 & 08. No violations noted. Remediation of contaminated areas expected.
SHEAR,G.L. Region 3 (Post 820201). 93/12/30. RUSH,D. Affiliation Not Assigned. 2pp. 85562:098-85562:108.
- 9401120006 Insp rept 99990003/93-41 on 931206 & 08. No violations or deviations/noncompliance noted. Major areas inspected: review of former licensee activities associated w/ decontamination & remediation of manufacturing, processing & research areas.
WIEDEMAN,D.G., GLINSKI,R.L., MCCANN,G.M. Region 3 (Post 820201). 93/12/22. 9pp. 85562:100-85562:108.
- 9401250039 Forwards insp rept 99990003/93-41 on 931206-08. Concludes that contaminant predominantly fixed beta emitter & radioactive matl.
SHEAR,G.L. Region 3 (Post 820201). 94/01/13. RUSH,D. Neighborhood Progress, Inc. 2pp. 85562:109-85562:124.
- 9401250049 Supplemental insp rept 99990003/93-41 on 931206-08. Confirms that radioactive matl predominately fixed beta emitter & U.
WIEDEMAN,D.G., GLINSKI,R.L., MCCANN,G.M. Region 3 (Post 820201). 94/01/12. 3pp. 85562:111-85562:124.
- 9509140270 "Survey Plan Clevite (Neighborhood Progress) Cleveland, OH."
WIEDEMAN,D.G., MCCANN,G.M. Region 3 (Post 820201). 93/12/01. 29pp. 85562:013-85562:044.
- 9509140282 Trip rept of 931116 visit to Horizons & Clevite sites in Cleveland, OH to tour facilities & observe controls for access to radioactive areas.
JOHNSON,T.C. Decommissioning & Regulatory Issues Branch (Post 901230). 93/12/21. AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 85562:052-85562:056.
- 9509140287 Summary of 931116 mtg. to discuss contaminated facilities & remediation plans w/ Neighborhood Programs, Inc.
MCCANN,G.M. Region 3 (Post 820201). 94/02/02. SHEAR,G.L. Region 3 (Post 820201). 6pp. 85562:057-85562:062.
- 9509140291 Forwards "Characterization, Remediation & Health & Safety Plans." W/o encl.
LICKFIELD,K.W. Severson Environmental Services, Inc. 94/03/03. WIEDEMAN,D. Region 3 (Post 820201). 1p. 85562:063-85562:063.
- 9509140298 Forwards revised "Characterization, Remediation & Health & Safety Plans." W/o encl.
LICKFIELD,K.W. Severson Environmental Services, Inc. 94/06/17. WIEDEMAN,D. Region 3 (Post 820201). 2pp. 85562:064-85562:065.

- 9509140301 Forwards revised "Characterization, Remediation, Termination & Health & Safety Plans." W/o plan. Related documentation encl. LICKFIELD, K.W. Severson Environmental Services, Inc. 94/09/15. WIEDEMAN, D. Region 3 (Post 820201). 6pp. 85562-066-85562-071.
- 9509140305 Forwards revised "Characterization Survey, Termination Survey, Remediation & Health & Safety Plans." W/o plan. Related documentation encl. LICKFIELD, K.W. Severson Environmental Services, Inc. 95/01/10. WIEDEMAN, D. Region 3 (Post 820201). 2pp. 85562-072-85562-078.
- 9509180001 Lists contacts for Clevite Facility per 931108 request. WIEDEMAN, D.G. Region 3 (Post 820201). 93/11/09. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85562-079-85562-079.
- 9509180002 Advises that characterization study of facility unlikely during holidays. NRC will not authorize beginning of characterization until revised work plan considered satisfactory. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 93/12/14. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85562-080-85562-080.
- 9509180003 Forwards proposed ltr to atty for Gould, Inc which transmits comments on characterization survey plan for Clevite Site. W/o encl. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/06. MATHEWS, G.M. Systems Development & Integration Branch (IRM, 940220). 2pp. 85562-081-85562-082.
- 9509180004 Advises that C Bowman should be replaced by LD Mattioli as General Counsel of Pullman Co. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/12/06. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85562-083-85562-083.
- 9509180005 Forwards list of Clevite documents from 580131 forward W/o encl. HOOB, M.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/16. GLINSKI, R.L. Region 3 (Post 820,01). 3pp. 85562-084-85562-086.
- 9509180006 Advises of review of comments on Clevite Site. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/09. GLINSKI, R.L. Region 3 (Post 820201). 2pp. 85562-087-85562-088.
- 9509180007 Forwards rept of telcon w/R Pearce of Neighborhood Progress, Inc re plans to reconstruct & renovate within contaminated areas of site. LENTZ, J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/01. GLINSKI, R.L. Region 3 (Post 820201). 9pp. 85562-089-85562-097.
- 9509150027 First partial response to FOIA request for documents. Records in App A encl & will be available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. GRAHAM, M.E. Affiliation Not Assigned. 5pp. 85734-001-85735-049.
- 9410050019 Forwards insp rept 99990003/94-44 on 940620-24. No violations noted. Based on findings NRC has determined that slag w/ levels of radionuclides (Th-230, U-238, Ra-226 & Pa-231 w/ decay products) in excess of criteria present at 15 sites. AXELSON, W.L. Region 3 (Post 820201). 94/09/22. LEE, P. Affiliation Not Assigned. 3pp. 85734-071-85734-073.
- 9410050027 Insp rept 99990003/94-44 on 940620-24. No violations noted. Major areas inspected: direct radiation surveys, collected samples of slag for radiological analysis & interviewed residents. GLINSKI, R.L., GLENN, C., MCCANN, G.M. Region 3 (Post 820201). 94/09/22. 14pp. 85734-074-85734-087.
- 9502100037 Forwards addendum to insp rept 99990003/94-44, incorporating results of testing to characterize composition of offsite slag. NRC does not believe that offsite slag poses immediate or significant health & safety risk to members of public. SHEAR, G.L. Region 3 (Post 820201). 95/02/06. LEE, P. Foote Mineral Co. 3pp. 85734-185-85734-181.
- 9509150049 Informs that NRC received anonymous call from concerned individual re 600,000 tons of low grade radioactive & chemical waste located near factory called Sheidalloy Metallurgical Corp. DEFAYETTE, R.W. Ofc of Enforcement (Post 870413). 94/08/16. NORTON, L. Office of the Inspector General (Post 890417). 36pp. 85734-008-85734-043.
- 9509150054 Discusses concerns from citizen who originally indicated that fill matl which may have been radioactively contaminated might have been used as fill in large pits on Sheidalloy Metallurgical Corp site. GLINSKI, R.L. NRC - No Detailed Affiliation Given. 95/05/01. FUNK, D. NRC - No Detailed Affiliation Given. 11pp. 85734-044-85734-054.
- 9509150086 Informs NRC that licensee has not received info requested in FOIA. Request was made to NRC on 940721. LEE, P.E. Affiliation Not Assigned. 94/08/31. SHEAR, G.L. NRC - No Detailed Affiliation Given. 1p. 85734-055-85734-055.
- 9509150099 Confirms 940919 telcon concerning Sheidalloy site in Cambridge, Ohio. Discussion indicated that Cyprus Foote Mineral Co was committed to completing task outlined in 940624 ltr to NRC. LEE, P.E. Foote Mineral Co. 94/09/20. AXELSON, W.L. Region 3 (Post 820201). 2pp. 85734-056-85734-057.
- 9509150118 Responds to request that unrestricted release criteria for soils containing Th-230, Pa-231 & Ac-227, which these radionuclides not in equilibrium with their parent radionuclides in U & Ac decay series. AUSTIN, J.H. Region 3 (Post 820201). 94/09/21. SHEAR, G.L. Region 3 (Post 820201). 8pp. 85734-058-85734-065.
- 9509150131 Concerns that subject insp rept as revised per transmittal on 940821. GLENN, C.J. NRC - No Detailed Affiliation Given. 94/09/22. MCCANN, G.M., GLINSKI, R.L. NRC - No Detailed Affiliation Given. 5pp. 85734-066-85734-070.
- 9509150323 Informs that several sites in Guernsey County, Ohio have been tested & determined by NRC to have high radioactive levels. DIDONATO, G. Ohio, State of. 94/10/04. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 85734-088-85734-091.
- 9509150340 Extends invitation to 941101 meeting that NRC sponsoring to discuss issue of slightly radioactive slag used as fill matl at several locations on Guernsey County & surrounding areas. LICKUS, R. Region 3 (Post 820201). 94/10/17. ADAMS, G. Affiliation Not Assigned. 1p. 85734-092-85734-092.
- 9509150349 Notification of significant licensee meeting w/licensee on 941101 to discuss NRC expectations & to afford Cyprus Foote Mineral an opportunity to present plans to address issue. SHEAR, G.L. Region 3 (Post 820201). 94/11/01. Region 3 (Post 820201). 2pp. 85734-093-85734-095.
- 9509180017 Notices of public meeting w/NRC & licensee & other invited agencies on 941101 in Cambridge, Ohio to discuss NRC expectations & to afford Cyprus Foote Mineral Co opportunity to present plans to address issues. MCCANN, G.M. Region 3 (Post 820201). 94/10/25. NRC - No Detailed Affiliation Given. 3pp. 85734-096-85734-098.
- 9509180021 Discusses 941013 memo re possible new issues received from NMSS re Sheidalloy Metallurgical Co. FUNK, D.E. NRC - No Detailed Affiliation Given. 94/10/26. SHEAR, G.L. Office of Nuclear Material Safety & Safeguards. 1p. 85734-099-85734-099.
- 9509180024 Forwards comment on phase I work for scoping survey on vicinity properties in area of Cambridge, Ohio. SHEAR, G.L. Region 3 (Post 820201). 94/10/28. LEE, P. Affiliation Not Assigned. 27pp. 85734-100-85734-147.
- 9509180030 Forwards copy of response to NRC comments on "Phase I work plan for scoping survey of vicinity properties, Cambridge, Ohio." TORRINI, R.E. Woodward-Clyde Consultants, Inc. 94/11/22. SHEAR, G. Region 3 (Post 820201). 9pp. 85734-148-85734-156.
- 9509180033 Ack receipt of info that Guernsey County/Cambridge Community industrial Association may have minutes from meetings or other records/documents that may indicate locations where Cyprus Foote slag used for const purposes. SHEAR, G.L. Region 3 (Post 820201). 94/11/28. 1p. 85734-157-85734-157.
- 9509180037 Forwards update on phase I scoping survey of Vicinity Properties, Cambridge, OH. TORRINI, R.E. Woodward-Clyde Consultants, Inc. 94/12/14. SHEAR, G. Region 3 (Post 820201). 3pp. 85734-158-85734-160.
- 9509180045 Requests that docket 040-07387 be added to file & "Public" for internal distribution. NELSON, A. NRC - No Detailed Affiliation Given. 94/12/15. GLINSKI, R.L. NRC - No Detailed Affiliation Given. 4pp. 85734-161-85734-164.
- 9509180071 Informs that followup activities were conducted on 940919-1207 re allegation at Sheidalloy Metallurgical Corp. SHEAR, G.L. Region 3 (Post 820201). 94/12/19. DEFAYETTE, R.W. Ofc of Enforcement (Post 870413). 10pp. 85734-165-85734-174.
- 9509180083 Responds to 941215, NRC add comments re "Phase I Work Plan for Scoping Survey of Vicinity Properties, Cambridge, Ohio." TORRINI, R.E. Woodward-Clyde Consultants, Inc. 95/01/12. SHEAR, G. Region 3 (Post 820201). 3pp. 85734-175-85734-177.
- 9509180089 Discusses unresolved item concerning possible exposure level to member of public at fence surrounding East Pile. According to insp rept, during insp, exposure rates measured at fence line ranged from 10-130 uR/h. EVES, C.S. Sheidalloy Metallurgical Corp. 95/01/17. SHEAR, G.L. Region 3 (Post 820201). 2pp. 85734-178-85734-179.
- 9509210066 Advises that no further info necessary re response to NRC questions involving "Phase I Work Plan for Scoping Survey of Vicinity Properties, Cambridge, OH." SHEAR, G.M. Region 3 (Post 820201). 95/01/26. LEE, P. Affiliation Not Assigned. 2pp. 85734-180-85734-181.
- 9509210076 Forwards "Radon & Thoron Progeny Working Level Air Sampling on Two Slag Piles at Sheidalloy Metallurgical Corp, Cambridge, OH." SHEAR, G.L. Region 3 (Post 820201). 95/02/02. KELLY, B. EVES, S. Sheidalloy Metallurgical Corp. 2pp. 85734-182-85734-183.
- 9509210083 Comments on addendum to insp rept. WEBER, M.F. NRC - No Detailed Affiliation Given. 95/02/03. GLINSKI, R.L. NRC - No Detailed Affiliation Given. 1p. 85734-184-85734-184.
- 9509210094 Discusses response to RI/FS work plan. NELSON, R.A. NRC - No Detailed Affiliation Given. 95/02/23. NRC - No Detailed Affiliation Given. 56pp. 85734-352-85735-047.
- 9509220002 Discusses weekly conference call re Sheidalloy contractors concerning item of interest. NELSON, R.A. NRC - No Detailed Affiliation Given. 95/03/03. GLINSKI, WEBER NRC - No Detailed Affiliation Given. 1p. 85735-048-85735-048.
- 9509220004 Discusses class action lawsuit filed by four families against Cyprus Foote Mineral, Cyprus Amax Minerals, Newmont Mining & Cabot Corp. GLINSKI, R.L. NRC - No Detailed Affiliation Given. 95/03/07. NELSON, WEBER NRC - No Detailed Affiliation Given. 1p. 85735-049-85735-049.
- 9509150143 FOIA request for documents showing communications to & from Senator R Lugar. KUNTZ, P. Dow Jones & Co., Inc., National Observer. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85688-001-85688-001.
- 9509150146 FOIA request for documents re records to & from Senator A Specter. KUNTZ, P. Dow Jones & Co., Inc., National Observer. 95/06/12. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85688-002-85688-002.

210 NONDOCKETED ITEMS

- 9509150156 Second partial response to FOIA request for documents.App C documents available in PDR.Records in App D encl & being made available in PDR.Printout of other documents available in PDR also encl.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/07. COPELAND,J.G. Baker & Botts. 51pp. 85526:001-85526:360.
- 9509150106 Forwards recommendations for NRC actions resulting from diagnostic evaluation of plant per NRC mgt directive 8.7. "NRC Diagnostic Evaluation Program."
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 93/07/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 85526:195-85526:202.
- 9401070366 Forwards SE accepting licensee reevaluation of boron dilution event under all rods out conditions & related TSS.
JONES,R.C. Reactor Systems Branch. TAC M79740. 93/12/28. BLACK,S.C. Project Directorate IV-2. 1p. 85526:267-85526:267.
- 9504220093 Forwards SALP input for util operational readiness assessment team insp conducted 931206 - 940121.
IMBRO,E.V. Special Inspection Branch. 94/04/15. BLACK,S.C. Project Directorate IV-2. 5pp. 85526:283-85526:292.
- 9409260106 Responds to request that SPSB perform first level assessment of risk impact of dampers & fans.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Plant Systems Branch. 6pp. 85526:350-85526:360.
- 9412080021 Discusses Plant Sys Branch evaluation of staff action item 4. "Assessment of Tornado Dampers & Their Periodic Testing" identified during DET insp at plant.Concludes that no action should be taken w/respect to HVAC/room cooler sys.
MCCracken,C.E. Division of Systems Safety & Analysis (Post 921004). 94/12/01. BLACKNER,W.D. Project Directorate IV-1. 2pp. 85526:340-85526:346.
- 9412080028 Discusses damper & fan risk impact calculations performed & provided by licensee personnel.
BUTCHER,E.J. Probabilistic Safety Assessment Branch. 94/09/21. MCCracken,C.E. Probabilistic Safety Assessment Branch. 5pp. 85526:342-85526:346.
- 9509150258 Provides Commission w/summary of discussions held at 930126 NRC Senior Mgt Meeting.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/02/04. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 109pp. 85526:061-85526:154.
- 9509150282 Forwards STP Operational Readiness Plan,first part of response to DET rept.
PULLANI,S. NRC - No Detailed Affiliation Given. 93/09/10. NRC - No Detailed Affiliation Given. 22pp. 85526:203-85526:225.
- 9509150286 Forwards STP Business Plan,second part of response to DET rept.W/o encl.
PULLANI,S. NRC - No Detailed Affiliation Given. 93/10/26. NRC - No Detailed Affiliation Given. 1p. 85526:226-85526:254.
- 9509150306 Partially withheld summary of discussion held at 940111-13 NRC Senior Mgt Meeting.
TAYLOR,J. Ofc of the Executive Director for Operations. 94/01/21. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 4pp. 85526:255-85526:266.
- 9509150326 Safety evaluation re boron dilution analysis w/all rods out.
* Reactor Systems Branch. 93/12/28. 4pp. 85526:268-85526:280.
- 9509150332 Provides w/update status on staff action item 1.b resulting from DET rept on STP.
SWENSON,W.H. Human Factors Assessment Branch. 94/03/24. KOKAJKO,L.E. Project Directorate IV-2. 2pp. 85526:281-85526:282.
- 9509150344 Partially withheld memo providing Commission w/summary of discussions held at 940607-08 NRC Senior Mgt Meeting.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/06/17. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 4pp. 85526:293-85526:299.
- 9509150350 Submits list of proposed E-Mail to NRR,for review.
PULLANI,S.V. NRC - No Detailed Affiliation Given. 94/06/27. PRESCOTT,P.J. NRC - No Detailed Affiliation Given. 1p. 85526:300-85526:300.
- 9509150356 Discusses STP DET Staff Action 6.b.
PULLANI,S.V. NRC - No Detailed Affiliation Given. 94/07/12. KOKAJKO,L.E. NRC - No Detailed Affiliation Given. 7pp. 85526:301-85526:308.
- 9509150370 Requests that WT Russell discuss all NRR open items in annual rept to be submitted in Jan of each year until all open items resolved.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/07/26. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 85526:309-85526:339.
- 9509150377 Provides requested info all NRR open items.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/01/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 85526:347-85526:349.
- 9509200249 Submits daily highlight of 940214 meeting held at HL&P Co South Texas Project facility.
KOKAJKO,L.E. 94/02/16. MURLEY,T. NRC - No Detailed Affiliation Given. 1p. 85526:155-85526:155.
- 9509200252 Submits daily highlight.On 940218:unit 1 entered mode 2. Licensee has put voluntary restraint on mode 1 entry pending establishment of operable main feed-water pump.
KOKAJKO,L.E. 94/02/18. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 14pp. 85526:156-85526:194.
- 9509150157 FOIA request for documents re records to & from Senator B Dole.
KUNTZ,P. Dow Jones & Co.,Inc., National Observer. 95/06/12. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85688:003-85688:003.
- 9509150168 FOIA request for documents re records to & from senator P Gramm.
KUNTZ,P. Dow Jones & Co.,Inc., National Observer. 95/06/12. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85688:004-85688:004.
- 9509150189 FOIA request for documents re records to & from senator R Dornan.
KUNTZ,P. Dow Jones & Co.,Inc., National Observer. 95/06/12. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85688:005-85688:005.
- 9509150199 FOIA request for documents re records to & from senator N Gingrich.
KUNTZ,P. Dow Jones & Co.,Inc., National Observer. 95/06/12. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85688:006-85688:006.
- 9509150204 Tenth partial response to FOIA request for records. Releasable portions of App L records available in PDR.App L records partially withheld (ref FOIA Exemption 4).
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/05. IRWIN,D. Hurton & Williams. 3pp. 85519:151-85519:209.
- 9109250140 Responds to 910718 ltr concerning decontamination of facility & 0606 & 0822 ltrs suggesting consolidation of several Advanced Medical Sys proceedings.Related correspondence.
WOODHEAD,C.P. Office of the General Counsel (Post 860701). #391 12187. OM. 91/09/09. STEIN,S.J. Stein, S.J. 2pp. 85629:313-85629:314.
- 9509150216 FOIA requests for listed documents re facility.
PATTERSON,S.J. Morgan, Lewis & Bockius. 95/06/09. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85493:152-85493:155.
- 9509150220 Second partial response to FOIA request for records.App B & C records encl & available in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. PATTERSON,S.J. Morgan, Lewis & Bockius. 3pp. 85493:156-85493:233.
- 9409010080 Discusses Cooper performance evaluation tree which had been conducted to gain further understanding re performance level of station for upcoming Special Evaluation Team assessment.
GODY,A.T. Inspection & Licensing Policy Branch (Post 920712). 94/08/26. MERSCHOFF,E.W. Office for Analysis & Evaluation of Operational Data, Director. 35pp. 85493:159-85493:193.
- 9501090358 Requests resolution of items in areas of responsibility as result of special evaluation of plant & informs of intent to closely monitor status of staff action items until final resolution.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/22. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). CALLAN,L.J. Region 4 (Post 820201). JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 33pp. 85493:194-85493:226.
- 9504190160 Discusses 941222 memo re certain generic & plant specific actions resulting from special evaluation team assessment at plant & forwards status rept.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 85493:227-85493:233.
- 9509150265 FOIA request for records re Metcoa/Pesses site.
KREGENOW,L.B. 95/03/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85527:001-85527:002.
- 9509150285 Final response to FOIA request for records re Metcoa/Pesses site.App A records encl & available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/30. KREGENOW,L.B. 4pp. 85527:003-85527:183.
- 9509150298 Summarizes number of telcons re Metcoa Property & Pesses Co.
KINNEMAN,J.D. Region 1 (Post 820201). 85/04/03. WILSON,R. Dollar Savings. 4pp. 85527:011-85527:022.
- 9509150309 Submits comments re proposal to clean up Mg Th waste & radioactive contamination at Metcoa plant site.informs that proposal to dispose radioactive matl at site appears to be acceptable.
KINNEMAN,J.D. Region 1 (Post 820201). 85/09/04. WILSON,R.W. Dollar Savings. 1p. 85527:023-85527:032.
- 9509150310 Provides info re Cabot Corp,Pesses Co & Gamma Industries requested in 850817 telcon.
GLENN,J.E. Region 1 (Post 820201). 85/10/17. MURPHY,G. Oak Ridge Associated Universities. 9pp. 85527:033-85527:042.
- 9509150318 Provides copy of ltr sent to Pulaski Township Supervisors that will be read at 851210 meeting.
KINNEMAN,J.D. Region 1 (Post 820201). 85/12/05. WILSON,R.W. Dollar Savings. 1p. 85527:043-85527:043.
- 9509150320 Summarizes NRC involvement w/former Pesses property for benefit of Township Supervisors.
KINNEMAN,J.D. Region 1 (Post 820201). 85/12/05. STOWE,L. Pennsylvania, Commonwealth of. 2pp. 85527:044-85527:045.
- 9509150327 Provides "Caution-Radioactive Matl" signs which V Scovill discussed in 860114 telcon.
KINNEMAN,J.D. Region 1 (Post 820201). 86/01/14. WILSON,R.W. Dollar Savings. 1p. 85527:046-85527:051.
- 9509150341 Informs NRC of responsibilities for regulating use of certain radioactive matls including naturally occurring element Thorium.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. STOWE,L. Pennsylvania, Commonwealth of. 2pp. 85527:052-85527:053.
- 9509150343 Provides copy of radiological survey of Pesses Co Metcoa Site final rept.
KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. MACDONALD,D.J. Pennsylvania, Commonwealth of. 1p. 85527:054-85527:054.

- 9509150346 Provides radiological survey of Pesses Co Metcoa site final rept. KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. BALINGHER,B. Environmental Protection Agency. 1p. 85527:055-85527:055.
- 9509150354 Provides radiological survey of Pesses Co Metcoa site final rept. KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. EISEN,S. Javitch & Eisen., L.P.A. 1p. 85527:056-85527:056.
- 9509150355 Provides copy of radiological survey of Pesses Co Metcoa site final rept. KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. ROSAKIS,J. Pennsylvania, Commonwealth of. 1p. 85527:057-85527:057.
- 9509180010 Provides copy of radiological survey of Pesses Co Metcoa site final rept. KINNEMAN,J.D. Region 1 (Post 820201). 86/04/30. MCCLEARY,O.H. 1p. 85527:058-85527:062.
- 9509180011 "Radiological Survey of Pesses Co Metcoa Site in Pulaski, PA." DEMING,E.J. Oak Ridge Associated Universities. FIN A-9076-3. 86/04/30. Region 1 (Post 820201). 52pp. 85527:063-85527:115.
- 9509180012 Forwards copy revised final rept of radiological survey of Pesses Co Metcoa site W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. STOWE,L. Pennsylvania, Commonwealth of. 2pp. 85527:116-85527:117.
- 9509180013 Forwards revised copy of radiological survey of Pesses Co Metcoa site W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. BALINGHER,B. Environmental Protection Agency. 1p. 85527:118-85527:118.
- 9509180015 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. EISEN,S. Javitch & Eisen., L.P.A. 1p. 85527:119-85527:119.
- 9509180016 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. MCCLEARY,O.H. Pennsylvania, Commonwealth of. 1p. 85527:120-85527:120.
- 9509180018 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site in Pulaski,PA,W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. ROSAKIS,J. Pennsylvania, Commonwealth of. 1p. 85527:121-85527:121.
- 9509180019 Forwards revised copy of final rept of radiological survey Pesses Co Metcoa site W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 86/05/22. MACDONALD,D.J. Pennsylvania, Commonwealth of. 1p. 85527:122-85527:131.
- 9509180053 Informs of current status, of site & to propose course of action based on recent info obtained during 881229 insp of Pesses (Metcoa) site in Pulaski,PA. KINNEMAN,J.D. Region 1 (Post 820201). 89/03/17. KNAPP,M.R. Region 1 (Post 820201). 4pp. 85527:132-85527:142.
- 9509180057 Provides copy of SECY-92-200 "Updated Rept on Site Decommissioning Mgt Plan." W/o encl. KINNEMAN,J.D. Region 1 (Post 820201). 92/06/26. MANNING,C. Environmental Protection Agency. 2pp. 85527:143-85527:144.
- 9509180060 Informs that NRC sponsoring public workshop to exchange info & review lessons learned in site decommissioning mgt plan. Draft agenda encl. KINNEMAN,J.D. Region 1 (Post 820201). 92/10/22. MANNING,C. Environmental Protection Agency. 6pp. 85527:151-85527:158.
- 9509180065 Informs that NRC sponsoring public workshop to exchange info & review lessons learned in site decommissioning mgt plan. KINNEMAN,J.D. Region 1 (Post 820201). 92/10/22. TRAVERS,M.A. de maxims, Inc. 6pp. 85527:151-85527:158.
- 9509180070 Summarizes number of telecons re license to conduct certain operations w/radioactive matl by NRC at Metcoa in Pulaski, PA. KINNEMAN,J.D. Region 1 (Post 820201). 85/04/03. WILSON,R. Dollar Savings. 2pp. 85527:159-85527:160.
- 9509180076 Amend 1 to license STB-1254,authorizing use of 925 kgs thorium. WRIGHT,E.G. Radioisotopes Licensing Branch (Pre 790501). 78/07/13. 2pp. 85527:161-85527:162.
- 9509180077 License STB-1254 for Pesses Co,authorizing possession & use of 500 pounds of thorium. DRAGONETTE,K.S. Radioisotopes Licensing Branch (Pre 790501). 75/09/23. 21pp. 85527:163-85527:180.
- 9509180082 Requests for investigation of Pesses Co in Pulaski,PA. MURLEY,T.E. Region 1 (Post 820201). 85/11/18. CHRISTOPHER,R. Region 1 (Post 820201). 3pp. 85527:181-85527:183.
- 9509150337 Sixth final response to FOIA request for documents.Forwards documents listed in App I.Documents will be available in PDR.App J records withheld in part. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. KUNTZ,P. Dow Jones & Co.,Inc., National Observer. 5pp. 85688:007-85688:171.
- 9509150342 Responds to 910826 ltr written on behalf of SP Coburn re NRC fee schedule. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 91/09/18. LUGAR,R.G. Senate. 1p. 85688:022-85688:022.
- 9509150351 Informs that inquiries & communication be directed to D Williams at Washington office. LUGAR,R.G. Senate. 91/08/26. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 8pp. 85688:023-85688:086.
- 9509150375 Informs that for quarter beginning on 941001 & extending through 941231,NRC neither released nor denied to public any documents containing safeguards info. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/02/03. GINGRICH,N. House of Rep., Speaker of the House. 1p. 85688:087-85688:087.
- 9509150378 Forwards NRC "Rept to Congress on Abnormal Occurrences, July-Sept 1994," for third quarter of CY94 W/o encl. RCGERS,K.C. Commissioners (Post 750119). 95/02/15. GINGRICH,N. House of Rep., Speaker of the House. 1p. 85688:088-85688:088.
- 9509150380 Forwards NRC rept on administration of FOIA for CY94. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/03/08. GINGRICH,N. House of Rep., Speaker of the House. 8pp. 85688:089-85688:143.
- 9509150384 Responds to 900907 ltr requesting that NRC address concerns re disagreement w/NRC policy which establishes guidelines for NRC staff in reviewing requests for exemptions. RATHBUN,D.K. Office of the General Counsel (Post 860701). 90/09/19. LUGAR,R.G. House of Rep. 2pp. 85688:144-85688:145.
- 9509200364 Requests consideration of encl G Kirves 900812 ltr re policy by NRC to regulate exposure levels. LUGAR,R.G. Senate. 90/09/07. ZECH,L. Commissioners (Post 750119). 20pp. 85688:146-85688:169.
- 9509200376 Partially withheld ltr ack receipt of 900312 ltr re person seeking employment w/NRC. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/03/30. GINGRICH,N. House of Rep. 1p. 85688:170-85688:170.
- 9509200378 Partially withheld ltr informing of outstanding qualifications of stated person. GINGRICH,N. House of Rep. 90/03/12. ZECH,L.W. Commissioners (Post 750119). 1p. 85688:171-85688:171.
- 9509180040 FOIA request for documents re work on Oyster Creek NPP between 1963-1975. DEKOK,D. Affiliation Not Assigned. 95/06/06. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85676:001-85676:003.
- 9509180041 First partial response to FOIA request for documents.App A records encl & being made available in PDR. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:172.
- 9509180047 Summarizes meeting w/G White of GE on 640114. PRICE,H.L. Atomic Energy Commission (Pre 750119). 64/01/14. SEABORG, WILSON, PALFREY Atomic Energy Commission (Pre 750119). 2pp. 85676:010-85676:011.
- 9509180051 Summary of 640512 meeting in Bethesda re Safety Sys instrumentation proposed for Jersey Central (Oyster Creek) NPP. SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 64/05/18. Atomic Energy Commission (Pre 750119). 11pp. 85676:012-85676:022.
- 9509180055 Summary of 640428-29 meeting in Bethesda,MD re preliminary safeguards summary rept. GRIMES,B.K. Atomic Energy Commission (Pre 750119). 64/06/12. Atomic Energy Commission (Pre 750119). 3pp. 85676:023-85676:025.
- 9509180056 Summary of 640806 meeting re Jersey Central Permit Application. GASKE,M.C. Atomic Energy Commission (Pre 750119). 64/08/21. Atomic Energy Commission (Pre 750119). 4pp. 85676:026-85676:029.
- 9509180069 Applicant reply to petition for review by AEC Regulatory Staff. TROWBRIDGE,G. Jersey Central Power & Light Co. TROWBRIDGE,G. Shaw, Pittman, Potts & Trowbridge. 64/12/31. Atomic Energy Commission (Pre 750119). 3pp. 85676:030-85676:032.
- 9509180072 Statement of Position.Notifies that GE has significant interest in proceeding & administration of Commission licensing & regulatory program. MAHER,E.T. General Electric Co. 65/01/04. 3pp. 85676:033-85676:035.
- 9509180079 Opinion & Order.Application of GE for leave to file statement of position granted. MCCOOL,W.B. Atomic Energy Commission (Pre 750119). 65/02/18. General Electric Co. 6pp. 85676:036-85676:041.
- 9509180084 Motion for continuance.Staff requests that time for filing of exceptions & brief in support be extended from 650310 to 650316 & that time provided for applicant & GE response be extended until 650325. CONNER,T.B. Atomic Energy Commission (Pre 750119). 65/03/10. Atomic Energy Commission (Pre 750119). 1p. 85676:042-85676:042.
- 9509210082 Informs of meeting w/Jersey Central & GE scheduled for 650319 to discuss plant. GASKE,M.C. Atomic Energy Commission (Pre 750119). 65/03/17. Atomic Energy Commission (Pre 750119). 1p. 85676:043-85676:043.
- 9509210088 Statement of review of initial decision.Grants staff exemptions to initial decision. KENNEDY,W.F. General Electric Co. 65/03/26. 12pp. 85676:044-85676:055.
- 9509210093 Discusses supplemental design rept dtid 650531 describing design progress which had been made since public hearing in Oct 1964 on application for construction permit. W/Certificate of Svc. TROWBRIDGE,G.F. Jersey Central Power & Light Co. TROWBRIDGE,G.F. Shaw, Pittman, Potts & Trowbridge. 65/10/25. JENSCH,S.W. Atomic Energy Commission (Pre 750119). 3pp. 85676:056-85676:058.
- 9509210311 Forwards tabulation showing nuclear fuel requirements for initial core for Oyster Creek plant nuclear power reactor. REES,D.R. Jersey Central Power & Light Co. 65/12/09. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 3pp. 85676:059-85676:061.
- 9509210317 Summary of 660112 meeting w/uti re containment design capability considering added effects of metal/water reaction. TEDESCKO,R.L. Atomic Energy Commission (Pre 750119). 66/01/13. Atomic Energy Commission (Pre 750119). 1p. 85676:062-85676:062.

212 NONDOCKETED ITEMS

- 9509210327 Advises of changes re fuel enrichments w/GE. REES,D.R. Jersey Central Power & Light Co. 66/03/04. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 85676:063-85676:064.
- 9509210333 Summary of 670404-05 meeting w/util re ECCS or Oyster Creek Plant. STELLO,V. Atomic Energy Commission (Pre 750119). 67/04/17. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:065-85676:067.
- 9509210336 Summary of 670425 meeting w/util re earthquake design criteria & ECC. STELLO,V. Atomic Energy Commission (Pre 750119). 67/05/02. Atomic Energy Commission (Pre 750119). 2pp. 85676:068-85676:069.
- 9509210540 Summary of 670504-05 meeting w/GE re design criterion for class I equipment including containment penetrations. STELLO,V., RIZZO,A.J. Atomic Energy Commission (Pre 750119). 67/05/15. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:070-85676:072.
- 9509220020 Summary of 670518 meeting w/util,GE & Burns & Roe re detailed features of plant instrumentation. SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/05/25. Atomic Energy Commission (Pre 750119). 3pp. 85676:073-85676:075.
- 9509220022 Summary of 670517-18 meeting w/util & GE re plant instrumentation & control design. STELLO,V. Atomic Energy Commission (Pre 750119). 67/05/29. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:076-85676:078.
- 9509220036 Notification of 670621-22 meeting in Bethesda,MD & Washington DC to discuss staff position on ECCS to be presented at 670622 ACRS subcommittee meeting. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 67/06/12. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 1p. 85676:079-85676:079.
- 9509220046 Summary of 670620-21 meeting w/util,GE & Burns & Roe re instrumentation schematics. SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/06/22. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 2pp. 85676:080-85676:081.
- 9509220047 Summary of 670622 ACRS subcommittee meeting on plant re functional aspects of ECCS. STELLO,V. Atomic Energy Commission (Pre 750119). 67/07/07. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:082-85676:084.
- 9509220069 Summary of 670727 meeting w/util,Burns & Roe & GE re contents of 670714 ltr from PA Morris. STELLO,V. Atomic Energy Commission (Pre 750119). 67/08/07. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:085-85676:087.
- 9509220082 Discusses 670803-04 meeting re details of Oyster Creek, Unit 1 design. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/08/09. LOGAN,J.E. Jersey Central Power & Light Co. 1p. 85676:088-85676:088.
- 9509220084 Summary of 670830-31 meeting w/util re instrumentation & associated schematic diagrams. SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/09/07. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 7pp. 85676:089-85676:094.
- 9509220085 Summary of 670906 meeting w/util re formal response to NRC 670714 ltr on ECCS. STELLO,V. Atomic Energy Commission (Pre 750119). 67/09/11. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85676:095-85676:099.
- 9509220086 Summarizes telcon w/M Lane of GE re operation of containment spray sys. SULLIVAN,D.F. Atomic Energy Commission (Pre 750119). 67/10/09. STELLO,V. Atomic Energy Commission (Pre 750119). 1p. 85676:100-85676:100.
- 9509220115 Summarizes telcon w/G Ritter of Jersey Central & R Huggins of GE on 671025 re info on position on certain outstanding review of listed matters. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 67/10/27. Atomic Energy Commission (Pre 750119). 2pp. 85676:101-85676:102.
- 9509220116 Oyster Creek NPP GE Statement dtd 671113. * Atomic Safety & Licensing Board Panel. 67/11/13. 2pp. 85676:103-85676:104.
- 9509220123 Summarizes 671115 meeting re changes to proposed plant design. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/11/20. LOGAN,J.E. Jersey Central Power & Light Co. 5pp. 85676:105-85676:109.
- 9509220126 Summary of 671127 meeting w/util re QC programs,cracks on control rod stub tubes,outstanding instrumentation questions & proposed high pressure coolant injection sys. STELLO,V. Atomic Energy Commission (Pre 750119). 67/12/01. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85676:110-85676:111.
- 9509220135 Summary of 671208-09 meeting w/util re proposed high pressure coolant injection sys,emergency plans, administrative organization & outstanding instrumentation questions. STELLO,V. Atomic Energy Commission (Pre 750119). 67/12/13. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:112-85676:114.
- 9509220137 Summary of 671218 w/util re details of reactor vessel repair program. PORSE,L. Atomic Energy Commission (Pre 750119). 67/12/21. DEYOUNG,R.C. Atomic Energy Commission (Pre 750119). 2pp. 85676:115-85676:116.
- 9509220138 Summarizes 680126 meeting re Oyster Creek QA program. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 68/02/16. LOGAN,J.E. Jersey Central Power & Light Co. 2pp. 85676:117-85676:118.
- 9509220144 Summary of 680503 meeting w/util re certain problem areas identified in NRC ltr to Jersey Central dtd 680109. STELLO,V. Atomic Energy Commission (Pre 750119). 68/05/09. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85676:119-85676:123.
- 9509220304 Summary of 680526 meeting re proposed Oyster Creek TS. STELLO,V. Atomic Energy Commission (Pre 750119). 68/06/05. BOYD,R.S. Atomic Energy Commission (Pre 750119). 4pp. 85676:124-85676:127.
- 9509220336 Summary of 681024 meeting w/util re insp program for Oyster Creek reactor vessel. STELLO,V. Atomic Energy Commission (Pre 750119). 68/10/30. BOYD,R.S. Atomic Energy Commission (Pre 750119). 4pp. 85676:128-85676:131.
- 9509220339 Discusses review of Oyster Creek ECCS.Concludes that high pressure coolant injection capability w/onsite power capability needed to provide add protection in small break region. TEDESCO,R. Atomic Energy Commission (Pre 750119). 68/11/05. MORRIS,P. Atomic Energy Commission (Pre 750119). 2pp. 85676:134-85676:135.
- 9509220342 Summary of 681101 ACRS meeting re plant ECCS. STELLO,V. Atomic Energy Commission (Pre 750119). 69/01/03. BOYD,R.S. Atomic Energy Commission (Pre 750119). 3pp. 85676:136-85676:138.
- 9509220345 Summary of 690314 meeting w/util re staffing for plant start-up. TEDESCO,R.L. Atomic Energy Commission (Pre 750119). 69/03/17. BOYD,R.S. Atomic Energy Commission (Pre 750119). 2pp. 85676:132-85676:133.
- 9509220350 Summary of 690227 meeting w/util re three problem areas requiring resolution. WETTERHAHN,M.J. Atomic Energy Commission (Pre 750119). 69/03/19. BOYD,R.S. Atomic Energy Commission (Pre 750119). 5pp. 85676:139-85676:143.
- 9509250035 Summary of 650430 meeting w/util re conceptual design of containment dry well heat removal sys for Oyster Creek Plant. KNUTH,D.F. Atomic Energy Commission (Pre 750119). 69/05/05. NRC - No Detailed Affiliation Given. 2pp. 85676:144-85676:145.
- 9509250039 Summary of 690621 meeting w/util re various matters of concern on Oyster Creek. TEDESCO,R. Atomic Energy Commission (Pre 750119). 69/07/01. BOYD,R.S. Atomic Energy Commission (Pre 750119). 18pp. 85676:146-85676:163.
- 9509250041 Summary of 690725 meeting w/util re review of results of recent leak rate tests performed on main steam line isolation valves. NOLAN,F.J. Atomic Energy Commission (Pre 750119). 69/07/25. MANN,M.M. Atomic Energy Commission (Pre 750119). 3pp. 85676:164-85676:166.
- 9509250044 Summary of 700714 meeting w/util re control rod malfunctions & indications of faulty rod drive performance. MACKAY,S.D. Atomic Energy Commission (Pre 750119). 70/07/21. Atomic Energy Commission (Pre 750119). 2pp. 85676:167-85676:168.
- 9509250046 Summary of 701105 meeting w/util re results of FLECHT tests as related to effectiveness of CSS at Oyster Creek. WAMBACH,T. Atomic Energy Commission (Pre 750119). 71/02/01. Atomic Energy Commission (Pre 750119). 4pp. 85676:169-85676:172.
- 9509210019 Third partial response to FOIA request for records.App C & D records encl & available in PDF App E records; withheld (ref FOIA exemption 5). POWELL,R. Division of Freedom of Information & Publications Services (Post 840714). 95/05/23. GRAHAM,M.E. Affiliation Not Assigned. 6pp. 85583:001-85583:278.
- 9005170298 Requests assistance in review of submittal from Shieldalloy Corp entitled, "West Pile Decommissioning Plan." Review should focus on monitoring well placement,ability of pile to withstand 100-yr floods & erosion controls. CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 90/05/14. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (870413-940402). 1p. 85583:084-85583:084.
- 9006170129 Trip rept of 900712 visit to Cambridge,OH re Shieldalloy facility proposed groundwater monitoring plans. THAGGARD,M. Technical Branch (870413-901229). 90/07/17. STARMER,R.J. Technical Branch (870413-901229). 4pp. 85583:086-85583:089.
- 9009260038 Submits comments re West Pile Decommissioning Plan for Cambridge,OH facility. COMFORT,G.C. Fuel Cycle Safety Branch (870729-930206). 90/09/20. SMITH,D. Shieldalloy Metallurgical Corp. 2pp. 85583:090-85583:091.
- 9110280324 Requests review of response from Shieldalloy Metallurgical Corp re decommissioning plan for West Pile located at Cambridge,OH site. CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 91/10/22. BANGART,R.L. Division of Low-Level Waste Management & Decommissioning (870413-940402). 2pp. 85583:092-85583:092.
- 9208100283 "Technical Basis for Decommissioning Work Plan." * Metallurg. Inc. 92/07/01. 44pp. 85583:093-85583:128.
- 9208250034 "Statement of Account." consisting of statement of income & principal transactions & list of assets,per Trust Agreement dtd 900719 & between Shieldalloy Metallurgical Corp & Mellon Bank,NA. * Mellon Bank, N.A. 92/07/01. 5pp. 85583:129-85583:133.
- 9306140306 Forwards draft rept, "Radiological Survey of Shieldalloy Corp,Cambridge,OH." BERGER,J.D. Oak Ridge Associated Universities. 88/04/14. ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85583:085-85583:085.
- 9309090316 Record of telcon w/S Bauman,citizen of OH on 930907 re Shieldalloy Cambridge,OH site. GLENN,C. NRC - No Detailed Affiliation Given. 93/09/07. 1p. 85583:134-85583:134.
- 9309300272 Responds to 930916 ltr re assistance in connection w/ financial issues involving Shieldalloy Corp. BAILEY,P.E. ICF, Inc. 93/09/22. BYKOSKI,L.M. Decommissioning & Regulatory Issues Branch (Post 90:230). 2pp. 85583:135-85583:136.
- 9312030279 Forwards FR notice of intent to prepare EIS & to conduct scoping process for decommissioning facility. JUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 93/11/19. MEYER,D.L. Rules & Directives Review Branch (Post 920:2). 1p. 85583:137-85583:154.

- 9312300080 Ack receipt of 931104 ltr re payment of invoice JR0137-94. Requests copy of Chapter 11 bankruptcy filing w/court showing NRC as listed debtor. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 93/12/21. WAY,R.D. Sheldalloy Metallurgical Corp. 1p. 85583:155-85583:155.
- 9402100266 Forwards analytical results for samples from Sheldalloy in Cambridge,OH. BERGER,J.D. Oak Ridge Associated Universities. 94/01/11. GLINSKI,R. Region 3 (Post 820201). 3pp. 85583:156-85583:173.
- 9405260207 Forwards draft "Description of Proposed Action & Alternatives Decommissioning of Sheldalloy Metallurgical Corp Cambridge,OH Facility". WADE,M.C. Oak Ridge National Laboratory. FIN L-2094. 94/05/12. GLENN,C. NRC - No Detailed Affiliation Given. 1p. 85583:174-85583:194.
- 9405260216 Draft "Description of Proposed Action & Alternatives Decommissioning of Sheldalloy Metallurgical Corp Cambridge, OH Facility". * Oak Ridge National Laboratory. 94/05/12. NRC - No Detailed Affiliation Given. 20pp. 85583:175-85583:194.
- 9406080259 Provides comments on 940512 draft description of proposed action & alternatives for Sheldalloy Metallurgical Corp facility. GLENN,C.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/06/02. WADE,M. Oak Ridge National Laboratory. 4pp. 85583:195-85583:198.
- 9406230245 Forwards current sections on purpose,need & alternatives extracted from draft description of proposed action & alternatives. MCCOLD,L. Oak Ridge National Laboratory. 94/06/10. GLENN,C. NRC - No Detailed Affiliation Given. 18pp. 85583:205-85583:222.
- 9406230253 Forwards hard copies & diskette of Draft Section 2.1 alternatives including proposed action,per discussion. WADE,M.C. Oak Ridge National Laboratory. 94/06/07. GLENN,C. NRC - No Detailed Affiliation Given. 6pp. 85583:199-85583:204.
- 9406270316 Forwards analytical results for gross alpha/beta activities in water from Sheldalloy Metallurgical in Cambridge,OH. ABELQUIST,E.W. Oak Ridge Associated Universities. 94/06/13. GLINSKI,R. Region 3 (Post 820201). 2pp. 85583:223-85583:224.
- 9407200246 Notice of establishment of LPDR for Sheldalloy Metallurgical Corp,Cambridge,OH site. OLIU,W.E. Division of Freedom of Information & Publications Services (890206-940714). 94/07/13. 2pp. 85583:225-85583:226.
- 9408050234 Ack receipt of 940621 ltr & advises that detailed budget for EIS will not be provided as requested.Costs to be billed in accordance w/10CFR170.12 of Commission regulations,enc1.W/c encl. DANCOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 94/08/03. EVES,C.S. Sheldalloy Metallurgical Corp. 1p. 85583:249-85583:250.
- 9409300099 Forwards draft of rept covering radiological component of ground & surface water sampling & analysis program for facility at Cambridge,OH.Requests that draft rept be regarded as preliminary & not released to general public. EVES,C.S. Sheldalloy Metallurgical Corp. 94/07/26. GLENN,C. Office of Nuclear Material Safety & Safeguards. 2pp. 85583:227-85583:248.
- 9501130200 Provides draft meeting rept for 941222 meeting between NRC & licensee. NELSON,R. NRC - No Detailed Affiliation Given. 94/12/28. EVES,C.S. Sheldalloy Metallurgical Corp. 8pp. 85583:251-85583:258.
- 9501130205 Comments on draft rept of meeting between NRC staff & Sheldalloy Metallurgical Corp on 941222. NELSON,R. NRC - No Detailed Affiliation Given. 95/01/04. EVES,C.S. Sheldalloy Metallurgical Corp. 1p. 85583:259-85583:259.
- 9501250220 Requests addl info & scheduling of meeting re EIS for facility decommissioning. NELSON,R.A. Low-Level Waste & Uranium Recovery Projects Branch. 95/01/17. EVES,C.S. Sheldalloy Metallurgical Corp. 11pp. 85583:260-85583:270.
- 9501250227 Responds to comments received on 950105 re work plan for determining characteristics of facility slag. NELSON,R.A. Low-Level Waste & Uranium Recovery Projects Branch. 95/01/17. BAUMAN,S. Affiliation Not Assigned. 2pp. 85583:271-85583:278.
- 9509210040 Fourth partial response to FOIA request for documents. Forwards documents listed in App F. Documents also available in PDR. REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. GRAHAM,M.E. Affiliation Not Assigned. 3pp. 85608:001-85608:091.
- 9509210089 Forwards info received by NMSS staff member re two telcon concerning allegations involving Sheldalloy Metallurgical Corp. O'CONNELL,R.L. Office of Nuclear Material Safety & Safeguards. 94/10/13. FUNK,D. Region 3 (Post 820201). 5pp. 85608:320-85608:332.
- 9509210101 Summary of 941222 meeting w/Sheldalloy Metallurgical Corp re development of environmental impact statement. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/10. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 85608:033-85608:041.
- 9509220276 Provides summary of telcon re potential allegation at Sheldalloy Metallurgical Corp. O'CONNELL,R.L. NRC - No Detailed Affiliation Given. 94/10/06. GLENN,C.J. NRC - No Detailed Affiliation Given. 2pp. 85608:042-85608:043.
- 9509220281 Provides summary of 941012 telcon re violations of license material at 17 offsite locations near Footh Mineral facility around Cambridge,OH. O'CONNELL,R.L. NRC - No Detailed Affiliation Given. 94/10/12. GLENN,C.J. NRC - No Detailed Affiliation Given. 2pp. 85608:044-85608:058.
- 9509220284 Advises that NRC determined that qualifications of CS Eves adequate to allow Eves to be responsible for licensed matl. GLENN,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/20. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85608:059-85608:091.
- 9509210162 Third & final response to FOIA request for records.App C records encl & available in PDR.App D records partially withheld (ref FOIA Exemption 6). POWELL,R. NRC - No Detailed Affiliation Given. 95/07/24. EVES,C.S. Affiliation Not Assigned. 6pp. 85583:279-85584:208.
- 9509210239 informs that Radiological Environ Assessment Section field investigators visited site on 950608 to assess radiological & physical status. KAPSALOPOULOU New Jersey. State of. 90/07/03. OBERG,T. Region 1 (Post 820201). 7pp. 85583:311-85584:026.
- 9509210248 Provides analysis data of water samples taken from site of Gamma industries.NRC license number 17-16109-01 in Port Norms,NJ. YOUNG,L.A. Gulf Nuclear, Inc. 84/12/13. NRC - No Detailed Affiliation Given. 8pp. 85584:027-85584:034.
- 9509210252 Forwards summary of outside activities & current status of site grounds of Gamma industries. YOUNG,L.A. Gulf Nuclear, Inc. 84/12/04. GLENN,J.E. Region 1 (Post 820201). 26pp. 85584:035-85584:067.
- 9509210256 Discusses insp rept 30-13089/84-01 on 840409 & forwards notice of violation. MARTIN,T.T. Region 1 (Post 820201). 84/07/23. MCDFUT,B. Gamma Industries, Inc. 2pp. 85584:068-85584:092.
- 9509210312 informs of intention of licensee to clean up facility & sell or reassign property & bids to individual or firm that desires to continue radioactive matl handling license. RIDDLE,D.H. Gamma Industries, inc. 83/11/23. WANG,J.C. Materials Licensing Branch. 1p. 85584:093-85584:093.
- 9509210323 Responds to 820630 application for renewal of license number 17-16109-01 re decommissioning at Gamma Industries Po: Norris facility. WANG,J.C. Materials Licensing Branch. 82/12/09. RIDDLE,D.H. Gamma Industries, Inc. 2pp. 85584:094-85584:095.
- 9509220008 Forwards insp rept 30-13089/80-01 on 800218-19.No violations noted. MCLINTOCK,R.O. Region 1, IE (720101-810228). 80/02/27. RICHARD,J. Nuclear Systems, Inc. 2pp. 85584:096-85584:097.
- 9509220013 insp rept 30-13089/80-01 on 800218-19.No violations noted. Major areas inspected:review of survey activities by R Parker for Gamma Industries. GLENN,J.E. Region 1 (Post 820201). 80/02/22. 6pp. 85584:098-85584:146.
- 9509220017 Ack receipt of 800121 ltr informing NRC of steps taken to correct violations noted in insp rept 30-13089/79-01. GRIER,B.H. Region 1, IE (720101-810228). 80/02/12. RICHARD,J. Nuclear Systems, Inc. 4pp. 85584:147-85584:164.
- 9509220021 Ack receipt of 770811 ltr informing NRC of steps taken to correct violations noted in insp rept 30-005409/77-01. NELSON,P.R. Region 1, IE (720101-810228). 77/08/19. PARKER,R. Gamma Industries, Inc. 1p. 85584:165-85584:185.
- 9509220027 Submits ltr of confirmation of meeting to be held on 760310 in King of Prussia,PA. O'REILLY,J.P. Region 1, IE (720101-810228). 76/02/23. PARKER,R. Gamma Industries, inc. 1p. 85584:186-85584:186.
- 9509220029 Submits plan for mgt meeting w/Gamma Industries on 760310. Agenda encl. MCLINTOCK,R.O. Region 1, IE (720101-810228). 76/02/26. O'REILLY,J.P. Region 1, IE (720101-810228). 2pp. 85584:187-85584:188.
- 9509220032 informs that R Parker stated that over next yr operations in Port Norms,NJ will be phased out. JERMAN,P.C. Region 1, IE (720101-810228). 75/12/02. Region 1, IE (720101-810228). 1p. 85584:189-85584:208.
- 9509220036 FOIA request for correspondence between NRC & Senator P Wilson. O'BRIEN,J. Affiliation Not Assigned. 95/06/22. POWELL,R. Division of Information & Publications Services (Post 940714). 1p. 85586:152-85586:152.
- 9509220042 Final response to FOIA request for records.App A records encl & available in PDR.App B records partially withheld (ref FOIA Exemption 6). REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/19. O'BRIEN,J. Affiliation Not Assigned. 6pp. 85586:153-85586:327.
- 9509220122 FOIA request for documents re copies of all documents concerning licenses or permits granted by NRC to former Dow lab to possess or use radioisotopes. KAY,M. Dow Chemical Co. 95/03/27. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85633:001-85633:001.
- 9509220131 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld (ref FOIA exemption 6). POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/17. KAY,M. Dow Chemical Co. 5pp. 85633:002-85633:324.
- 8003120242 Ack receipt of 790806 application to possess & use byproduct matl.Requests detailed calibr procedures for all monitoring instruments.NL Boardway unqualified as radiation safety officer. SOLBERG,M.E. Materials Licensing Branch. 01756. 80/02/08. BOARDWAY,N.L. Dow Chemical Co. 3pp. 85633:081-85633:083.
- 8004280642 Forwards application for matl/byproduct license.Discusses changes to application & radiation protection manual in response to NRC 800312 ltr & calibr of counters by Jasin & Sayies Associates under License 20-16852-01. CHAGUTURU,M.K. Dow Chemical Co. 0595. 80/03/14. SOLBERG,M.E. Materials Licensing Branch. 2pp. 85633:105-85633:106.
- 8203080324 IE Insp Findings & Licensee Ack dtd 820222 of License 20-18203-01.insp findings:no noncompliance noted. JOHNSON,D.M. Region 1 (Post 820201). 82/02/22. 1p. 85633:104-85633:104.
- 8507260127 Amend 2,terminating License 20-18203-01 for Dow Chemical USA. GLENN,J.E. Region 1 (Post 820201). 85/06/26. 1p. 85633:125-85633:133.

214 NONDOCKETED ITEMS

- 8507260138 Forwards Amend 2 terminating License 20-19203-01.
GLENN,J.E. Region 1 (Post 820201). 18939. 85/06/28. FLYNN,J.J. Dow Chemical Co. 1p. 85633:126-85633:126.
- 8507260146 Application for termination of License 20-19203-01. Certificate of disposition of matts encl.
FLYNN,J.J. Dow Chemical Co. 18939. 85/04/25. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 85633:127-85633:133.
- 8507260161 Certificate of disposition of matts:all matts transferred to Interex Corp & Scintillation spectrometer w/Ra-226 sealed source donated to Wellesley College.Wipe test results & license fee transmittal form encl.
FLYNN,J.J. Dow Chemical Co. 18939. 85/04/29. 6pp. 85633:128-85633:133.
- 8509220151 Application for license authorizing Dow Chemical Co to use tritium-hydrogen 3 for F&M model 810 analytical gas chromatograph for lab analysis.
OVERCHUK,N.A. Dow Chemical Co. 64/03/04. 3pp. 85633:007-85633:009.
- 8509220235 Requests status or when to receive AEC license against application dtd 640304.
JONES,I.M. Dow Chemical Co. 58116. 64/04/10. Atomic Energy Commission (Pre 750119). 2pp. 85633:010-85633:011.
- 8509220241 Application for license authorizing Dow Chemical Co to use hydrogen 3 for F&M Scientific Corp gas chromatography units
BRINKMAN,R.E. Dow Chemical Co. 64/04/10. 1p. 85633:012-85633:012.
- 8509220268 Certificate of disposition of matts:no byproduct matt have been procured &/or possessed by licensee under license 20-09899-01
* Dow Chemical Co. 66/03/14. 54pp. 85633:013-85633:065.
- 8509220294 Refers to application dtd 790806 for byproduct matt license.
JACKSON,G. License Fee Management Branch (Pre 861124). 01758. 79/11/13. BOARDWAY,N.L. Dow Chemical Co. 1p. 85633:066-85633:066.
- 8509250040 "Revised Radiation Protection Manual."
* Dow Chemical Co. 80/03/31. 14pp. 85633:067-85633:080.
- 8509250048 Application for license authorizing Dow Chemical USA to use 100 mCi of C-14 & H-3 for lab research tracer studies.
CHAGUTURU,M.K. Dow Chemical Co. 80/02/27. 20pp. 85633:084-85633:103.
- 8509250078 License 20-19203-01 for Dow Chemical USA authorizing 100 mCi C-14 & 100 mCi H-3 for in vitro tracer studies.
* Materials Licensing Branch. 85/04/30. 3pp. 85633:107-85633:109.
- 8509250088 Insp rept 30-17128/82-01 on 820222.No violations noted.
* NRC - No Detailed Affiliation Given. 82/03/22. 10pp. 85633:110-85633:119.
- 8509260019 Application for amend to license 20-19203-01.increasing max possession amount of H-3 from 100 mCi to 5 Ci.
CHAGUTURU,M.K. Dow Chemical Co. 83/06/30. GLENN,J. Region 1 (Post 820201). 2pp. 85633:120-85633:121.
- 8509260162 Forwards amend 1 to license 20-19203-01.for review.
JERMAN,P.C. Region 1 (Post 820201). 01516. 83/07/22. CHAGUTURU,M.K. Dow Chemical Co. 1p. 85633:122-85633:122.
- 8509260172 Amend 1 to license 20-19203-01 for Dow Chemical USA.amending license in entirety.
JERMAN,P.C. Region 1 (Post 820201). 83/07/22. 2pp. 85633:123-85633:124.
- 8509260268 Discusses meeting requested by R Chaguturu of Dow Chemical on 800312 in Silver Spring,MD.to discuss deficiency ltr which was sent to Dow Chemical on 800208.
SOLBERG,M.E. Materials Licensing Branch. 95/08/17. Materials Licensing Branch. 7pp. 85633:134-85633:140.
- 8509260275 Partially withheld application for license authorizing use of 100 mCi C-14 & H-3 for lab research tracer studies.
* Dow Chemical Co. 79/08/06. 120pp. 85633:141-85633:323.
- 8509260252 "C-4 Acid Decarboxylation & CO2 Donation to Photosynthesis in Bundle Sheath Strands & Chloroplasts from Species Representing Three Groups of C-4 Plants."
RATHNAM,C.K., EDWARDS,G.E. Wisconsin, Univ. of, Madison, WI. 76/09/28. 13pp. 85633:324-85633:324.
- 9509220305 First partial response to FOIA request for records.App A records encl & available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/06/16. MARQUART,P.A. Detroit Edison Co. 3pp. 85585:001-85585:151.
- 8509250001 "Work Plan & Performance Appraisal for A & M-Grade Employees."
MARTIN,J. Detroit Edison Co. 81/12/31. 100pp. 85585:005-85585:091.
- 8509250002 "1992 Performance Mgt Program Work Plan."
MARTIN,J. Detroit Edison Co. 82/12/31. 17pp. 85585:092-85585:120.
- 8509250008 "Rept of investigation re Fermi Power Plant:Alleged Employment Discrimination Against QA Specialist.
ANDERSON,R., PAWLIK,E.T. Region 3 (Post 820201). 94/05/31. 28pp. 85585:121-85585:147.
- 8509250017 Submits notification of investigation re case number 3-93-013R.
PAWLIK,E.T. Region 3 (Post 820201). 93/06/06. HAYES,B.B. Office of investigations (Pre 880201). 3pp. 85585:148-85585:150.
- 8509250080 Transcript of 940202 investigative interview of J Niotho in Newport,MI.
* Ofc of Investigations (Post 880201). 94/02/02. 134pp. 85585:151-85585:264.
- 8509250083 Transcript of 940307 investigative interview of JL Martin in Detroit,MI.
* Ofc of Investigations (Post 880201). 94/03/07. 250pp. 85585:265-85585:111.
- 8509250084 Transcript of 940308 investigative interview of J Wald in Newport,MI.
* Ofc of Investigations (Post 880201). 94/03/08. 40pp. 85585:112-85585:151.
- 9509220316 FOIA request for documents re list of purchasing agents within each office &/or list of employees issued credit cards that have ability to purchase supplies.
KING,D. Affiliation Not Assigned. 95/08/18. NRC - No Detailed Affiliation Given. 1p. 85608:092-85608:092.
- 9509220326 Final response to FOIA request for documents.Records in App A will be made available in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/07. KING,D. Affiliation Not Assigned. 2pp. 85608:093-85608:098.
- 8509220333 Listing of purchasing agents issued credit cards to purchase supplies.
* NRC - No Detailed Affiliation Given. 95/09/30. 4pp. 85608:095-85608:098.
- 9509220340 Final response to FOIA request for documents.Records in App A will be made available in PDR.Records in App B will be withheld in entirety (ref Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/13. ZACHARIAS,N. Affiliation Not Assigned. 4pp. 85600:111-85600:128.
- 8509220344 Forwards NRC locations which have been added & deleted from coverage since original list was submitted on 931022 & contracts & purchase orders issued to provide local exchange carrier svcs during fiscal year 1994.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/04/17. General Services Administration. 8pp. 85600:115-85600:128.
- 9509220349 FOIA request for KA-95-0122 dtd 950316 & KAA-9-0015(A).dtd 950505.
ZACHARIAS,N.K. Affiliation Not Assigned. 95/08/07. POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85600:109-85600:110.
- 9509250011 Final response to FOIA request for documents.Records in App A will be made available in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/18. GRIFFIN,S. Affiliation Not Assigned. 2pp. 85744:002-85744:069.
- 8509250178 Informs that S Saionm trying to put daily note on potential E export of LLW to Russia together.Requests source of facts be verified.
SALOMON,S. NRC - No Detailed Affiliation Given. 95/06/07. PERKINS,K., NORRIS,W., HAUBER,R.D. NRC - No Detailed Affiliation Given. 31pp. 85744:004-85744:034.
- 8509250184 Forwards meeting summary to R Aldrich W/c encl.
GORDON,C.Z. NRC - No Detailed Affiliation Given. 95/06/06. BANGART,R.L. NRC - No Detailed Affiliation Given. 2pp. 85744:036-85744:037.
- 8509250193 Responds to low level waste shipments.Conversation w/T Tascano who represents Master International Sys,USA. New York company which planning to export low level waste to Dagestan.discussed.
HAUBER,R.D. NRC - No Detailed Affiliation Given. 95/06/09. NORRIS,W., THOMPSON,H.L. NRC - No Detailed Affiliation Given. 1p. 85744:038-85744:038.
- 8509250196 Forwards 850608 Maine ltr.per conversation for info.
HAUBER,R. Region 1 (Post 820201). 95/06/13. GORDON,C.Z. General. 4pp. 85744:039-85744:042.
- 8509250204 Discusses conversation w/Afton reps re import/export rule.
SALOMON,S. NRC - No Detailed Affiliation Given. 95/07/06. FRIDLEY,S.G. NRC - No Detailed Affiliation Given. 1p. 85744:043-85744:043.
- 8509250212 Forwards articles re radioactive waste.
LEHMAN,L. L. Lehman & Associates, Inc. 95/07/05. SALOMON,S. NRC - No Detailed Affiliation Given. 8pp. 85744:044-85744:051.
- 8509250214 Forwards item from July 10 issue of US News & World Rept & article in ACURI newsletter,for info.
LOVINGER,T. Afton Associates, Inc. 95/07/07. HAUBER,R. NRC - No Detailed Affiliation Given. 3pp. 85744:052-85744:054.
- 8509250224 Discusses news clipping re issue of waste to Dagestan Saga.
HAUBER,R.D. NRC - No Detailed Affiliation Given. 95/07/10. HEMBY,E.O. NRC - No Detailed Affiliation Given. 1p. 85744:055-85744:055.
- 8509250259 Forwards bulletin from NRC re conversation w/P Toscano of Master Intl Sys.
BARI,F. Affiliation Not Assigned. 95/07/17. HAUBER,R. NRC - No Detailed Affiliation Given. 12pp. 85744:056-85744:069.
- 9510110158 Requests that recipient find out from Region 1 re current status of exports of low-level waste from Maine to Russia.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/06. KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85744:035-85744:035.
- 9509250050 FOIA request for documents re info on agencies that use govt credit cards.
TRAIL,M.E. Affiliation Not Assigned. 95/08/09. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85588:355-85588:355.
- 9508250054 Final response to FOIA request for documents.Records in App A available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. TRAIL,M.E. Affiliation Not Assigned. 2pp. 85588:356-85588:361.
- 8509250058 Listing of bank card holders.
* Division of Freedom of Information & Publications Services (Post 940714). 95/09/08. 4pp. 85588:358-85588:361.
- 9509250080 Third partial response to FOIA request for documents. Forwards documents listed App E.Documents will be placed in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI,J.W. Affiliation Not Assigned. 9pp. 85763:001-85763:032.
- 8212210138 Informs that ltr to President Bush referred to DOE,then NRC for response re safe operation of facility.NRC takes all allegations of safety problems at licensed nuclear power plants & retaliation against employees seriously.
INGRAM,F.L. Office of Public Affairs (Post 911117). 92/12/04. GUNDERSEN,L. Affiliation Not Assigned. 7pp. 85763:033-85763:039.

-9509250068 Forwards correspondence control ticket. TAYLOR, J. Ofc of the Executive Director for Operations. 93/03/23. LIEBERMAN, J., MARTIN, T. NRC - No Detailed Affiliation Given. 2pp. 85763:015-85763:016.

-9509250073 Discusses false statements submitted to NRC by Nuclear Energy Svc. GUNDERSEN, A. Affiliation Not Assigned. 93/03/18. HAYES, B. Ofc of Investigations (Post 890201). 2pp. 85763:017-85763:030.

-9509250089 Discusses A Gundersen, nuclear whistle blower employee of Nuclear Energy Svc. GUNDERSEN, L. Affiliation Not Assigned. 92/12/11. INGRAM, F.L. NRC - No Detailed Affiliation Given. 2pp. 85763:031-85763:032.

-9509250205 Responds to 921106 memo re IRT evaluation of A Gundersen. BANGART, R.L. NRC - No Detailed Affiliation Given. 95/09/06. THOMPSON, H.L. Dep Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 890205). 8pp. 85763:040-85763:047.

-9509250217 Informs of request from Senator Lieberman staff re completion of status rept re A Gundersen. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/10/01. BLAHA, J. Assistant for Operations (Post 890205). 1p. 85763:048-85763:048.

-9509250230 Discusses insp rept re allegations made by A Gundersen. COOPER, R.W. Region 1 (Post 820201). 92/06/16. LETTS, B.R. Ofc of Investigations (Post 890201). 6pp. 85763:057-85763:111.

-9509250240 Provides allegations made by A Gundersen not addressed in 92-001 insp rept. DWYER, J.P. NRC - No Detailed Affiliation Given. 92/04/30. NRC - No Detailed Affiliation Given. 10pp. 85763:112-85763:121.

-9509250388 Discusses investigations of Northeast Utilities & issues of dismissal. GUNDERSEN, A. Affiliation Not Assigned. 92/02/06. WILSON, E.P. Ofc of Investigations (Post 890201). 2pp. 85763:122-85763:123.

-9509250393 Provides info of safety infractions re NES. GUNDERSEN, A. Affiliation Not Assigned. 92/01/01. COSTELLO, F. Region 1 (Post 820201). 2pp. 85763:124-85763:125.

-9509250398 Discusses investigation into NES re safety concerns at facility. GUNDERSEN, A. Affiliation Not Assigned. 91/12/28. COSTELLO, F. Region 1 (Post 820201). 2pp. 85763:126-85763:127.

-9509250401 Informs that NRC has completed investigation of quality assurance audit records for manufacture of TMI-2 spent fuel canisters by facility. RULAND, W.H. Region 1 (Post 820201). 91/09/27. Nuclear Energy Services (NES) Manufacturing. 2pp. 85763:128-85763:129.

-9509260148 Informs that NRC has completed insp & investigation into alleged destruction of Quality Assurance audit records at NES. RULAND, W.H. Region 1 (Post 820201). 91/08/30. FUHRMEISTER, R. Region 1 (Post 820201). 3pp. 85763:130-85763:132.

-9509260161 Documents completion of NRC investigation re alleged destruction of quality assurance audit records for TMI-2 spent fuel waste canisters. MARTIN, T.T. Region 1 (Post 820201). 95/04/29. MCGOFF, D.J. Energy, Dept. of. 2pp. 85763:133-85763:134.

-9509260163 Provides list of personnel that was contacted re allegation RI-90-A-0075 TMI-2 spent fuel waste canisters. HARRIS, P.W. Region 1 (Post 820201). 91/04/17. MOORE, M. Region 1 (Post 820201). 2pp. 85763:135-85763:136.

-9509260166 Informs that investigation re concerns destruction of quality assurance audit related to manufacture of spent fuel waste canisters. RULAND, W.H. Region 1 (Post 820201). 91/05/13. GUNDERSON, A. Affiliation Not Assigned. 1p. 85763:137-85763:192.

-9509260259 Provides notes re telcon on 900815. RULAND, W.H. NRC - No Detailed Affiliation Given. 90/08/16. NRC - No Detailed Affiliation Given. 1p. 85763:193-85763:193.

-9509260261 Informs of new info re allegations concerning Nuclear Energy Svc. GUNDERSEN, A. Affiliation Not Assigned. 90/08/21. BETTENHAUSEN, L. Region 1 (Post 820201). 3pp. 85763:194-85763:196.

-9509260263 Discusses telcon re whistle blower role & safety obligation of employees. GUNDERSEN, A. Affiliation Not Assigned. 90/08/18. BETTENHAUSEN, L. Region 1 (Post 820201). 2pp. 85763:197-85763:209.

-9509260266 Notifies of appointment of MA Callahan, RSO to administer NES programs covered by byproduct material license 06-20775-01. TREJO, F. Nuclear Energy Services (NES) Manufacturing. 90/04/18. KINNEMAN, J. Region 1 (Post 820201). 51pp. 85763:210-85763:276.

-9509260276 Advises that NES used license 06-20775-01 to ship Co-60 irradiator within model NES-5 shipping cask, Certificate of Compliance 9193. DESANTJ, Nuclear Energy Services (NES) Manufacturing. 89/02/28. WHITE, J.R. NRC - No Detailed Affiliation Given. 6pp. 85763:277-85763:282.

-9509260279 Provides issues re review of transcript of 931007-08 whistle blower hearings in New London, CT. BARKLEY, R. NRC - No Detailed Affiliation Given. 94/01/12. DOERFLEIN, L. NRC - No Detailed Affiliation Given. 2pp. 85763:283-85763:296.

-9509260284 Discusses A Gundersen, nuclear whistle blower from CT. GUNDERSEN, L. Affiliation Not Assigned. 93/09/21. HAYES, B. NRC - No Detailed Affiliation Given. 4pp. 85763:297-85763:302.

-9509260287 Discusses A Gundersen, whistle blower re false statements by NES submitted to NRC. GUNDERSEN, M. Affiliation Not Assigned. 93/06/23. TAYLOR, J. Ofc of the Executive Director for Operations. 22pp. 85763:303-85763:324.

-9509260294 Expresses appreciation for returning telephone call. GUNDERSEN, M. Affiliation Not Assigned. 93/05/11. COSTELLO, F. NRC - No Detailed Affiliation Given. 12pp. 85763:325-85763:339.

-9509260304 Discusses allegation re discrimination by NES. FUHRMEISTER, R. Region 1 (Post 820201). 92/07/24. GUNDERSEN, A. Affiliation Not Assigned. 4pp. 85763:340-85763:343.

-9509260311 Informs of outline of safety infractions at NES. GUNDERSEN, A. Affiliation Not Assigned. 92/01/04. COSTELLO, F. Region 1 (Post 820201). 9pp. 85763:344-85764:007.

-9509260319 Provides responses to 910930 ltr re A Gundersen allegations involving safety concerns. MANION, W.J. Affiliation Not Assigned. 91/10/30. MARTIN, T.T. Region 1 (Post 820201). 35pp. 85764:008-85764:042.

-9509260323 Requests info re allegation of harrasment & discrimination by NES. FUHRMEISTER, R. Region 1 (Post 820201). 91/09/20. GUNDERSEN, A. Affiliation Not Assigned. 2pp. 85764:049-85764:050.

-9509260330 Responds to ltr re RI-90-A-0075, re allegations of NES. GUNDERSEN, A. Affiliation Not Assigned. 91/08/01. FUHRMEISTER, R. Region 1 (Post 820201). 1p. 85764:051-85764:051.

-9509260338 Discusses dismissal of NES employee because of safety issues raised while performing his duties & NRC request that NES respond within 30 days. MARTIN, T.T. Region 1 (Post 820201). 91/09/30. MANION, W.J. Nuclear Energy Services (NES) Manufacturing. 4pp. 85764:052-85764:055.

-9509260344 Responds to 910815 ltr to former Chairman Carr re safety & labor issues at NES facility. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/08/31. LIEBERMAN, J.I. Senate. 6pp. 85764:056-85764:061.

-9509260369 Discusses 910621 telcon re handling of allegations of staff impropriety contained in document of encl ltr to JI Lieberman dtd 930805. MARTIN, T.T. Region 1 (Post 820201). 91/06/25. NORTON, L.J. Office of the Inspector General (Post 890417). 5pp. 85764:073-85764:117.

-9509270194 Discusses info submitted to NRC re allegations to begin investigation. GUNDERSEN, A. Affiliation Not Assigned. 90/06/26. WHITE, J.R. Region 1 (Post 820201). 23pp. 85764:118-85764:143.

-9509270234 Discusses message from A Gundersen informing that receipt of info re Nuclear Energy Svc. FUHRMEISTER, R. NRC - No Detailed Affiliation Given. 93/05/10. DWYER, J.P. NRC - No Detailed Affiliation Given. 5pp. 85764:144-85764:148.

-9509270244 Notes Hadley ltrs re Nuclear Energy Svc. FUHRMEISTER, R. NRC - No Detailed Affiliation Given. 93/03/18. SMITH, K.D. NRC - No Detailed Affiliation Given. 3pp. 85764:149-85764:151.

-9509270251 Informs that A Gundersen case never went to hearing. SWETLAND, NRC - No Detailed Affiliation Given. 91/04/09. HOLODY, D. NRC - No Detailed Affiliation Given. 17pp. 85764:152-85764:197.

9509250066 FOIA request for documents re license SUC-1565. KOK, A.J. Varnum, Riddering, Schmidt & Howlett (formerly Varnum, Riddering, Wierengo & Chr. 95/08/02. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85608:099-85608:100.

9509250069 Final response to FOIA request for documents. Records in App A available in PDR. App B records encl & being made available in PDR. BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/18. KOK, A.J. Varnum, Riddering, Schmidt & Howlett (formerly Varnum, Riddering, Wierengo & Chr. 12pp. 85608:101-85608:197.

-9310120381 Discusses 930922 telephone interview w/ J. Alien re Hartley & Hartley Landfill SOMP site & submits responses to GAO questions as requested. PARROTT, J.D. NRC - No Detailed Affiliation Given. 93/10/06. NRC - No Detailed Affiliation Given. 3pp. 85608:113-85608:115.

-9409190239 Forwards OGC & ICF, Inc comments on nonstandard financial assurance submittals for use in preparing deficiency ltr. BYKOSKI, L.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/01. PARROTT, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 26pp. 85608:116-85608:141.

-9504190331 Forwards on behalf of SCA Svcs, Inc (SCA) SCA responses to NRC 940923 comment, on financial assurance documentation for Hartley & Hartley site, Bay County, MI. OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/02/22. PARROTT, J. NRC - No Detailed Affiliation Given. 23pp. 85608:142-85608:193.

-9504190334 Forwards on behalf of SCA Svcs, Inc (SCA) addendum to 950222 submittal of responses to NRC comments on SCA financial assurance documentation for Hartley & Hartley site, Bay County, MI, based on 950320 telcon w/ NRC. OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/03/27. PARROTT, J. NRC - No Detailed Affiliation Given. 29pp. 85608:194-85608:197.

-9509260079 Forwards Amend 1 to Standby Trust Agreement established by SCA Svcs, Inc as part of financial assurance obligation for license SUC-1565. OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/26. PARROTT, J. NRC - No Detailed Affiliation Given. 4pp. 85608:194-85608:197.

9509250071 Final response to FOIA request for documents. Records in App A will be withheld in entirety (ref Exemption 5). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/12. LENHART, L.E. Northeast Ohio Regional Sewer District. 3pp. 85608:266-85608:268.

9509250074 FOIA request for documents re procurement info about procurement & contracting activities relating to purchase of meeting planning or meeting mgmt svc. KIRKENDALL, D. 95/06/14. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85592:013-85592:013.

216 NONDOCKETED ITEMS

- 9509250075** FOIA request for documents re all NRC working papers, drafts, calculations & memoranda re preparation or substance of joint guidance document on radiation at publicly owned wastewater treatment works, prepared US EPA.
LENHART, T.E. Northeast Ohio Regional Sewer District. 95/05/22. Division of Freedom of Information & Publications Services (Post 940714). 1p.
- 9509250082** Final response to FOIA request for documents. Records in App A encl & being made available at PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/11. KIRKENDALL, D. 2pp. 85592:014-85592:043.
- 9509250086** Printout listing of NRC meetings by purchase order numbers.
* NRC - No Detailed Affiliation Given. 95/06/22. 28pp. 85592:016-85592:043.
- 9509250263** FOIA request for documents which related to export of low level radioactive waste to Russian Federation.
GRIFFIN, S.B. Affiliation Not Assigned. 95/07/25. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85744:001-85744:001.
- 9509260083** Fifth partial response to FOIA request for document. Record in App H released in part. Records in appendices I & J withheld in their entirety (ref FOIA Exemptions 4 & 6).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/22. COPELAND, J.G. Baker & Botts. 7pp. 85592:075-85592:111.
- 9509260140** Senior mgt meeting held in June 1993 re STP.
* NRC - No Detailed Affiliation Given. 93/06/30. 20pp. 85592:092-85592:111.
- 9509260133** Second partial response to FOIA request for documents. Records in App D will be made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. JOHNSON, D.G. LeBoeuf, Lamb, Leiby & MacRae. 2pp. 85610:077-85610:111.
- 9509260135** Forwards info which R Pettis of NRC requested in December.
PATTON, P. 95/02/16. HARRIS, D. 31pp. 85610:081-85610:111.
- 9509260167** Fourth partial response to FOIA request for documents. Records in App G encl & being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. COPELAND, J.G. Baker & Botts. 3pp. 85610:112-85610:296.
- 9303310111** Discusses performance evaluation tree for plant using insp repts & LERs from 920101-930226. Overall performance rated low adequate. Evaluation marked pre-decisional due to subjective nature.
ZECH, G.G. Performance & Quality Evaluation Branch. 93/03/25. BLACK, S.C. Project Directorate IV-2. 6pp. 85610:131-85610:136.
- 9309140131** Responds to questions re shift staff requirements in 930416 memo. Advises that NRR has requested OIC of Nuclear Regulatory Research to conduct research re technical basis for min shift staffing requirements. SECY-93-184 encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/22. MARTIN, T.T. Region 1 (Post 820201). 2pp. 85610:177-85610:187.
- 9403240122** Forwards draft notice of violation re operational readiness assessment team insp.
IMBRO, E.V. Special Inspection Branch. 94/03/22. BEACH, A.B. Region 4 (Post 820201). 5pp. 85610:218-85610:222.
- 9404210021** Discusses AEOD 940404-07 visit to plant to gather info on cause of SDG inadvertent starts. Advises that tests show that existing start transistors from SDG control circuit fail to operate when environmental temp reaches over 100 F.
LEE, E.J. Division of Safety Programs (Post 870413). 94/04/13. ROSENTHAL, J.E. Division of Safety Programs (Post 870413). 2pp. 85610:223-85610:224.
- 9509260174** Forwards proposed staff actions resulting from South Texas Project evaluation for review.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 93/06/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). MILHOAN, J.L. Region 4 (Post 820201). 6pp. 85610:125-85610:130.
- 9509260181** Discusses insp program credit for diagnostic evaluation at South Texas.
HEHL, C.W. NRC - No Detailed Affiliation Given. 93/06/10. BEACH, A.B. Region 4 (Post 820201). 38pp. 85610:137-85610:176.
- 9509260262** Forwards insp manual chapter 0350, "Staff Guidelines for Restart Approval."
BEACH, A.B. Region 4 (Post 820201). 93/09/27. GODY, A.T. Program Management, Policy Development & Analysis Staff (Post 870411). 8pp. 85610:188-85610:207.
- 9509260269** Forwards South Texas Project, Unit 1 restart coverage plan.
BEACH, A.B. Region 4 (Post 820201). 94/03/07. KOKAJKO, L. NRC - No Detailed Affiliation Given. 5pp. 85610:208-85610:212.
- 9509260271** Forwards STP, Unit 1 restart coverage plan.
BEACH, A.B. Region 4 (Post 820201). 94/02/03. NRC - No Detailed Affiliation Given. 5pp. 85610:213-85610:217.
- 9509260277** Forwards South Texas Project, Unit 2 restart action plan, rev 0.
BEACH, A.B., ADENSAM, E.G. Region 4 (Post 820201). 94/04/28. CALLAN, L.J. Region 4 (Post 820201). REYES, L.A. Associate Director for Projects (Post 870411). 16pp. 85610:225-85610:284.
- 9509260292** Discusses request, dtd 941108, for depositions of eleven current NRC senior official & employees. Request denied.
CYR, D. Office of the General Counsel (Post 860701). 94/12/19. EGAN, J.R. Affiliation Not Assigned. 2pp. 85610:285-85610:286.
- 9509260306** Responds to 950322 facsimile, forwarding amended complaint filed before DOL re alleged discrimination against TJ Saporto in Feb 1992.
LIEBERMAN, J. OIC of Enforcement (Post 870413). 2.206. 95/04/12. SAPORITO, T.J. Saporto, T.J. 2pp. 85610:287-85610:296.
- 9509260176** Final response to FOIA request for documents. Records in App A encl & being made available for PDR. Releasable portions of App B also encl. Portions of App B records withheld (ref FOIA Exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/18. KRECKE, T. 3pp. 85592:046-85592:074.
- 9509260187** "Power Reactor Ownership Arrangements & Their Potential Impact on Safety."
* Office of Nuclear Reactor Regulation, Director (Post 870411). 91/10/07. 19pp. 85592:050-85592:071.
- 9509260190** Discusses 910722 memo requesting that OGC review matter of financial & other responsibilities of nonoperating owners of power reactors.
PARLER, W.C. Office of the General Counsel (Post 860701). 91/12/18. TAYLOR, J.M. OIC of the Executive Director for Operations. 1p. 85592:072-85592:074.
- 9509260212** Fourth partial response to FOIA request for documents. Records in App F will be made available in PDR.
BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/19. GH'ZZI, J.W. Affiliation Not Assigned. 18pp. 85684:001-85685:237.
- 8906060260** Continues Telephone inquiry 89-01 on 890522 re activities authorized by Condition 16 of License 06-20775-01. Understands that licensee will have no open containers at listed location.
WHITE, J.R. Region 1 (Post 820201). 89/05/31. NAPPI-ALTHOUSE Nuclear Energy Services, Inc. 8pp. 85684:026-85684:033.
- 9004060270** Confirms inquiry 90-001 on 900323 re activities authorized by License 06-20775-01. NRC should be notified if understanding that licensee possessed authorized mail & plan to acquire mail in future, incorrect.
REBER, E. Region 1 (Post 820201). 90/03/27. TREJO, F. Nuclear Energy Services (NES) Manufacturing. 32pp. 85684:034-85684:065.
- 9011150175** Forwards Safety Insp Rept 30-22060/90-01 on 900724. No violations noted.
WHITE, J.R. Region 1 (Post 820201). 90/10/24. MANION, W. Nuclear Energy Services, Inc. 2pp. 85684:145-85684:190.
- 9011150179** Insp Rept 30-22060/90-01 on 900724. No apparent violations noted. Major areas inspected: verifying & validation licensee performance re radiological safety.
TAYLOR, M.J. Region 1 (Post 820201). 90/10/24. 52pp. 85684:147-85684:190.
- 9108220248** Forwards insp rept 30-22060/90-01 on 900724 re unsafe practices outlined in 900626 ltr.
WHITE, J.R. Region 1 (Post 820201). 90/10/24. GUNDERSON, A. Affiliation Not Assigned. 1p. 85684:144-85684:144.
- 9509260215** Advises that Nuclear Energy Svcs will use license to ship one Co-60 Irradiator within Model NES-5 Shipping Cask, Certificate of Compliance 9193.
DESANTI, J.J. Nuclear Energy Services, Inc. PS-648. 89/02/28. WHITE, J.R. NRC - No Detailed Affiliation Given. 9pp. 85684:015-85684:023.
- 9509260221** Advises of Nuclear Energy Svcs intent to exercise Condition 16 of license at Chemron Site.
NAPPI-ALTHOUSE Nuclear Energy Services, Inc. 89/05/10. WHITE, J.R. Region 1 (Post 820201). 2pp. 85684:024-85684:025.
- 9509260247** Rev 3, "Radiological Safety Program."
LARSON, H.J. Nuclear Energy Services, Inc. 89/06/23. 36pp. 85684:078-85684:115.
- 9509260251** Requests copies of any correspondence between NES & NRC from 900401 & prior notification of any public meetings NRC might have w/NES until further notice.
GUNDERSON, A. Affiliation Not Assigned. 90/07/25. WHITE, J.R. NRC - No Detailed Affiliation Given. 12pp. 85684:115-85684:143.
- 9509260258** Responds to 910625 ltr to former Chairman Carr re concerns about safety & labor issues at Nuclear Energy Svcs facility in Danbury, CT.
TAYLOR, J.M. OIC of the Executive Director for Operations. 91/07/29. LIEBERMAN, J.J. Senate. 1p. 85684:191-85684:219.
- 9509260273** Discusses 910801 ltr in which A Gunderson expressed concerns re harassment & discrimination directed by Nuclear Energy Svcs.
FUHRMEISTER, R. Region 1 (Post 820201). 91/10/01. GUNDERSON, A. Affiliation Not Assigned. 1p. 85684:220-85684:220.
- 9509260278** Ack receipt of 930324 ltr to W Manion demanding info relating to settlement agreement signed after NES mgt & executives of Penn Central Corp made materially false statements to NRC.
GUNDERSON, A. Affiliation Not Assigned. 93/04/05. LIEBERMAN, J. OIC of Enforcement (Post 870413). 4pp. 85685:086-85685:089.
- 9509260280** Submits brief description of attachments as requested in certified ltr dtd 911004.
GUNDERSON, A. Affiliation Not Assigned. 91/10/31. FUHRMEISTER, R. Region 1 (Post 820201). 6pp. 85684:221-85684:228.
- 9509260291** Forwards documents re shipment of Co-60 from facility in Mar 1989 w/o photographs.
MARTEL, C.B. Affiliation Not Assigned. 92/01/13. WHITE, D. Region 1 (Post 820201). 18pp. 85684:229-85684:246.
- 9509260295** "Rept of Interview w/A Gunderson."
WILSON, E.P., MONROE, K. Region 1 (Post 820201). 92/02/03. 11pp. 85684:247-85684:262.
- 9509260306** Responds to 930422 ltr to WJ Manion re proposing & drafting opening language in DOL settlement agreement.
HADLEY, E.C. We The People of The United States (We The People, Inc.). 93/05/05. LIEBERMAN, J. OIC of Enforcement (Post 870413). 4pp. 85685:090-85685:093.
- 9509260305** Discusses concern that NRC may not be evaluating safety concerns as two year conspiracy involving both Nuclear Energy Svcs & PCC.
GUNDERSON, A. Affiliation Not Assigned. 92/04/13. NORTON, L. WILSON, E. OIC of Investigations (Post 880201). 12pp. 85684:263-85684:299.

- 9509260310 Discusses public acknowledgement as whistleblower by identifying relationship between NRC & licensee. GUNDERSEN,A. Affiliation Not Assigned. 93/05/11. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 85685:094-85685:097.
- 9509260313 Informs that as result of J Dwyer insp,Nuclear Energy Svcs misstated condition of NRC license.Backup,encl. GUNDERSON,A. Affiliation Not Assigned. 92/06/17. WILSON,E. Region 1 (Post 820201). 7pp. 85684:300-85684:306.
- 9509260314 Discusses 930211 meeting w/RJ Walsh & EP Wilson to discuss Connecticut Public Act 90-305, "Act Concerning Recording of Telephone Conversations." LETTS,B.F. Region 1 (Post 820201). 93/05/12. SUGRUE,T.J. Connecticut, State of. 4pp. 85685:098-85685:101.
- 9509260315 Informs that 930422 ltr responding to 930324 ltr re settlement agreement between NES & A Gunderson was not submitted under oath as required by 10CFR2.204 Requests that ltr be resubmitted under oath. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/05/12. MANION,W. Nuclear Energy Svcs, Inc. 1p. 85685:102-85685:108.
- 9509260318 Requests rept of Office of Investigation re Nuclear Energy pertaining to Nuclear Energy Svcs & alleged harassment & intimidation of former employee,A Gunderson & alleged failure of Nuclear Energy Svcs to correctly rept to NRC. GIOFFI,M.L. 92/06/23. Ofc of Investigations (Post 880201). 1p. 85684:307-85684:307.
- 9509260321 Informs that BR Letts would like to review interviews of inspectors or relevant portions thereof that pertain to info received from Nuclear Energy Svcs president during conduct of insp re allegations of wrongful termination. LETTS,B.R. Region 1 (Post 820201). 92/06/26. NORTON,L. Office of the Inspector General (Post 890417). 1p. 85684:308-85684:308.
- 9509260324 Forwards two pages of PCC ltr to Igor re claims made by A Gunderson. GUNDERSON,A. Affiliation Not Assigned. 92/09/16. WILSON,E. Office of the Inspector General (Post 890417). 4pp. 85684:309-85684:312.
- 9509260327 Expresses frustration as to why no action has been taken against Callahan & Manion re attempts to suppress whistleblower. GUNDERSON,A. Affiliation Not Assigned. 92/08/05. WILSON,E. Office of the Inspector General (Post 890417). 3pp. 85684:313-85684:330.
- 9509260332 Confirms conversation of 921022 re interview of WJ Manion of Nuclear Energy Svcs by NRC OI interview will be held on 921029 in Danbury,CT. WILSON,E.P. Region 1 (Post 820201). 92/10/23. GIOFFI,M.L. 2pp. 85684:331-85684:331.
- 9509260333 Requests that encl ltr be forwarded to listed individuals. SUMMERS,B.T. NRC - No Detailed Affiliation Given. 93/05/25. DAVIS,L.F. NRC - No Detailed Affiliation Given. 4pp. 85685:109-85685:112.
- 9509260334 Responds to 920831 ltr & petition re A Gunderson. Requests that Office of Enforcement take immediate & prompt action, both of corrective & punitive nature. HADLEY,E.C. Hadley, E.C. 92/10/30. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 85684:332-85684:335.
- 9509260337 Invites NRC to attend deposition of A Gunderson on 921110 as part of Nuclear Energy Svc & PCC continuing harassment of whistleblower. GUNDERSON,A. Affiliation Not Assigned. 92/11/09. WILSON,E., NORTON,L., FORTUNA,R. Office of the Inspector General (Post 890417). 1p. 85684:336-85684:336.
- 9509260339 Discusses telcon informing of loss of employment for A Gunderson as result of Perrin Central Corp lawsuit. GUNDERSEN,M. Affiliation Not Assigned. 93/05/27. ROSANO,R.P. Ofc of Enforcement (Post 870413). 3pp. 85685:113-85685:115.
- 9509260340 Forwards Nuclear Energy Svc response dtd 920814 to NRC rept & NOV dtd 920612 & copies of documents & draft NRC reply to response. COSTELLO,F.M. Region 1 (Post 820201). 92/11/12. LIEBERMAN,J. Ofc of Enforcement (Post 870413). GLENN,J.E. Medical, Academic & Commercial Use Safety Branch. 8pp. 85684:337-85684:344.
- 9509260343 Forwards transcript of WJ Manion,dtd 921029,per request. HUTCHINSON,W.D. Ofc of Investigations (Post 880201). 92/11/19. WATKINS,R. Office of the Inspector General (Post 890417). 5pp. 85684:345-85684:349.
- 9509260345 Discusses 930609 telcon w/M Gunderson re listed issues. WILSON,E.P. Region 1 (Post 820201). 93/06/09. Region 1 (Post 820201). 2pp. 85685:116-85685:117.
- 9509260347 Informs that R Cooper designated single point of contact for all correspondence re A Gunderson,Nuclear Energy Svc; or NRC correspondence,media communications,licensing,insp, investigation & enforcement activities re two entities. MARTIN,T.T. Region 1 (Post 820201). 92/12/29. KANE,W., COOPER,R., SHANKMAN,S. NRC - No Detailed Affiliation Given. 3pp. 85684:350-85684:352.
- 9509270266 Forwards notification of investigation for investigation of Nuclear Energy Svcs,Inc which will be submitted in compliance w/Commission directive. HAYES,B.B. Ofc of Investigations (Post 880201). 93/01/11. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 85684:353-85684:353.
- 9509270267 Discusses notification of investigation re case 1-92-021R. LETTS,B.R. Region 1 (Post 820201). 92/12/31. HAYES,B.B. Ofc of Investigations (Post 880201). 8pp. 85684:354-85685:001.
- 9509170268 Requests prompt action on part of NRC re Nuclear Energy Svcs violation during 1990 insp. GUNDERSON,A. Affiliation Not Assigned. 93/01/28. HAYES,B., NORTON,L., THE CHAIRMAN NRC - No Detailed Affiliation Given. 1p. 85685:004-85685:004.
- 9509270269 Responds to facsimile communication,dtd 930128 re investigation to determine whether Nuclear Energy Svcs,Inc misled NRC inspectors & whether A Gunderson had been wrongfully terminated. HAYES,B.B. Ofc of Investigations (Post 880201). 93/01/29. GUNDERSON,A. Affiliation Not Assigned. 2pp. 85685:005-85685:006.
- 9509270270 Informs that B Hayes should define scope of issues which being currently investigated because A Gunderson has had numerous contacts w/office over extended period of time. HADLEY,E.C. Hadley, E.C. 93/02/08. HAYES,B.B. Ofc of Investigations (Post 880201). 1p. 85685:002-85685:003.
- 9509270271 Discusses issues surrounding wrongful termination & present violations at Nuclear Energy Svcs,Inc facility. GUNDERSEN,A. Affiliation Not Assigned. 93/02/09. NORTON,L., THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 85685:007-85685:008.
- 9509270272 Advises EC Hadley to have A Gunderson contact B Letts w/any further issues to discuss in response to 930208 ltr. HAYES,B.B. Ofc of Investigations (Post 880201). 93/02/11. HADLEY,E.C. Affiliation Not Assigned. 2pp. 85685:009-85685:010.
- 9509270273 Discusses settlement agreement which clearly violates 10CFR30.7(G) & licensee action after settlement agreement had been signed. GUNDERSON,A. Affiliation Not Assigned. 93/02/12. NORTON,L. Commissioners (Post 750119). 1p. 85685:011-85685:011.
- 9509270274 Forwards "Independent Review Team Evaluation of A Gunderson Ltr" & "Independent Review of Adequacy of Insp & Related Activities Associated w/Allegations Concerning Nuclear Energy Svcs," for info. HAYES,B.B. Ofc of Investigations (Post 880201). 93/02/12. GUNDERSON,A. Affiliation Not Assigned. 2pp. 85685:012-85685:013.
- 9509280036 Submits evidence which proves that Nuclear Energy Svcs actions toward A Gunderson & w/respect to license have been done knowingly,intentionally & w/ malice. GUNDERSEN,A. Affiliation Not Assigned. 93/02/16. WILSON,E. Ofc of Investigations (Post 880201). 9pp. 85685:014-85685:022.
- 9509280039 Discusses concerns that Nuclear Energy Svcs violated 10CFR9 & fraudulently induced A Gunderson to sign settlement agreement. GUNDERSEN,A. Affiliation Not Assigned. 93/02/19. LETTS,B. Ofc of Investigations (Post 880201). 2pp. 85685:023-85685:024.
- 9509280042 Informs NRC of serious error in attachment entitled, "Independent Review Team Evaluation of A Gunderson Ltr" & ack receipt of 930212 ltr.Comments re page two,question 2 of document,submitted. GUNDERSEN,A. Affiliation Not Assigned. 93/03/02. HAYES,B. NRC - No Detailed Affiliation Given. 2pp. 85685:025-85685:026.
- 9509280047 Forwards ltr which shows that NRC continues to misinterpret facts to advantage of Nuclear Energy Svcs. GUNDERSEN,A. Affiliation Not Assigned. 93/03/02. LIEBERMAN,J., RECHTSTAFFEN,J. NRC - No Detailed Affiliation Given. 5pp. 85685:027-85685:035.
- 9509280050 Forwards six page document which informally provided to NRC more than nine months ago re false statements made by PCC & Nuclear Energy Svcs concerning NRC license to DOL inspectors in 1990. GUNDERSEN,A. Affiliation Not Assigned. 93/03/22. HAYES,B. Ofc of Investigations (Post 880201). 3pp. 85685:036-85685:036.
- 9509280054 Responds to allegation made by A Gunderson that M Cioffi boasted to I Sikorsky that Dept of Labor found in favor of Nuclear Energy Svcs because Dept of Labor investigator was entertained for full day at B Manion house in CT. GIOFFI,M.L. 93/04/10. WILSON,E.P. NRC - No Detailed Affiliation Given. 2pp. 85685:039-85685:041.
- 9509280058 Informs that NRC conducting investigation re alleged wrongful discharge in May 1990 of A Gunderson,former vice president,by Nuclear Energy Svcs,Danbury CT. LETTS,B.R. Region 1 (Post 820201). 93/04/19. MASTEN,C.C. Labor, Dept. of. 2pp. 85685:042-85685:043.
- 9509280062 Discusses allegation made by Cioffi,list of individuals who got Manion first ltr & refusal of Nuclear Energy Svcs & PCC to send info. GUNDERSEN,A. Affiliation Not Assigned. 93/02/05. WILSON,E. NRC - No Detailed Affiliation Given. 2pp. 85685:044-85685:047.
- 9509280066 Forwards Manion response to J Lieberman ltr of 930324 because matter further evidence of Gunderson lack of credibility. GIOFFI,M.L. 93/04/23. WILSON,E.P. NRC - No Detailed Affiliation Given. 4pp. 85685:048-85685:066.
- 9509280082 Requests that EDO staff review current insp procedures to determine adequacy of instructions w/respect to reviewing files during insps of license activity. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/07/29. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 14pp. 85685:069-85685:085.
- 9509280091 Discusses wrongful termination of A Gunderson due to uncovering of license violations. GUNDERSON,M. Affiliation Not Assigned. 93/06/09. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 3pp. 85685:118-85685:120.
- 9509280096 Discusses 930610 telcon w/M Gunderson re investigation of A Gunderson. WILSON,E. Region 1 (Post 820201). 93/06/10. Region 1 (Post 820201). 1p. 85685:121-85685:122.
- 9509280099 Forwards OI Rept of Investigation re Nuclear Energy Svcs,Inc alleged harassment,intimidation & discrimination & failure to provide complete & accurate info by licensee officials, for whatever action deemed appropriate. HAYES,B.B. Ofc of Investigations (Post 880201). 93/06/14. MARTIN,T.T. Region 1 (Post 820201). 1p. 85685:123-85685:139.
- 9509280105 Forwards rept of investigation to assist in programmatic reviews re alleged harassment,intimidation & discrimination & failure to provide complete & accurate info by licensee officials.W/o encls. HAYES,B.B. Ofc of Investigations (Post 880201). 93/06/24. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 85685:140-85685:140.

218 NONDOCKETED ITEMS

- 9509280109 Forwards redacted version of investigation into circumstances surrounding separation from Nuclear Energy Svcs. W/o encl.
FUHRMEISTER, R. Region 1 (Post 820201). 93/06/25. GUNDERSON, A. Affiliation Not Assigned. 1p. 85685:141-85685:141.
- 9509280111 Forwards Rept of investigation re Nuclear Energy Svcs, Inc. alleged harassment, intimidation & discrimination & failure to provide complete & accurate info by licensee officials. W/o encls.
HAYES, B.B. Otc of Investigations (Post 880201). 93/12/03. JENSEN, E.N., DE PLANQUE, G. Commissioners (Post 750119). 1p. 85685:142-85685:142.
- 9509280115 Informs that OI rept 1-92-021R contains numerous factual errors & material false statements attributed to Nuclear Energy Svcs/PCC.
GUNDERSEN, A. Affiliation Not Assigned. 94/01/24. HAYES, B. Otc of Investigations (Post 880201). LIEBERMAN, J. Otc of Enforcement (Post 870413). 1p. 85685:143-85685:143.
- 9509280118 Forwards Exhibits 1 through 102 from OI Case 1-92-021.
GALLOW, A.J. Otc of Investigations (Post 880201). 94/01/26. WATKINS, R. Office of the Inspector General (Post 890417). 1p. 85685:144-85685:144.
- 9509280119 Advises that J Lieberman has been informed by NRC OIG that OIG has concerns under consideration.
LIEBERMAN, J. Otc of Enforcement (Post 870413). 94/02/16. GUNDERSEN, A. Affiliation Not Assigned. 2pp. 85685:145-85685:146.
- 9509280280 Forwards written documentation proving that Nuclear Energy Svcs, Inc. rogue vendor in nuclear industry.
GUNDERSEN, A. Affiliation Not Assigned. 93/08/17. WILSON, E., NORTON, L. NRC - No Detailed Affiliation Given. 2pp. 85685:147-85685:148.
- 9509280283 Forwards two pages of PCC ltr to Igor re violations that had been reported by A Gundersen.
GUNDERSEN, A. Affiliation Not Assigned. 92/03/17. WILSON, E. NRC - No Detailed Affiliation Given. 3pp. 85685:149-85685:151.
- 9509280285 Discusses 911227 telcon between M Robert, F Costello & A Gundersen re Nuclear Energy Svcs which had been expressed in 911126 ltr to S Lieberman. Memo undtd.
COSTELLO, F.M. NRC - No Detailed Affiliation Given. 95/09/19. SWETLAND, P.D. NRC - No Detailed Affiliation Given. 84pp. 85685:152-85685:237.
- 9509280274 Third partial response to FOIA request for documents. Records in App D available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. PATTERSON, S.J. Morgan, Lewis & Bockius. 4pp. 85636:001-85636:273.
- 9509280293 Notification of "strawman" root cause meeting w/special evaluation team on 941001 to identify potential upper level causes of problems at plant based on issues & facts identified to date.
MADISON, A. NRC - No Detailed Affiliation Given. 94/09/22. NRC - No Detailed Affiliation Given. 23pp. 85636:009-85636:031.
- 9509280336 Forwards info developed by special evaluation team re enforcement for issue on failure to test RHR logic & informs of planned visit to Region IV on 941118 to discuss details of issues requiring followup.
MERSCHOFF, E. NRC - No Detailed Affiliation Given. 94/10/20. BEACH, B. NRC - No Detailed Affiliation Given. 7pp. 85636:032-85636:038.
- 9509270114 Forwards SOW for LER analysis of plant for last 2 yrs. 920701-present.
PULLANI, S.V. Trends & Patterns Analysis Branch. 95/09/06. YEILDING, D.E. Diagnostic Evaluation & Incident Investigation Branch. 9pp. 85636:039-85636:047.
- 9509270127 Forwards plant special evaluation document request 2 for review & requests comments or E-mail by COB of ltr date.
PULLANI, S. Diagnostic Evaluation & Incident Investigation Branch. 95/09/06. Diagnostic Evaluation & Incident Investigation Branch. 53pp. 85636:048-85636:125.
- 9509270144 Informs that special evaluation team recommends that Region IV take full or partial credit for listed insp program modules.
MERSCHOFF, E.W. NRC - No Detailed Affiliation Given. 94/11/23. BEACH, A.B. Region 4 (Post 820201). 153pp. 85636:126-85636:273.
- 9509280296 FOIA request for documents re rept re to business done w/agency by Airborne, Emery, United Parcel Svc & DHL Worldwide Express.
WAGNER, M.A. 95/06/19. TARNER, D.M. NRC - No Detailed Affiliation Given. 1p. 85609:001-85609:001.
- 9509270002 Final response to FOIA request for documents. Records in App A encl. App A records withheld in part (ref FOIA exemption 4).
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/18. WAGNER, M. 3pp. 85609:002-85610:076.
- 9509290078 Partially withheld package consisting of purchase/delivery order & UPS weekly & monthly repts.
NIEMEYER, E. Division of Accounting & Finance (Post 890205). 93/11/18. 400pp. 85609:005-85610:076.
- 9509280006 FOIA request for exhibits from investigation rept sent in response to FOIA 95-299 & any documents re enforcement actions, revocation or modifications to licenses 22-00057-06 & 22-00057-32G & civil penalties.
LEE, S.K. Affiliation Not Assigned. 95/08/23. PUJGH, N. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85637:001-85637:002.
- 9509280007 First partial response to FOIA request for records. App A records encl & available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/20. LEE, S.K. Affiliation Not Assigned. 4pp. 85637:003-85638:142.
- 9509280011 Transcript of 880525 investigative interview of R Schweiss re 3M. Pp 1-39.
SCHWEISS, R. Minnesota Mining & Manufacturing Co. (3M Co.). 88/05/25. 42pp. 85637:007-85637:048.
- 9509280012 Transcript of investigative interview of RT Schweiss on 880916 re 3M. Pp 1-77. Related into encl.
SCHWEISS, R.T. Minnesota Mining & Manufacturing Co. (3M Co.). 88/09/16. 83pp. 85637:049-85637:131.
- 9509280013 QC Std 85-2525. "S/E Return Area-Damaged &/or Contaminated Returns."
REIMER, D.J. Minnesota Mining & Manufacturing Co. (3M Co.). 83/09/20. 3pp. 85637:132-85637:134.
- 9509280014 Transcript of investigative interview of RJ Reimer on 880524 re 3M. Pp 1-28. Related into encl.
REIMER, D.J. Minnesota Mining & Manufacturing Co. (3M Co.). 88/05/24. 32pp. 85637:135-85637:166.
- 9509280015 "Annual Rept of Activities Under License 22-00057-32G for 1978-1979."
* Minnesota Mining & Manufacturing Co. (3M Co.). 79/12/31. 15pp. 85637:167-85637:181.
- 9509280016 "Annual Rept of Activities Under License 22-00057-32G for 1979-1980."
* Minnesota Mining & Manufacturing Co. (3M Co.). 80/12/31. 15pp. 85637:182-85637:196.
- 9509280017 "Annual Rept of Activities Under License 22-00057-32G for 1980-1981."
* Minnesota Mining & Manufacturing Co. (3M Co.). 81/12/31. 12pp. 85637:197-85637:208.
- 9509280018 "Annual Rept of Activities Under License 22-00057-32G for 1981-1982."
* Minnesota Mining & Manufacturing Co. (3M Co.). 82/12/31. 10pp. 85637:209-85637:218.
- 9509280019 "Annual Rept of Activities Under License 22-00057-32G for 1982-1983."
* Minnesota Mining & Manufacturing Co. (3M Co.). 83/12/31. 5pp. 85637:219-85637:223.
- 9509280021 "Annual Rept of Activities Under License 22-00057-32G for 1983-1984."
* Minnesota Mining & Manufacturing Co. (3M Co.). 84/12/31. 5pp. 85637:224-85637:228.
- 9509280022 Transcript of investigative interview of RJ Kunz on 880726 re 3M. Pp 1-36. Related into encl.
KUNZ, R.J. Minnesota Mining & Manufacturing Co. (3M Co.). 88/07/26. 43pp. 85637:229-85637:270.
- 9509280023 Transcript of investigative interview of R Hughes on 880524 re 3M. Pp 1-20.
HUGHES, R. Minnesota Mining & Manufacturing Co. (3M Co.). 88/05/24. 23pp. 85637:271-85637:293.
- 9509280026 Transcript of investigative interview of R Hughes on 880916 re 3M. Pp 1-31. Related into encl.
HUGHES, R. Minnesota Mining & Manufacturing Co. (3M Co.). 88/09/16. 59pp. 85637:294-85637:352.
- 9509280030 Transcript of investigative interview of LJ Opthof on 880824 re 3M. Pp 1-24.
OPTHOF, L.J. Minnesota Mining & Manufacturing Co. (3M Co.). 88/08/24. 26pp. 85637:353-85638:018.
- 9509280032 Transcript of investigative interview of M Peters on 880524 re 3M. Pp 1-46.
PETERS, M. Minnesota Mining & Manufacturing Co. (3M Co.). 88/05/24. 50pp. 85638:019-85638:068.
- 9509280034 Transcript of investigative interview of M Peters on 880916 re 3M. Pp 1-28. Related into encl.
PETERS, M. Minnesota Mining & Manufacturing Co. (3M Co.). 88/09/16. 51pp. 85638:069-85638:119.
- 9509280035 Transcript of investigative interview of R Hall on 880824 re 3M. Pp 1-9.
HALL, R. Minnesota Mining & Manufacturing Co. (3M Co.). 88/08/24. 11pp. 85638:120-85638:130.
- 9509280037 Transcript of investigative interview of R Plessl on 880824 re 3M. Pp 1-10.
PLESSL, R. Ashland Oil, Inc. 88/08/24. 12pp. 85638:131-85638:142.

GEN TEC IS GENERIC TECHNICAL ISSUES

- 9509050153 Forwards response to NRC 950426 RAI re IPE for external events submitted w/exception of fire PRA questions F.1 & F.3.
MARCHI, M.L. Public Service Co. of Colorado. NRC-95-95. 95/08/29. Document Control Branch (Document Control Desk). 446pp. 85343:001-85344:082.
- 9509050162 C-020 R00 Rev 0 to "Fractility Analysis of Circulating Water Intake & Discharging Piping."
* Stevenson & Associates. 94/05/25. 16pp. 85343:345-85343:360.
- 9509050166 C-007 R00 "Seismic Capacity of DG Day Tank Block Wall."
* Stevenson & Associates. 93/11/24. 12pp. 85344:029-85344:040.
- 9509050171 C-018 APP L R00 "Kewaunee A-46/IPEEE Seismic Analysis of Turbine Oil Reservoir 148-011."
* Stevenson & Associates. 94/05/15. 42pp. 85344:041-85344:082.
- 9509080122 Forwards "USI A-46 Seismic Evaluation Rept" & "USI A-46 Relay Evaluation Rept" per GL 87-02 & confirms that no significant or programmatic deviations from GIP-2 guidance made during USI A-46 evaluation process. W/61 drawings.
STETZ, J.P. Centenor Energy. 2316. 95/08/29. Document Control Branch (Document Control Desk). 3pp. 85443:001-85446:361.
- 9509080125 "USI A-46 Seismic Evaluation Rept" W/61 oversize drawings.
* Toledo Edison Co. 95/08/31. 216pp. 85443:004-85443:219.
- 9509080127 "USI A-46 Relay Evaluation Rept."
* Toledo Edison Co. 95/08/31. 1,234pp. 85443:220-85446:361.
- 9509190270 Forwards "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Relay Evaluation Rept" & "USI A-46 Seismic Evaluation Rept."
CAMPBELL, W.R. Carolina Power & Light Co. TAC M69433. 95/09/15. Document Control Branch (Document Control Desk). 2pp. 85549:001-85550:146.

9509190273 Rev 0 to "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Relay Evaluation Rept." final rpt.
* Carolina Power & Light Co. 95/09/30. 200pp. 85549-004-85549-265.

9509190275 52213-R-002 R00 Rev 0 to "Brunswick Nuclear Plant Units 1 & 2 USI A-46 Seismic Evaluation Rept." final rpt.
* EQE Engineering Consultants (formerly EQE Engineering, Inc.). 95/09/30. 245pp. 85549-266-85550-146.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. GL-88-20. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509200305 Forwards RAI on severe accident mgt, GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors, USI A-46," & GL 88-20, "IPEEE for Severe Accident Vulnerabilities," Suppl 4.
TRAN, L.N. GL-87-02. 95/09/13. DONNELLY, P.M. Consumers Power Co. 4pp. 85543-308-85543-311.

9509260372 Grants NRC permission to copy final "Plant Specific Seismic Adequacy Evaluation of St Lucie Unit 1 to Resolve USI A-46 & GL 87-02."
BOHLKE, W.H. Florida Power & Light Co. L-95-264. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85620-329-85620-330.

9509270108 Summary of 423rd meeting of ACRS on 950913-14 on proposed resolution of GI 24, "Automatic ECCS Switchover to Recirculation." ACRS concurs w/ resolution proposed by NRC.
KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/09/12. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 85619-101-85619-101.

9509270142 Forwards listed ACRS repts, commenting on NEI petition proposing to amend fire protection rule, health effects valuation & proposed resolution of Generic Issue 24.
* Office of Public Affairs (Post 911117). 95/09/21. 1p. 85619-111-85619-120.

I&E INSPECTION AND ENFORCEMENT

9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."
ROSSI, C.E. Division of Operational Events Assessment (870411-921003). IEIN-91-047. 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627-337-85627-342.

9505100174 Informs Commission of staff plans to develop insp procedure to evaluate licensee employee concerns programs & to conduct pilot review of employee concern process at several plants beginning in May 1995.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/05/01. THE CHAIRMAN Commissioners (Post 750119). 8pp. 85548-271-85548-278.

9508310196 NRC Info Notice 95-027, "Inadequate Offsite Power Sys Voltages During Design-Basis Events."
CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423-024-85423-035.

9509010045 PNO-III-95-039: on 950517, patient administered two I-131 capsules for whole body dose scan, dose 22.3% greater than prescribed. No adverse health effects anticipated. Region III & State of MN notified.
MITCHELL, M., HOLT, B.J. Region 3 (Post 820201). 95/07/25. 1p. 85315-103-85315-103.

9509010050 PNO-IV-95-033A: on 950720, licensee terminated alert classification & resumed normal operations. Licensee exited alert after confirming authorities had begun recovery actions following cessation of ammonia release.
FORD, E., PICK, G. Region 4 (Post 820201). 95/07/21. 1p. 85315-102-85315-102.

9509050006 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. IEIN-87-043. 95/09/06. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.

9509050014 Comment supporting comments on draft GL 89-10, Suppl 7, "Valve Mispositioning in Pressurized Water Reactors."
ROGAN, R.E. Carolina Power & Light Co. 60FR38378 00003. 95/08/25. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85285-323-85285-323.

9509050249 Comment on proposed GL 89-10, suppl 7, "Valve Mispositioning in Pressurized Water Reactors." Encourages NRC efforts to solicit industry advice & recommendations in developing proposed GL suppl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 60FR38378 00004. 95/08/29. NRC - No Detailed Affiliation Given. 1p. 85297-335-85297-335.

9509110053 PNO-I-95-034: on 950905, reactor scram & Group II isolation occurred from 100% power due to low reactor water level. Licensee anticipates being in cold shutdown for approx 7 days during which time outage maint will be conducted.
HUNEGS, G., COWGILL, C. Region 1 (Post 820201). 95/09/06. 1p. 85435-118-85435-118.

9509110152 Comment opposing proposed change in reporting requirements for nuclear utilities.
CLEMENTS, T. Greenpeace USA. 60FR43174 00001. 95/09/04. Rules & Directives Review Branch (Post 920323). 1p. 85334-120-85334-120.

9509130016 NRC Info Notice 95-039, "Brachytherapy Incidents re Treatment Planning Errors."
COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561-251-85561-258.

9509130055 Provides compilation of available matl re Suppl 5 to Generic Ltr 88-20, "IPE of External Events for Severe Accident Vulnerabilities."
SHAPAKER, J.W. GL-88-20. 95/09/11. Document Control Branch (Document Control Desk). 5pp. 85474-141-85474-156.

9509140350 PNO-III-95-046: on 950911, reactor scram occurred due to automatic start of RCIC sys. Caused by failed capacitor in instrument power supply. Util investigating cause of power supply failures.
TONGUE, T., LANKSBURY, R. Region 3 (Post 820201). 95/09/12. 1p. 85533-228-85533-228.

9509140360 PNO-II-95-053: on 950912, portable gauge was stolen from locked licensee van. Notified police, Region III & State of IN.
HOSEY, C.M. Region 2 (Post 820201). 95/09/13. 1p. 85518-267-85518-267.

9509140386 NRC Info Notice 95-040, "Supplemental Info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD, D. GL-95-03. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645-021-85645-029.

9509150184 PNO-I-95-035: on 950911, main steam sys safety relief valve failed to close resulting in plant shut down & depressurization. SRV M scheduled to be replaced.
ANDERSON, C. Region 1 (Post 820201). 95/09/14. 2pp. 85518-315-85518-315.

9509180341 NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD, D. IEIN-87-032. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627-325-85627-336.

9509190248 Forwards NRC Insp Manual Insp Procedure 62706, "Marit Rule."
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/09/14. THE CHAIRMAN, JACKSON, S.A., ROGERS, K.C. Commissioners (Post 750119). 3pp. 85524-132-85524-161.

9509200140 NRC Insp Manual Insp Procedure 62706, "Marit Rule."
* NRC - No Detailed Affiliation Given. 95/08/21. 27pp. 85524-135-85524-161.

9509200063 Comment on proposed GL re revised contents of MOR. NEI supports proposed changes to MOR requirements.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR43174 00006. 95/09/18. MEYERS, D.L. NRC - No Detailed Affiliation Given. 2pp. 85510-002-85510-003.

9509200074 Comment supporting proposed GL, "Revised Contents of Monthly Operating Rept."
VONK, M.J. Commonwealth Edison Co. 60FR43174 00003. 95/09/12. MYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85510-028-85510-028.

9509200084 Comment opposing proposed GL to reduce amount of monthly operating data NPP licensees now reported to NRC.
GUNTER, P. Nuclear Information & Resource Service. 60FR43174 00005. 95/09/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85510-030-85510-031.

9509200144 Forwards order issued due to violation of 10CFR30.10 of Commission regulations. Failure to comply w/provision of order may result in civil or criminal sanctions.
THOMPSON, H.L. Dep Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 890205). IA-95-037. 95/09/18. YU, H. Affiliation Not Assigned. 1p. 85510-170-85510-179.

9509200160 Order prohibiting involvement in NRC licensed activities (effective immediately). Prohibits H Yu from participation in any NRC licensed activities.
THOMPSON, H.L. Dep Exec Dir for Nuc Mats Safety, Safeguards & Operations Support (Post 890205). IA-95-037. 95/09/18. 9pp. 85510-171-85510-179.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD, D. GL-88-20. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

9509210003 PNO-I-95-036: on 950914, Trolox Model 3440 portable moisture density gauge was hit by const equipment. Sealed sources were not damaged. Licensee secured area around gauge, Region I & Commonwealth of PA notified.
SHAFFER, S., WHITE, D. Region 1 (Post 820201). 95/09/14. 1p. 85573-181-85573-181.

9509210005 PNO-I-95-037: on 950913, employee working w/ir-192 noted contamination on protective clothing during routine personnel monitoring survey. Contamination identified as 57 uCi ir-192 hot particle. Hot particle removed.
LANZISERA, P., SHANBAKY, M.M. Region 1 (Post 820201). 95/09/14. 1p. 85573-182-85573-182.

9509210007 PNO-I-95-038: on 950915, reported transportation of alpha contaminated package by Federal Express. Contamination probable caused by minor residual contamination on benchtop in lab.
CZERWINSKY, J.L., JOHANSEN, J.M. Region 1 (Post 820201). 95/09/18. 2pp. 85573-183-85573-184.

9509210195 PNO-III-95-047: on 950918, individual posing as representative of courier svc picked up two packages containing 12-Ci Mo-99/TC-99m generator. On 950919, resident in Dallas found generator on front lawn.
YOUNG, T. Region 3 (Post 820201). 95/09/20. 1p. 85573-185-85573-185.

9509220030 Comment on proposed GL re revised contents of monthly operating rept.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 60FR43174 00011. 95/09/15. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85547-013-85547-013.

9509220044 Comments on proposed GL re revised monthly operating rept contents.
PATTERSON, T.L. Omaha Public Power District. 60FR43174 00008. 95/09/18. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85547-024-85547-025.

9509220045 Comment on proposed GL, "Revised Contents of Monthly Operating Rept."
RYAN, M.L. Affiliation Not Assigned. 60FR43174 00010. 95/09/15. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85547-026-85547-027.

220 NONDOCKETED ITEMS

- 9509220053** Comment opposing Proposed GL re Revised Contents of MOR. ROUSSO, S. Energy, Dept. of 60FR43174 00007. 95/09/18. NRC - No Detailed Affiliation Given. 3pp. 85547:033-85547:035.
- 9509220248** EN-95-053 on 950830, notice of proposed imposition of civil penalty in amount of \$2,500 issued to licensee Action based on Severity II problem involving 15 violations applicable to use of radioactive material in medical practice. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-089. 95/06/25. 1p. 85599:256-85599:256.
- 9509220251** EN-95-054 on 950907, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee Action based on insp conducted by Region IV at facility & violations associated w/removal & transfer of spent RWCS filters. SATORIUS, M., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-109. 95/09/01. 1p. 85599:257-85599:257.
- 9509220259** EN-95-055 on 950913, notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee Action based on violations of NRC requirements (including violations at temporary jobsite in Marcus Hook, PA). HOLODY, D. Region 1 (Post 820201). LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-163. 95/09/08. 1p. 85599:258-85599:258.
- 9509220263** EN-95-056 on 950918, notice of order prohibiting involvement in NRC-licensed activities (effective immediately) issued to H Yu. Action based on ongoing insp & investigation which concluded Yu engaged in deliberate misconduct. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). IA-95-037. 95/09/18. 1p. 85699:259-85699:259.
- 9509220265** EN-95-054 on 950914, ltr withdrawing notices of violation & proposed civil penalty sent to licensee Action based on SOL finding that employee discharged w/cause. Int Security Svc not discrimination. ROSANO, D., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-93-192. 95/09/13. 1p. 85599:260-85599:260.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane." CRUTCHFIELD, D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:006.
- 9509260195** Comments on proposed GL re "Revised Contents of Monthly Operating Rept." Util recommends that content of rept be modified to eliminate need to track load reductions that do not result in plant shutdowns. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 60FR43174 00012. 95/09/13. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85570:074-85570:074.
- 9509260220** PNO-II-95-053A on 950912, NDC model 104RPD portable gauge containing 80 mCi Am-241 stolen from locked van in Terre Haute, IN. Gauge returned on 950922 undamaged. HOSEY, C.M. Region 2 (Post 820201). 95/09/25. 1p. 85619:097-85619:097.
- 9509260308** Comment supporting proposed GL, "Revised Contents of Monthly Operating Rept." BOHLKE, W.H. Florida Power & Light Co. 60FR43174 00004. 95/09/15. Docketing & Services Branch. 2pp. 85589:018-85589:019.
- 9509260349** Comment opposing proposed GL, "Revised Contents of Monthly Operating Rept." Recommends that reporting requirements of RG 1.16 not be changed for listed reasons. OLSON, E. Affiliation Not Assigned. 60FR43174 00009. 95/09/19. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 85589:020-85589:020.
- 9509270173** PNO-I-95-040 on 950922, contamination found on exterior of package & on shoes of driver from intl package. Shipment consisted of surface contaminated robotic equipment used for insp & maint of SG tubes at PWR. WHITE, D., KIRKWOOD, A. Region 1 (Post 820201). 95/09/25. 1pp. 85619:121-85619:122.
- 9509280068** PNO-IV-95-041 on 950923, unit 2 manually tripped due to impending loss of circulating water flow. Testing of affected & other MSSVs being conducted to investigate cause of premature lifting. WONG, H., TSCHLITZ, M. Region 4 (Post 820201). 95/09/27. 1p. 85645:066-85645:068.
- 9509280096** PNO-III-95-048 on 950923, Troxler Model 3430 moisture density gauge had been run over by construction vehicle. Made arrangements to return gauge to manufacturer for repairs. WIEDEMAN, D., HOLT, B.J. Region 3 (Post 820201). 95/09/26. 1p. 85645:069-85645:069.
- 9509280327** EN-95-059 on 950927, notice of order suspending license effective immediately issued to licensee Action based on willful violations of NRC requirements. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-183. 95/09/27. 1p. 85657:356-85657:356.
- MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS**
- 9509210121** Memorandum & order (Dismissal per Agreement). * Orders that HD Phillips permitted to withdraw request for hearing on Staff 940310, "Order Prohibiting Involvement in NRC-Licensed Activities." W/Certificate of Svc. Served on 950919. KLINE, J.R., SHON, F.J., BLOCH, P.B. Atomic Safety & Licensing Board Panel. #395 17119. EA. 95/09/19. PHILLIPS, H.D. Affiliation Not Assigned. 10pp. 85546:028-85546:037.
- 9509210141** Informs that parties have agreed to settlement & executed joint motion requesting NASLP approve settlement agreement & dismiss proceeding. Proceedings encl. TURK, S.E. Office of the General Counsel (Post 860701). #395 17118. IA-94-001. 95/09/14. BLOCH, P.B., SHON, F.J., KLINE, J.R. Atomic Safety & Licensing Board Panel. 1p. 85546:183-85546:184.
- 9509210149** Stipulation for settlement of proceeding.* PHILLIPS, H.D. Affiliation Not Assigned. WOODY, C.L. Affiliation Not Assigned. TURK, S.E. Office of the General Counsel (Post 860701). 94-690-03-EA. 95/09/14. 5pp. 85546:184-85546:189.
- 9509210153** Joint motion for approval of settlement agreement & termination of proceedings.* WOODY, C.L. Affiliation Not Assigned. TURK, S.E. Office of the General Counsel (Post 860701). 94-690-03-EA. 95/09/14. 6pp. 85546:190-85546:194.
- 9509210225** Forwards order prohibiting involvement in NRC-licensed activities (immediately effective) for transmittal to FR for publication. W/c encl. Individual involved is H Yu. LIEBERMAN, J. Ofc of Enforcement (Post 870413). IA-95-037. 95/09/20. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 85544:345-85544:345.
- 9509210355** Ack receipt of 950713 ltr, rtr requesting info re docket 04000235 property located in Detroit, MI. SKELLY, T.O. Affiliation Not Assigned. 95/09/13. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85568:236-85568:237.
- NUREG NUREG REPORTS AND RELATED CORRESPONDENCE**
- 9006040232** Advises that EPRI Topical Rept EPRI-NP-5100, "ESCORE - EPRI Steady-State Core Reload Evaluator Code: General Description" acceptable for ref in license applications. EPRI requested to publish accepted version of rept within 3 months. THADANI, A.C. Division of Systems Technology (890827-921003). 90/05/23. LEHMANN, C.R. Pennsylvania Power & Light Co. 1p. 85485:326-85485:358.
- 9508310033** Suppl 5 to Generic Ltr 88-20 to OL holders except possession-only or CP status licenses re IPE of external events for severe accident vulnerabilities. CRUTCHFIELD, D. GL-94-03. 95/09/08. Consolidated Edison Co. of New York, Inc. 14pp. 85423:036-85423:049.
- 9506310198** NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD, D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423:024-85423:035.
- 9509010294** Forwards completed table on NAC Intl commitments to NUREG-0612 & ANSI N14.6-1986 for four NAC designed dual-purpose or storage casks currently holding 10CFR72 COC or design approval ltr, per request. TJERSLAND, G.T. Nuclear Assurance Corp. 95/08/22. SCHNEIDER, J. Office of Nuclear Material Safety & Safeguards. 2pp. 85313:338-85313:339.
- 9509050068** Summary of 950824 meeting w/util to discuss status, needed actions, priorities & schedules of various licensing issues. TAM, P.S. TAC M72494. 95/08/29. 15pp. 85314:066-85314:080.
- 9509050143** Notifies of intent to request waiver of experience provisions of NUREG-1021, ES202, Section E.2 for SK Walsh, Walsh currently enrolled in facility licensed operator initial training program for purpose of obtaining SOL. MARTIN, D.B. Northeast Nuclear Energy Co. MARTIN, D.B. Northeast Utilities Service Co. #15333. 95/08/24. MARTIN, T.T. Region 1 (Post 820201). 3pp. 85346:351-85346:353.
- 9509050201** Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 5, "Operators Licensing Examiner Stds" & NUREG/BR-0122 to prepare written exams & operating tests. MEYER, G.W. Region 1 (Post 820201). 95/08/21. BROWN, M.B. Northeast Nuclear Energy Co. 1p. 85297:123-85297:123.
- 9509050206** Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 1, "Operator Licensing Exam Stds" & NUREG/BR-0122, Rev 5, to prepare written exams & operating tests. MEYER, G.W. Region 1 (Post 820201). 95/08/21. CARROLL, R. Rochester Gas & Electric Corp. 1p. 85297:136-85297:136.
- 9509050216** Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 1, "Operator Licensing Examiner Stds" & NUREG/BR-0122, Rev 5, to prepare written exams & operating tests. MEYER, G.W. Region 1 (Post 820201). 95/08/21. SWAN, T. Boston Edison Co. 1p. 85297:201-85297:201.
- 9509050218** Informs that participants in pilot exam program will utilize guidelines in NUREG-1021, Rev 7, Suppl 1, "Operator Licensing Examiner Stds" & NUREG/BR-0122, Rev 5, to prepare written & operating tests. MEYER, G.W. Region 1 (Post 820201). 95/08/21. HOPKINS, L. PECO Energy Co., (formerly Philadelphia Electric Co.). 1p. 85297:202-85297:202.
- 9509060025** Forwards notice of consideration of issuance of amends to FOL & opportunity for hearing. WHEELER, L.L. TAC M92131. 95/08/31. MCCOY, C.K. Georgia Power Co. 3pp. 85373:096-85373:108.
- 9509060043** Notice of consideration of issuance of amends to FOL & opportunity for hearing. Amends revise TS to be consistent w/provisions of NUREG-1431. WIENS, L.A. 95/08/31. Georgia Power Co. 10pp. 85373:099-85373:108.
- 9509070354** Requests sixty day extension to thirty day time limit specified for completion & distribution of Nuclear Transaction Rept form (DOE/NRC-741) required by 10CFR74.15 & NUREG/BR-0006, Rev 3. SUWALA, M.C. Babcock & Wilcox Co. 95/08/29. PIERSON, R.C. Licensing Branch. 1p. 85373:252-85373:252.
- 9509070074** NUREG/CR-6261 A SUMMARY OF ORNL FISSION PRODUCT RELEASE TESTS WITH RECOMMENDED RELEASE RATES AND DIFFUSION COEFFICIENTS. LORENZ, R.A. OSBORNE, M.F. Oak Ridge National Laboratory. FIN L-2250. ORNL/TM-12801. 95/07/31. Division of Systems Technology (Post 941217). 83pp. 85401:146-85401:229.
- 9509070078** NUREG-1307 R05 REPORT ON WASTE BURIAL CHARGES. Escalation Of Decommissioning Waste Disposal Costs At Low-Level Waste Burial Facilities. * Division of Regulatory Applications (Post 941217). 95/08/31. 59pp. 85404:079-85404:137.

9509070092 NUREG/CR-6351 REVIEW OF SCENARIO SELECTION APPROACHES FOR PERFORMANCE ASSESSMENT OF HIGH-LEVEL WASTE REPOSITORIES AND RELATED ISSUES.
 BONANO,E.J. Southwest Research Institute. BACA,R.G. FIN B-6666. CNWRA 94-002 95/08/31. Division of Regulatory Applications (Post 941217). 78pp. 85401:230-85401:308.

9509070103 NUREG-1363 V06 ATOMIC SAFETY AND LICENSING BOARD PANEL BIENNIAL REPORT Fiscal Years 1993 - 1994.
 * Atomic Safety & Licensing Board Panel. BIENNIAL. 95/08/31. 54pp. 85398:297-85398:346.

9509070144 NUREG-0040 V19 N02 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report, April-June 1995. (White Book)
 * Office of Nuclear Reactor Regulation (Post 941001). 95/08/31. 181pp. 85398:116-85398:296.

9509070198 Informs of arrangements made for administration of licensing exams at plant during wk of 951211, per 950807 telcon between M Ernest & R Dorman. Exam guidelines encl.
 PEEBLES,T.A. Region 2 (Post 820201). 95/08/10. MCCOY,C.K. Georgia Power Co. 5pp. 85321:307-85321:311.

9509070219 Confirms arrangements made in 950809 telcon between S McCann & RF Aiello for administration of licensing exams at plant. Written exams & operating tests scheduled for wk of 951204.
 PEEBLES,T.A. Region 2 (Post 820201). 95/08/10. ANDERSON,R.A. Carolina Power & Light Co. 5pp. 85322:021-85322:025.

9509070232 Informs NRC that SPDS mods identified by V&V completed & fully meets requirements of NUREG-0737. Suppl 1, taking into account guidance provided in NUREG-1342.
 HUTCHINSON,C. Entergy Operations, Inc. GNRO-95/00105. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85416:201-85416:202.

9509080015 Requests for license amend re relocation of selected TS per NUREG-1431, new SYS for Westinghouse plants.
 ROBINSON,W.R. Carolina Power & Light Co. HC-950714. 95/08/31. Document Control Branch (Document Control Desk). 5pp. 85419:165-85419:169.

9509080016 NUREG-0940 V14 N2 P2 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED, REACTOR LICENSEES. Quarterly Progress Report, April-June 1995.
 * Ofc of Enforcement (Post 870413). 95/08/31. 189pp. 85405:016-85405:145.

9509080019 NUREG-0940 V14 N2 P1 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED, INDIVIDUAL ACTIONS. Quarterly Progress Report, April-June 1995.
 * Ofc of Enforcement (Post 870413). 95/08/31. 226pp. 85404:138-85405:015.

9509080022 NUREG-0750 V41 N06 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR JUNE 1995. Pages 381-496.
 * Division of Freedom of Information & Publications Services (Post 940714). 95/08/31. 124pp. 85405:146-85405:269.

9509080026 NUREG-0750 V42 N01 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR JULY 1995. Pages 1-45.
 * Division of Freedom of Information & Publications Services (Post 940714). 95/08/31. 53pp. 85405:270-85405:322.

9509110002 Forwards SE granting extension of relief for requests P-16 & V-46 re third 10-yr interval IST program for plant.
 MATTHEWS,D.B. GL-89-04. 95/08/30. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85388:199-85388:208.

-9509110003 Safety evaluation approving extension of relief for requests P-16 & V-46 re third 10-yr interval IST program for plant.
 * GL-89-04. 95/08/30. 6pp. 85388:202-85388:208.

9509110189 NUREG/BR-0212 PROCESSING COMPLAINTS OF DISCRIMINATION AT THE US NUCLEAR REGULATORY COMMISSION.
 * Ofc of Small & Disadvantaged Business Utilization & Civil Rights. 95/08/31. 5pp. 85388:189-85388:194.

9509110196 NUREG/CP-0142 V01 PROCEEDINGS OF THE 7TH INTERNATIONAL MEETING ON NUCLEAR REACTOR THERMAL-HYDRAULICS NURETH-7. Sessions 1-5.
 BLOCK,R.C., FEINER,F. American Nuclear Society. 95/09/30. Division of Systems Technology (Post 941217). 509pp. 85399:001-85401:145.

9509110202 NUREG/CP-0142 V02 PROCEEDINGS OF THE 7TH INTERNATIONAL MEETING ON NUCLEAR REACTOR THERMAL-HYDRAULICS NURETH-7. Sessions 6-11.
 BLOCK,R.C., FEINER,F. American Nuclear Society. 95/09/30. Division of Systems Technology (Post 941217). 806pp. 85402:001-85404:078.

9509110205 NUREG/CP-0142 V03 PROCEEDINGS OF THE 7TH INTERNATIONAL MEETING ON NUCLEAR REACTOR THERMAL-HYDRAULICS NURETH-7. Sessions 12-16.
 BLOCK,R.C., FEINER,F. American Nuclear Society. 95/09/30. 916pp. 85386:001-85388:188.

9509110210 NUREG/CP-0142 V04 PROCEEDINGS OF THE 7TH INTERNATIONAL MEETING ON NUCLEAR REACTOR THERMAL-HYDRAULICS NURETH-7. Sessions 17-24.
 BLOCK,R.C., FEINER,F. American Nuclear Society. 95/09/30. Division of Systems Technology (Post 941217). 845pp. 85396:001-85398:115.

9509120018 Comment on draft NUREG/CR-6354. "Performance Testing of Electronic Personnel Dosimeters." Statement "...sixty-one of 67 (97%) sites..." mathematically incorrect.
 FURIA,J.T. Region 1 (Post 820201). 60FR42629 00001. 95/09/07. BAHADUR,S. Division of Regulatory Applications (Post 941217). 1p. 85382:001-85382:001.

9509130115 NUREG/BR-0191 V02 N3 INSIDE INFORMATION. Volume 2, Number 3.
 * Office of Information Resources Management (Post 890205). 95/06/30. 16pp. 85430:166-85430:181.

9509130141 NUREG-0940 V14 N2 P3 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED MATERIAL LICENSEES. Quarterly Progress Report, April-June 1995.
 * Ofc of Enforcement (Post 870413). 95/08/31. 223pp. 85432:111-85432:333.

9509130143 NUREG/CR-6089 DETECTION OF PUMP DEGRADATION.
 GREENE,R.H., CASADA,D.A. Oak Ridge National Laboratory. FIN B-0828. ORNL-6765. 95/08/31. Division of Engineering Technology (Post 941217). 108pp. 85430:182-85430:286.

9509130146 NUREG/CR-5973 R02 CODES AND STANDARDS AND OTHER GUIDANCE CITED IN REGULATORY DOCUMENTS.
 NICKOLAUS,J.R., BOHLANDER,K.L. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-2013. PNL-6462. 95/08/31. Office of Nuclear Reactor Regulation (Post 941001). 525pp. 85429:001-85430:165.

9509130156 NUREG-1519 SURFACE INTERACTIONS OF CESIUM AND BORIC ACID WITH STAINLESS STEEL.
 GROSSMAN,N. Division of Systems Technology (Post 941217). 95/08/31. 104pp. 85432:009-85432:110.

9509130162 NUREG/CR-6188 V02 MICROBIAL DEGRADATION OF LOW-LEVEL RADIOACTIVE WASTE. Annual Report For FY 1994.
 ROGERS,R.D., HAMILTON,M.A., VEEH,R.H. Idaho National Engineering Laboratory. FIN L-1807. INEL-95/0153. 95/08/31. Division of Regulatory Applications (Post 941217). 66pp. 85430:287-85430:353.

9509130168 NUREG/CR-6325 AN IMPLICIT STEADY-STATE INITIALIZATION PACKAGE FOR THE RELAP5 COMPUTER CODE.
 PAULSEN,M.P., PETERSON,C.E. Computer Simulation & Analysis, Inc. FIN W-6128. 95/08/31. Division of Systems Technology (Post 941217). 142pp. 85433:001-85433:142.

9509130173 NUREG-1423 V05 A COMPILATION OF REPORTS OF THE ADVISORY COMMITTEE ON NUCLEAR WASTE. July 1993 - June 1995.
 * Advisory Committee on Nuclear Waste. 95/08/31. 75pp. 85433:144-85433:210.

9509130181 NUREG/CR-2907 V13 RADIOACTIVE MATERIALS RELEASED FROM NUCLEAR POWER PLANTS. Annual Report 1992.
 TICHLER,J., DOTY,K., LUCADAMO,K. Brookhaven National Laboratory. FIN J-2139. BNL-NUREG-61581. 95/08/31. Office of Nuclear Reactor Regulation (Post 941001). 350pp. 85431:001-85432:008.

9509140009 Informs NRC staff of recent organizational change within Nuclear Group. Nuclear Safety Engineering now reports to Director Nuclear Planning, Licensing & Budgeting Dept.
 OPEKA,J.F. Connecticut Yankee Atomic Power Co. B15357. 95/09/07. Document Control Branch (Document Control Desk). 3pp. 85484:357-85484:359.

9509140174 Forwards proprietary & nonproprietary versions of Suppl 1 to ref TR, "Mechanical Design for BWR Fuel Channels," to comply w/procedures in NUREG-0390. Proprietary version of TR withheld.
 HERSHBERGER,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DEH-95-042. 95/09/07. Document Control Branch (Document Control Desk). 1p. 85491:040-85491:205.

9509140219 Appreciates opportunity to review NUREG/CR-6168, "Valve Reliability for Passive Advanced LWRs," for mail proprietary to Westinghouse. Table 5.7 columns labeled environ & key open/close requirements considered proprietary.
 MCINTYRE,B.A. Westinghouse Electric Corp. NTD-NRC-95-4548. 95/09/08. JACKSON,D.T. Document Control Branch (Document Control Desk). 2pp. 85476:335-85476:336.

9509140278 Forwards amends 210 & 214 to licenses DPR-44 & DPR-56, respectively. safety evaluation & FR notice. Amends replace current TS & associated Bases w/set of ITS based on NUREG-1433, "Standard TS GE Plants, BWR/4," dtd Sept 1992.
 SHEA,J.W. TAC M90746. 95/08/30. HUNGER,G.A. PECO Energy Co. (formerly Philadelphia Electric Co.). 4pp. 85460:001-85466:209.

-9509140293 Amends 210 & 214 to licenses DPR-44 & DPR-56, respectively, replacing current TS & associated Bases w/set of ITS based on NUREG-1433, "Standard TS, GE Plants, BWR/4," dtd Sept 1992.
 STOLZ,J.F. DPR-56 A 214. 95/08/30. 2,068pp. 85460:005-85465:252.

9509140373 Forwards initial Exam Rept 50-062/OL-95-01 of exam administered during week of 950828.
 RICHARDS,S.A. 95/09/06. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 1p. 85472:354-85472:354.

9509140386 NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
 CRUTCHFIELD,D. IEIN-94-088. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.

9509150281 NUREG/CR-6356 HYDRAULIC CHARACTERIZATION OF HYDROTHERMALLY ALTERED NOPAL TUFF.
 GREEN,R.T., MEYER-JAMES,K.A. Southwest Research Institute. RICE,G. FIN B-6666. CNWRA 94-027. 95/07/31. Division of Regulatory Applications (Post 941217). 69pp. 85521:001-85521:069.

9509150284 NUREG/CR-5535 V01 RELAP5/MOD3 CODE MANUAL. Code Structure, System Models, And Solution Methods.
 * Idaho National Engineering Laboratory. FIN W-6238. INEL-95/0174. 95/08/31. Division of Systems Technology (Post 941217). 412pp. 85495:001-85496:048.

9509150290 NUREG/CR-5535 V02 RELAP5/MOD3 CODE MANUAL. User's Guide And Input Requirements.
 * Idaho National Engineering Laboratory. FIN W-6238. INEL-95/0174. 95/08/31. Division of Systems Technology (Post 941217). 323pp. 85496:049-85497:007.

9509150303 NUREG/CR-5535 V04 RELAP5/MOD3 CODE MANUAL. Models And Correlations.
 * Idaho National Engineering Laboratory. FIN W-6238. INEL-95/0174. 95/08/31. Division of Systems Technology (Post 941217). 430pp. 85498:001-85499:066.

222 NONDOCKETED ITEMS

- 9509150307** NUREG/CR-5535 V05 R1 RELAP5/MOD3 CODE MANUAL User's Guide. FLETCHER, C.D., SCHULTZ, R.R. Idaho National Engineering Laboratory. FIN W-6238. INEL-95/0174. 95/08/31. Division of Systems Technology (Post 941217). 293pp. 85497:008-85497:300.
- 9509180178** Application for amends to licenses NPF-35 & NPF-52, modifying notation for overpower delta temp RT heatup setpoint penalty coefficient as delineated in Note 3 on Page 2-10 in order to make nomenclature consistent w/NUREG-0452, Rev 4. MCCOLLUM, W.R. Duke Power Co. 95/09/13. Document Control Branch (Document Control Desk). 13pp. 85523:096-85523:111.
- 9509180180** Proposed tech specs, modifying notation for overpower delta temp RT heatup setpoint penalty coefficient as delineated in Note 3 on Pp 2-10, in order to make nomenclature consistent w/NUREG-0452, Rev 4. * Duke Power Co. 95/09/13. 3pp. 85523:109-85523:111.
- 9509190306** Forwards SE re util 950224 proposed rev to emergency plan to relocate technical support ctr outside protected area. Util request for exception to TSC location requirement of Suppl 1 to NUREG-0737 should be granted. ESSIG, T.H. TAC M91655. 95/09/15. MATTHEWS, D.B. 2pp. 85524:124-85524:127.
- 9509190309** Safety evaluation granting util 950224 proposed rev to emergency plan to relocate TSC outside protected area. * 95/09/15. 2pp. 85524:125-85524:127.
- 9509190339** Forwards amends 192 & 75 to licenses DPR-66 & NPF-76 & safety evaluation. Amends revise BVPS-1 & BVPS-2 TSe 1.18, as listed. BRINKMAN, D.S. TAC 90809. 95/09/15. CROSS, J.E. Duquesne Light Co. 2pp. 85525:140-85525:179.
- 9509190350** Forwards RAI to assist closure of staff review of IPE submittal. Response requested by 951201. BLOOM, S. TAC M74412. 95/09/12. PATTERSON, T.L. Omaha Public Power District. 17pp. 85524:061-85524:077.
- 9509190354** Discusses requests to provide status of assigned staff actions resulting from findings of listed learnings by end of Jan each yr. Next update due 951031 to support change in timing for NUREG-1272, "AEOU Annual Rept." JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/09/11. RUSSELL, W.T. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 3pp. 85523:354-85523:356.
- 9509200013** Forwards notice of consideration of issuance to facility OL, proposed significant hazards consideration determination & opportunity for hearing on 950401 request to upgrade section 6.0 of plant TS. STANG, J.F. TAC M93407. 95/09/13. FARRAR, D.L. Commonwealth Edison Co. 2pp. 85561:260-85561:270.
- 9509210004** Notice of consideration of issuance of amend to facility license DPR-19 & DPR-25 & proposed NSHC determination & opportunity for hearing. Amend would upgrade plant TS to standard TS contained in NUREG-0123. STANG, J.F. 95/09/13. 9pp. 85561:262-85561:270.
- 9509200030** NUREG/CR-6305 BLT-EC (BREACH, LEAK, TRANSPORT, AND EQUILIBRIUM CHEMISTRY), A FINITE-ELEMENT MODEL FOR ASSESSING THE RELEASE OF RADIONUCLIDES FROM LOW-LEVEL WASTE DISPOSAL UNITS. Background, Theory, And Model Description. MACKINNON, R.J., SULLIVAN, T.M. Brookhaven National Laboratory. SIMONSON, S.A. Massachusetts Institute of Technology. Cambridge, MA. FIN A-3276. BNL-NUREG-52446. 95/08/31. Division of Regulatory Applications (Post 941217). 155pp. 85540:001-85540:155.
- 9509200039** NUREG/CR-6265 MULTIDISCIPLINARY FRAMEWORK FOR HUMAN RELIABILITY ANALYSIS WITH AN APPLICATION TO ERRORS OF COMMISSION AND DEPENDENCIES. BARRIERE, M.T. Brookhaven National Laboratory. WREATHALL, J. John Wreathall & Co., Inc. COOPER, S.E. Science Applications International Corp. (formerly Science Applications, Inc.). FIN L-2415. BNL-NUREG-52431. 95/08/31. Division of Systems Technology (Post 941217). 289pp. 85539:094-85539:262.
- 9509200049** NUREG/CR-6333 BREATH VERSION 1.1 - COUPLED FLOW AND ENERGY TRANSPORT IN POROUS MEDIA. Simulator Description And User Guide. STOTHOFF, S.A. Southwest Research Institute. FIN B-6666. CNWRA94-020. 95/07/31. Division of Regulatory Applications (Post 941217). 93pp. 85539:001-85539:093.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure." CRUTCHFIELD, D. GL-88-20. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509200258** Forwards TER for rev 26 re offsite dose calculation manual. LABARGE, D.E. TAC M82764. 95/09/15. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 85543:131-85543:164.
- 9509200277** Submits comments on NUREG-1435, Suppl 4, "Status of Safety Issues at Licensed Power Plants." MCKEE, P. TAC M92403. 95/09/19. TOSCH, K. General Public Utilities Corp. - GPU Service Corp. 3pp. 85525:347-85525:350.
- 9509200281** NUREG-1506 DRFT FC A NONPARAMETRIC STATISTICAL METHODOLOGY FOR THE DESIGN AND ANALYSIS OF FINAL STATUS DECOMMISSIONING SURVEYS. Draft Report For Comment. GOGOLAK, C.V. Energy Dept. of Environmental Measurements Laboratory. HUFFERT, A.M. POWERS, G.E. Division of Regulatory Applications (Post 941217). 95/08/31. 216pp. 85541:080-85541:295.
- 9509200315** Responds to 950717 request that NRC provide Vermont State Nuclear Advisory Panel w/info re insps of BWR internal components identified as being susceptible to age-related cracking. MCKEE, P.F. 95/09/19. SHERMAN, W.K. Vermont, State of. 5pp. 85540:316-85540:348.
- 9509200363** NUREG-1506 DRFT FC MEASUREMENT METHODS FOR RADIOLOGICAL SURVEYS IN SUPPORT OF NEW DECOMMISSIONING CRITERIA. Draft Report For Comment. HUFFERT, A.M. Division of Regulatory Applications (Post 941217). MILLER, K.M. Energy Dept. of Environmental Measurements Laboratory. 95/08/31. 78pp. 85541:001-85541:079.
- 9509200367** NUREG-1507 DRFT FC MINIMUM DETECTABLE CONCENTRATIONS WITH TYPICAL RADIATION SURVEY INSTRUMENTS FOR VARIOUS CONTAMINANTS AND FIELD CONDITIONS. Draft Report For Comment. HUFFERT, A.M. Division of Regulatory Applications (Post 941217). ABELQUIST, E.W. Oak Ridge Associated Universities. BROWN, W.S. Brookhaven National Laboratory. 95/08/31. 160pp. 85540:156-85540:315.
- 9509210115** Submits response to request for add info re pressurizer heaters as reliable as heaters described in NUREG-1366, "Improvements to TS Surveillance Requirements." BENJAMIN, J.A. Public Service Electric & Gas Co. of New Jersey. LR-N95133. 95/09/06. Document Control Branch (Document Control Desk). 2pp. 85567:358-85567:359.
- 9509210269** Forwards safety evaluation re location of Technical Support Ctr. Licensee request for exception to TSC location requirement of suppl 1 to NUREG-0737 acceptable. MOZAFARI, B. TAC M91655. 95/09/18. HINNANT, C.S. Carolina Power & Light Co. 2pp. 85574:275-85574:278.
- 9509220250** Forwards amends 135 & 129 to licenses NPF-35 & NPF-52 & SE. Amends revise TS Section 5.3.1, "Fuel Assemblies." MARTIN, R.E. TAC M86929. 95/09/18. MCCOLLUM, W.R. Duke Power Co. 3pp. 85573:342-85573:353.
- 9509220306** Notification of 951018 meeting w/NSSS Owners Group in Rockville, MD to discuss improved STS & related issues. GRIMES, C.I. 95/09/19. ZIMMERMAN, R.P. 3pp. 85562:347-85562:349.
- 9509220343** Forwards comments received on draft NUREG/BR-0199, "Responsiveness to Public." Requests that documents be placed in PDR. WILSON, V. Ofc of the Executive Director for Operations. 95/09/20. FRIDLEY, S. Document Control Branch (Document Control Desk). 1p. 85607:001-85607:024.
- 9509220346** Responds to 950410 electronic mail re NRC draft rept. "Responsiveness to Public, NUREG/BR-0199." Suggests that NRC should utilize internet more than current use. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 95/07/24. RUTHERFORD, P. Affiliation Not Assigned. 1p. 85607:002-85607:003.
- 9509260057** Expresses appreciation for comments on NRC draft rept NUREG/BR-0199 on Public Responsiveness Initiative & Small Business Innovation Program. * JAN, T. NRC - No Detailed Affiliation Given. 95/08/02. TROWER, P. Affiliation Not Assigned. 1p. 85607:004-85607:024.
- 9509260101** Responds to 950418 ltr commenting on draft document, "Responsiveness to Public." Expresses appreciation for time taken to review subj rept & comments provided. MARTIN, T.O. Regulation Development Branch (Post 941217). 95/07/19. STEVENSON, J.D. Stevenson & Associates. 1p. 85607:025-85607:027.
- 9509260107** Responds to 950425 ltr commenting on NRC draft rept. "Responsiveness to Public." Expresses appreciation for time taken to review subj rept & comments provided. BLAHAR, J.L. Assistant for Operations (Post 890205). 95/07/14. ZANZALARI, G. Foster Wheeler Energy Corp. 1p. 85607:028-85607:035.
- 9509260119** Expresses appreciation for response to request for comments on NRC draft NUREG/BR-0199, "Responsiveness to Public," & support & encouragement re benefits of expanded educational outreach program by NRC. BEECHER, W. Office of Public Affairs (Post 911117). 95/07/13. VARRICCHIO, L. Affiliation Not Assigned. 2pp. 85607:036-85607:038.
- 9509260130** Responds to 950502 ltr providing comments on draft document, "Responsiveness to Public," dtd Mar 1995. Expresses appreciation for time taken to review subj rept & comments provided. MARTIN, T.O. Regulation Development Branch (Post 941217). 95/07/19. LEWIS, M.I. Affiliation Not Assigned. 3pp. 85607:039-85607:047.
- 9509260139** Responds to 950509 ltr in response to NRC request for comments on draft rept. "Responsiveness to Public," NUREG/BR-0199. Submits items for NRC consideration. BATES, A.L. Office of the Secretary of the Commission. 95/08/29. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 85607:048-85607:051.
- 9509260144** Ack receipt of 950517 memo commenting on draft rept. "Responsiveness to Public," NUREG/BR-0199. Informs that comments incorporated. WILSON, V.H. NRC - No Detailed Affiliation Given. 95/07/28. MILLER, V.L. NRC - No Detailed Affiliation Given. 1p. 85607:052-85607:054.
- 9509260154** Expresses appreciation for 950527 electronic comments on draft NUREG/BR-0199, "Responsiveness to Public." Commission decided to re-evaluate public petition process for first time since its implementation in 1975. THADANI, M.C. 2,206. 95/07/24. Affiliation Not Assigned. 2pp. 85607:055-85607:057.
- 9509260159** Responds to 950515 ltr providing comments on NRC draft rept. "Responsiveness to Public," dtd Mar 1995. NRC reviewed all comments to determine how to modify approach in number of areas. MARTIN, T.O. Regulation Development Branch (Post 941217). 95/07/19. FENECH, R.A. Consumers Power Co. 1p. 85607:058-85607:060.
- 9509260166** Forwards Region III comments to draft rept NUREG/BR-0199, "Responsiveness to Public." NMSS agrees w/Region III & developed revised text being forwarded for inclusion in final version of subj rept. COOLIDGE, A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/31. HEHL, C.W. Region 1 (Post 820201). MALLETT, B.S. Region 2 (Post 820201). PEDERSON, C.D. Region 3 (Post 820201). 4pp. 85607:061-85607:068.

- 9509260179 Responds to 950527 ltr commenting on draft rept, "Responsiveness to Public." NUREG/BR-0199. Apologizes that requested mats unavailable in PDR. PIERSON,R.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/08/02. VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 1p. 85607.069-85607.072.
- 9509260186 Responds to 950525 ltr providing comments on draft document, "Responsiveness to Public." dtd Mar 1995.NRC agrees that public has legitimate need for, & interest in receiving info on decommissioning & other regulatory activities. WEBER,M.F. Division of Waste Management (NMSS 940403). 95/07/25. ESTREICHER,H. Covington & Buring. 1p. 85607.073-85607.096.
- 9509260202 Responds to 950530 ltr providing comments on draft document, "Responsiveness to Public." dtd Mar 1995.Expresses appreciation for time taken to review sub rept & comments provided. WEBER,M.F. Division of Waste Management (NMSS 940403). 95/07/25. LAWSON,R.L. Affiliation Not Assigned. 4pp. 85607.097-85607.104.
- 9509260208 Ack receipt of 950530 ltr re NRC draft NUREG/BR-0199, "Responsiveness to Public." Forwards NRC responses to comments provided. ROE,J.W. 95/07/21. RASIN,W.H. District of Columbia. 9pp. 85607.105-85607.128.
- 9509260240 Discusses communication re NRC draft rept, "Responsiveness to Public." Agrees w/concern that meetings between NRC & licensee not adequate substitute for more effective public involvement strategies. CAMERON,F.X. Office of the General Counsel (Post 860701). 95/08/07. BLANCH,P. Affiliation Not Assigned. 2pp. 85607.129-85607.132.
- 9509260249 Expresses appreciation for 950601 memo commenting on draft rept, "Responsiveness to Public." NUREG/BR-0199.Rept revised based on NRC evaluation of all comments. WILSON,V.H. Affiliation Not Assigned. 95/07/26. GORDIN,M.L. Office of the Inspector General (Post 890417). 1p. 85607.133-85607.135.
- 9509260252 Responds to 950530 ltr which provided comments on NRC draft rept entitled, "Responsiveness to Public." NUREG/BR-0199. CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/08/14. OPEKA,J.F. Northeast Utilities Service Co. 2pp. 85607.136-85607.140.
- 9509260272 Responds to 950525 ltr providing comments on draft document, "Responsiveness to Public." dtd Mar 1995.Expresses appreciation for time taken to review sub rept & comments provided. MARTIN,T.O. Regulation Development Branch (Post 941217). 95/07/19. GAI,M.L. Veterans Admin. Medical Center, Danville, IL. 2pp. 85007.141-85607.144.
- 9509260262 Expresses appreciation for comments on agency public responsiveness initiative.Discusses concern of unsuccessful efforts to use LPDR & NRC PDR to obtain info re submittals under IPE program. NORRY,P.G. Office of Administration, Director (Post 940714). 95/08/04. JOKSIMOVICH,V. Accident Prevention Group. 2pp. 85607.145-85607.152.
- 9509260265 Expresses appreciation for comments on agency public responsiveness initiative.informs that listings of public meetings in Weekly info Rept discontinued as redundant due to availability on toll-free electronic bulletin board. NORRY,P.G. Office of Administration, Director (Post 940714). 95/08/04. GRIFFIN,S.B. Don't Waste New York. 1p. 85607.153-85607.155.
- 9509260289 Responds to 950530 ltr which provided comments on draft NUREG/BR-0199, "Responsiveness to Public." Agrees w/recipient views that large majority of NRC licensees place great importance on operating at high levels of safety. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/08/07. SMITH,L.R. Affiliation Not Assigned. 6pp. 85607.156-85607.175.
- 9509260301 Submits comments in response to NRC draft NUREG/BR-0199, "Responsiveness to Public." SINCLAIR,M.P. Affiliation Not Assigned. 95/05/29. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 85607.176-85607.196.
- 9509250279 Application for amend to license NPF-86,changing TS 3/4.9.1 re refueling boron concentration (ref NUREG-1431). FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). NYN-95074. 95/09/20. Document Control Branch (Document Control Desk). 5pp. 85599.318-85599.327.
- 9509250374 NUREG-1123 R01 KNOWLEDGE AND ABILITIES CATALOG FOR NUCLEAR POWER PLANT OPERATORS: BOILING WATER REACTORS. * Office of Nuclear Reactor Regulation (Post 941001). 95/08/31. 412pp. 85579.001-85580.048.
- 9509250385 Forwards notice of consideration of issuance of amend to license & opportunity for hearing, revising TSs to be consistent w/provisions of NUREG-1431. JOHNSON,A. TAC M89516. 95/09/13. MECREDDY,R.C. Rochester Gas & Electric Corp. 3pp. 85578.250-85578.262.
- 9509250389 Notice of consideration of issuance of amend to license DPR-18 & proposed NSHC determination & opportunity for hearing,Amend revises TSs to be consistent w/provisions of NUREG-1431. MARSH,L.B. 95/09/13. 10pp. 85578.253-85578.262.
- 9509260039 Forwards TS change request 227,suppl 2 incorporating improvements from STS for B&W plants (NUREG-1430).Ref to containment insp requirements of App J included. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. C311-95-2391. 95/09/20. Document Control Branch (Document Control Desk). 4pp. 85608.290-85608.296.
- 9509260096 Application for amends to licenses NPF-68 & NPF-61, converting existing VEGP TS requirements to format & content of NUREG-1431. MCCOY,C.K. Georgia Power Co. TAC M92131. 95/09/22. Document Control Branch (Document Control Desk). 3pp. 85592.246-85592.294.
- 9509260103 Proposed tech specs,converting existing VEGP TS requirements to format & content of NUREG-1431. * Georgia Power Co. 95/09/22. 46pp. 85592.249-85592.294.
- 9509260227 informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).info includes sections of NUREG/CR-5172 & lessons learned from response evaluation. DEMBEK,S. 95/08/21. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 85586.355-85586.357.

- 9509260242 informs licensee that info provided to security manager to assist in efforts to protect plant against design-basis threat for sabotage,per 10CFR73.1(a).info includes sections of NUREG/CR-5172 & lessons learned from evaluation. HEBDON,F.J. 95/09/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85600.216-85600.221.
 - 9509260288 Forwards proprietary "Portsmouth Gaseous Diffusion Plant (GDP) FNMCP Annex (Annex)" for Portsmouth,OH GDP (PORTS). Annex provides supplementary & general info re PORTS & MC&A sys.as described in NUREG/CR-5734 Annex with-held. RIFAKES,G.P. United States Enrichment Corp. (USEC). GDP 95-0013. 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85607.350-85607.353.
 - 9509260298 Forwards proprietary "Paducah Gaseous Diffusion Plant (GDP) FNMCP Annex (Annex)" for Paducah,KY GDP (PGDP).Annex provides supplementary & general info re PGDP & MC&A sys.as described in NUREG/CR-5734 Annex withheld per 10CFR76.33(e). RIFAKES,G.P. United States Enrichment Corp. (USEC). GDP 95-0017. 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85606.356-85606.359.
 - 9509280048 Submits statements re proposed revs to 10CFR70,draft RG 3.52 & draft NUREG-1520. BURTON,H. SCIENTECH, Inc. 95/05/05. HIGDON,J. Office of Nuclear Material Safety & Safeguards. 3pp. 85631.206-85631.208.
 - 9509280051 Provides statement re proposed revs to 10CFR70,draft RG 3.52 & draft NUREG-1520. BURTON,H. SCIENTECH, Inc. 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 2pp. 85627.358-85627.359.
 - 9509280144 Forwards response to issues identified in NRC 941006 ltr re performance testing of relief & safety valves.S&W RC pipe stress & support analysis repts.S&L Rept SL-4283 & O'Donnell O'Donnell & Assoc.Inc Rept 1719-400-002-00 also encl. SIMPKIN,T.W. Commonwealth Edison Co. TAC M44630. 95/09/25. Document Control Branch (Document Control Desk). 5pp. 85647.148-85647.253.
 - 9509280174 1719-400-002-00 "Evaluation of Zion Station Units 1 & 2 Pressurizer Safety & Relief Valve Discharge Piping Subsystem for Slug Flow Condition Event Per NUREG-0737." RARO,R.J. AEA O'Donnell, Inc. (formerly SMC O'Donnell, Inc. & O'Donnell & Associates, Inc. 87/04/03. 51pp. 85647.203-85647.253.
 - 9509290011 informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).info includes sections of NUREG/CR-5172 & lessons learned from response evaluation. BERKOW,H.N. 95/09/22. WOODARD,J.D. Georgia Power Co. 5pp. 85636.292-85636.296.
 - 9509290035 informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage. BERKOW,H.N. 95/09/22. TUCKMAN,M.S. Duke Power Co. 4pp. 85636.314-85636.318.
- ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS**
- 9206240122 NRC Bulletin 92-001, "Failure of Thermal-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." ROSS,L.C. Division of Operational Events Assessment (870411-921003). IEIN-92-046. 92/06/24. Consolidated Edison Co. of New York, Inc. 6PP. 85627.337-85627.342.
 - 9508020209 Forwards 950717 ltr from JE Lamb which transmits FEMA region III rept for 930929 exercise. JOYNER,J.H. Region 1 (Post 820201). 95/07/27. SMITH,D.M. Federal Emergency Management Agency. 3pp. 85548.001-85548.270.
 - 9508020214 Forwards final rept for plant radiological EP exercise conducted on 930929. LAMB,J.E. Federal Emergency Management Agency. 95/07/17. SMITH,D.M. Region 1 (Post 820201). 1p. 85548.004-85548.004.
 - 9507130178 FEMA final rept for 930929, "Full Participation Exercise of Offsite Radiological Emergency Response Plans for Plant." * Federal Emergency Management Agency. 95/06/02. 266pp. 85548.005-85548.270.
 - 9508310198 NRC Info Notice 95-037, "Inadequate Offsite Power Sys Voltages During Design-Basis Events." CRUTCHFIELD,D. 95/09/07. Consolidated Edison Co. of New York, Inc. 12pp. 85423.024-85423.035.
 - 9509010021 Ack participation in NRC Leadership Seminar on Environ Justice on 950724. LOPEZ-OTIN,M.E. Office of State Programs (Post 911117). 95/08/02. CAIN,M. Environmental Protection Agency. 3pp. 85269.014-85269.016.
 - 9509010128 Confirms agreement to speak at NRC Leadership Seminar on Environ Justice to be held on 950724 in Rockville,MD. LOPEZ-OTIN,M. Office of State Programs (Post 911117). 95/07/07. KNOX,R.J. Environmental Protection Agency. 4pp. 85270.015-85270.018.
 - 9509010297 Forwards Commission Biweekly Notice of Applications & Amends to Operating Licenses involving NSHC,published in FR on 950802 W/o encl. RUSSELL,W.T. 95/08/23. FAIRCLOTH,L. Senate. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 85312.353-85312.354.
 - 9509050009 NRC Info Notice 95-036, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks." CRUTCHFIELD,D. IEIN-93-070. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423.050-85423.060.

224 NONDOCKETED ITEMS

- 9509050019** Expresses appreciation for participation in 950724 NRC leadership seminar on environ justice.
LOPEZ-OTIN,M.E. Office of State Programs (Post 911117). 95/06/02. SHEAFOR,C. Justice, Dept. of. 2pp. 85285:337-85285:338.
- 9509050173** Forwards listed documents re three hour fire endurance test on 3M Interam fire barrier wrap sponsored by Peak Seals.
BROWN,R.W. 95/08/07. MADDEN,P.M. 1p. 85325:097-85325:150.
- 9509070113** Draft "Fire Endurance Test of 3M Interam TM MAT Fire Protective Envelopes."
* Minnesota Mining & Manufacturing Co. (3M Co.). 95/08/02. 55pp. 85325:098-85325:150.
- 9509060342** Forwards AEOD assessments of Region I emergency response capabilities for 1994-1995.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/08/29. MARTIN,T.T. Region 1 (Post 820201). 4pp. 85314:198-85314:201.
- 9509060345** Forwards AEOD assessment of Region III emergency response capabilities for 1994-1995.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/08/29. MILLER,H.J. Region 3 (Post 820201). 5pp. 85325:341-85325:345.
- 9509060353** Forwards AEOD assessment of Region IV emergency response capabilities for 1994-1995.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/08/29. CALLAN,L.J. Region 4 (Post 820201). 4pp. 85314:183-85314:186.
- 9509070101** Requests for meeting w/TTUG to discuss major issues affecting reliability of Terry turbine drivers & safety significance of those issues. Proposed agenda encl.
MCCRACKEN,C.E. 95/09/05. NILIUS,D. Entergy Operations, Inc. 2pp. 85373:290-85373:291.
- 9509080036** Forwards info concerning Commission biweekly notice of applications & amendments to OL involving no significant hazards considerations, which was published in FR on 950816.
RUSSELL,W.T. 95/09/01. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 85398:357-85398:358.
- 9509080139** Forwards Jul 1995 rept on status of public petitions under 10CFR12.206. Proprietary portion withheld.
ZIMMERMAN,R.P. 2.206. 95/08/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 24pp. 85381:332-85381:355.
- 9509080146** Expresses appreciation for assistance provided to T Okamoto.
STROSNIDER,J.R. 95/09/06. HAYASHI,Y. Japan. 1p. 85385:271-85385:271.
- 9509080148** Expresses appreciation for time spent during JR Strosnider visit to Japan.
STROSNIDER,J.R. 95/09/06. MUTO,S. Japan. 1p. 85383:358-85383:358.
- 9509120010** Responds to 950726 ltr which provided copy of agency rept to Congress & President on "Seismic Safety of Federal & Federally Assisted, Leased or Regulated New Bldg Const."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/09/01. WITT,J.L. Federal Emergency Management Agency. 1p. 85411:315-85411:318.
- 9509120014** Transmits rept to Congress & President, "Seismic Safety Federal & Federally Assisted, Leased or Regulated New Bldg Construction." Requests assistance in taking action to improve seismic safety of new & existing Federal Bldgs.
WITT,J.L. Federal Emergency Management Agency. 95/07/26. THE CHAIRMAN, SELIN,J. Commissioners (Post 750119). 2pp. 85411:316-85411:318.
- 9509130018** NRC Info Notice 95-039, "Brachytherapy incidents re Treatment Planning Errors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/19. Consolidated Edison Co. of New York, Inc. 9pp. 85561:251-85561:259.
- 9509140386** NRC Info Notice 95-040, "Supplemental info to Generic Ltr 95-03, "Circumferential Cracking of SG Tubes."
CRUTCHFIELD,D. IEIN-94-088. 95/09/20. Consolidated Edison Co. of New York, Inc. 9pp. 85645:021-85645:029.
- 9509180311** Notifies that on 951002, representatives of NRC will meet w/mgt of Duke Power Co to discuss plant performance over past 18 months. Extends invitation to attend meeting as observer.
EBNETER,S.D. Region 2 (Post 820201). 95/09/05. HUTCHISON,K.D. Federal Emergency Management Agency. 4pp. 85502:125-85502:128.
- 9509180341** NRC Info Notice 95-041, "Degradation of Ventilation Sys Charcoal Resulting from Chemical Cleaning of SGs."
CRUTCHFIELD,D. IEIN-87-032. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85627:325-85627:336.
- 9509200232** NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, "Reactor Coolant Pump Seal Failure."
CRUTCHFIELD,D. GL-88-20. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645:009-85645:020.
- 9509200235** Ack receipt of constituent 950830 concerns re NRC intent to revise process for licensing operators an NPPs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/15. BORSKI,R.A. House of Rep. 2pp. 85525:337-85525:342.
- 9509200340** Forwards list of generic communications under development by NRC staff.
CHAFFEE,A.E. 95/09/05. LARHETTE,R.P. Institute of Nuclear Power Operations. 9pp. 85543:261-85543:268.
- 9509210264** Notification of 950919 meeting w/US Army in Independence, MO to discuss status of LCAAP decommissioning.
BROWN,S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/29. BELL,L.G. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85561:312-85561:312.
- 9509210335** Responds to 950724 memo requesting comments on encl NRC brochure, "Public Involvement in Nuclear Regulatory Process."
RUSSELL,W.T. 95/09/18. BEECHER,W. Office of Public Affairs (Post 911117). 21pp. 85562:136-85562:172.
- 9509210338** Forwards brochure, "Public Involvement in Nuclear Regulatory Process."
CYR,K.D. Office of Public Affairs (Post 911117). 95/07/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 16pp. 85562:157-85562:172.
- 9509220010** Summary of operating reactors events meeting 95-11 on 950913.
CHAFFEE,A.E. OREM-95-011. 95/09/18. CRUTCHFIELD,D. 29pp. 85576:324-85576:352.
- 9509220246** Forwards copy of Commission Biweekly Notice of Applications & Amendments to Operating Licenses involving no significant hazards considerations, per FR on 950830.
RUSSELL,W.T. 95/09/19. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 85576:356-85576:357.
- 9509220285** Forwards Ofc of Inspector General rept, "Improvements Needed in NRC Oversight of Parking Garage Mgt Svc."
BARCHI,T.J. Office of the Inspector General (Post 890417). 95/09/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85577:091-85577:111.
- 9509200371** "Improvements Needed in NRC Oversight of Parking Garage Mgt Svc."
* Office of the Inspector General (Post 890417). 95/09/08. 20pp. 85577:092-85577:111.
- 9509220300** NRC Info Notice 95-043, "Failure of Bolt-Locking Device on Reactor Coolant Pump Turning Vane."
CRUTCHFIELD,D. 95/09/28. Consolidated Edison Co. of New York, Inc. 8pp. 85645:001-85645:008.
- 9509250043** Discusses response to hurricane emergencies.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/09/19. MARTIN,T.T. Region 1 (Post 820201). EBNETER,S.D. Region 2 (Post 820201). CALLAN,L.J. Region 4 (Post 820201). 1p. 85577:357-85577:357.
- 9509250221** Forwards final policy statement on Commission use of probabilistic risk assessment methods in nuclear regulatory activities.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/08/07. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 85602:247-85602:313.
- 9509250234** Final policy statement on Commission use of probabilistic risk assessment methods in nuclear regulatory activities for FR publication.
BATES,A.L. Office of the Secretary of the Commission. CCS. 95/08/10. 64pp. 85602:249-85602:313.
- 9509250238** Forwards NRC FY95 third quarter base table for info.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/08/09. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 5pp. 85580:351-85580:356.
- 9509250246** Forwards narrative statement & revised sys of records notice covering proposed changes to NRC-40.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/08/23. ROTH,W.V. Senate, Governmental Affairs. CLINGER,W. House of Rep. 3pp. 85587:310-85587:323.
- 9509250251** NRC issuing public notice of intent to modify existing sys records, NRC-40, "Facility Security Access Control Records- NRC."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/16. 10pp. 85587:313-85587:323.
- 9509250275** Informs that for quarter beginning 950401 & extending to 950630, NRC neither released nor denied to public documents containing Safeguards info.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/08/08. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 85616:347-85616:349.
- 9509250296** Forwards proposed amendments on physical protection of stored fuel to Ofc of FR for publication in near future.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/08/07. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 85615:337-85615:361.
- 9509250306** NRC proposing to amend regulations to clarify safeguards requirements for spent fuel or high-level radwaste stored at ISFSI.
BATES,A.L. Office of the Secretary of the Commission. CCS. 95/08/08. 22pp. 85615:339-85615:361.
- 9509250361** Informs that TG Scarbrough & HJ Rathbun available to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Relief Valves," at Tenth AUG meeting on 951129 in Clearwater Beach, FL.
WESSMAN,R.H. GL-95-07. 95/09/21. OLSON,L.M. Pennsylvania Power & Light Co. 1p. 85578:249-85578:249.
- 9509260303** Summarizes observation of DOE Audit (HQ-SA-95-001) of Westinghouse Govt & Environs Svcs Co for multi-purpose canister program during week of 950821-25.
REID,D.G. Source Containment & Devices Branch (Post 911213). 95/09/14. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 5pp. 85625:039-85625:043.
- 9509260360** Responds to 950830 request re exemption from 10CFR73.21 for urgent relief shipments of foreign research reactor spent nuclear fuel, being shipped to DOE Savannah River Site.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/09/14. BRANCATO,R.W. Energy, Dept. of. 2pp. 85601:162-85601:163.
- 9509260362** Forwards ANS slides which had been presented at ANS Topical Meeting during wk of 950917.
RUSSELL,W.T. 95/09/20. MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 16pp. 85601:164-85601:179.
- 9509270004** Discusses meeting between INPO & NRC senior managers held on 950828. Meeting was beneficial & served to continue to improve working relationship between two organizations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/21. PATE,Z.T. Institute of Nuclear Power Operations. 64pp. 85611:297-85611:358.

9509270132 Forwards TRTS withdrawn topical, inadvertently omitted from attachment I (WM-79 & WM-87) of updated 950822 memo. LEWIS, R. Engineering & Geosciences Branch (NMSS 940403). 95/09/15. BELL, M. Engineering & Geosciences Branch (NMSS 940403). WEBER, M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85619-156-85619-159.

9509270135 Discusses use of third-party licensees to perform radiation safety tasks. COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/20. HEHL, C.W. Region 1 (Post 820201). MALLETT, B.S. Region 2 (Post 820201). PEDERSON, C.D. Region 3 (Post 820201). 7pp. 85610-330-85610-336.

9509270189 Forwards OIG rept (OIG/95A-10). "NRC Needs to Strengthen Process for Allegations Received re High-Level Nuclear Waste Repository." BARCHI, T.J. Office of the Inspector General (Post 890417). 95/09/13. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 85610-337-85610-357.

-9509270193 OIG/95A-10 Audit Rept OIG/95A-10, RC Needs to Strengthen Process for Allegations Received Re High-Level Nuclear Waste Repository." * Office of the Inspector General (Post 890417). 95/09/13. 19pp. 85610-357-85610-357.

9509270226 Notice of pending NF, action to submit info collection request to OMB & solicitation of public comment. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 95/09/22. 18pp. 85610-312-85610-329.

9509270255 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 95/09/22. 15pp. 85610-297-85610-311.

9509280071 Submits concurrence w/comments re NRR procedure for implementation of environ justice in RM process. RUSSELL, W.T. 95/09/15. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 41pp. 85631-142-85631-182.

-9509280084 Requests review & concurrence re procedure for implementation of environ justice in RM. MORRISON, D.L., PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. CYR, K.D. Office of the General Counsel (Post 860701). 95/09/06. RUSSELL, W.T. 36pp. 85631-147-85631-182.

PR PROPOSED RULE

9505100214 Ack receipt of 950418 proposed agenda for NRC 950502, public meeting. Provides documents in response to request for info that provides more insight on basis for rulemaking effort. Forwards draft proposed revs to 10CFR70. BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/04/25. KILLAR, F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 175pp. 85639-001-85639-243.

-9509280040 SEA-94-706-03-A.315 Preliminary draft. "Mats for Discussion, Values & Impact of Proposed Rewrite of 10CFR70, Task 7, RM Support for Changes to Licensing of SNM." SCIACCA, F. Science & Engineering Associates, Inc. * S. Cohen & Associates, Inc. NRC-04-93-058. 95/02/10. Office of Nuclear Material Safety & Safeguards. 68pp. 85639-176-85639-243.

9509050006 Comment on revised NRC SALP Program. NEI fully endorses NRC efforts to improve effectiveness & implementation of insp & oversight of operating NP reactors. RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR39193 00003. 95/08/31. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85285-307-85285-310.

9509050011 Comment opposing PRs 10CFR170 & 171 re reinvention of NRC fee policies. ORTIGER, T.W. Illinois, State of 60FR14670 00023. 95/07/28. BANGART, R. Office of State Programs (Post 911117). 5pp. 85285-318-85285-322.

9509050037 Comments on proposed rule 10CFR2 re reexamination of NRC Enforcement Policy. LEWIS, M.I. Affiliation Not Assigned. 60FR34381 00005. 95/08/12. NRC - No Detailed Affiliation Given. 3pp. 85286-030-85286-032.

9509050278 Comment opposing review of revised NRC SALP. MOREY, D. Southern Nuclear Operating Co. 60FR39193 00005. 95/08/28. Document Control Branch (Document Control Desk). 2pp. 85298-030-85298-031.

9509050290 Comments supporting "Revised SALP." GATES, W.G. Omaha Public Power District. 60FR39193 00004. 95/08/28. Office of Administration (890206-940714). 2pp. 85298-062-85298-063.

9509050294 Comment opposing proposed rule re review of revised NRC SALP program. Informs that revised program is significant improvement over previously existing process & has been effective in focusing on SALP repts. FORNICOLA, J.C. General Public Utilities Corp. - GPU Service Corp. 60FR39193 00006. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 85298-066-85298-072.

9509050336 Requests that memo & encl documents be processed & placed in PDR. HAISFIELD, M. Office of Nuclear Regulatory Research (Post 941217). AE88-1 001. 95/08/03. Document Control Branch (Document Control Desk). 5pp. 85645-235-85645-295.

-9509280229 Responds to 940805 correspondence which requested add info re liability for remediation in event of off-site release of radioactive mats from disposal facility. NIELSON, D.R. Utah, State of. AE88-1 004. 94/09/06. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 85645-245-85645-276.

-9509280233 Notifies NRC of intent of Heartland Operation to Protect Environ, Inc to appeal decision of Commission dtd 950712 & published in FR on Vol 60, 137, dtd 950718, to withdraw advanced notice of proposed rulemaking. BURTON, D.A. Heartland Operation to Protect the Environment, Inc. AE88-1 012. 95/07/31. HOYLE, J.C. Office of the Secretary of the Commission. 19pp. 85645-277-85645-295.

9509060195 Comments supporting "Revised SALP Program." * Carolina Power & Light Co. 60FR39193 00010. 95/08/26. Docketing & Services Branch. 2pp. 85312-001-85312-002.

9509060197 Comment opposing review of revised NRC SALP. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 60FR39193 00007. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 85312-003-85312-011.

9509060205 Comment opposing SALP program FR Vol 60, Number 147. CARRIER, P.P. Tennessee Valley Authority. 60FR39193 00013. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 8pp. 85312-016-85312-023.

9509060210 Comment on revised NRC SALP Program. Plant performance being evaluated in other SALP categories & support group performance is function of successes & failures. DEWEASE, J.G. Entergy Operations, Inc. 60FR39193 00008. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85312-061-85312-064.

9509060231 Comment supporting revised NRC SALP Program. ABBOTT, R.B. Niagara Mohawk Power Corp. 60FR39193 00013. 95/08/30. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85312-150-85312-151.

9509060244 Comment opposing revised NRC SALP Program. TUCKMAN, M.S. Duke Power Co. 60FR39193 00009. 95/08/29. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85312-173-85312-175.

9509060255 Comment on NRC SALP Program. Util views SALP program as important aspect of ongoing communication between licensees & NRC. BYRAM, R.G. Pennsylvania Power & Light Co. 60FR39193 00011. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85312-209-85312-214.

9509060340 Comments on NRC SALP program. Forwards several suggestions for enhancing current SALP program. BYRAM, R.G. Pennsylvania Power & Light Co. 60FR39193 00014. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 85312-224-85312-229.

9509060346 Comments on revised NRC SALP program. GRANT, J.M. Yankee Atomic Electric Co. 60FR39193 00012. 95/09/01. Docketing & Services Branch. 6pp. 85312-230-85312-237.

9509070071 Comments on revised NRC SALP program. DENTON, R.E. Baltimore Gas & Electric Co. 60FR39193 00018. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85321-001-85321-005.

9509070072 Comment on review of revised NRC SALP program. Recommends that SALP assessment process either be abandoned or justified, as within authority of NRC through appropriate rulemaking. RAY, H.B. Southern California Edison Co. 60FR39193 00011. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 85321-006-85321-011.

9509070269 Comment on review of revised NRC SALP program. Use of numerical scores has proven to be punitive from economic perspective. KELLEY, L.C. Florida Power Corp. 60FR39193 00016. 95/08/31. MEYER, D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85323-050-85323-054.

9509110122 Comment on revised SALP program. Poor performer on watch list plant probably should have more frequent SALP periods to develop insp record that supports ultimate removal from list. LESNIAK, M.T. Commonwealth Edison Co. 60FR39193 00019. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85333-001-85333-002.

9509120073 Comment supporting PR 52 60FR17902 re "Standard Design Certification for US Advanced BWR Design." ROBERTS, J. Entergy Operations, Inc. 60FR17902 00020. 95/08/31. Docketing & Services Branch. 2pp. 85382-002-85382-003.

9509120074 Comments on proposed rules 10CFR2.50 & 51 re decommissioning of nuclear power reactors. Suggests that wording proposed for 10CFR50.36(c)(6) be broadened to include installed equipment. FENECH, R.A. Consumers Power Co. 60FR37374 00001. 95/09/06. Docketing & Services Branch. 3pp. 85382-004-85382-006.

9509120085 Forwards response to OCRE 950812 comment on design features of GE ABWR. Disagrees w/any suggestion that NRC extend favorable consideration of comment to Sys 80 - std plant design. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 60FR17902. 95/09/05. HOYLE, J.C. Office of the Secretary of the Commission. 4pp. 85382-007-85382-010.

9509120096 Forwards analysis of OCRE 950812 supplemental comments on design of ABWR, notice of final rule & statement of considerations, in order to ensure that NRC has complete technical info on sub. SPECKER, S.R. General Electric Co. 60FR17902. 95/09/01. Docketing & Services Branch. 200pp. 85382-011-85382-154.

9509120101 First partial response to FOIA request for records. App A records encl & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/11. KUNTZ, P. Wall Street Journal. 3pp. 85427-218-85427-321.

-9202040251 Responds to 910806, 0913, 1010 & 23 requests for extension of payment due date & exemption from payment of FY91 annual fee for License 37-20519-01. Requests denied. TAYLOR, J.M. Ofc of the Executive Director for Operations. 56FR14870. 92/01/17. HIGGINBOTHAM, H. Allegheny County, PA. 3pp. 85427-281-85427-286.

226 NONDOCKETED ITEMS

- 9202040255 Ack receipt of third notice of delinquent debt. Response to request for exemption from matts fee for 1991 & reduction in fee in following yrs still requested. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/23. License Fee & Debt Collection Branch (Post 890827). 13pp. 85427:291-85427:314.
- 9202040257 Requests ack of receipt of ltrs requesting exemption from matts fee for 1991 & reduction in forthcoming yrs. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/10. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:290-85427:290.
- 9202040261 Requests exemption from matts fee for 1991 & reduction in fee thereafter. Exemption justified for listed reasons, including lack of extra departmental resources from which to draw amount of money for fee payment. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/09/13. License Fee & Debt Collection Branch (Post 890827). 2pp. 85427:288-85427:289.
- 9202040265 Requests extension of date for payment of annual matts fee. Extension needed to allow dept to locate funds & give county controller adequate time to issue payment invoice & record of 910814 telcon encl. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/08/06. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:287-85427:287.
- 9509120106 Forwards Senator R Dole 910708 ltr re rulemaking to increase fees & annual charges for direct response. EASTON, J.J. Energy, Dept. of. 56FR14870. 91/07/23. HOLLOWAY, C.J. Office of the Controller (Post 890205). 7pp. 85427:250-85427:260.
- 9202040251 Responds to 910806, 0913, 1010 & 23 requests for extension of payment due date & exemption from payment of FY91 annual fee for License 37-20519-01. Requests denied. TAYLOR, J.M. Ofc of the Executive Director for Operations. 56FR14870. 92/01/17. HIGGINBOTHAM, H. Allegheny County, PA. 3pp. 85427:281-85427:286.
- 9202040255 Ack receipt of third notice of delinquent debt. Response to request for exemption from matts fee for 1991 & reduction in fee in following yrs still requested. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/23. License Fee & Debt Collection Branch (Post 890827). 13pp. 85427:291-85427:314.
- 9202040257 Requests ack of receipt of ltrs requesting exemption from matts fee for 1991 & reduction in forthcoming yrs. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/10. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:290-85427:290.
- 9202040261 Requests exemption from matts fee for 1991 & reduction in fee thereafter. Exemption justified for listed reasons, including lack of extra departmental resources from which to draw amount of money for fee payment. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/09/13. License Fee & Debt Collection Branch (Post 890827). 2pp. 85427:288-85427:289.
- 9202040265 Requests extension of date for payment of annual matts fee. Extension needed to allow dept to locate funds & give county controller adequate time to issue payment invoice & record of 910814 telcon encl. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/08/06. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:287-85427:287.
- 9509120106 Forwards Senator R Dole 910708 ltr re rulemaking to increase fees & annual charges for direct response. EASTON, J.J. Energy, Dept. of. 56FR14870. 91/07/23. HOLLOWAY, C.J. Office of the Controller (Post 890205). 7pp. 85427:250-85427:260.
- 9202040251 Responds to 910806, 0913, 1010 & 23 requests for extension of payment due date & exemption from payment of FY91 annual fee for License 37-20519-01. Requests denied. TAYLOR, J.M. Ofc of the Executive Director for Operations. 56FR14870. 92/01/17. HIGGINBOTHAM, H. Allegheny County, PA. 3pp. 85427:281-85427:286.
- 9202040255 Ack receipt of third notice of delinquent debt. Response to request for exemption from matts fee for 1991 & reduction in fee in following yrs still requested. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/23. License Fee & Debt Collection Branch (Post 890827). 13pp. 85427:291-85427:314.
- 9202040257 Requests ack of receipt of ltrs requesting exemption from matts fee for 1991 & reduction in forthcoming yrs. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/10/10. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:290-85427:290.
- 9202040261 Requests exemption from matts fee for 1991 & reduction in fee thereafter. Exemption justified for listed reasons, including lack of extra departmental resources from which to draw amount of money for fee payment. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/09/13. License Fee & Debt Collection Branch (Post 890827). 2pp. 85427:288-85427:289.
- 9202040265 Requests extension of date for payment of annual matts fee. Extension needed to allow dept to locate funds & give county controller adequate time to issue payment invoice & record of 910814 telcon encl. HIGGINBOTHAM, H. Allegheny County, PA. 56FR14870. 91/08/06. License Fee & Debt Collection Branch (Post 890827). 1p. 85427:287-85427:287.
- 9509120106 Forwards Senator R Dole 910708 ltr re rulemaking to increase fees & annual charges for direct response. EASTON, J.J. Energy, Dept. of. 56FR14870. 91/07/23. HOLLOWAY, C.J. Office of the Controller (Post 890205). 7pp. 85427:250-85427:260.
- 9509120153 Forwards ABB-CE proposed statement of considerations to accompany ABB-CE proposed rule presented in form of complete rulemaking package. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 60FR17924. 95/09/05. HOYLE, J. Office of the Secretary of the Commission. 123pp. 85582:249-85583:011.
- 9509130128 Comment supporting review of revised NRC SALP program. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 60FR39193. 00021. 95/09/01. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85428:001-85428:002.
- 9509130142 Comment supporting revised NRC SALP program. YOUNG, K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co.). 60FR39193. 00023. 95/09/05. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85428:005-85428:006.
- 9509130150 Comment supporting review of revised NRC SALP Program. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 60FR39193. 00020. 95/08/31. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 85428:010-85428:014.
- 9509130154 Comment supporting revised NRC SALP program. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 60FR39193. 00022. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 85428:015-85428:021.
- 9509140079 Requests extension of comment period for both PGE & general public re plant dismantling & removal of large components in advance of receiving NRC approval of decommissioning plan. QUENNOZ, S.M. Portland General Electric Co. 60FR46315. 95/09/12. JULIAN, E. Docketing & Services Branch. 3pp. 85428:118-85428:119.
- 9509140082 Proposed rule 10CFR30.40 & 70, "One-Time Extension of Certain Byproduct, Source & Special Nuclear Matts Licenses." Rule would specify licenses whose expiration dates would not be extended. TAYLOR, J.M. Ofc of the Executive Director for Operations. 60FR46784. 95/08/29. 26pp. 85428:129-85428:156.
- 9509140083 Comment opposing process for approving Yankee component removal project prior to issuance of decommissioning order. WOOD, B.C. Massachusetts, Commonwealth of. 60FR46317. 00001. 95/09/08. JULIAN, E. Office of the Secretary of the Commission. 1p. 85428:157-85428:157.
- 9509140084 Final rule 10CFR73, "Changes to NPP Security Requirements Associated w/Containment Access Control," amending regulations to delete certain security requirements during periods of high traffic. TAYLOR, J.M. Ofc of the Executive Director for Operations. 60FR24803. 95/08/21. 8pp. 85428:158-85428:165.
- 9509140107 Forwards correction to comment 20 re proposed design certification rules for standardized advancement reactors. Last line of text may have been lost due to word processing error. WALLACE, M.J. Commonwealth Edison Co. 60FR17924. 95/08/23. Docketing & Services Branch. 2pp. 85428:176-85428:180.
- 9509140113 Corrected comment on proposed rule 10CFR52 re proposed design certification rules for standardized advanced reactors. Supports NEI comments. WALLACE, M.J. Commonwealth Edison Co. 60FR17924. 00020. 95/08/10. Docketing & Services Branch. 3pp. 85428:178-85428:180.
- 9509140124 Forwards correction to comment 19 re proposed design certification rules for standardized advanced reactors. Last line on first page may have been lost due to word processing error. WALLACE, M.J. Commonwealth Edison Co. 60FR17924. 95/08/23. Docketing & Services Branch. 2pp. 85428:181-85428:185.
- 9509140127 Correction to comment on proposed rule 10CFR52 re proposed design certification rules for standardized advanced reactors. Supports NEI comments. WALLACE, M.J. Commonwealth Edison Co. 60FR17924. 00019. 95/08/10. Docketing & Services Branch. 3pp. 85428:183-85428:185.
- 9509180150 Comment supporting use of "Graybook" data. ROTHWELL, G. Stanford Univ., Stanford, CA. 60FR43174. 95/09/11. SHAPAKER, J. NRC - No Detailed Affiliation Given. 17pp. 85500:115-85500:131.
- 9509190052 Forwards documents under regulatory history procedures for Tech Specs (10CFR50). Documents included in Final Rule 10CFR50.36, "Tech Spec", published in FR on 950721. GRIMES, C.I. AF06-2.001. 95/09/14. LANHAM, D.H. Document Control Branch (Document Control Desk). 11pp. 85533:188-85533:202.
- 9509190079 Forwards missing pp 103-117 from attachment B of 950901 ltr from SR Specker on behalf of GE Nuclear Energy re response to "Proposed RM for Std Design Certification of US Advanced BWR Design." FRANTZ, S.P. Morgan, Lewis & Bockius. 60FR17902. 95/09/15. Docketing & Services Branch. 16pp. 85503:273-85503:288.
- 9509220074 Final rule 10CFR21, "Procurement of Commercial Grade Items by Nuclear Power Plant Licensees," amending regulations to provide added flexibility in procuring commercial grade items for safety-related svc by licensees. TAYLOR, J.M. Ofc of the Executive Director for Operations. 59FR53372. 95/09/08. 26pp. 85547:044-85547:069.
- 9509220080 Advanced notice of withdrawal of proposed rulemaking 10CFR50, "Acceptance of Products Purchased for Use in Nuclear Power Plant Structures, Sys & Components." TAYLOR, J.M. Ofc of the Executive Director for Operations. 54FR9229. 95/09/08. 6pp. 85547:070-85547:075.
- 9509220087 Comment supporting PR 10CFR30.40 & 70 re extension of certain nuclear matts licenses by 5 yrs. SHANSHALA, M.J. Affiliation Not Assigned. 60FR46784. 00001. 95/09/19. Docketing & Services Branch. 1p. 85547:076-85547:076.
- 9509270023 Comment supporting proposed rules 10CFR30.40 & 70. LAM, S. Morristown Memorial Hosp., Morristown, NJ. LAM, S. Affiliation Not Assigned. 60FR46784. 00005. 95/09/20. Office of the Secretary of the Commission. 1p. 85588:065-85588:065.
- 9509270031 Comment supporting proposed rules 10CFR30.40 & 70 re one-time license extension of five years. SLACK, R.J. Conam Inspection. 60FR46784. 00006. 95/09/18. NRC - No Detailed Affiliation Given. 1p. 85588:060-85588:060.
- 9509270034 Comment supporting proposed rules 10CFR30.40 & 70 re one-time five-yr extension of certain byproduct, source & nuclear matts licenses. BAK, R.S. SmithKline Beckman Corp. 60FR46784. 00007. 95/09/19. Office of the Secretary of the Commission. 1p. 85588:063-85588:063.
- 9509270036 Comment supporting proposed rules 10CFR30.40 & 70 re one-time extension of certain byproduct source & SNM licenses. SHAW, P.B. 60FR46784. 00002. 95/09/21. Docketing & Services Branch. 1p. 85588:067-85588:067.

9509270045 Comment on proposed rules 10CFR30.40 & 70 re one-time extension of certain byproduct source & special nuclear material licenses.
HOPKINS,S.M. SAM-SON Inspection & Technical Services, Inc. 60FR46784 00003. 95/09/21. Docketing & Services Branch. 1p. 85588:075-85588:075.

9509270062 Comment on proposed rules 10CFR30.40 & 70 re proposed rule to extend certain materials licenses by five years. Suspending majority of renewals by one-time license extension will allow NRC to completely develop new sys.
ROSE,S.M. Center for Molecular Medicine & Immunology, Newark, NJ. 60FR46784 00004. 95/09/20. Office of the Secretary of the Commission. 1p. 85588:119-85588:119.

9509270067 Comment supporting proposed rules 10CFR30.40 & 70 re extension of mats license by 5 yrs.
DELKAR, HWS Technologies, Inc. 60FR46784 00009. 95/09/21. Docketing & Services Branch. 1p. 85588:121-85588:121.

9509270087 Final rules 10CFR20 & 35, "Medical Administration of Radiation & Radioactive Mats," amending regulations to clarify that medical administration of radiation or radioactive mats regulated by NRC provisions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 60FR4872. 95/09/20. 17pp. 85588:231-85588:247.

9509280001 Forwards comments by NEI in response to 950410 FR notice re meeting. Requests written comments on NRC draft proposed rev to domestic licensing of SNM.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18035. 95/05/02. HIGDON,J. NRC - No Detailed Affiliation Given. 5pp. 85631:226-85631:230.

9509280003 Forwards comments on Draft Proposed Rev to Domestic Licensing of Special Nuclear Matl.
MAXIN,A.M. Nuclear Fuel Services, Inc. 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 4pp. 85631:202-85631:205.

9509280009 Provides comments on proposed Part 70 rev issued under 95. 131 cover ltr from RF Burnett.
WARD,D.C. Babcock & Wilcox Co. 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 5pp. 85625:349-85625:353.

9509280010 Responds to NRC request for comment on proposed draft to 10CFR70. Supports NRC objective of establishing clear regulatory requirements & predictable licensing environment.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 60FR18035. 95/05/10. HIGDON,J. NRC - No Detailed Affiliation Given. 2pp. 85627:356-85627:357.

9509280019 Responds to request for comments on proposed draft to 10CFR70. Annual registration appears to be exercise w/ little benefit for Commission.
PALMER,A.J. American Ecology Corp. 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 1p. 85627:354-85627:354.

9509280024 Submits comments opposing draft proposed rev to 10CFR70, "Domestic Licensing of SNM." NEI believes that through continued dialog between NRC & industry, improved Std Format & Content Guide & Std Review Plan can be achieved.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18035. 95/05/11. BURNETT,R.F. NRC - No Detailed Affiliation Given. 4pp. 85631:222-85631:225.

9509280025 Transcript of 950502 public meeting in Rockville, MD re draft proposed revs to 10CFR70 domestic licensing of special nuclear matl. Pp 1-184 Related info encl: SHERR,T.S. Regulatory & International Safeguards Branch. BURNETT,R.F., EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 60FR18035. 95/05/02. 186pp. 85625:159-85625:344.

9509280026 Provides preliminary comments re draft proposed revs to domestic licensing of SNM. Believes NRC has not identified any health & safety improvements that would result from excessive costs necessitated from proposed rule.
MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 3pp. 85631:213-85631:215.

9509280027 Provides comments on preliminary working draft rev of 10CFR70 distributed by 950331 ltr. Comments based upon review & participation in 950502 meeting w/ NRC.
LEROY,P.G. Louisiana Energy Services. 60FR18035. 95/05/10. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 4pp. 85625:345-85625:348.

9509280029 Submits comments on draft proposed rev to NRC regulations on Domestic Licensing of SNM.
PALMER,A.J. 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 1p. 85627:355-85627:355.

9509280038 Submits comments re draft proposed rev to regulations on Domestic Licensing of Special Nuclear Matl.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18035. 95/04/20. HIGDON,J. NRC - No Detailed Affiliation Given. 2pp. 85627:352-85627:353.

9509280048 Submits statements re proposed revs to 10CFR70, draft RG 3.52 & draft NUREG-1520.
BURTON,H. SCIENTECH, Inc. 95/05/05. HIGDON,J. Office of Nuclear Material Safety & Safeguards. 3pp. 85631:206-85631:208.

9509280051 Provides statement re proposed revs to 10CFR70, draft RG 3.52 & draft NUREG-1520.
BURTON,H. SCIENTECH, Inc. 60FR18035. 95/05/01. HIGDON,J. NRC - No Detailed Affiliation Given. 2pp. 85627:358-85627:359.

9509280059 Submits comments on draft proposed revs to 10CFR70.
CHERB,J.H. General Electric Co. 60FR18035. 95/04/26. HIGDON,J. Office of Nuclear Material Safety & Safeguards. 3pp. 85631:216-85631:218.

9509280063 Submits comments on draft proposed revs to Domestic Licensing of Special Nuclear Matl. Licensee strongly believes that current 10CFR70 adequate for ensuring continued safe operations for fuel fabrication facilities.
VAUGHAN,C.M. General Electric Co. 60FR18035. 95/05/02. HIGDON,J. NRC - No Detailed Affiliation Given. 3pp. 85625:356-85625:358.

9509290045 Comments on proposed rules 10CFR2.50 & 51 re radiological criteria for decommissioning of NRC licensed facilities.
LEWIS,M. Affiliation Not Assigned. 60FR37374 00002. 95/09/24. Office of the Secretary of the Commission. 5pp. 85615:156-85615:160.

9509290046 Comment supporting proposed rules 10CFR30.40 & 70 re 5-yr extension of byproduct nuclear matl licenses.
MOHAUPT,T. Wright State Univ., Dayton, OH. 60FR46784 00009. 95/09/22. Docketing & Services Branch. 1p. 85615:161-85615:161.

9509290081 Comment on proposed proposed rules 10CFR30.40 & 70 re proposed one-time 5-yr extension for 6550 mats licenses.
SCHER,A.J. Affiliation Not Assigned. 60FR46784 00010. 95/09/21. Docketing & Services Branch. 1p. 85615:311-85615:311.

9509290084 Comment supporting proposed rules 10CFR30.40 & 70 re NRC consideration of one-time 5-yr automatic extension of certain matl licenses.
BOYD,R.M. Affiliation Not Assigned. 60FR46784 00011. 95/09/23. Docketing & Services Branch. 3pp. 85615:314-85615:316.

PRESS PRESS RELEASES

9509080001 "Six-Month Plant Performance Review Results Now Available to Licensees & Public."
* Office of Public Affairs (Post 911117). 95/09/05. 2pp. 85435:054-85435:055.

9509080002 "NRC Seeks Qualified Candidates for ACRS."
* Office of Public Affairs (Post 911117). 95/09/05. 2pp. 85435:052-85435:053.

9509080004 "NRC Staff to Conduct Critical Re-Evaluation of Agency's Activities."
* Office of Public Affairs (Post 911117). 95/09/01. 1p. 85435:056-85435:056.

9509080116 "NRC Defers to EPA on Regulatory Oversight for Cleanup of West Lake Landfill Site in MI."
* Office of Public Affairs (Post 911117). 95/09/07. 1p. 85435:014-85435:014.

9509120148 Second partial response to FOIA request for records. App C records encl & available in PDR. App B records partially withheld (ref FOIA Exemption 6).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/11. KUNTZ,P. Wall Street Journal. 4pp. 85459:008-85459:204.

-9509120218 "NRC to Hold Workshop 921119 on Cleanup of Contaminated Sites."
* Office of Congressional Affairs (Post 911117). 92/11/02. 7pp. 85459:145-85459:152.

9509150062 "23rd Water Reactor Safety Info Meeting Set for 951023-25 in Bethesda, MD."
* Office of Public Affairs (Post 911117). 95/09/14. 2pp. 85518:317-85518:318.

9509150064 "NRC Considers One-Time Five-Yr Automatic Extension of Certain Mats Licenses."
* Office of Public Affairs (Post 911117). 95/09/11. 1pp. 85518:319-85518:320.

9509150071 "NRC Staff Proposes \$50,000 Fine for Apparent Violations at WNP-2."
* Office of Public Affairs (Post 911117). 95/09/08. 2pp. 85518:321-85518:322.

9509200054 "Nuclear Industry Seeks Changes in NRC QA Rules for Nuclear Plants."
* Office of Public Affairs (Post 911117). 95/09/18. 2pp. 85547:191-85547:192.

9509200071 "NRC Receives Revised Application Form USEC for Certification of U Enrichment Plants."
* Office of Public Affairs (Post 911117). 95/09/15. 2pp. 85547:198-85547:199.

9509200073 "NRC Staff Rescinds Proposed \$50,000 Fine Against NSP in Case of Alleged Employment Discrimination."
* Office of Public Affairs (Post 911117). 95/09/15. 1p. 85547:200-85547:200.

9509270001 "NRC ACRS to Meet 951005-07 in Rockville, MD."
* Office of Public Affairs (Post 911117). 95/09/22. 3pp. 85728:314-85728:316.

9509270128 "NRC Advisory Committee on Medical Uses of Isotopes to Meet 951018-19 in Rockville, MD."
* Office of Public Affairs (Post 911117). 95/09/26. 1p. 85619:110-85619:110.

9509270142 Forwards listed ACRS repts, commenting on NEI petition proposing to amend fire protection rule, health effects valuation & proposed resolution of Genenc Issue 24.
* Office of Public Affairs (Post 911117). 95/09/21. 1p. 85619:111-85619:120.

PRM PETITION FOR RULEMAKING

9509050033 Comment opposing petition for rulemaking PRM-50-61 re Nuclear Energy Institute proposed amendments on fire safety for all NPPs.
FRANK,P.H. Affiliation Not Assigned. 60FR29784 00002. 95/08/23. Office of the Secretary of the Commission. 1p. 85288:029-85288:029.

9509150360 Notice of receipt of petition for rulemaking PRM-50-62. Petitioner requests that NRC amend regulations re QA programs to permit NPP licensees to change quality program described in SAR.
HOYLE,J.C. Office of the Secretary of the Commission. 60FR47716. 95/09/07. 16pp. 85485:220-85485:235.

9509150369 Petition for rulemaking PRM-50-62 requesting that NRC amend certain aspects of 10CFR50.54(a) re quality programs at commercial NPPs.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR47116. 95/06/06. HOYLE,J.C. Docketing & Services Branch. 16pp. 85485:236-85485:251.

9509290071 Comment on petition for rulemaking PRM-50-61 re proposed new app S to 10CFR50 on fire protection performance at nuclear power facilities.
COTE,A.E. National Fire Protection Association. 60FR29784 00003. 95/09/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 85615:168-85615:169.

228 NONDOCKETED ITEMS

PROJ PROJECTS - PREDOCKET LICENSING

- 9509010294** Forwards completed table on NAC intl commitments to NUREG-0612 & ANSI N14.6-1986 for four NAC designed dual-purpose or storage casks currently holding 10CFR72 COC or design approval ltr, per request. TJERSLAND, G.T. Nuclear Assurance Corp. 95/06/22. SCHNEIDER, J. Office of Nuclear Material Safety & Safeguards. 2pp. 85313:338-85313:339.
- 9509060135** First partial response to FOIA request for documents. Records in App A encl & being made available for PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/20. VOINCHE, W. Affiliation Not Assigned. 3pp. 85332:145-85332:175.
- 9509060142** Discusses 790404 ltr requesting comments on proposal to recommend approval of export from Canada to Romania of mats used in fabrication of CANDU reactors & subject to US Part 810 authorization. SHEA, J.R. Office of International Programs (Pre 870413). 79/04/17. HUDGINS, V. Energy, Dept. of. 1p. 85332:148-85332:148.
- 9509060199** Advises that NRC does not object to DOE authorizing Babcock & Wilcox to transfer to Romania CANDU nuclear mtg technology related to heat & ion exchangers & pressurizers. DEVINE, J.B. Office of International Programs (Pre 870413). 81/08/03. GRIFFIN, J.A. Energy, Dept. of. 1p. 85332:154-85332:154.
- 9509060173** Forwards TR BAW-2244. "Demonstration of Mgt of Aging Effects for Pressurizer" for NRC review & approval. CRONEBERGER, D. Babcock & Wilcox Operating Plants Owners Group. OG-1539. 95/08/31. CRUTCHFIELD, D. 2pp. 85347:243-85347:338.
- 9509060174** BAW-2244 "Demonstration of Mgt of Aging Effects for Pressurizer." STARKEY, R.L., RINCKEL, M.A. Babcock & Wilcox Co. 95/08/31. 94pp. 85347:245-85347:338.
- 9509070046** Forwards response to NRC 950801 RAI on Rev 3 to Draft G to WVNS-SAR-002. "SAR for LLW Processing & Support Activities." ROWLAND, T.J. Energy, Dept. of. 95/08/25. COMFORT, G.C. NRC - No Detailed Affiliation Given. 6pp. 85373:184-85373:189.
- 9509080219** Informs that CNWRA submittal of Rev 5, Change 0 to operations plan for waste solidification sys acceptable w/ listed changes. COMFORT, G.C. Licensing Branch. 95/08/25. MEEHAN, B.D. Division of Contracts (Post 940714). 1p. 85449:357-85449:357.
- 9509080237** Forwards documents re West Valley Demonstration Project (WVDP), including published SE of WVDP vitrification operation & collection of monitoring repts, per request at 950810 meeting. TEN EYCK, E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/08/30. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85447:352-85447:352.
- 9509110095** Forwards supplemental response to NRC CAL dtd 950707, addressing dry shielded canister (DSC) shell weld thinning. Revised Calculation NUH004.0213, "Standardized NUHOMS-24P DSC Shell Min Acceptable Uniform Thickness" also encl. FRANCESCHI, V. Vectra Technologies, Inc. VF-95-042. 95/09/05. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 14pp. 85451:128-85451:285.
- 9509110101** NUH004.0213 R01 "Standardized NUHOMS-24P DSC Shell Min Acceptable Uniform Thickness." SISLEY, S.E., INGLES, W. Vectra Technologies, Inc. 95/08/23. 144pp. 85451:142-85451:265.
- 9509110316** WVDP-218 R02 "WVNS Record of Revs." COMFORT, G. West Valley Nuclear Services Co., Inc. 95/09/07. 15pp. 85454:291-85454:332.
- 9509110322** PSR-12 R01 "Vitrification Facility Ventilation & Off-Gas Sys Requirements." * West Valley Nuclear Services Co., Inc. 95/08/30. 15pp. 85454:306-85454:320.
- 9509110326** PSR-13 R01 "Vitrification Facility Standby Power Requirements." * West Valley Nuclear Services Co., Inc. 95/08/30. 12pp. 85454:321-85454:332.
- 9509110376** Forwards "EA for Const & Operation of Contaminated Soil Consolidation Area at West Valley Demonstration Project," including FONSI. PROVENCHER, R.B. Energy, Dept. of. 95/08/29. COMFORT, G. NRC - No Detailed Affiliation Given. BOWAN Affiliation Not Assigned. BUBBS, S.R. Affiliation Not Assigned. 6pp. 85496:210-85496:321.
- 9509110379** DOE/EA-1072 "EA for Const & Operation of Contaminated Soil Consolidation Area at West Valley Demonstration Project." W/FONSI. * Energy, Dept. of. 95/07/31. 91pp. 85466:216-85466:321.
- 9509130094** Encourages NRC to consider all safety requirements concerning preoperational test acceptance criteria & test results re planned dry cask sys at Davis Besse (& Wisconsin Electric Power). JOHNSTON, C.F. Affiliation Not Assigned. 95/08/05. HANSEN, A.G. 2pp. 85474:223-85474:224.
- 9509140266** First partial response to FOIA request for documents. Records in App A encl & available in PDR. NRC continuing to review records subj to requests & will notify recipient upon completion of review. * Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. DEKOK, D. Affiliation Not Assigned. 8pp. 85494:001-85494:353.
- 9509140279** Summary of 680320 meeting w/ Atomic Intl, div of North American Rockwell Co & PENELEC re forthcoming submission of site & conceptual design of demonstration fast breeder power reactor. RYB, L.N. Atomic Energy Commission (Pre 750119). 68/05/08. BOYD, R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:015-85494:016.
- 9509140286** Requests pre-application site review for demonstration fast breeder reactor plant. FLAHERTY, J.J. Atomics International. BOVIER, R. Pennsylvania Electric Co. 68AT 2346. 68/05/16. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 4pp. 85494:017-85494:020.
- 9509140294** Forwards replacement title page for Vol I of document AI-67-MEMO-150, "Safety Evaluation of 500 MWe FBR Demonstration Plant Safety Analysis." MANN, D. Atomics International. 68AT 2681. 68/05/26. MORRIS, P. Atomic Energy Commission (Pre 750119). 1p. 85494:021-85494:021.
- 9509140299** AI-67-MEMO-150 V01 Title page for Vol I of "Safety Evaluation of 500 MWe FBR Demonstration Plant Safety Analysis." * Atomics International. 68/05/06. 2pp. 85494:022-85494:024.
- 9509140307** Summary of 680621 meeting w/GPU & AI re GPU-AI FBR proposal. GPU & AI plan to file PSAR Jan 1970 & to start const Apr 1971. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 68/06/24. Atomic Energy Commission (Pre 750119). 1p. 85494:025-85494:025.
- 9509140311** Forwards Vols I & II of AI-67-MEMO-150, AI-67-MEMO-149 & GPU-AI ltr re 350-500 MWe demonstration fast breeder reactor plant for review w/o encls. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 68/07/03. ZABEL, C.W. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:026-85494:026.
- 9509140323** Discusses site review for fast breeder reactor. PRICE, H.L. Atomic Energy Commission (Pre 750119). 68/07/26. SEABORG, RAMEY, TAPE Atomic Energy Commission (Pre 750119). 2pp. 85494:027-85494:028.
- 9509140327** Advises that preliminary review of 500 MWe FBR made & addl info will be required in listed areas. HOWE, P.W. Atomic Energy Commission (Pre 750119). 68/08/07. BOYD, R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:029-85494:030.
- 9509140338** Informs of NRC plans to meet w/Atomics Intl & PENELEC to discuss scope of NRC pre-application site review involving design of 500 MWe FBR, characteristics of proposed site & proposed schedules. PRICE, H.L. Atomic Energy Commission (Pre 750119). 68/08/14. CONWAY, J.T. Congress, Joint Committee on Atomic Energy. 2pp. 85494:031-85494:032.
- 9509140344** Discusses telcons w/Atomics Intl (AI) on 680823 re AI-FBR preliminary site review comments listed. DOHM, A.J. Atomic Energy Commission (Pre 750119). 68/08/26. BOYD, R.S. Atomic Energy Commission (Pre 750119). 3pp. 85494:033-85494:035.
- 9509140353** Refers to JJ Flaherty visit of 680726 & 0524 ltr which volunteered info on concept design phase of joint GPU & Atomics Intl (AI) FBR program. NRC planning to meet w/AI on 681030 to discuss AI/GPU demonstration plant concept. SHAW, M. Atomic Energy Commission (Pre 750119). 68/09/04. FLAHERTY, J.J. Atomics International. 2pp. 85494:036-85494:037.
- 9509140362** Discusses telcons on 680917 w/C Gerber of Atomics Intl re status of NRC preliminary site review re AI-FBR (PENELEC). Comments listed. DOHM, A.J. Atomic Energy Commission (Pre 750119). 68/09/24. Atomic Energy Commission (Pre 750119). 3pp. 85494:038-85494:040.
- 9509140371** Lists members of regulatory staff who will attend 681030 meeting in which AI/GPU will describe LMFBR demonstration plant. MINOGUE, R.B. Atomic Energy Commission (Pre 750119). 68/10/29. WENSCH, G.W. Atomic Energy Commission (Pre 750119). 1p. 85494:041-85494:041.
- 9509140377** Advises that preliminary review of info submitted in support of joint request from PENELEC & Atomics Intl for pre-application site review for proposed site for 350 to 500 MWe FBR demonstration plant disclosed that addl info needed. PRICE, H.L. Atomic Energy Commission (Pre 750119). 68/10/29. SEABORG, RAMEY, TAPE Atomic Energy Commission (Pre 750119). 3pp. 85494:042-85494:044.
- 9509140380** "NR/GPU FBR Program Presentation to AEC" on 681031. * Atomics International. 68/10/31. 16pp. 85494:045-85494:060.
- 9509150072** Forwards Atomics Intl (AI) memos expanding on AI 681030 presentation of FBR program to AEC w/o encls. GERBER, R.C. Atomics International. 68AT 5441. 68/11/14. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 1p. 85494:061-85494:061.
- 9509150079** Forwards briefing charts used for 681030 presentation to AEC w/o encls. GERBER, R.C. Atomics International. 68AT 5686. 68/12/05. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:062-85494:063.
- 9509150085** Notification of 681220 meeting w/Atomics Intl & GPU in Bethesda, MD to discuss pre-application site review of proposed 500 MWe FBR demonstration plant project. DOHM, A.J. Atomic Energy Commission (Pre 750119). 68/12/17. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 1p. 85494:064-85494:065.
- 9509150092** Transmits memos AI-68-MEMO-83, AI-68-MEMO-84 & AI-68-MEMO-122 re 500 MWe FBR demonstration plant w/o encls. GERBER, R.C. Atomics International. 68AT 5899. 68/12/27. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 1p. 85494:067-85494:067.
- 9509150104** Requests assistance in review of AI/GPU FBR demonstration plant. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 69/01/09. HOLT, A.B. Atomic Energy Commission (Pre 750119). 1p. 85494:068-85494:068.
- 9509150109** Discusses 690103 telcon w/C Gerber of Atomics Intl (AI) re AI-FBR (PENELEC) pre-application site review. DOHM, A.J. Atomic Energy Commission (Pre 750119). 69/01/30. BOYD, R.S. Atomic Energy Commission (Pre 750119). 1p. 85494:069-85494:069.
- 9509150115** Discusses 690129 telcon w/R Beeley at AI re AI-FBR (PENELEC) pre-application site review. DOHM, A.J. Atomic Energy Commission (Pre 750119). 69/02/07. BOYD, R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:070-85494:071.
- 9509150120** Forwards revised repts. AI-67-MEMO-149, "500 MWe FBR Demonstration Plant Description," Vol II of AI-67-MEMO-150, "SE of 500 MWe FBR Demonstration Plant - Site Environ" & Vol I of AI-67-MEMO-150, "Safety Analysis." W/o encls. FLAHERTY, J.J. Atomics International. DODSON, N.G. Pennsylvania Electric Co. 69AT 157. 69/02/07. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 2pp. 85494:072-85494:073.

- 9509150121 Summary of 661220 meeting w/AI & GPU re pre-application site review of proposed 500 MWe FBR demonstration plant. Comments encl.
DOHMA, A. Atomic Energy Commission (Pre 750119). 69/02/07. Atomic Energy Commission (Pre 750119). 1pp. 85494:074-85494:091.
- 9509150124 Forwards listed info on FBR demonstration plant for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/02/13. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:092-85494:092.
- 9509150126 Forwards errata sheets dtd 690202 from AI for AI-67-MEMO-149 & AI-67-MEMO-150, Vol I for FBR demonstration plant for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/02/27. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:093-85494:093.
- 9509150132 Summary of 680320 meeting w/AI & PENELEC re AI/PENELEC plans for prototype FBR. Charts showing program schedule, input from AEC-LMFR program, AI program milestones & licensing & regulatory milestones encl.
BIRKEL, R.A. Atomic Energy Commission (Pre 750119). 68/03/21. THOMPSON, D. Atomic Energy Commission (Pre 750119). 6pp. 85494:094-85494:099.
- 9509150136 Forwards listed documents submitted by AI for pre-application site review of proposed FBR demonstration plant, in accordance w/understandings reflected in Udall 640320 ltr to Seaborg. W/o encl.
BOYD, R.S. Atomic Energy Commission (Pre 750119). 69/03/28. SCHNEIDER, R. Interior, Dept. of Geological Survey. WHITE, W.M. Interior, Dept. of Fish & Wildlife Service. PACK, D.H. 6pp. 85494:100-85494:105.
- 9509150139 Submits site review questions re cover gas transport in sodium coolant.
KLECKER, R.W. Atomic Energy Commission (Pre 750119). 69/04/21. BOYD, R.S. Atomic Energy Commission (Pre 750119). 3pp. 85494:106-85494:108.
- 9509150144 Recommends that AEC ask AI to respond to encl questions re experimental reactor physics program for AI 500 MWe FBR demonstration plant.
WILLIAMS, P.M. Atomic Energy Commission (Pre 750119). 69/05/05. BOYD, R.S. Atomic Energy Commission (Pre 750119). 5pp. 85494:109-85494:113.
- 9509150149 Forwards transmittal ltr dtd 690416 & comments by Air Resources Environ Lab - ESSA on Vols I & II of safety analysis for FBR demonstration plant for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/05/13. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:114-85494:114.
- 9509150151 Discusses 690422 telcon from AI, informing of organizational changes at AI & to transmits info on startup core for FBR demonstration plant. Specs of "typical" startup core encl.
DOHMA, A.J. Atomic Energy Commission (Pre 750119). 69/05/22. Atomic Energy Commission (Pre 750119). 3pp. 85494:115-85494:117.
- 9509150153 Forwards summary of 690604 meeting w/ACRS Subcommittee re factors germane to evaluation of Pu dispersions & AI/GPU demonstration plant.
KLECKER, R.W. Atomic Energy Commission (Pre 750119). 69/06/11. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 1p. 85494:118-85494:118.
- 9509150155 Summary of 690604 meeting w/ACRS Subcommittee re recent fire at Rocky Flats, CO plant, biological effects from Pu exposures, Pu transport (dispersion) & AI FBR accident evaluation model.
BAKER, R.E. Atomic Energy Commission (Pre 750119). 69/06/11. Atomic Energy Commission (Pre 750119). 7pp. 85494:119-85494:125.
- 9509150158 Forwards RAI, in connection w/preliminary site review for proposed GPU/AI FBR demonstration plant.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/06/06. DODSON, N.G. Pennsylvania Electric Co. FLAHERTY, J.J. Atomics International. 9pp. 85494:126-85494:141.
- 9509150163 Forwards ltr & list of questions, transmitted to AI & GPU on 690808 re preliminary site review being conducted for proposed AI/GPU FBR demonstration plant. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/08/08. MANN, M.M., HENDERSON, C., BECK, C.K. Atomic Energy Commission (Pre 750119). 2pp. 85494:142-85494:143.
- 9509150170 Forwards ltr & list of questions transmitted to AI & GPU on 690808 re preliminary site review being conducted for proposed AI/GPU FBR demonstration plant for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/08/12. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:144-85494:144.
- 9509150172 Forwards preliminary responses to AEC/DRL question on GPU/AI 500 MWe FBR demonstration plant. SER, dtd 690813 for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/08/18. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:145-85494:145.
- 9509150178 Forwards 690820 ltr from Fish & Wildlife Svc, DOI transmitting comments on documents submitted by AI for preapplication site review of proposed FBR demonstration plant in Wyoming County, PA for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/09/08. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 85494:146-85494:149.
- 9509150185 Forwards final draft responses to AEC/DRL questions on GPU/AI 500 MWe FBR demonstration plant. SER dtd 691008. Encls delivered to ACRS on 691010 by Loftness. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/10/14. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:150-85494:150.
- 9509150190 Forwards input for ACRS rept on FBR. Notifies that radiological consequences section of ACRS rept will be handled by Advanced Concepts Branch.
HOWE, P.W. Atomic Energy Commission (Pre 750119). 69/10/16. BOYD, R.S. Atomic Energy Commission (Pre 750119). 5pp. 85494:151-85494:155.
- 9509150197 Forwards revised geology & seismology section for FBR ACRS rept.
HOWE, P.W. Atomic Energy Commission (Pre 750119). 69/10/23. BOYD, R.S. Atomic Energy Commission (Pre 750119). 2pp. 85494:156-85494:157.
- 9509150203 Forwards list of items identified by ACRS Subcommittee Chairman for presentation & for discussion during Nov 1969 ACRS meeting on FBR demonstration plant.
HARD, J.E. ACRS - Advisory Committee on Reactor Safeguards. 69/10/24. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:158-85494:160.
- 9509150207 Forwards Suppl I to Vol I of AI-77-MEMO-150, "USE of 500-MWe FBR Demonstration Plant - Answers to DRL Questions," dtd 691024 & page setting forth changes in listed document submitted from final draft for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/10/31. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:161-85494:161.
- 9509150211 Forwards 691030 ltr from USGS & rept on hydrologic aspects of planned location of FBR demonstration plant for review. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 69/11/06. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 85494:162-85494:163.
- 9509150218 Forwards file of ltrs to editor & editorials printed in Tunkhannock Publication & New Age from Apr to Nov of 1969 re AI/GPU fast breeder project, per request.
HEWARD, R.W. General Public Utilities Corp. GPU Service Corp. 69/11/14. DOHMA, A. Atomic Energy Commission (Pre 750119). 14pp. 85494:164-85494:176.
- 9509150230 Informs that Suppl 1 to SER on GPU/AI 500 MWe FBR (AI-67-MEMO-150, Vol I, Suppl 1) transmitted to AEC under separate cover. Document contains info intended to answer questions in AEC 690806 ltr.
FLAHERTY, J.J. Atomics International. DODSON, N.G. Pennsylvania Electric Co. 69AT4566. 69/11/19. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 2pp. 85494:177-85494:178.
- 9509150244 Forwards GPU document, answers to informal AEC questions, dtd Jan 1970 for review. Document responds to DRL question during 691126 meeting in Bethesda re need for clarified info on DBA analysis & GPU/AI position re AEC LMFR program plan.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 70/01/21. HANAUER, S.H. ACRS - Advisory Committee on Reactor Safeguards. 25pp. 85494:179-85494:202.
- 9509150252 Forwards list of items identified for presentation & discussion during Feb 1970 ACRS meeting on FBR demonstration plant.
HARD, J.E. ACRS - Advisory Committee on Reactor Safeguards. 70/01/27. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:203-85494:205.
- 9509150256 Forwards "Rept to ACRS GPU/AI Preliminary Site Review for Proposed FBR Demonstration Power Plant" for review.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 70/01/25. HENDRIE, J.M. ACRS - Advisory Committee on Reactor Safeguards. 1p. 85494:206-85494:206.
- 9509150263 "Rept to ACRS GPU/AI Preliminary Site Review for Proposed FBR Demonstration Power Plant."
* Atomic Energy Commission (Pre 750119). 70/01/27. 76pp. 85494:207-85494:282.
- 9509150269 Forwards rept to ACRS on preliminary site review for proposed FBR demonstration power plant by GPU & AI. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 70/01/30. SHAW, M. Atomic Energy Commission (Pre 750119). 1p. 85494:283-85494:283.
- 9509150274 Discusses 700130 telcon received from D Heward of GPU re public meeting in Tunkhannock, PA re proposed GPU/AI FBR.
DOHMA, A.J. Atomic Energy Commission (Pre 750119). 70/01/30. MORRIS, P.A., SCHROEDER, F., BOYD, R.S. Atomic Energy Commission (Pre 750119). 1p. 85494:284-85494:284.
- 9509150275 Summary of ACRS 109th meeting on 690508-10 & 118th meeting on 700205-07 re suitability of Scottsville, PA site for sodium-cooled, fast-neutron reactor.
HENDRIE, J.M. ACRS - Advisory Committee on Reactor Safeguards. 70/02/11. SEABORG, G.T. Atomic Energy Commission (Pre 750119). 4pp. 85494:285-85494:288.
- 9509150280 Forwards ACRS rept re Committee review of PENELEC & AI request for pre-application site review of proposed fast-neutron sodium-cooled power reactor to be located near Scottsville, PA for info. W/o encl.
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 70/03/12. DODSON, N.G. Pennsylvania Electric Co. FLAHERTY, J.J. Atomics International. 5pp. 85494:289-85494:293.
- 9509150291 Forwards summaries of status & history of public acceptance record for GPU-PENELEC/AI study project on LMFR for site PENELEC owns at Scottsville Wyoming County, PA, formalizing public acceptance communication w/AEC. W/o encl.
LUMNITZER, P.L. Pennsylvania Electric Co. 70/05/06. BROWN, H. Atomic Energy Commission (Pre 750119). 3pp. 85494:294-85494:296.
- 9509150293 Forwards info re concern constituents F Rowe re proposed const of fast breeder nuclear reactor near Tunkhannock, PA, in response to recent note. W/o encl.
* Atomic Energy Commission (Pre 750119). 70/06/03. SCOTT, H.L. Senate. 2pp. 85494:297-85494:298.
- 9509150301 Ack receipt of 700521 note, encl 700415 ltr from SR Ide re proposed fast breeder nuclear reactor near Mehoopany, PA. Comments on nuclear power by SR Ide in 700415 ltr to HL Scott encl.
* Atomic Energy Commission (Pre 750119). 70/07/07. SCOTT, H.L. Senate. 6pp. 85494:299-85494:304.
- 9509150306 Forwards 700614 ltr from Citizens Committee for Environ Concern, forwarding petition disapproving proposed erection of fast breeder nuclear reactor intended to be constructed by PENELEC.
DINUNNO, J.J. Atomic Energy Commission (Pre 750119). 70/09/15. HENDERSON, C.L. Atomic Energy Commission (Pre 750119). 1p. 85494:305-85494:305.
- 9509150313 Forwards petition disapproving erection of fast breeder nuclear reactor to be constructed by PENELEC, subsidiary of GPU, near Meshoppen, PA.
LEE, B., DANIEL, S.J. Affiliation Not Assigned. 70/08/14. Atomic Energy Commission (Pre 750119). 3pp. 85494:306-85494:310.
- 9509150314 Expresses concern on behalf of constituents in Wyoming County, PA re proposed development of fast breeder nuclear power plant in county.
SCOTT, H. Senate. 70/09/01. SEABORG, G.T. Atomic Energy Commission (Pre 750119). 3pp. 85494:311-85494:313.
- 9509150317 Discusses need to consider alternate or fall-back site in addition to preliminary site at Tunkhannock, PA on PENELEC sys.
DIECKAMP, H. Atomics International. DIECKAMP, H. North American Rockwell. 70AT3410. 70/09/04. HOLLINGSWORTH, A.T. Atomic Energy Commission (Pre 750119). 3pp. 85494:314-85494:316.

230 NONDOCKETED ITEMS

-9509150328 Forwards supplemental info in response to 700901 ltr re proposed FBR in Wyoming County, PA.
* Atomic Energy Commission (Pre 750119). 70/10/02. SCOTT, H.L. Senate. 12pp. 85494:329-85494:340.

-9509150330 Requests info on present status of any application or request which may have been made by GPU or AI in connection w/proposed fast-breeder nuclear power plant to be constructed near Meshoppen, PA.
MCDADE, J.M. Senate. 70/10/09. SEABORG, G.T. Atomic Energy Commission (Pre 750119). 2pp. 85494:341-85494:342.

-9509150334 Forwards response to 700917 ltr re fast breeder nuclear power plant proposed near Meshoppen, PA.
SEABORG, G.T. Atomic Energy Commission (Pre 750119). 70/10/12. FETTER, L.E. 6pp. 85494:343-85494:348.

-9509150336 Forwards listed documents to update AEC existing ref matl on AI FBR demonstration plant w/o encls.
BALENT, R. Atomic International. BALENT, R. North American Rockwell. 71A453. 71/02/04. IRELAND, R.E. Atomic Energy Commission (Pre 750119). 3pp. 85494:349-85494:351.

-9509150338 Responds to 710510 ltr to President, expressing concern re funding provided for breeder reactor development & fusion research.
SHAW, M. Atomic Energy Commission (Pre 750119). 71/05/18. LIKE, J. Reilly & Like. 2pp. 85494:352-85494:353.

9509150016 Notification of 950926 meeting w/WOG in Rockville, MD to discuss status of WOG generic TR program & to provide clarification to staff 950906 RAI.
FLANDERS, S.C. 95/09/12. NEWBERRY, S.F. 2pp. 85505:341-85505:342.

9509150123 Submits minor mods to Chapters 3 & 4 of submittal, being resubmitted w/mods shown by double underlines/strikeout.
CRONEBERGER, D. BWR Owners Group. OG-1537. 95/08/25. CRUTCHFIELD, D. 46pp. 85507:146-85507:190.

9509150206 Identifies individuals within Westinghouse Owners Group serving as point of contact for communications for NRC & Westinghouse Owners Group w/regard to program for license renewal.
NEWTON, R.A. Westinghouse Operating Plants Owners Group. OG-95-071. 95/09/06. FLANDERS, S.C. NRC - No Detailed Affiliation Given. 3pp. 85507:318-85507:320.

9509190116 Submits comments on EPHI TR-100305 (PNL-7839), "Performance Testing & Analyses of VSC-17 Ventilated Concrete Cask," in response to 950811 telcon re "off-gassing" of RX-277 neutron shield matl during testing of VSC-17.
THOMPSON, T.C. Sierra Nuclear, Inc. 95/08/14. LEU, K.C. NRC - No Detailed Affiliation Given. 1p. 85524:351-85524:351.

9509200042 Ack receipt of 841112 ltr re dry cask storage of SF & submits responses.
HANNON, J.N. 95/09/12. SHILLINGLAW, F. Affiliation Not Assigned. 9pp. 85541:312-85541:353.

9509200113 Forwards certified copy of resolution unanimously adopted by Mayor & Council of Borough of Newfield at Regular Meeting held 950711.
VAN CAMP, T.L. Newfield, NJ. 95/07/14. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85546:358-85546:360.

9509210018 Forwards revised engineering matl for inclusion in verification operational readiness notebook.
ROWLAND, T.J. Energy. Dept. of. 95/09/13. COMFORT, G.C. NRC - No Detailed Affiliation Given. 91pp. 85563:001-85564:061.

-9509210020 WVNS-SD-67 R02 "Sys Description Vitrification Facility HVAC Sys."
EDELSON, H.L., COTTRELL, T.E., ZUPPINGER, W.L. West Valley Nuclear Services Co., Inc. 95/08/10. 332pp. 85563:093-85564:061.

9509210172 Recommends that offsite waste transportation by rail will receive fair consideration in EIS.
VAUGHAN, R.C. Coalition on West Valley Nuclear Wastes. 95/09/14. ROWLAND, J. Energy. Dept. of. 2pp. 85568:275-85568:276.

9509210180 Requests that long-term testing programs for Portland Type I & Type V cement wastes be shortened from five to three years, based on positive results to date.
ROWLAND, T.J. Energy. Dept. of. 95/09/18. COMFORT, G.C. NRC - No Detailed Affiliation Given. 5pp. 85567:317-85567:320.

9509220121 Notification of 951012 meeting w/NEI in Rockville, MD to discuss NEI proposal for application of NUREG-1465 source term to operating reactors.
WILSON, J.H. 95/09/18. QUAY, T.R. 2pp. 85574:340-85574:341.

9509220154 Forwards RAI re TN-32 dry storage cask topical SAR, rev 2 dtd 950512. Addl info should be provided within 45 days of date of ltr.
STURZ, F.C. Office of Nuclear Material Safety & Safeguards. TAC L21912. 95/09/19. MASON, M. Transnuclear, Inc. 4pp. 85570:357-85570:360.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9509010203 Final Part 21 rept re regular locknut being installed on governor where thinner locknut required at Calvert Cliffs. Applications of thick nut p/n 75233A06 on control linkages will be reviewed to insure applications correct.
GRANDUSKY, E. Dresser-Rand Co. 95/08/24. Document Control Branch (Document Control Desk). 3pp. 85315:073-85315:075.

9509070043 Part 21 rept, consisting of error notices received from former software suppliers. Listed former customers not notified due to unknown current addresses.
ANDREWS, S.J. Boeing Computer Services Co. (div. of Boeing Co.). 95/08/28. Document Control Branch (Document Control Desk). 8pp. 85472:001-85472:008.

9509080034 Part 21 rept re presence of hardwired connection in each of four containment high pressure trip logic circuits. Jumpers removed in slot 11 of interconnection module assemblies in all four channels.
RICKARD, J.C. ABE Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD, J.C. ASEA Brown Boveri, Inc. LD-95-039. 95/08/30. Document Control Branch (Document Control Desk). 4pp. 85435:057-85435:060.

9509080175 Part 21 rept re mechanical failures discovered when conducting suppl testing on 3/8-24 x 2 A-193 B7 HEX CAPSCREWS identified by head markings.
HATHCOCK, D.Z. Cardinal Industrial Products Corp. QAM-95-065. 95/08/29. Document Control Branch (Document Control Desk). 8pp. 85435:061-85435:068.

9509120182 Provides follow-up to info notice to NRC of occurrence of failure of source rod cup weld of Troxler Electronic Lab, Inc. model 3430 portable gauge.
THORNTON, J.T. Professional Service Industries, Inc. (formerly PTL-Inspectorate, Inc. & Pittsbu. 95/08/30. Document Control Branch (Document Control Desk). 1p. 85459:358-85459:358.

9509120293 Forwards error notices received from former software suppliers. Listed former customers not notified because of unknown current addresses.
ANDREWS, S.J. Boeing Computer Services Co. (div. of Boeing Co.). 95/09/06. Document Control Branch (Document Control Desk). 13pp. 85472:012-85472:024.

9509120347 Part 21 rept, informing customers that out-of-date records (records past retention period committed to by Nova) to be destroyed w/approval from customer. Author know of no Part 21 reportable problems w/respect to out-of-date records.
FITZWILLIAM, J.C. Nova Machine Products Corp. 95/08/29. 1p. 85472:011-85472:011.

9509130222 Interim Part 21 rept re model 899 drive cable connector pulled off drive cable. Customer states no unusual occurrences w/equipment.
ROUGHAN, C. Amersham Corp. 95/09/08. Document Control Branch (Document Control Desk). 2pp. 85518:268-85518:269.

9509200375 Part 21 rept re 3/4 inch ASME Section III Class 2 ball valves supplied by Canadian Worcester Controls Ltd (CWCL).
KOTACK, G. 95/09/13. Document Control Branch (Document Control Desk). 9pp. 85552:297-85552:305.

9509210006 Part 21 rept re mechanical failures discovered when conducting suppl testing on Lot 3/8-24 x 2 A-193 B7 HEX CAPSCREWS identified by head markings.
EDMONDS, W.A. Cardinal Industrial Products Corp. QAM-95-065. 95/09/11. Document Control Branch (Document Control Desk). 3pp. 85573:142-85573:144.

9509210008 Part 21 rept re addl defective lot of 3/8-16x11/2" HEX Capscrews ASTM-A-193 Grade B7 from which orders had been processed & sold to customers by licensee.
HATHCOCK, D.Z. Cardinal Industrial Products Corp. QAM-95-070. 95/09/12. Document Control Branch (Document Control Desk). 6pp. 85573:231-85573:236.

9509210296 Part 21 rept, consisting of error notices received from former software suppliers. Listed customers not notified because of unknown current addresses.
ANDREWS, S.J. Boeing Computer Services Co. (div. of Boeing Co.). 95/09/14. Document Control Branch (Document Control Desk). 7pp. 85582:278-85582:284.

9509250331 Requests technical review of encl draft NRC IN dealing w/errors in ANSYS & GISTRUDL computer codes.
CHAFFEE, A.E. 95/09/14. ANDREWS, S. Boeing Computer Services Co. (div. of Boeing Co.). 4pp. 85577:330-85577:334.

9509260253 Interim Part 21 rept re model 899 drive cable connector that pulled off drive cable during radiographic operations at Dayton X-Ray facility. Vendor reviewing similar drive cable occurrences & performing addl testing of connector swages.
ROUGHAN, C. Amersham Corp. 95/08/08. Document Control Branch (Document Control Desk). 2pp. 85619:095-85619:096.

9509280075 Part 21 rept re inverter PWM drive logic card failure. Invert out of svc to replace logic card w/revised card in accordance w/scheduled maint activity.
COOK, J.G. Illinois Power Co. U-602497. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85647:307-85647:309.

QA999 QUALITY ASSURANCE INSPECTIONS

9509060188 Forwards insp rept 99901290/95-01 on 950808-10. No violations noted. Inspector noted proactive approach of staff to ack weaknesses in quality program.
GALLO, R.M. 95/08/29. CUMMINGS, K.J. Eaton Corp. 2pp. 85311:284-85311:293.

-9509060203 Insp rept 99901290/95-01 on 950808-10. No violations or deviations noted. Major areas inspected: implementation of QA program adopted by Eaton in selected areas relating to supply of matl & svcs for upgrading ESAS panels for MP-2.
NAIDU, K.R., CWALINA, G.C., GALLO, R.M. 95/08/29. 8pp. 85311:286-85311:293.

9509080313 Provides addl info re rationale in selecting vendor commercial grade item (CGI) dedication sampling plans, based on 950720 meeting in Chicago. IL re notice of nonconformance noted in insp rept 99901076/94-01.
HATHCOCK, D.Z. Cardinal Industrial Products Corp. QAM-95-063. 95/08/30. SPESARD, R.L. 3pp. 85442:344-85442:346.

9509120293 Forwards error notices received from former software suppliers. Listed former customers not notified because of unknown current addresses.
ANDREWS, S.J. Boeing Computer Services Co. (div. of Boeing Co.). 95/09/06. Document Control Branch (Document Control Desk). 13pp. 85472:012-85472:024.

9509190081 Forwards insp rept 99901287/95-01 conducted on 950927-29 & notice of nonconformance.
GALLO, R.M. 95/09/14. SHAW, K.R. 2pp. 85503:289-85503:306.

-9509190114 Notice of nonconformance from insp on 950627-29. Nonconformance noted: licensee QA manual, General Rev 1, issued 900401 did not address quality requirements of non-pressure boundary parts.
* 95/09/14. 2pp. 85503:291-85503:292.

-9509190133 Insp rept 99901287/95-01 on 950627-29. Nonconformance noted. Major areas inspected: QA measures for activities directly affected quality & performance capability of product.
ROGERS, B.H., CWALINA, G.C., GALLO, R.M. 95/09/14. 15pp. 85503:293-85503:306.

9509190265 Forwards Westinghouse response to violations noted in nonconformance NRC Insp Rept 99900404/95-01. Corrective actions-test specification will be revised to reflect final reconfiguration of large scale test.
MCINTYRE, B.A. Westinghouse Electric Corp. NTD-NRC-95-4549. 95/09/12.
GALLO, R.M. Document Control Branch (Document Control Desk). 4pp. 85524-240-85524-243.

9509210151 Forwards nonproprietary version of insp rept 99900005/95-01.
GALLO, R.M. 95/09/14. KOGA, R.H. Westinghouse Electric Corp. 1p. 85544-036-85544-110.

9509210157 Insp rept 99900005/95-01 on 950205-0324. No violations noted. Major areas inspected: mgt, staff, quality programs & implementation of programs re PWR reload core designs & reload safety analysis.
MATTHEWS, S.M. 95/09/13. 74pp. 85544-037-85544-110.

9509250091 Forwards response to notice of nonconformance from insp rept 99901266/95-01. Corrective actions: verified that procured & received Okonite cable identical to & in full compliance w/ customer approved dedication procedure for such cable.
MICHAUD, D.R. National Technical Services, MCCLOY, W.A. NTS/NRC/95.001. 95/09/22. Document Control Branch (Document Control Desk). 9pp. 85580-178-85580-261.

9509250100 Rev 2 to SOP 02, "Purchasing Matls & Svcs for Nuclear Orders."
BACHMANN, J., LILLY, M. National Technical Services. 95/08/15. 15pp. 85580-187-85580-206.

9509250114 Rev 2 to "NTS/PDS Quality Manual."
DOZIER, J.E. National Technical Services. BACHMANN, J.L., MCCLOY, W.A. 95/08/15. 27pp. 85580-207-85580-233.

9509250119 Rev 2 to SOP 01, "Procurement Document Control."
BACHMANN, J., LILLY, M. National Technical Services. 95/08/15. 5pp. 85580-234-85580-238.

9509250127 Rev 2 to SOP 03, "Std Receiving, Handling, Storing & Shipping."
BACHMANN, J., LILLY, M. National Technical Services. 95/08/15. 10pp. 85580-239-85580-248.

9509250130 Rev 2 to SOP 10, "PDS Personnel Classification."
BACHMANN, J., LILLY, M. National Technical Services. 95/08/15. 25pp. 85580-249-85580-273.

9509250139 Rev 1 to SOP 11A, "Procedure for Structural Welding & Weld Insp."
BACHMANN, J., LILLY, M. National Technical Services. 95/08/15. 8pp. 85580-274-85580-281.

9509290134 Forwards response to NRC ltr re notice of nonconformance noted in insp rept 99901225/95-01 on 950808-09. Corrective actions: installed new database program called "Track Record" to improve problem reporting & corrective action sys.
YANKAMICH, S. Liberty Technologies (formerly Liberty Technology Center, Inc.) 95/09/26. Document Control Branch (Document Control Desk). 12pp. 85648-331-85648-342.

REG CERT REGISTRY CERTIFICATE

9509140087 Final response to FOIA request for records. App A records encl & available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. DICHARRY, R.D. Source Production & Equipment Co., Inc. 7pp. 85492-002-85493-092.

9509140095 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660.
* NRC - No Detailed Affiliation Given. 76/06/01. 3pp. 85492-009-85492-011.

9509140098 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660. Certificate: NR-628-D-133-U.
* NRC - No Detailed Affiliation Given. NR-628-D-133-U. 77/07/31. 4pp. 85492-012-85492-015.

9509140103 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660. Certificate: NR-628-D-133-S.
BAGGETT, S., BEI, L.S.W. NRC - No Detailed Affiliation Given. NR-628-D-133-S. 86/03/14. 6pp. 85492-016-85492-021.

9509140106 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660. Certificate: NR-628-D-133-S.
RICHT, M., BAGGETT, S. NRC - No Detailed Affiliation Given. NR-628-D-133-S. 90/12/11. 18pp. 85492-022-85492-039.

9509140110 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660 & 660E. Certificate: NR-628-D-124-S.
RICHT, M., BAGGETT, S. NRC - No Detailed Affiliation Given. NR-628-D-124-S. 92/02/28. 18pp. 85492-040-85492-057.

9509140115 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660 & 660 E. Certificate: NR-628-D-124-S.
RICHT, M. NRC - No Detailed Affiliation Given. NR-628-D-124-S. 92/09/30. 13pp. 85492-058-85492-070.

9509140121 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model 660 & 660 E. Certificate: NR-628-D-124-S.
RICHT, M., BAGGETT, S. NRC - No Detailed Affiliation Given. NR-628-D-124-S. 93/02/25. 21pp. 85492-071-85492-091.

9509140249 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models CDC.192/1 & CDC.192/2. Certificate: IL-136-S-146-S.
PODOLAK, L. Amersham Corp. KLINGER, J.G. Illinois, State of. IL-136-S-146-S. 90/02/27. 5pp. 85492-242-85492-247.

9509140259 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models CDC.192/1 & CDC.192/2. Certificate: IL-136-S-146-S.
PODOLAK, L. Amersham Corp. KLINGER, J.G. Illinois, State of. IL-136-S-146-S. 90/04/20. 20pp. 85492-276-85492-295.

9509140321 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models 660, 660 E & 660 Sys. Certificate: NR-628-D-133-S.
RICHT, M., BAGGETT, S. NRC - No Detailed Affiliation Given. NR-628-D-133-S. 91/08/05. 20pp. 85493-009-85493-025.

REGGD REGULATORY GUIDES

9509010028 Clarifies basis for WBN's exemption to RG 1.118, rev 2, Position C.6.a, re use of temporary jumpers for testing in Eagle-21 process protection sys cabinets.
BARON, R.R. Tennessee Valley Authority. 95/08/21. Document Control Branch (Document Control Desk). 3pp. 85317-348-85317-350.

9509010119 Discusses proposed changes to util QA program description submitted by ltr dtd 950628. Proposed change reduces commitment to conduct biennial review of plant procedures IAW RG 1.33 & approved.
GWYNN, T.P. Region 4 (Post 820201). 95/08/30. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 6pp. 85270-002-85270-007.

9509060262 Modifies schedule for commitment made in response to notice deviation dtd 941215 re compliance to Reg Guide 1.87.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 815347. 95/08/30. Document Control Branch (Document Control Desk). 2pp. 85326-344-85326-345.

9509060269 Comment on draft reg guide DG-1040, "Time Response Design Criteria for Safety-Related Operator Actions." Concurs w/ positions provided in reg guide & ANSI/ANS-58.8-1994.
BOHLKE, W.H. Florida Power & Light Co. 60FR35441 00003. 95/08/29. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85312-218-85312-218.

9509110080 Encourages development of reg guide outlining requirements of SAR for cask certification above & beyond that currently required in TSAR for ISFSI. Reg Guide 3.61.
SHILLINGLAW, J. Affiliation Not Assigned. 95/08/18. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 85459-252-85459-255.

9509130137 Comment on draft reg guide, DG-1040 re time response design criteria for safety-related operator actions. Adherence to new standard will likely result in longer assumed operator response times in future accident analyses.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 60FR35441 00004. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85428-003-85428-004.

9509140101 Comment on proposed rev 2 to RG 1.149, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exam." Draft RG would greatly increase required scope of testing.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR36833 00001. 95/09/11. MEYER, D.L. NRC - No Detailed Affiliation Given. 4pp. 85428-172-85428-175.

9509150015 "Indian Point Station Reg Guide 1.16 Rept Jan-Dec 1994." W/ 950906 ltr. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 2pp. 85508-346-85508-347.

9509150302 Comment on draft reg guide DG-0008, "Applications for Use of Sealed Sources in Portable Gauging Devices." Informs that App C, item 6 is clarified.
MUELLER, J.H. Nebraska Public Power District. 60FR29719 00002. 95/09/07. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85485-216-85485-217.

9509180066 Forwards Reg Guide 3.46, "Std Format & Content of License Applications, Including ERs for In Situ U Solution Mining," per 950802 telcon.
PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/08. WEBBER, K. United States Enrichment Corp. (USEC). 49pp. 85522-235-85522-283.

9509190062 Comment supporting draft RG DG-1043, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exam."
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 60FR36833 00003. 95/08/14. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85503-236-85503-238.

9509200070 Comment on draft RG DG-1043 re proposed rev 2 to RG 1.149. New malfunction tests required by revised RG can be tested at required 25% per year & reported in next 4-yr testing rept w/o rev to test plan.
VINCENT, R.A. Consumers Power Co. 60FR36833 00005. 95/09/13. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85510-014-85510-015.

9509200122 Comment opposing draft RG DG-1043, Proposed Rev 2 to RG 1.49, "NPP Simulation Facilities for Use in Operator Exams."
TAYLOR, G.J. South Carolina Electric & Gas Co. 60FR36833 00004. 95/09/13. NRC - No Detailed Affiliation Given. 3pp. 85510-114-85510-116.

9509200131 Transmits Agreement State Program info SP-95-151 re draft of medical licensing module, "Remote Afterloading Brachytherapy," to all Agreement States for review & comment.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-151. 95/09/14. General. 3pp. 85510-119-85510-168.

9509200155 Transmits draft licensing module, "Remote Afterloading Brachytherapy Module," for medical use.
COOL, D.A. Office of Nuclear Material Safety & Safeguards. 95/08/31. HEHL, C.W. Region 1 (Post 820201). MALLETT, B.S. Region 2 (Post 820201). PEDERSON, C.D. Region 3 (Post 820201). 47pp. 85510-122-85510-168.

9509200232 NRC Info Notice 95-042, "Commission Decision on Resolution of Generic Issue 23, 'Reactor Coolant Pump Seal Failure.'
CRUTCHFIELD, D. GL-88-20. 95/09/22. Consolidated Edison Co. of New York, Inc. 12pp. 85645-009-85645-020.

232 NONDOCKETED ITEMS

- 9509220037** Comment supporting draft RG DG-1043, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams."
CARRIER, P.P. Tennessee Valley Authority. 60FR36833 00006. 95/09/15. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85547-019-85547-020.
- 9509220050** Comment supporting draft rev 2 to RG 1.149 DG-1043, "NPP Simulation Facilities for Use in Operator License Exams."
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 60FR36833 00007. 95/09/15. NRC - No Detailed Affiliation Given. 1p. 85547-030-85547-030.
- 9509220090** Comment on time response design criteria for safety-related operator actions. Westinghouse concurs w/purpose & content of draft reg guide DG-1040.
LIPARULO, N.J. Westinghouse Electric Corp. 60FR35441 00005. 95/09/12. KARMER, J.J. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85547-077-85547-078.
- 9509220114** Application for amend to license NPF-42, revising TS 3/4.8.1, "Electrical Power Sys - AC Sources" & associated bases, proposing that guidance of RG 1.9, Rev 3, GL 93-05 & 94-01 be adopted.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. ET 95-0089. 95/09/15. Document Control Branch (Document Control Desk). 40pp. 85565-266-85565-328.
- 9509220124** Proposed Tech Specs, adopting guidance of RG 1.9, GL 93-05 & GL 94-01 to achieve overall improvement in EDG reliability & availability.
Wolf Creek Nuclear Operating Corp. GL-93-05. 95/09/15. 23pp. 85565-306-85565-326.
- 9509250140** Submits comments on Rev 2 to Reg Guide 1.149, "NPP Simulation Facilities for Use in Operator License Exams."
STETZ, J.P. Centarior Energy. 2327. 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85562-350-85562-351.
- 9509260142** Comments to NRC on draft Reg Guide DG-1043, "Nuclear Power Plant Simulation Facilities for Use in OL Exams."
CANTRELL, J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-95-2834. 95/09/15. RUSSELL, W.T. 4pp. 85605-334-85605-337.
- 9509260302** Comment on Draft RG DG-0008, May 1995, "Applications for Use of Sealed Source in Portable Gauging Devices." Dept has concerns for licensees who obtain instrument for use only during incidents.
COLLINS, S.C. Illinois, State of. 60FR29719 00003. 95/08/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85589-016-85589-017.
- 9509260348** Comment opposing proposed GL, "Revised Contents of Monthly Operating Rept." Recommends that reporting requirements of RG 1.16 not be changed for listed reasons.
OLSON, E. Affiliation Not Assigned. 60FR43174 00009. 95/09/19. MEYER, D.L. Rules & Directives Review Branch (Post 920323). 1p. 85589-020-85589-020.
- 9509270113** Informs that during 424th meeting of ACRS on 950907-08, ACRS decided not to comment on proposed rev 1 to Reg Guide 1.153, "Criteria for Safety Sys" (Draft Reg Guide DG-1042).
TAYLOR, J.M. OTC of the Executive Director for Operations. 1p. 85619-104-85619-104.
- 9509280046** Submits statements re proposed revs to 10CFR70, draft RG 3.52 & draft NUREG-1520.
BURTON, H. SCIENTECH, Inc. 95/05/05. HIGDON, J. Office of Nuclear Material Safety & Safeguards. 3pp. 85631-206-85631-208.
- 9509280051** Provides statement re proposed revs to 10CFR70, draft RG 3.52 & draft NUREG-1520.
BURTON, H. SCIENTECH, Inc. 60FR18035. 95/05/01. HIGDON, J. NRC - No Detailed Affiliation Given. 2pp. 85627-358-85627-359.
- 9509280329** Provides supplemental info re RG 1.87 concerning qualification of neutron flux instrumentation, in response to NRC 950706 teicon RAI.
QUINN, S.E. Consolidated Edison Co. of New York, Inc. TAC M81727. 95/09/18. Document Control Branch (Document Control Desk). 2pp. 85657-354-85657-355.
- REVIEW GRP NRC RESEARCH REVIEW GROUPS**
- 9505100214** Ack receipt of 950418 proposed agenda for NRC 950502, public meeting. Provides documents in response to request for info that provides more insight on basis for rulemaking effort. Forwards draft proposed revs to 10CFR70.
BURNETT, R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/04/25. KILLAR, F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 175pp. 85639-001-85639-243.
- 9509010042** Transmits remaining EPRI responses to NRC comments on Gate Valve Model, specifically comments 5, 7 & 12.
CALLAWAY, C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/08/23. WESSMAN, R.H. 1p. 85340-359-85340-359.
- 9509050006** Comment on revised NRC SALP Program. NEI fully endorses NRC efforts to improve effectiveness & implementation of insp & oversight of operating NP reactors.
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR36193 00003. 95/08/31. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 85285-307-85285-310.
- 9509050009** NRC Info Notice 95-038, "Degradation of Boraflex Neutron Absorber in Spent Fuel Storage Racks."
CRUTCHFIELD, D. IEIN-93-070. 95/09/08. Consolidated Edison Co. of New York, Inc. 11pp. 85423-050-85423-060.
- 9509050063** Notification of 950906 meeting w/NEI to discuss aspects of rulemaking effort & related technical topics.
LYON, W.C. TAC M77701. 95/08/30. JONES, R.C. 2pp. 85314-107-85314-107.
- 9509080021** Summary of 950622 meeting w/NEI in Rockville, MD re technical, programmatic & administrative issues re ISFSIs. List of attendees encl.
KUGLER, A.J. 95/09/01. 16pp. 85385-043-85385-058.
- 9509140049** Summary of CRGR meeting 272 on 950425 re presentation for CRGR review of final amend to 10CFR50.55a. List of attendees encl.
JORDAN, E.L. Committee to Review Generic Requirements. 95/06/16. TAYLOR, J.M. OTC of the Executive Director for Operations. 35pp. 85471-313-85471-347.
- 9509140053** Summary of CRGR meeting 275 on 950627 re presentation for CRGR review & endorsement proposed bulletin, "Potential Plugging of ECCS by Debris in BWR." List of attendees encl.
JORDAN, E.L. Committee to Review Generic Requirements. 95/06/16. TAYLOR, J.M. OTC of the Executive Director for Operations. 37pp. 85472-254-85472-291.
- 9509140101** Comment on proposed rev 2 to RG 1.149, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exam." Draft RG would greatly increase required scope of testing.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR36833 00001. 95/09/11. MEYER, D.L. NRC - No Detailed Affiliation Given. 4pp. 85428-172-85428-175.
- 9509150102** Summary of 950824 meeting w/NEI, PWROG, WOG, CEOG & BWOG in Rockville, MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAPPENTER, C.E. 95/09/12. 63pp. 85509-296-85509-357.
- 9509150369** Petition for rulemaking PRM-50-62 requesting that NRC amend certain aspects of 10CFR50.54(a) re quality programs at commercial NPPs.
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR47116. 95/06/08. HOYLE, J.C. Docketing & Services Branch. 16pp. 85485-236-85485-251.
- 9509190323** Notification of 950922 meeting w/NUMARC in Rockville, MD to discuss Thermo-Lag 330-1 fire barrier issues. Meeting agenda encl.
MCCRACKEN, C.E. 95/09/14. HOLAHAN, G.M. 4pp. 85523-344-85523-347.
- 9509190364** Summary of 950829 meeting w/NEI re rulemaking petition to modify regulatory requirements.
HAASS, W.P. 95/09/12. BLACK, S.C. 4pp. 85524-120-85524-123.
- 9509190369** Summary of 950617 meeting w/NRC & NEI in Rockville, MD re industry related activities associated w/incorporating risk insights into licensee programs & activities.
HILTZ, T.G. 95/09/13. 4pp. 85523-357-85523-360.
- 9509200063** Comment on proposed GL re revised contents of MOR. NEI supports proposed changes to MOR requirements.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR43174 00006. 95/09/18. MEYER, D.L. NRC - No Detailed Affiliation Given. 2pp. 85510-002-85510-003.
- 9509200141** Discusses 950711-13 public workshop on Reactor Pressure Vessel Integrity which had been organized by Electrical, Matis & Mechanical Engineering Branch & NEI. Summary of workshop presentations, agenda & visual aids encl.
MAYFIELD, M.E. 95/09/06. SHAO, L.C. 294pp. 85542-001-85542-297.
- 9509200174** Notification of meeting w/NEI on 950928 in Rockville, MD to discuss status of industry initiatives on risk-based inspection insp activities.
BAGCHI, G. 95/09/08. SHERON, B.W. 3pp. 85525-334-85525-336.
- 9509200212** Notification of 950929 meeting w/Nuclear Energy Inst (NEI) in Rockville, MD to discuss NEI's draft risk-based IST guidelines document.
WESSMAN, R.H. 95/09/07. SHERON, B.W. 5pp. 85525-356-85525-360.
- 9509210201** Notification of 950922, 29, 951006, 13, 20, 27, 951103, 09, 17 & 1201 meetings w/NEI in Rockville, MD to present comments on NEI guideline for implementing license renewal rule.
HOFFMAN, S.T. 95/09/19. NEWBERRY, S.F. 3pp. 85548-288-85548-290.
- 9509220121** Notification of 951012 meeting w/NEI in Rockville, MD to discuss NEI proposal for application of NUREG-1465 source term to operating reactors.
WILSON, J.H. 95/09/18. QUAY, T.R. 2pp. 85574-340-85574-341.
- 9509220178** Forwards Rev A to draft "Nuclear Energy Inst Industry Guideline for Risk-Based Inservice Testing," for NRC staff info & review in preparation for 950929 meeting.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/20. THADANI, A.C. 1p. 85570-331-85570-353.
- 9509220180** Rev A to draft "Nuclear Energy Inst Industry Guideline for Risk-Based Inservice Testing."
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/20. 22pp. 85570-332-85570-353.
- 9509250235** Forwards for response, comments on EPRI TR-103232, "EPRI Anchor/Darling Double Disc Gate Valve Model Report," & EPRI TR-103233, "EPRI Westinghouse Gate Valve Model Report."
WESSMAN, R.H. 95/09/21. CALLAWAY, R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 85582-265-85582-288.
- 9509280061** Forwards comments by NEI in response to 950410 FR notice re meeting. Requests written comments on NRC draft proposed rev to domestic licensing of SNM.
KILLAR, F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18035. 95/05/02. HIGDON, J. NRC - No Detailed Affiliation Given. 5pp. 85631-226-85631-230.
- 9509280024** Submits comments opposing draft proposed rev to 10CFR70, "Domestic Licensing of SNM." NEI believes that through continued dialog between NRC & industry, improved Std Format & Content Guide & Std Review Plan can be achieved.
KILLAR, F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18035. 95/05/11. BURNETT, R.F. NRC - No Detailed Affiliation Given. 4pp. 85631-222-85631-225.
- 9509280038** Submits comments re draft proposed rev to regulations on Domestic Licensing of Special Nuclear Mat.
KILLAR, F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18035. 95/04/20. HIGDON, J. NRC - No Detailed Affiliation Given. 2pp. 85627-352-85627-353.

9509290059 Comment on two notices in Federal Register re decommissioning regulations of plant.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR46317 00123. 95/09/25. JULIAN,E.L. Docketing & Services Branch. 10pp. 85615:185-85615:174.

9509290104 Informs that staff review re Rev 3 to GIP-3 for seismic verification of nuclear power plant equipment will not be completed within 60 day period delineated in Part 1, Section 3.0 of GIP.
STOLZ,J.F. TAC M93624. 95/09/25. SMITH,N.P. Seismic Qualification Utility Group. SMITH,N.P. MPR Associates, Inc. 3pp. 85648:355-85648:357.

SECY POSITION PAPERS BEFORE THE COMMISSION

9507280254 SECY-95-181 Obtains Commission approval to publish final amend to App J to 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactor."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/17. 525pp. 85571:001-85572:161.

9507310225 SECY-95-183 Informs Commission of intent to publish final rule revising US NRC regulation in 10CFR71, "Packaging & Transportation of Radioactive Matl." for compatibility w/IAEA.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/18. 237pp. 85574:032-85574:266.

9508079401 SECY-95-195 Requests Commission approval to publish notice of final rule-making in FR & discusses final amend to 10CFR20 & 10CFR35 on medical administration of radionuclides & radioactive matls.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/26. 26pp. 85573:070-85573:094.

9508110227 SECY-95-201 Informs Commission of implication of terminating NRC low-level radioactive waste disposal program & to recommend an alternative approach. Paper involves significant programmatic, policy & budget issues.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/31. 41pp. 85572:317-85572:342.

9508230349 SECY-95-211 Informs Commission approval of two final guidance documents re U recovery program.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/15. 46pp. 85600:129-85600:170.

9509060360 SECY-95-220 Informs Commission of intent to reduce number of transfers of NRC lead responsibility during emergency by assigning lead to headquarters until team from regional ofc available at site.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/30. 3pp. 85572:343-85572:345.

9509060365 SECY-95-221 Weekly info rept for wk ending 950825.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/08/30. 22pp. 85323:310-85323:332.

9509120222 SECY-95-223 Informs Commission of staff rulemaking plans for amending nuclear power reactor decommissioning financial assurance rule.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/01. 27pp. 85572:290-85572:316.

9509120276 SECY-95-225 Litigation Rept - 1995 - 7.
CORDES,J.F. Solicitor (Post 860701). 95/09/06. 58pp. 85573:011-85573:069.

9509120327 SECY-95-222 Informs Commission of order issued to nonpower reactor to convert HEU to LEU IAW 10CFR50.64.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/31. 34pp. 85573:095-85573:124.

9509150010 SECY-95-228 Informs Commission of changes in staffs approach & schedule for developing RG for NPP license renewal rule (10CFR54).
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/08. 137pp. 85572:182-85572:289.

9509150043 SECY-95-227 Weekly info rept for wk ending 950901.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/07. 20pp. 85520:301-85520:320.

9509190218 SECY-95-233 Informs Commission of status of present & planned staff activities to resolve concerns re performance of MOV & check valves in nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/13. 11pp. 85573:001-85573:010.

9509190244 SECY-95-231 Weekly info rept for wk ending 950908.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/13. 16pp. 85523:304-85523:319.

9509190352 SECY-95-232 Litigation Rept - 1995 - 8.
CORDES,J.F. Solicitor (Post 860701). 95/09/13. 15pp. 85572:346-85572:360.

9509290090 SECY-95-241 Weekly info rept for wk ending 950915.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/20. 22pp. 85636:326-85636:345.

SPEECHES SPEECHES

9509010052 "Entering 21st Century on Technical Info Highway," presented to Nuclear Info & Records Mgt Assoc '95 Symposium.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/28. 10pp. 85315:082-85315:101.

9509010055 "Communications: Challenge to Regulator & Regulated," presented at Regulatory Info Conference, Holiday Inn Crowne Plaza Hotel Rockville, MD 950510.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/05/10. 2pp. 85315:107-85315:107.

9509220001 S-95-17 Speech entitled, "Changing NRC Environ," presented by SA Jackson at Commission Mtg w/NRC Staff Rockville, MD on 950912.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/09/12. 6pp. 85573:270-85573:275.

STATE PROG STATE PROGRAMS

9509010013 Ack receipt of 950602 & 29 ltrs re positive leak test on electron capture detector which was removed from svc & returned to Hewlett-Packard on 950606. Informs that submittals meet reporting requirements of State of CO.
QUILLIN,R.M. Colorado, State of. 95/08/03. SHANNON,R. Affiliation Not Assigned. 4pp. 85269:010-85269:013.

9509010014 Transmits State Agreement Program Info SP-95-121 re info of recent NRC action concerning Process Technology, Inc.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-121. 95/07/21. General. 2pp. 85284:004-85284:011.

-9509010001 informs of recent actions concerning Process Technology, Inc which may affect users of equipment formally supplied by that company to licensees in Agreement States.
LYNCH,J. Region 3 (Post 820201). 95/06/21. LOHAUS,P. Office of State Programs (Post 911117). 2pp. 85284:006-85284:007.

-9509010085 Certificate of disposition of matl: sources have been transferred to specific licensees or will be disposed of according to requirements of State of CO.
LAURILA,M. Process Technology, Inc. 95/05/17. 4pp. 85284:008-85284:011.

9509010017 Discusses use of PRA methods in nuclear regulatory activities, final policy statement. Forwards policy statement which became effective on 950816.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-146. 95/08/19. General. 10pp. 85270:312-85270:321.

9509010024 Forwards summary of revised preliminary comments & recommendations based on evaluation of info collected during review. Apologizes for delay in completion of rept which documents results from review of KS radiation program.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/16. ALLEN,G. Kansas, State of. 6pp. 85270:322-85270:327.

9509010029 Forwards 950627 SRM on SECY-95-047, "Staff Analysis & Recommendations on Integrated Matls Performance Evaluation Program," & 950629 SRM on SECY-95-112.
BANGART,R.L. Office of State Programs (Post 911117). 95/07/27. RATLIFF,R.A. Texas, State of. 3pp. 85269:020-85269:024.

9509010030 Transmits State Agreement Program Info SP-95-134 re Rev 1 to Policy & Guidance Directive 90-3, "Reviewing Amend Requests for Extended Storage of LLW" by June 1995.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-134. 95/08/18. General. 8pp. 85269:028-85269:035.

9509010031 Expresses appreciation for informing NRC of passage of enabling legislation to become Agreement State & reorganization. Concurs w/950906 date to meet & discuss details of process for OH to sign Agreement w/NRC.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/04. SUPPES,R.L. Ohio, State of. 3pp. 85284:012-85284:018.

9509010034 Transmits State Agreement Program Info SP-95-124 re SECY 95-140, "Final Rule: 10CFR19 & 20, Radiation Protection Requirement; Amended Definitions & Criteria" & SRM dtd 950623 W/o encls.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-124. 95/08/04. General. 3pp. 85284:019-85284:021.

9509010036 Forwards analysis of previously submitted matl re program narrative for Pennsylvania Limited Agreement, identifying whether responses considered complete or open. Requests estimated submission date for completed draft package.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/08/03. DORNSIFE,W.P. Environmental Protection Agency. 8pp. 85269:038-85269:053.

9509010037 Responds to request to review proposed chapter R313-34, "Requirements for Irradiator," amending Utah Radiation Control Rules & 350616 ltr that provided addl info on proposed rule.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/08/03. SINCLAIR,W. Utah, State of. 5pp. 85284:022-85284:061.

-9509010043 Forwards 950602 approved rulemaking issues for listed Chapters of Utah Radiation Control Rules, Div of Radiation Control in process of filing amends to rules.
SINCLAIR,W.J. Utah, State of. 95/06/16. DODD,R.J. Office of State Programs (Post 911117). 15pp. 85284:027-85284:041.

-9509010054 SEA 87-288-08-A-1 Final Rept, "Draft Regulatory Analysis & EA of NRC Regulations on Licenses & Radiation Safety Requirements for Large Irradiators."
CLARK,R. SIMPKINS,B. Science & Engineering Associates, Inc. RICHDAN,B. Math-tech, Inc. 89/02/28. Division of Regulatory Applications (Post 941217). 20pp. 85284:042-85284:061.

9509010041 Transmits State Agreement Program Info SP-95-129 re prepared paper of Commission for consideration on issue of Agreement State reimbursement of NRC costs.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-129. 95/08/02. General. 2pp. 85284:062-85284:123.

9509010046 Forwards list of individuals from states selected to attend 950912-15 sealed source & device evaluation workshop.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-137. 95/08/11. General. 17pp. 85269:145-85269:161.

9509010048 Forwards ltrs re views on issue of Agreement State reimbursement on NRC costs to Commission for continued evaluation as part of strategic assessment for NRC.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/24. BLAHA,J.L. Ofc of the Executive Director for Operations. 5pp. 85284:124-85284:133.

234 NONDOCKETED ITEMS

- 9509010049** Transmits State Agreement Program Info SP-95-126 re sealed source & device registry certificates provided for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-126. 95/06/01. General. 2pp. 85284-134-85284-183.
- 9509010201** Registry of Radioactive Sealed Sources & Devices Safety Evaluation of Seal Source for model PET-XXX/YY Certificate. TN-241-S-101-S.
* Tennessee, State of. TN-241-S-101-S. 95/07/07. 8pp. 85284-136-85284-143.
- 9509010254** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 5034, 5034A, 5036, 5038 & 5038A Certificate TX-634-D-131-B.
* Texas, State of. TX-634-D-131-B. 95/07/19. 10pp. 85284-144-85284-167.
- 9509010209** Registry of Radioactive Sealed Source & Devices Safety of Device for model AME3B Certificate NC-8043-D-801-S.
HOFFMAN,B.J. North Carolina, State of. NC-8043-D-801-S. 95/07/13. 6pp. 85284-166-85284-173.
- 9509010278** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model CG-1 Certificate. NC-8044-D-801-S.
HOFFMAN,B.J., HADEN,R. North Carolina, State of. NC-8044-D-801-S. 95/07/13. 5pp. 85284-174-85284-178.
- 9509010291** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model CG-1 Certificate. NC-8045-D-801-S.
HOFFMAN,B.J., HADEN,R. North Carolina, State of. NC-8045-D-801-S. 95/07/13. 5pp. 85284-179-85284-183.
- 9509010051** Forwards list of state students that have been accepted to attend licensing practices & procedures course to be conducted in Atlanta, GA on 950911-15.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-135. 95/08/10. General. 16pp. 85269-164-85269-180.
- 9509010053** Forwards summary of preliminary comments & recommendations based on review & evaluation to facilitate action prior to transmission of final report.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/14. DEBUONO,B.A., HAMBURG,M.A., SWEENEY,J.E. New York, State of. 17pp. 85270-328-85270-345.
- 9509010056** Forwards revised SOW for task order 2, "Review of Agreement State Regulations," which simplifies review process & presents guidelines in format consistent w/draft proposal. Provides 15 working days to respond w/counter proposal.
SOLLENBERGER,D. Office of State Programs (Post 911117). FIN E-7044. 95/08/24. FRANCIS,M.W. Oak Ridge National Laboratory. 13pp. 85269-181-85269-193.
- 9509010058** Informs that New Jersey Bureau of Nuclear Engineering has moved. New location stated.
* New Jersey, State of. 95/07/12. NRC - No Detailed Affiliation Given. 1p. 85269-203-85269-203.
- 9509010069** Discusses Oklahoma draft Agreement State application re SDMP site issues & requests assistance in development of list identifying SDMP sites that could be affected in Massachusetts, Ohio & Oklahoma, to be provided to F. Cameron.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/08/29. PAPERIELLO,C.J., Office of Nuclear Material Safety & Safeguards. 2pp. 85269-204-85269-205.
- 9509010071** Submits follow-up response to request for names of individuals to attend sealed source & device workshop to be held 950911-13 in Rockville, MD. Informs that G. Vinson will replace J. Klinger as NRC-sponsored representative.
COLLINS,S.C. Illinois, State of. SP-95-097. 95/08/01. BANGART,R.L. Document Control Branch (Document Control Desk). 1p. 85284-184-85284-184.
- 9509010072** Responds to 950530 ltr requesting NRC participation in parallel process w/Conference of Radiation Control Program Directors for developing new or amending existing regulations.
BANGART,R.L. Office of State Programs (Post 911117). 95/07/31. HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 2pp. 85269-206-85269-210.
- 9509010081** Informs that CRCPD has requested for contact w/NRC to facilitate parallel process for rulemaking between NRC & CRCPD working groups.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/19. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. 85269-208-85269-210.
- 9509010074** Forwards copy of 950622 ltr from former Chairman Selin to J. Glenn which responds to 950508 ltr re recent GAO report entitled, "Nuclear Regulation: Slow Progress in Identifying & Cleaning up Licensee Contaminated Sites." W/o encl.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-132. 95/06/02. General. 4pp. 85284-185-85284-188.
- 9509010075** Forwards NRC evaluation of responses to 1994 review of Maryland radiation control program & requests submission of mgmt plan for eliminating RM backlog & preventing future backlogs from developing.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/25. ZAW-MON,M. Maryland, State of. 22pp. 85269-211-85269-232.
- 9509010077** Provides info on new electronic bulletin board sys & how to access sys to both review rulemaking documents & submit comments on proposed rule.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-125. 95/06/09. General. 8pp. 85270-346-85270-353.
- 9509010083** Forwards review & evaluation of Arkansas radiation control program. Concludes that program adequate to protect public health & safety, but certain sections of regulations determined not to be compatible w/that of NRC regulations.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/07. NICHOLS,S.B. Arkansas, State of. 44pp. 85269-233-85269-276.
- 9509010086** Transmits State Agreement Program Info SP-95-140 re notification for 2-wk health physics technology course scheduled for 951016-27 in Chattanooga, TN. Brief description from training syllabus encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-140. 95/08/09. General. 13pp. 85269-277-85269-289.
- 9509010089** Responds to 950908 CAL re incident w/GammaMed 12i high dose rate afterloader, informing that licensee does not possess model 12i or 12ii GammaMed HDR afterloader to date & that one GammaMed 11i HDR unit licensed & authorized for storage.
AFINOTTI,C. Tennessee, State of. CAL. 95/08/10. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. 85269-290-85269-290.
- 9509010091** Responds to 950526 ltr soliciting comments on two policy papers, "Policy Statement on Adequacy & Compatibility of Agreement State Programs" & "Final Statement, Principles & Policy for Agreement State Program & Procedures for..."
ORTCIGER,T.W. Illinois, State of. SP-95-088. 95/07/28. BANGART,R. Office of State Programs (Post 911117). 2pp. 85269-291-85269-309.
- 9509010092** Discusses feasibility of pilot project analogous to IMPEP pilot. Expresses belief that many benefits of pilot program can be achieved through implementing procedure development process outlined.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/28. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 6pp. 85284-189-85284-197.
- 9509010096** Forwards sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-141. 95/08/09. General. 24pp. 85269-310-85269-333.
- 9509010097** Informs that NRC will conduct Leadership Seminar on Environmental Justice on 950724 for NRC senior managers & selected others designated by Office Directors. Submits list of guest presenters.
THOMPSON,H.L. Assistant for Operations (Post 890205). 95/07/06. CYR,K. Office of the General Counsel (Post 860701). RUSSELL,W. Office of Nuclear Reactor Regulation (Post 941001). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 3pp. 85284-198-85284-200.
- 9509010099** Ack receipt of 950607 rept of review of Arizona Radiation Regulatory Agency, informing that two regulations not adopted by agency being noticed in Arizona Register preparatory to formal proposal of RM & that A. Godwin will respond to encl.
KELLY,J.B. Arizona, State of. 95/07/24. BANGART,R.L. Office of State Programs (Post 911117). 1p. 85269-334-85269-334.
- 9509010103** Forwards review & comments of most recent version of changes to Rocky Mountain Low-Level Radioactive Waste Compact dtd 950601.
BANGART,R.L. Office of State Programs (Post 911117). 95/08/22. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 85269-335-85269-350.
- 9509010105** Forwards State of OK statutes for review & comment re draft application for 274b Agreement. Entire application will be submitted when completeness review of info, finished.
LOHAUS,P. Office of State Programs (Post 911117). 95/07/21. CAMERON,F.X. Office of the General Counsel (Post 860701). 3pp. 85284-201-85284-203.
- 9509010113** Ack receipt of 950630 ltr which submitted draft application for agreement between NRC & State of OK. Informs that Commission has approved phased implementation process for new Agreement States as part of "Principles & Policy..."
BANGART,R.L. Office of State Programs (Post 911117). 95/07/20. COLEMAN,M.S. Oklahoma, State of. 4pp. 85284-204-85284-207.
- 9509010114** Notifies that Board of Directors agreed to terminate Regulations Overview Committee & reorganize functions of group under Suggested State Regulations Council. Informs that R. Paris appointed as Regulations Overview coordinator.
HARDIN,C.M. Kentucky, Commonwealth of. 95/07/11. PARIS,R. DEVINE,T., GOLDSTEIN,H. Kentucky, Commonwealth of. 1p. 85269-358-85269-358.
- 9509010117** Informs that NRC planning three 1 day workshops on financial assurance to be held 950822, 24 & 30. Forwards copy of draft agenda.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-122. 95/07/26. General. 6pp. 85284-208-85284-213.
- 9509010123** Submits names of J. Klinger & G. Vinson to attend sealed source & device workshop to be held 950911-13 in Rockville, MD.
COLLINS,S.C. Illinois, State of. SP-95-097. 95/07/21. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 85270-012-85270-013.
- 9509010132** Responds to Office of State Programs transmittal SP-95-093 which provided for review & comment NRC draft "Interim Guidance for Disposal of Cs-137 in Furnace Dust Resulting from Inadvertent Meeting of Sources."
FRAZEE,T.C. Washington, State of. SP-95-093. 95/07/20. LAHS,W. Division of Waste Management (NMSS 940403). 2pp. 85284-214-85284-215.
- 9509010136** Submits specific info pertaining to next CRCPD meeting on 950724-27.
GORMAN,P. Conference of Radiation Control Program Directors, Inc. 95/08/08. Conference of Radiation Control Program Directors, Inc. DORNSIFE,B. Pennsylvania, Commonwealth of. FLETCHER,R. Maryland, State of. 4pp. 85284-218-85284-218.
- 9509010141** Informs that State of IL will resist any effort by NRC to assert adoption as matter of Agreement State compatibility, unless adopted through rulemaking process. Insists that NRC implement proposed policy by rule.
ORTCIGER,T.W. Illinois, State of. SP-95-093. 95/07/21. LAHS,W. Division of Waste Management (NMSS 940403). 3pp. 85284-220-85284-222.
- 9509010144** Discusses updated draft rev to MD Standards for Protection Against Radiation. Submits listed comments.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/08/04. FLETCHER,R.G. Maryland, State of. 17pp. 85270-030-85270-208.
- 9509010151** Responds to 950404 request, forwarding review & comments on draft device registry certificates, NC-8019-D-801-G & NC-0646-D-1375-S.
LOHAUS,P.H. Office of State Programs (Post 911117). NC-8019-D-801-G. 95/08/15. HADEN,J.R. North Carolina, State of. 28pp. 85270-209-85270-271.
- 9509010163** Transmits State Agreements Program info SP-95-127 re radiography exposure devices.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-127. 95/08/02. General. 1p. 85270-284-85270-311.
- 9509010164** Responds to 950616 ltr which addressed March 1994 program review recommendation to include procedures for handling misadministration reporting & follow-up in Texas incident response procedures.
DODA,R. Region 4 (Post 820201). 95/06/24. FREE,R.E. Texas, State of. 3pp. 85284-225-85284-257.
- 9509010167** Directive 5.10, Vol 8, "NRC Medical Event Assessment Program."
* Office of Nuclear Material Safety & Safeguards. 94/07/06. 23pp. 85284-228-85284-253.

-9509010173 Discusses 950612 telcon re comment from review in March 1994 recommending that State of TX address misadministrations in incident response procedures & 950123 ltr requesting copies of NRC guidance for follow-up of misadministration repts. FREE, R.E. Texas, State of. 95/06/16. DODA, R.J. Region 4 (Post 820201). 2pp. 85284.254-85284.255.

-9509010178 Advises that last sentence in first paragraph of ltr may read better as listed re onsite visits/insp for medical events. DODA, R.J. Region 4 (Post 820201). 95/08/10. BOLLING, V.M. Office of State Programs (Post 911117). 2pp. 85284.256-85284.257.

9509010175 Responds to 950725 transmittal of State Agreements Program Info (SP-95-116). Informs of intent to continue evaluation of sealed sources & devices. RATLIFF, R.A. Texas, State of. SP-95-116. 95/08/17. BANGART, R.L. Office of State Programs (Post 911117). 1p. 85284.273-85284.273.

9509010184 Forwards instructions to State attendees to H-401 course to be held in Region II etc on 950906-07. SOULLENBERGER, D. Office of State Programs (Post 911117). 95/08/25. General. WALTER, D. Alabama, State of. GILLEY, D. Florida, State of. 5pp. 85284.274-85284.278.

9509010185 Forwards list of documents in response to 950712 request re Commission initiatives in promoting interstate cooperation. VIRGILIO, R.O. Office of State Programs (Post 911117). 95/08/18. ZIMMERMAN, J.F. Affiliation Not Assigned. 41pp. 85285.036-85285.079.

9509010192 Transmits State Agreement Program Info SP-95-128, forwarding sealed source & device registry certificates. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-128. 95/08/02. General. 3pp. 85297.001-85297.111.

-9509010204 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of detector cell for model 009-0173.009-0009. Certificate: NR-536-D-804-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-536-D-804-S. 95/06/23. 4pp. 85297.004-85297.007.

-9509010208 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of detector cell for 009-0282.009-0270. Certificate: NR-536-D-805-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-536-D-805-S. 95/06/23. 4pp. 85297.008-85297.011.

-9509010210 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of gas chromatography detector cell for model 105-0210.105-0202.105-0212. Certificate: NR-536-D-806-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-536-D-806-S. 95/06/23. 5pp. 85297.012-85297.022.

-9509010213 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of gas chromatography detector cell for model 18803A. Certificate: NR-0348-D-802-S. RICH, T.W. NRC - No Detailed Affiliation Given. NR-0348-D-802-S. 95/04/07. 9pp. 85297.023-85297.037.

-9509010217 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of gamma gauging device for model BEC-104. Certificate: NR-8037-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8037-D-801-S. 95/07/06. 8pp. 85297.038-85297.045.

-9509010218 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of X-ray fluorescence spectrometer for model PXRF5. Certificate: NR-8041-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8041-D-801-S. 95/07/06. 5pp. 85297.046-85297.050.

-9509010221 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of nuclear powered implantable cardiac pacemaker for cordis nuclear omni-stanior model 184A. Certificate: NR-8042-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8042-D-801-S. 95/07/06. 7pp. 85297.051-85297.057.

-9509010223 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of neutron & gamma gauge for model CONAC (nuclear analyzer of coal). Certificate: NR-590-D-808-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-590-D-808-S. 95/07/14. 5pp. 85297.058-85297.062.

-9509010224 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of neutron transmission monitor for model NTM. Certificate: NR-8039-D-801-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8039-D-801-S. 95/07/14. 4pp. 85297.063-85297.066.

-9509010228 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of cigarette density gauge for model MODIC. Certificate: NR-462-D-802-G. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-462-D-802-G. 95/06/22. 10pp. 85297.067-85297.076.

-9509010235 Amended Registry of Radioactive Sealed Sources & Devices, SE of light modules & luminous devices for model 2040-XX & 2000-XX. Certificate: NR-579-D-101-G. BAGGETT, S.L., RICH, T.W. NRC - No Detailed Affiliation Given. NR-579-D-101-G. 95/07/07. 17pp. 85297.077-85297.093.

-9509010239 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of ion mobility spectrometer for model TEMISer. Certificate: NR-0399-D-104-G. LUBINSKI, J.W. NRC - No Detailed Affiliation Given. NR-0399-D-104-G. 95/07/10. 8pp. 85297.094-85297.101.

-9509010245 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of ECD detector for model leakmeter 120 & Certificate: NR-399-D-103-E. RICH, T.W. NRC - No Detailed Affiliation Given. NR-399-D-103-E. 95/06/22. 10pp. 85297.102-85297.111.

9509010193 Advises of latest update to Insp Manual Chapter 2600, available for downloading from FedWorld Bulletin Board Sys. Forwards summary of changes made to NRC insp frequencies. BANCART, R.L. Office of State Programs (Post 911117). SP-95-123. 95/08/22. General. 6pp. 85285.030-85285.035.

9509010194 Forwards NRC 950706 ltr to NY re SS&D evaluations. ALDRICH, R. New York, State of. SP-95-116. 95/07/31. General. 1p. 85285.080-85285.083.

9509010214 Forwards sealed sources & device registry certificates for addition to catalogues. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-145. 95/08/18. General. 3pp. 85285.090-85285.238.

-9509010226 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 1054463. Amended Certificate: NR-155-S-101-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-101-S. 95/07/21. 4pp. 85285.093-85285.096.

-9509010236 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 10556135. Amended Certificate: NR-155-S-102-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-102-S. 95/07/28. 4pp. 85285.097-85285.100.

-9509010247 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 10556228. Amended Certificate: NR-155-S-103-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-103-S. 95/07/21. 6pp. 85285.101-85285.106.

-9509010253 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models 11729510-1 or 11729510-2. Amended Certificate: NR-155-S-104-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-104-S. 95/07/21. 10pp. 85285.107-85285.116.

-9509010258 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11729514. Amended Certificate: NR-155-S-105-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-105-S. 95/07/21. 5pp. 85285.117-85285.121.

-9509010261 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11729517. Amended Certificate: NR-155-S-106-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-106-S. 95/07/28. 4pp. 85285.122-85285.125.

-9509010262 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11729519. Amended Certificate: NR-155-S-107-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-107-S. 95/07/26. 4pp. 85285.126-85285.129.

-9509010266 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11730273. Amended Certificate: NR-155-S-108-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-108-S. 95/07/26. 4pp. 85285.130-85285.133.

-9509010268 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models 11730922-1, 11730922-2 or 11730922-3. Amended Certificate: NR-155-S-109-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-109-S. 95/07/21. 9pp. 85285.134-85285.142.

-9509010272 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11733736. Amended Certificate: NR-155-S-110-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-110-S. 95/07/21. 4pp. 85285.143-85285.146.

-9509010275 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11733737. Amended Certificate: NR-155-S-111-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-111-S. 95/07/21. 4pp. 85285.147-85285.150.

-9509010279 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11733738. Amended Certificate: NR-155-S-112-S. RICH, T.W. NRC - No Detailed Affiliation Given. NR-155-S-112-S. 95/07/21. 4pp. 85285.151-85285.154.

-9509010283 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models 11733744-1 or 11733744-2. Amended Certificate: NR-155-S-113-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-113-S. 95/07/21. 3pp. 85285.155-85285.157.

-9509010285 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 1054463. Amended Certificate: NR-155-S-114-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-114-S. 95/07/21. 4pp. 85285.158-85285.161.

-9509010288 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11739555. Amended Certificate: NR-155-S-115-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-115-S. 95/07/21. 4pp. 85285.162-85285.165.

-9509010292 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11834818. Amended Certificate: NR-155-S-116-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-116-S. 95/07/21. 4pp. 85285.166-85285.169.

-9509010295 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 11748012. Amended Certificate: NR-155-S-117-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-S-117-S. 95/07/26. 4pp. 85285.170-85285.173.

-9509010300 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model M43A1. Amended Certificate: NR-155-D-118-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-D-118-S. 95/07/26. 6pp. 85285.174-85285.179.

-9509010303 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model CAM. Amended Certificate: NR-155-D-119-S. * NRC - No Detailed Affiliation Given. NR-155-D-119-S. 95/07/26. 3pp. 85285.180-85285.182.

236 NONDOCKETED ITEMS

- 9509010306 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model MRS, Amended Certificate: NR-155-D-120-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-D-120-S. 95/07/28. 7pp. 85285-183-85285-189.
- 9509010312 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 12002965 for H-3, Amended Certificate: NR-155-D-124-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-D-124-S. 95/07/28. 5pp. 85285-190-85285-194.
- 9509010315 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Sensor Unit, Certificate: NR-174-D-101-E. BAGGETT, S.L., RICH, T.W. NRC - No Detailed Affiliation Given. NR-174-D-101-E. 95/07/28. 5pp. 85285-195-85285-199.
- 9509010320 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 3500, Certificate: NR-232-D-101-S. * NRC - No Detailed Affiliation Given. NR-232-D-101-S. 86/03/20. 1p. 85285-200-85285-200.
- 9509010327 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Hydrotrack Moisture Monitor, Certificate: NR-232-D-102-G. * NRC - No Detailed Affiliation Given. NR-232-D-102-G. 88/10/14. 1p. 85285-201-85285-201.
- 9509010332 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 9000, Certificate: NR-232-D-103-S. * NRC - No Detailed Affiliation Given. NR-232-D-103-S. 90/02/15. 1p. 85285-202-85285-202.
- 9509010335 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 2500, Certificate: NR-232-D-104-G. * NRC - No Detailed Affiliation Given. NR-232-D-104-G. 91/08/01. 1p. 85285-203-85285-203.
- 9509010340 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model SA-4, 300, Micro 300, 330, 350, 370 & 570 Series, Certificate: NR-0255-D-102-E. * NRC - No Detailed Affiliation Given. NR-0255-D-102-E. 94/08/24. 1p. 85285-206-85285-206.
- 9509010346 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for models 19303 & 19312, Amended Certificate: NR-348-D-106-B. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-348-D-106-B. 95/07/27. 11pp. 85285-207-85285-216.
- 9509010348 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for models 19233 & 19235, Amended Certificate: NR-348-D-109-B. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-348-D-109-B. 95/07/27. 9pp. 85285-219-85285-227.
- 9509010350 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model "MH" Series, Certificate: NR-0585-D-104-E. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-0585-D-104-E. 95/07/25. 11pp. 85285-228-85285-236.
- 9509010325 Informs NRC has sent to office of FR for publication, encl proposed amend to Commission rules in 10CFR2.50 & 51. Amends published from consideration of current situation re power reactor decommissioning. BANGART, R.L. Office of State Programs (Post 911117). 95/07/31. General. 27pp. 85285-281-85285-306.
- 9509050011 Comment opposing PRs 10CFR170 & 171 re reinvention of NRC fee policies. ORTCIGER, T.W. Illinois, State of. 60FR14670 00023. 95/07/28. BANGART, R. Office of State Programs (Post 911117). 5pp. 85285-318-85285-322.
- 9509050017 Expresses appreciation for participating in NRC Leadership Seminar on Environmental Justice held on 950724. LOPEZ-OTIN, M.E. Office of State Programs (Post 911117). 95/08/02. KNOX, R.J. Environmental Protection Agency. 1p. 85285-325-85285-327.
- 9509050028 Forwards non-proprietary version of approved final licensing topical rept by Chern-Nuclear Sys, Inc. "Multi-Use Container High Integrity Container." W/o encl. LOHAUS, P.H. Office of State Programs (Post 911117). 95/08/17. General. 8pp. 85285-352-85285-360.
- 9509050040 Ack receipt of approved final rept. "Multi-Use Container High Integrity Container." BELL, M.J. Division of Waste Management (NWSS 940403). 95/07/28. BANGART, R.L. Office of State Programs (Post 911117). 1p. 85285-360-85285-360.
- 9509050030 Expresses appreciation for NRC participation in Leadership Seminar on Environ Justice, held on 950724. LOPEZ-OTIN, M.E. Office of State Programs (Post 911117). 95/08/02. CAMPBELL, B. Council on Environmental Quality. 2pp. 85288-026-85288-027.
- 9509050184 Final response to FOIA request for documents. Forwards documents listed in App A, Documents also available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/13. BASTENBECK, B. 2pp. 85317-138-85317-310.
- 9509050188 Forwards final rept. "Radiological Characterization of Quehanna, PA Site," for review. REILLY, M.A. Pennsylvania, Commonwealth of. 93/04/02. KINNEMAN, J. Region 1 (Post 820201). 1p. 85317-140-85317-141.
- 9509050191 "Radiological Characterization of Quehanna, PA Site." * Canberra Industries, Inc. 117249. 93/01/31. 160pp. 85317-142-85317-301.
- 9509050203 Forwards insp manual chapter updates. BANGART, R.L. Office of State Programs (Post 911117). 95/08/28. General. 8pp. 85297-126-85297-133.
- 9509050214 Forwards list of approved students from states selected to attend insp Procedures Course on 950925-29. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-148. 95/08/25. General. 38pp. 85297-155-85297-194.
- 9509050215 Ack receipt of 950718 ltr expressing state interest in NRC Agreement State Program. Commission appreciates K. Coleman responsibility in evaluating feasibility of state participation in program. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/08/28. COLEMAN, K. Alaska, State of. 5pp. 85297-195-85297-200.
- 9509050221 Congratulates SA Jackson on appointment as Chairman of Commission. Expresses state interest in NRC Agreement State Program. COLEMAN, K. Alaska, State of. 95/07/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 85297-200-85297-200.
- 9509050235 Transmits State Agreements program info re comments & review of current status of draft "Interim Guidelines for Disposal of Cs-137 Contaminated Emission Control Dust & Other Incident-Related Matls." Ltr to EPA & draft position encl. BANG, T.T. R.L. Office of State Programs (Post 911117). SP-95-143. 95/08/28. General. 6pp. 85297-253-85297-297.
- 9509050313 Forwards sealed source & device registry certificates, provided for addition to catalogues. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-149. 95/08/25. General. 6pp. 85311-001-85311-265.
- 9509050320 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model L7A1 Light Dial Trilux, Certificate: NR-155-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-D-801-S. 95/07/21. 9pp. 85311-006-85311-016.
- 9509050323 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model L2A1 Elbow Telescope, Certificate: NR-155-D-802-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-D-802-S. 95/07/21. 7pp. 85311-017-85311-023.
- 9509050327 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model L3A1 Dial Sight Carrier, Certificate: NR-155-D-803-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-155-D-803-S. 95/07/21. 6pp. 85311-024-85311-031.
- 9509050333 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model P/L 8600, Certificate: NR-339-D-801-G. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-339-D-801-G. 95/07/27. 13pp. 85311-032-85311-044.
- 9509050338 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 18803-60520, Certificate: NR-0348-D-802-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-0348-D-802-S. 95/07/25. 9pp. 85311-045-85311-053.
- 9509050340 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 18713A & 19282, Certificate: NR-348-D-804-B. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-348-D-804-B. 95/07/25. 6pp. 85311-054-85311-059.
- 9509050346 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Drawing 300A, Certificate: NR-406-S-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-406-S-801-S. 95/07/14. 6pp. 85311-060-85311-065.
- 9509060001 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 424, Certificate: NR-555-D-805-S. BAGGETT, S.L., RICH, T.W. NRC - No Detailed Affiliation Given. NR-555-D-805-S. 95/07/26. 8pp. 85311-066-85311-073.
- 9509060002 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 848-8, Certificate: NR-666-D-808-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-666-D-808-S. 95/07/28. 5pp. 85311-074-85311-078.
- 9509060004 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 878-10, Certificate: NR-666-D-809-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-666-D-809-S. 95/07/28. 8pp. 85311-079-85311-086.
- 9509060010 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 2800 series & 541-205, Certificate: NR-666-D-810-G. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-666-D-810-G. 95/07/28. 11pp. 85311-087-85311-097.
- 9509060012 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model SED-400 & MED-400, Certificate: NR-8029-D-801-E. BAGGETT, S.L., LUBINSKI, J.W. NRC - No Detailed Affiliation Given. NR-8029-D-801-E. 95/07/14. 2pp. 85311-098-85311-099.
- 9509060015 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model SED-300 & MED-300, Certificate: NR-8029-D-802-E. BAGGETT, S.L., LUBINSKI, J.W. NRC - No Detailed Affiliation Given. NR-8029-D-802-E. 95/07/14. 2pp. 85311-100-85311-101.
- 9509060019 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Cordis Nuclear Omni-Stanior Models 184A & 184E, Certificate: NR-8042-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8042-D-801-S. 95/07/25. 7pp. 85311-102-85311-108.
- 9509060021 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 777, Certificate: NR-8049-D-801-E. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8049-D-801-E. 95/07/27. 7pp. 85311-109-85311-115.
- 9509060022 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 379, Certificate: NR-8050-D-801-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-801-B. 95/08/07. 11pp. 85311-116-85311-126.

- 9509060024 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 7400 D Series (LB 7440, LB 7442 & LB 7444). Certificate: NR-8050-D-802-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-802-B. 9/5/06/07. 14pp. 85311:127-85311:140.
- 9509060026 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 7400 L Series (LB 7440, LB 7442 & LB 7444). Certificate: NR-8050-D-803-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-803-B. 9/5/06/07. 12pp. 85311:141-85311:152.
- 9509060030 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 375 Series. Certificate: NR-8050-D-804-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-804-B. 9/5/06/07. 15pp. 85311:153-85311:167.
- 9509060032 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 6600 Series. Certificate: NR-8050-D-805-S. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-805-S. 9/5/06/07. 8pp. 85311:168-85311:175.
- 9509060033 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 300 L Series (Drawing # 21157.001) Certificate: NR-8050-D-806-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-806-B. 9/5/06/07. 14pp. 85311:176-85311:189.
- 9509060035 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 300 IRL Series (Drawing 21257.000-000) Certificate: NR-8050-D-807-S. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-807-S. 9/5/06/07. 8pp. 85311:190-85311:197.
- 9509060039 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB-300 IP D/L Series. Certificate: NR-8050-D-808-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-808-B. 9/5/06/07. 13pp. 85311:198-85311:210.
- 9509060046 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 330. Certificate: NR-8050-D-809-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-809-B. 9/5/06/07. 12pp. 85311:211-85311:222.
- 9509060053 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB-AS Series. Certificate: NR-8050-D-810-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-810-B. 9/5/06/07. 14pp. 85311:223-85311:236.
- 9509060056 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB 300 MI or MLT Series. Certificate: NR-8050-D-811-S. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-811-S. 9/5/06/07. 18pp. 85311:237-85311:254.
- 9509060059 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LB-BW Series. Certificate: NR-8050-D-812-B. BROADDUS, D.A., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8050-D-812-B. 9/5/06/07. 11pp. 85311:255-85311:265.
- 9509050335 Forwards technical info re sealed source & device registry certificates, for addition to catalogues. LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-147. 9/5/06/28. General. 4pp. 85298:064-85298:116.
- 9509050341 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for model ATX-100. Certificate: UT-8048-D-802-G. GALLOWAY, M.E. Utah, State of. UT-8048-D-802-G. 9/5/06/08. 5pp. 85298:112-85298:116.
- 9509050336 Requests that memo & encl documents be processed & placed in PDR. HAISFIELD, M. Office of Nuclear Regulatory Research (Post 941217). AEB8-1 001. 9/5/06/03. Document Control Branch (Document Control Desk). 5pp. 8545:235-8545:295.
- 9509280229 Responds to 940805 correspondence which requested addl info re liability for remediation in event of off-site release of radioactive mats from disposal facility. NIELSON, D.R. Utah, State of. AEB8-1 004. 94/09/06. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 85645:245-85645:276.
- 9509060055 Informs that NJ Dept of Environ Protection Bureau of Nuclear Engineering reviewed util 950622 license change request LCR 95-08 re RHR operation in Modes 5 & 6 & has no comments. TOSCH, K. New Jersey, State of. 9/5/06/22. Document Control Branch (Document Control Desk). 2pp. 85367:286-85367:289.
- 9509060148 Notifies of minor change in discharge or mgt of pollutants at Surry Power Station. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 9/5/06/30. COOK, C.S. Virginia, Commonwealth of. 3pp. 85367:307-85367:309.
- 9509060189 Discusses 950802 ltr which transmitted SECY-95-192, "Agreement State Reimbursement of NRC Costs." ORTIGER, T.W. Illinois, State of. 9/5/09/01. THE CHAIRMAN, JACKSON, S. Commissioners (Post 750119). 4pp. 85311:294-85311:302.
- 9509060246 Forwards device safety evaluation rev to number FL-526-D-103-B. HOUSTON, N. Florida, State of. FL-526-D-103-B. 9/5/06/31. BOLLING, Document Control Branch (Document Control Desk). 1p. 85312:176-85312:185.
- 9509060253 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device Ion Mobility Spectrometer for model Phemto-Chem 100 Series. Certificate: FL-526-D-103-B. Florida, State of. FL-526-D-103-B. 9/5/06/31. 9pp. 85312:177-85312:185.
- 9509070039 Forwards demonstrated McGean Rohco Inc ownership of Bert Avenue site & ltr of ack from Village of Newburgh Heights, L Fryer & McGean Rohco Inc re Chemtron, Inc request for authorization under OAC-3745-27-13. KOH, B. Chemtron Corp. 9/5/06/21. PARKER, J. Ohio, State of. 8pp. 85373:171-85373:178.
- 9509070076 Informs that Power Resources, Inc submittal for proposed berm design around Satellite 2 irrigation circle approved. CHANCELLOR, R.A. Wyoming, State of. 9/5/06/23. KEARNEY, B. Power Resources Corp. 2pp. 85416:199-85416:200.
- 9509070142 Requests that NRC review encl status of resolution of nuclear industry safety issues re nuclear plants in NJ. TOSCH, K.W. New Jersey, State of. 9/5/06/31. MCKEE, P. 21pp. 85325:293-85325:311.
- 9509070223 Safety insp on 950629 of license NC-092-0082-6. Insp findings: 10CFR34.11(d), observation of performance of radiographer & radiographer assistant was performed within period in excess of 3 months. * Region 2 (Post 820201). * Law Engineering. 9/5/06/29. 2pp. 85322:226-85322:227.
- 9509080075 Ack TVA recent claim against ANC reimbursement under Title X of Energy Policy Act of 1992. Title X monies are essential to success of project & must be used for reclamation. HEMMER, D. Wyoming, State of. 9/5/09/01. HAYSLETT, T. Tennessee Valley Authority. 2pp. 85442:193-85442:194.
- 9509080102 Forwards design rept & plan sheets for Phase I Bullrush Heap Leap Reclamation. Bids currently being advertised on work & will open bids on 950921. Addl radiological data forthcoming. W/5 oversize drawings. MOXLEY, M. Wyoming, State of. 9/5/06/30. HOLOMICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85421:079-85421:273.
- 9509080158 Georgia Institute of Technology statement to issue of mootness of contention 5 * W/Certificate of Svc. DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA. DUNN, D.R. Georgia, State of. #395 17063. REN. 9/5/06/30. 5pp. 85324:104-85324:108.
- 9509080197 Georgia Institute of Technology response to GANE amended petition for leave to intervene. * Georgia Institute of Technology requests GANE amended petition be dismissed. W/Certificate of Svc. DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA. DUNN, D.R. Georgia, State of. #395 17062. OM. 9/5/06/30. Atomic Safety & Licensing Board Panel. 5pp. 85324:112-85324:116.
- 9509110153 Ack receipt of 950718 ltr re interest in NRC Agreement State Program. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 9/5/06/26. COLEMAN, K. Alabama, State of. 1p. 85472:009-85472:010.
- 9509110162 Discusses possibility for State of Alaska to participate in Agreement State Program. COLEMAN, K. Alabama, State of. 9/5/07/18. THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 1p. 85472:010-85472:010.
- 9509110160 Forwards MI statement of intent to accompany amended license application for MI owned portion of Hartley & Hartley Landfill & tables of contents for technical support document & decommissioning funding plan. HARMES, R. Michigan, State of. 9/5/09/01. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 85456:109-85456:123.
- 9509110167 Table of contents for "MI Dept of Natural Resources Decommissioning Funding Plan for State-Owned Portion of Hartley & Hartley Landfill." * Michigan, State of. 9/5/09/05. 4pp. 85456:112-85456:115.
- 9509110184 Table of contents for "MI Dept of Natural Resources Technical Support Document 10CFR40 License Application for State-Owned Portion of Hartley & Hartley Landfill." * Michigan, State of. 9/5/09/05. 6pp. 85456:116-85456:121.
- 9509110191 Forwards amended application package for MI Dept of Natural Resources (MDNR) 10CFR40 radioactive mat'l license for MDNR owned portion of Hartley & Hartley Landfill, containing two listed documents W/o encls. HARMES, R. Michigan, State of. 9/5/09/01. PARROTT, J. NRC - No Detailed Affiliation Given. 2pp. 85456:122-85456:123.
- 9509110281 Provides list of terminated license sites in State of ND, per ORNL review of 16,000 NRC terminated licenses. SCARANO, R.A. Region 4 (Post 820201). 9/5/09/07. MOUNT, D.K. North Dakota, State of. 4pp. 85344:190-85344:193.
- 9509110311 Forwards memo on review of COGEMA Mining, Inc annual rept submitted 940901, covering period Jan-June 1994 & semiannual repts submitted 940301, covering periods Jul-Dec 1993 & Jul-Dec 1994, respectively. MOONEY, G. Wyoming, State of. 9/5/06/30. WICHERS, D.L. COGEMA, Inc. 13pp. 85457:296-85457:308.
- 9509110359 Informs that Land & Quality Div will not at this time reconsider waiving or otherwise modifying Condition 5 to Permit 478, in response to ltr sent to R Chancellor on 950525. MOONEY, G. Wyoming, State of. 9/5/07/31. WICHERS, D.L. COGEMA, Inc. 2pp. 85452:358-85452:359.
- 9509110368 Expresses concern w/longeursions at Ingaray & Christensen Ranch sites. CHANCELLOR, R.A. Wyoming, State of. WICHERS, D.L. COGEMA, Inc. 2pp. 85452:354-85452:355.
- 9509110370 Forwards responses to 950612 comments on Ingaray Units 4-9 restoration plan. WICHERS, D.L. COGEMA, Inc. 9/5/06/10. MOONEY, G. Wyoming, State of. 17pp. 85436:316-85436:332.
- 9509120117 Forwards amend to device evaluation IL-136-D-341-S. Changes boldfaced on license amend W/o encl. KLINGER, J.G. Illinois, State of. IL-136-D-341-S. 9/5/09/07. BOLLING, L. Document Control Branch (Document Control Desk). 1p. 85382:166-85382:166.
- 9509120128 Forwards source safety evaluation FL-714-S-101-S, for Co-57 flood sources model CDC-1 & CDC-10 series. STEPHENS, M.N. Florida, State of. FL-714-S-101-S. 9/5/09/07. BOLLING, L. Document Control Branch (Document Control Desk). 1p. 85382:170-85382:179.

238 NONDOCKETED ITEMS

- 9509120131 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation for Flood Source model CDC-1 & CDC-10 series. Certificate: FL-714-S-101-S. * Florida, State of. FL-714-S-101-S. 95/09/06. 9pp. 85382-171-85382-179.
- 9509120132 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation for model IPI 411 (previously IPI 410). Certificate: IL-136-D-341-S. BURKHART, M.E. Illinois, State of. IL-136-D-341-S. 95/09/05. 9pp. 85382-182-85382-190.
- 9509120147 Informs that Riverton State Bank Certificate of Deposit 3551 in stated amount accepted in lieu of surety bond by dept. Deposit in addition to bonds previously posted. CHANCELLOR, R.A. Wyoming, State of. 95/08/25. WEBBER, K. U.S. Energy Corp. WEBBER, K. Crested Corp. pp. 85433-332-85433-332.
- 9509120204 Requests earliest opportunity listing of items Advance Medical Sys, Inc deems irrelevant to emergency preparedness. CONNELLY, R.N. Northeast Ohio Regional Sewer District. 95/06/11. CESAR, D. Ohio, State of. 1p. 85432-355-85432-355.
- 9509120321 Informs that Dept of Toxic Substances Control proposing to add existing & proposed mixed waste units to existing hazardous waste facility permit through class 3 mod. SHAULIS, D.I. California, State of. 95/08/24. MILLER, M.A. NRC - No Detailed Affiliation Given. 2pp. 85419-357-85419-358.
- 9509120341 Forwards "Rept on Compliance W/Clean Air Act Limits for Radionuclide Emissions From Comply Code, Version 1.5d." per 40CFR61, Subpart I. WICHERS, D.L. COGEMA, Inc. 95/03/30. Colorado, State of. 2pp. 85469-313-85469-316.
- 9509130071 Responds to 950731 ltr re 950616 visit by C Gaskin of NRC to NV test site. Provides listed info to clarify purpose of visit. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/08/17. LOUX, R. Nevada, State of. 3pp. 85472-092-85472-094.
- 9509130178 First partial response to FOIA request for documents. App A records available in PDR. Records in App B encl & being made available for PDR. App C partially withheld & App D completely withheld (ref FOIA exemptions 4 & 6). REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/04/03. GILSON, P.M. Weil, Gotshal & Manges. 10pp. 85590-001-85592-012.
- 9509130231 Invites representative of agency to participate in scoping process that T-AC has initiated to prepare environ impact statement re Shieldalloy Metallurgical Corp facility near Cambridge, OH. GREEVES, J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 93/11/26. MUNO, W.E. Environmental Protection Agency. SUPPES, R., SHREGARDUS, D.R. Ohio, State of. 32pp. 85590-220-85590-283.
- 9509180075 Informs that encl comparison of NRC decommissioning process w/Ohio EPA remediation process has been prepared, per Agreement at 941102 meeting. NELSON, B. NRC - No Detailed Affiliation Given. 94/11/09. BLAIR, B. Ohio, State of. 7pp. 85591-152-85591-158.
- 9509140081 Informs that licensee submittal for approval of Satellite 1 Irrigation Area 1B for Permit 603 reviewed & conditionally granted permission to construct & use Satellite 1 Irrigation Area 1B. Listed info required within 30 days. CHANCELLOR, R.A. Wyoming, State of. 95/05/26. KEARNEY, B. Power Resources Corp. 2pp. 85476-359-85476-360.
- 9509140083 Comment opposing process for approving Yankee component removal project prior to issuance of decommissioning order. WOOD, B.C. Massachusetts, Commonwealth of. 60FR46317 00001. 95/09/08. JULIAN, E. Office of the Secretary of the Commission. 1p. 85428-157-85428-157.
- 9509140087 Final response to FOIA request for records. App A records encl & available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. DICHARRY, R.D. Source Production & Equipment Co., Inc. 7pp. 85492-002-85493-092.
- 9509140248 Provides sealed source evaluation number IL-136-S-146-S. KLINGER, J.G. Illinois, State of. 90/02/27. BOLLING, L. NRC - No Detailed Affiliation Given. 1p. 85492-241-85492-241.
- 9509140249 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models CDC-192/1 & CDC-192/2. Certificate: IL-136-S-146-S. PODOLAK, L. Amersham Corp. KLINGER, J.G. Illinois, State of. IL-136-S-146-S. 90/02/27. 5pp. 85492-242-85492-247.
- 9509140259 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of (Device/Sealed Source) for models CDC-192/1 & CDC-192/2. Certificate: IL-136-S-146-S. PODOLAK, L. Amersham Corp. KLINGER, J.G. Illinois, State of. IL-136-S-146-S. 90/04/20. 20pp. 85492-276-85492-295.
- 9509150027 First partial response to FOIA request for documents. Records in App A encl & will be available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/01. GRAHAM, M.E. Affiliation Not Assigned. 5pp. 85734-001-85735-049.
- 9509150323 Informs that several sites in Guernsey County, Ohio have been tested & determined by NRC to have high radioactive levels. DIDONATO, G. Ohio, State of. 94/10/04. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 85734-088-85734-091.
- 9509150111 Informs of repeat to chemical cleaning of main condenser in circulating water sys as necessary to control scale. SHELTON, D.C. Centener Energy. PY-CEI-OEPA-022. 95/09/12. MANN, M. Ohio, State of. 5pp. 85509-291-85509-295.
- 9509150285 Final response to FOIA request for records re Metcoa/Pesses site. App A records encl & available in PDR. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/05/30. KREGENOW, L.B. 4pp. 85527-003-85527-83.
- 9509150320 Summarizes NRC involvement w/former Pesses property for benefit of Township Supervisors. KINNEMAN, J.D. Region 1 (Post 820201). 85/12/05. STOWE, L. Pennsylvania, Commonwealth of. 2pp. 85527-044-85527-045.
- 9509150341 Informs NRC of responsibilities for regulating use of certain radioactive mats including naturally occurring element Thorium. KINNEMAN, J.D. Region 1 (Post 820201). 86/04/30. STOWE, L. Pennsylvania, Commonwealth of. 2pp. 85527-052-85527-053.
- 9509150343 Provides copy of radiological survey of Pesses Co Metcoa Site final rept. KINNEMAN, J.D. Region 1 (Post 820201). 86/04/30. MACDONALD, D.J. Pennsylvania, Commonwealth of. 1p. 85527-054-85527-054.
- 9509150355 Provides copy of radiological survey of Pesses Co Metcoa site final rept. KINNEMAN, J.D. Region 1 (Post 820201). 86/04/30. ROSAKIS, J. Pennsylvania, Commonwealth of. 1p. 85527-057-85527-057.
- 9509180012 Forwards copy revised final rept of radiological survey of Pesses Co Metcoa site. W/o encl. KINNEMAN, J.D. Region 1 (Post 820201). 86/05/22. STOWE, L. Pennsylvania, Commonwealth of. 2pp. 85527-116-85527-117.
- 9509180016 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site. W/o encl. KINNEMAN, J.D. Region 1 (Post 820201). 86/05/22. MCCLEARY, O.H. Pennsylvania, Commonwealth of. 1p. 85527-120-85527-120.
- 9509180018 Forwards copy of revised final rept of radiological survey of Pesses Co Metcoa site in Pulaski, PA. W/o encl. KINNEMAN, J.D. Region 1 (Post 820201). 86/05/22. ROSAKIS, J. Pennsylvania, Commonwealth of. 1p. 85527-121-85527-121.
- 9509180019 Forwards revised copy of final rept of radiological survey Pesses Co Metcoa site. W/o encl. KINNEMAN, J.D. Region 1 (Post 820201). 86/05/22. MACDONALD, D.J. Pennsylvania, Commonwealth of. 1p. 85527-122-85527-123.
- 9509180252 Notifies of granted recognition of Agreement State license for activities under Title 10, code of federal regulations, part 150, section 20. COLLINS, D.J. Region 2 (Post 820201). 95/08/30. OWEN, R.E. Ohio, State of. 4pp. 85501-104-85501-107.
- 9509180254 Discusses predecisional enforcement conference conducted in Greensboro, NC on 950727 re findings identified during investigation conducted by OI, rept 2-92-027R. Copy of mail presented & list of attendees encl. MALLET, B.S. Region 2 (Post 820201). EA-95-101. 95/09/05. SHELTON, J.L. North Carolina, State of. 7pp. 85501-108-85501-114.
- 9509180264 Ack receipt of Rept of Proposed Activities in Agreement States dtd 950828 & receipt of initial recognition fee. COLLINS, D.J. Region 2 (Post 820201). 95/08/30. SWINDELL, D. 1p. 85501-147-85501-148.
- 9509180270 Forwards Rept of Proposed Activities in Non-Agreement States & Agreement State license. W/o encl. POTTER, J.P. Region 2 (Post 820201). 95/08/30. PEDERSON, C. Region 3 (Post 820201). BELLAMY, R.R. Region 1 (Post 820201). 2pp. 85501-148-85501-149.
- 9509180288 Discusses insp 15000016/95-07 on 950614 & informs that no violations identified. COLLINS, D.M. Region 2 (Post 820201). 95/09/05. TOOMBS, D. ATEC Associates, Inc. 1p. 85501-331-85501-331.
- 9509180357 Requests copy of "Statement of Principles & Policy for Agreement States Program" & "Policy Statement on Adequacy & Compatibility of Agreement State Programs". KANIA, C.A. Council of State Governments. 95/09/13. BOLLING, V. NRC - No Detailed Affiliation Given. 1p. 85502-342-85502-342.
- 9509180374 Safety insp on 950630 of license 655. Insp findings: no violations observed. * Region 2 (Post 820201). * Affiliation Not Assigned. 95/06/30. 1p. 85502-359-85502-359.
- 9509190047 Informs that submittal for approval Incidental Boundary Rev request, adding approx 80 acres in NW 1/4, NW 1/4, Section 22, T36N, R72W into existing permit area at Highland Uranium Project has been reviewed by LQD staff. HOGG, B. Wyoming, State of. 95/09/11. KEARNEY, B. Power Resources Corp. 1p. 85535-259-85535-259.
- 9509190065 Forwards, "Strategic Process for Bidg Trust & Credibility in LLW institutions Through Informed Public Participation & Scientific Review," presented at last DOE annual LLW mgmt conference in Dec 1994, per request. SILBERBERG, M. Affiliation Not Assigned. 95/09/13. SALOMON, S. Office of State Programs (Post 911117). 14pp. 85503-338-85503-351.
- 9509190111 Forwards copy of staff rept on results of review visit to radioactive mats program during period of 950726-0802, which include status of NRC comments following 1994 review of Illinois program & updated info collected during visit. LYNCH, J.L. Region 3 (Post 820201). 95/09/14. ORTIGER, T.W. Illinois, State of. 6pp. 85504-089-85504-094.
- 9509190140 Transmits minutes from bi-monthly NRC/State of UT teleconference on U recovery licenses conducted on 950822. CARLSON, R.D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/08. SINCLAIR, W.J. Utah, State of. 5pp. 85524-326-85524-331.
- 9509190367 Informs of no comments re Chemetron Harvard Ave Draft Environ Assessment. SEIFERT, M.C. Ohio, State of. 95/09/01. JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85532-168-85532-168.
- 9509200065 Transmits state agreement program info SP-95-154 re notice for FY96 Environ Monitoring for Radioactivity course being offered 951023-27 at ORISE facility in Oak Ridge, TN. LOHAUS, P. Office of State Programs (Post 911117). SP-95-154. 95/09/13. General. 3pp. 85510-004-85510-012.

--9509200075 Forwards timer communication card info dtd 950913, re SP-95-154, "Notice for Environmental Monitoring for Radioactivity Course."
* Office of State Programs (Post 911117). SP-95-154. 95/09/13. General. 6pp. 85510:007-85510:012.

9509200066 Expresses appreciation for 950711 ltr that provided updated summary re Texas Natl Resource Conservation Commission capability to evaluate performance assessment.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/05. HIBBS M. Texas, State of. 2pp. 85510:016-85510:027.

--9509200092 Presents updated version of analysis methodology used by NRC in draft & final environ impact statements on regulation 10CFR61. NRC interested in addl info on characteristics of individual LLW streams generated by commercial licensees.
BROWNING,R.E. Division of Waste Management (NMSS 940403). 85/12/30. Affiliation Not Assigned. 5pp. 85510:018-85510:027.

9509200067 Forwards Agreement State Program Tech info re Commission paper & staff requirements memo on business process redesign.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-139. 95/08/30. General. 14pp. 85519:001-85519:051.

9509200093 Forwards Agreement State Program info re reimbursement of NRC cost.
LOHAUS,P. Office of State Programs (Post 911117). SP-95-153. 95/09/13. General. 2pp. 85510:032-85510:038.

--9509200100 Staff requirements memo re SECY-95-192, "Agreement State Reimbursement of NRC Costs."
HOYLE,J.C. Office of the Secretary of the Commission. 95/08/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85510:035-85510:035.

--9509200109 Notation vote disapproving w/comments, SECY-95-192, "Agreement State Reimbursement of NRC Cost."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/18. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 85510:036-85510:037.

--9509200119 Notation vote disapproving w/comments, SECY-95-192, "Agreement State Reimbursement of NRC Costs."
ROGERS,K.C. Commissioners (Post 750119). 95/08/21. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85510:038-85510:038.

9509200095 Safety insp on 950728 of State of CO license. Insp findings: no violations observed.
LEONARDI,R.A. Region 4 (Post 820201). * Affiliation Not Assigned. 95/07/28. 1p. 85510:046-85510:046.

9509200096 Requests assistance in supporting NRC working group on adequacy & compatibility & to develop implementing procedures for "Policy Statement on Adequacy & Compatibility of Agreement State Programs." Requests response by 950911.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/05. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 85510:039-85510:045.

9509200102 Provides toxicity test results for Outfall 002.
CARTER,J.S. Duke Power Co. 95/09/12. BEATY,V. South Carolina, State of. 6pp. 85543:328-85543:330.

9509200103 Discusses application for amend to License NPF-57, revising TS Section 3/ 4.5.1.8 drywell & suppression chamber purge sys & associated bases.
TOSCH,K. New Jersey, State of. 95/09/11. Document Control Branch (Document Control Desk). 2pp. 85543:331-85543:333.

9509200108 Transmits State Agreements Program Info SP-95-142 re notice for safety aspects of well logging course scheduled for 951030-1103, in Houston, TX. Brief description from training syllabus encl & draft table of contents for course.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-142. 95/08/29. General. 30pp. 85510:048-85510:062.

9509200111 Provides Agreement State members that have agreed to participate on IMPEP Mgt Review Board & IMPEP Review Teams.
RATLIFF,R.A. Organization of Agreement States. RATLIFF,P.A. Texas, State of. 95/08/29. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 85510:064-85510:065.

9509200112 Discusses 950418 ltr from M. Zaw-Mon, re Dept of Environment response to NRC 1993-94 review of MD Radiological Health Program.
FLETCHER,R.G. Maryland, State of. 95/08/31. BANGART,R. Office of State Programs (Post 911117). 1p. 85510:066-85510:066.

9509200117 Forwards sealed source & device registry certificates to be added to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-150. 95/09/06. General. 3pp. 85510:085-85510:112.

--9509200142 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model GC-710, Certificate: NC-8019-D-801-G, amended in entirety.
HOFFMAN,B.J., HADEN,R. North Carolina, State of. NC-8019-D-801-G. 95/06/30. 12pp. 85510:093-85510:104.

--9509200158 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Sentec 171A, Certificate: NC-8046-D-801-S.
HOFFMAN,B.J., HADEN,R. North Carolina, State of. NC-8046-D-801-S. 95/08/24. 4pp. 85510:105-85510:106.

--9509200161 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model FH46T, Certificate: NC-8051-D-801-S.
HOFFMAN,B.J., HADEN,R. North Carolina, State of. NC-8051-D-801-S. 95/08/23. 4pp. 85510:109-85510:112.

9509200118 Forwards fully executed General Purpose Bond Rider for Reno Creek reclamation performance bond permit 479.
HOFFSETZ,V.L. Energy Fuels Nuclear, Inc. 95/09/05. HILL,D. Wyoming, State of. 5pp. 85564:062-85564:066.

9509200131 Transmits Agreement State Program info SP-95-151 re draft of medical licensing module, "Remote Afterloading Brachytherapy," to all Agreement States for review & comment.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-151. 95/09/14. General. 3pp. 85510:119-85510:168.

--9509200155 Transmits draft licensing module, "Remote Afterloading Brachytherapy Module," for medical use.
COOL,D.A. Office of Nuclear Material Safety & Safeguards. 95/08/31. HEHL,C.W. Region 1 (Post 820201). MALLETT,B.S. Region 2 (Post 820201). PEDERSON,C.D. Region 3 (Post 820201). 47pp. 85510:122-85510:168.

9509200145 Ack receipt of 950124 & 0224 ltrs responding to 941219 & 28 ltrs for IL radiation control program.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/07. ORTCIGER,T.W. Illinois, State of. 19pp. 85510:180-85510:205.

9509200167 Ack receipt of 950728 ltr commenting on SECY-95-017, "Reinventing NRC Fee Policies."
BANGART,R.L. Office of State Programs (Post 911117). 95/09/01. ORTCIGER,T.W. Illinois, State of. 3pp. 85510:206-85510:213.

9509200213 Forwards Discharge Plan 71 Section 4 evaporation ponds 3rd quarter 1995 monitoring & analytical info, including resampling results. Annual analytical results for lined evaporation ponds also encl.
LUTHIGER,P. Quivra Mining Co. 95/08/25. OHRBOM,R. New Mexico, State of. 4pp. 85554:259-85554:262.

9509200313 informs that Ordinance Road Citizens Committee scheduled to meet 950925 in Room #403 Arundel Ctr North.
MINNITTE,S.F. Maryland, State of. 95/09/11. ORLANDO,D.A. Office of Nuclear Material Safety & Safeguards. 1p. 85554:301-85554:301.

9509200315 Responds to 950717 request that NRC provide Vermont State Nuclear Advisory Panel w/info re insps of BWR internal components identified as being susceptible to age-related cracking.
MCKEE,P.F. 95/09/19. SHERMAN,W.K. Vermont, State of. 5pp. 85540:316-85540:348.

--9509200330 Submits list of requested info re insps reformed on various core components susceptible to age cracking & requests comment on advisability & need for mid-cycle insps on Vermont Yankee core shroud.
SHERMAN,W.K. Vermont, State of. 95/07/17. CHAWAGA,D. Region 1 (Post 820201). 14pp. 85540:321-85540:348.

9509210126 Ack receipt of 950814 ltr & encl, "Preliminary Comments & Recommendations for New York Radiation Control Program, 921124-950330."
RIMAWI,K. New York, State of. 95/09/15. BANGART,R. Office of State Programs (Post 911117). 3pp. 85544:008-85544:010.

9509210186 Discusses application of WEPC for authority to const & place in operation independent spent fuel storage facility utilizing dry cask storage technology at PBNP located in Town of Two Creeks, Manitowoc County.
DORR,L.L. Wisconsin, State of. 630-CE-197. 95/09/11. HANSEN,A.G. SHILLINGLAW,F. Affiliation Not Assigned. 5pp. 85548:291-85548:295.

9509220132 NPDES discharge monitoring rept for Aug 1995 for Pilgrim Nuclear Power Station. W/950915 ltr.
SULLIVAN,T.A., OHEIM,H.V. Boston. Edison Co. BECO 5.95.072. 95/08/31. 10pp. 85570:309-85570:318.

9509220169 Forwards insp rept 15000041/95-01 on 950828. One violation noted & being considered for escalated EA. Predecisional enforcement conference to discuss violation scheduled for 950925.
MALLETT,B.S. Region 2 (Post 820201). EA-95-187. 95/09/11. SWINDELL,D.K. 2pp. 85574:010-85574:019.

--9509220172 Insp rept 15000041/95-01 on 950828. No violations noted. Major areas inspected: circumstances surrounding apparent installation of fixed gauges containing byproduct matl.
MUMPER,J.A., HOSEY,C.M. Region 2 (Post 820201). 95/09/11. 7pp. 85574:013-85574:019.

9509220343 Forwards comments received on draft NUREG/BR-0199, "Responsiveness to Public." Requests that documents be placed in PDR.
WILSON,V. Ofc of the Executive Director for Operations. 95/09/20. FRIDLEY,S. Document Control Branch (Document Control Desk). 1p. 85607:001-85607:024.

--9509260208 Ack receipt of 950530 ltr re NRC draft NUREG/BR-0199, "Responsiveness to Public." Forwards NRC responses to comments provided.
ROE,J.W. 95/07/21. RASIN,W.H. District of Columbia. 9pp. 85607:105-85607:128.

9509250026 "Aug 1995 Wastewater Rept for Davis-Besse Nuclear Power Station." W/950911 ltr.
WOOD,J.K. Toledo Edison Co. 95/08/31. 7pp. 85584:318-85584:324.

9509250233 Trip rept of 950328-29 visit to Moab, UT re geologic quadrangle mapping field review & meeting w/Atlas Corp concerning Moab U mill tailings stabilization plan.
JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). 95/09/21. MCCONNELL,K.I. Engineering & Geosciences Branch (NMSS 940403). 5pp. 85580:312-85580:330.

--9509250236 Extends invitation to attend UT Geological Survey technical field review of geologic mapping of Moab 7.5 minute quadrangle, Grand County, UT by H. Doelling, M. Ross & W. Mulvey on 950528.
ROSS,M.L. Utah, State of. 95/03/01. JUSTUS,P. Division of Waste Management (NMSS 940403). 14pp. 85580:317-85580:330.

9509250291 Revises 941014 request for mods of thermal limitations for outfall 001, changing daily average temp limitation of 95 F to weekly average temp.
CARTER,J.S. Duke Power Co. 95/09/20. ELEAZER,T.M. South Carolina, State of. 8pp. 85616:337-85616:344.

9509250294 Requests approval to begin using dimethylamine which will be discharged in non-toxic concentrations. Product will be used in plant FW sys in order to reduce & prevent corrosion fouling. Chronic toxicity study on Pre-Tact 9002 encl.
CARTER,J.S. Duke Power Co. 95/09/20. ELEAZER,T.M. South Carolina, State of. 3pp. 85615:319-85615:336.

9509250313 Transmits recent decisions by CT Dept of Public Utility Control & MA Dept of Public Utilities on restructuring electric industry relevant to economic regulation.
OPEKA,J.F. Northeast Nuclear Energy Co. B15373. 95/09/20. Document Control Branch (Document Control Desk). 206pp. 85603:001-85603:206.

240 NONDOCKETED ITEMS

- 9509260212** Fourth partial response to FOIA request for documents. Records in App F will be made available in PDF.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/09/19. GHEZZI,J.W. Affiliation Not Assigned. 18pp. 85684:001-85685:237.
- 9509260314** Discusses 930211 meeting w/RJ Walsh & EP Wilson to discuss Connecticut Public Act 90-305, "Act Concerning Recording of Telephone Conversations."
LETTS,B.R. Region 1 (Post 820201). 93/05/12. SUGRUE,T.J. Connecticut, State of. 4pp. 85685:098-85685:101.
- 9509260214** Discusses 950824 tr which requested info from NRC on NRC role in monitoring generation,treatment,storage & off-site transportation activities for mixed waste at plant.
STONE,J.C. TAC M93390. 95/09/21. SHAULIS,D.I. California, State of. 3pp. 85586:352-85586:354.
- 9509260302** Comment on Draft RIG DG-0008,May 1995. "Applications for Use of Sealed Source in Portable Gauging Devices." Dept has concerns for licensees who obtain instrument for use only during incidents.
COLLINS,S.C. Illinois, State of. 60FR29719 00003. 95/08/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85589:016-85589:017.
- 9509260325** Forwards Rio Algom Mining Corp "Application for WY Underground Injection Control Permit Class I Non-Hazardous Injection Well." Draft permit & public notice also encl.
LUCHT,R. Wyoming, State of. 95/08/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 16pp. 85656:001-85656:253.
- 9509260326** Forwards amend 20 to license R-95 & SE.Amend provides 6 h time period for radiation monitors to be out of svc before compensatory measures required.
MENDONCA,M.M. TAC M79580. 95/09/22. TEHANT,R. Rhode Island, State of. 3pp. 85586:343-85586:351.
- 9509260361** Forwards UT Div of Water Rights listing for Northern Moab tailings & "Ecological Characteristics of Wetlands at Moab Slough,Moab,UT." final rept.
Utah, State of. 95/09/19. LAYTON,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 22pp. 85620:018-85620:163.
- 9509260373** Responds to 950718 ltr to Salisbury,advising of Commission position on finaly of reclamation plans previously approved by NRC.
CHANCELLOR,R.A. Wyoming, State of. 95/09/08. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85620:331-85620:331.
- 9509270026** Ltr contract,Mod 1,increasing obligated amount for performance & preparatory work necessary for NRC vehicle barrier demonstration from \$20,000 to \$40,000 to "NRC Safeguards Inspector Training."
MATTIA,M.J. Division of Contracts (Post 940714). FIN J-2317. NRC-26-95-279. 95/09/22. Virginia, Commonwealth of. 2pp. 85601:242-85601:243.
- 9509270056** Comments on decommissioning of plant.Long-term storage of large reactor components outside of containment not reviewed & approved by Council.
GRAINEY,M.W. Oregon, State of. 60FR46315 00013. 95/09/25. JULIAN,E. Docketing & Services Branch. 3pp. 85588:105-85588:106.
- 9509270089** Comment supporting public hearing process re decommissioning of plant.
PINE,J.B. Rhode Island, State of. 60FR46317 00096. 95/09/22. JULIAN,E. Docketing & Services Branch. 1p. 85588:249-85588:249.
- 9509270109** Comment on decommissioning of Yankee Nuclear Power Plant. Requests that petition for Commission for further public hearings on decommissioning of plant be denied.
SWIFT,J.M. Massachusetts, Commonwealth of. 60FR46317 00084. 95/09/20. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 85588:270-85588:271.
- 9509270117** Comment supporting approved decommissioning of Yankee Nuclear Power Station in Rowe.
KELLY,S.P. Massachusetts, Commonwealth of. 60FR46317 00090. 95/09/21. JULIAN,E. Docketing & Services Branch. 1p. 85588:322-85588:322.
- 9509270125** Comment supporting approval of decommissioning of activity at facility.
GORDON,K. WEBSTER,M.C. Massachusetts, Commonwealth of. 60FR46317 00091. 95/09/21. JULIAN,E. Docketing & Services Branch. 2pp. 85588:343-85588:344.
- 9509270185** Forwards response to request re central interstate low-level radwaste compact facility.
HARRIS,R. Louisiana, State of. 95/09/18. HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 6pp. 85631:341-85631:346.
- 9509280096** PNO-III-95-048 on 950923, Troxler Model 3430 moisture density gauge had been run over by construction vehicle.Made arrangements to return gauge to manufacturer for repairs.
WIEDEMANN,D. HOLT,B.J. Region 3 (Post 820201). 95/09/26. 1p. 85645:069-85645:069.
- 9509280135** Clarifies licensee 950611 response to questions raised by OH EPA on request for authorization per OAC-3745-27-13 (Section 13 request),covering proposed drilling & sampling work to support slope stability evaluation at Bert Avenue site.
KOH,B. Chemetron Corp. 95/09/14. PARKER,J. Ohio, State of. 2pp. 85645:356-85645:357.
- 9509280142** Responds to 950725 ltr requesting Agreement States to inform NRC re SS&D evaluation authority.
MERGES,P.J. New York, State of. SP-95-116. 95/09/06. BANGART,R. NRC - No Detailed Affiliation Given. 1p. 85613:006-85613:006.
- 9509280143** Submits notification that North Dakota terminated cooperative agreement w/DOE & sent request withdrawing both Belfield & Bowman sites from UMTRA project.Requests info re Union Carbide licensed activities in South Dakota.
MOUNT,D.K. North Dakota, State of. 95/09/20. BANGART,R. Office of State Programs (Post 911117). 2pp. 85613:007-85613:013.
- 9509280147** Forwards NRC form 173,std order for DOE work.Form covers work required under task area 1, "Compatibility Reviews of Agreement State Regulations."
BANGART,R.L. Office of State Programs (Post 911117). 95/09/19. HULTGREN,R.O. Energy, Dept. of. 2pp. 85613:014-85613:016.
- 9509280160** Std order for DOE work: "Agreement States Program Assessment Assistance."
BANGART,R.L. Office of State Programs (Post 911117). GIANIOS,C.E. Energy, Dept. of. 70-95-046. 95/09/19. 1p. 85613:016-85613:016.
- 9509280148** Transmits State Agreements program info (SP-95-138) re list of Omntron jobsites obtained during insp.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-138. 95/09/19. General. 6pp. 85613:017-85613:022.
- 9509280152** Requests that K Schneider name be deleted from distribution list of notifications sent to waste generators on deficiencies/suspensions of waste shipments.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/09/21. ROBERTSON,G.L. Washington, State of. 6pp. 85613:024-85613:029.
- 9509280153** Expresses appreciation re appointment of RC Halverson as State Liaison Officer to NRC from State of ID.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/21. HALVERSON,R.C. Idaho, State of. 3pp. 85613:030-85613:034.
- 9509280159** Informs of RC Halverson appointment as State Liaison Officer to NRC from State of ID.
BATT,R.E. Idaho, State of. 95/09/06. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 85613:033-85613:034.
- 9509280164** Informs that 1995 All Agreement States Meeting will be held in Chicago,IL on 951030-1101.Forwards agenda for meeting & instructions for making hotel & airline reservations.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-157. 95/09/21. General. 14pp. 85613:048-85613:061.
- 9509280175** Confirms telcon between D Swindell & C Hosey on 950906 re predecisional informal conference scheduled for 950925 to discuss Energy Technologies Inc use of byproduct matl within area of federal jurisdiction w/o general license.
COLLINS,D.M. Region 2 (Post 820201). EA-95-187. 95/09/15. SWINDELL,D. 2pp. 85613:107-85613:108.
- 9509280178** Forwards results of NRC review & evaluation of Alabama radiation control program.Summarizes findings re all 30 program indicators.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/19. WILLIAMSON,D.E. Alabama, State of. 33pp. 85613:109-85613:141.
- 9509280179** Forwards list of students from states selected to attend 951016-27.2-wk Health Physics Technology course.Individuals not on list could not be accommodated at present time.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-155. 95/09/15. General. 12pp. 85613:142-85613:153.
- 9509280205** Forwards NRC comments on draft agreement application, submitted in accordance w/internal Procedure C-1, "Processing New Agreement."
BANGART,R.L. Office of State Programs (Post 911117). 95/09/22. HALLISEY,R.M. Massachusetts, Commonwealth of. 19pp. 85614:001-85614:020.
- 9509280217** Informs that Dr Morris has concurred to two changes previously discussed.
TELFORD,J.L. Division of Regulatory Applications (Post 941217). 95/09/12. LOHAUS,P. Office of State Programs (Post 911117). 1p. 85614:019-85614:020.
- 9509280225** Responds to 950807 correspondence re results of NRC review & evaluation of Arkansas Agreement State radiation control program.
NICHOLS,S.B. Arkansas, State of. 95/09/14. BANGART,R.L. Office of State Programs (Post 911117). 6pp. 85613:355-85613:360.
- 9509280234** Forwards for info,updated list of generic communications including ltrs,bulletins,administrative ltrs & GLs issued to NRC licensees.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-152. 95/09/19. Massachusetts, Commonwealth of. 15pp. 85614:181-85614:199.
- 9509280241** Forwards updated list of IN,Bulletins,Administrative Ltrs & GL issued to NMSS licensees.
RANGBURN,G.C. Operations Branch. 95/08/22. COSTELLO,F.M. PASCIAK,W.J., SHANBAKY,M.M. Region 1 (Post 820201). 2pp. 85614:198-85614:199.
- 9509280249** Forwards sealed source & device registry certificates provided for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-158. 95/09/22. General. 4pp. 85615:032-85615:155.
- 9509280261** Amended Registry of Radioactive Sealed Sources & Devices Safety Evaluation of Device for model ISOSCAN Certificate: NR-744-D-101-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-744-D-101-S. 95/08/14. 6pp. 85615:037-85615:042.
- 9509280266** Amended Registry of Radioactive Sealed Sources & Devices Safety Evaluation of Device for models P375,P650,P600 & P650.Certificate:NR-446-D-103-E.
LUBINSKI,J.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-446-D-103-E. 95/07/31. 10pp. 85615:043-85615:053.
- 9509280291** Amended Registry of Radioactive Sealed Sources & Devices Safety Evaluation of Device for models G1223A,G1533A,G2310A, G2330A,G1224A & G1536A.Certificate:NR-348-D-111-B.
LUBINSKI,J.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-348-D-111-B. 95/08/31. 9pp. 85615:054-85615:062.
- 9509280293** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model Y-O.Certificate: NR-8056-D-801-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8056-D-801-S. 95/08/15. 4pp. 85615:063-85615:066.
- 9509280294** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for listed models.Certificate: NR-8056-D-802-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8056-D-802-S. 95/08/15. 7pp. 85615:067-85615:073.

- 9509280298 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Phase III-A-2. Certificate: NR-8055-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8055-D-801-S. 95/08/15. 7pp. 85615:074-85615:080.
- 9509280300 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 22.5B17.0. Certificate: NR-8052-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8052-D-801-S. 95/08/15. 7pp. 85615:081-85615:087.
- 9509280302 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for models Billion-Aire 706CA, 706WA & 706PA. Certificate: NR-0458-D-801-S. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-0458-D-801-S. 95/08/10. 7pp. 85615:088-85615:094.
- 9509280304 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model Mark-1 Series, Sub Model 66-A-1, Serial #1070. Certificate: NR-598-D-801-S. LUBINSKI, J.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-598-D-801-S. 95/08/15. 10pp. 85615:095-85615:104.
- 9509280305 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model PID-B. Certificate: NR-355-D-804-E. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-355-D-804-E. 95/08/10. 5pp. 85615:105-85615:109.
- 9509280309 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model PID-C2. Certificate: NR-355-D-805-E. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-355-D-805-E. 95/08/10. 5pp. 85615:110-85615:114.
- 9509280311 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model SIF-24 Series. Certificate: NR-355-D-806-E. RICH, S.L., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-355-D-806-E. 95/08/10. 5pp. 85615:115-85615:120.
- 9509280316 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for Model 10 Chevron Leak Detector Kit, Model 10. Certificate: NR-8053-D-801-E. RICH, T.W., BAGGETT, S.L. NRC - No Detailed Affiliation Given. NR-8053-D-801-E. 95/08/15. 6pp. 85615:121-85615:125.
- 9509280257 Responds to 950830 request re leadership role of NRC in "promoting interstate compacts for disposal of LLRW;" & informs that role includes promulgation of regulations, development of implementing guidance & licensing disposal. VIRGILIO, R.O. Office of State Programs (Post 911117). 95/09/22. ZIMMERMAN, J.F. New York State Univ. of Albany, NY. 4pp. 85614:293-85614:328.
- 9509280263 Ack receipt of 950818 ltr & encls & requests addl details re pp 118 concerning leadership role of Commission relative to Nebraska, Pennsylvania & Central Midwest Compact Commission. ZIMMERMAN, J.F. New York State Univ. of Albany, NY. 95/08/30. VIRGILIO, R.O. Office of State Programs (Post 911117). 3pp. 85614:300-85614:328.
- 9509280278 Forwards insp rept 15000016/95-06 on 950814-15 & 22. Violation noted but not cited & being considered for escalated enforcement action. EBNETER, S.D. Region 2 (Post 820201). EA-95-186. 95/09/19. LINKER, R. 5pp. 85614:335-85614:342.
- 9509280284 Insp rept 15000016/95-06 on 950814-15 & 22. Violations noted but not cited. Major areas inspected: licensee personnel, program scope, licensed materials programs & exit interview. MUMPER, J.A., HOSEY, C.M. Region 2 (Post 820201). 95/09/08. 3pp. 85614:340-85614:342.
- 9509290037 NPDES discharge monitoring rept for Hope Creek Generating Station for Aug 1995 W/950922 ltr. REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/08/31. CORPORALE, G. New Jersey, State of. 20pp. 85639:339-85639:358.
- 9509290056 Comment supporting decommissioning of plant. FULLER, M.D. Massachusetts, Commonwealth of. 60FR46317 00122. 95/09/15. JULIAN, E. Docketing & Services Branch. 1p. 85615:163-85615:163.
- 9509290064 Comment on decommissioning plan re Yankee Nuclear Station. Urges that decommissioning activities not be halted pending court-ordered public hearing. SEDANO, R.P. Vermont, State of. 60FR46317 00129. 95/09/22. JULIAN, E. Docketing & Services Branch. 2pp. 85615:180-85615:181.
- 9509290066 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing held. MILLER, B. Massachusetts, Commonwealth of. 60FR46317 00130. 95/09/28. JULIAN, E. Docketing & Services Branch. 1p. 85615:183-85615:183.
- TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE**
- 9003050058 Informs that Topical Rept YAEC-1659, "SIMULATE-3 Validation & Verification," acceptable for use in reload analyses under limitation delineated. Evaluation encl. THADANI, A.C. Division of Systems Technology (890827-921003). 90/02/20. PAPANIC, G. Yankee Atomic Electric Co. 2pp. 85423:012-85423:023.
- 9003050056 Topical rept evaluation of YAEC-1659, "SIMULATE-3 Validation & Verification." Application of SIMULATE-3 code acceptable for use in reload analyses. * NRC - No Detailed Affiliation Given. 90/02/20. 10pp. 85423:014-85423:023.
- 9003280202 Forwards topical rept evaluation of Topical Rept YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses. THADANI, A.C. Division of Systems Technology (890827-921003). 90/03/21. PAPANIC, G. Yankee Atomic Electric Co. 2pp. 85423:001-85423:011.
- 9003280205 Topical rept evaluation of YAEC-1363, "CASMO-3G Validation." Application of CASMO-3G code acceptable for use in reload analyses. * Office of Nuclear Reactor Regulation, Director (Post 870411). 90/03/21. 9pp. 85423:003-85423:011.
- 9006040232 Advises that EPRI Topical Rept EPRI-NP-5100, "ESCORE - EPRI Steady-State Core Reload Evaluator Code: General Description" acceptable for ref in license applications. EPRI requested to publish accepted version of rept within 3 months. THADANI, A.C. Division of Systems Technology (890827-921003). 90/05/23. LEHMANN, C.R. Pennsylvania Power & Light Co. 1p. 85485:326-85485:328.
- 9006040245 Safety evaluation accepting Topical Rept EPRI-NP-5100, "ESCORE - EPRI Steady-State Core Reload Evaluator Code: General Description" for ref in license applications. * NRC - No Detailed Affiliation Given. 90/05/23. 3pp. 85485:327-85485:329.
- 9509130124 "Technical Evaluation of ESCORE-EPRI Steady-State Core Reload Evaluator Code: General Description, EPRI-NP-5100." CAREW, J.F., HORAK, W.C. Brookhaven National Laboratory. 90/04/24. NRC - No Detailed Affiliation Given. 29pp. 85485:330-85485:358.
- 9509101112 Forwards proprietary Rev C to Topical Rept NEDC-32391P, "SBWR Test & Analysis Program Description." Topical Rept NEDC-32391P withheld ref 10CFR2.790. QUINN, J.E. General Electric Co. MFN 166-95. 95/08/28. QUAY, T.E. 11pp. 85317:337-85317:347.
- 950910264 Forwards Rev C to NEDC-32391, "SBWR Test & Analysis Program Description." QUINN, J.E. General Electric Co. MFN 169-95. 95/08/31. QUAY, T.E. 1p. 85341:128-85341:328.
- 950910267 NEDC-32391 RC "SBWR Test & Analysis Program Description." SHIRALKAR, B.S., MCINTYRE, T.R., HEALZER, J.M. General Electric Co. 95/08/31. 200pp. 85341:129-85341:328.
- 950910302 Forwards nonproprietary version of Suppl 1 of Licensing TR NEDC-32391, "SBWR Test & Analysis Program Description Suppl 1 - Discussion of PIRT Parameters." QUINN, J.E. General Electric Co. MFN 170-95. 95/08/31. QUAY, T.E. 2pp. 85313:325-85313:337.
- 950910306 NEDC-32391 S01 Nonproprietary version of Suppl 1 of "SBWR Test & Analysis Program Description Suppl 1 - Discussion of PIRT Parameters." W/disk. SHIRALKAR, B.S., ANDERSEN, J., BLAESIG, H. General Electric Co. 95/08/31. 11pp. 85313:327-85313:337.
- 950910359 Forwards proprietary version of Suppl 1 to Licensing TR NEDC-32391P, "SBWR Test & Analysis Program Description Suppl 1 - Discussion of PIRT Parameters." Encl withheld per 10CFR2.790. QUINN, J.E. General Electric Co. MFN 167-95. 95/08/28. QUAY, T.E. 6pp. 85316:354-85316:359.
- 9509050020 Requests addl info on Licensing Topical Rept WCAP-14416-P, "W SF Rack Criticality Analysis Methodology." KOPPEL, 95/08/30. NEWTON, R.A. Westinghouse Electric Corp. 3pp. 85314:131-85314:133.
- 9509050028 Forwards non-proprietary version of approved final licensing topical rept by Chem-Nuclear Sys, Inc., "Multi-Use Container High Integrity Container." W/o encl. LOHAUS, P.H. Office of State Programs (Post 911117). 95/08/17. General. 8pp. 85285:352-85285:360.
- 9509050040 Ack receipt of approved final rept, "Multi-Use Container High Integrity Container." BELL, M.J. Division of Waste Management (NMSS 940403). 95/07/28. BANGART, R.L. Office of State Programs (Post 911117). 1p. 85285:360-85285:360.
- 9509060173 Forwards TR BAW-2244, "Demonstration of Mgt of Aging Effects for Pressurizer" for NRC review & approval. CRONEBERGER, D. Babcock & Wilcox Operating Plants Owners Group. OG-1539. 95/08/31. CRUTCHFIELD, D. 2pp. 85347:243-85347:338.
- 9509060174 BAW-2244 "Demonstration of Mgt of Aging Effects for Pressurizer." STARKEY, R.L., RINCKEL, M.A. Babcock & Wilcox Co. 95/08/31. 94pp. 85347:245-85347:338.
- 9509060315 Advises that WCAP-13632, rev 2, "Elimination of Pressure Sensor Response Time Testing Requirements," will be withheld from public disclosure ref 10CFR2.790, per 950802 request & 950802 affidavit by HA Sepp. SIEGEL, B. WCAP-13632. 95/08/29. Westinghouse Electric Corp. 4pp. 85326:055-85326:058.
- 9509060325 Informs of withdrawal of initial version of WCAP-13032 for plant units 1 & 2. WETZEL, B.A. 95/08/28. ANDERSON, R.O. Northern States Power Co. 2pp. 85314:257-85314:258.
- 9509060347 Advises that CEN 425-P, rev 3-P, "SER for Use of Advanced Zirconium-Based Cladding Mats in Calvert Cliffs, Unit 1 Batch R Lead Fuel Assemblies" will be withheld ref 10CFR2.790. MCDONALD, D.G. TAC M93232. 95/08/30. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 85314:342-85314:346.
- 9509070033 Rev 90 to EMF-1, "QA Manual for Nuclear Fuels & Svcs." POWERS, C.M. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel). 95/08/21. 13pp. 85379:347-85379:359.
- 9509070056 Forwards for NRC review, proprietary TR WCAP-14449-P, "Application of Best Estimate Large Break LOCA Methodology to Westinghouse PWRs W/Upper Plenum Injection." Proprietary TR WCAP-14449-P withheld per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4539. 95/08/31. Document Control Branch (Document Control Desk). 2pp. 85349:330-85349:340.
- 9509070059 Requests that proprietary WCAP-14449-P, "Application of Best Estimate Large Break LOCA Methodology to Westinghouse PWRs W/Upper Plenum Injection" be withheld from public disclosure per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. AW-95-877. 95/08/31. JONES, R.C. Document Control Branch (Document Control Desk). 9pp. 85349:332-85349:340.
- 9509070075 Summary of 950829 meeting w/B&WOG training task force to discuss rev to initial operator licensing exam process, per SECY-95-075, GL-95-06 & IEIN-95-024. RICHARDS, S.A. GL-95-06. 95/09/01. BOGER, B.A. 7pp. 85373:190-85373:196.

242 NONDOCKETED ITEMS

- 9509070114** Discusses 950809 meeting w/BWROG re resolution of disagreement between staff & BWROG re proper level control strategy for mgt of anticipated transient w/o scram events
ULSES,T.P. 95/09/01. JONES,B. 15pp. 85373:253-85373:267.
- 9509070188** Documents util understanding of conditions specified in NRC SER for TR WPPSS-FTS-131, "Applications TR for BWR Design & Analysis."
PARRISH,J.V. Washington Public Power Supply System. G02-95-169. 95/08/26. Document Control Branch (Document Control Desk). 6pp. 85349:341-85349:347.
- 9509080054** Discusses review of WCAP-12476. "Evaluation of LOCA During Mode 3 & Mode 4 Operation for Westinghouse NSSS."
LIBERATORILL,F. Westinghouse Operating Plants Owners Group. OG-95-069. 95/08/25. JONES,R.C. 2pp. 85419:188-85419:189.
- 9509080079** Forwards application for amends to license DPR-18,proposing TS to implement WCAP-10271,its assoc suppl & other re changes w/respect to RTS & ESFAS.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/08/31. JOHNSON,A.R. 3pp. 85419:021-85419:147.
- 9509080081** Application for amend to license DPR-18,proposing TS,by implementing WCAP-10271,its assoc suppl & other re changes w/respect to RTS & ESFAS.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/08/31. 26pp. 85419:024-85419:049.
- 9509080085** Proposed tech specs implementing WCAP-10271,its assoc suppl & other re changes w/respect to RTS & ESFAS.
* Rochester Gas & Electric Corp. 95/08/31. 98pp. 85419:050-85419:147.
- 9509080252** Forwards safety evaluation re steam generator weld evaluation methodology & criteria use in generating flaw evaluation curves for SGs in both units of plant IAW section XI of ASME Code
HANCON,J.N. TAC M91280. 95/09/06. ANDERSON,R.O. Northern States Power Co. 2pp. 85381:321-85381:324.
- 9509080256** Safety evaluation supporting methodology in Westinghouse handbook WCAP-13032,Rev 1 (March 1995).
* 95/09/06. 2pp. 85381:323-85381:324.
- 9509110032** Information of implementation of changes in methodology for performing LOCA analysis w/Westinghouse ECCS 1981 Large Break ECCS Evaluatio. Model w/BASH.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-45. 95/08/29. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6p. 85419:263-85419:268.
- 9509110083** Requests that proprietary info contained within EPRI Rept Rev 1 to NP5228 entitled "Addendum to Seismic Verification of Nuclear Plant Equipment Anchorage." dtd June 1994 be withheld from public disclosure,per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 95/08/30. SHERON,B. Document Control Branch (Document Control Desk). 4pp. 85457:286-85457:289.
- 9509110091** Eight partial response to FOIA request for documents. Releasable portions of records identified on App I encl & portions of App I records withheld (rel FOIA Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/18. IRWIN,D.P. Hunton & Williams. 4pp. 85414:211-85415:052.
- 9408120211** Forwards sanitized version of GENE-523-A114P-0894. "Responses to NRC Questions on Core Shroud & Reactor Internals."
PINELLI,R.A. BWR Owners Group. BWROG-94100. 94/08/05. Document Control Branch (Document Control Desk). 6pp. 85414:323-85414:328.
- 9408150176** Forwards sanitized Rev 1 to GENE-523-A107P-0794. "BWR Shroud Cracking Generic Safety Assessment."
PINELLI,R.A. BWR Owners Group. BWROG-94097. 94/08/05. Document Control Branch (Document Control Desk). 6pp. 85414:270-85414:275.
- 9509110110** GENE-523-A107P-0794 Sanitized version of Rev 1 to GENE-523-A107P-0794. "BWR Shroud Cracking Generic Safety Assessment."
CAINE,T.A. CASILLAS,J.L., CHOE,H. General Electric Co. 94/08/31. 45pp. 85414:276-85414:322.
- 9509110117** GENE-523-A114P-0894 "Responses to NRC Questions on Core Shroud & Reactor Internals." sanitized version.
STARK,S.J. General Electric Co. 94/08/31. 35pp. 85414:329-85415:052.
- 9509120187** GENE-523-A107P-0794 Sanitized version of GENE-523-A107P-0794. "BWR Shroud Cracking Generic Safety Assessment."
CAINE,T.A., CASILLAS,J.L., CHOE,H. General Electric Co. 94/07/31. 45pp. 85414:222-85414:269.
- 9509110135** Forwards proprietary presentation matl used by Westinghouse for 950828-28 meeting re resolution of technical issues associated w/review of WCAP-12945-P. "...Code Qualification Document for Best LOCA Analysis." Encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4541. 95/08/29. Document Control Branch (Document Control Desk). 2pp. 85449:347-85449:348.
- 9509110177** Forwards WCAP-14229. "Evaluation of PTS for Braidwood Unit 2" & WCAP-14242. "Evaluation of PTS for Braidwood Unit 1."
SACCOMANDO,D.M. Commonwealth Edison Co. 95/08/22. 2pp. 85449:121-85449:160.
- 9509110180** WCAP-14229 "Evaluation of PTS for Braidwood Unit 2."
PETER,F.A. Westinghouse Electric Corp. 95/03/31. 18pp. 85449:123-85449:141.
- 9509110182** WCAP-14242 "Evaluation of PTS for Braidwood Unit 1."
PETER,F.A. Westinghouse Electric Corp. 95/03/31. 18pp. 85449:142-85449:160.
- 9509110238** Informs that staff completed review of Westinghouse TR, WCAP-13632,Rev 2. "Elimination of Pressure Response Time Testing Requirements," dtd Aug 1995.Forwards staff SE
SIEGEL,B.L. TAC M92905. 95/09/08. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85385:321-85385:323.
- 9509070066** Discusses results of review of Westinghouse Topical Rept WCAP-13632,Rev 2. "Elimination of Pressure Sensor Response Time Testing Requirements." dtd Aug 1995.Rept discusses Westinghouse Owners Group Program MUHP-3040,Rev 1.
BOGER,B.A. 95/09/05. NEWTON,R.A. Wisconsin Electric Power Co. 22pp. 85385:324-85385:345.
- 9509110275** Forwards results of testing of blind proficiency urine specimens.
HANSE,A.L. Babcock & Wilcox Co. 95/08/23. Document Control Branch (Document Control Desk). 14pp. 85454:335-85454:348.
- 9509120067** Forwards proprietary corrected pages from Licensing TR suppl CENPD-293-P-RAI titled, "BWR ECCS Evaluation Model Response to RAI on Suppl 1 to Code Description & Qualification," submitted by 950627 tr Pages withheld per 10CFR2.790
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Bover, Inc. NFBWR-95-120. 95/09/07. 2pp. 85425:358-85425:359.
- 9509120241** Forwards proprietary & nonproprietary topical rept evaluation of DPC-NE-3004-P. "Mass & Energy Release & Containment Response Methodology" for McGuire Nuclear Station & Catawba Nuclear Station.Proprietary SE withheld.
MARTIN,R.E. TAC M90647. 95/09/06. TUCKMAN,M.S. Duke Power Co. 5pp. 85493:332-85493:358.
- 9509180325** Nonproprietary version of topical rept evaluation of DPC-NE-3004-P. "Mass & Energy Release & Containment Response Methodology." Analytical methodology in rept acceptable for use in predicting plants containment pressure.
* 95/09/06. 22pp. 85493:337-85493:358.
- 9509130067** Forwards SEs which concludes that analyses in GE topical rept NEDO-32205 applicable to plants reactor vessels & reactor vessels will provide margins of safety against fracture equivalent to App G of ASME & Pressure Vessel Code.
STOLZ,J.F. TAC M89535. 95/09/07. HUNGER,G. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85423:069-85423:077.
- 9509130074** SE concluding that analyses in GE topical rept NEDO-32205 applicable to plant reactor vessels & that reactor vessels satisfy criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423:074-85423:075.
- 9509130079** SE concluding that conclusions of topical rept applicable to plant reactor vessels & that reactor vessels satisfy criteria in ASME Code Case N-512.
* 95/09/07. 2pp. 85423:076-85423:077.
- 9509140080** Notification of 950912 meeting w/BWR/6 Owners Group in Rockville,MD to discuss proposed performance based surveillance intervals of up to 10-yr for drywell bypass surveillance testing.
O'CONNOR,P.W. 95/09/06. BECKNER,W.B. 3pp. 85474:285-85474:287.
- 9509140088** Forwards nonproprietary version of TR EMF-95-084(NP). "PWR Neutronics Design Code/Code Sys Evaluation & Validation."
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:95-121. 95/09/06. 1p. 85475:243-85475:359.
- 9509140092** EMF-95-084(NP) Nonproprietary version of "PWR Neutronics Design Code/Code Sys Evaluation & Validation."
O'LEARY,A.H., BROWN,D.M., ALLAN,L.M. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/09/07. 116pp. 85475:244-85475:359.
- 9509140111** Forwards 1995 refueling outage ISI program summary rpt for second outage of third period of second interval.Proprietary WCAP-14352,Rev 1 & nonproprietary WCAP-14406,Rev 1 also encl.Proprietary WCAP-14352,Rev 1 withheld per 10CFR2.790.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/09/05. Document Control Branch (Document Control Desk). 2pp. 85518:176-85518:243.
- 9509140119** Requests that proprietary rept WCAP-14352,Rev 1. "Evaluation of Indications Found in Pump Casings of Indian Point Unit 2" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-847. 95/06/22. RUSSELL,W.T. Document Control Branch (Document Control Desk). 8pp. 85518:200-85518:207.
- 9509140122** WCAP-14406 R01 Nonproprietary "Evaluation of Indications Found in Casings of Indian Point Unit 2."
BAMFORD,W.H., PRAGER,D.E., STRAUCH,P.L. Westinghouse Electric Corp. 95/06/30. 35pp. 85518:208-85518:243.
- 9509140126** Notification of 950920 meeting w/Electric Power Research in Rockville,MD to discuss EPRI motor-operated valve performance prediction.
CHAN,T. 95/09/11. WESSMAN,R.H. 2pp. 85472:359-85472:360.
- 9509140174** Forwards proprietary & nonproprietary versions of Suppl 1 to ref TR. "Mechanical Design for BWR Fuel Channels." to comply w/procedures in NUREG-0390.Proprietary version of TR withheld.
HERSBERGER,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DEH-95-042. 95/09/07. Document Control Branch (Document Control Desk). 1p. 85491:040-85491:205.
- 9509140182** EMF-93-177(NP)(A)S01 Nonproprietary Suppl 1 to "Mechanical Design for BWR Fuel Channels."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/09/05. 165pp. 85491:041-85491:205.
- 9509150078** Forwards proprietary & non-proprietary topical repts. "Thermal Hydraulic Stability Methodology for BWRs." Proprietary rept withheld (rel 10CFR2.790).
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Bover, Inc. NFBWR-95-127. 95/09/12. Office of Nuclear Material Safety & Safeguards. 6pp. 85487:315-85487:359.
- 9509150084** CENPD-295-NP Non-Proprietary "Thermal-Hydraulic Stability Methodology For Boiling Water Reactors."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/30. 33pp. 85487:321-85487:359.
- 9509150102** Summary of 950824 meeting w/NEI,PWROG,WOG,CEOG & BWOG in Rockville,MD to discuss topics of interest re to allow 600 & control rod drive mechanism penetration insp schedule.
CAPPENTER,C.E. 95/09/12. 63pp. 85509:296-85509:357.
- 9509150123** Submits minor mods to Chapters 3 & 4 of submittal,being resubmitted w/ mods shown by double underlines/strikeout.
CRONEBERGER,D. BWR Owners Group. OG-1537. 95/08/25. CRUTCHFIELD,D. 46pp. 85507:146-85507:190.

9509180103 Forwards proprietary & nonproprietary versions of Rev 1 to Licensing TR, "Ref Safety Rept for BWR Reactor Reload Fuel: Response to RAI." Proprietary version of rept withheld per 10CFR2.790.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.), EBELING-KONING ASEA Brown Bover, Inc. NFBWR-95-128. 95/09/12. 2pp. 85522-169-85522-234.

9509180106 CENPD-300-NP-RAI R01 Nonproprietary Rev 1 to "Ref Safety Rept for BWR Reload Fuel Response to RAI."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Bover, Inc. TAC M91197. 95/08/31. 63pp. 85522-171-85522-234.

9509190206 Forwards proprietary responses to request for addl info re Rev 1 to Topical Rept DPC-NE-3000P Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85537-333-85537-345.

9509190264 Forwards WCAP-14253. "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept."
MCINTYRE,B.A. Westinghouse Electric Corp. NTD-NRC-95-4557. 95/09/15. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 85528-001-85530-096.

9509190267 WCAP-14253 "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept."
* Westinghouse Electric Corp. 95/05/31. 822pp. 85528-003-85530-096.

9509190314 Informs that rev pages & instructions to WCAP-14309. "AP600 Design Certification Program,SPES-2 Tests Final Data Rept" will be withheld from public disclosure (ref 10CFR2.790).
MAGRUDER,S.L. 95/09/12. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85524-164-85524-166.

9509190334 Forwards amend 125 to license NPF-22 & safety evaluation. Amend changes TS 6.9.3.2 to allow GE demonstration assemblies to be loaded into plant,cycle 8 core,by ref NEDE-24011-P-A-10, "GE Std Application of Reactor Fuel."
POSTLUSNY,C. TAC M92002. 95/09/13. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85525-313-85525-321.

9509190336 Amend 125 to license NPF-22,changing TS 6.9.3.2 to allow GE demonstration assemblies to be loaded into plant,cycle 8 core.
STOLZ,J.F. 95/09/13. 4pp. 85525-316-85525-319.

9509190342 Safety evaluation supporting amend 125 to license NPF-22.
* 95/09/13. 2pp. 85525-320-85525-321.

9509200146 Forwards response to 950821 RAI re proposed TS change affecting scram installation & MCRP Proprietary info also encl. Proprietary info withheld.
OLIVIER,L.J. Boston Edison Co. BECO LTR 95-095. 95/09/12. Document Control Branch (Document Control Desk). 13pp. 85555-187-85555-274.

9509200159 Forwards SER accepting suppl to amend 11 to licensing TR NEDE-24011-0-A. "GE Generic Licensing Reload Rept." SER incomplete.
LAINAS,G.C. Division of Boiling Water Reactor (BWR) Licensing (851125-870411). MFN-029-086. 86/03/22. CHARNLEY,J.S. General Electric Co. 6pp. 85555-269-85555-274.

9509200157 Forwards comments & markup of subject document. Input reflects attempt to keep standard as "high tier" document in absence of info & detailed data gathered by industry in development of first-of-kind engineering document.
MANOLY,K.A. 95/09/12. ANTAKI,G. Westinghouse Electric Corp. 12pp. 85525-322-85525-333.

9509200178 Notification of 950918 & 19 meeting w/Westinghouse Nuclear Corp to discuss best estimate LOCA evaluation model.
ORR,F.R. 95/09/06. JONES,R.C. 2pp. 85543-252-85543-253.

9509200192 Notification of 951005 technical meeting w/EPRI in Rockville,MD to discuss results of industry survey,review of sleeve designs,qualification test programs,sleeve performance,insp issues & guideline revs.
DEMBCK,S. 95/09/15. HEBDON,F.J. 2pp. 85543-323-85543-324.

9509210076 Submits understanding of agreements reached in 950624 meeting w/NRC re open items on GE TR NEDC-31336P. "GE Instrument Setpoint Methodology." Proposed changes to GE TR NEDC-31336P encl as committed in meeting.
PINELLI,R.A. BWR Owners Group. BWR0G-95076. 95/09/13. WERMIEL,J.S. 13pp. 85556-337-85556-349.

9509210079 Forwards proprietary rept CEN-625-P. "Verification of ABB CENO SG Tube Sleeve Installation Process & Operating Performance." in response to NRC 950901 RAI re TS Change Request NPF-38-146. Proprietary rept withheld.
BURSKIR,F. Entergy Operations, Inc. W3F1-95-0152. 95/09/18. Document Control Branch (Document Control Desk). 10pp. 85567-268-85567-277.

9509210090 Advises that info designated proprietary in WCAP-14425 in accordance w/ requirements of 10CFR2.790 will not be withheld from public disclosure,per 950713 request.
MAGRUDER,S.L. 95/09/14. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85562-334-85562-336.

9509210305 Forwards SE re applicability of topical rept NEDO-32205,rev 1. "10CFR50 App G,Equivalent Margin Analysis for Low Upper Shelf Energy in BWR/2 Through BWR/6 Vessels."
CLIFFORD,J.W. TAC M90064. 95/09/15. PARRISH,J.V. Washington Public Power Supply System. 2pp. 85561-356-85561-359.

9509210306 SE re applicability of topical rept NEDO-32205,rev 1. "10CFR50 App G,Equivalent Margin Analysis for Low Upper Shelf Energy in BWR/2 Through BWR/6 Vessels."
* 95/09/15. 2pp. 85561-356-85561-359.

9509210318 Forwards non-proprietary version of WCAP-14315. "Analysis of Capsule U from TX Utilis Electric Co Comanche Peak Steam Electric Station Unit 2 Reactor Vessel Radiation Surveillance Program" & WCAP-14345. "Evaluation of..."
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). TX-95243. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85576-001-85576-151.

9509210330 WCAP-14315 Non-proprietary WCAP-14315. "Analysis of Capsule U from TX Utilis Electric Co Comanche Peak Steam Electric Station Unit 2 Reactor Vessel Radiation Surveillance Program."
RISHEL,R.D. AUERWALD,J.M., WILLIAMS,J.F. Westinghouse Electric Corp. 95/07/31. 130pp. 85576-003-85576-132.

9509210346 WCAP-14345 Non-proprietary WCAP-14345. "Evaluation of Pressurized Thermal Shock for Comanche Peak Steam Electric Station (CPSES) Unit 2."
RISHEL,R.D., PETER,P.A. Westinghouse Electric Corp. 95/07/31. 16pp. 85576-133-85576-151.

9509220218 Forwards proposed Rev 1 to "Westinghouse Energy Sys Business Unit (ESBU) Quality Mgt Sys." Rev quality (QA) TR,which incorporates commitments of WCAP 8370,Rev 12A & applicable to ESBU & Power Generation Business Unit,W Pensacola plant.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4546. 95/09/15. BLACK Document Control Branch (Document Control Desk). 7pp. 85575-246-85575-331.

9509220219 Proposed Rev 1 to "Westinghouse Energy Sys Business Unit Quality Mgt Sys."
WOODSON,N.D., BAKOS,F.R. Westinghouse Electric Corp. 95/09/30. 79pp. 85575-253-85575-331.

9509220244 Forwards Rev 10 to TR SL-TR-1A. "S&L LLC QA Program."
KURTZ,R.L. Sargent & Lundy, Inc. 95/09/15. Document Control Branch (Document Control Desk). 1p. 85582-186-85582-262.

9509220245 Rev 10 to TR SL-TR-1A. "S&L LLC QA Program."
KURTZ,R.L., MCLAUGHLIN,J.M. Sargent & Lundy, Inc. 95/09/15. 75pp. 85582-188-85582-262.

9509220308 Notification of 951018 meeting w/NSSS Owners Group in Rockville,MD to discuss improved STS & related issues.
GRIMES,C.I. 95/09/19. ZIMMERMAN,R.P. 3pp. 85562-347-85562-349.

9509220331 Questions appropriateness of billing BWROG for review of mats submitted to NRC addressing "Mgt of ATWS by Boron Injection & Water Level" & other topics in response to requests by NRC. Summary of fees in dispute listed.
PINELLI,R.A. BWR Owners Group. BWROG 95077. 95/09/14. HOLAHAN,G.M. 2pp. 85582-266-85582-267.

9509250146 Forwards details of review of Rev 22 changes made to TR. "Operational QA Program Description (WPPSS-QA-004)." Accepts Rev 22 changes.
GWYNN,T.P. Region 4 (Post 820201). 95/09/20. PARRISH,J.V. Washington Public Power Supply System. 5pp. 85558-161-85558-165.

9509250180 Rev 91 to EMF-19. "Quality Assurance Manual for Nuclear Fuels & Svcs."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/09/11. 32pp. 85601-247-85601-278.

9509250308 Notification of 950927-28 meeting w/GE & BWROG in San Jose, CA to discuss calculational methodology issues presented at public meeting held in Rockville,MD on 950824-25. Agenda encl.
LYNCH,M.D. 95/09/20. CAPRA,R.A. 4pp. 85578-293-85578-296.

9509260031 Application for renewal of QA program approval 0708. Current program approval incorporates ref to NRC approved topical rept WCAP 8370/7900.
NARDI,A.J. Westinghouse Electric Corp. RA 95-029 AJN. 95/09/19. Office of Nuclear Material Safety & Safeguards. 1p. 85607-197-85607-283.

9509260067 Requests review & approval of WCAP-14181-NP,which identifies potential events which dilute soluble boron contained in PWR spent fuel pools & quantifies frequency of those dilution events by PRA.
BUSH,L. Westinghouse Operating Plants Owners Group. OG-95-076. 95/09/21. KOPP,L. 2pp. 85605-332-85605-333.

9509260141 Forwards proprietary presentation matl from 950918-19 meeting w/NRC re WCAP-12945-P. "Westinghouse Code Document for Best Estimate LOCA Analysis." Proprietary presentation matl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4560. 95/09/18. Document Control Branch (Document Control Desk). 4pp. 85606-309-85606-312.

9509260217 Notification of 951010 meeting w/vendor in Rockville,MD to discuss topics of mutual interest. Agenda, encl.
MAGRUDER,S.L. 95/09/21. QUAY,T.R. 3pp. 85601-151-85601-153.

9509260248 Provides formal response to NRC 950628 ltr,transmitting notice of violation to Hydro Nuclear Svcs re Dept of Labor Case 89-ERA-022. App A provides staffing svcs response to specific alleged violation of NRC requirements set out.
STAFIEJ,P. Westinghouse Electric Corp. WSS-PS-95-14. 95/09/15. Document Control Branch (Document Control Desk). 6pp. 85606-350-85606-355.

9509270252 Forwards BAW-2245. "Initial RTNDT of Linde 80 Welds Based on Fracture Toughness in Transition Range" for approval on behalf of B&WOG RV Working Group.
TAYLOR,J.H. Babcock & Wilcox Operating Plants Owners Group. JHT/95-98. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85646-237-85646-331.

9509270256 BAW-2245. "Initial RTNDT of Linde 80 Welds Based on Fracture Toughness in Transition Range."
YOON,K.K., NANA,A.D., MOORE,K.E. Babcock & Wilcox Co. 95/08/30. 93pp. 85646-239-85646-331.

9509280064 Forwards updated Westinghouse affidavit & application for withholding proprietary info from public disclosure, to comply w/NRR request to update & correct proprietary classification of listed Westinghouse repts.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) AEP-NRC-1166X. 95/09/22. Document Control Branch (Document Control Desk). 2pp. 85677-001-85678-026.

9509280065 Requests that proprietary WCAP-13187. "DC Cook Unit 1 SG Tube Plugging Criteria for Indicators at Tube Support Plates" be withheld from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-878. 95/08/07. RUSSELL,W. Document Control Branch (Document Control Desk). 11pp. 85677-003-85677-013.

244 NONDOCKETED ITEMS

9510040309 WCAP-13188 R01 Rev 1 to "DC Cook Unit 1 Steam Generator Tube Plugging Criteria for Indicators at Tube Support Plates."
* Westinghouse Electric Corp. 95/09/30. 400pp. 85677-014-85678:028.

9509280083 Forwards Rev 2 to NEDC-32264, "Application of Probabilistic Safety Assessment to GL 89-10 Implementation." Rev incorporates resolutions to comments made by staff.
PINELLI,R.A. BWR Owners Group. BWROG95-95075. 95/09/08. THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 85647-275-85647:283.

9509280093 NEDC-32264 R02 Rev 2 to NEDC-32264, "Application of Probabilistic Safety Assessment to GL 89-10 Implementation."
* BWR Owners Group. GL-89-10. 95/09/08. 7pp. 85647-277-85647:283.

9509280250 Responds to NRC 941114 RAI on high burnup/RIA fuel behavior. Proprietary TR CENPD-384-P. "Rept on Continued Applicability of 60 MWD/kgU for ABB C-E PWR Fuel" encl Proprietary TR CENPD-384-P withheld per 10CFR2.790.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. LD-95-045. 95/09/25. Document Control Branch (Document Control Desk). 8pp. 85646:332-85646:340.

9509280261 Forwards proprietary Vol 5 of TR EMF-92-139(P). "Realistic LOCA ECCS Evaluation Model for PWR Large Break LOCA Analyses: Example Application to Westinghouse 4-Loop PWR." Vol 5 of TR EMF-92-139(P) withheld.
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:95-122. 95/09/18. 4pp. 85646:343-85646:346.

9509280290 Informs that previously submitted nonproprietary TR WCAP-14040, Rev 1 will be revised as indicated on encl marked up page to address instrumentation uncertainties associated w/COMS PORV setpoints, as discussed in 950921 telcon w/NRC.
BUSH,L. Westinghouse Operating Plants Owners Group. OG-95-078. 95/09/26. GRIMES,C.I. 4pp. 85657:357-85657:360.

9509290016 Notification of 950928 meeting w/CEOG in Rockville, MD for CEOG to present approach for applying PRA to TS improvements.
GRIMES,C.I. 95/09/14. ZIMMERMAN,R.P. 3pp. 85636:311-85636:313.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9509010316 Reissued notification of 950913 technical exchange videoconference w/ DOE in Washington, DC & Las Vegas, NV to discuss items re Exploratory Studies Facility Time changed to noon - 2:15 pm.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/08/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85315:104-85315:106.

9509010326 Forwards surveillance record YMP-SR-95-45 resulting from Yucca Mountain QA Division surveillance of Civilian Radioactive Waste Mgt Sys Mgt Operating Contractor/Technical & Mgt Support Services facilities in Las Vegas, NV. 950807-11.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 6pp. 85315:152-85315:157.

9509010341 Forwards surveillance record YMP-SR-95-038 resulting from Yucca Mountain QA Div surveillance of Kiewit/Parsons Brinckerhoff facilities in Las Vegas, NV & NV Test Site on 950718-21.
SPECE,R.E. Energy, Dept. of. HLWR. 95/08/28. WIGHTMAN,W.D. Kiewit Companies. 8pp. 85315:158-85315:165.

9509050028 Forwards non-proprietary version of approved final licensing topical rept by Chem-Nuclear Sys, Inc. "Multi-Use Container High Integrity Container." w/o encl.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/08/17. General. 8pp. 85285:352-85285:360.

9509050040 Ack receipt of approved final rept. "Multi-Use Container High Integrity Container."
BELL,M.J. Division of Waste Management (NMSS 940403). 95/07/28. BANGART,R.L. Office of State Programs (Post 911117). 1p. 85285:360-85285:360.

9509060122 Informs of evaluation of suppl response to Corrective Action Request YM-95-041 resulting from Yucca Mountain QA Div Audit YM-ARP-95-09 of USGS. Response determined to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/08/30. CRAIG,R.W. Interior, Dept. of. Geological Survey. 12pp. 85371:337-85371:348.

9509060141 Final response w/ FOIA request for documents. Records in App A available in PDR. App B records will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. DEE,B.A. Affiliation Not Assigned. 1p. 85328:220-85328:347.

9406270014 Forwards evaluation of potential sediment buildup problem at Tuba City, AZ, disposal site.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 94/06/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 26pp. 85328:221-85328:246.

9412090191 Informs of review of DOE 930203 response to NRC comments on draft completion rept for Tuba City, AZ & provides evaluation of site cleanup issues.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 94/11/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85328:247-85328:347.

9509070291 Forwards deficiency rept YMQAD-95-D-009 generated as result of QA Audit QA-SA-95-002.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/08/31. CRAIG,R.W. Interior, Dept. of. Geological Survey. 4pp. 85459:292-85459:296.

9509080124 Notification of 951024-25 Natl mining Assoc U Recovery meeting w/NRC & licensees in Rockville, MD to discuss relevant issues within U industry Agenda encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/08/31. PAULSON,O., GIBSON,M.H. Kennecott Corp. FERDINAND,B. Quivira Mining Co. 9pp. 85416:352-85416:360.

9509080160 Submits conditional approval for road easement on processing site at Gunnison, CO.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/08/30. SENA,R.F. Energy, Dept. of. 2pp. 85419:307-85419:308.

9509080183 Expresses appreciation to L. Abramson for providing substantive support to staff in describing acceptable statistical treatment of data from topical rept, under review by Div of Waste Mgt.
WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/08/29. CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 941217). 3pp. 85447:332-85447:334.

9509080207 Forwards exploratory studies facility Title II design external review w/o encl.
BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/08/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85435:049-85435:051.

9509080256 Responds to 950303 ltr requesting assistance for meeting on LLW this spring. Suggested topics listed.
KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. 95/04/14. BANDLER,D.K. State, Dept. of. 5pp. 85449:349-85449:353.

9509080261 Forwards record of decision on (DOE/EIS-0082-S). "Final Suppl EIS, Defense Waste Processing Facility, Savannah River Site, Aiken, SC."
LYTLE,J.E. Energy, Dept. of. HLWR. 95/04/04. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 24pp. 85435:025-85435:048.

9509080318 Forwards volcanism info requested by NRC in 950727 ltr.
BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/08/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 148pp. 85447:168-85447:319.

9509110078 Informs that NRC treating continued work to complete test program & results will be reviewed upon completion & submittal.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/08/31. JENSEN,C.E. Diversified Technologies. 1p. 85457:140-85457:140.

9509110120 Forwards OQA-SA-95-002. "DOE OCRWM Ofc of QA Supplier Audit Rept of Beta Analytic, Inc Miami, FL Rept OQA-SA-95-002 950816-17."
HORTON,D.G. Energy, Dept. of. HLWR. 95/09/05. CRAIG,R.W. Interior, Dept. of. Geological Survey. 1p. 85435:102-85435:107.

9509110130 OQA-SA-95-002 "DOE OCRWM Ofc of QA Supplier Audit Rept of Beta Analytic, Inc Miami, FL Rept OQA-SA-95-002 950816-17."
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 95/09/01. 5pp. 85435:104-85435:107.

9509110121 Forwards draft "Revised Prelicensing Program Strategy for NRC HLW Repository Program ("Vertical Slice Approach)," highlighting info re approach for discussing at upcoming NRC/DOE mgt meeting on 950906.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/09/01. MILNER,R.A. Energy, Dept. of. 2pp. 85435:119-85435:137.

9509110126 Draft "Revised Prelicensing Program Strategy for NRC HLW Repository Program ("Vertical Slice Approach)."
* Division of Waste Management (NMSS 940403). HLWR. 95/08/01. 17pp. 85435:121-85435:137.

9509110128 Requests NRC to accept Long-Term Surveillance Plan for Lakeview, OR UMTRA disposal site.
ABRAMS,M.F. Energy, Dept. of. 95/08/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 85457:356-85457:360.

9509110149 Forwards surveillance record YMP-SR-95-043 resulting from Yucca Mountain QA Div surveillance of CRWM sys M&O Contractor.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/05. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 85435:110-85435:117.

9509110178 Forwards evaluation of erosion protection issues at UMTRA Lakeview OR disposal site. Evaluation includes petrographic results & analyses of Peppering rip rap.
ABRAMS,M.F. Energy, Dept. of. 95/07/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 18pp. 85449:161-85449:179.

9509110268 Forwards Rev to DOE/AL/62350-156. "Site Observational Work Plan (SOWP) for UMTRA Project Site at Spook, WY" for informal comments. SOWP reflects EPA final ground water protection stds issued in Jan 1995.
PAPE,J.M. Energy, Dept. of. 95/08/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85455:001-85456:108.

9509110273 Rev 0 to DOE/AL/62350-156. "Site Observation Work Plan for UMTRA Project Site at Spook, WY."
* Energy, Dept. of. * Jacobs Engineering Group, Inc. 95/05/31. 470pp. 85455:003-85455:108.

9509120056 Forwards "Radiological & Geological Assessment Of Maybell, CO Vicinity Properties." Rept contains info collected to provide Remedial Engineering Assessment data to better characterize eight vicinity properties.
WOODWORTH,L.A. Energy, Dept. of. 95/09/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85467:001-85469:020.

9509120066 "Radiological & Geological Assessment Of Maybell, CO Vicinity Properties."
* Energy, Dept. of. 95/09/07. 744pp. 85467:005-85469:020.

9509120138 Forwards position paper outlining DOE proposed approach for long-term monitoring of disposal cell performance at Tuba City, AZ site in response to 950804 telcon.
EDGE,R. Energy, Dept. of. 95/08/29. PARK,J. Office of Nuclear Material Safety & Safeguards. 5pp. 85433:327-85433:331.

9509120206 Forwards deficiency repts YMQAD-95-D-010 through YMQAD-95-D-013, resulting from Yucca Mountain QA Div Audit YM-ARP-95-19.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/06. FOUST,L.D. TRW Environmental Safety Systems, Inc. 14pp. 85435:153-85435:166.

9509120239 Informs that responses to deficiency repts YMQAD-95-D-004 through YMQAD-95-D-006 resulting from Yucca Mountain QA Div Audit YM-ARP-95-16 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor satisfactory
 SPENCE,R.E. Energy, Dept. of HLWR, 95/09/06, FOUST,L.D. Document Control Branch (Document Control Desk), 19pp. 85472:025-85472:043.

9509130069 Forwards minutes of 950719 meeting between NRC & DOE re Exploratory Studies Facility design & const.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/08/18. MILNER,R.A. Energy, Dept. of. 2pp. 85472:115-85472:195.

-9509130070 Summary of 950719 meeting between NRC & DOE re Exploratory Studies Facility design & const.
 BROOKS,P.F. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). EINBERG,C.E. Energy, Dept. of. HLWR, 95/08/17. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 79pp. 85472:117-85472:195.

9509130071 Responds to 950731 ltr re 950616 visit by C Gaskin of NRC to NV test site. Provides listed info to clarify purpose of visit.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/08/17. LOUX,R. Nevada, State of. 3pp. 85472:092-85472:094.

9509130073 Forwards preliminary draft of NRC evaluation of DOE "Mined Geologic Disposal License Application Annotated Outline" for Chapter 10.0, "QA." NRC plans to incorporate preliminary draft evaluation into "Pre-Licensing Evaluation Rept."
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/08/15. MILNER,R.A. Energy, Dept. of. 10pp. 85472:105-85472:114.

9509130080 Documents NRC acceptance of Rev 3 of OCRWM Otc of QA document DOE/RW-0333P, "QA Requirements & Description," discussed & included in DOE 950810 ltr
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/08/16. MILNER,R.A. Energy, Dept. of. 2pp. 85472:103-85472:104.

9509130082 Forwards summary of results of review of FY94 DOE audits & surveillances w/no NRC observers.
 THOMA,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/08/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 8pp. 85472:095-85472:102.

9509140173 Trip rept of 950719-21 visit to Las Vegas,NV to review technical basis rept for surface characteristics,preclosure hydrology & erosion.
 MILKAS,M.P., HILL,B.E. MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR, 95/08/02. Center for Nuclear Waste Regulatory Analyses. 7pp. 85518:244-85518:261.

9509140385 Trip rept of 950723-26 visit to St Louis,MO re 5th Annual Symposium of Intl Council on Sys Engineering.
 MACKIN,P.C., DEWISPELARE,A., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR, 95/08/12. Center for Nuclear Waste Regulatory Analyses. 5pp. 85518:262-85518:266.

9509150160 Informs that request for extension of corrective action due date for CAR YM-95-014,Rev 1 until 951120 will be approved w/OCRWM policy requiring concurrence of applicable DOE assistant manager.
 SPENCE,R.E. Energy, Dept. of HLWR, 95/09/13. BRADY,M.C. Sandia National Laboratories. 1p. 85533:229-85533:229.

9509180161 Provides status of corrective action requests,deficiency repts & performance repts issued by OCRWM Otc of QA as of 950831.
 HORTON,D.G. Energy, Dept. of. HLWR, 95/09/13. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 14pp. 85533:230-85533:243.

9509190135 Trip rept of 950830 visit to Lakeview,OR Title I site to provide technical assistance to CO State Univ in accomplishing task in NRC Contract NRC-02-91-007.
 JOHNSON,T.L. Engineering & Geosciences Branch (NMSS 940403). NRC-02-91-007. 95/09/11. MCCONNELL,K.I. Engineering & Geosciences Branch (NMSS 940403). 5pp. 85524:332-85524:336.

9509190140 Transmits minutes from bi-monthly NRC/State of UT teleconference on U recovery licensees conducted on 950822.
 CARLSON,R.D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/08. SINCLAIR,W.J. Utah, State of. 6pp. 85524:326-85524:331.

9509190175 Forwards request for info re "Grand Junction,CO Process Site Draft Completion Rept," transmitted by DOE 950130 ltr.
 GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/08. SENA,R.F. Energy, Dept. of. 4pp. 85524:309-85524:312.

9509190222 Responds to 950811 ltr,requesting support of NOMA for DOE LLW Mgt Program particularly workshops & Host State Technical Coordinating Committee meetings.
 GREEVES,J.T. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/05. COLEMAN,J.A. Energy, Dept. of. 7pp. 85524:280-85524:286.

9509190256 Forwards proposed response on Sherwood tailings reclamation plan. Electronic copy of proposed ltr has been E-mailed to facilitate preparation of final version.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/05. LOHAUS,P. Office of State Programs (Post 911117). 2pp. 85524:244-85524:245.

9509200062 Trip rept of 950801-04 visit to NRC Professional Development Ctr in Two White Flint North,Washington,DC re EarthVision Training.
 * Center for Nuclear Waste Regulatory Analyses. HLWR, 95/09/05. Center for Nuclear Waste Regulatory Analyses. 14pp. 85547:201-85547:214.

9509200101 Forwards PMPR 95-12, "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 950805-0901."
 PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR, 95/09/15. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 85547:215-85547:267.

-9509200104 PMPR 95-12 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 950805-0901."
 * Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR, 95/09/15. NRC - No Detailed Affiliation Given. 51pp. 85547:216-85547:267.

9509200107 Informs NRC of number of concerns that State of NV has about GWTT & calculation voiced at NRC/DOE technical exchange on topic in March of 1995.
 LEHMAN,L. Affiliation Not Assigned. HLWR, 95/08/23. AUSTIN,J. NRC - No Detailed Affiliation Given. 15pp. 85547:268-85547:283.

9509200135 Ack outstanding efforts of L. Abramson in preparation of major rept, "Statistical Measures of Arrival Time Distribution for Demonstrating Compliance W/GWTT" supporting staff technical position on GWTT.
 AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR, 95/09/08. CUNNINGHAM,M.A. Probabilistic Risk Analysis Branch (Post 941217). 2pp. 85547:284-85547:285.

9509200206 Forwards record of Surveillance YMP-SR-95-040 resulting from Yucca Mountain QA Div surveillance of Civilian Radwaste Mgt Sys Mgt & Operating Contractor & Sample Mgt Facility on 950807-18.
 SPENCE,R.E. Energy, Dept. of HLWR, 95/09/14. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 85573:134-85573:141.

9509200247 Assures recipient that comments provided in ltr sent to President,being considered during process of responding to petition from Native Americans for Clean Environ. Expresses thanks for clarification of position on Trust Indenture.
 WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/08. ELLIS,A. Affiliation Not Assigned. 2pp. 85564:067-85564:068.

9509200253 Informs of decision by NRC to grant finality to reclamation plans,previously approved by NRC for stabilization of U mill tailings.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/06. BONANO,G. Environmental Protection Agency. 3pp. 85547:306-85547:336.

9509210142 Forwards results & recommendations of peer review Air-K testing,including paper, "Results of Air-Permeability Testing in Vertical Borehole at Yucca Mountain,NV" & Advance Resources Intl,inc rept, "Analysis of Air..."
 HAYES,L.R. Interior, Dept. of, Geological Survey. 95/07/13. JONES,S.B. Energy, Dept. of. 15pp. 85558:224-85558:336.

-9509210154 "Analysis of Air Permeability Testing in Borehole UZ-15, Yucca Mountain,NV."
 * 94/12/31. 67pp. 85558:239-85558:305.

-9509210159 953-2901 Draft "Third Party Review of Procedures & Interpretation of Air Injection Permeability Tests." ltr rept.
 * Golder Associates. 95/06/30. 14pp. 85558:306-85558:319.

-9509210164 "Analyses of Air Permeability Testing in Boreholes at Yucca Mountain Site by USGS."
 JAFARI,B.A. Interior, Dept. of, Geological Survey. 95/05/25. 17pp. 85558:320-85558:336.

9509210303 Forwards final summary of 950712 meeting of Interagency Steering Committee on Radiation Stds (ISCORS).Notifies that ISCORS charter currently circulating for signature.Next meeting being hosted by DOE on 951011.
 KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. HLWR, 95/09/12. TROVATO,R. Environmental Protection Agency. SCHAEFFER,M. Defense, Dept. of, Defense Nuclear Agency. GALSON,S.K. Energy, Dept. of. 18pp. 85573:145-85573:162.

9509210314 Forwards Administrative Item 5702-441-457, "Current Concerns Re DOE/LANL Volcanism Geochemical Data."
 MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR, 95/08/15. JUSTUS,P.S. Office of Nuclear Material Safety & Safeguards. 1p. 85573:186-85573:195.

-9509210319 "Current Concerns Re DOE/LANL Volcanism Geochemical Data." ltr rept.
 HILL,B. Center for Nuclear Waste Regulatory Analyses. HLWR, 95/09/15. NRC - No Detailed Affiliation Given. 9pp. 85573:187-85573:195.

9509210326 Requests copies of intermediate repts re ongoing geophysical work for site characterization.Repts will assist NRC in listed DOE seismic & tectonic programs.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/09/19. MILNER,R. Energy, Dept. of. 2pp. 85573:196-85573:197.

9509210339 Discusses Apache Leap Research Site core transfer Details as to logistics & use of proposed core transfer listed. Understands that DOE will cover costs of packaging & shipping core to Univ of AZ.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/08/30. MILNER,R.A. Energy, Dept. of. 3pp. 85573:198-85573:200.

9509210341 Notification of 950927 technical exchange videoconference w/ DOE in Washington,DC & Las Vegas,NV to discuss items re data qualification.Agenda encl.
 GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/09/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85573:201-85573:203.

9509210345 Forwards addl info on issues SA Jackson raised while visiting CNWRA & Yucca Mountain site.
 TAYLOR,J.K. Otc of the Executive Director for Operations. HLWR, 95/09/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 27pp. 85573:204-85573:230.

9509220117 Provides FY 1996 OCRWM QA supplier audit schedule,Rev 0.
 HORTON,D.G. Energy, Dept. of. HLWR, 95/09/15. NRC - No Detailed Affiliation Given. 6pp. 85573:264-85573:269.

9509220143 Forwards documentation on proposed rulemaking to clarify assessment requirements & performance objectives for HLW repository as requested at 950906,DOE-NRC mgt meeting.
 HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR, 95/09/19. MILNER,R.A. Energy, Dept. of. 3pp. 85573:276-85573:335.

246 NONDOCKETED ITEMS

- 9509220320** Forwards responses to NRC 940914 comments on Study Plan 8.3.1.8.1.2, "Physical Processes of Magmatism & Effects on Potential Repository." List of refs cited in responses to NRC comments on Study Plan 8.3.1.8.1.2 also encl. BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/08/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 25pp. 85599:261-85599:285.
- 9509250010** "Ref Hydrologic Scenarios Developed From Nominal Flow Rept." Dept 6312 memo rept. BARR,G.E., HUNTER,R.L. Sandia National Laboratories. HLWR. 95/09/23. 91pp. 85606:014-85606:093.
- 9509250093** Advises that Los Alamos QA audit scheduled for week of 951016-20 has been cancelled. HORTON,D.G. Energy, Dept. of. HLWR. 95/09/18. FOUST,D.L. TRW Environmental Safety Systems, Inc. 1p. 85606:101-85606:102.
- 9509250254** Forwards "Ofc Of Civilian Radioactive Waste Mgt QA Program Quarterly Trend Rept For Third Quarter Of FY95." HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. Energy, Dept. of. 3pp. 85606:103-85606:110.
- 9509250257** "Ofc Of Civilian Radioactive Waste Mgt QA Program Quarterly Trend Rept For Third Quarter Of FY95." SPENCE,R.E., HORTON,D. Energy, Dept. of. HLWR. 95/09/21. 5pp. 85606:110-85606:110.
- 9509250260** Forwards OQA-SA-95-004, "DOE OCRWM Ofc of QA Supplier Audit Rept of SIMCO Electronics Santa Clara,CA 950913-14." HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 85606:111-85606:116.
- 9509250265** OQA-SA-95-004 "DOE OCRWM Ofc of QA Supplier Audit Rept of SIMCO Electronics Santa Clara,CA 950913-14." MASLAR,S.R., HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. 4pp. 85606:113-85606:116.
- 9509250274** Forwards "QA Audit Plan For Audit YM-ARP-96-01 Of Univ Of NV Reno Seismological Lab & US Geological Survey." HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 85606:198-85606:203.
- 9509250276** YM-ARP-96-01 "QA Audit Plan For Audit YM-ARP-96-01 Of Univ Of NV Reno Seismological Lab & US Geological Survey." HARRIS,D.J., HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. 4pp. 85606:200-85606:203.
- 9509250284** Requests that corrective actions to be taken & implemented to correct deficiency be identified in response to Ofc of QA supplier audit OQA-SA-95-004. SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/20. CANEPA,J.A. Los Alamos National Laboratory. 5pp.
- 9509250286** Forwards surveillance YMP-SR-95-049 to verify compliance w/requirements of Kiewit/PB facilities at Yucca Mountain site in Nevada 950821. SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/20. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 85606:094-85606:100.
- 9509250290** Forwards surveillance YMP-SR-95-052 to verify that Physical Stds & Calibr Labs calibr activities performed in compliance w/approved procedure. SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/20. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 85606:204-85606:210.
- 9509250297** Verifies corrective action & closure of corrective action request YM-94-050 & determined results to be satisfactory. SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/21. CRAIG,R.W. Interior, Dept. of, Geological Survey. 19pp. 85606:117-85606:135.
- 9509260046** Requests access to Apache Leap site to test pneumatic packer equipment for cross-hole borehole during FY96. BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/08/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85619:058-85619:059.
- 9509260050** Provides update of TBM activity & ground conditions encountered during recent excavation of exploratory studies facility. BROCCOUM,S.J. Energy, Dept. of. HLWR. 95/08/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85619:060-85619:061.
- 9509270188** Appreciates Commission continued support in assigning & maintaining adequate staff resources to help meet schedule. OWENDOFF,J.M. Energy, Dept. of. HLWR. 95/09/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 85631:347-85631:348.
- 9509280183** Forwards record of Surveillance YMP-SR-95-046 resulting from Yucca Mountain QA Div surveillance of Civilian Radwaste Mgt Sys Mgt & Operating Contractor & SNL. SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/22. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 85645:040-85645:047.
- 9509280218** Forwards rept, "Correlation of Key Technical Issues,Key Technical Uncertainties & Technical Support Needs." DIWISPELARE,A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/12. WASTLER,S. Division of Waste Management (NMSS 940403). 1p. 85733:206-85733:324.
- 8509280223** "Correlation of Key Technical Issues,Key Technical Uncertainties & Technical Support Needs." BRIENT,R.D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/30. Division of Waste Management (NMSS 940403). 116pp. 85733:207-85733:324.
- 9509280231** Forwards compliance determination strategy & compliance determination method for RRT 9.0 land ownership & control & water rights. DEWISPELARE,A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/08. WASTLER,S. Division of Waste Management (NMSS 940403). 9pp. 85645:187-85645:195.
- 9509280238** Forwards correlation of regulatory & institutional uncertainties w/LARP review plans. Document resubmitted to address comments provided in 950201 acceptance ltr for deliverable. DEWISPELARE,A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/08/31. WASTLER,S. Division of Waste Management (NMSS 940403). 17pp. 85645:196-85645:212.
- 9509280243** Forwards CNWRA 95-01S, "NRC High-Level Radwaste Research at CNWRA Jan-June 1995." SAGAR,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/08/21. RANDALL,J.D. Division of Regulatory Applications (Post 941217). 3pp. 85649:001-85649:238.
- 9509280247** CNWRA 95-01S "NRC High-Level Radwaste Research at CNWRA Jan-June 1995." BACA,R.G., BAGTZOGLUJ,A.G., BALIN,D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/21. Division of Regulatory Applications (Post 941217). 235pp. 85649:004-85649:238.
- 9509280317** Forwards "DOE OCRWM Ofc of QA Audit Rept of Westinghouse Govt & Environ Svcs Co (GESCO) Oak Ridge,TN Audit HQ-SA-95-001 950821-25." HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. STRICKLER,R.L. TRW Environmental Safety Systems, Inc. 2pp. 85645:048-85645:067.
- 9509280338** HQ-SA-95-001 "DOE OCRWM Ofc of QA Audit Rept of Westinghouse Govt Environ Svcs Co (GESCO) Oak Ridge,TN Audit HQ-SA-95-001 950821-25." PECK,R.G., HORTON,D.G. Energy, Dept. of. HLWR. 95/09/21. 18pp. 85645:050-85645:067.

EXPORT LIC EXPORT AND IMPORT LICENSES

- 9509010196** Forwards application for license to export slightly enriched UF6 to Japan. LANG,Y.M. Mitsubishi International Corp. 95/08/02. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 85314:012-85314:014.
- 9509010269** Informs that US Embassy has exchanged w/Govt of Japan diplomatic notes for cases 324,325 & 326. * U.S. Embassies. 95/08/21. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 85314:015-85314:015.
- 9509010273** Application for license to export two nuclear utilization facilities to Korea. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) LD-95-038. 95/08/10. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85312:352-85312:352.
- 9509010286** Refers to 950707 ltr re license application XSNM-2585, submitted by W to NRC for export of nuclear fuel to Taiwan. LU,B. EC-84-024. 95/08/10. BELLOCCHI,N.H. American Institute in Taiwan. 3pp. 85312:355-85312:357.
- 9509010289** Submits advance notification of listed import shipment,IAW requirements for implementation of convention of physical protection of nuclear matl. HEHR,W. Affiliation Not Assigned. 0495-601. 95/05/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85285:261-85285:262.
- 9509010293** Submits advance notification of listed export shipment,IAW requirements for implementation of convention of physical protection of nuclear matl. HEHR,W. Affiliation Not Assigned. 0695-611. 95/06/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85285:272-85285:273.
- 9509010298** Submits advance notification of listed export shipment,IAW requirements for implementation of convention of physical protection nuclear matl. HEHR,W. Affiliation Not Assigned. 0695-610. 95/06/22. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85285:274-85285:275.
- 9509010311** Submits notification of upcoming listed shipment,IAW convention on physical protection of nuclear matl & NRC FR of 870325. CANDREY,D. Edlow International Co. ABB/CE-IB-E-3. 95/06/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85285:280-85285:280.
- 9509050025** Application for license to export .75 kg U-235 containing 15 kg U enriched to 5.0% w/o max to UK. DE BLOCK,M. European Communities, Commission of. 95/08/30. DEDIK,T. Energy, Dept. of. 2pp. 85325:083-85325:084.
- 9509050036** Responds to request for comment on amend to NRC export license XB-1289 to People Republic of Korea. Advises that Commerce cannot authorize export under amend to license & application for individual valid license be filed w/DOC. WILLIAMS,R. Commerce, Dept. of. 95/08/10. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85314:033-85314:033.
- 9509050054** Corrects 950826 ltr, "Amend 2 to Export License XSNM-2558, issued on 900926." Certifies that terms & conditions of Addl Agreement for Cooperation, dtd 600725 as amended, will apply to 100 kg of U-235. DE BLOCK,M. European Communities, Commission of. 95/08/31. DEDIK,T. Energy, Dept. of. 2pp. 85314:039-85314:040.
- 9509050065** Forwards GEC request for amend to export license XSNM-1662 to increase quantity of matl authorized for export & change end use from initial core. HAUBER,R.D. Office of International Programs (Post 911117). 95/08/30. DELABARRE,R. State, Dept. of. 1p. 85314:041-85314:041.
- 9509050070** Forwards NRC list of export cases that were completed, received or pending during July 1995. HAUBER,R.D. Office of International Programs (Post 911117). 95/08/31. DELABARRE,R. State, Dept. of. 7pp. 85320:323-85320:335.
- 9509050074** Forwards application for export license XSNM-2890, recently received by NRC for export of irradiated fuel rods to Canada for post irradiation exam & disposal w/o encl. HAUBER,R.D. Office of International Programs (Post 911117). 95/08/30. DELABARRE,R. State, Dept. of. 1p. 85314:106-85314:106.

9509050078 Forwards application for export license XCOM-1098, recently received by NRC for export to Norway of zirconium-4 tubes for use in Halden reactor w/o encl. HAUBER, R.D. Office of International Programs (Post 911117). 95/08/30. DELABARRE, R. State, Dept. of. 1p. 85314:105-85314:105.

9509050080 Forwards 950801 ltr from R Williams advising US that isotopes of Co-57 & Y-88 under DOC jurisdiction & that application for individual validated license should be filed w/DOC w/o encl. WRIGHT, B.L. Office of International Programs (Post 911117). 95/08/29. GOOREVICH, R. Energy, Dept. of. 2pp. 85314:042-85314:043.

9509050083 License for Mitsubishi Intl Corp to export 501 kgs U-235 contained in 17.060 kgs U in form of UF6 to Japan. HAUBER, R.D. Office of International Programs (Post 911117). HSA-5495-08. 95/08/30. 2pp. 85314:103-85314:104.

9509050086 License for Edlow Intl Co to export 10,000 kgs of natural U in form of UF6 to United Kingdom. HAUBER, R.D. Office of International Programs (Post 911117). BNFL-1-95. 95/08/30. 2pp. 85314:099-85314:100.

9509050095 License for Edlow Intl Co to export 188 kgs of U-235 contained in 4,523 kgs U to Japan. WRIGHT, B.L. Office of International Programs (Post 911117). KLK-99. 95/08/25. 2pp. 85314:101-85314:102.

9509060135 First partial response to FOIA request for documents. Records in App A encl & being made available for PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/20. VOINCHE, W. Affiliation Not Assigned. 3pp. 85332:145-85332:175.

-9509060227 Provides fclow up to telcon w/E Hemby re status of license application involving export of four electric penetration feedthrough module assemblies to D Djakov in Yugoslavia. ZIMMERMAN, J.V. Office of International Programs (Pre 870413). 83/04/30. MECH, T.H. Conax Corp. (formerly Conax Buffalo Corp.). 1p. 85332:158-85332:158.

9509070018 Final response to FOIA request for documents. Forwards App F records being made available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/08/04. THOMAS, F.M. Morgan, Lewis & Bockius. 2pp. 85373:121-85373:138.

-9509070024 Informs Commission of export licenses XSOU-8721 & XSOU-8722, which Ofc of Intl Programs will soon issue for export shipments of mineral ores to Thailand & Kazakhstan. STOIBER, C.R. Office of International Programs (Post 911117). 93/05/07. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 2pp. 85373:125-85373:126.

-9509070038 Discusses export of tantalum & columbium oxide containing low concentrations of U & thorium as contaminants to Thailand. SHERR, T.S. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/03/31. HAUBER, R. Office of International Programs (Post 911117). 2pp. 85373:135-85373:136.

-9509070024 Informs Commission of export licenses XSOU-8721 & XSOU-8722, which Ofc of Intl Programs will soon issue for export shipments of mineral ores to Thailand & Kazakhstan. STOIBER, C.R. Office of International Programs (Post 911117). 93/05/07. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 2pp. 85373:125-85373:126.

9509070210 Submits advance notification of export shipment of special nuclear matl of low strategic significance, not to exceed 139.07047 kg U-235, to Spain. HOLDEN, D. General Electric Co. SPN-51743-F. 95/07/19. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85321:328-85321:329.

9509070218 Submits advance notification of export shipment of special nuclear matl of low strategic significance, not to exceed 420.34782 kg U-235, to Spain. HOLDEN, D.W. General Electric Co. SPN-51724-F. 95/07/19. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85321:358-85321:359.

9509070226 Submits rev 1, advance notification of export shipment of special nuclear matl of low strategic significance, not to exceed 139.07047 kg U-235, to Spain. HOLDEN, D. General Electric Co. SPN-51743-F. 95/07/28. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85322:258-85322:259.

9509070230 Submits rev 1, advance notification of export shipment of special nuclear matl of low strategic significance, not to exceed 420.34782 kg U-235, to Spain. HOLDEN, D.W. General Electric Co. SPN-51724-F. 95/07/28. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85322:261-85322:262.

9509070231 Submits info re upcoming export shipment of low-enriched U to Taiwan under export license XSNM02524, IAW requirements of Implementation of Convention on Physical Protection of Nuclear Matl. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/27. BENNINGTON, G.M. Source Containment & Devices Branch (Post 911213). 2pp. 85322:263-85322:264.

9509070253 Submits advance notification of listed import shipment from Russia, IAW convention on physical protection of nuclear matl & 870326 FR. CONDREY, D. Edlow International Co. NCS-E-11. 95/07/06. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 85323:005-85323:005.

9509070262 Submits rev 1, advance notification of listed import shipment from Russia, IAW convention on physical protection of nuclear matl & 870326 FR. CONDREY, D. Edlow International Co. NCS-E-11. 95/07/18. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 85323:045-85323:045.

9509070271 Submits advance notification of listed export shipment of special nuclear matl of low strategic significance to France, IAW 10CFR73.73. GEORGE, M. Transnuclear, Inc. TNY 95099-9. 95/07/19. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85323:055-85323:056.

9509070280 Submits revised advance notification of listed import shipment from France, IAW requirements in 10CFR73.74(a)(1)(2) for import shipment of low strategic significance matl. GEORGE, M. Transnuclear, Inc. TNY 95094-06. 95/07/12. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85323:140-85323:141.

9509070290 Submits rev 1 to 950712 ltr of notification, correcting quantity of import shipment of 7 BU-J drums w/U oxide pellets, from France. GEORGE, M. Transnuclear, Inc. TNY 95095-6. 95/07/17. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85323:146-85323:147.

9509070293 Submits info re natural Uranium Dioxide shipment to Port Oakland, CA. * Marubeni America Corp. 95/07/10. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 85323:148-85323:148.

9509120020 Forwards application to export natural U as U hexafluoride to England for enrichment & ultimate use in commercial power reactors in US. RAVENSCROFT, N. Edlow International Co. 95/09/01. WRIGHT, B. Office of International Programs (Post 911117). 1p. 85411:319-85411:320.

-9509120023 Application for license to export natural U as U hexafluoride to England. RAVENSCROFT, N. Edlow International Co. UR-LIC-2. 95/09/01. 1p. 85411:320-85411:320.

9509120026 Requests amend to license XR-135 to change licensee name & intermediate consignee as listed. LARUE, M.J. General Electric Co. 95/09/05. WRIGHT, B. Office of International Programs (Post 911117). 1p. 85411:321-85411:323.

9509120055 Certifies that terms & conditions of Addl Agreement for Cooperation, dtd 600725, will apply to matl mentioned in export license application, 48.75 kg of U-235, contained in 245 kg of U, enriched to 19.9% max. DE BLOCK, M.J. European Atomic Energy Community (EURATOM). 95/08/31. DEDIK, T. Energy, Dept. of. 1p. 85411:338-85411:338.

9509120272 Fourth partial response to FOIA request for records. App E encl & available in PDR. REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/18. THOMAS, F.M. Morgan, Lewis & Bockius. 2pp. 85473:295-85473:314.

-9509120275 Forwards License XSOU-8721 for info. WRIGHT, B.L. Assistant Director for Export/Import & International Safeguards. 93/05/20. HUNTER, J.J. Fansteel Metals. 1p. 85473:297-85473:299.

-9509120282 Forwards three maps of facility in Thailand. HUNTER, J. Fansteel Metals. 93/03/10. WRIGHT, B. Assistant Director for Export/Import & International Safeguards. 6pp. 85473:300-85473:314.

9509150213 Submits info on advance notification of export shipment of 40 ft Std Ocean Container w/50 drums of UO2 in pellet/solid form. HEHR, W. 95/06/22. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85485:108-85485:109.

9509150249 Submits advance notification of listed export shipment to Japan, IAW convention on physical protection of nuclear matl & 870326 FR. Shipment consists of U hexafluoride. * Edlow International Co. KLK-96. 95/07/20. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 85485:197-85485:197.

9509150273 Notifies NRC of natural U dioxide shipment to Joplin, MI. ROSE, B. Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd. 95/08/23. Transportation Branch (Post 930207). 1p. 85485:206-85485:206.

9509150289 Submits schedule of dates of departure/arrival of natural U dioxide shipment. ROSE, B. Affiliation Not Assigned. 95/08/23. Transportation Branch (Post 930207). 1p. 85485:214-85485:214.

9509180375 Forwards application for export license XSOU-8743 for export of natural U as UF6 for enrichment at Urenco in Netherlands for ultimate use as fuel in commercial power reactors in US. HAUBER, R.D. Office of International Programs (Post 911117). 95/09/07. DEDIK, T. Energy, Dept. of. 1p. 85521:275-85521:275.

9509190028 Discusses 950710 ltr to B Wright re Monsanto acrylonitrile catalyst, MAC-3 which contains depleted U. Informs that MAC-3 catalyst not regulated in US as nuclear fuel. HAUBER, R.D. Office of International Programs (Post 911117). 95/03/07. ROOKS, C.W. Affiliation Not Assigned. 1p. 85523:334-85523:334.

9509190215 Forwards FRN, "US NRC Application for License to Export Nuclear Facilities or Mats," for transmission to Ofc of FR for filing & publication. HAUBER, R.D. Office of International Programs (Post 911117). 95/09/07. MOSSBURG, D. Correspondence & Records Branch. 1p. 85523:351-85523:353.

-9509190225 Notice of receipt of application for license to export utilization facility. HAUBER, R.D. Office of International Programs (Post 911117). 95/09/07. 2pp. 85523:352-85523:353.

9509250003 Confirms that UO2 for F6-R13 first shipment arrived at JNF on 950919, one day delayed in good condition. SVEJKOVSKY, J. Mitsui & Co (USA), Inc. 95/09/21. BENNINGTON, G. NRC - No Detailed Affiliation Given. HOLDEN, D.W., BRICHTLEIN, T. General Electric Co. 1p. 85558:010-85558:010.

9509250005 Submits advanced notice of export shipment of special nuclear matl of low strategic significance, per 10CFR73.73. SHIROTA, Y. Mitsui & Co. (USA), Inc. 95/08/10. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. HOLDEN, D. General Electric Co. 2pp. 85558:012-85558:013.

9509250007 Submits advance notification of temporary import shipment of thirteen 20FT Ocean Containers containing 36 U3O8 Drums, Industrial Type & lashing matl. HEHR, W. Braunkiehl Transport USA, Inc. 95/08/24. BENNINGTON, G. NRC - No Detailed Affiliation Given. 2pp. 85558:016-85558:017.

9509250012 Submits advance notification for export shipment of 3x30B cylinders inside NCI overpacks containing "heel" only Residual heel as low enriched U. GEORGE, M. Dow Chemical Co. TNY:95125-6. 95/08/18. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 85558:020-85558:021.

248 NONDOCKETED ITEMS

- 9509250031** Submits advance notification of import shipment of 7x30B cylinders UF6 in overpacks.
HEHR,W. 95/06/24. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 85558:027-85558:028.
- 9509270147** License for General Atomics to export 48.75 kg U-235, containing in 245.0 kg U, enriched to 19.9 w/o max, to France.
HAUBER,R.D. Office of International Programs (Post 911117). IEL-2401. 95/09/20. 2pp. 85608:328-85608:329.
- 9509270149** Responds to application XSNM-2854, which involves matl of Australian origin, Office of Arms Control & Nonproliferation received prior consent for exports of Australian origin matl to Japan.
KINCAID,C. Energy, Dept. of. 95/09/21. WRIGHT,B. NRC - No Detailed Affiliation Given. 2pp. 85608:330-85608:331.
- 9509270150** Amend 2 to license for Edlow Intl Co to export 150 kg U-235 to listed countries.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/15. 2pp. 85608:326-85608:327.
- 9509270152** License for Edlow International Co to export 1,285 kg U-235, contained in 30,951 kg U, enriched to 4.15 w/o max, in form of UF6 to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). KLK-98. 95/09/25. 2pp. 85608:357-85608:358.
- 9509270153** Advises that terms & conditions of Addl Agreement for Cooperation will apply to 950901 application for export license.
DEBLOCK,M.J. European Communities, Commission of. 95/09/12. DEDIK,T. Energy, Dept. of. 1p. 85608:325-85608:325.
- 9509270154** Responds to application XSNM-2896, which involves matl of Canadian origin, Office of Arms Control & Nonproliferation received prior consent for exports of Canadian origin matl to Japan.
KINCAID,C. Energy, Dept. of. 95/09/21. WRIGHT,B. NRC - No Detailed Affiliation Given. 2pp. 85608:323-85608:324.
- 9509270155** Discusses 950822 & 30 ltrs which requested views as to whether issuance of export licenses in accordance w/ applications meets criteria of AEA of 1954. Informs that Executive Branch recommends issuance of licenses.
MCGOLDRICK,F. State, Dept. of. 95/09/19. STOIBER,C.R. Office of International Programs (Post 911117). 2pp. 85601:244-85601:245.
- 9509270156** License for Mitsui & Co to export 277 kg U-235, contained in 8,103 kg U, as natural U, enriched to 4.95 w/o max, in form of UO2, to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-TS1-R23. 95/09/30. 2pp. 85608:318-85608:319.
- 9509270157** Informs that Ofc of Arms Control & Nonproliferation received prior consent for exports of Canadian origin matl to EURATOM, in response to application XSOU8741.
KINCAID,C. Energy, Dept. of. 95/09/21. WRIGHT,B. NRC - No Detailed Affiliation Given. 2pp. 85619:156-85619:157.
- 9509270158** Amend 1 to license for Siemens Power Corp to export 0.75 kg U-235 to Germany.
HAUBER,R.D. Office of International Programs (Post 911117). DLN:95:083. 95/09/15. 2pp. 85608:321-85608:322.
- 9509270161** Forwards request from Mitsui & Co to amend export license application XSNM-2896 to change origin of source matl from USA to Canada & USA w/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/25. DELABARRE,R. State, Dept. of. 1p. 85608:317-85608:317.
- 9509270162** Requests to revise column 22 (country of origin) from "USA" to "CANADA & USA."
SARAUW-LUGO,L. Mitsui & Co. (USA), Inc. 95/09/21. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 85608:320-85608:320.
- 9509270163** Informs that Ofc of Arms Control & Nonproliferation received prior consent for exports of Australian origin matl to Japan in response to application XSNM02893.
KINCAID,C. Energy, Dept. of. 95/09/21. WRIGHT,B. NRC - No Detailed Affiliation Given. 2pp. 85619:154-85619:155.
- 9509270164** Requests GOJ assurances for cooperation & diplomatic notes exchanged for case numbers 327-328.
MONDALE U.S. Embassies. 95/09/20. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 85601:246-85601:246.
- 9509270206** Amend 4 to license for General Electric Intl, Inc to export two GE BWR w/ design power level of 4,005 MWI each.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/25. 1p. 85608:352-85608:352.
- 9509270208** License for Mitsui & Co (USA), Inc to export 396.0 kg of U-235, contained in 11,479.0 kg natural U & U enriched to 4.95 w/o max as UF6.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-H2-R15. 95/09/25. 2pp. 85608:353-85608:354.
- 9509270243** Requests GOJ assurances for cooperation & diplomatic notes exchanged for case numbers 313-314.
MONDALE,W. U.S. Embassies. 95/09/18. WEANT,D., DELABARRE,R. State, Dept. of. 1p. 85608:355-85608:355.
- 9509280107** License to Edlow Intl Co, to export 178,500.0 kg of natural U as UF6, to Netherlands.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/26. 2pp.
- 9509280110** License for Nuclear Metals, Inc to export 50 kg of Zirconium tubes to Norway.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/26. 1p.
- 9509280121** License for Carpenter Technology Corp, to export 300 pieces of Zircaloy 4-tubes to Norway.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/26. 1p.
- 9509280123** License for Edlow Intl Co as agent for Kansai Electric Power Co, Inc to export 704.0 kg of U-235 to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/26. 2pp.
- 9509280126** License for Siemens Power Corp, to export 3.0 kg U 235 enriched to 1.0 w/o max, as UO2 powder to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/26. 2pp.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT, R.B.	9509050243*	50-220 R	ANDERSON, C.J.	9509060242	50-387 Q	AXELSON, W.L.	9509210021*	FOIA
ABBOTT, R.B.	9509060080	50-410 O	ANDERSON, C.J.	9509180344*	50-334 Q	AXELSON, W.L.	9509270201	50-456 Q
ABBOTT, R.B.	9509060175	50-220 F	ANDERSON, C.J.	9509260189	50-352 Q	AXELSON, W.L.	9509280004	50-237 P
ABBOTT, R.B.	9509060231	50-220 O	ANDERSON, M.L.	9509110096	50-305 R	AXELSON, W.L.	9509280041	50-373 P
ABBOTT, R.B.	9509080059	50-410 P	ANDERSON, M.T.	9507260172*	50-309 Q	AYRES, R.A.	9509080115	71-192
ABBOTT, R.B.	9509250163	50-410 R	ANDERSON, M.T.	9508110271*	50-295 Q	BACA, R.G.	9509070092	NUREG
ABDOLRAHIM, M.	9509190214	50-29 H	ANDERSON, R.	9509250008*	50-341 Q	BACA, R.G.	9509280247*	WASTE MGT
ABELQUIST, E.W.	9406270310*	40-8948	ANDERSON, R.A.	9509080003	50-324 F	BACHMANN, J.	9509250100*	QA999
ABELQUIST, E.W.	9509190208	70-3073	ANDERSON, R.O.	9509060166	50-263 R	BACHMANN, J.	9509250119*	QA999
ABELQUIST, E.W.	9509190266	50-267 W	ANDERSON, R.O.	9509060167	50-263 R	BACHMANN, J.	9509250127*	QA999
ABELQUIST, E.W.	9509200367	NUREG	ANDERSON, R.O.	9509130097	50-263 F	BACHMANN, J.	9509250130*	QA999
ABEY, W.	9509190227	50-29 H	ANDERSON, R.O.	9509180171	50-263 R	BACHMANN, J.	9509250139*	QA999
ABRAMS, M.F.	9509110128	WASTE MGT	ANDERSON, R.O.	9509250191	50-263 F	BACHMANN, J.L.	9509250114*	QA999
ABRAMS, M.F.	9509110178	WASTE MGT	ANDERSON, R.O.	9509250203	50-263 F	BAGCHI, G.	9509200174	REVIEW GR P
ACHARYA, S.	9509210255	71-6553	ANDERSON, R.O.	9509250208	50-263 F	BAGGETT, S.	9509140103*	FOIA
ACKERMAN, J.T.	9509010195*	50-528 I	ANDREWS, S.J.	9509070043	PT21	BAGGETT, S.	9509140106*	FOIA
ADAMS, A.	9509060080	50-151 P	ANDREWS, S.J.	9509120293	QA999	BAGGETT, S.	9509140110*	FOIA
ADAMS, A.	9509110181	50-20 F	ANDREWS, S.J.	9509210296	PT21	BAGGETT, S.	9509140121*	FOIA
ADAMS, A.	9509110188	50-20 P	ANGUS, M.J.	9509110340	50-275 F	BAGGETT, S.	9509140321*	FOIA
ADAMS, J.T.	9509120027	50-116 R	ANGUS, M.J.	9509190045	50-275 F	BAGGETT, S.L.	9509010204*	STATE PRO G
ADAMS, T.	9509140271*	FOIA	ANGUS, M.J.	9509250293	50-275 P	BAGGETT, S.L.	9509010208*	STATE PRO G
ADAMS, T.G.	9509140276*	FOIA	ARCHER, B.T.	8006190883*	FOIA	BAGGETT, S.L.	9509010210*	STATE PRO G
ADAMS, T.G.	9509280224*	40-*****	ARCHITZEL, R.	9208280099*	FOIA	BAGGETT, S.L.	9509010217*	STATE PRO G
ADAMS, T.G.	9509280256	40-8724	ARCHITZEL, R.	9509060040*	50-445 P	BAGGETT, S.L.	9509010218*	STATE PRO G
ADAMS, W.C.	9311180041*	FOIA	ARCHITZEL, R.E.	9509060031*	FOIA	BAGGETT, S.L.	9509010221*	STATE PRO G
ADAMS, W.C.	9509140283*	FOIA	ARNOLD, W.M.	9509270006	71-9234	BAGGETT, S.L.	9509010223*	STATE PRO G
ADAMS, W.C.	9509280154	40-8724	ARNOLD, C.	9509010089	STATE PRO G	BAGGETT, S.L.	9509010224*	STATE PRO G
ADENSAM, E.G.	9509260277*	50-499 P	ASMUSSEN, K.E.	9509070080	71-9057	BAGGETT, S.L.	9509010226*	STATE PRO G
ADNEY, R.J.	9509060363	50-327 V	ASMUSSEN, K.E.	9509110375	50-89 P	BAGGETT, S.L.	9509010228*	STATE PRO G
AFFOLTER, R.D.	9509190105	50-483 R	ASSA, R.R.	9509060264	50-454 Q	BAGGETT, S.L.	9509010235*	STATE PRO G
AFFOLTER, R.D.	9509200004	50-483 S	ASSA, R.R.	9509080193	50-454 P	BAGGETT, S.L.	9509010236*	STATE PRO G
AKERS, D.W.	9509200271*	50-327 P	ASSA, R.R.	9509080196*	50-454 P	BAGGETT, S.L.	9509010247*	STATE PRO G
ALBERT, R.J.	9509080187*	50-245 Q	ASTWOOD, H.M.	9509070040	70-364	BAGGETT, S.L.	9509010253*	STATE PRO G
ALBERT, S.	9506270094	50-29 H	ALERWALD, J.M.	9509210330*	50-446 P	BAGGETT, S.L.	9509010258*	STATE PRO G
ALDRICH, J.G.	9105160373*	FOIA	AUMULLER, J.N.	9509250037	70-1252	BAGGETT, S.L.	9509010261*	STATE PRO G
ALDRICH, J.G.	9109250051*	FOIA	AUMULLER, J.N.	9509250045	70-1252	BAGGETT, S.L.	9509010262*	STATE PRO G
ALDRICH, R.	9509010194	STATE PRO G	AUSTIN, B.	9509270126	50-29 H	BAGGETT, S.L.	9509010266*	STATE PRO G
ALEXANDER, J.M.	9509120081*	FOIA	AUSTIN, J.	9509220175	40-8584	BAGGETT, S.L.	9509010268*	STATE PRO G
ALEXION, T.W.	9509110142	50-498 P	AUSTIN, J.H.	9312020277*	40-7102	BAGGETT, S.L.	9509010272*	STATE PRO G
ALEXION, T.W.	9509110157*	50-498 P	AUSTIN, J.H.	9312030279*	40-8948	BAGGETT, S.L.	9509010275*	STATE PRO G
ALEXION, T.W.	9509120268	50-498 P	AUSTIN, J.H.	9312030282*	40-8948	BAGGETT, S.L.	9509010283*	STATE PRO G
ALEXION, T.W.	9509130085	50-498 P	AUSTIN, J.H.	9404150173*	40-8948	BAGGETT, S.L.	9509010285*	STATE PRO G
ALEXION, T.W.	9509130089*	50-498 P	AUSTIN, J.H.	9509150118*	FOIA	BAGGETT, S.L.	9509010288*	STATE PRO G
ALEXION, T.W.	9509180129	50-498 P	AUSTIN, J.H.	9509200135	WASTE MGT	BAGGETT, S.L.	9509010292*	STATE PRO G
ALEXION, T.W.	9509200312	50-498 P	AXELRAD, M.	9509080072*	40-8027	BAGGETT, S.L.	9509010295*	STATE PRO G
ALEXION, T.W.	9509200357	50-498 P	AXELRAD, M.	9509080072*	40-8027	BAGGETT, S.L.	9509010300*	STATE PRO G
ALEXION, T.W.	9509200361*	50-498 P	AXELRAD, M.	9509080103	40-8027	BAGGETT, S.L.	9509010306*	STATE PRO G
ALFORD, A.	9509010169	50-298 S	AXELRAD, M.	9509080113	40-8027	BAGGETT, S.L.	9509010312*	STATE PRO G
ALLAN, L.M.	9509140092*	TOPREP	AXELRAD, M.	9509210193	40-8027	BAGGETT, S.L.	9509010315*	STATE PRO G
ALLEN, J.	9509190228	40-8966	AXELRAD, M.	9509210193	40-8027	BAGGETT, S.L.	9509010348*	STATE PRO G
ALLISON, S.M.	9509180172	50-348 R	AXELRAD, M.	9509210199*	40-8027	BAGGETT, S.L.	9509010348*	STATE PRO G
ALPER, A.M.	9509190144	40-185	AXELRAD, M.	9509210199*	40-8027	BAGGETT, S.L.	9509010350*	STATE PRO G
AMTSBERG, H.C.	9509110377*	70-337	AXELSON, W.L.	9410050019*	FOIA	BAGGETT, S.L.	9509050320*	STATE PRO G
ANDERSEN, J.	9509010306*	52-4	AXELSON, W.L.	9509050120*	FOIA	BAGGETT, S.L.	9509050325*	STATE PRO G
ANDERSEN, J.W.	9509140215	50-245 P	AXELSON, W.L.	9509080104	50-456 Q	BAGGETT, S.L.	9509050327*	STATE PRO G
ANDERSEN, J.W.	9509190187	50-245 P	AXELSON, W.L.	9509130014*	FOIA	BAGGETT, S.L.	9509050333*	STATE PRO G
ANDERSEN, J.W.	9509200260	50-245 P	AXELSON, W.L.	9509130107*	FOIA	BAGGETT, S.L.	9509050338*	STATE PRO G
ANDERSON, C.	9509060247*	50-387 Q	AXELSON, W.L.	9509140313*	FOIA	BAGGETT, S.L.	9509050340*	STATE PRO G
ANDERSON, C.	9509060251*	50-387 Q	AXELSON, W.L.	9509180056	50-456 P	BAGGETT, S.L.	9509050346*	STATE PRO G
ANDERSON, C.	9509150184	50-352 S	AXELSON, W.L.	9509190057	50-315 Q	BAGGETT, S.L.	9509060001*	STATE PRO G
ANDERSON, C.J.	9509050230	50-277 Q	AXELSON, W.L.	9509190069	50-461 P	BAGGETT, S.L.	9509060002*	STATE PRO G
ANDERSON, C.J.	9509050236*	50-277 Q	AXELSON, W.L.	9509200348*	FOIA	BAGGETT, S.L.	9509060004*	STATE PRO G

250 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BAGGETT, S.L.	9509060010*	STATE PRO G	BARON, J.J.	9509210181	50-219 R	BELL, M.J.	9406270014*	FOIA
BAGGETT, S.L.	9509060012*	STATE PRO G	BARON, R.R.	9509010028	50-390 A	BELL, M.J.	9412090191*	FOIA
BAGGETT, S.L.	9509060015*	STATE PRO G	BARON, R.R.	9509010032	50-390 A	BELL, M.J.	9509050040*	STATE PRO G
BAGGETT, S.L.	9509060019*	STATE PRO G	BARON, R.R.	9509010044	50-390 Q	BELL, M.J.	9509110078	WASTE MGT
BAGGETT, S.L.	9509060021*	STATE PRO G	BARON, R.R.	9509010057	50-390 A	BELLS, W.	9509140103*	FOIA
BAGGETT, S.L.	9509060022*	STATE PRO G	BARON, R.R.	9509010104	50-390 A	BELLINI, F.	9509270051	50-29 H
BAGGETT, S.L.	9509060024*	STATE PRO G	BARON, R.R.	9509010244	50-390 F	BENES, G.G.	9509050056	50-373 P
BAGGETT, S.L.	9509060026*	STATE PRO G	BARON, R.R.	9509010250	50-390 A	BENES, G.G.	9509050262	50-373 P
BAGGETT, S.L.	9509060030*	STATE PRO G	BARON, R.R.	9509010256	50-390 Q	BENES, G.G.	9509050299	50-373 Q
BAGGETT, S.L.	9509060032*	STATE PRO G	BARON, R.R.	9509010259	50-390 A	BENES, G.G.	9509190087	50-10 W
BAGGETT, S.L.	9509060033*	STATE PRO G	BARON, R.R.	9509010271	50-390 F	BENJAMIN, J.A.	9509050176	50-354 P
BAGGETT, S.L.	9509060035*	STATE PRO G	BARON, R.R.	9509120039	50-390 K	BENJAMIN, J.A.	9509070213	50-354 P
BAGGETT, S.L.	9509060039*	STATE PRO G	BARON, R.R.	9509130088	50-390 A	BENJAMIN, J.A.	9509120060	50-354 P
BAGGETT, S.L.	9509060046*	STATE PRO G	BARON, R.R.	9509150013	50-390 A	BENJAMIN, J.A.	9509210115	50-272 P
BAGGETT, S.L.	9509060053*	STATE PRO G	BARON, R.R.	9509190355	50-390 S	BENJAMIN, J.A.	9509220102	50-272 P
BAGGETT, S.L.	9509060056*	STATE PRO G	BARON, R.R.	9509210081	50-390 Q	BENNETT, G.	9509270040	50-344 H
BAGGETT, S.L.	9509060059*	STATE PRO G	BARON, R.R.	9509210091	50-390 A	BERG, W.L.	9509180125	50-409 W
BAGGETT, S.L.	9509140210*	FOIA	BARON, R.R.	9509210143	50-390 Q	BERGENDAHL, D.M.	9509200114	50-498 R
BAGGETT, S.L.	9509280281*	STATE PRO G	BARON, R.R.	9509270249	50-390 S	BERGER, C.D.	9509180360*	40-185
BAGGETT, S.L.	9509280286*	STATE PRO G	BARR, G.E.	9509250010	WASTE MGT	BERGER, C.D.	9509180364*	40-185
BAGGETT, S.L.	9509280291*	STATE PRO G	BARR, K.P.	9509070157	50-369 Q	BERGER, C.D.	9509180368*	40-185
BAGGETT, S.L.	9509280293*	STATE PRO G	BARR, K.P.	9509070191	50-369 Q	BERGER, C.D.	9509180371*	40-185
BAGGETT, S.L.	9509280294*	STATE PRO G	BARR, K.P.	9509180277	50-259 Q	BERGER, J.D.	9306140113*	FOIA
BAGGETT, S.L.	9509280298*	STATE PRO G	BARR, K.P.	9509180291	50-269 Q	BERGER, J.D.	9306140183*	FOIA
BAGGETT, S.L.	9509280300*	STATE PRO G	BARR, K.P.	9509180294*	50-259 Q	BERGER, J.D.	9306140306*	40-8948
BAGGETT, S.L.	9509280302*	STATE PRO G	BARR, K.P.	9509180319	50-416 F	BERGER, J.D.	9402100266*	40-8948
BAGGETT, S.L.	9509280304*	STATE PRO G	BARR, K.P.	9509180352	50-348 Q	BERKOW, H.N.	9508300032	50-424 Q
BAGGETT, S.L.	9509280305*	STATE PRO G	BARR, K.P.	9509280188	50-324 C	BERKOW, H.N.	9509060140	50-413 Q
BAGGETT, S.L.	9509280309*	STATE PRO G	BARR, K.P.	9509280197	50-369 Q	BERKOW, H.N.	9509060368*	50-424 P
BAGGETT, S.L.	9509280312*	STATE PRO G	BARR, K.P.	9509280206*	50-369 Q	BERKOW, H.N.	9509110102*	50-413 P
BAGGETT, S.L.	9509280316*	STATE PRO G	BARR, K.P.	9509280226	50-259 Q	BERKOW, H.N.	9509180113*	50-321 P
BAGTZOGLOU, A.C.	9509280247*	WASTE MGT	BARR, K.P.	9509280266	50-324 F	BERKOW, H.N.	9509180115	50-269 P
BAILEY, P.E.	9309300272*	40-8948	BARRETT, R.J.	9509050099	50-166 P	BERKOW, H.N.	9509180174	50-269 P
BAILEY, R.	9509120119*	50-456 Q	BARRIERE, M.T.	9509200039	NUREG	BERKOW, H.N.	9509220258*	50-413 P
BAILEY, S.J.	9509220291	50-309 R	BARTLETT, B.R.	9509220051	50-29 H	BERKOW, H.N.	9509290011	50-321 F
BAK, R.S.	9509270034	PR	BARTON, J.J.	9509190032	50-219 P	BERKOW, H.N.	9509290035	50-269 F
BAKER, B.W.	9509140228*	FOIA	BARTON, J.J.	9509250278	50-219 Q	BERLES, B.W.	9509110175	50-255 R
BAKER, B.W.	9509140247*	FOIA	BARTON, J.J.	9509280044	50-219 S	BERLINGER, C.H.	9508140068*	50-456 P
BAKER, R.E.	9509150155*	FOIA	BARTON, J.J.	9509200053	50-219 P	BERNARD, J.A.	9509150038	50-20 V
BAKER, S.J.	9509110219	40-1162	BASSETT, C.	9509280176*	70-1113	BERNARD, J.A.	9509250285	50-20 R
BAKOS, F.R.	9509220218*	TOPREP	BASSILAKIS, R.	9509190166	50-29 H	BERNARD, J.A.	9509280185	50-20 S
BALCOM, R.L.	9509120373*	50-498 P	BASTENBECK, B.	9509050180	FOIA	BERNARD, J.A.	9509280056	50-20 Q
BALCOM, R.L.	9509120377*	50-498 Q	BASTENBECK, B.	9509050307	FOIA	BERNERO, R.M.	9312080170*	40-8948
BALENT, R.	9509150336*	FOIA	BATES, A.L.	9506300021	10CFR	BERNERO, R.M.	9509050103*	FOIA
BALENT, R.	9509150336*	FOIA	BATES, A.L.	9509050076	10CFR	BIEGEL, M.	9509260071	50-457 S
BALER, S.J.	9509110226	40-1162	BATES, A.L.	9509080056	50-160 G	BIRD, P.	9509110257*	FOIA
BALIN, D.	9509280247*	WASTE MGT	BATES, A.L.	9509080064	50-361 G	BIRD, P.E.	9509110253*	FOIA
BALL, R.S.	9509210178*	50-387 R	BATES, A.L.	9509080068	40-8027	BIRD, P.E.	9509110320*	FOIA
BALLINGER, P.L.	9509150003	50-298 R	BATES, A.L.	9509080069	50-245 G	BIRD, P.E.	9509110325*	FOIA
BAMFORD, W.H.	9509140122*	50-247 Q	BATES, A.L.	9509140080	50-344 G	BIRKEL, R.A.	9509150132*	FOIA
BANGART, R.L.	9509010017	STATE PRO G	BATES, A.L.	9509140091	50-29 G	BISHOP, R.W.	9509290059	50-29 H
BANGART, R.L.	9509010024	STATE PRO G	BATES, A.L.	9509250234*	ORG	BISHOP, R.W.	9509290072	50-344 H
BANGART, R.L.	9509010029	STATE PRO G	BATES, A.L.	9509250306*	ORG	BLACKADAR, W.G.	9509180185	50-29 H
BANGART, R.L.	9509010031	STATE PRO G	BATES, A.L.	9509260139*	NUREG	BLAESIG, H.	9509010306*	52-4
BANGART, R.L.	9509010048	STATE PRO G	BATES, M.H.	9509200041	50-344 H	BLAHA, J.L.	9509060365	COMMISSION
BANGART, R.L.	9509010053	STATE PRO G	BATT, R.E.	9509280159*	STATE PRO G	BLAHA, J.L.	9509150043	COMMISSION
BANGART, R.L.	9509010072	STATE PRO G	BAUER, J.A.	9509110255*	50-269 I	BLAHA, J.L.	9509180244	COMMISSION
BANGART, R.L.	9509010074	STATE PRO G	BAUER, J.E.	9509120092*	FOIA	BLAHA, J.L.	9509280107*	NUREG
BANGART, R.L.	9509010075	STATE PRO G	BAUMANN, C.	9509130067	FOIA	BLAHA, J.L.	9509280090	COMMISSION
BANGART, R.L.	9509010077	STATE PRO G	BAYLON, J.M.	9509120028	FOIA	BLAKE, E.L.	9509210145	50-424 G
BANGART, R.L.	9509010081*	STATE PRO G	BAZACO, L.	9509120169*	FOIA	BLAKE, E.L.	9509210145	50-424 G
BANGART, R.L.	9509010083	STATE PRO G	BEACH, A.B.	9509110063*	50-498 P	BLAKE, E.L.	9509210145	50-424 G
BANGART, R.L.	9509010103	STATE PRO G	BEACH, A.B.	9509110066*	50-498 P	BLAKE, J.J.	9509070235*	50-259 Q
BANGART, R.L.	9509010113	STATE PRO G	BEACH, A.B.	9509110071*	50-498 P	BLAKE, J.J.	9509180324*	50-259 Q
BANGART, R.L.	9509010193	STATE PRO G	BEACH, A.B.	9509110074*	50-498 P	BLANCH, P.M.	9509090325	FOIA
BANGART, R.L.	9509010325	STATE PRO G	BEACH, A.B.	9509110292*	50-499 P	BLESSIE, W.J.	9509250277	50-285 S
BANGART, R.L.	9509050203	STATE PRO G	BEACH, A.B.	9509260262*	FOIA	BLEY, D.C.	9509200039	NUREG
BANGART, R.L.	9509050235	STATE PRO G	BEACH, A.B.	9509260269*	50-498 P	BLIND, A.A.	9509190001	50-315 S
BANGART, R.L.	9509200066	STATE PRO G	BEACH, A.B.	9509260271*	50-498 P	BLIND, A.A.	9509190249	50-315 R
BANGART, R.L.	9509200067	STATE PRO G	BEACH, A.B.	9509260277*	50-499 P	BLIND, A.A.	9509190251	50-316 R
BANGART, R.L.	9509200098	STATE PRO G	BEARD, P.M.	9509290091	50-302 Q	BLIND, A.A.	9509210056	50-315 S
BANGART, R.L.	9509200145	STATE PRO G	BEARD, P.M.	9509290114	50-302 P	BLIND, A.A.	9509220041	50-316 S
BANGART, R.L.	9509200167	STATE PRO G	BEARDSLEE, C.D.	9509150200*	50-213 Q	BLIND, A.A.	9509290006	50-316 S
BANGART, R.L.	9509250205*	FOIA	BEARDSLEY, K.	9509110088*	50-237 P	BLIND, A.A.	9509290024	50-315 S
BANGART, R.L.	9509280147	STATE PRO G	BECHHOEFER, C.	9509080173	50-160 G	BLOCH, P.B.	9509110049	50-424 G
BANGART, R.L.	9509280153	STATE PRO G	BECHHOEFER, C.	9509110073	50-160 G	BLOCH, P.B.	9509210121	MISC
BANGART, R.L.	9509280180*	STATE PRO G	BECKHAM, J.T.	9509060376	50-321 Q	BLOCK, J.M.	9509270076	50-29 H
BANGART, R.L.	9509280178	STATE PRO G	BECKHAM, J.T.	9509190197	50-321 R	BLOCK, R.C.	9509110196	NUREG
BANGART, R.L.	9509280205	STATE PRO G	BECKHAM, J.T.	9509210122	50-321 P	BLOCK, R.C.	9509110202	NUREG
BANNISTER, D.J.	9509250273	50-285 S	BECKHAM, J.T.	9509250292	50-321 R	BLOCK, R.C.	9509110205	NUREG
BARAN, D.	9509180173	50-455 S	BECKNER, W.D.	9508310126	50-458 G	BLOCK, R.C.	9509110210	NUREG
BARCHI, T.J.	9509220285	ORG	BECKNER, W.D.	9509060007	50-298 Q	BLOCKEY-O'BRIEN	9509120102	50-160 H
BARCHI, T.J.	9509270189	ORG	BEECHER, W.	9509260119*	NUREG	BLOCKEY-O'BRIEN	9509130233	50-160 H
BARI, F.	9509250259*	FOIA	BEHNKE, D.H.	9509130072	50-275 S	BLOCKEY-O'BRIEN	9509130234*	50-160 H
BARKER, R.S.	9509140176*	FOIA	BEHNKE, D.H.	9509180185	50-275 S	BLOOM, J.L.	9509150325*	FOIA
BARKLEY, R.	9509280279*	FOIA	BEHRINGER, T.J.	9509110088*	50-237 P	BLOOM, S.	9509140161	50-285 P
BARNES, S.	9509190093	50-456 S	BELISLE, G.A.	9509070215*	50-280 Q	BLOOM, S.	9509140164*	50-285 P
BAROB, R.R.	9509210124	50-390 A	BELISLE, G.A.	9509280182*	50-338 Q	BLOOM, S.	9509190350	50-285 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BLOOM,S.	9509220334	50-285	P	BRINKMAN,D.S.	9509190339	50-334	P	BURSKI,R.F.	9509220061	50-382	F
BLOUGH,A.R.	9509060215	50-247	Q	BRINKMAN,D.S.	9509220165	50-412	P	BURSKI,R.F.	9509260297	50-382	F
BLUBAUGH,R.E.	9509060200	40-3453		BRINKMAN,D.S.	9509220221	50-334	P	BURTON,D.A.	9509280233*		PR
BOGER,B.A.	9509070068*	50-348	P	BRINKMAN,D.S.	9509220223*	50-334	P	BURTON,H.	9509280046		PR
BOHLANDER,K.L.	9509130146	NUREG		BRINKMAN,R.E.	9509220241*	FOIA		BURTON,H.	9509280051		PR
BOHLKE,W.H.	9509050167	50-250	F	BRINKMAN,R.E.	9509130127*	FOIA		BUSACCA,A.J.	9509110345*	FOIA	
BOHLKE,W.H.	9509060269	REGGD		BRINKMAN,R.E.	9509130151*	FOIA		BUSH,L.	9509260067	TOPREP	
BOHLKE,W.H.	9509260308	I&E		BRINKMAN,R.E.	9509130155*	FOIA		BUSH,L.	9509280290	TOPREP	
BOHLKE,W.H.	9509260372	50-335	P	BRINKMAN,R.E.	9509130165*	FOIA		BUTCHER,E.J.	9409260106*	50-275	P
BOHLKE,W.H.	9509260375	50-250	F	BRINKMAN,R.E.	9509130221*	FOIA		BUTCHER,E.J.	9412080028*	50-498	P
BOLDT,G.L.	9509190205	50-302	R	BRINKMAN,R.E.	9509130227*	FOIA		BUTCHER,R.	9509180295*	50-302	Q
BOLDT,G.L.	9509260011	50-302	P	BRINKMAN,R.E.	9509130238*	FOIA		BYKOSKI,L.M.	9409190239*	FOIA	
BOLKE,T.J.	9509190243	50-458	R	BRINKMAN,R.E.	9509140012*	FOIA		BYKOSKI,L.M.	9503150189*	FOIA	
BOLLWERK,G.P.	9509080055	40-8027		BRINKMAN,R.E.	9509140214*	FOIA		BYRAM,R.G.	9509050145	50-387	R
BOLLWERK,G.P.	9509080074*	40-8027		BRINKMAN,R.E.	9509140241*	FOIA		BYRAM,R.G.	9509060255	50-387	Q
BONANO,E.J.	9509070092	NUREG		BRINKMAN,R.E.	9509140245*	FOIA		BYRAM,R.G.	9509060340	50-387	Q
BONO,H.D.	9509200004	50-483	S	BRINKMAN,R.E.	9509150073*	FOIA		BYRAM,R.G.	9509150058	50-387	F
BONSER,B.R.	9509180263	50-269	P	BRINKMAN,R.E.	9509150100*	FOIA		BYRAM,R.G.	9509180301	50-387	Q
BONSER,B.R.	9509280214*	50-424	Q	BRINKMAN,R.E.	9509150116*	FOIA		BYRAM,R.G.	9509210175	50-387	R
BOOK,H.E.	9509120378*	70-*****		BRINKMAN,R.E.	9509150133*	FOIA		BYRAM,R.G.	9509250038	50-387	F
BOOK,H.E.	9509130086*	70-*****		BRINKMAN,R.E.	9509150142*	FOIA		BYRAM,R.G.	9509250049	50-387	P
BOOK,H.E.	9509150154*	FOIA		BRINKMAN,R.E.	9509150339*	FOIA		BYRAM,R.G.	9509250159	50-387	P
BOOK,H.E.	9509150173*	FOIA		BRINKMAN,R.E.	9509150353*	FOIA		BYRAM,R.G.	9508250168*	50-387	P
BORCHARDT,R.W.	9509060270*	50-387	Q	BRINKMAN,R.E.	9509150364*	FOIA		BYRAM,W.F.	9509150091*	50-369	F
BORES,R.	9509080177*	50-272	Q	BRINKMAN,R.E.	9509150372*	FOIA		BYRD,E.	9509150053*	FOIA	
BORES,R.	9509180207*	50-293	Q	BRINKMAN,R.E.	9509180009*	FOIA		BYRD,E.L.	9509120348*	70-*****	
BORES,R.	9509180210*	50-20	Q	BRINKMAN,R.E.	9509180022*	FOIA		BYRD,E.L.	9509120381*	70-*****	
BORES,R.	9509180222*	50-245	Q	BRINKMAN,R.E.	9509180039*	FOIA		BYRD,E.L.	9509150070*	70-*****	
BORES,R.	9509210233*	50-247	Q	BROADDUS,D.A.	9509060022*	STATE PRO G		BYRD,E.L.	9509150094*	FOIA	
BORES,R.J.	9509260033*	50-220	Q	BROADDUS,D.A.	9509060024*	STATE PRO G		BYRD,E.L.	9509050316	FOIA	
BORES,R.J.	9509260201*	70-135		BROADDUS,D.A.	9509060030*	STATE PRO G		CABELLA,S.	9509110272*	FOIA	
BORK,J.	9509250141	50-346	H	BROADDUS,D.A.	9509060032*	STATE PRO G		CABELLA,S.	9509110282*	FOIA	
BOUDWIN,J.A.	9509120070*	FOIA		BROADDUS,D.A.	9509060033*	STATE PRO G		CAHILL,W.J.	9509110297*	50-286	P
BOULETTE,E.T.	9509010137	50-293	R	BROADDUS,D.A.	9509060035*	STATE PRO G		CAHILL,W.J.	9509190390	50-333	Q
BOULETTE,E.T.	9509060200	50-293	P	BROADDUS,D.A.	9509060039*	STATE PRO G		CAHILL,W.J.	9509210062	50-333	P
BOULETTE,E.T.	9509080232	50-293	P	BROADDUS,D.A.	9509060046*	STATE PRO G		CAHILL,W.J.	9509210068*	50-333	P
BOULETTE,E.T.	9509120078	50-293	Q	BROADDUS,D.A.	9509060053*	STATE PRO G		CAIN,C.L.	9509190043*	50-344	Q
BOULETTE,E.T.	9509120231	50-293	S	BROADDUS,D.A.	9509060056*	STATE PRO G		CAIN,C.L.	9509190106*	40-8681	
BOULETTE,E.T.	9509130001	50-293	P	BROCCOUM,S.J.	9509060059*	STATE PRO G		CAIN,C.L.	9509210219*	50-344	Q
BOULETTE,E.T.	9509140076	50-293	F	BROCCOUM,S.J.	9509080207	WASTE MGT		CAIN,C.L.	9509210274*	40-8027	
BOULETTE,E.T.	9509140227	50-293	Q	BROCCOUM,S.J.	9509080318	WASTE MGT		CAIN,R.M.	9509190167	50-29	H
BOULETTE,E.T.	9509150025	50-293	F	BROCCOUM,S.J.	9509220320	WASTE MGT		CAINE,T.A.	9509110110*	FOIA	
BOULETTE,E.T.	9509200289	50-293	S	BROCCOUM,S.J.	9509260046	WASTE MGT		CAINE,T.A.	9509120187*	FOIA	
BOULETTE,E.T.	9509250264	50-293	P	BROCCOUM,S.J.	9509260050	WASTE MGT		CALDWELL,J.L.	9509190050*	50-295	Q
BOULETTE,E.T.	9509260100	50-293	F	BROOKS,C.	9509220071	50-29	H	CALFA,J.P.	9509200289	50-293	S
BOVE,J.A.	9509110043	FOIA		BROOKS,P.P.	9509130070*	WASTE MGT		CALLAN,L.J.	9509070164	50-298	Q
BOVIER,R.	9509140286*	FOIA		BROSDDUS,D.A.	9509060026*	STATE PRO G		CALLAN,L.J.	9509110260*	50-498	P
BOWER,F.L.	9509180273*	50-333	Q	BROUGHTON,T.G.	9509010156	50-320	R	CALLAN,L.J.	9509110274*	50-498	P
BOWLING,M.L.	9509050249	I&E		BROUGHTON,T.G.	9509060182*	50-289	Q	CALLAN,L.J.	9509180125	50-382	Q
BOWLING,M.L.	9509120016	50-280	H	BROUGHTON,T.G.	9509060202*	50-320	P	CALLAN,L.J.	9509210258	50-416	P
BOWLING,M.L.	9509130128	50-280	Q	BROWN,B.W.	9507280140*	50-254	Q	CALLAN,L.J.	9509220183	50-313	Q
BOWLING,M.L.	9509130137	REGGD		BROWN,B.W.	9509120068*	50-281	Q	CALLAN,L.J.	9509260093*	50-397	P
BOWLING,M.L.	9509180064	50-280	Y	BROWN,D.F.	9509270069	50-29	H	CALLAWAY,A.A.	9509280336	50-255	F
BOWLING,M.L.	9509180243	50-338	R	BROWN,D.M.	9509140092*	TOPREP		CALLAWAY,C.	9509010042	REVIEW GR	P
BOWLING,M.L.	9509190183	50-280	R	BROWN,J.M.	9509220019*	FOIA		CALVO,J.A.	9509140059	50-412	P
BOWLING,M.L.	9509220030	I&E		BROWN,N.	9509250011	FOIA		CALVO,J.A.	9509140064	50-458	P
BOWLING,M.L.	9509220050	REGGD		BROWN,N.	9509250069	40-9015		CALVO,J.A.	9509140071	50-416	F
BOWLING,M.L.	9509270048	50-280	J	BROWN,N.	9509260212	50-237	H	CALVO,J.A.	9509140269	50-346	P
BOWYER,J.E.	9509110199*	FOIA		BROWN,R.W.	9509050173	ORG		CALVO,J.A.	9509140300	50-245	P
BOWYER,J.E.	9509200339*	FOIA		BROWN,S.W.	9509210264	ORG		CALVO,J.A.	9509140306	50-213	P
BOYCE,R.W.	9509010005	50-352	S	BROWN,W.S.	9509200367	NUREG		CALVO,J.A.	9509140317	50-335	P
BOYCE,R.W.	9509120339	50-353	S	BROWNELL,G.	9509070229*	50-333	S	CALVO,J.A.	9509200149	50-352	P
BOYCE,R.W.	9509150033	50-353	S	BROWNING,R.E.	9509200092*	STATE PRO G		CALVO,J.A.	9509200176	50-528	P
BOYCE,R.W.	9509260086	50-353	S	BRUNS,R.	9509070257	50-333	S	CALVO,J.A.	9509200186	50-277	P
BOYCE,R.W.	9509290002	50-352	S	BRUXVOORT,K.	9509120386	40-4492		CALVO,J.A.	9509270207	50-219	P
BOYCE,T.H.	9509140331	52-3		BUCHANAN,C.R.	9509130103*	FOIA		CALVO,J.A.	9509270214	50-395	P
BOYD,R.M.	9509290084	PR		BUCHANAN,C.R.	9509150148*	FOIA		CALVO,J.A.	9509270217	50-440	P
BOYD,R.S.	9509150136*	FOIA		BUCKLEY,B.	9509270220	50-280	F	CALVO,J.A.	9509270225	50-250	P
BOYD,T.	9509260005*	50-413	P	BUCKLEY,B.C.	9509060316	50-280	P	CALVO,J.A.	9509270228	50-498	P
BOYLE,R.	9509080190*	71-3025		BUCKLEY,B.C.	9509060343	50-280	P	CALVO,J.A.	9509270241	50-456	P
BOYLE,R.	9509140097	71-*****		BUCKLEY,B.C.	9509080332	50-280	P	CALVO,J.A.	9509270256	50-461	P
BOYLE,R.W.	9509130051	71-*****		BUCKLEY,B.C.	9509200052	50-280	P	CALVO,J.A.	9509270260	50-483	P
BRACH,E.W.	9509140234	70-27		BUCKLEY,W.	9509080233*	FOIA		CAMERON,F.X.	9509260240*	NUREG	
BRADBURN,J.C.	9509060152*	50-445	P	BURDICK,T.	9509120119*	50-456	Q	CAMPBELL,G.G.	9509190063*	50-265	S
BRADBURN,J.C.	9509060157*	50-498	P	BURDICK,T.M.	9509210332*	50-237	V	CAMPBELL,W.J.	9509270046	50-29	H
BRADY,J.B.	9509180215*	50-390	Q	BURGESS,K.	9509120114	50-213	F	CAMPBELL,W.R.	9509180103	50-324	P
BRADY,T.T.	9509280141	40-*****		BURKHART,M.E.	9509120132	STATE PRO G		CAMPBELL,W.R.	9509190270	50-324	P
BRANCH,M.W.	9509070215*	50-280	Q	BURNETT,R.F.	9505100214	PR		CAMPBELL,W.R.	9509190370	50-324	P
BRAND,E.	9509250359	50-309	S	BURNETT,R.F.	9509280025	PR		CAMPER,L.W.	9504130046*	FOIA	
BRANDKAMP,F.A.	9509210033*	FOIA		BURNHAM,V.	9509270044	50-29	H	CAMPER,L.W.	9507170366*	FOIA	
BRANDKAMP,F.N.	9509150322*	40-*****		BURNS,J.	9509130167	50-374	Q	CAMPITELLI,A.	9509110139	40-9027	
BRIENT,R.D.	9509280223*	WASTE MGT		BURNS,M.	9509180298	50-295	S	CAMPPLIN,W.F.	9509070390	70-27	
BRINKMAN,C.B.	9509010273	XPORTLIC		BURSKI,R.F.	9509110164	50-382	Q	CANDREY,D.	9509010311	XPORTLIC	
BRINKMAN,C.B.	9509120085	52-1		BURSKI,R.F.	9509140004	50-382	R	CANIANO,R.J.	9509150278*	FOIA	
BRINKMAN,C.B.	9509120153	52-2		BURSKI,R.F.	9509200314	50-382	F	CANIANO,R.J.	9509190050*	50-295	Q
BRINKMAN,D.S.	9405230154*	50-245	Q	BURSKI,R.F.	9509210079	50-382	P	CANIANO,R.J.	9509210035*	FOIA	
BRINKMAN,D.S.	9509070134	50-334	P	BURSKI,R.F.	9509210231	50-382	P	CANNON,R.L.	9509120234*	50-293	S
BRINKMAN,D.S.	9509070141*	50-334	P	BURSKI,R.F.	9509220054	50-382	F	CANTRELL,J.D.	9509260142	50-331	V

252 PERSONAL AUTHOR INDLX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
CARPENTER,C.E.	9509150102	50-255	P	CHAPPELL,C.R.	9509200125	71-9225	COLLINS,S.C.	9509010123	STATE PRO G
CAPRIA,F.A.	9509060277	50-456	P	CHAPPELL,C.R.	9509200127*	71-9225	COLLINS,S.C.	9509260302	REGGD
CAPRIA,R.A.	9509070053	50-295	Q	CHAPPELL,C.R.	9509200130	71-9036	COLLINS,S.J.	9509080169	50-397
CAPRIA,R.A.	9508220147	50-254	Q	CHAPPELL,C.R.	9509200133*	71-9036	COLLINS,S.J.	9509110026*	50-498
CARDOZA,F.	9509270042	50-344	H	CHAPPELL,C.R.	9509200285	71-9228	COLLINS,S.J.	9509110035*	50-498
CAREW,J.F.	9509130124*	TOPREP		CHAPPELL,C.R.	9509200287*	71-9228	COLLINS,S.J.	9509110040*	50-498
CAREY,C.	9509070129*	50-155	H	CHAPPELL,C.R.	9509200294	71-9096	COLLINS,S.J.	9509110056*	50-498
CAREY,R.B.	9509140125*	FOIA		CHAPPELL,C.R.	9508200299*	71-9096	COLLINS,S.J.	9509110059*	50-498
CAREY,R.B.	9509140131*	FOIA		CHAPPELL,C.R.	9509210242	71-9035	COLLINS,S.J.	9509110250*	50-498
CAREY,R.B.	9509140135*	FOIA		CHAPPELL,C.R.	9509210261	71-9156	COLLINS,S.J.	9509260097	50-397
CAREY,R.B.	9509140142*	FOIA		CHAPPELL,C.R.	9509210315	71-9009	COLLINS,T.	9407010161*	50-341
CARRIER,P.P.	9509060205	PR		CHAPPELL,C.R.	9509210320	71-9035	COMA,M.	9509190230	50-29
CARRIER,P.P.	9509080165	50-390	A	CHAPPELL,C.R.	9509220149*	FOIA	COMFORT,G.	9403310249*	40-7102
CARRIER,P.P.	9509120001	50-390	F	CHAPPELL,C.R.	9509220306	71-5805	COMFORT,G.	9509110316	PROJ
CARRIER,P.P.	9509120144	50-259	P	CHAPPELL,C.R.	9509250170	71-9001	COMFORT,G.C.	9009260038*	40-8948
CARRIER,P.P.	9509140201	40-1341		CHAPPELL,C.R.	9509250175*	71-9001	COMFORT,G.C.	9509080219	PROJ
CARRIER,P.P.	9509220037	50-327	H	CHATTERTON,M.	9503170142*	50-220	COMFORT,G.C.	9509150119*	FOIA
CARINO,A.J.	9509120121*	FOIA		CHERB,J.H.	9509280059	PR	COMFORT,G.C.	9509150362*	FOIA
CARION,A.J.	9509120140*	FOIA		CHEUNG,L.S.	9509060220*	50-247	COMFORT,G.C.	9509180029*	FOIA
CARLIN,J.T.	9509120022	50-498	V	CHILD,C.L.	9509190159	50-29	CONDREY,D.	9509070251	70-1252
CARLSON,D.W.	9509140010*	50-282	S	CHOE,H.	9509110110*	FOIA	CONDREY,D.	9509070253	XPORTLIC
CARLSON,F.D.	9509190140	WASTE MGT		CHOE,H.	9509120187*	FOIA	CONDREY,D.	9509070262	XPORTLIC
CARNS,N.S.	9509010219	50-482	Q	CHOU,R.C.	9509180324*	50-259	CONNELLY,R.N.	9509120204	STATE PRO G
CARNS,N.S.	9509050263	50-482	P	CHRISSTIMOS,H.	9509190109*	50-254	CONNER,T.B.	9509180084*	50-219
CARNS,N.S.	9509060171	50-482	P	CHRISTENSEN,H.	9509070193	50-348	CONTE,R.J.	9509050301	50-271
CARNS,N.S.	9509120057	50-482	Q	CHRISTENSEN,H.	9509070195	50-416	CONTE,R.J.	9509260088*	50-271
CARNS,N.S.	9509120059	50-482	Q	CHRISTENSEN,H.	9509070237	50-416	CONWAY,K.C.	9509110054	70-135
CAROCIO,C.J.	9509250163	50-410	R	CHRISTENSEN,H.	9509070244*	50-416	COOK,J.G.	9509120054	50-461
CARPENTER,C.E.	9509070120	50-333	P	CHRISTENSEN,H.	9509180300	50-348	COOK,J.G.	9509130075	50-461
CARPENTER,C.E.	9509180363	50-333	P	CHRISTENSEN,H.	9509180308*	50-348	COOK,J.G.	9509200075	50-461
CARR,C.W.	9509180117	70-1201		CHRISTENSEN,H.	9509180316	50-395	COOL,D.A.	9509070016	40-*****
CARR,C.W.	9509200205	70-1201		CHRISTENSEN,H.	9509260260	50-220	COOL,D.A.	9509080162	70-*****
CARRASCO,J.E.	9509180229*	50-247	Q	CHRISTENSEN,H.	9509280185	50-348	COOL,D.A.	9509080182	40-*****
CARRION,R.P.	9509280236*	50-259	Q	CHRISTENSEN,H.	9509280211	50-395	COOL,D.A.	9509120266*	71-417
CARROLLE,W.	9509190213	50-10	R	CHRISTENSEN,H.	9509280220*	50-395	COOL,D.A.	9509130018	50-3
CARROLL,G.	9509110099	50-160	G	CHRISTIAN,D.A.	9509250266	50-280	COOL,D.A.	9508200155*	STATE PRO G
CARROLL,W.	9509110324*	FOIA		CHRISTNOT,E.F.	9509070256*	50-321	COOL,D.A.	9508260166*	NUREG
CARTER,J.S.	9509200102	50-413	P	CIALKOWSKI,M.J.	9508180187	50-373	COOL,D.A.	9509260289*	NUREG
CARTER,J.S.	9509250291	50-413	P	CICCONI,C.A.	9509120110*	FOIA	COOL,D.A.	9509270135	ORG
CARTER,J.S.	9509250294	50-413	P	CIOFFI,M.L.	9509260318*	FOIA	COOPER,D.J.	9509260353*	40-3453
CARTMELL,J.R.	9509130236*	FOIA		CIOFFI,M.L.	9509280054*	FOIA	COOPER,R.W.	9509050242	50-286
CASADA,D.A.	9509130143	NUREG		CIOFFI,M.L.	9509280066*	FOIA	COOPER,R.W.	9509110247	50-286
CASE,D.R.	9509130042*	70-*****		CLARK,R.	9509010054*	STATE PRO G	COOPER,R.W.	9509110265	50-220
CASEY,S.	9509130132*	FOIA		CLAY,G.W.	9509110244*	50-269	COOPER,R.W.	9509180340	50-334
CASHWELL,R.J.	9509190024	50-156	V	CLAYTON,B.	9509080108	50-461	COOPER,R.W.	9509250230*	FOIA
CASILLAS,J.L.	9509110110*	FOIA		CLAYTON,B.	9509080109*	50-461	COOPER,R.W.	9509260040	50-245
CASILLAS,J.L.	9509120178	FOIA		CLAYTON,H.B.	9509080157	50-461	COOPER,S.E.	9509200039	NUREG
CASTO,C.A.	9509070168	50-259	Q	CLAYTON,H.B.	9509080166*	50-461	COPELAND,R.A.	9509140088	TOPREP
CASTO,C.A.	9509070170	50-259	Q	CLAYTON,H.B.	9509190049	50-373	COPELAND,R.A.	9509280261	TOPREP
CASTO,C.A.	9509070174	50-259	Q	CLEMETS,T.	9509110152	1&E	CORDES,J.F.	9509120276	SECY
CASTO,C.A.	9509070178	50-280	P	CLESCERILL,S.	9509060273*	50-225	CORDES,J.F.	9509190352	SECY
CASTO,C.A.	9509070183	50-321	Q	CLIFFORD,J.W.	9509070116	50-387	COSTELLO,F.M.	9509260340*	FOIA
CASTO,C.A.	9509070225	50-259	Q	CLIFFORD,J.W.	9509190004	50-397	COSTELLO,F.M.	9509280285*	FOIA
CASTO,C.A.	9509180233	50-259	Q	CLIFFORD,J.W.	9509210305	50-397	COTE,A.E.	9509290071	PRM
CASTO,C.A.	9509180317	50-259	Q	CLIFFORD,J.W.	9509220249	50-397	GOTTER,B.P.	9508210102	40-8966
CASTO,C.A.	9509180326	50-280	P	CLIFFORD,J.W.	9509220253*	50-397	COTTE,W.T.	9311190198*	50-498
CASTO,C.A.	9509180361	50-424	Q	CLONINGER,T.H.	9509070001	50-498	COTTE,W.T.	9509110158*	50-498
CASTO,C.A.	9509280192	50-369	Q	CLONINGER,T.H.	9509190191	50-498	COTTE,W.T.	9509110187*	50-498
CESAR,D.	9509070105*	FOIA		COBERTH,C.R.	9508060113	FOIA	COTTE,W.T.	9509110270*	50-499
CESAR,D.	9509210039*	FOIA		COLBRUN,T.G.	9509120267	50-341	COTTE,W.T.	9509120104*	50-498
CESAR,D.	9509210043*	FOIA		COLEMAN,K.	9509050221*	COMMISSION	COTTRELL,T.E.	9509210020*	PROJ
CESAR,D.	9509210359*	FOIA		COLEMAN,K.	9509110162*	COMMISSION	COUTURE,K.	9509140021	71-9094
CESAR,D.	9509220011*	FOIA		COLEY,J.L.	9509070235*	50-259	COWGILL,C.	9509110053	50-333
CESAR,D.	9509220015*	FOIA		COLKITT,M.L.	9509120063	FOIA	COWGILL,C.J.	9509050247*	50-286
CHAFFEE,A.E.	9509200340	ORG		COLLIER,J.	9509070098*	FOIA	COWGILL,C.J.	9509050282	50-333
CHAFFEE,A.E.	9509220010	50-354	S	COLLINS,D.J.	9509180252	STATE PRO G	COWGILL,C.J.	9509050285*	50-333
CHAFFEE,A.E.	9509250331	PT21		COLLINS,D.J.	9509180264	STATE PRO G	COWGILL,C.J.	9509060225	50-220
CHAGUTURU,M.K.	9004280642*	FOIA		COLLINS,D.M.	9509010370	50-324	COWGILL,C.J.	9509080201	50-317
CHAGUTURU,M.K.	9509250048*	FOIA		COLLINS,D.M.	9509010371	50-259	COYNE,K.	9509250344	52-3
CHAGUTURU,M.K.	9509260019*	FOIA		COLLINS,D.M.	9509050306	50-259	CRAE,TREE,C.	9509250064	50-346
CHAMBERLAIN,D.	9509080198*	50-397	Q	COLLINS,D.M.	9509060164	50-335	CRAEDICK,D.	9509250373	50-265
CHAN,T.	9509140128	TOPREP		COLLINS,D.M.	9509070132*	FOIA	CRAFT,F.R.	9509110159	40-8903
CHANCELLOR,R.A.	9509070076	40-8857		COLLINS,D.M.	9509070149	50-327	CRAIG,K.	9509110150*	40-9027
CHANCELLOR,R.A.	9509110368	40-8502		COLLINS,D.M.	9509070152	40-8761	CRANE,K.L.	9509210074	50-369
CHANCELLOR,R.A.	9509120147	40-8971		COLLINS,D.M.	9509070190	70-143	CRANFORD,G.F.	9509220344*	FOIA
CHANCELLOR,R.A.	9509140081	40-8857		COLLINS,D.M.	9509070202	50-160	CRANFORD,G.F.	9509220348*	NUREG
CHANCELLOR,R.A.	9509260373	40-4492		COLLINS,D.M.	9509070245	70-1151	CRANFORD,G.F.	9509260252*	NUREG
CHAPPELL,C.R.	9509070086	71-9006		COLLINS,D.M.	9509110328	70-27	CRANFORD,G.F.	9509270226	ORG
CHAPPELL,C.R.	9509070089*	71-9006		COLLINS,D.M.	9509140367*	FOIA	CRANFORD,G.F.	9509270255	ORG
CHAPPELL,C.R.	9509070090	71-9793		COLLINS,D.M.	9509180236	70-27	CRANFORD,A.C.	9509270145*	50-267
CHAPPELL,C.R.	9509070093*	71-9793		COLLINS,D.M.	9509180288	STATE PRO G	CREEED,J.R.	9509120072	50-305
CHAPPELL,C.R.	9509080106	71-9032		COLLINS,D.M.	9509180306	70-143	CREEED,J.R.	9509130172	50-440
CHAPPELL,C.R.	9509080211	71-9236		COLLINS,D.M.	9509260153	50-261	CREEED,J.R.	9509140047	50-483
CHAPPELL,C.R.	9509080241	71-3025		COLLINS,D.M.	9509280172	70-1113	CREEED,J.R.	9509190091	50-295
CHAPPELL,C.R.	9509150361	71-9147		COLLINS,D.M.	9509280175	STATE PRO G	CREEED,J.R.	9509190110	50-255
CHAPPELL,C.R.	9509150365*	71-9147		COLLINS,E.E.	9509060359*	50-445	CREEED,J.R.	9509190115	50-461
CHAPPELL,C.R.	9509150368	71-6078		COLLINS,E.E.	9509110252*	50-445	CREEED,J.R.	9509190184	50-255
CHAPPELL,C.R.	9509150368*	71-6078		COLLINS,S.C.	9509010071	STATE PRO G	CREEED,J.R.	9509260090	50-282

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CRLENJAK, R.V.	9509070159	50-321	DE AGAZIO, A.W.	9509190363*	50-443	DOHM, A.J.	9509150085*	FOIA
CRLENJAK, R.V.	9509070161	50-413	DE AGAZIO, A.W.	9509200021	50-443	DOHM, A.J.	9509150109*	FOIA
CRLENJAK, R.V.	9509070177*	50-413	DE BLOCK, M.	9509050025	XPORTLIC	DOHM, A.J.	9509150115*	FOIA
CRLENJAK, R.V.	9509070185	50-369	DE BLOCK, M.	9509050054	XPORTLIC	DOHM, A.J.	9509150151*	FOIA
CRLENJAK, R.V.	9509070221	50-369	DE BLOCK, M.J.	9509120055	XPORTLIC	DOHM, A.J.	9509150274*	FOIA
CRLENJAK, R.V.	9509070228*	50-369	DE PRIEST, R.E.	9509260219*	50-213	DOLAN, B.	9509150086*	50-369
CRLENJAK, R.V.	9509070243	50-321	DE BARBA, E.A.	9509120019	50-213	DONAHUE, J.W.	9509050219	50-400
CRLENJAK, R.V.	9509070255	50-321	DE BARBA, E.A.	9509120019	50-213	DONAHUE, J.W.	9509120084	50-400
CRLENJAK, R.V.	9509180312	50-269	DE BARBA, E.A.	9509120043	50-336	DONAHUE, J.W.	9509260307	50-400
CRLENJAK, R.V.	9509280171	50-321	DE BARBA, E.A.	9509120062	50-245	DONAHUE, J.W.	9509280061	50-400
CRLENJAK, R.V.	9509280184	50-424	DE BARBA, E.A.	9509120062	50-245	DONNELLY, P.M.	9509060385	50-155
CRLENJAK, R.V.	9509280191	50-413	DE BARBA, E.A.	9509190312	50-336	DONNELLY, P.M.	9509130179	50-155
CRLENJAK, R.V.	9509280201	50-424	DE BARBA, E.A.	9509190322*	50-336	DONNELLY, P.M.	9509220093	50-155
CRLENJAK, R.V.	9509280219	50-413	DE BARBA, E.A.	9509200234	50-245	DONNELLY, P.M.	9509250299	50-155
CRLENJAK, R.V.	9509280235	50-369	DE BARBA, E.A.	9509200293	50-423	DONNELLY, P.M.	9509280250	50-155
CRLENJAK, R.V.	9509280244	50-321	DE BARBA, E.A.	9509200293	50-423	DONOHUE, J.N.	9509250304	52-3
CRLENJAK, R.V.	9509280245	50-369	DE BARBA, E.A.	9509280187	50-336	DONOVAN, S.K.	9509210217	50-424
CRONEBERGER, D.	9509060173	PROJ	DE BARBA, E.A.	950928031	50-245	DORMAN, D.H.	9509070011	50-271
CRONEBERGER, D.	9509150123	PROJ	DE BARBA, E.A.	9509280335	50-423	DORR, L.L.	9509210186	50-255
CROTEAU, R.P.	9509090199	50-250	DEBLOCK, M.J.	9509270153	XPORTLIC	DOTHY, K.	9509130181	NIUREG
CROTEAU, R.P.	9509210362	50-251	DECKER, T.R.	9509070163*	50-369	DOYLE, P.	9509180108	50-128
CROTEAU, R.P.	9509220201	50-250	DECKER, T.R.	9509280236*	50-259	DOYLE, P.V.	9509140345	50-288
CROTEAU, R.P.	9509220205	50-250	DEE, S.A.	9509060150	FOIA	DOYLE, P.V.	9509140375	50-186
CROTEAU, R.P.	9509220230	50-250	DEESE, R.J.	9509080050*	50-369	DOYLE, P.V.	9509290118*	50-62
CRUSE, C.H.	9509010115	50-317	DEESE, R.J.	9509190086	50-370	DOZIER, J.E.	9509250114*	QA999
CRUSE, C.H.	9509120123	50-317	DEESE, R.J.	9509220160	50-369	DRAGONETTE, K.S.	9509180077*	40-8406
CRUSE, C.H.	9509190258	50-317	DEFAYETTE, R.W.	9509150049	40-7102	DRAGON, T.	9509180210	50-20
CRUSE, C.H.	9509210118	50-317	DEKOK, D.	9509060037	50-219	DRAWBRIDGE, B.L.	9509260056*	50-443
CRUTCHFIELD, D.	9508310033	50-3	DEKOK, D.	9509110011	FOIA	DRAWBRIDGE, B.L.	9509290015*	50-443
CRUTCHFIELD, D.	9508310198	50-3	DEKOK, D.	9509110380	50-146	DROMERICK, A.W.	9509070063	50-219
CRUTCHFIELD, D.	9509050009	50-3	DEKOK, D.	9509180040	50-219	DROMERICK, A.W.	9509080298	50-219
CRUTCHFIELD, D.	9509140386	50-3	DELEZENSKI, J.	9509060115	50-312	DROMERICK, A.W.	9509200267	50-219
CRUTCHFIELD, D.	9509180341	50-3	DELEZENSKI, J.	9509110051	50-312	DROMERICK, A.W.	9509270216	50-219
CRUTCHFIELD, D.	9509200232	50-3	DELKA, R.	9509270067	PR	DUBE, D.A.	9509070252	50-245
CRUTCHFIELD, D.	9509220300	50-3	DELLA GRECA, A.	9509060220*	50-247	DUBINSKI, L.	9509130229*	FOIA
CRUTCHFIELD, S.	9509130120*	FOIA	DELMEDICO, J.	9509220248	I&E	DUDLEY, R.F.	9509050342	50-155
CRUZ, J.B.	9509080006	50-150	DEMARCO, D.A.	9509180052	FOIA	DUDLEY, R.F.	9509060005	50-155
CUMMILLER, J.U.	9509250027	70-1252	DEMARCO, D.A.	9509180059*	FOIA	DUDLEY, R.F.	9509120242	50-155
CUNNINGHAM, L.J.	9509200022	50-298	DEMARCO, D.A.	9509180062*	FOIA	DUDLEY, R.F.	9509210360	50-155
CUNNINGHAM, R.E.	9005170298*	40-8948	DEMBEK, S.	9509200192	TOPREP	DUDZIAK, D.J.	9509010222	50-297
CUNNINGHAM, R.E.	9110280324*	40-8948	DEMBEK, S.	9509210042	50-395	DUFFY, J.J.	9509060177	50-271
CURRAN, D.	9509080084	40-8027	DEMBEK, S.	9509210298	50-395	DUFFY, J.J.	9509140014	50-271
CURRAN, D.	9509110065	40-8027	DEMBEK, S.	9509210343	50-395	DUFFY, J.J.	9509190207	50-271
CURRAN, D.	9509110065	40-8027	DEMBEK, S.	9509220232	50-395	DUFFY, J.J.	9509220083	50-271
CURRAN, D.	9509110067*	40-8027	DEMBEK, S.	9509260227	50-395	DUGSTAD, D.	9509140001	50-282
CURRAN, D.	9509110067*	40-8027	DEMICHELE, O.M.	9509010179*	50-528	DUMS, D.	9509260267	50-266
CURRAN, D.	9509110087	40-8027	DEMING, E.J.	9509180011*	FOIA	DUNCAN, D.V.	9509110255*	50-269
CURRAN, D.	9509110100*	40-8027	DEMPEY, D.A.	9509180256*	50-423	DUNCAN, M.D.	9509210133*	50-424
CURRAN, D.	9509110103*	40-8027	DENTON, H.R.	9509060259*	50-324	DUNCAN, S.M.	9509080061	40-8027
CURRAN, D.	9509210127	40-8027	DENTON, R.E.	9509070071	50-317	DUNCAN, S.M.	9509080072*	40-8027
CURRAN, D.	9509210127	40-8027	DENTON, R.E.	9509070296	50-317	DUNCAN, S.M.	9509080072*	40-8027
CURRY, J.E.	9509150348*	FOIA	DENTON, R.E.	9509150004	50-317	DUNCAN, S.M.	9509080083	40-8027
CUTLER, G.	9509270096	50-29	DENTON, R.E.	9509150108	50-317	DUNCAN, S.M.	9509080083	40-8027
CWALINA, G.C.	9509060203*	QA999	DENTON, R.E.	9509190155	50-317	DUNCAN, S.M.	9509080095*	40-8027
CWALINA, G.C.	9509190133*	QA999	DENTON, R.E.	9509260351	50-317	DUNCAN, S.M.	9509080095*	40-8027
CYGAN, J.	9508200088	50-304	DERDEL, J.	9509120095*	FOIA	DUNCAN, S.M.	9509210135	40-8027
CYR, D.	9509260292*	50-496	DESANTI, J.	9509260215*	71-9193	DUNCAN, S.M.	9509210135	40-8027
CYR, K.D.	9509210338*	ORG	DESANTI, J.	9509260276*	71-9193	DUNN, D.R.	9509080158	50-160
CYR, K.D.	9509280084*	ORG	DEVINE, J.B.	9509060199*	FOIA	DUNN, D.R.	9509080158	50-160
CZERWINSKY, J.I.	9509210007	30-1786	DEVINE, J.B.	9509060206*	FOIA	DUNN, D.R.	9509080197	50-160
DACIMO, F.R.	9509140030	50-213	DEWEASE, J.G.	9509060210	PR	DUNN, D.R.	9509080197	50-160
DACIMO, F.R.	9509220296	50-213	DEWISPELARE, A.	9509140385	WASTE MGT	DURR, J.P.	9509110235	50-245
DAHL, G.	9509010118	50-247	DEWISPELARE, A.	9509280231	WASTE MGT	DWYER, J.P.	9509250240*	FOIA
DAHLBERG, K.A.	9509060175	50-220	DEWISPELARE, A.	9509280238	WASTE MGT	DYER, J.E.	9509010061	50-228
DANDOLIS, D.B.	9408050234*	40-7102	DEXTER, T.W.	9509150221*	50-482	DYER, J.E.	9509050026	50-275
DANDOLIS, D.B.	9502100029*	40-7102	DICHARRY, R.D.	9509140085	FOIA	DYER, J.E.	9509060333	50-458
DANIEL, S.J.	9509150313*	FOIA	DICHARRY, R.F.	9509060028*	FOIA	DYER, J.E.	9509070135	50-498
DAO, T.V.	9509190205	50-302	DICK, G.F.	9509060336	50-454	DYER, J.E.	9509080163	50-382
DARCY, B.A.	9509190125	50-29	DICK, G.F.	9509080196*	50-454	DYER, J.E.	9509080170	50-458
DARDEN, T.H.	9509250188	40-8852	DICK, G.F.	9509200056	50-454	DYER, J.E.	9509080188	50-313
DAVIDSON, W.	9207290065*	FOIA	DIDONATO, G.	9509150323*	FOIA	DYER, J.E.	9509120142	50-416
DAVIS, A.B.	8005070786*	FOIA	DIECKAMP, H.	9509150317*	FOIA	DYER, J.E.	9509140022	50-285
DAVIS, A.B.	8007180860*	FOIA	DIECKAMP, H.	9509150317*	FOIA	DYER, J.E.	9509140024	50-382
DAVIS, A.B.	9509140016*	FOIA	DIMASCIO, N.J.	9509220051	50-29	DYER, J.E.	9509150182	50-298
DAVIS, D.A.	9509120062*	FOIA	DIMITRIADIS, A.	9509120311	40-8148	DYER, J.E.	9509180278	50-397
DAVIS, F.C.	9509110105*	FOIA	DINGMAN, G.	9509110212*	50-245	DYER, J.E.	9509180292	50-482
DAVIS, F.C.	9509110258*	FOIA	DINUNNO, J.J.	9509150308*	FOIA	DYER, J.E.	9509200337	50-416
DAVIS, F.C.	9509130045*	70-*****	DIWISPELARE, A.	9509280218	WASTE MGT	DYER, J.E.	9509200349	50-458
DAVIS, F.C.	9509180027*	40-*****	DOCTOR, S.R.	9409120195*	50-249	DYER, J.E.	9509210209	50-382
DAVIS, F.C.	9509210058*	FOIA	DODAR, R.	9509010164	STATE PRO G	DYER, J.E.	9509210301	50-298
DAVIS, F.C.	9509210061*	FOIA	DODA, R.J.	9509110218*	STATE PRO G	DYER, J.E.	9509260062	50-482
DAVIS, J.	8901120510*	FOIA	DODSON, N.G.	9509150120*	FOIA	DYER, J.E.	9509260082	50-397
DAVIS, J.	8901120515*	FOIA	DODSON, N.G.	9509150230*	FOIA	DYER, J.E.	9509260356	50-382
DAVIS, J.	9003120112*	FOIA	DOERFLEIN, L.T.	9509060237*	50-220	DYER, J.E.	9509270016	50-361
DAVIS, J.	9509130147*	FOIA	DOERFLEIN, L.T.	9509080206*	50-317	DYER, J.E.	9509280203	50-498
DE AGAZIO, A.W.	9509060086	50-443	DOHM, A.J.	9509150121*	FOIA	EARL, C.J.	9509110070*	40-8027
DE AGAZIO, A.W.	9509180102	50-443	DOHM, A.J.	9509140344*	FOIA	EARL, C.J.	9509110070*	40-8027
DE AGAZIO, A.W.	9509190357	50-443	DOHM, A.J.	9509140362*	FOIA	EARL, C.J.	9509110111*	40-8027

254 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
EASTON,J.J.	9509120106*	FOIA	FEIGHTNER,C.C.	9509150090*	FOIA	FREDRICKSON,P.	9509070165*	50-390 Q
EATON,R.B.	9509120235	50-293 P	FEINER,F.	9509110196	NUREG	FREDRICKSON,P.	9509070239*	50-390 O
EATON,R.B.	9509120237*	50-293 P	FEINER,F.	9509110202	NUREG	FREDRICKSON,P.	9509280227*	50-390 O
EATON,R.B.	9509120294	50-293 P	FEINER,F.	9509110205	NUREG	FREDRICKSON,P.	9509280260*	50-390 O
EATON,R.B.	9509220200	50-293 P	FEINER,F.	9509110210	NUREG	FREDRICKSON,P.	9509180296*	50-390 O
EBELING-KONING	9509120087	TOPREP	FELMLY,R.	9509110263*	FOIA	FREE,R.E.	9509010179*	STATE PRO G
EBELING-KONING	9509120087	TOPREP	FEMREITE,B.N.	9509280043	70-1257	FREELAND,L.R.	9509060276	50-412 S
EBELING-KONING	9509150078	TOPREP	FENECH,R.A.	9509120074	PR	FREELAND,L.R.	9509190007	50-412 S
EBELING-KONING	9509150078	TOPREP	FENECH,R.A.	9509200318	50-155 P	FREELAND,L.R.	9509200006	50-334 S
EBELING-KONING	9509180103	TOPREP	FERDINAND,B.	9509260052	40-8964	FREELAND,L.R.	9509260906	50-334 S
EBELING-KONING	9509180103	TOPREP	FESSLER,P.	9509080063	50-16 R	FREEMAN,D.S.	9509140004	50-362 R
EBNETER,S.D.	9509070279*	50-474 G	FETHERSTON,N.W.	9509190188	50-29 H	FREEMAN,E.S.	9509060160	FOIA
EBNETER,S.D.	9509180239	50-325 Q	FIELDS,M.B.	9509060348	50-361 P	FREEMAN,W.P.	9509130084*	50-461 P
EBNETER,S.D.	9509180307	50-269 Q	FIELDS,M.B.	9509060350*	50-361 P	FREEMAN,W.P.	9509290115*	50-302 P
EBNETER,S.D.	9509180311	50-369 Q	FIELDS,M.B.	9509190011	50-361 P	FREEMAN,W.P.	9509290116*	50-302 P
EBNETER,S.D.	9509180366	50-424 Q	FIELDS,M.B.	9509200254	50-361 P	FREUDENBURGER	9509070177*	50-413 O
EBNETER,S.D.	9509190177*	50-296 P	FIELDS,M.B.	9509200262*	50-361 P	FRIEDMAN,J.	9509290063	50-29 H
EBNETER,S.D.	9509280204	50-369 Q	FILLION,P.	9509180227*	50-390 Q	FRIEDMAN,L.F.	9103080259*	FOIA
EBNETER,S.D.	9509280278	STATE PRO G	FINN,J.A.	9509130095*	FOIA	FRIEDMAN,L.F.	9509130011*	FOIA
EDELMAANN,P.	9509210181	50-219 R	FINN,M.J.	9509180146	50-267 R	FRJOUF,J.A.	9509260194	50-302 S
EDLSON,H.I.	9509210020*	PROJ	FISCHER,M.J.	9509210203	71-9253	FRIZZLE,C.D.	9509050157	50-309 P
EDGAR,J.B.	9509070231	XPORTLIC	FISH,R.F.	9509120368*	70-****	FRIZZLE,C.D.	9509050209	50-309 P
EDGAR,J.B.	9509210205	71-9248	FISHER,S.L.	9509120086*	FOIA	FUHRMEISTER,R.	9509260273*	FOIA
EDGE,R.	9509120139	WASTE MGT	FISICARO,J.J.	9509260374	50-458 P	FUHRMEISTER,R.	9509260304*	FOIA
EDISON,G.E.	9509050327	50-410 P	FISICARO,J.J.	9509010131	50-458 F	FUHRMEISTER,R.	9509260323*	FOIA
EDISON,G.E.	9509140221	50-410 P	FISICARO,J.J.	9509010143	50-458 R	FUHRMEISTER,R.	9509270234*	FOIA
EDISON,G.E.	9509190307	50-410 P	FISICARO,J.J.	9509070261	50-458 I	FUHRMEISTER,R.	9509270244*	FOIA
EDISON,G.E.	9509280112	50-220 P	FISICARO,J.J.	9509190103	50-458 S	FUHRMEISTER,R.	9509280109*	FOIA
EDMONDS,W.A.	9509210006	50-334 S	FISICARO,J.J.	9509180243	50-453 R	FUJIMOTO,W.H.	9509010146	50-275 R
EDWARDS,D.L.	9509080200	40-3453	FISICARO,J.J.	9509220081	50-458 P	FUJIMOTO,W.H.	9509080031	50-275 S
EDWARDS,G.D.	9509010012	50-278 S	FISICARO,J.J.	9509260060	50-458 S	FUJIMOTO,W.H.	9509260156	50-275 F
EDWARDS,G.D.	9509150167	50-277 P	FITZPATRICK,E.	9509010129	50-315 P	FULLER,M.D.	9509290056	50-29 H
EDWARDS,G.D.	9509190003	50-277 S	FITZPATRICK,E.	9509110364	50-315 P	FULTON,J.D.	9509190226	50-526 R
EDWARDS,G.D.	9509190361	50-277 S	FITZPATRICK,E.	9509140011	50-315 P	FUNK,D.E.	9509180021*	40-7102
EDWARDS,G.D.	9509290089	50-277 S	FITZPATRICK,E.	9509140020	50-315 P	FUOTO,J.S.	9509210113*	50-331 F
EDWARDS,G.E.	9509280252*	FOIA	FITZPATRICK,E.	9509190062	50-315 V	FURIA,J.	9509180222*	50-245 Q
EINBERG,C.E.	9509130070*	WASTE MGT	FITZPATRICK,E.	9509210084	50-315 P	FURIA,J.T.	9509120018	50-317 P
ELLENY,M.	9509270091	50-29 H	FITZPATRICK,E.	9509280064	50-315 P	FURSTENBERG,S.	9509080269	50-395 P
ELLIOT,M.P.	9509180261*	70-27	FITZPATRICK,E.	9509290010	50-315 P	FURTADO,V.C.	9509140200*	FOIA
ELLIS,J.H.	9509200303	40-8027	FITZPATRICK,E.	9509120347	PT21	FURTADO,V.C.	9509140232*	FOIA
ELLMAN,S.F.	9509280137	40-****	FLACK,E.D.	9509080284	70-27	GALBRAITH,S.G.	9507260172*	50-309 Q
EMBREE,D.G.	9509180179	50-397 R	FLAGG,R.	9509190200	50-333 R	GALBRAITH,S.G.	9508110271*	50-295 Q
EMMONS,K.W.	9509220296	50-213 R	FLAHERTY,J.J.	9503140296*	FOIA	GALLAGHER,J.M.	9509210237	50-397 Q
ENGLE,L.	9509270220	50-280 F	FLAHERTY,J.J.	9509150120*	FOIA	GALLAGHER,M.C.	9509080213	50-284 H
ENGLE,L.B.	9509060343	50-280 P	FLAHERTY,J.J.	9509150230*	FOIA	GALLAGHER,M.P.	9509190241	50-352 R
ENGLE,L.B.	9509190278	50-336 P	FLANDERS,S.C.	9509150016	PROJ	GALLO,R.M.	9509060188	QA999
ENGLERT,J.P.	9509180091	40-7580	FLEMING,J.A.	9509220146*	50-390 H	GALLO,R.M.	9509060203*	QA999
ENGLISH,D.E.	9509140381*	FOIA	FLETCHER,C.D.	9509150307	NUREG	GALLO,R.M.	9509190081	QA999
ENGLISH,L.K.	9509050108	FOIA	FLETCHER,R.G.	9509200112	STATE PRO G	GALLO,R.M.	9509190133*	QA999
ENGLISH,L.K.	9509080036	FOIA	FLORES,R.	9509120329*	50-445 S	GALLO,R.M.	9509210151	QA999
ENGLISH,L.K.	9509120047	FOIA	FLOWE,J.M.	9509130083	71-789	GALLOWAY,M.E.	9509280118*	FOIA
EPSTEIN,E.	7910010753*	FOIA	FLYNN,J.J.	8507260146*	FOIA	GALLOWAY,M.E.	9509050341*	STATE PRO G
EPSTEIN,E.	9509180061*	FOIA	FLYNN,J.J.	8507260161*	FOIA	GAMBERONI,M.	9509190398	50-255 Y
ERNSTES,M.E.	9509070236*	50-269 V	FOLDS,L.	9509120160*	FOIA	GAMBERONI,M.	9509280189	50-265 P
ESSIG,T.H.	9509190306	50-261 F	FONNER,R.L.	9509180068*	FOIA	GARCIA,A.	9509010316	WASTE MGT
EUBANK,T.	9509200304	50-275 R	FORBES,D.B.	9509280194*	50-324 O	GARCIA,A.	9509210341	WASTE MGT
EYES,C.S.	9409300099*	40-8948	FORBES,M.	9509270057	50-29 H	GARDNER,R.N.	9509050021*	50-255 Q
EYES,C.S.	9502100040*	40-7102	FORD,E.W.	9509010050	50-382 S	GARDNER,R.N.	9509210300*	50-255 Q
EYES,C.S.	9509060014	40-****	FORD,E.W.	9509290061	50-344 H	GARRETT,P.	9509260080	50-245 S
EYES,C.S.	9509130205	40-****	FORGETTE,T.E.	9509120370	50-317 F	GARROW,C.	9509120079*	50-293 Q
EYES,C.S.	9509180089*	40-8948	FORGETTE,T.E.	9509190164	50-317 F	GARTH,S.T.	9509120044	FOIA
EYES,C.S.	9509210144	40-7102	FORNICOLA,J.C.	9509050294	PR	GASKH,M.C.	9509180058*	50-219 P
EYES,C.S.	9509210192	40-7102	FOSSEY,F.G.	9509070260	40-8084	GASKH,M.C.	9509210082*	50-219 P
EYCKE,Q.	9509070014	70-27	FOSTER,D.J.	9509130160*	FOIA	GASSER,T.M.	9509270039	50-344 H
EYCKE,Q.	9509080046	70-7001	FOSTER,D.L.	9509110346*	FOIA	GATES,W.G.	9509050290	50-285 Q
EYCKE,Q.	9509280025	PR	FOSTER,P.L.	9509070295	70-27	GATES,W.G.	9509190097	50-285 P
FADER,A.	7912310309*	FOIA	FOSTER,W.W.	9509060101*	50-269 F	GAY,B.L.	9509050326*	FOIA
FANNING,G.	9509250348	50-295 S	FOUCH,T.	9509150383	50-274 H	GEORGE,M.	9509070271	XPORTLIC
FARBER,M.	9509270204*	50-456 Q	FOWLER,J.	9509060083	40-8968	GEORGE,M.	9509070280	XPORTLIC
FARBER,M.J.	9509270189	50-266 Q	FOWLKES,R.M.	9509070318	50-395 F	GEORGE,M.	9509070290	XPORTLIC
FARBER,M.J.	9509270202*	50-266 Q	FOWLKES,R.M.	9509190113	50-395 S	GEORGE,M.	9509150183	70-1426
FARNHOLTZ,T.R.	9509280220*	50-395 F	FOWLKES,R.M.	9509250267	50-395 F	GEORGE,M.	9509150235	70-1426
FARRER,D.	9509200304	50-275 R	FRANCESCHI,V.	9509110095	72-1004	GEORGE,M.	9509150260	70-1426
FARJUNKNER,M.	9509070139	50-483 F	FRANK,P.H.	9509050033	50-275 H	GEORGE,M.	9509150305	70-1426
FEIGE,E.J.	9507260172*	50-309 Q	FRANOVICH,M.X.	9509070015	52-3	GEORGE,M.	9509250009	70-1426
FEIGE,E.J.	9508110271*	50-295 Q	FRANOVICH,M.X.	9509110295	52-3	GEORGE,M.	9509250012	XPORTLIC
FEIGE,E.J.	9509120068*	50-281 Q	FRANOVICH,M.X.	9509200310	52-3	GEORGE,M.	9509250020	70-1426
FEIGENBAUM,T.	9509190096	50-443 S	FRANOVICH,M.X.	9509250379	52-3	GEORGE,M.	9509250042	70-1426
FEIGENBAUM,T.C.	9509080011	50-443 P	FRANTZ,S.G.	9509270024	50-344 H	GERBER,R.C.	9509150072*	FOIA
FEIGENBAUM,T.C.	9509080066	50-443 F	FRANTZ,S.P.	9509190079	52-1	GERBER,R.C.	9509150079*	FOIA
FEIGENBAUM,T.C.	9509080215	50-443 S	FRANZ,J.F.	9509060335	50-331 V	GERBER,R.C.	9509150092*	FOIA
FEIGENBAUM,T.C.	9509110108	50-443 P	FRANZ,J.F.	9509120080	50-331 P	GERELER,K.	9509010023	50-295 S
FEIGENBAUM,T.C.	9509110112*	50-443 P	FRANZ,J.F.	9509250210	50-331 P	GERSHMAN,A.I.	9509050060*	50-373 P
FEIGENBAUM,T.C.	9509190036	50-443 P	FRASER,R.G.	9509080203	50-262 S	GERSHMAN,A.I.	9509070287*	50-373 P
FEIGENBAUM,T.C.	9509190209	50-443 R	FRASER,R.G.	9509130099	50-262 S	GHEZZI,J.W.	9509070006	FOIA
FEIGENBAUM,T.C.	9509250279	50-443 P	FRAZEE,D.	9509130134*	FOIA	GIANIOS,C.E.	9509280160*	STATE PRO G
FEIGENBAUM,T.C.	9509260053	50-443 P	FRAZZE,T.C.	9509010132	STATE PRO G	GIBBS,L.P.	9509280248	50-317 F
FEIGENBAUM,T.C.	9509290012	50-443 P	FREDRICKSEN,R.	9509210080*	50-333 P	GIBBS,R.D.	9509070239*	50-390 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
GIBSON, A.	9509070220	50-269	V	GRABO, B.A.	9509050127	50-528	S	GUNDRUM, L.L.	9509080234*	50-346	F
GIBSON, A.F.	9509070224	50-321	Q	GRABO, B.A.	9509050147	50-528	S	GUNDRUM, L.L.	9509290033	50-346	F
GIBSON, R.	9509250111	70-221		GRABO, B.A.	9509120078*	50-528	S	GUNTER, P.	9509200084	I&E	
GILLEN, D.M.	9509190175	WASTE MGT		GRABO, B.A.	9509260109	50-528	S	GUNTER, P.	9509270052	50-29	H
GILLILAN, G.M.	9509150095*	50-390	G	GRAESSER, K.L.	9509150017	50-454	Q	GUSTAFSON, D.	9509200143	50-456	S
GILLILAN, G.M.	9509150110*	50-390	G	GRAESSER, K.L.	9509260146	50-454	P	GUSTKEY, A.S.	9509260230	70-3052	
GILLILAN, G.M.	9509150117*	50-390	G	GRAHAM, M.E.	9508280126	40-****		GUSTKEY, A.S.	9509260233*	70-3052	
GILLILAN, G.M.	9509150122*	50-390	G	GRAINEY, M.W.	9509270056	50-344	H	GUYMAN, R.	9509120167*	71-****	
GILLILAN, G.M.	9509150147*	50-390	G	GRAMM, P.	9509110350*	50-445	P	GWYNN, T.P.	9509100060	50-382	Q
GINGRICH, N.	9509200376*	FOIA		GRAMM, P.	9509110371*	FOIA		GWYNN, T.P.	9509101119	50-482	P
GIPSON, D.R.	9509010142	50-341	R	GRAMM, P.	9509120155*	FOIA		GWYNN, T.P.	9509050039	50-397	Q
GIPSON, D.R.	9509050152	50-341	P	GRAMM, P.	9509120175*	FOIA		GWYNN, T.P.	9509060208	50-482	Q
GIPSON, D.R.	9509050156	50-341	P	GRANDUSKY, E.	9509010203	50-317	S	GWYNN, T.P.	9509060239	50-361	P
GIPSON, D.R.	9509080063	50-16	R	GRANT, G.E.	9509010270	50-263	Q	GWYNN, T.P.	9509060351	50-445	Q
GIPSON, D.R.	9509190022	50-341	S	GRANT, G.E.	9509050018	50-255	Q	GWYNN, T.P.	9509110233	50-445	Q
GIPSON, D.R.	9509190023	50-341	Q	GRANT, G.E.	9509050208	50-456	Q	GWYNN, T.P.	9509210221	50-397	Q
GIPSON, D.R.	9509190247	50-341	R	GRANT, G.E.	9509210292	50-255	Q	GWYNN, T.P.	9509250099	50-275	V
GIPSON, D.R.	9509250280	50-341	Q	GRANT, G.E.	9509210322	50-237	V	GWYNN, T.P.	9509250146	50-397	V
GIPSON, D.R.	9509260320	50-341	P	GRANT, J.M.	9509060346	50-29	Q	GWYNN, T.P.	9509270005	50-397	Q
GIRARD, E.	9509070241*	50-321	Q	GRAY, J.R.	9509150081*	50-390	G	GWYNN, T.P.	9509270006	50-458	Q
GIRE, P.J.	9509050154*	50-255	S	GREAVES, R.A.	9509260366	71-9168		GWYNN, T.P.	0508270160	50-361	P
GIRE, P.J.	9509190053*	50-255	S	GREEN, R.T.	9509150281	NUREG		HAAS, K.M.	9509050151	50-255	S
GIVSON, A.F.	9509280216	50-280	V	GREEN, T.	9412120038*	50-325	S	HAAS, K.M.	9509070044	50-255	S
GLEASON, J.P.	9509080074*	40-8027		GREENE, R.H.	9509130143	NUREG		HAAS, K.M.	9509070182	50-255	S
GLENN, C.	9309090316*	40-8948		GREENE, T.	9411150586*	50-249	P	HAASS, W.P.	9509190364	REVIEW GR	P
GLENN, C.	9410050027*	40-7397		GREEVES, J.T.	9311050001*	40-861		HADEN, R.	9509010278*	STATE PRO	G
GLENN, C.	9509150363*	FOIA		GREEVES, J.T.	9509130231*	FOIA		HADEN, R.	9509010291*	STATE PRO	G
GLENN, C.	9509180081*	FOIA		GREEVES, J.T.	9509150345*	FOIA		HADEN, R.	9509200142*	STATE PRO	G
GLENN, C.	9509180111*	FOIA		GREEVES, J.T.	9509190222	WASTE MGT		HADEN, R.	9509200158*	STATE PRO	G
GLENN, C.J.	9406080259*	40-8948		GRESHO, M.	8209270397*	FOIA		HADEN, R.	9509200161*	STATE PRO	G
GLENN, C.J.	9509150052*	FOIA		GRESKO, M.C.	9509140364*	FOIA		HADLEY, E.	9509080209	50-245	G
GLENN, C.J.	9509150063*	FOIA		GRIER, B.H.	9509220017*	FOIA		HADLEY, E.C.	9509110306	50-245	G
GLENN, C.J.	9509150127*	FOIA		GRIFFIN, S.B.	9509250263	FOIA		HADLEY, E.C.	9509260300*	FOIA	
GLENN, C.J.	9509150131*	FOIA		GRIFFIN, T.G.	9509120136*	FOIA		HADLEY, E.C.	9509260334*	FOIA	
GLENN, C.J.	9509150141*	FOIA		GRIFF, W.H.	9509110242*	50-269	I	HADLEY, E.C.	9509270270*	FOIA	
GLENN, C.J.	9509180121*	FOIA		GRIMES, B.K.	9502140198*	50-245	P	HAELSIG, R.T.	9509200222	72-1009	
GLENN, F.E.	9509110327*	FOIA		GRIMES, B.K.	9509180055*	50-219	P	HAGAN, J.J.	9509180251	50-482	P
GLENN, F.E.	9509110352*	FOIA		GRIMES, C.I.	9509190052	PR		HAGAN, J.J.	9509250135	50-272	P
GLENN, G.E.	9509200328*	FOIA		GRIMES, C.I.	9509220308	NUREG		HAGAN, R.C.	9509220067	50-482	P
GLENN, J.E.	8503120079*	70-1163		GRIMES, C.I.	9509290016	TOPREP		HAGAN, R.C.	9509220114	50-482	P
GLENN, J.E.	8507260127*	FOIA		GRIMM, J.	9211040065	40-8968		HAGAN, R.C.	9509250021	50-482	P
GLENN, J.E.	8507260138*	FOIA		GRIPPARDI, R.P.	9509190149	50-29	H	HAGAN, R.C.	9509250270	50-482	Q
GLENN, J.E.	8602070229*	FOIA		GROBE, J.	9509140192*	FOIA		HAGAN, T.	9509260057*	NUREG	
GLENN, J.E.	8602070230*	FOIA		GROBE, J.A.	9307190026*	FOIA		HAGEMAN, R.C.	9509110386*	FOIA	
GLENN, J.E.	8602070233*	FOIA		GROBE, J.A.	9509120041*	FOIA		HAISFIELD, M.	9509050336	PR	
GLENN, J.E.	8602070235*	FOIA		GROBE, J.A.	9509150331*	FOIA		HALL, D.P.	9509130019*	FOIA	
GLENN, J.E.	8903140830*	FOIA		GROSSMAN, N.	9509130156	NUREG		HALL, D.P.	9509130027*	50-496	P
GLENN, J.E.	8903140837*	FOIA		GUILDAY, P.	9509090158	50-160	G	HALL, J.R.	9509120303	50-296	F
GLENN, J.E.	9201310253*	FOIA		GUILDAY, P.	9509090156	50-160	G	HALL, J.R.	9509120309*	50-296	F
GLENN, J.E.	9509110342*	FOIA		GUILDAY, P.	9509080197	50-160	G	HALL, J.R.	9509200290	50-296	F
GLENN, J.E.	9509110349*	FOIA		GUILDAY, P.	9509080197	50-160	G	HALL, J.R.	9509200398*	50-296	F
GLENN, J.E.	9509120324*	FOIA		GUNDERSEN, A.	9509250073*	FOIA		HALL, J.R.	9508220024	50-296	P
GLENN, J.E.	9509130005*	FOIA		GUNDERSEN, A.	9509250388*	FOIA		HALL, J.R.	9509220039	50-296	P
GLENN, J.E.	9509140304*	FOIA		GUNDERSEN, A.	9509250333*	FOIA		HALL, J.R.	9509220052	50-296	P
GLENN, J.E.	9509150310*	40-8940		GUNDERSEN, A.	9509250398*	FOIA		HALL, J.R.	9509220256	50-296	P
GLENN, J.E.	9509200333*	FOIA		GUNDERSEN, A.	9509260281*	FOIA		HALL, K.W.	9509120068*	50-281	Q
GLENN, J.E.	9509220013*	FOIA		GUNDERSEN, A.	9509260263*	FOIA		HALL, R.	9509280035*	FOIA	
GLENN, J.E.	9509220284*	40-8948		GUNDERSEN, A.	9509260278*	FOIA		HALLGREN, J.	9306140129*	FOIA	
GLENN, J.F.	9509200336*	FOIA		GUNDERSEN, A.	9509260310*	FOIA		HALMON, E.	9509140078	CONTRACT	
GLINSKI, R.	9509150054*	40-7102		GUNDERSEN, A.	9509260311*	FOIA		HALNON, G.	9509150352	50-302	F
GLINSKI, R.L.	9401120006*	FOIA		GUNDERSEN, A.	9509260330*	FOIA		HALTIWANGER, J.	9509180200	50-395	R
GLINSKI, R.L.	9401250049*	FOIA		GUNDERSEN, A.	9509270194*	FOIA		HAMILTON, M.A.	9509130162	NUREG	
GLINSKI, R.L.	9410050027*	40-739		GUNDERSEN, A.	9509270271*	FOIA		HAMPTON, J.W.	9509010093	50-269	P
GLINSKI, R.L.	9509220004*	40-7102		GUNDERSEN, A.	9509280036*	FOIA		HAMPTON, J.W.	9509010102	50-269	P
GLINSKI, R.L.	9509260076*	40-****		GUNDERSEN, A.	9509280039*	FOIA		HAMPTON, J.W.	9509050314	50-269	P
GLOERSEN, W.B.	9509070254*	70-115		GUNDERSEN, A.	9509280042*	FOIA		HAMPTON, J.W.	9509060089	50-269	F
GLOERSEN, W.B.	9509180315*	70-141		GUNDERSEN, A.	9509280047*	FOIA		HAMPTON, J.W.	9509070238	50-269	C
GNOSINI, M.	9509190143	50-29	H	GUNDERSEN, A.	9509280050*	FOIA		HAMPTON, J.W.	9509080007	50-269	S
GODDARD, C.S.	9509060219	50-29	R	GUNDERSEN, A.	9509280062*	FOIA		HAMPTON, J.W.	9509110154	50-269	P
GODY, A.T.	9409010080*	50-296	C	GUNDERSEN, A.	9509280115*	FOIA		HAMPTON, J.W.	9509120243	50-269	P
GOFF, S.G.	9509290062	50-344	H	GUNDERSEN, A.	9509280280*	FOIA		HAMPTON, J.W.	9509130036	50-269	Q
GOGOLAK, C.V.	9509200281	NUREG		GUNDERSEN, A.	9509280283*	FOIA		HAMPTON, J.W.	9509190356	50-287	S
GOLD, R.	9509270042	50-344	H	GUNDERSEN, L.	9509250089*	FOIA		HAMPTON, J.W.	9509220075	50-269	Q
GOLDBERG, J.H.	9509120299	50-250	P	GUNDERSEN, L.	9509260284*	FOIA		HAMPTON, J.W.	9502200778	50-269	Q
GOLDBERG, J.R.	9308230171*	FOIA		GUNDERSEN, M.	9509260287*	FOIA		HAMPTON, J.W.	9509250261	50-269	Q
GOLDOZA	9509270042	50-344	H	GUNDERSEN, M.	9509260394*	FOIA		HANDLOVITS, S.M.	9509190330	50-255	H
GOODMAN, L.S.	9509130030	50-341	P	GUNDERSEN, M.	9509260339*	FOIA		HANGES, P.J.	9509060181	71-764	
GOODMAN, L.S.	9509180314	50-341	P	GUNDERSEN, M.	9509260251*	FOIA		HANNON, J.	9509080253	50-16	P
GOODWIN, W.L.	9509180302	70-1151		GUNDERSEN, M.	9509280280*	FOIA		HANNON, J.N.	9509070006	50-341	P
GOODWIN, W.L.	9509180310	70-1151		GUNDERSEN, A.	9509260305*	FOIA		HANNON, J.N.	9509070055	50-263	P
GORANSON, H.E.	9509200353*	FOIA		GUNDERSON, A.	9509260313*	50-237	H	HANNON, J.N.	9509080252	50-282	P
GORDON, B.	9509140290*	50-390	H	GUNDERSON, A.	9509280324*	FOIA		HANNON, J.N.	9509220044	50-255	H
GORDON, C.Z.	9509250184*	FOIA		GUNDERSON, A.	9509260327*	FOIA		HANSE, A.L.	9509110275	TOPREP	
GORDON, K.	9509270125	50-29	H	GUNDERSON, A.	9509260337*	FOIA		HANSEN, A.G.	9509050328	50-266	H
GORMAN, P.	9509010136	STATE PRO	G	GUNDERSON, A.	9509270268*	FOIA		HANSEN, A.G.	9509070304	50-266	P
GOULD, S.	9509220153	50-454	S	GUNDERSON, A.	9509270273*	FOIA		HANSEN, A.G.	9509280288	50-266	P
GOVERNOR, M.	9509220062	50-29	H	GUNDERSON, M.	9509280081*	FOIA		HANSEN, H.	9509110006	50-354	S
GRABO, B.A.	9509050111*	50-528	S	GUNDRUM, L.L.	9509080229	50-346	P	HARD, J.E.	9509150203*	FOIA	

256 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HARD,J.E.	9509150252*	FOIA	HEBDON,F.J.	9509260242	50-259	HINES,C.C.	9509220049	50-29 H
HARDGROVE,T.W.	9509110017	40-2259	HEBERT,J.R.	9509270066	50-309 F	HINNANT,C.S.	9509180286	50-261 Q
HARDGROVE,T.W.	9509110201	40-6622	HEBERT,J.R.	9509200208	50-309 P	HINSON,A.R.	9509210028*	FOIA
HARDGROVE,T.W.	9509190302	40-2259	HEBERT,J.R.	9509220086	50-309 F	HIRT,A.	9509250109	50-346 H
HARDGROVE,T.W.	9509200203	40-2259	HEBERT,J.R.	9509220291	50-309 R	HOAG,S.E.	9509270065	50-344 H
HARDGROVE,T.W.	9509260067	40-2259	HEBERT,J.R.	9509250359	50-309 S	HODGDON,A.D.	9509190161	50-29 H
HARDIN,C.M.	9509010114	STATE PRO G	HEBERT,M.A.	9509200126	40-8027	HODGE,S.T.	9509120021*	50-213 P
HARMES,R.	9509110160	40-1790	HECKERT,L.R.	9509210105	50-331 F	HOFFMAN,B.J.	9509010209*	STATE PRO G
HARMES,R.	9509110191*	40-1790	HEHL,C.W.	9509150228	50-245 Q	HOFFMAN,B.J.	9509010278*	STATE PRO G
HARMON,D.F.	9509150087*	FOIA	HEHL,C.W.	9509210158	50-220 F	HOFFMAN,B.J.	9509010291*	STATE PRO G
HARMON,D.F.	9509150112*	40-****	HEHL,C.W.	9509260181*	50-498 Q	HOFFMAN,B.J.	9509200142*	STATE PRO G
HAROLD,J.F.	9509070019	50-286 P	HEHR,W.	9509010289	XPORTLIC	HOFFMAN,B.J.	9509200158*	STATE PRO G
HAROLD,J.F.	9509110324	50-286 P	HEHR,W.	9509010293	XPORTLIC	HOFFMAN,B.J.	9509200161*	STATE PRO G
HAROLD,J.F.	9509110044	50-286 P	HEHR,W.	9509010298	XPORTLIC	HOFFMAN,G.L.	9509280070*	40-2259
HAROLD,J.F.	9509150018	50-286 P	HEHR,W.	9509150213	XPORTLIC	HOFFMAN,S.T.	9509210201	REVIEW GR P
HAROLD,J.F.	9509260341	50-286 P	HEHR,W.	9509250007	XPORTLIC	HOFFSETZ,V.L.	9509200118	40-9024
HAROUTUNIAN,E.	9509200377	70-****	HEHR,W.	9509250031	XPORTLIC	HOGARTH,C.	9509270085	50-29 H
HARPER,G.A.	9509270082	50-29 H	HEIDER,K.J.	9509290080	50-29 H	HOGG,B.	9509190047	40-8857
HARRELL,P.H.	9509150192*	50-298 Q	HELLSTROM,G.W.	9509110146	40-8989	HOGG,R.C.	9509220156	40-9027
HARRIS,D.	9509110212*	50-245 G	HELLSTROM,G.W.	9509110185	40-8989	HOLBROOK,B.L.	9509202056*	50-321 Q
HARRIS,D.J.	9509250276*	WASTE MGT	HEMMER,D.	9509080075	40-4482	HOLDEN,D.	9509070210	XPORTLIC
HARRIS,D.N.	9509050013	50-245 S	HENDRIE,J.M.	9509120017*	FOIA	HOLDEN,D.	9509070226	XPORTLIC
HARRIS,D.N.	9509060352	50-245 S	HENDRIE,J.M.	9509120064*	FOIA	HOLDEN,D.W.	9509070218	XPORTLIC
HARRIS,D.N.	9509090010	50-245 S	HENDRIE,J.M.	9509150275*	FC*A	HOLDEN,D.W.	9509070230	XPORTLIC
HARRIS,D.N.	9509120344	50-245 S	HENDRIX,R.W.	9509070308	FOIA	HOLIAN,B.	9509250318*	50-528 P
HARRIS,D.N.	9509200010	50-245 S	HENRICKS,D.R.	9509190241	50-352 R	HOLIAN,B.E.	9509120257	50-528 P
HARRIS,D.N.	9509220076	50-245 S	HENRIE,D.K.	9509130159*	50-237 P	HOLIAN,B.E.	9509250314	50-528 P
HARRIS,D.N.	9509220216	50-245 S	HENSON,J.L.	9509070156*	40-8761	HOLIAN,B.E.	9509250364	50-528 P
HARRIS,D.N.	9509250356	50-245 S	HERLEKAR,A.S.	9509130144*	50-237 P	HOLIFIELD,C.	9509050146	50-216 S
HARRIS,P.W.	9509260163*	50-320 P	HERNAN,R.W.	9509060256	50-289 P	HOLLAND,P.G.	9509190213	50-410 R
HARRIS,R.	9509270185	70-3070	HERRON,J.T.	9509220006	50-289 P	HOLLOMON,T.J.	9509190219	50-327 R
HARRISON,F.	9509220318	50-324 R	HERRON,J.T.	9509150003	50-298 R	HOLLON,M.C.	9509110170	50-461 R
HARRISON,L.M.	9509260091*	50-387 Q	HERRON,J.T.	9509010169	50-298 S	HOLM,R.L.	9509180149	50-115 P
HARVEY,M.	9304090230*	40-8948	HERSHEBERGER,D.	9509140174	TOPREP	HOLMES,M.A.	9509190105	50-483 R
HASTY,R.L.	9509150091*	50-369 F	HETZEL,W.H.	9509200151*	50-293 P	HOLODY,D.	9509220259	I&E
HATFIELD,M.O.	9509080027*	FOIA	HEWARD,R.W.	9509150218*	FOIA	HOLONICH,J.J.	9509070099	40-8903
HATHCOCK,D.Z.	9509060352	50-334 S	HEYNA,A.	9509110279*	FOIA	HOLONICH,J.J.	9509080038	40-8964
HATHCOCK,D.Z.	9509080313	QA999	HEYNA,A.	9509110356*	FOIA	HOLONICH,J.J.	9509080040*	40-8964
HATHCOCK,D.Z.	9509210008	50-334 S	HEYNA,A.	9509150041*	FOIA	HOLONICH,J.J.	9509080124	WASTE MGT
HAUBER,R.	9509250196*	FOIA	HEYNA,A.	9509150045*	FOIA	HOLONICH,J.J.	9509080131	40-8971
HAUBER,R.D.	9509050065	XPORTLIC	HEYNA,A.	9509150048*	FOIA	HOLONICH,J.J.	9509080160	WASTE MGT
HAUBER,R.D.	9509050070	XPORTLIC	HEYNA,A.	9509210034*	FOIA	HOLONICH,J.J.	9509110121	WASTE MGT
HAUBER,R.D.	9509050074	XPORTLIC	HEYSEK,W.G.	9509180183	50-289 R	HOLONICH,J.J.	9509130069	WASTE MGT
HAUBER,R.D.	9509050078	XPORTLIC	HICKEY,J.W.	9509080244	70-7001	HOLONICH,J.J.	9509130071	WASTE MGT
HAUBER,R.D.	9509050083	XPORTLIC	HICKEY,J.W.	9509080247	70-7001	HOLONICH,J.J.	9509130073	WASTE MGT
HAUBER,R.D.	9509050086	XPORTLIC	HICKEY,J.W.	9509140262	70-7001	HOLONICH,J.J.	9509130080	WASTE MGT
HAUBER,R.D.	9509050088	XPORTLIC	HICKEY,J.W.	9509200256	70-7001	HOLONICH,J.J.	9509190256	WASTE MGT
HAUBER,R.D.	9509180375	XPORTLIC	HICKEY,J.W.	9509210222	70-7002	HOLONICH,J.J.	9509190346	40-8989
HAUBER,R.D.	9509190028	XPORTLIC	HICKEY,J.W.	9509210227	70-7001	HOLONICH,J.J.	9509190348*	40-8989
HAUBER,R.D.	9509190215	XPORTLIC	HICKEY,J.W.	9509210229	70-7002	HOLONICH,J.J.	9509200253	WASTE MGT
HAUBER,R.D.	9509190225*	XPORTLIC	HICKEY,J.W.	9509210238	70-7001	HOLONICH,J.J.	9509210326	WASTE MGT
HAUBER,R.D.	9509250193*	FOIA	HICKEY,J.W.	9509210249	70-7001	HOLONICH,J.J.	9509210339	WASTE MGT
HAUBER,R.D.	9509250224*	FOIA	HICKEY,J.W.	9509220282	71-1	HOLONICH,J.J.	9509220143	WASTE MGT
HAUBER,R.D.	9509270147	XPORTLIC	HICKEY,J.W.	9509220282	70-7001	HOLONICH,J.J.	9509220215	40-8857
HAUBER,R.D.	9509270150	XPORTLIC	HICKEY,J.W.	9509260105	70-7001	HOLONICH,J.J.	9509220217*	40-8857
HAUBER,R.D.	9509270152	XPORTLIC	HICKEY,J.W.	9509260164	70-7001	HOLONICH,J.J.	9509250219	40-8659
HAUBER,R.D.	9509270156	XPORTLIC	HICKLE,B.J.	9509280087	70-7001	HOLONICH,J.J.	9509250219	40-8659
HAUBER,R.D.	9509270158	XPORTLIC	HICKMAN,J.B.	9509250194	50-302 S	HOLT,B.J.	9509103045	30-28586
HAUBER,R.D.	9509270181	XPORTLIC	HICKMAN,J.B.	9509080251	50-315 P	HOLT,B.J.	9509280098	I&E
HAUBER,R.D.	9509270206	XPORTLIC	HICKMAN,J.B.	9509080283	50-316 P	HOLT,J.W.	9509010015	50-335 S
HAUBER,R.D.	9509270208	XPORTLIC	HICKMAN,J.B.	9509080291*	50-316 P	HOM,S.R.	9509080076	40-8027
HAUBER,R.D.	9509280126	XPORTLIC	HICKMAN,J.B.	9509120264	50-315 P	HOM,S.R.	9509080092	40-8027
HAUBER,R.D.	9509280107	XPORTLIC	HICKMAN,J.B.	9509190389	50-315 P	HODD,M.C.	9509180005*	70-133
HAUBER,R.D.	9509280110	XPORTLIC	HICKMAN,J.B.	9509190392*	50-315 P	HOOD,W.S.	9509110027	71-8168
HAUBER,R.D.	9509280121	XPORTLIC	HICKMAN,J.B.	9509270229	50-315 P	HOOD,W.S.	9509110029	71-6601
HAUBER,R.D.	9509280123	XPORTLIC	HICKMAN,J.B.	9509280108	50-315 P	HOOD,W.S.	9509110031	71-5805
HAUBER,R.D.	9509280126	XPORTLIC	HICKS,G.D.	9509120184	50-324 H	HOOD,W.S.	9509110033	71-9096
HAWKINS,E.	9509060107*	40-8968	HICKS,G.D.	9509190284	50-325 P	HOOKS,K.R.	9509150386	40-4492
HAYES,B.B.	9509050322*	50-423 Q	HICKS,G.D.	9509280057*	50-324 F	HOOKS,K.R.	9509220302	40-8907
HAYES,B.B.	9509270266*	FOIA	HIGGINBOTHAM,H.	9202040255*	FOIA	HOOPER,G.L.	9509190282	50-424 R
HAYES,B.B.	9509270269*	FOIA	HIGGINBOTHAM,H.	9202040257*	FOIA	HOPKINS,J.B.	9509140029	50-440 P
HAYES,B.B.	9509270272*	FOIA	HIGGINBOTHAM,H.	9202040261*	FOIA	HOPKINS,J.B.	9509140035*	50-440 P
HAYES,B.B.	9509270274*	FOIA	HIGGINBOTHAM,H.	9202040265*	FOIA	HOPKINS,J.B.	9509210342	50-440 P
HAYES,B.B.	9509280099*	FOIA	HILAND,P.	9509080140*	50-254 Q	HOPKINS,J.B.	9509210349*	50-440 P
HAYES,B.B.	9509280105*	FOIA	HILAND,P.L.	9509080129	50-254 Q	HOPKINS,J.B.	9509290041	50-440 P
HAYES,B.B.	9509280111*	FOIA	HILAND,P.L.	9509080133*	50-254 Q	HOPKINS,J.B.	9509290042*	50-440 P
HAYES,L.R.	9509210142	WASTE MGT	HILAND,P.L.	9509080144	50-10 Q	HOPKINS,J.B.	9509290043	50-440 F
HAYN,A.	9509110290*	FOIA	HILAND,P.L.	9509080149*	50-10 Q	HOPKINS,P.C.	9509280214*	50-424 Q
HEAD,S.	9509070007*	50-498 S	HILAND,P.L.	9509120221	50-237 Q	HOPKINS,S.C.	9509270045	PR
HEALZER,J.M.	9509010267*	52-4	HILAND,P.L.	9509190120	50-237 Q	HORAK,W.M.	9509130124*	TOPREP
HEBDON,F.J.	9509060334*	50-259 P	HILBERT,F.	9509080189*	71-3025	HORN,G.R.	9509140015	50-298 F
HEBDON,F.J.	9509080017	50-390 A	HILBERT,F.	9509080191*	71-3025	HORN,M.	9509110072	70-7001
HEBDON,F.J.	9509110216*	50-327 P	HILL,B.	9509210319	WASTE MGT	HORTON,D.G.	9509280337	WASTE MGT
HEBDON,F.J.	9509190177*	50-296 P	HILL,B.E.	9509140173	WASTE MGT	HORTON,D.	9509250257*	WASTE MGT
HEBDON,F.J.	9509200038*	50-327 P	HILL,L.M.	9509060235	50-286 R	HORTON,D.G.	9509110120	WASTE MGT
HEBDON,F.J.	9509200248*	50-327 P	HILL,L.M.	9509150075	50-286 S	HORTON,D.G.	9509110130*	WASTE MGT
HEBDON,F.J.	9509200302*	50-250 P	HILL,L.M.	9509190025	50-286 P	HORTON,D.G.	9509180161	WASTE MGT
HEBDON,F.J.	9509210334*	50-395 P	HILL,L.M.	9509270030	50-286 R	HORTON,D.G.	9509220117	WASTE MGT
HEBDON,F.J.	9509210347*	50-395 P	HILTZ,T.G.	9509190369	REVIEW GR P	HORTON,D.G.	9509250093	WASTE MGT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HORTON, D.G.	9509250254	WASTE MGT	IKEMOTO, R.H.	9509130062*	50-277 P	JENNINGS, C.C.	9509060101*	50-269 F
HORTON, D.G.	9509250260	WASTE MGT	IMBRO, E.V.	9403240122*	50-498 Q	JENSEN, J.T.	9509130119*	70-1183
HORTON, D.G.	9509250265*	WASTE MGT	IMBRO, E.V.	9404220093*	50-498 Q	JENSON, J.	9509270099	50-29 H
HORTON, D.G.	9509250274	WASTE MGT	INGLES, W.	9509110101*	72-1004	JERMAN, P.C.	9509220032*	FOIA
HORTON, D.G.	9509250276*	WASTE MGT	INGRAM, F.L.	9212210136*	50-245 P	JERMAN, P.C.	9509260162*	FOIA
HORTON, D.G.	9509280336*	WASTE MGT	IRELAND, R.E.	9509150104*	FOIA	JERMAN, P.C.	9509260172*	FOIA
HOSEY, C.M.	9509250286	WASTE MGT	IRWIN, H.R.	9509150295*	FOIA	JOHANSEN, J.M.	8305270158*	FOIA
HOSEY, C.M.	9509140360	30-20201	JABBOUR, K.N.	9509070273	50-321 P	JOHANSEN, J.M.	8503120071*	70-1183
HOSEY, C.M.	9509220172*	STATE PRO G	JABBOUR, K.N.	9509180107	50-321 P	JOHANSEN, J.M.	8512160432*	FOIA
HOSEY, C.M.	9509260220	30-20201	JABBOUR, K.N.	9509280127	50-366 P	JOHANSEN, J.M.	8512160436*	FOIA
HOSEY, C.M.	9509280284*	STATE PRO G	JACKSON, D.T.	9509140337	52-3	JOHANSEN, J.M.	8601030266*	FOIA
HOUSE, J.	9509260076*	40-*****	JACKSON, D.T.	9509260209	52-3	JOHANSEN, J.M.	8601030269*	FOIA
HOUSTON, B.L.	9509140015	50-298 F	JACKSON, D.T.	9509260224	52-3	JOHANSEN, J.M.	9103080257*	FOIA
HOUSTON, N.	9509060246	STATE PRO G	JACKSON, F.	9509130195*	FOIA	JOHANSEN, J.M.	9509210007	30-1786
HOWE, P.W.	9509140327*	FOIA	JACKSON, G.	9509110315*	FOIA	JOHANSEN, J.M.	9509210146	70-1331
HOWE, P.W.	9509150190*	FOIA	JACKSON, G.	9509110337*	FOIA	JOHNSON, A.	9509250385	50-244 P
HOWE, P.W.	9509150187*	FOIA	JACKSON, G.	9509120322*	FOIA	JOHNSON, A.R.	9509060275	50-244 P
HOWER, S.	9509130152*	50-237 P	JACKSON, G.	9509220284*	FOIA	JOHNSON, A.R.	9509250383	50-244 P
HOYLE, J.C.	9507060034	10CFR	JACKSON, G.C.	9509080077*	71-185	JOHNSON, C.	9509190134	50-344 H
HOYLE, J.C.	9508100330	10CFR	JACKSON, J.D.	9509200216	70-7001	JOHNSON, C.	9509190142	50-344 H
HOYLE, J.C.	9509110047	50-219 G	JACKSON, J.D.	9509200219	70-7001	JOHNSON, C.J.	9509120004	40-8668
HOYLE, J.C.	9509110058	50-245 G	JACKSON, J.D.	9509200221	70-7001	JOHNSON, D.G.	9509110222	FOIA
HOYLE, J.C.	9509140061	10CFR	JACKSON, S.A.	9509010052	SPEECHES	JOHNSON, D.M.	8203080324*	FOIA
HOYLE, J.C.	9509150360	PRM	JACKSON, S.A.	9509010055	SPEECHES	JOHNSON, J.M.	9509190015	50-454 F
HOYLE, J.C.	9509190163	50-344 H	JACKSON, S.A.	9509050215	COMMISSION	JOHNSON, J.M.	9509190017	50-295 F
HOYLE, J.C.	9509190202	50-380 A	JACKSON, S.A.	9509110153	COMMISSION	JOHNSON, J.R.	9509190181*	50-296 P
HOYLE, J.C.	9509190200	10CFR	JACKSON, S.A.	9509110173	COMMISSION	JOHNSON, J.R.	9509190186*	50-296 P
HOYLE, J.C.	9509200100*	STATE PRO G	JACKSON, S.A.	9509120010	ORG	JOHNSON, J.R.	9509190194*	50-296 P
HOYLE, J.C.	9509210109	50-424 G	JACKSON, S.A.	9509120042	COMMISSION	JOHNSON, J.R.	9509190199*	50-296 P
HOYLE, J.C.	9509220212	10CFR	JACKSON, S.A.	9509200109*	STATE PRO G	JOHNSON, J.R.	9509190204*	50-296 P
HOYLE, J.C.	9509220213	10CFR	JACKSON, S.A.	9509220001	SPEECHES	JOHNSON, J.R.	9509280262	50-413 Q
HOYLE, J.C.	9509220229	10CFR	JACKSON, S.A.	9509220204	COMMISSION	JOHNSON, L.	9509150376*	FOIA
HOYLE, J.C.	9509220317	10CFR	JACKSON, S.A.	9509220237	COMMISSION	JOHNSON, P.G.	9509280145	40-*****
HUBBARD, V.F.	9509060108	FOIA	JACKSON, S.A.	9509220243	COMMISSION	JOHNSON, P.G.	9509280224*	40-*****
HUDGINS, D.	9509270098	50-29 H	JACKSON, S.A.	9509220293	COMMISSION	JOHNSON, P.W.	9509270054	50-344 H
HUDSON, G.	9509200177	50-263 F	JACQUES, R.	9509180036*	FOIA	JOHNSON, R.U.	7909130224*	70-1163
HUDSON, R.Y.	9509050291	50-416 H	JAFARI, B.A.	9509210165*	WASTE MGT	JOHNSON, R.U.	9509110086*	FOIA
HUDSON, S.	9509190154	50-29 F	JAFFE, D.E.	9509250354	50-354 P	JOHNSON, R.U.	9509110193*	FOIA
HUETER, L.J.	9509110360*	FOIA	JAFFE, D.H.	9509140202	50-354 P	JOHNSON, R.U.	9509110262*	FOIA
HUETER, L.J.	9509110365*	FOIA	JAFFE, D.H.	9509190368	50-354 P	JOHNSON, R.U.	9509110267*	FOIA
HUEY, F.R.	9509010070*	50-528 Q	JAFFE, D.H.	9509270233	50-354 P	JOHNSON, R.U.	9509110298*	FOIA
HUEY, F.R.	9509270018*	50-361 Q	JAFFE, D.H.	9509280301	50-354 P	JOHNSON, R.U.	9509110348*	FOIA
HUFFERT, A.M.	9509200281	NUREG	JANG, J.C.	9509260033*	50-220 Q	JOHNSON, R.U.	9509130053*	FOIA
HUFFERT, A.M.	9509200363	NUREG	JANISSE, J.D.	9509190249	50-315 R	JOHNSON, R.U.	9509130059*	FOIA
HUFFERT, A.M.	9509200367	NUREG	JANISSE, J.D.	9509190251	50-316 R	JOHNSON, T.C.	9509140282*	40-861
HUFFMAN, W.C.	9509070047	52-3	JANKOVICH, J.	9509080073	71-185	JOHNSON, T.L.	9509190135	WASTE MGT
HUFFMAN, W.C.	9509080030	52-3	JANKOVICH, J.P.	9509110068	71-745	JOHNSTON, C.F.	9509130094	50-266 H
HUFFMAN, W.C.	9509250298	52-3	JANKOVICH, J.P.	9509110183	71-708	JOHNSTON, C.F.	9509250076	50-346 H
HUGHES, L.	9509110061	71-817	JANKOVICH, J.P.	9509110190	71-538	JOHNSTON, C.F.	2509250065	50-346 H
HUGHES, R.	9509280023*	FOIA	JANKOVICH, J.P.	9509120152	71-192	JOHNSTON, J.R.	9509130179	50-155 R
HUGHES, R.	9509280026*	FOIA	JANKOVICH, J.P.	9509120158*	71-192	JOLICOEUR, J.R.	9509140120	50-206 F
HUGHES, R.	9509070244*	50-416 Q	JANKOVICH, J.P.	9509120161	71-692	JONES, D.T.	9509180175	50-334 R
HULTSCH, R.A.	9509070186	50-186 F	JANKOVICH, J.P.	9509120166*	71-692	JONES, D.W.	9509070163*	50-369 C
HULTSCH, R.A.	9509150225	50-186 F	JANKOVICH, J.P.	9509120173	71-*****	JONES, D.W.	9509280236*	50-259 C
HULTSCH, R.A.	9509150245	50-186 F	JANKOVICH, J.P.	9509120176*	71-*****	JONES, E.L.	9509140365*	50-245 H
HUMPHREY, C.A.	9509210130*	50-390 A	JANKOVICH, J.P.	9509120193	71-390	JONES, G.	9509120300	50-206 F
HUMPHREY, C.A.	9509210137*	50-390 A	JANKOVICH, J.P.	9509120194*	71-390	JONES, I.M.	9509220235*	FOIA
HUMPHREYS, R.L.	9509050060*	50-373 P	JANKOVICH, J.P.	9509120263	71-417	JONES, R.	9509280326*	50-219 P
HUMPHREYS, R.L.	9509070287*	50-373 P	JANKOVICH, J.P.	9509140175	71-*****	JONES, R.C.	9401070366*	50-498 P
HUNEGS, G.	9509110053	50-333 S	JANKOVICH, J.P.	9509140180*	71-*****	JONES, R.C.	9412120059*	50-333 P
HUNGER, G.A.	9509050105	50-277 R	JANKOVICH, J.P.	9509150381	71-789	JONES, W.C.	9509180170*	50-260 S
HUNGER, G.A.	9509080262	50-278 P	JANKOVICH, J.P.	9509190328	71-776	JORDAN, E.L.	9308190106*	50-498 P
HUNGER, G.A.	9509080300	50-278 P	JANKOVICH, J.P.	9509190336	71-153	JORDAN, E.L.	9509060342	ORG
HUNGER, G.A.	9509120061	50-352 F	JANKOVICH, J.P.	9509200270	71-541	JORDAN, E.L.	9509060345	ORG
HUNGER, G.A.	9509120188	50-277 P	JANKOVICH, J.P.	9509200274*	71-541	JORDAN, E.L.	9509060353	ORG
HUNGER, G.A.	9509120357	50-277 P	JANKOVICH, J.P.	9509200284	71-654	JORDAN, E.L.	9509140049	REVIEW GR P
HUNGER, G.A.	9509120366	50-277 P	JANKOVICH, J.P.	9509200335	71-785	JORDAN, E.L.	9509140053	REVIEW GR P
HUNGER, G.A.	9509130150	PR	JANKOVICH, J.P.	9509270211	71-516	JORDAN, E.L.	9509190354	NUREG
HUNGER, G.A.	9509180328	50-352 Q	JANKOVICH, J.P.	9509270212*	71-516	JORDAN, E.L.	9509250043	ORG
HUNGER, G.A.	9509220064	50-352 P	JANKOVICH, J.P.	9509110064	71-383	JORDAN, E.L.	9509250392	50-321 F
HUNGER, G.A.	9509220106	50-352 P	JANUARY, R.G.	9509270138	50-29 H	JORDAN, E.L.	9509260174*	50-498 P
HUNGER, G.A.	9509250033	50-277 P	JARM, T.	9006210123*	FOIA	JORDAN, E.L.	9509280264	50-237 F
HUNGER, G.A.	9509250213	50-277 Q	JARM, T.	9006210125*	FOIA	JORDAN, E.L.	9509050217*	50-456 Q
HUNGER, G.A.	9509260195	I&E	JAUDON, J.	9509180213	50-390 Q	JOSLYN, K.R.	9509060178	71-9035
HUNGER, G.A.	9509280052	50-277 P	JAUDON, J.	9509280157	50-390 Q	JOUSTRA, J.	9509130126*	FOIA
HUNGER, G.A.	9509290131	50-352 Q	JAUDON, J.	9509280193	50-390 Q	JOYCE, D.A.	9509190132	50-29 H
HUNGER, J.W.	9509260225*	50-277 G	JAUDON, J.P.	9509070160	50-390 Q	JOYCE, T.P.	9509060187	50-237 P
HUNT, D.	9509150134*	FOIA	JAUDON, J.P.	9509070233	50-390 Q	JOYCE, T.P.	9509070010	50-237 S
HUNTER, J.	9509120282*	FOIA	JAUDON, J.P.	9509070275	50-390 Q	JOYCE, T.P.	9509210265	50-249 S
HUNTER, J.J.	9509010073	40-7580	JAUDON, J.P.	9509180198	50-390 Q	JOYCE, T.P.	9509250202	50-237 S
HUNTER, R.L.	9509250010	WASTE MGT	JAUDON, J.P.	9509190267	50-390 Q	JOYCE, T.P.	9509260080	50-249 S
HUTCHINSON, C.	9509070232	50-416 P	JAUDON, J.P.	9509260183	50-390 Q	JOYCE, T.P.	9509280049	50-237 P
HUTCHINSON, C.R.	9509050146	50-416 S	JAUDON, J.P.	9509290181	50-390 A	JOYCE, T.P.	9509280072	50-10 Q
HUTCHINSON, C.R.	9509220188	50-416 Q	JAUDON, J.P.	9509280221	50-390 Q	JOYNER, J.H.	9508020209	50-352 F
HUTCHINSON, W.D.	9509260343*	FOIA	JAUDON, J.P.	9509280228	50-390 Q	JOYNER, J.H.	9509050254	50-309 Q
HUTKO, K.	9509110088*	50-237 P	JAUDON, J.P.	9509280246	50-390 Q	JOYNER, J.H.	9509060163	50-352 F
IGNATONIS, A.	9509070201	50-259 P	JEFFREY, W.J.	9509190235	50-277 R	JOYNER, J.H.	9509060179	50-289 Q
IGNATONIS, A.	9509280271	50-259 P	JEFFRIES, L.R.	9509130223*	FOIA	JOYNER, J.H.	9509060263	50-225 Q

258 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JOYNER, J.H.	9509080171	50-272	KELLER, T.S.	9509290116*	50-302	KLEINSORGE, W.P.	9509180324*	50-259
JOYNER, J.H.	9509080181	50-245	KELLER, W.D.	9509110246*	50-269	KLINE, J.R.	9509080055	40-8027
JOYNER, J.H.	9509130077*	70-1193	KELLEY, B.A.	9509180368*	40-185	KLINE, J.R.	9509210121	MISC
JOYNER, J.H.	9509180203	50-293	KELLEY, J.	9509110251*	FOIA	KLINGER, J.G.	9509120117	STATE PRO G
JOYNER, J.H.	9509180205	50-20	KELLEY, J.	9509110253*	FOIA	KLINGER, J.G.	9509140248*	FOIA
JOYNER, J.H.	9509180214	50-245	KELLEY, L.C.	9509070269	50-302	KLINGER, J.G.	9509140249*	FOIA
JOYNER, J.H.	9509180285	50-245	KELLEY, R.H.	9509200154*	50-293	KLINGER, J.G.	9509140259*	FOIA
JOYNER, J.H.	9509180305	50-322	KELLY, E.M.	9509080184	50-271	KNAPP, K.S.	9509210365	71-9251
JOYNER, J.H.	9509210223	50-247	KELLY, E.M.	9509080192*	50-271	KNAPP, K.S.	9509260129	70-1201
JOYNER, J.H.	9509260025	50-220	KELLY, E.M.	9509110338	50-336	KNAPP, K.S.	9509270078	71-9251
JOYNER, J.H.	9509260180	50-286	KELLY, E.M.	9509110341*	50-336	KNAPP, K.S.	9508280136	70-1201
JOYNER, J.H.	9509260196	70-135	KELLY, E.M.	9509180248	50-423	KNAPP, M.R.	9509080256	WASTE MGT
JOYNER, J.H.	9509260204	50-213	KELLY, E.M.	9509180256*	50-423	KNAPP, M.R.	9509210303	WASTE MGT
JUDAY, R.A.	9509140189	40-6659	KELLY, E.M.	9509180267	50-333	KNOBLAUCH, J.W.	9509060196	71-9156
JUD, C.A.	9509050137	40-6989	KELLY, E.M.	9509180273*	50-333	KNODE, R.	9509120150	40-8943
JULIAN, C.	9509070286*	50-390	KELLY, J.B.	9509010099	STATE PRO G	KNOLL, J.A.	9509120269	40-8964
JULIAN, C.A.	9509180227*	50-390	KELLY, S.P.	9509270117	50-29	KNORR, J.E.	9509180232	50-250
JULIAN, C.A.	9509260193*	50-390	KELLY, T.E.	9509130052*	70-*****	KNORR, J.E.	9509200002	50-250
JULIAN, C.A.	9509290209*	50-390	KELLY, T.E.	9509150159*	FOIA	KNUBEL, J.	9509180183	50-289
JULIAN, C.A.	9509260230*	50-390	KELLY, T.E.	9509150164*	FOIA	KNUBEL, J.	9509260039	50-289
JULIAN, S.B.	9509120300	50-206	KEMBERLY, S.	9509140231*	FOIA	KNUBEL, J.	9509260041*	50-289
JUSTUS, P.S.	9509250233	40-3453	KENEALLY, J.T.	9509110020	71-516	KNUBEL, J.	9509290108	50-289
JWASTZEWSKI, B.	9509290065	50-29	KENEALLY, J.T.	9509220347	71-516	KNUTH, D.F.	9509250035*	50-219
KADAK, A.C.	9509190192	50-29	KENNEDY, J.E.	9509220278	40-8948	KOENIG, L.C.	9509110269*	FOIA
KADAK, A.C.	9509250269	50-29	KENNEDY, W.F.	9509210088*	50-219	KOENIG, L.C.	9509180245	50-454
KADAK, A.C.	9509270120	50-29	KENNY, A.	9509110083	TOPREP	KOFRON, K.L.	9509180173	50-455
KADAK, A.C.	9509290069	50-29	KENYON, T.J.	9509050349	52-3	KOFRON, K.L.	9509220153	50-454
KALMAN, G.	9509110138	50-313	KENYON, T.J.	9509060305	52-3	KOH, B.	9509070039	40-8724
KALMAN, G.	9509180135	50-313	KENYON, T.J.	9509060367	52-3	KOH, B.	9509080119	40-8724
KALMAN, G.	9509210288	50-368	KENYON, T.J.	9509070017	52-3	KOH, B.	9509280135	40-8724
KALMAN, G.	9509210293*	50-368	KEPPLER, J.G.	7910250002*	FOIA	KOHN, M.D.	9509080091	50-424
KALMAN, G.	9509210309	50-368	KICHLINE, R.	9509180313*	50-387	KOHN, M.D.	9509110054	50-424
KALMAN, G.	9509210313	50-313	KIELY, E.	9509110367*	FOIA	KOHN, M.D.	9509110054	50-424
KALMAN, G.	9509220128	50-368	KILLAR, F.M.	9509280001	PR	KOKAJ, J.	9509250066	40-9022
KALMAN, G.	9509220133*	50-368	KILLAR, F.M.	9509280024	PR	KOKAJ, J.	9509200249*	50-498
KAMMERER, C.	9509060074*	50-498	KILLAR, F.M.	9509280038	PR	KOKAJ, J.	9509200252*	50-498
KAMMERER, C.	9509060082*	50-498	KIM, T.	9509060295	50-263	KOLLROSS, T.	9509010200	50-373
KAMMERER, C.	9509060091*	50-498	KIM, T.	9509190371	50-263	KOPP, L.	9509050020	52-3
KAMMERER, C.	9509060096*	50-498	KIMBALL, D.P.	9509150066*	50-413	KOTACK, G.	9509200375	50-324
KAMMERER, C.	9509060103*	50-445	KIMBALL, D.P.	9509250056	50-413	KOUDELKA, M.B.	9509140002	50-266
KAMMERER, C.	9509060110*	50-445	KINCAID, C.	9509270149	XPORTLIC	KOZAK, T.	9509010257	40-8792
KAMMERER, C.	9509060114*	50-445	KINCAID, C.	9509270154	XPORTLIC	KRAFT, E.S.	9509070281	50-254
KAMMERER, C.	9509060120*	50-498	KINCAID, C.	9509270157	XPORTLIC	KRAINIKA, K.	9509010150	50-528
KAMMERER, C.	9509060128*	50-498	KINCAID, C.	9509270163	XPORTLIC	KRAINIKA, K.	9509060176	50-528
KAMMERER, C.	9509060131*	50-445	KING, D.	9509220316	FOIA	KRAINIKA, K.	9509270159	50-528
KAMMERER, C.	9509060134*	50-498	KING, J.	9509060149	FOIA	KRECKE, T.	9509260171	FOIA
KAMMERER, C.	9509060139*	50-498	KING, T.C.	9509190168	50-29	KREGENOW, L.B.	9509150265	FOIA
KAMMERER, C.	9509060143*	FOIA	KINNEMAN, J.D.	8804150127*	70-1163	KRESS, T.S.	9509270108	ACRS
KAMMERER, C.	9509060146*	50-445	KINNEMAN, J.D.	8808030048*	70-1163	KRESS, T.S.	9509270112	ACRS
KAMMERER, C.C.	9509140329	50-3	KINNEMAN, J.D.	9509070115*	FOIA	KRESS, T.S.	9509270118	ACRS
KANE, W.F.	9509060238	40-6940	KINNEMAN, J.D.	9509120006*	FOIA	KRESS, T.S.	9509270122	ACRS
KANIA, C.A.	9509180357	STATE PRO G	KINNEMAN, J.D.	9509120298*	40-8406	KRICH, R.M.	9509010202	50-261
KANTER, J.L.	9509120339	50-353	KINNEMAN, J.D.	9509150309*	40-8406	KRICH, R.M.	9509110207	50-261
KANTNER, J.L.	9509010008*	50-552	KINNEMAN, J.D.	9509150318*	FOIA	KRICH, R.M.	9509130078	50-261
KANTNER, J.L.	9509150035*	50-353	KINNEMAN, J.D.	9509150320*	40-8406	KRICH, R.M.	9509180197	50-261
KANTNER, J.L.	9509260086	50-353	KINNEMAN, J.D.	9509150327*	40-8406	KRICH, R.M.	9509190298	50-261
KANTNER, J.L.	9509290002	50-352	KINNEMAN, J.D.	9509150341*	40-8406	KRICH, R.M.	9509220267	50-261
KAPLAN, R.L.	9509290027	50-361	KINNEMAN, J.D.	9509150343*	40-8406	KRICH, R.M.	9509250072	50-261
KAPSA, LOPOULOU	9509210239*	FOIA	KINNEMAN, J.D.	9509150346*	40-8406	KRIEGER, R.W.	9509200061	50-361
KAPSA, B.	9509130213*	FOIA	KINNEMAN, J.D.	9509150354*	40-8406	KRIEGER, R.W.	9509200077*	50-361
KAPSA, B.	9509130218*	FOIA	KINNEMAN, J.D.	9509150355*	40-8406	KRIEGER, R.W.	9509260270	50-206
KARAM, R.A.	9509210039	71-5957	KINNEMAN, J.D.	9509180010*	40-8406	KRIEGER, R.W.	9509270265	50-206
KARIM-PANAHI, K.	9509130152*	50-237	KINNEMAN, J.D.	9509180012*	40-8406	KRIEGER, R.W.	9509290003	50-362
KARMER, J.S.	9509270119	50-29	KINNEMAN, J.D.	9509180013*	40-8406	KRIEGER, R.W.	9509290005	50-362
KASUGA, R.W.	9509140030	50-213	KINNEMAN, J.D.	9509180015*	40-8406	KRIEGER, R.W.	9509290020	50-361
KATZ, D.	9509270049	50-29	KINNEMAN, J.D.	9509180016*	40-8406	KRIESER, G.M.	9509250013	50-266
KATZ, D.	9509270121	50-29	KINNEMAN, J.D.	9509180018*	40-8406	KROPP, W.J.	9509190067*	50-315
KATZ, D.	9509290074	50-29	KINNEMAN, J.D.	9509180019*	40-8406	KROPP, W.J.	9509270195	50-255
KATZ, F.	9509270086	50-29	KINNEMAN, J.D.	9509180053*	40-8406	KROPP, W.J.	9509270196	50-282
KAUFFMAN, H.R.	9509130215*	FOIA	KINNEMAN, J.D.	9509180057*	40-8406	KROPP, W.J.	9509270197*	50-255
KAUL, M.	9509130136*	50-237	KINNEMAN, J.D.	9509180060*	40-8406	KROPP, W.J.	9509270198*	50-282
KAUL, M.K.	9509130152*	50-237	KINNEMAN, J.D.	9509180065*	FOIA	KROPP, W.J.	9509280031	50-282
KAUP, K.L.	9509050008	50-456	KINNEMAN, J.D.	9509180070*	40-8406	KUGLER, A.J.	9509080021	50-282
KAY, J.A.	9509010090	50-29	KINNEMAN, J.D.	9509250096	40-7354	KUKITA, Y.	9509010339*	52-3
KAY, J.A.	9509010140	50-29	KINNEMAN, J.D.	9509250152	40-672	KULAT, S.D.	9509120079*	50-293
KAY, M.	9509220122	FOIA	KINNEMAN, J.D.	9509250162	40-672	KUMAR, M.S.	9509270143	50-29
KAZANAS, N.C.	9509200283	50-438	KINNEMAN, J.D.	9509250225	40-2253	KUMAR, M.S.	9509290073	50-344
KEARNEY, W.F.	9509110089	40-8857	KIPEN, K.M.	9509270092	50-29	KUNTZ, P.	9509050132	FOIA
KEARNEY, W.F.	9509210103	40-8857	KIRKENDALL, D.	9509250074	FOIA	KUNTZ, P.	9509120091	FOIA
KEARSLEY, E.	9509080221	50-170	KIRKWOOD, A.	9509270173	70-698	KUNTZ, P.	9509120094	FOIA
KEATEN, R.W.	9509200308	50-219	KIRSCH, D.F.	9509180309*	50-482	KUNTZ, P.	9509120096	FOIA
KEATING, C.W.	9509220111	50-29	KISH, J.	9509070010	50-237	KUNTZ, P.	9509120097	FOIA
KEIMIG, R.	9509260188*	50-286	KLAPPROTH, J.F.	9509080044	70-1113	KUNTZ, P.	9509120141	FOIA
KEIMIG, R.R.	9509050267*	50-309	KLAPPROTH, J.F.	9509200151*	50-293	KUNTZ, P.	9509120145	FOIA
KEIMIG, R.R.	9509260219*	50-213	KLAPPROTH, J.F.	9509260377	70-1113	KUNTZ, P.	9509150143	FOIA
KEIMING, R.	9509180297*	50-245	KLARNER, R.	9509260005*	50-413	KUNTZ, P.	9509150146	FOIA
KELLER, T.S.	9509130084*	50-461	KLECKER, R.W.	9509150139*	FOIA	KUNTZ, P.	9509150157	FOIA
KELLER, T.S.	9509290115*	50-302	KLECKER, R.W.	9509150153*	FOIA	KUNTZ, P.	9509150168	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KUNTZ,P.	9509150189	FOIA	LE,N.B.	9509080275	50-400 P	LILLY,M.	9509250139*	QA999
KURTZ,P.	9509150199	FOIA	LE,N.B.	9509250030	50-400 P	LIMA,J.	9509140170*	FOIA
KUNZ,R.J.	9509280022*	FOIA	LE,N.B.	9509250036*	50-400 P	LIMA,J.	9509140172*	FOIA
KURTH,M.	9509260069*	40-534	LE,N.B.	9509280104	50-400 P	LIMROTH,D.F.	9509080187*	50-245 Q
KURTH,M.F.	9509140361*	FOIA	LEE,B.	9509150319*	FOIA	LINDELL,J.S.	9509260312	40-6940
KURTH,M.F.	9509190074*	40-*****	LEE,E.J.	9404210021*	50-498 S	LINDELL,J.S.	9509260316	40-6940
KURTH,M.F.	9509190099*	40-*****	LEE,H.	9509080185	71-3025	LINDER,C.	9509060222	71-9096
KURTH,M.F.	9509190104*	40-*****	LEE,P.E.	9509130016*	FOIA	LINDSEY,G.	9509210014*	70-364
KURTZ,R.L.	9509220244	TOPREP	LEE,P.E.	9509130028*	FOIA	LINK,B.	9509130047*	50-266 Q
KURTZ,R.L.	9509220245*	TOPREP	LEE,P.E.	9509150088*	40-7102	LINK,B.	9509200198	50-266 P
KUZO,G.B.	9509280209*	50-390 Q	LEE,P.E.	9509150099*	40-7102	LINVILLE,J.C.	9509060207	50-293 Q
LABARGE,D.E.	9509080027	50-327 P	LEE,S.K.	9509110010	FOIA	LINVILLE,J.C.	9509180338	50-271 Q
LABARGE,D.E.	9509110213	50-327 P	LEE,S.K.	9509280006	FOIA	LINVILLE,J.C.	9509190112	50-293 Q
LABARGE,D.E.	9509140040	50-328 P	LEHMAN,L.	9509200107	WASTE MGT	LINVILLE,J.C.	9509280085	50-271 Q
LABARGE,D.E.	9509140043*	50-328 P	LEHMAN,L.	9509250212*	FOIA	LIPARULO,N.J.	9509050197	52-3
LABARGE,D.E.	9509190034	50-327 P	LENAHAN,J.J.	9509180324*	50-259 Q	LIPARULO,N.J.	9509070056	TOPREP
LABARGE,D.E.	9509200015	50-327 P	LENHART,T.E.	9509140322*	FOIA	LIPARULO,N.J.	9509070059*	TOPREP
LABARGE,D.E.	9509200029	50-327 P	LENHART,T.E.	9509250075	FOIA	LIPARULO,N.J.	9509110032	TOPREP
LABARGE,D.E.	9509200244	50-327 P	LENNARTZ,J.	9509120119*	50-456 Q	LIPARULO,N.J.	9509110135	TOPREP
LABARGE,D.E.	9509200258	50-327 P	LENTZ,J.J.	9509180002*	70-133	LIPARULO,N.J.	9509140119*	50-247 Q
LABRECQUE,J.A.	9509120004	40-8868	LENTZ,J.J.	9509180003*	FOIA	LIPARULO,N.J.	9509140143	52-3
LAGUARDIA,T.S.	9509180128	50-344	LENTZ,J.J.	9509180004*	FOIA	LIPARULO,N.J.	9509180331	50-498 P
LAINAS,G.C.	9509200159*	50-293 P	LENTZ,J.J.	9509180006*	70-133	LIPARULO,N.J.	9509220090	REGGD
LAM,S.	9509270023	PR	LENTZ,J.J.	9509180007*	70-133	LIPARULO,N.J.	9509220218	TOPREP
LAM,S.	9509270023	PR	LEONARDI,R.A.	9509200095	STATE PRO G	LIPARULO,N.J.	9509260141	TOPREP
LAMB,J.E.	9508020214*	50-352 F	LEROY,P.G.	9509280027	PR	LIPARULO,N.J.	9509280065*	50-315 P
LAMBERSKI,J.	9509080112	50-424 G	LESER,M.S.	9509190172	50-296 P	LIPPY,D.L.	9509190254	50-285 R
LAMBERSKI,J.	9509110075	50-424 G	LESNAK,M.T.	9509110122	PR	LIU,T.	9509060366	50-285 P
LAMBERSKI,J.	9509210114	50-424 G	LESSER,M.S.	9509070184	50-259 Q	LIU,T.	9509060370*	50-285 P
LAMBERSKI,J.	9509210155*	50-424 G	LESSER,M.S.	9509070194*	50-259 C	LOESER,M.	9509180031*	FOIA
LAMBERSKI,J.	9509210155*	50-424 G	LESSER,M.S.	9509070258	50-327 P	LOESER,M.	9509210026*	FOIA
LAMBERSKI,J.	9509210177	50-424 G	LESSER,M.S.	9509070266	50-327 P	LOESER,M.W.	9509200034*	FOIA
LAMBERSKI,J.	9509210177	50-424 G	LESSER,M.S.	9509280180	50-296 P	LOESER,M.W.	9509200050*	FOIA
LAMBERT,C.	9509010010	50-272 S	LESSER,M.S.	9509280239	50-296 P	LOESER,M.W.	9509200058*	FOIA
LAMBERT,C.	9509060165	50-272 S	LETTTS,B.R.	9509050322*	50-423 Q	LOESER,M.W.	9509200288*	FOIA
LAMBERT,L.J.	9509130224*	FOIA	LETTTS,B.R.	9509260314*	FOIA	LOESER,M.W.	9509210008*	FOIA
LAMPERT,M.E.	9509270106	50-29	LETTTS,B.R.	9509260321*	FOIA	LOESER,M.W.	9509210023*	FOIA
LANDIS,K.	9509070214*	50-335 H	LETTTS,B.R.	9509270267*	FOIA	LOESER,M.W.	9509210030*	FOIA
LANDIS,K.	9509180265*	50-335 O	LETTTS,B.R.	9509280058*	FOIA	LOHAUS,P.	9509010105	STATE PRO G
LANDIS,K.	9509180295*	50-302 O	LEVINE,J.M.	9509050102	50-528 S	LOHAUS,P.	9509200065	STATE PRO G
LANDIS,K.D.	9509070211	50-335 Q	LEVINE,J.M.	9509050127	50-528 S	LOHAUS,P.H.	9509200093	STATE PRO G
LANDIS,K.D.	9509070212	50-280 O	LEVINE,J.M.	9509050147	50-528 S	LOHAUS,P.H.	9509010014	STATE PRO G
LANDIS,K.D.	9509070248	50-335 P	LEVINE,J.M.	9509120065	50-528 S	LOHAUS,P.H.	9509010030	STATE PRO G
LANDIS,K.F.	9509180194	50-302 P	LEVINE,J.M.	9509190226	50-528 R	LOHAUS,P.H.	9509010034	STATE PRO G
LANDIS,L.J.	9509180272	50-280 P	LEVINE,J.M.	9509250248	50-528 P	LOHAUS,P.H.	9509010036	STATE PRO G
LANDIS,K.D.	9509180280	50-302 Q	LEVINE,J.M.	9509260060	50-528 P	LOHAUS,P.H.	9509010037	STATE PRO G
LANDIS,K.D.	9509180303	50-250 O	LEVINE,J.M.	9509260109	50-528 S	LOHAUS,P.H.	9509010041	STATE PRO G
LANDIS,K.D.	9509180323	50-335 P	LEVIS,W.	9509010080	50-324 R	LOHAUS,P.H.	9509010046	STATE PRO G
LANDIS,K.D.	9509180332	50-250 P	LEWIS,D.	9509210139	50-424 G	LOHAUS,P.H.	9509010049	STATE PRO G
LANDIS,K.D.	9509280170	50-338 Q	LEWIS,D.	9509210139	50-424 G	LOHAUS,P.H.	9509010051	STATE PRO G
LANDIS,M.R.	9310080071*	FOIA	LEWIS,D.B.	9509190170	50-29 H	LOHAUS,P.H.	9509010069	STATE PRO G
LANG,Y.M.	9509010196	XPORTLIC	LEWIS,E.L.	9509210129	50-424 G	LOHAUS,P.H.	9509010086	STATE PRO G
LANGFORD,W.K.	9509270060	50-29 H	LEWIS,E.L.	9509210129	50-424 G	LOHAUS,P.H.	9509010096	STATE PRO G
LANKSBURY,R.	9509140350	50-440 O	LEWIS,M.	9509290045	PR	LOHAUS,P.H.	9509010117	STATE PRO G
LANKSBURY,R.D.	9509190071	50-440 S	LEWIS,M.I.	9509050037	PR	LOHAUS,P.H.	9509010144	STATE PRO G
LANKSBURY,R.D.	9509190077*	50-440 Q	LEWIS,R.	9509270122	ORG	LOHAUS,P.H.	9509010151	STATE PRO G
LANKSBURY,R.D.	9509190126	50-346 O	LIBERATORII,L.F.	9509080054	TOPREP	LOHAUS,P.H.	9509010163	STATE PRO G
LANZIGERA,P.	9509210005	30-29300	LIEBERMAN,D.F.	9509130140*	FOIA	LOHAUS,P.H.	9509010192	STATE PRO G
LAPAN,C.	9509190178	50-29 H	LICKFIELD,K.W.	9509140291*	70-133	LOHAUS,P.H.	9509010214	STATE PRO G
LARKINS,J.T.	9509270113	ACRS	LICKFIELD,K.W.	9509140298*	70-133	LOHAUS,P.H.	9509050028	STATE PRO G
LARSON,G.D.	9509080096	71-153	LICKFIELD,K.W.	9509140301*	70-133	LOHAUS,P.H.	9509050214	STATE PRO G
LARSON,H.J.	9509280247*	FOIA	LICKFIELD,K.W.	9509140305*	70-133	LOHAUS,P.H.	9509050313	STATE PRO G
LARUE,M.J.	9509120026	XPORTLIC	LICKUS,R.	9509150340*	FOIA	LOHAUS,P.H.	9509050335	STATE PRO G
LATTA,R.M.	9509060349	50-373 P	LIEBERMAN,J.	9508070056	50-245 G	LOHAUS,P.H.	9509200108	STATE PRO G
LATTA,R.M.	9509140275	50-373 Q	LIEBERMAN,J.	9508070064*	50-245 G	LOHAUS,P.H.	9509200117	STATE PRO G
LATTA,R.M.	9509220170	50-373 P	LIEBERMAN,J.	9509010095*	50-245 G	LOHAUS,P.H.	9509200131	STATE PRO G
LAU,E.S.	9509250285	50-20 R	LIEBERMAN,J.	9509050182*	FOIA	LOHAUS,P.H.	9509280148	STATE PRO G
LAU,E.S.	9509260165	50-20 S	LIEBERMAN,J.	9509120353*	50-498 Q	LOHAUS,P.H.	9509280152	STATE PRO G
LAUFER,R.J.	9509070309	50-305 P	LIEBERMAN,J.	9509120384*	50-498 Q	LOHAUS,P.H.	9509280164	STATE PRO G
LAUFER,R.J.	9509070310*	50-305 P	LIEBERMAN,J.	9509150057	50-390 Q	LOHAUS,P.H.	9509280179	STATE PRO G
LAURILA,M.	9509010085*	STATE PRO G	LIEBERMAN,J.	9509150068*	50-390 G	LOHAUS,P.H.	9509280234	STATE PRO G
LAWRENCE,J.W.	9509060073	50-498 Q	LIEBERMAN,J.	9509180020*	50-390 G	LOHAUS,P.H.	9509280249	STATE PRO G
LAWSON,J.B.	9509130114*	FOIA	LIEBERMAN,J.	9509210225	MISC	LONG,D.M.	9509210284*	CONTRACT
LAWSON,J.B.	9509130138*	FOIA	LIEBERMAN,J.	9509220248	I&E	LONG,R.L.	9509050287	50-219 R
LAWSON,J.B.	9509130163*	FOIA	LIEBERMAN,J.	9509220251	50-397 Q	LOO,W.T.	9509180358*	50-348 Q
LAWSON,J.B.	9509130220*	FOIA	LIEBERMAN,J.	9509220259	I&E	LOPEZ-OTIN,M.	9509010128	ORG
LAWSON,J.B.	9509140208*	FOIA	LIEBERMAN,J.	9509220263	I&E	LOPEZ-OTIN,M.E.	9509010021	ORG
LAWSON,J.B.	9509140236*	FOIA	LIEBERMAN,J.	9509220271	50-282 Q	LOPEZ-OTIN,M.E.	9509050017	STATE PRO G
LAWSON,J.B.	9509140242*	FOIA	LIEBERMAN,J.	9509260306*	50-498 H	LOPEZ-OTIN,M.E.	9509050019	ORG
LAYFIELD,R.L.	9509120355*	70-*****	LIEBERMAN,J.	9509260315*	FOIA	LOPEZ-OTIN,M.E.	9509050030	STATE PRO G
LAYFIELD,R.L.	9509130083*	70-*****	LIEBERMAN,J.	9509280119*	FOIA	LOPRIORE,R.	9509220318	50-324 R
LAYFIELD,R.L.	9509130025*	70-*****	LIEBERMAN,J.	9509280327	I&E	LORENZ,R.A.	9509070074	NUREG
LAYFIELD,R.L.	9509130029*	70-*****	LILLARD,R.	9509200217	71-417	LOUIE,R.	9509070041	50-247 S
LAYTON,M.	9509220166	40-8857	LILLARD,R.W.	9509260184	71-417	LOVINGER,T.	9509250214*	FOIA
LAYTON,M.	9509220299	40-8968	LILLY,M.	9509250100*	QA999	LU,B.	9509010286	XPORTLIC
LAZARUS,W.J.	9509150191	50-334 Q	LILLY,M.	9509250119*	QA999	LUBINSKI,J.W.	9509010204*	STATE PRO G
LAZO,R.M.	9103280056*	FOIA	LILLY,M.	9509250127*	QA999	LUBINSKI,J.W.	9509010208*	STATE PRO G
LE,N.	9509180119	50-400 P	LILLY,M.	9509250130*	QA999	LUBINSKI,J.W.	9509010210*	STATE PRO G

260 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LUBINSKI, J.W.	9509010223*	STATE PRO G	MAMIS, N.	9509280327	I&E	MATSON, E.R.	8208300145*	FOIA
LUBINSKI, J.W.	9509010224*	STATE PRO G	MAMISH, N.	9509220263	I&E	MATSON, E.R.	8208300237*	FOIA
LUBINSKI, J.W.	9509010239*	STATE PRO G	MANGAN, F.K.	9509220073	50-498 P	MATSON, E.R.	9509130109*	FOIA
LUBINSKI, J.W.	9509050338*	STATE PRO G	MANGRAGLI, S.	9509270110	50-29 H	MATSON, E.R.	9509130156*	FOIA
LUBINSKI, J.W.	9509050340*	STATE PRO G	MANION, W.J.	9509260319*	FOIA	MATSON, E.R.	9509140342*	FOIA
LUBINSKI, J.W.	9509060002*	STATE PRO G	MANN, D.	9509140294*	FOIA	MATTHEWS, D.B.	9509060321*	50-280 P
LUBINSKI, J.W.	9509060004*	STATE PRO G	MANOLY, K.A.	9504190173*	50-321 P	MATTHEWS, D.B.	9509080268	50-281 Q
LUBINSKI, J.W.	9509060010*	STATE PRO G	MANOLY, K.A.	9509200157	TOPREP	MATTHEWS, D.B.	9509080304*	50-261 P
LUBINSKI, J.W.	9509060012*	STATE PRO G	MARBET, L.	9509080278	50-344 H	MATTHEWS, D.B.	9509080329*	50-389 F
LUBINSKI, J.W.	9509060015*	STATE PRO G	MARBET, L.K.	9509270055	50-344 H	MATTHEWS, D.B.	9509110002	50-260 P
LUBINSKI, J.W.	9509200275*	FOIA	MARBET, L.K.	9509270071	50-29 H	MATTHEWS, D.B.	9509150047	50-280 P
LUBINSKI, J.W.	9509280286*	STATE PRO G	MARCELLO, R.A.	9509270074	50-29 H	MATTHEWS, D.B.	9509180176*	50-302 P
LUBINSKI, J.W.	9509280291*	STATE PRO G	MARCHI, M.L.	9509010231	50-305 F	MATTHEWS, D.B.	9509190337*	50-335 P
LUBINSKI, J.W.	9509280304*	STATE PRO G	MARCHI, M.L.	9509010314	50-305 J	MATTHEWS, D.B.	9509200057*	50-280 P
LUCADAMO, K.	9509130181	NUREG	MARCHI, M.L.	9509050153	50-305 P	MATTHEWS, D.B.	9509210363*	50-251 P
LUCHT, R.	9509260325	40-8964	MARCHI, M.L.	9509050261	50-305 Q	MATTHEWS, R.A.	9509120054	50-461 S
LUCKAS, W.J.	9509200039	NUREG	MARCHI, M.L.	9509110096	50-305 R	MATTHEWS, S.M.	9509210157*	QA999
LUGAR, R.G.	9509150351*	FOIA	MARCHI, M.L.	95091500...0	50-305 R	MATTHEWS, D.B.	9509080333*	50-280 P
LUGAR, R.G.	9509200364*	FOIA	MARCHI, M.L.	9509190295	50-305 F	MATTIA, M.G.	9509080208	CONTRACT
LUMNITZER, P.L.	9509150291*	FOIA	MARCO, C.L.	9509080095*	40-8027	MATTIA, M.J.	8509270026	CONTRACT
LUPBERGER, E.	9509070261	50-458 I	MARCO, C.L.	9509210132	40-8027	MATTIA, M.J.	9509280008	CONTRACT
LUSARDI, M.	9509210075	50-280 Y	MARCO, C.L.	9509210135	40-8027	MATTIA, M.J.	9509280008	CONTRACT
LUSHER, J.	9509180297*	50-245 Y	MARCUS, G.H.	9509060003	50-255 H	MATTSO, E.	8203020400*	FOIA
LUSHER, J.H.	9509050267*	50-309 Q	MARCUS, G.H.	9509110176	50-255 Y	MATUSEWICZ, S.M.	9509190024	50-156 V
LUTHIGER, P.	9509200213	40-8905	MARCUS, G.H.	9509210357	50-266 P	MAUDLIN, R.L.	9509110130*	WASTE MGT
LUTHIGER, P.	9509270191	40-8905	MARQUARDT, P.A.	9509050298	FOIA	MAXFIELD, G.J.	9509120338	50-266 F
LUTHINGER, P.	9509120281	40-8905	MARSH, L.B.	9509050343*	50-410 P	MAXFIELD, G.J.	9509140002	50-266 R
LUTZI, P.J.	9509010330	50-336 S	MARSH, L.B.	9509060013	50-317 Y	MAXIN, A.M.	9509080058	71-9009
LUTZI, P.J.	9509050005	50-336 S	MARSH, L.B.	9509060027	50-317 H	MAXIN, A.M.	9509080100	70-143
LUTZI, P.J.	9509120285	50-336 S	MARSH, L.B.	9509060041*	50-317 H	MAXIN, A.M.	9509110266	70-143
LUTZI, P.J.	9509130007	50-336 S	MARSH, L.B.	9509110036*	50-286 P	MAXIN, A.M.	9509270235	70-143
LUTZI, P.J.	9509180230	50-336 S	MARSH, L.B.	9509110077*	50-286 P	MAXIN, A.M.	9509280003	PR
LUTZI, P.J.	9509200020	50-336 S	MARSH, L.B.	9509140197	50-244 P	MAXWELL, G.F.	9509070228*	50-369 Q
LUTZI, P.J.	9509250268	50-336 S	MARSH, L.B.	9509140204*	50-244 P	MAXWELL, G.F.	9509280245*	50-369 Q
LUX, J.	9509200136	70-3073	MARSH, L.B.	9509140223*	50-410 P	MAYFIELD, M.E.	9509200141	REVIEW GR P
LYNCH, J.	9509010001*	STATE PRO G	MARSH, L.B.	9509150019*	50-286 P	MAYNARD, O.L.	9509120037	50-482 F
LYNCH, J.L.	9509190111	STATE PRO G	MARSH, L.B.	9509180367*	50-333 P	MAYNARD, O.L.	9509180156	50-482 R
LYNCH, M.D.	9509220195	50-454 P	MARSH, L.B.	9509190294*	50-338 P	MAYNARD, O.L.	9509180204	50-482 R
LYNCH, M.D.	9509250308	TOPREP	MARSH, L.B.	9509190313*	50-410 P	MAYO, C.W.	9509010222	50-297 R
LYNCH, M.D.	9509250351	50-454 P	MARSH, L.B.	9509200265	50-293 H	MAYS, J.C.	9509070246	40-8681
LYNCH, M.D.	9509250380*	50-454 P	MARSH, L.B.	9509250389*	50-244 P	MCALPINE, E.J.	9509070199*	70-143
LYON, W.C.	9509050063	REVIEW GR P	MARSH, L.B.	9509260346*	50-286 P	MCALPINE, E.J.	9509070254*	70-1151
LYONS, D.G.	9509190245	50-354 R	MARSH, L.B.	9509280120*	50-220 P	MCALPINE, E.J.	9509180261*	70-27
LYONS, P.J.	9509200317	40-299	MARSH, W.C.	9509110114	50-362 Q	MCALPINE, E.J.	9509180315*	70-143
LYTLE, J.E.	9509080261	WASTE MGT	MARSH, W.C.	9509120032	50-206 F	MCALPINE, E.J.	9509280176*	70-1113
MACDONALD, C.E.	9509200239*	FOIA	MARSH, W.C.	9509130044	50-361 F	MCANDREWS, O.B.	9509220056	50-29 H
MACE, M.	9509210263	CONTRACT	MARSH, W.C.	9509270015	50-361 P	MCCBRIDE, M.F.	9509110220*	FOIA
MACE, M.	9509250024	CONTRACT	MARSH, W.C.	9509280069	50-361 P	MCCBURNETT, M.A.	9509200114	50-496 R
MACE, M.	9509280088	50-336 P	MARSH, W.C.	9509290027	50-361 R	MCCANN, G.M.	9401120006*	FOIA
MACE, M.H.	9509050047	CONTRACT	MARSH, W.C.	9509290139	50-206 F	MCCANN, G.M.	9401250049*	FOIA
MACE, M.H.	9509140055	CONTRACT	MARSHALL, B.M.	9509060148	50-280 P	MCCANN, G.M.	9410050027*	40-7397
MACE, M.H.	9509260098	CONTRACT	MARSHALL, J.S.	9509190287	50-445 R	MCCANN, G.M.	9509140270*	70-133
MACE, M.H.	9509260197	CONTRACT	MARSHALL, J.S.	9509210318	50-446 F	MCCANN, G.M.	9509140287*	40-861
MACE, M.H.	9509260254	CONTRACT	MARTEL, C.B.	9509260291*	FOIA	MCCANN, G.M.	9509140382*	FOIA
MACFARLAND, W.G.	9509110179	50-352 Q	MARTIN, D.B.	9509050143	50-423 V	MCCANN, G.M.	9509180017*	FOIA
MACHON, R.D.	9509110131	50-259 Q	MARTIN, D.B.	9509050143	50-423 V	MCCLINTOCK, R.	9509210033*	FOIA
MACHON, R.D.	9509180186	50-260 S	MARTIN, J.	9509250001*	50-341 F	MCCLINTOCK, R.O.	9509210036*	FOIA
MACHON, R.D.	9509250026	50-260 S	MARTIN, J.	9509250002*	50-341 F	MCCLINTOCK, R.O.	9509210070*	FOIA
MACIEJEWSKI, J.	9509120157*	50-259 P	MARTIN, J.B.	9509200331*	FOIA	MCCLINTOCK, R.O.	9509210119*	FOIA
MACKAY, S.D.	9509250044*	50-219 P	MARTIN, L.E.	9509070313	50-498 P	MCCLINTOCK, R.O.	9509220008*	FOIA
MACKIN, P.C.	9509140385	WASTE MGT	MARTIN, R.E.	9509070277	50-413 P	MCCLINTOCK, R.O.	9509220029*	FOIA
MACKINNON, R.J.	9509200030	NUREG	MARTIN, R.E.	9509110097	50-413 P	MCCLOY, W.A.	9509250091	QA999
MACNEILL, D.R.	9509120050*	50-423 Q	MARTIN, R.E.	9509120241	50-369 P	MCCLOY, W.A.	9509250114*	QA999
MADDEEN, G.R.	9509010002	50-335 S	MARTIN, R.E.	9509130187	50-369 P	MCCOLD, L.	9406230245*	40-8948
MADDEEN, P.M.	9509280230*	50-390 Q	MARTIN, R.E.	9509200134	50-413 P	MCCOLD, L.	9509180049*	FOIA
MADERA, J.R.	9509180035*	FOIA	MARTIN, R.E.	9509220250	50-413 P	MCCOLLUM, W.R.	9509150061	50-413 S
MADERA, J.R.	9509200012*	FOIA	MARTIN, T.O.	9509260101*	NUREG	MCCOLLUM, W.R.	9509180178	50-413 P
MADERA, J.R.	9509200048*	FOIA	MARTIN, T.O.	9509260130*	NUREG	MCCOLLUM, W.R.	9509180322	50-413 P
MADERA, J.R.	9509200263*	FOIA	MARTIN, T.O.	9509260159*	NUREG	MCCOLLUM, W.R.	9509190378	50-413 S
MADERA, J.R.	9509210358*	FOIA	MARTIN, T.O.	9509260272*	NUREG	MCCOLLUM, W.R.	9509250022	50-414 Q
MADISON, A.	9509260293*	50-298 P	MARTIN, T.T.	9509010290	50-272 Q	MCCOLLUM, W.R.	9509250056	50-413 S
MAGRUDER, S.L.	9509190314	52-3	MARTIN, T.T.	9509050114*	50-289 P	MCCOLLUM, W.R.	9509260027	50-414 S
MAGRUDER, S.L.	9509210090	52-3	MARTIN, T.T.	9509050119*	50-289 P	MCCONNELL, J.W.	9509130162	NUREG
MAGRUDER, S.L.	9509260217	TOPREP	MARTIN, T.T.	9509050226	50-271 Q	MCCOOL, W.B.	9509180079*	50-219 P
MAHER, E.T.	9509180072*	50-219 P	MARTIN, T.T.	9509110229	50-219 Q	MCCORMICK	9509080099	40-7397
MAIER, W.	9509260188*	50-286 Q	MARTIN, T.T.	9509210256*	FOIA	MCCORMICK	9509260058	40-534
MAIER, W.A.	9509260219*	50-213 Q	MARTIN, T.T.	9509260013	50-387 Q	MCCORMICK	9509260069*	40-534
MALARO, J.C.	9509130032*	70-*****	MARTIN, T.T.	9509260161*	50-320 P	MCCORMICK, J.W.	9509190089	40-*****
MALARO, J.C.	9509140138*	FOIA	MARTIN, T.T.	9509260191	50-354 Q	MCCORMICK, J.W.	9509190099*	40-*****
MALARO, J.C.	9509140158*	FOIA	MARTIN, T.T.	9509260232	50-354 Q	MCCORMICK, M.J.	9509050186	50-410 R
MALARO, J.C.	9509140333*	FOIA	MARTIN, T.T.	9509260338*	FOIA	MCCORMICK, M.J.	9509050220	50-220 R
MALARO, J.C.	9509180014*	FOIA	MARTIN, T.T.	9509260347*	FOIA	MCCORMICK, M.J.	9509060175	50-220 F
MALENO, K.R.	9509190136	50-29 H	MARTIN, T.T.	9509260369*	FOIA	MCCORMICK-BARGE	9509190086	40-*****
MALENO, M.D.	9509190148	50-29 H	MASLAR, S.R.	9509250265*	WASTE MGT	MCCORMICK-BARGE	9509190074*	40-*****
MALLETT, B.S.	9509180254	STATE PRO G	MASON, D.	9509190183	50-280 R	MCCORMICK-BARGE	9509190094	40-*****
MALLETT, B.S.	9509220168	STATE PRO G	MASON, M.E.	9509060095	FOIA	MCCORMICK-BARGE	9509260063	40-*****
MALLOTT, L.	9509110386*	FOIA	MASSE, R.E.	9509070005	50-499 S	MCCORMICK-BARGE	9509260076*	40-*****
MALONE, D.	9509200304	50-275 R	MATSON, E.R.	8208300143*	FOIA	MCCOY, C.K.	9509120093	50-425 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
MCCOY, C.K.	9509190282	50-424	R	MENDILLO, M.	9509110305*	FOIA	MILLER, W.O.	9509180090*	FOIA	
MCCOY, C.K.	9509190310	50-424	P	MENDILLO, M.	9509110258*	FOIA	MILLS, G.R.	9509150169	50-361	
MCCOY, C.K.	9509200272	50-424	F	MENDIOLA, A.J.	9509290118*	50-62	MIMS, D.C.	9509050296	50-313	
MCCOY, C.K.	9509260096	50-424	P	MENDONCA, M.M.	9509080261	50-113	MIMS, D.C.	9509070124	50-368	
MCCRACKEN, C.E.	9412080021*	50-498	P	MENDONCA, M.M.	9509200037	50-27	MIMS, D.C.	9509190229	50-368	
MCCRACKEN, C.E.	9509070101	ORG		MENDONCA, M.M.	9509220321	50-180	MIMS, D.C.	9509190232	50-313	
MCCRACKEN, C.E.	9509190323	REVIEW GR	P	MENDONCA, M.M.	9509260326	50-193	MIMS, D.C.	9509260046	50-313	
MCCULLOUGH, R.L.	9509050250	71-776		MENKE, L.H.	9509200271*	50-227	MINNITTE, S.F.	9509200313	40-341	
MCCULLUM, W.R.	9509120038	50-413	Q	MERCREDY, R.C.	9509260256	50-244	MINOGUER, B.	9509140371*	FOIA	
MCDADE, J.M.	9509150330*	FOIA		MERGES, P.J.	9509280142	STATE PRO	MITCHELL, G.L.	9509060068*	50-413	
MCDANIEL, K.K.	9509080226	70-1113		MERRIWATHER, N.	9509180296*	50-390	Q	MITCHELL, M.	9509010045	30-28586
MCDONALD, D.G.	9509060347	50-317	P	MERSCHOFF, E.	9509260336*	FOIA		MITCHELL, M.H.	9509260367	50-255
MCDONALD, D.G.	9509070272	50-317	P	MERSCHOFF, E.W.	9509072009	50-325	Q	MOCNIAK, M.J.	9509200132	40-7580
MCDONALD, D.G.	9509060024	50-317	P	MERSCHOFF, E.W.	9509070242	50-338	P	MODER, M.	9509180219	50-247
MCGINTY, T.J.	9509200128	72-*****		MERSCHOFF, E.W.	9509070301	50-261	P	MODES, M.	9509180229*	50-247
MCGOLDRICK, F.	9509270155	XPORTLIC		MERSCHOFF, E.W.	9509180259	50-335	Q	MODES, M.C.	9509060224	50-309
MCGOUGH, M.	9509220096	50-29	H	MERSCHOFF, E.W.	9509180281	50-335	P	MODES, M.C.	9509060230*	50-309
MCGUIRE, D.R.	9509070151*	50-327	Q	MERSCHOFF, E.W.	9509270144*	50-298	Q	MODES, M.C.	9509150194	50-213
MCGUIRE, D.R.	9509110333*	70-27		MERSCHOFF, E.W.	9509280198	50-261	Q	MODES, M.C.	9509150200*	50-213
MCINTIRE, M.	9509260368	71-8263		MESSIER, M.	9509260141*	FOIA		MOHAUPT, T.	9509290046	PR
MCINTYRE, B.A.	9509060127	52-3		METZGER, J.R.	9509140326*	FOIA		MOHR, S.	8801040291*	FOIA
MCINTYRE, B.A.	9509060132	52-3		MEYER, G.M.	9509110230	50-352	V	MONACO, N.	9509110264*	FOIA
MCINTYRE, B.A.	9509070095	52-3		MEYER, G.W.	9509050201	50-213	V	MONACO, N.	9509110284*	FOIA
MCINTYRE, B.A.	9509110123	52-3		MEYER, G.W.	9509050206	50-244	V	MONACO, N.	9509110309*	FOIA
MCINTYRE, B.A.	9509110129*	52-3		MEYER, G.W.	9509050216	50-293	V	MONDALE	9509270164	XPORTLIC
MCINTYRE, B.A.	9509120083	52-3		MEYER, G.W.	9509050218	50-352	V	MONDALE, W.	9509270243	XPORTLIC
MCINTYRE, B.A.	9509140150*	52-3		MEYER, G.W.	9509060223	50-336	V	MONROE, J.W.	9509290085	50-34*
MCINTYRE, B.A.	9509140163	52-3		MEYER, G.W.	9509110228	50-410	V	MONROE, J.W.	9509260295*	FOIA
MCINTYRE, B.A.	9509140167*	52-3		MEYER, G.W.	9509180196	50-352	V	MONTGOMERY, N.D.	9509060249	71-5862
MCINTYRE, B.A.	9509140219	52-3		MEYER, G.W.	9509180202*	50-352	V	MONTOMOY, A.B.F.	9509010195*	50-528
MCINTYRE, B.A.	9509140233	52-3		MEYER, G.W.	9509190078	50-354	V	MOONEY, G.	9509110311	40-8502
MCINTYRE, B.A.	9509190264	52-3		MEYER, G.W.	9509210116	50-443	V	MOONEY, G.	9509110359	40-8502
MCINTYRE, B.A.	9509190265	QA999		MEYER, G.W.	9509260114	50-272	V	MOORE, J.	9509110280*	50-498
MCINTYRE, B.A.	9509190272	52-3		MEYER, G.W.	9509260198	50-245	Q	MOORE, J.C.	9509190382	40-442
MCINTYRE, B.A.	9509190274*	52-3		MEYER, G.W.	9509260211	50-293	Q	MOORE, K.	9509180193	50-254
MCINTYRE, B.A.	9509200016	52-3		MEYER, G.W.	9509260216*	50-293	Q	MOORE, K.E.	9509270258*	TOPREP
MCINTYRE, B.A.	9509200021	52-3		MEYER, J.D.	9509270131	50-29	H	MOORE, M.H.	9509270101	50-29
MCINTYRE, B.A.	9509200300	52-3		MEYER-JAMES, K.A.	9509015028	NUREG		MOORE, R.	9509070165*	50-390
MCINTYRE, B.A.	9509200332	52-3		MEYERS, W.J.	9509220033	50-29	H	MOORE, R.	9509180362*	50-261
MCINTYRE, B.A.	9509200341*	52-3		MICHAELS, T.S.	9509120286	50-57	P	MOORMAN, J.H.	9509180342*	50-424
MCINTYRE, B.A.	9509250340	52-3		MICHAUD, D.R.	9509250091	QA999		MOOSE, J.M.	9509120116*	50-483
MCINTYRE, B.A.	9509250345	52-3		MICHEL, T.G.	9509280070*	40-2259		MORETTI, E.	9509130211*	FOIA
MCINTYRE, B.A.	9509260120	52-3		MICHENSEN, M.A.	9509280026	PR		MORETTI, E.J.	9509130219*	FOIA
MCINTYRE, B.A.	9509260124*	52-3		MICHENFELDER, A.	9509110351	FOIA		MOREY, D.	9509050278	50-348
MCINTYRE, T.R.	9509010267*	52-4		MIDDLESWORTH, G.	9509250198	50-331	R	MOREY, D.	9509150014	50-348
MCKAGUE, H.L.	9509140173	WASTE MGT		MIKLAS, M.P.	9509140173	WASTE MGT		MOREY, D.	9509180162	50-348
MCKAGUE, H.L.	9509210314	WASTE MGT		MILBRADT, M.D.	9509010115	50-317	S	MOREY, D.	9509180172	50-348
MCKEE, P.	9509200277	50-219	P	MILES, E.A.	9509190145	50-29	H	MORRIS, C.G.	9309130195*	40-7102
MCKEE, P.F.	9509060090*	50-443	P	MILLER, B.	9509290066	50-29	H	MORRIS, G.W.	9509180237*	50-293
MCKEE, P.F.	9509060136	50-308	Q	MILLER, D.B.	9509010330	50-336	S	MORRIS, P.A.	9509220123*	50-219
MCKEE, P.F.	9509080311*	50-219	P	MILLER, D.B.	9509050005	50-336	S	MORRIS, P.A.	9509140307*	FOIA
MCKEE, P.F.	9509140216*	50-245	P	MILLER, D.B.	9509050013	50-245	S	MORRIS, P.A.	9509140311*	FOIA
MCKEE, P.F.	9509140341	50-245	H	MILLER, D.B.	9509080010	50-245	S	MORRIS, P.A.	9509150124*	FOIA
MCKEE, P.F.	9509150299*	50-309	P	MILLER, D.B.	9509120285	50-336	S	MORRIS, P.A.	9509150126*	FOIA
MCKEE, P.F.	9509190190*	50-245	P	MILLER, D.B.	9509120344	50-245	S	MORRIS, P.A.	9509150149*	FOIA
MCKEE, P.F.	9509200024*	50-443	P	MILLER, D.B.	9509130007	50-336	S	MORRIS, P.A.	9509150158*	FOIA
MCKEE, P.F.	9509200315	50-271	Q	MILLER, D.B.	9509180230	50-336	S	MORRIS, P.A.	9509150163*	FOIA
MCKEE, P.F.	9509210262	50-245	P	MILLER, D.B.	9509190211	50-245	R	MORRIS, P.A.	9509150170*	FOIA
MCKEE, P.F.	9509220007*	50-289	P	MILLER, D.B.	9509200010	50-245	S	MORRIS, P.A.	9509150172*	FOIA
MCLAIN, F.A.	9509190162	50-29	H	MILLER, D.B.	9509200010	50-245	S	MORRIS, P.A.	9509150178*	FOIA
MCLAUGHLIN, J.	9509250006	70-1426		MILLER, D.B.	9509200020	50-336	S	MORRIS, P.A.	9509150185*	FOIA
MCLAUGHLIN, J.M.	9509220245*	TOPREP		MILLER, D.B.	9509220076	50-245	S	MORRIS, P.A.	9509150207*	FOIA
MCMORE, W.H.	9509080035	50-180	H	MILLER, D.B.	9509220076	50-245	S	MORRIS, P.A.	9509150211*	FOIA
MCMEEKIN, T.C.	9509080041	50-369	P	MILLER, D.B.	9509220099	50-423	P	MORRIS, P.A.	9509150244*	FOIA
MCMEEKIN, T.C.	9509080047	50-369	S	MILLER, D.B.	9509220099	50-423	P	MORRIS, P.A.	9509150256*	FOIA
MCMEEKIN, T.C.	9509110206	50-369	P	MILLER, D.B.	9509220216	50-245	S	MORRIS, P.A.	9509150269*	FOIA
MCMEEKIN, T.C.	9509120040	50-369	Q	MILLER, D.B.	9509250268	50-336	S	MORRIS, P.A.	9509150290*	FOIA
MCMEEKIN, T.C.	9509150083	50-369	F	MILLER, D.B.	9509250268	50-336	S	MORRIS, P.A.	9509220062*	50-219
MCMEEKIN, T.C.	9509190086	50-370	S	MILLER, D.B.	9509250356	50-245	S	MORRIS, P.A.	9509220138*	50-219
MCMEEKIN, T.C.	9509220160	50-369	S	MILLER, E.M.	9509270093	50-29	H	MORRISON, D.L.	9509280084*	ORG
MCMEEKIN, T.C.	9509250052	50-369	Q	MILLER, H.J.	9509010281*	50-263	Q	MOUNT, D.K.	9509280143	STATE PRO
MCMEEKIN, T.C.	9509260018	50-369	P	MILLER, J.	8512160440*	FOIA		MOWBR, D.S.	9509200353*	FOIA
MCNARY, W.	9009260143*	FOIA		MILLER, J.	8601030272*	FOIA		MOXLEY, M.	9509080102	40-4492
MCNEIL, D.	9509210332*	50-237	V	MILLER, J.	8602070232*	30-10660		MOY, D.T.	9509110341*	50-336
MCPHERSON, G.D.	9411140134*	50-272	F	MILLER, J.	8602070236*	FOIA		MOZAFARI, B.	9509210260	50-261
MCPHAE, R.R.	9509050161	50-498	R	MILLER, J.	8801040318*	FOIA		MOZAFARI, B.L.	9509080293	50-261
MCDONALD, R.	9509280182*	50-336	Q	MILLER, J.	9509120007*	70-1163		MUELLER, F.	9509150195	50-423
MCREEDY, R.C.	9509070205	50-244	S	MILLER, J.	9509120031*	FOIA		MUELLER, J.H.	9509010139	50-298
MCREEDY, R.C.	9509080079	50-244	P	MILLER, J.	9509120033*	FOIA		MUELLER, J.H.	9509080028	50-298
MCREEDY, R.C.	9509080081*	50-244	P	MILLER, J.P.	8801040527*	FOIA		MUELLER, J.H.	9509110169	50-298
MCREEDY, R.C.	9509110085	50-244	R	MILLER, J.P.	9509120005*	FOIA		MUELLER, J.H.	9509120058	50-298
MCREEDY, R.C.	9509260255	50-244	P	MILLER, K.M.	9509200363	NUREG		MUELLER, J.H.	9509120067	50-298
MEDFORD, M.O.	9509120157*	50-259	P	MILLER, L.F.	9509080117	50-295	Q	MUELLER, J.H.	9509120228	50-298
MEDFORD, M.O.	9509150077*	50-390	G	MILLER, L.F.	9509080129*	50-295	Q	MUELLER, J.H.	9509150302	50-298
MEENAN, M.	9509130129*	FOIA		MILLER, V.L.	9509270275	50-295	Q	MUMPER, J.A.	9509070156*	40-8761
MEISNER, M.J.	9509050291	50-416	F	MILLER, V.L.	8602190522*	FOIA		MUMPER, J.A.	9509220172*	STATE PRO
MEISNER, M.J.	9509200311	50-416	F	MILLER, V.L.	9509120220*	FOIA		MUNLEY, J.F.	9509280284*	STATE PRO
MELLOR, R.A.	9509270097	50-29	H	MILLER, V.L.	9509140193*	FOIA			9509280044	50-219

262 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MUNRO, J.J.	9509140184*	FOIA	NIEMEYER, E.	9509280078*	FOIA	OPEKA, J.F.	9509110211	50-245 G
MUNRO, W.J.	9509180237	50-293 R	NINH, S.Q.	9509220187	52-4	OPEKA, J.F.	9509120043	50-336 P
MURDOCK, M.	9509290060	50-344 H	NIX, D.	9509010094*	50-269 P	OPEKA, J.F.	9509120043	50-336 P
MURLEY, T.E.	9106070085*	FOIA	NOGGLE, J.	9509080177*	50-272 C	OPEKA, J.F.	9509120049	50-423 Q
MURLEY, T.E.	9509140131*	FOIA	NOGGLE, J.	9509180207*	50-293 Q	OPEKA, J.F.	9509120049	50-423 Q
MURLEY, T.E.	9312070210*	50-324 G	NOGGLE, J.	9509210233*	50-247 Q	OPEKA, J.F.	9509140009	50-213 H
MURRAY, B.	9509180082*	40-8406	NOLAN, F.J.	9509250041*	50-219 P	OPEKA, J.F.	9509140009	50-213 H
MURRAY, B.	9509150196*	50-482 Q	NOONAN, T.P.	9509180175	50-334 R	OPEKA, J.F.	9509140009	50-213 H
MURRAY, B.	9509210235*	50-361 Q	NORELIUS, C.E.	9201310021*	FOIA	OPEKA, J.F.	9509150029	50-213 P
MURRAY, B.	9509210253*	50-526 Q	NORELIUS, C.E.	9509140032*	FOIA	OPEKA, J.F.	9509150029	50-213 P
MURRAY, B.	9509260074*	50-89 Q	NORELIUS, C.E.	9509200246*	FOIA	OPEKA, J.F.	9509180138	50-245 P
MURRAY, R.K.	9509130096*	70-*****	NORELIUS, C.E.	9509200255*	FOIA	OPEKA, J.F.	9509190312	50-336 P
MURRAY, R.K.	9509130106*	FOIA	NORRIS, J.A.	9509080326	50-389 F	OPEKA, J.F.	9509190312	50-336 P
MURRAY, R.K.	9509130133*	FOIA	NORRIS, J.A.	9509190292	50-335 P	OPEKA, J.F.	9509190322*	50-336 P
MURRAY, R.K.	9509130225*	FOIA	NORRIS, J.A.	9509190327	50-335 P	OPEKA, J.F.	9509190322*	50-336 P
MURRAY, R.K.	9509140357*	FOIA	NORRIS, J.A.	9509220179	50-335 P	OPEKA, J.F.	9509200139	50-423 P
MURRAY, R.K.	9509140372*	FOIA	NORRY, P.G.	9509260282*	NUREG	OPEKA, J.F.	9509200139	50-423 P
MURRAY, S.P.	9509150075	50-286 S	NORRY, P.G.	9509260285*	NUREG	OPEKA, J.F.	9509200234	50-245 P
MURRELL, R.	9509050142	50-331 S	NORTH, H.S.	9509130170*	FOIA	OPEKA, J.F.	9509200234	50-245 P
MUSE, J.A.	9509130159*	50-237 P	NORTH, H.S.	9509130183*	FOIA	OPEKA, J.F.	9509220095	50-213 H
MUSKIE, E.S.	9509060137*	50-219 U	NORTH, H.S.	9509130188*	FOIA	OPEKA, J.F.	9509220095	50-213 H
MYERS, H.R.	9509270146*	50-309 H	NORTH, H.S.	9509130196*	FOIA	OPEKA, J.F.	9509220095	50-213 H
MYERS, L.W.	9509080014	50-498 S	NORTH, H.S.	9509130199*	FOIA	OPEKA, J.F.	9509250313	50-213 P
MYERS, L.W.	9509200114	50-498 R	NORTH, H.S.	9509130209*	FOIA	OPEKA, J.F.	9509250313	50-213 P
MYERS, L.W.	9509280073	50-498 S	NORTH, H.S.	9509140339*	FOIA	OPEKA, J.F.	9509250347	50-336 P
NAIDU, K.R.	9509060203*	QA999	NUSSBAUMER, D.A.	9509120308*	70-*****	OPEKA, J.F.	9509250347	50-336 P
NAKAKI, D.K.	9509150113*	50-317 P	NUSSBAUMER, D.A.	9509120331*	70-*****	OPEKA, J.F.	9509250353	50-336 P
NANA, A.D.	9509270258*	TOPREP	NUSSBAUMER, D.A.	9509120383*	70-*****	OPEKA, J.F.	9509250353	50-336 P
NAPPI, ALTHOUSE	9509260221*	40-8724	O'BRIEN, J.	9509220036	FOIA	OPEKA, J.F.	9509250354	50-336 P
NARDI, A.J.	9509260031	71-708	O'CONNELL, R.L.	9509210089*	40-8948	OPEKA, J.F.	9509250354	50-336 P
NARDONE, P.E.	9509190209	50-443 R	O'CONNELL, R.L.	9509220276*	40-8948	OPEKA, J.F.	9509250384	50-213 P
NEIDIGER, J.A.	9509080070	50-27 R	O'CONNELL, R.L.	9509220281*	40-8948	OPEKA, J.F.	9509250384	50-213 P
NELSON, A.	9509180045*	40-7397	O'CONNOR, W.J.	9509070217	50-346 F	OPEKA, J.F.	9509260187	50-336 F
NELSON, B.	9509180075*	FOIA	O'HANLON, J.P.	9509080279	50-338 P	OPEKA, J.F.	9509260187	50-336 F
NELSON, E.B.	9509120045*	COMMISSION	O'HANLON, J.P.	9509120002	50-339 P	OPEKA, J.F.	9509260242	50-245 G
NELSON, P.	9509130056*	FOIA	O'HANLON, J.P.	9509120229	50-280 F	OPEKA, J.F.	9509260242	50-245 G
NELSON, P.R.	9509180044*	FOIA	O'HANLON, J.P.	9509140005	50-280 Q	OPEKA, J.F.	9509260334	50-245 Q
NELSON, P.R.	9509180067*	FOIA	O'HANLON, J.P.	9509140006	50-280 P	OPEKA, J.F.	9509260334	50-245 Q
NELSON, P.R.	9509210010*	FOIA	O'HANLON, J.P.	9509220057	50-338 P	OPEKA, J.F.	9509260335	50-423 P
NELSON, P.R.	9509210022*	FOIA	O'HANLON, J.P.	9509220125	50-338 P	OPEKA, J.F.	9509260335	50-423 P
NELSON, P.R.	9509210049*	FOIA	O'LEARY, A.H.	9509140092*	TOPREP	OPEKA, J.F.	9509260339	50-245 G
NELSON, P.R.	9509210085*	FOIA	O'MALLEY, W.P.	9509150093	50-354 S	OPEKA, J.F.	9509260339	50-245 G
NELSON, P.R.	9509210104*	FOIA	O'REILLY, J.P.	9509150385*	FOIA	OPTHOF, L.J.	9509260030*	FOIA
NELSON, P.R.	9509220021*	30-5409	O'REILLY, J.P.	9509220027*	FOIA	ORDERS, W.T.	9509260240*	50-261 Q
NELSON, P.R.	9501130200*	40-8948	O'CONNOR, P.W.	9509140060	TOPREP	ORLANDO, T.	9509270030	50-286 R
NELSON, R.	9501130205*	40-8948	ODDO, J.M.	9509290082	50-29 H	ORR, F.R.	9509200178	TOPREP
NELSON, R.	9509180177*	FOIA	ODLAND, L.T.	9509130111*	FOIA	ORTCIGER, T.W.	9509010091	STATE PRO G
NELSON, R.	9509180186*	FOIA	OGLE, R.A.	9504190331*	40-9022	ORTCIGER, T.W.	9509010141	STATE PRO G
NELSON, R.A.	9501250220*	40-8948	OGLE, R.A.	9504190334*	40-9022	ORTCIGER, T.W.	9509050011	PR
NELSON, R.A.	9501250227*	40-8948	OGLE, R.A.	9509260079*	40-9022	ORTCIGER, T.W.	9509060189	STATE PRO G
NELSON, R.A.	95091300198*	40-7102	OHEIM, H.V.	9509220132	50-293 R	ORTH, S.K.	9509190050*	50-295 Q
NELSON, R.A.	9509150056*	FOIA	OKVIST, E.	9509050308	71-9147	OSBORN, T.G.	9509010126	40-8904
NELSON, R.A.	9509150069*	FOIA	OKVIST, E.	9509260137	71-9165	OSBORNE, M.F.	9509070074	NUREG
NELSON, R.A.	9509180105*	FOIA	OLIU, W.E.	9407200246*	40-8948	OVEPBECK, G.R.	9509190059	50-529 F
NELSON, R.A.	9509180130*	FOIA	OLIVIER, L.J.	9509060219	50-293 R	OVERCHUK, N.A.	9509220151*	FOIA
NELSON, R.A.	9509180199*	FOIA	OLIVIER, L.J.	9509190237	50-293 R	OWENDOFF, J.M.	9509270188	WASTE MGT
NELSON, R.A.	9509180201*	FOIA	OLIVIER, L.J.	9509200146	50-293 P	PALLUCA	9509070315	50-245 P
NELSON, R.A.	9509180212*	FOIA	OLSEN, A.F.	9509150374	70-27	PALMER, A.J.	9509280019	27-48
NELSON, R.A.	9509180216*	FOIA	OLSEN, A.F.	9509150387	70-27	PALMER, A.J.	9509280029	PR
NELSON, R.A.	9509180220*	FOIA	OLSEN, A.F.	9509180158	70-27	PANGBURN, G.C.	9509280241*	STATE PRO G
NELSON, R.A.	9509180224*	FOIA	OLSEN, A.F.	9509180262	70-27	PAPE, J.M.	9509110268	WASTE MGT
NELSON, R.A.	9509180225*	FOIA	OLSEN, H.O.	9509280138	70-27 R	PAPERIELLO, C.J.	9509180110	72-*****
NELSON, R.A.	9509180228*	FOIA	OLSHAN, L.N.	9509190258	50-317 Q	PAPERIELLO, C.J.	9509260360	ORG
NELSON, R.A.	9509210094*	FOIA	OLSHAN, L.N.	9509050133	50-272 Q	PAPERIELLO, C.J.	9509260084*	40-*****
NELSON, R.A.	9509210101*	40-8948	OLSHAN, L.N.	9509110161	50-272 P	PARDI, L.E.	9509130197*	50-267 Q
NELSON, R.A.	9509220002*	40-7102	OLSHAN, L.N.	9509180239	50-272 F	PARDI, L.E.	9509140383	50-267 Q
NERSES, V.	9509140136	50-369 P	OLSHAN, L.N.	9509210353	50-272 P	PARK, J.R.	9509180066	40-8971
NERSES, V.	9509200354	50-369 P	OLSHAN, L.N.	9509220236	50-272 P	PARKER, B.A.	9509070197*	50-369 Q
NEUMAN, G.M.	9509180250	50-440 R	OLSHAN, L.N.	9509220239*	50-272 P	PARKER, B.A.	9509180358*	50-348 Q
NEVELS, G.L.	9509070139	50-483 F	OLSON, E.	9509260349	I&E	PARKER, J.C.	9509130040	50-298 H
NEWBURGH, G.	9509190211	50-245 R	ONG, L.D.Y.	9509110234*	70-1113	PARKER, R.E.	9509270075	50-29 H
NEWTON, R.A.	9509070106	50-324 F	OPEKA, J.F.	9509050141	50-213 P	PARKER, R.A.	9509210097*	FOIA
NEWTON, R.A.	9509150208	PROJ	OPEKA, J.F.	9509050141	50-213 P	PARKER, R.A.	9509220014*	FOIA
NEWTON, R.R.	9509070032	50-324 F	OPEKA, J.F.	9509050141	50-213 P	PARKER, R.A.	9509220040*	40-*****
NEWTON, R.R.	9509070112	50-324 F	OPEKA, J.F.	9509050148	50-213 Q	PARKS, J.W.	9509130098	70-7001
NEWTON, R.R.	9509070127	50-324 F	OPEKA, J.F.	9509050148	50-213 Q	PARKS, L.R.	9509120100	FOIA
NEWTON, R.R.	9509130184	50-324 F	OPEKA, J.F.	9509050148	50-213 Q	PARKYN, J.D.	9509150042	71-*****
NEWTON, T.H.	9509250385	50-20 R	OPEKA, J.F.	9509060262	50-336 Q	PARKYN, J.D.	9509200045	71-*****
NICHOLSON, L.E.	9509260185	50-20 S	OPEKA, J.F.	9509060262	50-336 Q	PARLER, W.C.	9509110361*	50-498 P
NICHOLSON, S.B.	9509280225	STATE PRO G	OPEKA, J.F.	9509060267	50-336 V	PARLER, W.C.	9509260190*	FOIA
NICHOLS, W.	9509180001	50-315 S	OPEKA, J.F.	9509060267	50-336 V	PARNELLS.	9509290066	50-344 H
NICHOLS, W.A.	9509220041	50-318 S	OPEKA, J.F.	9509070173	50-245 P	PARRISH, J.V.	9509010189	50-397 P
NICHOLSON, L.	9509150217	50-213 P	OPEKA, J.F.	9509070173	50-245 P	PARRISH, J.V.	9509070188	50-397 P
NICHOLSON, L.E.	9509110240*	50-245 Q	OPEKA, J.F.	9509070247	50-336 P	PARRISH, J.V.	9509180179	50-397 R
NICHOLSON, L.E.	9509260048*	50-245 Q	OPEKA, J.F.	9509070247	50-336 P	PARRISH, J.V.	9509180378	50-397 Q
NICKOLAUS, J.R.	9509130146	NUREG	OPEKA, J.F.	9509080087	50-423 P	PARRISH, J.V.	9509250062	50-397 Q
NIELSEN, K.	9509210369	40-8857	OPEKA, J.F.	9509080087	50-423 P	PARROTT, J.D.	9310120381*	40-9015
NIELSON, D.R.	9509280229*	PR	OPEKA, J.F.	9509110211	50-245 G	PARROTT, J.D.	9509010238	70-820

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PARTRIDGE, A.H.	9509140181*	FOIA	PETERSON, M.F.	9509060297*	FOIA	POOL, M.J.	9509150204	FOIA
PARUOLO, R.T.	9509280033	50-245 P	PETERSON, M.R.	9509060298*	FOIA	POOL, M.J.	9509150220	50-298 Q
PASCIAK, W.J.	9509250229	70-3052	PETERSON, M.R.	9509060309*	FOIA	POOL, M.J.	9509220328	FOIA
PASCIAK, W.J.	9509260238*	70-3052	PETERSON, M.R.	9509060314*	FOIA	POOL, M.J.	9509250060	50-245 P
PASSARDI, L.	9509190150	50-29 H	PETERSON, P.M.	9509060230*	50-309 Q	PORSE, L.	9509220137*	50-219 P
PASSWATER, A.C.	9509060357	50-483 P	PETRICH, J.G.	9509050060*	50-373 P	POSLUSNY, C.	9509080117	50-387 P
PATEL, C.P.	9509050348	50-382 P	PETRICH, J.G.	9509070287*	50-373 P	POSLUSNY, C.	9509080220	50-387 P
PATEL, C.P.	9509070050	50-382 P	PFUFF, S.J.	9509190054	40-6659	POSLUSNY, C.	9509140149	50-388 P
PATEL, C.P.	9509080260	50-382 P	PFUFF, S.J.	9509190056*	40-6659	POSLUSNY, C.	9509180346	50-387 P
PATEL, C.P.	9509080265*	50-382 P	PFUFF, S.J.	9509190064*	40-6659	POSLUSNY, C.	9509190334	50-388 P
PATEL, C.P.	9509080290	50-382 P	PFEFFER, M.J.	9509060228	50-282 F	POST, W.J.	9509010179*	50-528 I
PATEL, C.P.	9509080297*	50-382 P	PHARES, R.F.	9506110170	50-461 R	POTTER, J.P.	9509180270*	STATE PRC G
PATEL, C.P.	9509190315	50-382 P	PHARES, R.F.	9509120036	50-461 H	POWELL, R.	9508310208	50-318 Q
PATEL, C.P.	9509190325*	50-382 P	PHARES, R.F.	9509190091	50-461 Q	POWELL, R.	9509050321	FOIA
PATEL, C.P.	9509260206	50-382 P	PHILIPS, H.D.	9509210149*	MISC	POWELL, R.	9509060009	50-445 P
PATEL, M.	9509130131*	50-237 P	PHILLEY, G.H.	9509220031	50-29 H	POWELL, R.	9509060133	50-321 P
PATEL, N.	9509120359	40-8902	PHILLIPS, L.E.	9507060332*	50-237 P	POWELL, R.	9509140031	FOIA
PATRICK, M.E.	9509060068*	50-413 F	PHILLIPS, M.	9509080136*	50-262 Q	POWELL, R.	9509150027	40-7387
PATRICK, W.C.	9509200101*	WASTE MGT	PHILLIPS, M.P.	9509080120	50-341 Q	POWELL, R.	9509150156	50-498 P
PATTERSON, C.A.	9509190014*	50-324 Q	PHILLIPS, M.P.	9509080126	50-283 Q	POWELL, R.	9509150285	40-8408
PATTERSON, C.F.W.	9509110382*	FOIA	PHILLIPS, R.	9509180252	50-272 R	POWELL, R.	9509180041	50-219 H
PATTERSON, J.W.	8606130040*	FOIA	PICK, G.	9509010050	50-382 S	POWELL, R.	9508210019	40-7102
PATTERSON, J.W.	9509130100*	FOIA	PICKETT, D.V.	9509070028	50-461 P	POWELL, R.	9508210162	FOIA
PATTERSON, S.J.	9509150216	50-298 Q	PICKETT, D.V.	9509210275	50-461 P	POWELL, R.	9509220131	FOIA
PATTERSON, T.L.	9509010154	50-285 R	PICKETT, D.V.	9509210277*	50-461 P	POWELL, R.	9509220305	50-341 P
PATTERSON, T.L.	9509010183	50-285 Q	PIERSON, R.C.	9509080216	70-135	POWELL, R.	9509260167	50-498 P
PATTERSON, T.L.	9509190254	50-285 R	PIERSON, R.C.	9509080222	70-1113	POWELL, R.	9509270002	FOIA
PATTERSON, T.L.	9509220044	I&E	PIERSON, R.C.	9509080224*	70-1113	POWELL, R.A.	9509050115	FOIA
PATTERSON, T.L.	9509250273	50-285 S	PIERSON, R.C.	9509080226	70-27	POWELL, R.A.	9509050169	50-289 P
PATTERSON, T.L.	9509250277	50-285 S	PIERSON, R.C.	9509080230*	70-27	POWELL, R.A.	9509050184	FOIA
PATTON, J.D.	9509110368	40-8102	PIERSON, R.C.	9509080249	70-135	POWELL, R.A.	9509050302	FOIA
PATTON, J.D.	9509120361	40-8102	PIERSON, R.C.	9509080266	70-36	POWELL, R.A.	9509050309	50-237 P
PATTON, P.	9509260135*	FOIA	PIERSON, R.C.	9509080270	40-3392	POWELL, R.A.	9508050310	FOIA
PAULSEN, M.P.	9509130166	NUREG	PIERSON, R.C.	9509080295*	70-27	POWELL, R.A.	9509050311	FOIA
PAULSON, C.A.	9509010108	40-8584	PIERSON, R.C.	9509140238*	70-27	POWELL, R.A.	9509050324	FOIA
PAULSON, O.A.	9509010135	40-8584	PIERSON, R.C.	9509260118	70-27	POWELL, R.A.	9509060020	FOIA
PAUSTIAN, H.H.	9509180171	50-263 R	PIERSON, R.C.	9509260179*	NUREG	POWELL, R.A.	9509060070	50-498 P
PAWLIK, E.T.	9509250008*	50-341 Q	PIET, P.L.	9509140007	50-237 P	POWELL, R.A.	9509060116	FOIA
PAWLIK, E.T.	9509250017*	50-341 Q	PIET, P.L.	9509180142	50-237 P	POWELL, R.A.	9508060135	50-324 P
PEARCE, L.W.	9509180193	50-254 R	PIET, P.L.	9509190376	50-237 P	POWELL, R.A.	9509060141	FOIA
PEARCE, L.W.	9509190060	50-265 S	PIET, P.L.	9509260127	50-249 P	POWELL, R.A.	9509080032	50-219 P
PEARCE, L.W.	9509190072	50-254 S	PIET, P.L.	9509270182	50-237 P	POWELL, R.A.	9509110013	FOIA
PEARCE, L.W.	9509190073*	50-254 S	PINE, J.B.	9509270080	50-29 H	POWELL, R.A.	9509110022	50-498 P
PEARCE, L.W.	9509190092	50-265 Q	PINELLI, R.A.	9408120211*	FOIA	POWELL, R.A.	9509110046	50-445 P
PEARCE, L.W.	9509190160	50-254 S	PINELLI, R.A.	9406150176*	FOIA	POWELL, R.A.	9509110081	40-7102
PEARCE, L.W.	9509190119	50-265 S	PINELLI, R.A.	9509210076	TOPREP	POWELL, R.A.	9509110091	FOIA
PEARCE, L.W.	9509190186*	50-265 S	PINELLI, R.A.	9509220331	TOPREP	POWELL, R.A.	9509110214	FOIA
PEARCE, L.W.	9509250373	50-265 S	PINELLI, R.A.	9509280083	TOPREP	POWELL, R.A.	9509110321	FOIA
PECK, R.G.	9509280338*	WASTE MGT	"IRNAT, W	9509220153	50-454 S	POWELL, R.A.	9509110339	FOIA
PEDERSON, C.D.	9509150125*	FOIA	"IRNKY, J.	9509140099	FOIA	POWELL, R.A.	9509110363	FOIA
PEDERSON, C.D.	9509120149	50-295 P	PISKURA, D.A.	9509150085*	FOIA	POWELL, R.A.	9509110373	50-146 P
PEDERSON, C.D.	9509120174	50-295 Q	PIZZUTO, J.S.	9509130135*	FOIA	POWELL, R.A.	9509120024	FOIA
PEDERSON, C.D.	9509190046	50-295 Q	PIZZUTO, J.S.	9509130161*	FOIA	POWELL, R.A.	9509120101	FOIA
PEDERSON, C.D.	9509190083	50-295 Q	PLAYTON, S.J.	9509280070	40-2259	POWELL, R.A.	9509120112	70-*****
PEDLET, J.L.	9509270013*	50-397 Q	PLESSL, R.	9509220037*	FOIA	POWELL, R.A.	9509120232	FOIA
PEEBLES, T.A.	9509070198	50-424 V	PLUNKETT, T.F.	9509060106	50-250 P	POWELL, R.A.	9509130002	FOIA
PEEBLES, T.A.	9509070208	50-338 V	PLUNKETT, T.F.	9509110374	50-251 P	POWELL, R.A.	9509130101	FOIA
PEEBLES, T.A.	9509070219	50-324 V	PLUNKETT, T.F.	9509130200	50-250 P	POWELL, R.A.	9509130210	FOIA
PEEBLES, T.A.	9509070236*	50-269 Y	PLUNKETT, T.F.	9509180238	50-250 R	POWELL, R.A.	9509140087	FOIA
PEEBLES, T.A.	9509070285	50-369 Q	PLUNKETT, T.F.	9509190037	50-250 P	POWELL, R.A.	9509140267	70-133
PEEBLES, T.A.	9509180223	50-369 V	PLUNKETT, T.F.	9509200002	50-250 S	POWELL, R.A.	9509150337	FOIA
PEEBLES, T.A.	9509180337	50-261 Q	PODOLAK, L.	9509140249*	FOIA	POWELL, R.A.	9509220340	FOIA
PEEBLES, T.A.	9509180342	50-261 Q	PODOLAK, L.	9509140259*	FOIA	POWELL, R.A.	9509250071	FOIA
PEEBLES, T.A.	9509280200	50-261 Q	PODOLAK, L.	9509140285*	FOIA	POWELL, R.A.	9509250082	FOIA
PELIZZA, M.S.	9509060072	40-8968	PODOLAK, L.	9509140292*	FOIA	POWELL, R.A.	9509260083	50-498 P
PELIZZA, M.S.	9509060085	40-8968	PODOLAK, L.	9509140297*	FOIA	POWELL, R.A.	9509260133	FOIA
PELIZZA, M.S.	9509060087	40-8968	PODOLAK, L.	9509140312*	FOIA	POWELL, R.A.	9509260176	FOIA
PELIZZA, M.S.	9509080286	40-8968	PODOLAK, L.	9509140352*	FOIA	POWELL, R.A.	9509260274	50-298 P
PENIKAS, V.T.	9509150129*	FOIA	POLICH, T.	9509190391	50-445 P	POWELL, R.A.	9509280007	FOIA
PEREZ, P.B.	9509010222	50-297 R	POLICH, T.	9509190397*	50-445 P	POWERS, C.M.	9509070033	TOPREP
PEREZ, P.B.	9509190281	50-257 F	PONTIUS, H.D.	9509150227	50-454 Q	POWERS, G.E.	9509200281	NUREG
PEREZ, P.B.	9509200197	50-297 K	PONTIUS, H.D.	9509200355	50-454 P	POYSER, R.W.	9509200350	40-2259
PERGERSON, B.	9509070034	50-324 F	PONTIUS, H.D.	9509220079	50-454 P	POYSER, R.W.	9509200352	40-6622
PERKINS, K.E.	9509060229	50-361 Q	PONTIUS, H.D.	9509250124	50-454 P	PRAGER, D.E.	9509140122*	50-247 Q
PERSHEY, C.	9509140303	50-456 R	PONTIUS, H.D.	9509250271	50-454 P	PREVATTE, R.	9509070214*	50-335 Q
PESCHEL, J.M.	9509080215	50-443 S	PONTIUS, H.D.	9509260123	50-454 P	PREVATTE, R.	9509180265*	50-335 Q
PESCHEL, J.M.	9509190096	50-443 S	POOL, M.	9509060099	50-341 P	PRICE, A.M.	9509070111	50-387 F
PETER, P.A.	9509110180*	50-456 P	POOL, M.	9509060126	FOIA	PRICE, A.M.	9509070117*	50-387 F
PETER, P.A.	9509110182*	50-456 P	POOL, M.J.	9509060162	FOIA	PRICE, E.R.	9509130226*	FOIA
PETER, P.A.	9509210346*	50-446 P	POOL, M.J.	9509120009	FOIA	PRICE, E.R.	9509130235*	FOIA
PETERS, J.W.	9509110085	50-244 R	POOL, M.J.	9509120011	FOIA	PRICE, H.L.	9509140323*	FOIA
PETERS, M.	9509280032*	FOIA	POOL, M.J.	9509120035	FOIA	PRICE, H.L.	9509140338*	FOIA
PETER, J.M.	9509280034*	FOIA	POOL, M.J.	9509120053	FOIA	PRICE, H.L.	9509140377*	FOIA
PETERSON, C.E.	9509130166	NUREG	POOL, M.J.	9509120089	50-498 P	PRICE, H.L.	9509180047*	50-219 P
PETERSON, M.R.	9509060281*	FOIA	POOL, M.J.	9509130092	FOIA	PRIEST, D.N.	9509210130*	50-390 A
PETERSON, M.R.	9509060289*	FOIA	POOL, M.J.	9509130108	50-219 P	PRIEST, D.N.	9509210137*	50-390 A
PETERSON, M.R.	9509060291*	FOIA	POOL, M.J.	9509130110	FOIA	PRIVIDY, L.	9508080192*	50-271 Q
PETERSON, M.R.	9509060291*	FOIA	POOL, M.J.	9509140104	FOIA	PROKOWICH, N.	9509220081	50-29 H

264 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PROVENCHER, R.B.	9509110376	PROJ	RAY, D.J.	9509180187	50-373 R	RICH, T.W.	9509010348*	STATE PRO G
PUGH, N.L.	9509110248	FOIA	RAY, H.B.	9509070072	50-361 Q	RICH, T.W.	9509010350*	STATE PRO G
PULLANI, S.	9509150282*	50-498 P	REBER, E.	9004060270*	FOIA	RICH, T.W.	9509050320*	STATE PRO G
PULLANI, S.	9509150286*	50-498 P	REDEDMAN, M.	9509190245	50-354 R	RICH, T.W.	9509050323*	STATE PRO G
PULLANI, S.	9509270127*	50-298 P	REDEDMANN, M.E.	9509110006	50-354 S	RICH, T.W.	9509050327*	STATE PRO G
PULLANI, S.V.	9509150350*	50-498 P	REDEDMANN, M.E.	9509150093	50-354 S	RICH, T.W.	9509050333*	STATE PRO G
PULLANI, S.V.	9509150356*	50-498 P	REDEDMANN, M.E.	9509290037	50-354 R	RICH, T.W.	9509050346*	STATE PRO G
PULLANI, S.V.	9509270114*	50-298 P	REDEKER, S.J.	9509290098	50-312 W	RICH, T.W.	9509060001*	STATE PRO G
PULLIAM, P.A.	9509290083	50-344 H	REED, A.	9509060217	50-247 R	RICH, T.W.	9509060019*	STATE PRO G
PULSIFER, R.M.	9509140295	50-254 P	REED, A.	9509260189	50-247 R	RICH, T.W.	9509060021*	STATE PRO G
PULSIFER, R.M.	9509200138	50-254 P	REED, C.	9509060079	50-498 Q	RICH, T.W.	9509140240*	FOIA
PULSIFER, R.M.	9509200147*	50-254 P	REED, C.A.	9509050100	50-289 P	RICH, T.W.	9509140314*	FOIA
PURINGTON, N.L.	9509220058	50-29 H	REED, C.A.	9509060151	FOIA	RICH, T.W.	9509140321*	FOIA
QUENNOZ, S.M.	9509010185	50-344 F	REED, C.A.	9509070012	FOIA	RICH, T.W.	9509140335*	FOIA
QUENNOZ, S.M.	9509140079	50-344 H	REED, C.A.	9509070018	FOIA	RICH, T.W.	9509140356*	FOIA
QUENNOZ, S.M.	9509190198	50-344 P	REED, C.A.	9509070023	FOIA	RICH, T.W.	9509140363*	FOIA
QUENNOZ, S.M.	9509220106	50-344 H	REED, C.A.	9509070131	FOIA	RICH, T.W.	9509280281*	STATE PRO G
QUILLIN, R.M.	9509010013	STATE PRO G	REED, C.A.	9509070311	FOIA	RICH, T.W.	9509280293*	STATE PRO G
QUINN, J.E.	9509010112	52-4	REED, C.A.	9509080023	50-272 P	RICH, T.W.	9509280298*	STATE PRO G
QUINN, J.E.	9509010264	52-4	REED, C.A.	9509080223	FOIA	RICH, T.W.	9509280300*	STATE PRO G
QUINN, J.E.	9509010302	52-4	REED, C.A.	9509110001	FOIA	RICH, T.W.	9509280302*	STATE PRO G
QUINN, J.E.	9509010359	52-4	REED, C.A.	9509110076	70-1163	RICH, T.W.	9509280305*	STATE PRO G
QUINN, J.E.	9509110060	52-4	REED, C.A.	9509120148	FOIA	RICH, T.W.	9509280309*	STATE PRO G
QUINN, J.E.	9509120052	52-4	REED, C.A.	9509120272	FOIA	RICH, T.W.	9509280316*	STATE PRO G
QUINN, J.E.	9509190268	52-4	REED, C.A.	9509130178	40-8948	RICHARDS, S.A.	9509070075	TOPREP
QUINN, J.E.	9509260151	52-4	REED, C.A.	9509140265	FOIA	RICHARDS, S.A.	9509080005	50-62 V
QUINN, S.E.	9509010118	50-247 S	REED, C.A.	9509210040	40-8948	RICHARDS, S.A.	9509140373	50-62 V
QUINN, S.E.	9509050118	50-247 P	REED, C.A.	9509220042	FOIA	RICHARDS, S.A.	9509250288	50-199 V
QUINN, S.E.	9509050120*	50-247 P	REED, C.A.	9509250054	FOIA	RICHARDS, S.A.	9509250324	50-188 V
QUINN, S.E.	9509050134	50-247 P	REED, S.	9509270104	50-29 H	RICHARDS, S.A.	9509250335	50-199 V
QUINN, S.E.	9509050139	50-247 F	REES, D.R.	9509210311*	50-219 P	RICKARD, I.C.	9509080034	50-255 S
QUINN, S.E.	9509060217	50-247 R	REES, D.R.	9509210327*	50-219 P	RICKARD, I.C.	9509080034	50-255 S
QUINN, S.E.	9509070041	50-247 S	REHN, D.L.	9509060065	50-413 F	RICKARD, I.C.	9509280250	TOPREP
QUINN, S.E.	9509130154	50-3 Q	REICHOLD, W.P.	9509130169*	FOIA	RICKARD, I.C.	9509280250	TOPREP
QUINN, S.E.	9509140016	50-247 Q	REID, D.A.	9509110165	50-271 Q	RIDDLE, D.H.	9509210312*	FOIA
QUINN, S.E.	9509140111	50-247 Q	REID, D.G.	9509260303	ORG	RIFAKES, G.P.	9509060218	70-7001
QUINN, S.E.	9509140346*	50-3 P	REILLY, F.K.	9509200366	40-341	RIFAKES, G.P.	9509080294	70-7001
QUINN, S.E.	9509150005	50-247 P	REILLY, F.K.	9509200368	40-341	RIFAKES, G.P.	9509190129	70-7001
QUINN, S.E.	9509150015	50-247 R	REILLY, K.	9509080101	40-341	RIFAKES, G.P.	9509190138	70-7002
QUINN, S.E.	9509260158	50-247 V	REILLY, M.A.	9509050188*	FOIA	RIFAKES, G.P.	9509190286	70-7001
QUINN, S.E.	9509260169	50-247 R	REIMER, D.J.	9509280013*	FOIA	RIFAKES, G.P.	9509190299	70-7002
QUINN, S.E.	9509260177	50-3 F	REIMER, D.J.	9509280014*	FOIA	RIFAKES, G.P.	9509200032	70-7001
QUINN, S.E.	9509280329	50-247 P	REINART, R.	9509270037	50-344 H	RIFAKES, G.P.	9509200079	70-7002
RADDATZ, M.	9509120270	71-617 Y	REITER, D.P.	9509280005*	50-413 P	RIFAKES, G.P.	9509260178	70-7001
RADDATZ, M.	9509200120	50-312 Y	REMPE, J.L.	9509250381*	52-3	RIFAKES, G.P.	9509260288	70-7002
RADDATZ, M.G.	9509250211	71-9226	RESNIKOFF, M.	9509220036	50-29 H	RIFAKES, G.P.	9509260298	70-7001
RADDATZ, M.G.	9509260122	70-1308	REZENDES, V.S.	9509120203*	FOIA	RIFAKES, G.P.	9509270022	70-7001
RADEMACHER, N.L.	9509250215	50-220 S	RHEE, G.S.	9509010334	52-3	RIFAKES, G.P.	9509270025	70-7002
RAGHAVAN, L.	9509180133	50-302 P	RHEE, G.S.	9509010339	52-3	RIMAW, K.	9509210126	STATE PRO G
RAGHAVAN, L.	9509220286	50-302 P	RIB, L.N.	9509140279*	FOIA	RINCKEL, M.A.	9509060174*	PROJ
RAGLAND, R.C.	9509260201*	70-135	RICE, G.	9509150281	NUREG	RINS, M.A.	9509120113	50-456 Q
RAINEY, G.R.	9509190235	50-277 R	RICH, S.L.	9506280312*	STATE PRO G	RING, M.A.	9509260094	50-295 V
RAINEY, G.R.	9509220136	50-277 Q	RICH, T.	9509140340*	FOIA	RIRDAN, B.	9509010054*	STATE PRO G
RAINEY, G.R.	9509260265	50-277 F	RICH, T.M.	9509140106*	FOIA	RISHEL, R.D.	9509210330*	50-446 P
RAINEY, G.R.	9509200039	NUREG	RICH, T.M.	9509140110*	FOIA	RISHEL, R.D.	9509210346*	50-446 P
RANALLI, J.	9509260078*	50-311 S	RICH, T.M.	9509140115*	FOIA	RIZZO, A.J.	9509210340*	50-219 P
RANGANATH, S.	9509130159*	50-237 P	RICH, T.M.	9509140121*	FOIA	ROBBINS, K.	9509250202	50-237 S
RANGE, D.M.	9509120103	40-8102	RICH, T.M.	9509140261*	FOIA	ROBERTS, D.	9509180348*	50-400 Q
RANKIN, W.H.	9509070197*	50-369 Q	RICH, T.W.	9509010315*	STATE PRO G	ROBERTS, J.	9509120073	52-1
RANKIN, W.H.	9509180358*	50-348 Q	RICH, T.W.	9509280294*	STATE PRO G	ROBERTS, W.L.	9509070167*	50-255 S
RANKIN, W.R.	9509280194*	50-324 Q	RICH, T.W.	9509010213*	STATE PRO G	ROBERTS, W.L.	9509070182	50-255 S
RAPISARDI, J.	9509140105*	40-7102	RICH, T.W.	9509010217*	STATE PRO G	ROBERTS, W.L.	9509150055*	50-255 S
RARO, R.J.	9509280174*	50-295 P	RICH, T.W.	9509010218*	STATE PRO G	ROBERTS, W.L.	9509210276	50-255 S
RASIN, W.H.	9509050006	PRM	RICH, T.W.	9509010221*	STATE PRO G	ROBINSON, W.R.	9509060381	50-400 F
RASIN, W.H.	9509150369	PRM	RICH, T.W.	9509010226*	STATE PRO G	ROBINSON, W.R.	9509060015	50-400 P
RASNAKE, W.J.	9509250303*	50-413 P	RICH, T.W.	9509010228*	STATE PRO G	ROBINSON, W.R.	9509150002	50-400 R
RATHBUN, D.K.	9509120170*	FOIA	RICH, T.W.	9509010235*	STATE PRO G	ROBINSON, W.R.	9509190041	50-400 P
RATHBUN, D.K.	9509120186*	FOIA	RICH, T.W.	9509010236*	STATE PRO G	ROBINSON, W.R.	9509250025	50-400 P
RATHBUN, D.K.	9509120195*	FOIA	RICH, T.W.	9509010245*	STATE PRO G	ROBINSON, W.R.	9509260307	50-400 P
RATHBUN, D.K.	9509120198*	FOIA	RICH, T.W.	9509010247*	STATE PRO G	ROE, J.W.	9101150315*	FOIA
RATHBUN, D.K.	9509120214*	FOIA	RICH, T.W.	9509010253*	STATE PRO G	ROE, J.W.	9509120326	50-416 P
RATHBUN, D.K.	9509120233*	FOIA	RICH, T.W.	9509010258*	STATE PRO G	ROE, J.W.	9509190176	50-483 P
RATHBUN, D.K.	9509140330*	FOIA	RICH, T.W.	9509010261*	STATE PRO G	ROE, J.W.	9509200233	50-237 Q
RATHBUN, D.K.	9509150342*	FOIA	RICH, T.W.	9509010262*	STATE PRO G	ROE, J.W.	9509210286	50-346 Y
RATHBUN, D.K.	9509150384*	FOIA	RICH, T.W.	9509010266*	STATE PRO G	ROE, J.W.	9509260208*	NUREG
RATHBUN, D.K.	9509250217*	FOIA	RICH, T.W.	9509010268*	STATE PRO G	ROGAN, R.E.	9509050014	I&E
RATHBUN, D.K.	9509250221*	ORG	RICH, T.W.	9509010272*	STATE PRO G	ROGAN, R.E.	9509050017	50-261 P
RATHBUN, D.K.	9509250238	ORG	RICH, T.W.	9509010275*	STATE PRO G	ROGAN, R.E.	9509050292	50-261 R
RATHBUN, D.K.	9509250246	ORG	RICH, T.W.	9509010279*	STATE PRO G	ROGERS, B.H.	9509190133*	QA999
RATHBUN, D.K.	9509250275	ORG	RICH, T.W.	9509010283*	STATE PRO G	ROGERS, J.A.	9509210307	50-335 R
RATHBUN, D.K.	9509250296	ORG	RICH, T.W.	9509010285*	STATE PRO G	ROGERS, K.C.	9509150378*	FOIA
RATHNAM, C.K.	9509260252*	FOIA	RICH, T.W.	9509010288*	STATE PRO G	ROGERS, K.C.	9509200119*	STATE PRO G
RATLIFF, R.A.	9509010175	STATE PRO G	RICH, T.W.	9509010292*	STATE PRO G	ROGERS, K.C.	9509220189	COMMISSION
RATLIFF, R.A.	9509200111	STATE PRO G	RICH, T.W.	9509010295*	STATE PRO G	ROGERS, K.C.	9509220242	COMMISSION
RATLIFF, R.A.	9509200111	STATE PRO G	RICH, T.W.	9509010300*	STATE PRO G	ROGERS, K.C.	9509220274	COMMISSION
RAVENS CROFT, A.	9509120020	XPORTLIC	RICH, T.W.	9509010308*	STATE PRO G	ROGERS, R.D.	9509130162	NUREG
RAVENS CROFT, N.	9509120023*	XPORTLIC	RICH, T.W.	9509010312*	STATE PRO G	ROGERS, S.B.	9509150002	50-400 R
RAY, D.J.	9509060150	50-373 R	RICH, T.W.	9509010346*	STATE PRO G		9509190197	50-321 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROGERS, W.G.	9509280287*	50-413	RYAN, M.L.	9509220045	I&E	SCHULL, W.H.	9509110383*	FOIA
ROSNANO, D.	9509220271	50-282	SACCOMANDO, D.	9509150150	50-454	SCHULTZ, R.	9509010339*	52-3
ROSE, B.	9509150273	XPORTLIC	SACCOMANDO, D.M.	9509110177	50-456	SCHULTZ, R.R.	9509150307	NUREG
ROSE, B.	9509150289	XPORTLIC	SACCOMANDO, D.M.	9509110259	50-454	SCHULTZ, W.H.	9509120216*	FOIA
ROSE, C.H.	9509130105	FOIA	SACCOMANDO, D.M.	9509110278	50-454	SCHULTZ, W.H.	9509130026*	FOIA
ROSE, S.M.	9509270062	PR	SACCOMANDO, D.M.	9509110285	50-454	SCHULTZ, W.H.	9509130095*	FOIA
ROSENBLUM, R.M.	9509220104	50-361	SACCOMANDO, D.M.	9509110293	50-454	SCHULTZ, W.H.	9509130104*	FOIA
ROSENBLUM, R.M.	9509280330	50-361	SACCOMANDO, D.M.	9509110300	50-454	SCHULTZ, W.H.	9509130148*	FOIA
ROSENTHAL, P.F.	9509220124	70-364	SACCOMANDO, D.M.	9509110313	50-454	SCHULTZ, W.H.	9509130164*	FOIA
ROSENTHAL, P.F.	9509210013	70-364	SACCOMANDO, D.M.	9509250094	50-454	SCHULTZ, W.H.	9509130194*	FOIA
ROSENTHAL, P.F.	9509260223	70-364	SACHS, R.	9509110330	FOIA	SCHULTZ, W.H.	9509140253*	FOIA
ROSS, M.L.	9509250236*	40-3453	SAGAR, B.	9509140385	WASTE MGT	SCHULTZ, W.H.	9509140370*	FOIA
ROSS, T.M.	9509180308*	50-348	SAGAR, B.	9509280243	WASTE MGT	SCHWARTZ, G.K.	9509010023	50-295 S
ROSSI, C.E.	9206240122	50-3	SAGER, D.A.	9509010002	50-335	SCHWARTZ, G.K.	9509010040	50-295 S
ROSSI, M.	9509270061	50-29	SAGER, D.A.	9509010015	50-335	SCHWARTZ, G.K.	9509120154	50-295 S
ROTH, D.L.	9509110734*	70-1113	SAGER, D.A.	9509180145	50-335	SCHWARTZ, G.K.	9509150080	50-295 S
ROTH, J.	9509250209*	70-1201	SAGER, D.A.	9509210017	50-335	SCHWARTZ, G.K.	9509180298	50-295 S
ROTH, J.	9509270130*	70-27	SAGER, D.A.	9509210307	50-335	SCHWARTZ, G.K.	9509200088	50-304 R
ROTH, N.	9509280158*	50-295	SALAS, P.	9509120250	50-259	SCHWARTZ, G.K.	9509250150	50-295 S
ROTHWELL, G.	9509180150	PR	SALAS, P.	9509120260	50-296	SCHWARTZ, G.K.	9509250348	50-295 S
ROUGHAN, C.	9509130222	PT21	SALAS, P.	9509180132	50-296	SCHWARTZ, G.K.	9509290009	50-304 S
ROUGHAN, C.	9509140343*	FOIA	SALAS, P.	9509190257	50-259	SCHWEISS, R.	9509280011*	FOIA
ROUGHAN, C.	9509140349*	FOIA	SALAS, P.	9509210012	50-296	SCHWEISS, R.T.	9509280012*	FOIA
ROUGHAN, C.	9509140359*	FOIA	SALAS, P.	9509250019	50-259	SCIACCA, F.	9509280040*	PR
ROUGHAN, C.	9509147366*	FOIA	SALISBURY, W.C.	9509080258	40-4482	SCOTT, H.	9509150314*	FOIA
ROUGHAN, C.	9509140368*	FOIA	SALISBURY, W.C.	9509080264	40-4482	SCOTT, M.A.	9509180308*	50-348 Q
ROUGHAN, C.	9509260253	PT21	SALISBURY, W.C.	9509140243	40-4482	SEABORG, G.T.	9509150334*	FOIA
ROUGHAN, C.M.	9509140206*	FOIA	SALMON, H.P.	9509010153	50-333	SEALY, C.O.	9509190984*	40-8661
ROUGHAN, C.M.	9509140212*	FOIA	SALMON, H.P.	9509070222	50-333	SEDANO, R.P.	9509290064	50-29
ROUGHAN, C.M.	9509140222*	FOIA	SALMON, H.P.	9509070257	50-333	SEIFERT, M.C.	9509190367	40-8724
ROUGHAN, C.M.	9509140235*	FOIA	SALMON, H.P.	9509190200	50-333	SEJKORA, K.J.	9509060219	50-293 R
ROUGHAN, C.M.	9509140237*	FOIA	SALOMON, S.	9509250178*	FOIA	SELDON, R.C.	9509110330	FOIA
ROUGHAN, C.M.	9509140250*	FOIA	SALOMON, S.	9509250204*	FOIA	SELIN, I.	9509150375*	FOIA
ROUGHAN, C.M.	9509140252*	FOIA	SANDERS, C.F.	9509110090	70-1151	SELIN, I.	9509150380*	FOIA
ROUGHAN, C.M.	9509140255*	FOIA	SANDERS, C.F.	9509200163	70-1151	SEPPLER, W.F.	9509190151	50-29
ROUGHAN, C.M.	9509140257*	FOIA	SANDERS, C.F.	9509270192	70-1151	SEVERN, C.	9509260363*	40-5453
ROUGHAN, C.M.	9509140264*	FOIA	SANZOTTA, C.	9509150371*	FOIA	SGARLATA, D.K.	9509270240	70-135
ROUGHAN, C.M.	9509140328*	FOIA	SARAUW-LUGO, L.	9509270162	XPORTLIC	SHAFFER, G.D.	9509060257*	71-5862
ROUGHAN, K.	9509140260*	FOIA	SARTOR, W.M.	9509180294*	50-259	SHAFFER, S.	9509210003	50-17800
ROUSE, L.C.	9509110194*	50-255	SARTOR, W.M.	9509280206*	50-369	SHAHRIVAR, F.	9509130131*	50-237 P
ROUSSO, S.	9509220053	I&E	SATORIUS, M.	9509220251	50-397	SHANBAKY, M.M.	9509210005	30-29300
ROW, J.W.	9509290093*	50-275	SAWYER, K.S.	9509120008	FOIA	SHANBAKY, M.M.	9509210171	40-8633
ROWLAND, T.J.	9509070046	PROJ	SCALET, D.C.	9509060301	52-4	SHANBAKY, M.M.	9509250328	40-7102
ROWLAND, T.J.	9509210018	PROJ	SCALET, D.C.	9509070158	52-4	SHANSHALA, M.J.	9509220087	PR
ROWLAND, T.J.	9509210180	PROJ	SCALET, D.C.	9509080018	52-4	SHAO, L.C.	9409120183*	50-249 Q
ROWLEY, S.	9509050318	FOIA	SCALET, D.C.	9509110198	52-4	SHAPAKER, J.W.	9509130055	I&E
ROY, G.W.	9509140384*	FOIA	SCALET, D.C.	9509120352	52-4	SHARKEY, R.W.	9509110012	70-36
ROY, G.W.	9509200374*	FOIA	SCALET, D.C.	9509140162	52-4	SHARKEY, R.W.	9509130212	70-36
ROYAL, R.	9509190137	50-29	SCARANO, R.A.	9509050007	40-3453	SHAULIS, D.I.	9509120321	50-275 P
RUBIN, F.	9408070127*	50-237	SCARANO, R.A.	9509070140	50-267	SHAW, K.M.	9509140325*	FOIA
RUDISALS,	9509070172*	50-259	SCARANO, R.A.	9509080195	50-397	SHAW, M.	9509140753*	FOIA
RUEGER, G.M.	9509120088	50-275	SCARANO, R.A.	9509110225	50-285	SHAW, M.	9509150338*	FOIA
RUEGER, G.M.	9509130072	50-275	SCARANO, R.A.	9509110232	50-285	SHAW, P.B.	9509270036	PR
RUEGER, G.M.	9509180185	50-275	SCARANO, R.A.	9509110281	STATE PROJ	SHEA, J.R.	9509060142*	FOIA
RUEGER, G.M.	9509200347	50-275	SCARANO, R.A.	9509140028	50-206	SHEA, J.R.	9509060147*	FOIA
RUEGER, G.M.	9509210011	50-275	SCARANO, R.A.	9509150187	50-482	SHEA, J.R.	9509060154*	FOIA
RULAND, W.H.	9509060220*	50-247	SCARANO, R.A.	9509150214	50-482	SHEA, J.R.	9509060184*	FOIA
RULAND, W.H.	9509180232	50-293	SCARANO, R.A.	9509190040	50-344	SHEA, J.R.	9509060186*	FOIA
RULAND, W.H.	9509180237*	50-293	SCARANO, R.A.	9509190088	50-382	SHEA, J.R.	9509060194*	FOIA
RULAND, W.H.	9509180242	50-219	SCARANO, R.A.	9509190095	40-8681	SHEA, J.R.	9509060233*	FOIA
RULAND, W.H.	9509250401*	50-320	SCARANO, R.A.	9509210210	50-344	SHEA, J.R.	9509060265*	50-324 P
RULAND, W.H.	9509250064	50-387	SCARANO, R.A.	9509210230	50-361	SHEA, J.R.	9509060271*	FOIA
RULAND, W.H.	9509260091*	50-387	SCARANO, R.A.	9509210243	50-528	SHEA, J.R.	9509060278*	FOIA
RULAND, W.H.	9509260148*	FOIA	SCARANO, R.A.	9509210270	40-8027	SHEA, J.R.	9509060302*	FOIA
RULAND, W.H.	9509260168*	FOIA	SCARANO, R.A.	9509260066	50-489	SHEA, J.R.	9509060311*	FOIA
RULAND, W.H.	9509260259*	50-320	SCARANO, R.A.	9509260353	40-8989	SHEA, J.W.	9509140278	50-277 P
RUPERT, W.M.	9509190082	40-7604	SCARANO, R.A.	9509260359	50-267	SHEA, J.W.	9509140320*	50-277 P
RUPERT, W.M.	9509190201	40-7604	SCARANO, R.A.	9509260364	40-2259	SHEA, J.W.	9509140334	50-278 P
RUPERT, W.M.	9509280268	40-7604	SCARANO, R.A.	9509270140	50-267	SHEA, J.W.	9509140354	50-278 P
RUPERT, W.M.	9509280275	40-7604	SCARANO, R.A.	9509290142	40-8584	SHEA, J.W.	9509190272	50-278 P
RUPERT, W.M.	9509280279	40-7604	SCARANO, R.A.	9509290152	40-8584	SHEA, J.W.	9509200094	50-278 P
RUPERT, W.M.	9509280292	40-7604	SCARBOROUGH, J.	9509180187	50-261	SHEA, J.W.	9509200329	50-277 Q
RUPERT, W.M.	9509280296*	40-7604	SCHAFFER, E.	9509120045*	COMMISSION	SHEA, J.W.	9509260213	50-277 G
RUSSELL, W.T.	9504190160*	50-298	SCHAKTMAN, H.	9509290076	50-29	SHEAR, G.L.	9401120005*	FOIA
RUSSELL, W.T.	9505190401	50-309	SCHER, A.J.	9509290081	PR	SHEAR, G.L.	9401250039*	FOIA
RUSSELL, W.T.	9509010297	ORG	SCHIERMAN, S.L.	9509070246	40-8661	SHEAR, G.L.	9502100037*	40-7397
RUSSELL, W.T.	9509070278*	50-321	SCHNELL, D.F.	9509010227	50-483	SHEAR, G.L.	9509120151	70-7001
RUSSELL, W.T.	9509070289	50-293	SCHNELL, D.F.	9509120111	50-483	SHEAR, G.L.	9509120162*	70-7001
RUSSELL, W.T.	9509070299*	50-293	SCHNELL, D.F.	9509190029	50-483	SHEAR, G.L.	9509130112*	FOIA
RUSSELL, W.T.	9509070302*	50-293	SCHNELL, D.F.	9509190305	50-483	SHEAR, G.L.	9509130139*	FOIA
RUSSELL, W.T.	9509080036	ORG	SCHFRAGE, J.L.	9509050253	50-237	SHEAR, G.L.	9509130145*	FOIA
RUSSELL, W.T.	9509150377*	50-498	SCHFRAGE, J.L.	9509110084	50-237	SHEAR, G.L.	9509130185*	FOIA
RUSSELL, W.T.	9509180131	50-160	SCHFRAGE, J.L.	9509110143	50-237	SHEAR, G.L.	9509130190*	FOIA
RUSSELL, W.T.	9509210335	ORG	SCHFRAGE, J.L.	9509120003	50-237	SHEAR, G.L.	9509150349*	40-7397
RUSSELL, W.T.	9509220139	50-390	SCHFRAGE, J.L.	9509190311	50-237	SHEAR, G.L.	9509180024*	40-7397
RUSSELL, W.T.	9509220246	ORG	SCHFRAGE, J.L.	9509250067	50-254	SHEAR, G.L.	9509180033*	40-7397
RUSSELL, W.T.	9509260362	ORG	SCHFRAGE, J.L.	9509280079	50-254	SHEAR, G.L.	9509180071*	40-8948
RUSSELL, W.T.	9509280071	ORG	SCHULKE, D.	9509080014	50-498	SHEAR, G.L.	9509210078*	40-8948

266 PERSONAL AUTHOR INDEX


AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SHEAR, G.L.	9509260024	70-36	SINGH, K.P.	9509130180	72-1006	SPENCE, R.E.	9509070291	WASTE MGT
SHEAR, G.L.	9509260185	70-36	SIFOIS, E.	9509190287	50-445	SPENCE, R.E.	9509110149	WASTE MGT
SHEAR, G.M.	9509210066*	40-8948	SISCO, C.E.	9509180302*	50-352	SPENCE, R.E.	9509120206	WASTE MGT
SHELL, R.H.	9509120025	50-327	SISLEY, S.E.	9509110101*	72-1004	SPENCE, R.E.	9509120239	WASTE MGT
SHELL, R.H.	9509120048	50-327	SKELLY, T.O.	9509210355	40-*****	SPENCE, R.E.	9509180160	WASTE MGT
SHELL, R.H.	9509120350	50-327	SKELLY, T.O.	9509280195	40-*****	SPENCE, R.E.	9509200206	WASTE MGT
SHELL, R.H.	9509150006	50-328	SKINNER, P.	9509190287	50-424	SPENCE, R.E.	9509250257*	WASTE MGT
SHELL, R.H.	9509150011	50-327	SKINNER, P.H.	9509070256*	50-321	SPENCE, R.E.	9509250284	WASTE MGT
SHELL, R.H.	9509150137	50-327	SLACK, R.J.	9509270031	PR	SPENCE, R.E.	9509250286	WASTE MGT
SHELL, R.H.	9509190219	50-327	SLADE, R.	9509130130*	FOIA	SPENCE, R.E.	9509250290	WASTE MGT
SHELL, R.H.	9509200148	50-327	SLADE, R.	9509130140*	FOIA	SPENCE, R.E.	9509250297	WASTE MGT
SHELL, R.H.	9509200225	50-327	SLADE, R.	9509130149*	FOIA	SPENCE, R.E.	9509280183	WASTE MGT
SHELL, R.H.	9509200231	50-327	SLADE, R.I.	9509210031*	FOIA	SPENCER, G.	9509010276	71-*****
SHELL, R.H.	9509260055	50-327	SLADE, R.I.	8801260188*	FOIA	SPENCER, G.	9509110093	71-*****
SHELLTON, D.	9509120137	50-341	SLADE, R.I.	8808030050*	70-1163	SPIRO, H.J.	9509070045*	40-7580
SHELLTON, D.C.	9509060250	50-440	SLADE, R.I.	8808030051*	70-1163	SRENIAWSKI, D.	8305060216*	FOIA
SHELLTON, D.C.	9509080105	50-440	SLADE, R.I.	8901120518*	FOIA	SRENIAWSKI, D.J.	8207220557*	FOIA
SHELLTON, D.C.	9509120127	50-440	SLADE, R.I.	8903140841*	FOIA	SRENIAWSKI, D.J.	9003070031*	FOIA
SHELLTON, D.C.	9509150028	71-541	SLADE, R.I.	9509130004*	FOIA	SRENIAWSKI, D.J.	9003070055*	FOIA
SHELLTON, D.C.	9509150111	50-440	SLADE, R.I.	9509130008*	FOIA	SRENIAWSKI, D.J.	9509140258*	FOIA
SHELLTON, D.C.	9509150126	50-440	SLADE, R.I.	9509130010*	FOIA	SRENIAWSKI, D.J.	9509140302*	FOIA
SHELLTON, D.C.	9509180250	50-440	SLADE, R.I.	9509130043*	FOIA	ST MARTIN, J.T.	9509070205	50-244
SHELLTON, D.C.	9509180262	50-440	SLADE, R.I.	9509130153*	FOIA	STAFIEJ, P.	9509260248	TOPREP
SHELLTON, D.C.	9509180284	50-440	SLADE, R.I.	9509130166*	FOIA	STALL, J.A.	9509180243	50-338
SHELLTON, D.C.	9509200007	50-440	SLAWINSKI, W.	9103210102*	FOIA	STAMM, M.	9509140310*	50-293
SHELLTON, D.C.	9509200227	71-541	SLAWINSKI, W.	9509220028*	FOIA	STAMM, M.	9509140318*	50-293
SHELLTON, D.C.	9509250220	50-440	SLAWINSKI, W.J.	9509120216*	FOIA	STANG, J.F.	9509220092	50-237
SHELLTON, D.C.	9509250369	50-440	SLAWINSKI, W.J.	9509140066*	FOIA	STANG, J.F.	9509140336*	50-237
SHELLTON, D.C.	9509120154	50-295	SLHNEIDER, S.	9509290055	50-344	STANG, J.F.	9509200013	50-237
SHELLTON, D.C.	9509200330*	50-271	SLOBODIEN, M.	9509210070*	FOIA	STANG, J.F.	9509210004*	50-237
SHEP, R.T.S.	9509070038*	FOIA	SLOBODIEN, M.J.	9509210111*	FOIA	STANG, J.F.	9509220097*	50-237
SHEP, R.T.S.	9509280025	PR	SLOBODIEN, M.J.	9509210119	50-317	STANG, J.F.	9509220211	50-237
SHEV, MAKER, R.E.	9509140038*	FOIA	SLY, C.D.	9509210118	50-317	STANG, J.F.	9509250316	50-237
SHEV, MAKER, R.E.	9509140048*	FOIA	SMEDLEY, P.W.	9509150037	50-255	STANG, J.F.	9509250329*	50-237
SHEV, MAKER, R.E.	9509140052*	FOIA	SMEDLEY, R.W.	9509060266	50-255	STANLEY, H.G.	9509010180	50-387
SHEV, MAKER, R.E.	9509140062*	FOIA	SMEDLEY, R.W.	9509120012	50-255	STANLEY, H.G.	9509180304	50-387
SHEV, MAKER, R.E.	9509140069*	FOIA	SMEDLEY, R.W.	9509190048	50-255	STANSBERRY, H.W.	9509210130*	50-390
SHEV, MAKER, R.E.	9509140072*	FOIA	SMEDLEY, R.W.	9509190075	50-255	STANSBERRY, H.W.	9509210137*	50-390
SHEV, MAKER, R.E.	9509140077*	FOIA	SMEDLEY, R.W.	9509210276	50-255	STAR, S.J.	9509110117*	FOIA
SHEV, MAKER, R.E.	9509250061	50-346	SMEDLEY, R.W.	9509210278	50-255	STARKEY, R.L.	9509060174*	PROJ
SHIH, M.	9509080161	50-255	SMEDLEY, R.W.	9509260049	50-255	STEBBINS, D.	9509190185	50-29
SHILLINGLAW, F.	9509210096	50-255	SMEDLEY, R.W.	9509260116	50-255	STEIN, S.J.	9105240090*	FOIA
SHILLINGLAW, F.	9509210289	50-255	SMEDLEY, R.W.	9509280262	50-255	STEIN, S.J.	9109250119*	FOIA
SHILLINGLAW, F.	9509110080	50-255	SMITH, A.	9509250303*	50-413	STEIN, S.J.	9209150077*	FOIA
SHILLINGLAW, J.	9509070022	50-295	SMITH, B.M.	9306150157*	FOIA	STEIN, S.J.	9209150093*	FOIA
SHIRAKI, C.Y.	9509180159	50-295	SMITH, G.A.	9509250209*	70-1201	STEIN, S.J.	9210090071*	FOIA
SHIRAKI, C.Y.	9509180163*	50-295	SMITH, G.A.	9509270130*	70-27	STEIN, S.J.	9210160079*	FOIA
SHIRAKAR, B.S.	9509010267*	52-4	SMITH, M.	9509270032	50-344	STEIN, S.J.	9509140254*	FOIA
SHIRAKAR, B.S.	9509010306*	52-4	SMITH, R.J.	9509110271*	FOIA	STEIN, S.J.	9509200011*	FOIA
SHIROTA, Y.	9509250005	XPORTLIC	SMITH, R.J.	9509110276*	FOIA	STEIN, S.J.	9509200055*	FOIA
SHON, F.J.	9509210121	MISC	SMITH, R.J.	9509110291*	FOIA	STEIN, S.J.	9509200243*	FOIA
SHUPE, M.W.	9509140186*	FOIA	SMITH, R.J.	9509110294*	FOIA	STEIN, S.J.	9509200245*	FOIA
SHUPE, M.W.	9509140190*	FOIA	SMITH, R.J.	9509110296*	FOIA	STEIN, S.J.	9509200268*	FOIA
SHYMLOCK, M.	9509070172*	50-259	SMITH, R.J.	9509110303*	FOIA	STEIN, S.J.	9509200282*	FOIA
SHYMLOCK, M.	9509070180*	50-259	SMITH, R.J.	9509110314*	FOIA	STEIN, S.J.	9509200309*	FOIA
SHYMLOCK, M.	9509070241*	50-324	SMITH, R.W.	9509120376*	70-*****	STEIN, S.J.	9509200316*	FOIA
SHYMLOCK, M.	9509180362*	50-424	SMITH, T.R.	9509190257	50-259	STEIN, S.J.	9509200326*	FOIA
SHYMLOCK, M.B.	9509070181*	50-259	SMITTSKY, R.	9509260246*	70-3052	STEIN, S.J.	9509200358*	FOIA
SHYMLOCK, M.B.	9509180240*	50-259	SNELL, R.	9509010179*	50-528	STEIN, S.J.	9509200362*	FOIA
SIEGEL, B.	9509060315	50-348	SNELL, R.	9509010187*	50-528	STEIN, S.J.	9509210016*	FOIA
SIEGEL, B.L.	9509070267	50-348	SNELL, W.G.	9509260069*	40-534	STEINHARDT, C.R.	9509260145	50-305
SIEGEL, B.L.	9509110238	50-348	SNIEZEK, J.H.	9310080241*	50-498	STELLO, V.	9509210333*	50-219
SIEGEL, B.L.	9509110323	50-348	SNIEZEK, J.H.	9310080255*	50-498	STELLO, V.	9509210336*	50-219
SIEGEL, B.L.	9509290018	50-348	SNYDER, C.	9509190221	50-29	STELLO, V.	9509210340*	50-219
SIERACKI, L.	9509270032	50-344	SNYDER, R.C.	9509270029	50-344	STELLO, V.	9509220022*	50-219
SILBERBERG, M.	9509190085	STATE PRO G	SNYDER, T.C.	9509190174	50-29	STELLO, V.	9509220047*	50-219
SILVERII, R.	9509110168*	52-4	SOLBERG, M.E.	8003120242*	FOIA	STELLO, V.	9509220069*	50-219
SIMERAL, B.	9509120105*	FOIA	SOLBERG, M.E.	9509260268*	FOIA	STELLO, V.	9509220085*	50-219
SIMMONS, F.	9509120380*	FOIA	SOLLENBERGER, D.	9509010056	STATE PRO G	STELLO, V.	9509220126*	50-219
SIMMONS, F.	9509130102*	FOIA	SOLLENBERGER, D.	9509010184	STATE PRO G	STELLO, V.	9509220135*	50-219
SIMMONS, F.	9509140355*	FOIA	SOONG, S.	9509080239	70-396	STELLO, V.	9509220144*	50-219
SIMMONS, F.	9509140370*	FOIA	SOUJERKE, M.	9509220066	50-29	STELLO, V.	9509220304*	50-219
SIMMONS, J.	9509110383*	FOIA	SPARLING, D.K.	9509070246	40-8661	STELLO, V.	9509220336*	50-219
SIMMONS, T.	9509110381*	FOIA	SPARLING, D.K.	9509190080	40-8661	STELLO, V.	9509220342*	50-219
SIMONSON, S.A.	9509200030	NUREG	SPECE, R.E.	9509010341	WASTE MGT	STEPHENS, M.N.	9509120128	STATE PRO G
SIMPKIN, T.W.	9509080045	50-295	SPECTER, S.R.	9509120099	52-1	STEPHENSON, J.	9509150357	50-302
SIMPKIN, T.W.	9509280144	50-295	SPECTER, A.	9509050178*	FOIA	STEPHENSON, J.D.	9509120315	50-302
SIMPKINS, B.	9509010054*	STATE PRO G	SPECTER, A.	9509050185*	FOIA	STEPHENSON, J.D.	9509200025	50-302
SIMPSON, E.C.	9509010188	50-272	SPECTER, A.	9509010118*	FOIA	STAPP, D.	9509270032	50-344
SIMPSON, E.C.	9509250362	50-272	SPECTER, A.	9509120189*	FOIA	STETZ, J.P.	9509080122	50-346
SIMS, L.	9509270035	50-344	SPECTER, A.	9509120192*	FOIA	STETZ, J.P.	9509150145	50-346
SIMS, L.	9509270115	50-29	SPECTER, A.	9509120224*	FOIA	STETZ, J.P.	9509180154	50-346
SINCLAIR, M.P.	9509060006*	50-155	SPECTER, A.	9509120236*	FOIA	STETZ, J.P.	9509250029	50-346
SINCLAIR, M.P.	9509260301*	NUREG	SPECTER, A.	9509120240*	FOIA	STETZ, J.P.	9509250140	50-346
SINCLAIR, W.J.	9509010043*	STATE PRO G	SPECTOR, A.	9509050107*	FOIA	STETZ, J.P.	9509290052	50-346
SINGER, B.P.	9509210046*	FOIA	SPECTOR, A.	9509050123*	50-289	STEVENS, A.G.	9509190158	50-29
SINGH, K.P.	9509130022	71-9261	SPENCE, R.E.	9509010326	WASTE MGT	STEVENS, A.J.	9509190160	50-29
SINGH, K.P.	9509130063	72-1008	SPENCE, R.E.	9509060122	WASTE MGT	STEWART, E.L.	9509050144	50-528

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STEWART, W.L.	950900176	50-528	SWETLAND, P.D.	9509050117*	FOIA	TESTA, E.D.	9509070199*	70-143
STEWART, W.L.	9509060197	50-529	SWIFT, J.M.	9509270109	50-29	TETTY, C.L.	9509190287	50-445 R
STEWART, W.L.	9509120071	50-529	SYLVIA, B.R.	9509060156	50-410	TEVALDI, D.	9509190124	50-29 H
STEWART, W.L.	9509260132	50-528	SYLVIA, B.R.	9509060159*	50-410	THADANI, A.C.	9003050058	TOPREP
ST MARTIN, J.	9509190236	50-29	SYLVIA, B.R.	9509120274	50-220	THADANI, A.C.	9003280202	50-29 P
STOBIERSKI, J.	9509270057	50-29	SZYMCZAK, W.J.	9509270137	50-29	THADANI, A.C.	9006040232	TOPREP
STOCKSTILL, R.A.	9509130048*	FOIA	TAM, P.S.	9509050068	50-390	THADANI, M.C.	9509260154*	NUREG
STOIBER, C.R.	9509070024*	FOIA	TAM, P.S.	9509180347	50-390	THAGGARD, M.	9008100129*	40-8948
STOKES, K.C.	9509210185*	50-424	TAPIA, J.I.	9509110308*	50-498	THAGGARD, M.	9509180023*	FOIA
STOLZ, J.	9509080236*	50-387	TAYLOR, E.	9509220094	50-29	THAGGARD, M.	9509180026*	FOIA
STOLZ, J.F.	9509050155	50-272	TAYLOR, G.	9509280064	50-395	THAGGARD, M.	9509180195*	FOIA
STOLZ, J.F.	9509060123*	50-367	TAYLOR, G.J.	9509180200	50-395	THAYER, J.K.	9509060332	71-9262
STOLZ, J.F.	9509060296	50-278	TAYLOR, G.J.	9509190113	50-395	THE CHAIRMAN	9508310224	72-18
STOLZ, J.F.	9509070137*	50-334	TAYLOR, G.J.	9509200122	50-395	THE CHAIRMAN	9509010052	SPEECHES
STOLZ, J.F.	9509110166*	50-272	TAYLOR, G.J.	9509200327	50-395	THE CHAIRMAN	9509010055	SPEECHES
STOLZ, J.F.	9509130067	50-277	TAYLOR, G.J.	9509200370	50-395	THE CHAIRMAN	9509050215	COMMISSION N
STOLZ, J.F.	9509140153*	50-388	TAYLOR, G.J.	9509250258	50-395	THE CHAIRMAN	9509110153	COMMISSION N
STOLZ, J.F.	9509140205*	50-354	TAYLOR, J.	9509080025*	50-272	THE CHAIRMAN	9509110173	COMMISSION N
STOLZ, J.F.	9509140293*	50-277	TAYLOR, J.	9509150306*	FOIA	THE CHAIRMAN	9509120010	ORG
STOLZ, J.F.	9509180351*	50-387	TAYLOR, J.	9509250068*	FOIA	THE CHAIRMAN	9509120042	COMMISSION N
STOLZ, J.F.	9509190013	50-277	TAYLOR, J.H.	9509270252	TOPREP	THE CHAIRMAN	9509150375*	FOIA
STOLZ, J.F.	9509190318	50-354	TAYLOR, J.M.	95092040251*	FOIA	THE CHAIRMAN	9509150380*	FOIA
STOLZ, J.F.	9509190338*	50-388	TAYLOR, J.M.	9405200190*	50-499	THE CHAIRMAN	9509200109*	STATE PRO G
STOLZ, J.F.	9509190347*	50-334	TAYLOR, J.M.	9501090356*	50-298	THE CHAIRMAN	9509220001	SPEECHES
STOLZ, J.F.	9509190374*	50-354	TAYLOR, J.M.	9505100174	COMMISSION N	THE CHAIRMAN	9509220204	COMMISSION N
STOLZ, J.F.	9509200099*	50-278	TAYLOR, J.M.	9507280254	SECY	THE CHAIRMAN	9509220237	COMMISSION N
STOLZ, J.F.	9509210358*	50-272	TAYLOR, J.M.	9507310225	SECY	THE CHAIRMAN	9509220243	COMMISSION N
STOLZ, J.F.	9509220168*	50-412	TAYLOR, J.M.	9508070401	SECY	THISELL, M.	9509190157	50-29 H
STOLZ, J.F.	9509250365*	50-354	TAYLOR, J.M.	9508110227	SECY	THOMA, J.	9509130082	WASTE MGT
STOLZ, J.F.	9509270237*	50-354	TAYLOR, J.M.	9508230349	SECY	THOMA, J.O.	9509250223*	40-8659
STOLZ, J.F.	9509280307*	50-354	TAYLOR, J.M.	9509010092	STATE PRO G	THOMAS, C.F.	9506180020*	40-*****
STOLZ, J.F.	9509290048	50-277	TAYLOR, J.M.	9509050087	ACRS	THOMAS, C.F.	9509080322	50-528 P
STOLZ, J.F.	9509290104	REVIEW GR	TAYLOR, J.M.	9509060165*	FOIA	THOMAS, C.F.	9509080324*	50-528 P
STONE, B.J.	9509190247	50-347	TAYLOR, J.M.	9509060360	SECY	THOMAS, C.F.	9509140191	50-528 P
STONE, D.	9509250192	50-482	TAYLOR, J.M.	9509120165*	FOIA	THOMAS, C.F.	9509140196*	50-528 P
STONE, J.C.	9509050350	50-275	TAYLOR, J.M.	9509120222	SECY	THOMAS, G.S.	9509010018	50-334 P
STONE, J.C.	9509070268	50-482	TAYLOR, J.M.	9509120238*	FOIA	THOMAS, G.S.	9509010134	50-334 R
STONE, J.C.	9509110204	50-275	TAYLOR, J.M.	9509120327	50-160	THOMAS, G.S.	9509190096	50-334 P
STONE, J.C.	9509140263	50-275	TAYLOR, J.M.	9509140082	PR	THOMAS, G.S.	9509190202	50-334 F
STONE, J.C.	9509180141	50-275	TAYLOR, J.M.	9509140064	PR	THOMAS, G.S.	9509190317	50-334 P
STONE, J.C.	9509220327	50-275	TAYLOR, J.M.	9509140264	50-390	THOMAS, G.S.	9509200291	50-334 V
STONE, J.C.	9509260214	50-275	TAYLOR, J.M.	9509150010	SECY	THOMAS, G.S.	9509210302	50-334 F
STONE, J.C.	9509260226	50-275	TAYLOR, J.M.	9509150259	50-287	THOMAS, G.S.	9509280331	50-412 P
STONE, J.C.	9509280094	50-275	TAYLOR, J.M.	9509150267*	50-287	THOMAS, K.M.	9509110082	50-361 P
STONE, J.C.	9509280097*	50-275	TAYLOR, J.M.	9509150268*	50-498	THOMAS, M.	9509280260*	50-390 C
STONE, J.C.	9509290088	50-275	TAYLOR, J.M.	9509150344*	FOIA	THOMAS, R.D.	9509130086*	70-*****
STORZ, L.F.	9509210106	50-354	TAYLOR, J.M.	9509150370*	50-498	THOMAS, R.D.	9509150173*	FOIA
STORZ, L.F.	9509010127	50-272	TAYLOR, J.M.	9509190218	SECY	THOMAS, S.E.	9509120029	50-498 P
STORZ, L.F.	9509190020	50-354	TAYLOR, J.M.	9509190248	I&E	THOMPSON, C.	9509150067*	FOIA
STORZ, L.F.	9509280074	50-272	TAYLOR, J.M.	9509200105	50-255	THOMPSON, C.F.	9509130218*	FOIA
STOTHOFF, S.A.	9509200049	NUREG	TAYLOR, J.M.	9509200235	ORG	THOMPSON, C.F.	9509130232*	FOIA
STOUT, D.E.	9509250209*	70-1201	TAYLOR, J.M.	9509200376*	FOIA	THOMPSON, C.F.	9509150046*	FOIA
STOUT, D.E.	9509270130*	70-27	TAYLOR, J.M.	9509210345	WASTE MGT	THOMPSON, C.F.	9509150101*	40-*****
STOWE, E.B.	9509290070	50-29	TAYLOR, J.M.	9509220074	PR	THOMPSON, C.F.	9509150125*	FOIA
STRANOVSKY, G.	9509210080*	50-333	TAYLOR, J.M.	9509220080	PR	THOMPSON, C.F.	9509150333*	FOIA
STRAUCH, P.L.	9509140122*	50-247	TAYLOR, J.M.	9509250251*	ORG	THOMPSON, C.F.	9509150347*	FOIA
STRAUSS, T.J.	9509140374*	FOIA	TAYLOR, J.M.	9509250375	COMMISSION N	THOMPSON, C.F.	9509150358*	FOIA
STRAUSS, T.J.	9509140379*	FOIA	TAYLOR, J.M.	9509260258*	FOIA	THOMPSON, C.F.	9509150367*	FOIA
STRAUSS, T.J.	9509150059*	FOIA	TAYLOR, J.M.	9509260344*	FOIA	THOMPSON, C.F.	9509150379*	FOIA
STREETER, K.N.	9509270084	50-29	TAYLOR, J.M.	9509270004	ORG	THOMPSON, C.F.	9509180008*	FOIA
STREETER, S.M.	9509270056	50-29	TAYLOR, J.M.	9509270067	PR	THOMPSON, C.F.	9509180032*	FOIA
STRICKLAND, K.	9509120172	50-413	TAYLOR, M.J.	9011150179*	FOIA	THOMPSON, C.F.	9509180074*	FOIA
STRIBEL, R.M.	9509270057	50-29	TAYLOR, T.	9509150311	ADVCM	THOMPSON, C.F.	9509180080*	FOIA
STRINGFIELD, H.	9509080082*	71-185	TEDESCO, R.L.	9509210317*	50-219	THOMPSON, C.F.	9509190044*	FOIA
STROSNIDER, J.	9501310196*	50-333	TEDESCO, R.	9509220339*	50-219	THOMPSON, C.F.	9509200229*	FOIA
STROSNIDER, J.R.	9509080146	ORG	TEDESCO, R.	9509250039*	50-219	THOMPSON, C.F.	9509220157*	FOIA
STROSNIDER, J.R.	9509080148	ORG	TEDESCO, R.L.	9509220035*	50-219	THOMPSON, D.H.	9509110333*	70-27
STUDDARD, P.	9509060258	50-456	TEDESCO, R.L.	9509220115*	50-219	THOMPSON, D.H.	9509260182*	50-390 C
STURZ, F.C.	9509220154	PROJ	TEDESCO, R.L.	9509220345*	50-219	THOMPSON, H.L.	9509010097	STATE PRO G
SUCHARZEWski, K.	9509190234	50-29	TEDESCO, J.	9509070244*	50-416	THOMPSON, H.L.	9509060051	50-219 C
SUCHARZEWski, L.	9509190173	50-29	TELFORD, J.L.	9509280217*	STATE PRO G	THOMPSON, H.L.	9509070027*	FOIA
SUEN, C.J.	9509200030	NUREG	TEMPLE, J.	9509220089*	50-309	THOMPSON, H.L.	9509200144	I&E
SULLIVAN, D.F.	9509180051*	50-219	TEMUS, C.J.	9509270053	71-9196	THOMPSON, H.L.	9509200160*	I&E
SULLIVAN, D.F.	9509220020*	50-219	TEN EYCKE, Q.	9509060234	70-3070	THOMPSON, T.C.	9509190116	72-1007
SULLIVAN, D.F.	9509220046*	50-219	TEN EYCKE, Q.	9509080277	PROJ	THOMPSON, T.K.	8801040278*	FOIA
SULLIVAN, D.F.	9509220084*	50-219	TERRY, C.D.	9509050243*	50-220	THOMPSON, T.K.	8801040282*	FOIA
SULLIVAN, D.F.	9509220088*	50-219	TERRY, C.D.	9509280045	50-220	THOMPSON, T.K.	8801040302*	FOIA
SULLIVAN, K.	9507270222*	50-333	TERRY, C.D.	9509280076	50-410	THOMPSON, T.K.	8801260174*	FOIA
SULLIVAN, T.A.	9509220132	50-293	TERRY, C.L.	9509060183	50-445	THOMPSON, T.K.	8801260182*	FOIA
SULLIVAN, T.M.	9509200030	NUREG	TERRY, C.L.	9509120046	50-445	THORNTON, J.T.	9509120182	FT21
SUMMERS, B.T.	9509260333*	FOIA	TERRY, C.L.	9509120317	50-445	TICHLER, J.	9509130181	NUREG
SUWALA, M.C.	9509070064	70-27	TERRY, C.L.	9509150032	50-445	TING, F.	9509110227	70-1113
SUWALA, M.C.	9509140251	70-27	TERRY, C.L.	9509180120	50-445	TING, F.	9509210216	70-1257
SWARNEY, R.P.	9509130131*	50-237	TERRY, C.L.	9509180155	50-445	TING, F.	9509250197	70-1201
SVEJKOVSKY, J.	9509250003	XPORTLIC	TERRY, C.L.	9509180377	50-445	TING, F.	9509270124	70-27
SWANSON, R.L.	9509120163	71-*****	TERRY, J.	9509150324*	FOIA	TIPTON, T.E.	9509140101	REGGD
SWENSON, W.H.	9509150332*	50-498	TERRY, J.	9509150329*	FOIA	TIPTON, T.E.	9509200063	I&E
SWETLAND, P.D.	9509270251*	FOIA	TERRY, J.W.	9509180253*	FOIA	TIPTON, T.E.	9509220178	REVIEW GR P

268 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TITO, D.A.	9509010198*	50-526	VASELIN, J.	9509110357	40-8502	WARREN, C.C.	9509010010	50-272
TIZZANO, D.G.	9509180264	50-440	VAUGHAN, C.M.	9509260063	PR	WARREN, C.C.	9509050165	50-272
TJERSLAND, G.T.	9509010294	72-1002	VAUGHAN, R.C.	9509210172	PROJ	WARREN, C.C.	9509260075	50-311
TOAL, C.W.	9509110301	40-8502	VEEH, R.H.	9509130162	NUREG	WARREN, C.C.	9509280055	50-272
TOBIN, W.J.	9509070151*	50-327	VEERLING, J.P.	9509140151*	FOIA	WASHING, J.R.	9509250065	50-346
TONGUE, T.	9509140350	50-440	VELASQUEZ, J.R.	9509070004	40-8907	WASONG, A.J.	9509010012	50-278
TORRINI, R.E.	9509180030*	40-7367	VELASQUEZ, J.R.	9509080078	40-8907	WASONG, A.J.	9509190003	50-277
TORRINI, R.E.	9509180037*	40-7102	VENEZIA, C.	9509180345	40-185	WASONG, A.J.	9509190361	50-277
TORRINI, R.E.	9509180083*	40-8948	VENEZIA, C.	9509190117	40-185	WATTS, R.J.	9509120034	50-244
TOSCH, K.	9509060055	50-272	VENEZIA, C.	9509190123	40-185	WATTS, R.J.	9509260234	50-244
TOSCH, K.	9509200103	50-354	VENEZIA, C.	9509190127	40-185	WEBER, D.H.	9509060064	50-445
TOSCH, K.W.	9509070142	50-219	VENEZIA, C.	9509190147	40-185	WEBER, G.A.	9509210056	50-315
TRAIL, M.E.	9509250050	FOIA	VENEZIA, C.	9509190153	40-185	WEBER, G.A.	9509290006	50-316
TRAIL, L.N.	9509200305	50-155	VENEZIA, C.	9509190333	40-185	WEBER, G.A.	9509290024	50-315
TRIVERS, W.D.	9509250134	71-9019	VENEZIA, C.	9509190344	40-185	WEBER, M.	9509080183	WASTE MGT
TRIVERS, W.D.	9509250138*	71-9019	VENEZIA, C.	9509200036	40-185	WEBER, M.F.	9509070052*	40-7580
TRIVERS, W.D.	9509250153	71-6717	VENEZIA, C.	9509200069	40-185	WEBER, M.F.	9509080049	70-3073
TRIVERS, W.D.	9509250158	71-3026	VENEZIA, C.	9509200085	40-185	WEBER, M.F.	9509080053*	70-3073
TRIVERS, W.D.	9509250164	71-3027	VENEZIA, C.	9509200064	40-185	WEBER, M.F.	9509080086	40-8801
TRIVERS, W.D.	9509250186	71-9029	VENEZIA, C.	9509190107	50-83	WEBER, M.F.	9509080088*	40-8801
TRIVERS, W.D.	9509270238	71-6206	VERRELLI, D.	9509180348*	50-400	WEBER, M.F.	9509080138	70-825
TRIVERS, W.D.	9509270245	71-6206	VERRELLI, D.M.	9509180182	50-261	WEBER, M.F.	9509080141*	70-825
TRIVERS, W.D.	9509280122	71-8794	VERRELLI, D.M.	9509180269	50-261	WEBER, M.F.	9509130206*	FOIA
TRIVERS, W.D.	9509280124*	71-8794	VERRELLI, D.M.	9509180343	50-400	WEBER, M.F.	9509130230*	FOIA
TRIVERS, W.D.	9509280130	71-6206	VERRELLI, D.M.	9509190006	50-324	WEBER, M.F.	9509180087	40-7580
TRIVERS, W.D.	9509280132	71-3029	VERRELLI, D.M.	9509190014*	50-324	WEBER, M.F.	9509180100	70-820
TREJO, F.	9509260266*	FOIA	VERRELLI, D.M.	9509280232	50-261	WEBER, M.F.	9509180104*	70-820
TRIMBLE, D.	9509210294	50-324	VERRELLI, D.M.	9509280240*	50-261	WEBER, M.F.	9509180118*	FOIA
TROTTLER, E.H.	9509060066	50-309	VERRILLI, M.	9509050219	50-400	WEBER, M.F.	9509180209*	FOIA
TROTTLER, E.H.	9509150292	50-309	VERRILLI, M.	9509280061	50-400	WEBER, M.F.	9509180241*	FOIA
TROUP, G.L.	9509180261*	70-27	VILLAR, S.	9509130123*	FOIA	WEBER, M.F.	9509190090	40-9027
TROWBRIDGE, G.	9509180069*	50-219	VINCENT, R.A.	9509200070	50-255	WEBER, M.F.	9509200247	WASTE MGT
TROWBRIDGE, G.	9509180069*	50-219	VINCENT, R.A.	9509260065	50-255	WEBER, M.F.	9509210083*	40-7367
TROWBRIDGE, G.F.	9509210093*	50-219	VINGEPROD, J.	9509270064	50-344	WEBER, M.F.	9509220187	70-1201
TROWBRIDGE, G.F.	9509210093*	50-219	VIRGILIO, R.A.	9509010189	STATE PROJ	WEBER, M.F.	9509220225	40-9022
TRUDEAU, A.R.	9509190152	50-29	VIRGILIO, R.C.	9509280257	STATE PROJ	WEBER, M.F.	9509260186*	NUREG
TRUSCELLI, P.L.	9509260244*	70-3052	VISSING, G.S.	9509270254	50-336	WEBER, M.F.	9509260202*	NUREG
TSCHLITZ, M.	9509280068	50-323	VISSING, G.S.	9509270261*	50-336	WEBER, M.F.	9510110158*	FOIA
TUCKMAN, M.S.	9509010076	50-269	VITANYE, M.	9509130122*	FOIA	WEBER, R.L.	9509180206	50-413
TUCKMAN, M.S.	9509010079	50-269	VOELLER, J.D.	9509270205	40-4492	WEBER, R.L.	9509180217	50-269
TUCKMAN, M.S.	9509060244	PR	VOGL, J.	9509180245	50-454	WEBER, R.L.	9509180231	50-369
TUCKMAN, M.S.	9509110192	50-269	VONK, M.J.	9509200074	I&E	WEBSTER, M.C.	9509270125	50-29
TUCKMAN, M.S.	9509110237	50-269	VORPAHL, D.	9509290009	50-304	WEHRY, R.R.	9509010180	50-367
TUCKMAN, M.S.	9509110312	50-369	VORSEJ, J.	9509050331*	FOIA	WEINSTEIN, G.	9509120213*	FOIA
TUCKMAN, M.S.	9509190206	50-269	WADE, M.C.	8405260207*	40-8948	WEISS, D.	9312300080*	40-8948
TUCKMAN, M.S.	9509250289	50-413	WADE, M.C.	8403230253*	40-8948	WEISS, S.H.	9509060268*	50-113
TUCKMAN, M.S.	9509260003	50-413	WADE, M.C.	9509150076*	FOIA	WEISS, S.H.	9509120296*	50-57
TUCKMAN, M.S.	9509260007	50-369	WADE, M.C.	9509150082*	FOIA	WEISS, S.H.	9509220325*	50-160
TUCKMAN, M.S.	9509260110	50-369	WADE, M.C.	9509150165*	FOIA	WEISS, S.H.	9509260329*	50-193
TULON, J.T.	9509260071	53-457	WADE, M.C.	9509180123*	FOIA	WENCH, T.	9509150335*	FOIA
TULON, T.J.	9509060252	50-457	WADE, M.C.	9509180249*	FOIA	WENTWORTH, D.L.	9509220063	50-29
TULON, T.J.	9509060258	50-456	WADLEY, M.D.	9509060228	50-282	WERT, L.D.	9509070194*	50-259
TULON, T.J.	9509140003	50-456	WADLEY, M.D.	9509080203	50-282	WESLEY, D.A.	9509150113*	50-317
TULON, T.J.	9509190093	50-456	WADLEY, M.D.	9509130099	50-282	WESSMAN, R.H.	9503310304*	50-220
TULON, T.J.	9509200143	50-456	WADLEY, M.D.	9509140001	50-282	WESSMAN, R.H.	9509200212	REVIEW GR P
TULON, T.J.	9509270073	50-456	WADLEY, M.D.	9509140008	50-282	WESSMAN, R.H.	9509250235	REVIEW GR P
TURK, S.E.	9509110057	50-180	WADLEY, M.D.	9509220309	50-282	WESSMAN, R.H.	9509250361	ORG
TURK, S.E.	9509130219*	50-180	WADLEY, M.D.	9509220312	50-282	WESTLING, J.	9509130118*	70-1163
TURK, S.E.	9509210141	MISC	WADLEY, M.D.	9509270171	50-282	WESTON, N.	9509190139	50-29
TURK, S.E.	9509210149*	MISC	WADLEY, M.D.	9509270174	50-282	WETTINGTON, J.	9509250373	50-265
TURK, S.E.	9509210153*	MISC	WADLEY, M.D.	9509270180	50-282	WETTERHAHN, M.J.	9509220350*	50-219
TURNER, D.	9509060252	50-457	WADLEY, M.D.	9509280139	50-736	WETZEL, B.A.	9509060018	50-263
TWALER, W.E.	9509130219*	FOIA	WADLEY, M.D.	9509290087	50-282	WETZEL, B.A.	9509060325	50-282
TYSARCZYK, M.A.	9509130130*	FOIA	WAGNER, M.A.	9509260296	FOIA	WETZEL, B.A.	9509060325	50-282
ULECK, R.B.	9509220233	40-2384	WAGNER, P.G.	9509050271*	50-482	WHALEY, D.L.	9509110234*	70-1113
ULSES, T.P.	9509070114	TOPREP	WALDEN, J.V.	9509150034	50-244	WHARTON, L.R.	9509070264	50-483
UMPHLETT, W.D.	9509120385*	70-*****	WALKER, P.	9509270105	50-29	WHEELER, L.L.	9509060025	50-424
UMPHLETT, W.D.	9509130037*	70-*****	WALKER, R.D.	9509180120	50-445	WHEELER, L.L.	9509060362	50-424
UMPHLETT, W.D.	9509150107*	FOIA	WALKER, W.J.	8005280793*	FOIA	WHITE, B.H.	9509180078	71-9251
UMPHLETT, W.D.	9509150130*	FOIA	WALLACE, J.E.	9509250047*	50-286	WHITE, C.R.	9509270043	50-344
URYC, B.	9509150103*	50-390	WALLACE, M.J.	9509140107	52-2	WHITE, D.	9509120207	40-7354
VACCA, P.	9509150039*	FOIA	WALLACE, M.J.	9509140113*	52-2	WHITE, D.	9509210003	30-17800
VAN CAMP, T.L.	9509200113	PROJ	WALLACE, M.J.	9509140124	52-2	WHITE, D.	9509270173	70-696
VAN CLEAVE, V.	9509130031*	50-496	WALLACE, M.J.	9509140127*	52-2	WHITE, D.R.	9509270095	50-29
VAN CLEAVE, V.	9509130034*	50-496	WALLIN, G.A.	9509180255	50-271	WHITE, J.R.	8906060260*	FOIA
VAN CLEAVE, V.	9509130039*	50-496	WALTH, B.	9509080217	FOIA	WHITE, J.R.	9011150175*	FOIA
VAN CLEAVE, V.	9509130050*	50-496	WALTON, G.A.	9509280227*	50-390	WHITE, J.R.	9106220248*	FOIA
VAN DOORIN, P.K.	9509070286*	50-380	WAMBACH, T.	9509250046*	50-219	WHITE, J.R.	9509060181	50-272
VAN WAGNER, B.	9509120015*	50-255	WANCZYK, R.J.	9509010004	50-271	WHITE, J.R.	9509060193	50-272
VANDENBURG, C.A.	9509140027*	50-382	WANCZYK, R.J.	9509010172	50-271	WHITE, J.R.	9509130157*	FOIA
VANDENBURG, C.	9509210216*	50-362	WANCZYK, R.J.	9509050149	50-271	WHITE, J.R.	9509180349	50-272
VANDENBURG, C.	9509270012*	50-362	WANCZYK, R.J.	9509180255	50-271	WHITE, J.R.	9509180353*	50-272
VANMIDDLESWORTH	9509050136	50-331	WANCZYK, R.J.	9509260222	50-271	WHITE, J.R.	9509260095	50-354
VANMIDDLESWORTH	9509050142	50-331	WANG, A.B.	9509110307	50-213	WHITE, J.R.	9509260108*	50-354
VARGA, S.A.	9509140178	50-424	WANG, J.C.	9509210323*	30-13069	WHITE, T.	9509260152	50-244
VARGA, S.A.	9509210304	50-293	WARD, D.C.	9509280009	70-27	WHITENER, H.	9509070180*	50-259
VASELIN, J.	9509110296	40-8502	WARREN, C.	9509190121	50-311	WHITT, M.S.	9509190229	50-368
VASELIN, J.	9509110318	40-8502	WARREN, C.	9509190252	50-272	WHITT, M.S.	9509190232	50-312

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WHITTIER, G. D.	9509060111	50-309 P	WILLIAMS, J. F.	9509060330	50-259 P	WOODWORTH, L. A.	9509120056	WASTE MGT
WHITTIER, G. D.	9509150022	50-309 Q	WILLIAMS, J. F.	9509190177*	50-296 P	WOODY, C. L.	9509210149*	MISC
WICHERS, D. L.	9509060330	40-8981	WILLIAMS, J. F.	9509200153	50-259 P	WOODY, C. L.	9509210153*	MISC
WICHERS, D. L.	9509110283	40-8502	WILLIAMS, J. F.	9509210330*	50-446 P	WOOLLEY, R. L.	9509280010	PR
WICHERS, D. L.	9509110370	40-8502	WILLIAMS, J. H.	9509260216*	50-293 Q	WREATHALL, J.	9509200039	NUREG
WICHERS, D. L.	9509120341	40-8502	WILLIAMS, J. R.	9509070051	72-1009	WRIGHT, B. L.	9509050080	XPORTLIC
WICHERS, D. L.	9509120343*	40-8502	WILLIAMS, J. R.	9509110277	72-1009	WRIGHT, B. L.	9509050095	XPORTLIC
WICKS, G. D.	9509190281	50-297 F	WILLIAMS, L. K.	9509270116	50-344 H	WRIGHT, B. L.	9509120275*	FOIA
WIDAY, J. A.	9509150034	50-244 R	WILLIAMS, O. G.	9509310201	50-318 Q	WRIGHT, E. G.	9509150135*	FOIA
WIDAY, J. A.	9509260152	50-244 F	WILLIAMS, P. M.	9509150144*	FOIA	WRIGHT, E. G.	9509180076*	40-8406
WIDMANN, M. T.	9509280214*	50-424 Q	WILLIAMS, R.	9509050036	XPORTLIC	WRIGHT, R.	9509270102	50-29
WIEDEMAN, D.	9509280098	I&E	WILLIAMS, R. A.	9509180208*	50-413 R	WU, M.	9509130136*	50-237
WIEDEMAN, D. G.	9307190027*	FOIA	WILLIAMS, R. A.	9509180221*	50-269 R	WU, Y.	9509130113*	50-237
WIEDEMAN, D. G.	9401120006*	FOIA	WILLIAMS, R. A.	9509180234*	50-369 R	WYMER, S. L.	9509190364	50-255
WIEDEMAN, D. G.	9401250049*	FOIA	WILLIAMS, S. A.	9008070236*	FOIA	YANDELL, L. A.	9509140025*	50-285
WIEDEMAN, D. G.	9509140270*	70-133	WILLIAMS, S. A.	9509210230*	FOIA	YANDELL, L. A.	9509280210*	50-498
WIEDEMAN, D. G.	9509180001*	70-133	WILLIAMS, S. A.	9509130020*	FOIA	YANKANICH, S.	9509290134	QA999
WIENS, L. A.	9509050344	50-266 P	WILSON, E.	9509280096*	FOIA	YARBOR, J.	9509290078	50-344
WIENS, L. A.	9509060043*	50-424 P	WILSON, E. P.	9509050322*	50-423 Q	YELVERTON, J. W.	9509103118	50-315
WIGGINS, E. J.	9509050050	CONTRACT	WILSON, E. P.	9509260295*	FOIA	YOON, K. K.	9509270256*	TOPREP
WIGGINS, E. J.	9509150021	CONTRACT	WILSON, E. P.	9509260332*	FOIA	YORKE, D. W.	9509190131	50-29
WIGGINS, E. J.	9509150026	50-390 Q	WILSON, E. P.	9509260345*	FOIA	YORKE, N. C.	9509190146	50-29
WIGGINS, E. J.	9509210291	CONTRACT	WILSON, J. F.	9509150007	50-219 F	YOUNG, C. A.	9509270038	50-344
WIGGINS, E. J.	9509260194	50-324 Q	WILSON, J. H.	9509140044	52-4	YOUNG, D. E.	9509010211*	50-261
WIGGINS, E. J.	9509260205	50-3 V	WILSON, J. H.	9509140045	52-4	YOUNG, K. D.	9509130142	50-331
WIGGINS, E. J.	9509270007	CONTRACT	WILSON, J. H.	9509220121	PROJ	YOUNG, L. A.	9509210248*	FOIA
WIGGINS, E. J.	9509270019	50-390 A	WILSON, L. P.	9509070136	FOIA	YOUNG, L. A.	9509210252*	FOIA
WIGGINS, E. J.	9509270021	CONTRACT	WILSON, V.	9509220343	NUREG	YOUNG, M. A.	9509210136	50-424
WIGGINS, E. J.	9509280002	CONTRACT	WILSON, V. H.	9509260144*	NUREG	YOUNG, T.	9509210195	30-33336
WIGGINS, J. T.	9310140155*	50-325 Q	WILSON, V. H.	9509260249*	NUREG	ZACHARIAS, N. K.	9509220349	FOIA
WIGGINS, J. T.	9311120144*	50-325 Q	WISEMAN, G.	9509070181*	50-259 Q	ZALIZNYAK, S.	9509130113*	50-237
WIGGINTON, D. L.	9509180333	50-458 P	WISEMAN, G.	9509180240*	50-259 Q	ZALIZNYAK, S.	9509130136*	50-237
WIGGINTON, D. L.	9509180336*	50-458 P	WITT, J. L.	9509120014*	ORG	ZARGES, T. H.	9509130191	50-267
WIGGINTON, D. L.	9509270227	50-458 P	WITTICH, W.	9509210080*	50-333 P	ZECH, G. G.	9303310111*	50-498
WIGGINTON, D. L.	9509270230*	50-458 P	WOLF, G. M.	9509220280	50-346 R	ZEIGLER, R.	9508310225*	72-18
WIGGINTON, D. L.	9509270247	50-458 P	WOLLMAN, S. S.	9509200154*	50-293 P	ZERINGUE, O. J.	9509070143	50-390
WIGGS, D. H.	9509010190*	50-526 I	WONG, H.	9509280068	50-323 S	ZERINGUE, O. J.	9509210067	50-390
WILCOXEN, J. G.	9509080084	40-8027	WONG, H. J.	9509050031*	50-275 Q	ZERINGUE, O. J.	9509210069	50-390
WILCOXEN, J. G.	9509080084	40-8027	WOOD, B. C.	9509140083	50-29 H	ZERINGUE, O. J.	9509210131	50-390
WILCOXEN, J. G.	9509110065	40-8027	WOOD, D. G.	9509140244*	FOIA	ZERINGUE, O. J.	9509260106	50-390
WILCOXEN, J. G.	9509110085	40-8027	WOOD, J. K.	9509220280	50-346 R	ZIEGLER, R. S.	9509080335	40-8902
WILCOXEN, J. G.	9509110067*	40-8027	WOOD, J. K.	9509250028	50-346 R	ZIEGLER, R. S.	9509120258	40-8902
WILCOXEN, J. G.	9509110067*	40-8027	WOOD, J. Y.	9509270136	50-29 H	ZIEGLER, R. S.	9509200210	40-8902
WILCOXEN, J. G.	9509210127	40-8027	WOODARD, J. D.	9309130076	50-364 S	ZIMMERMAN, J. F.	9509280263*	STATE PRO G
WILCOXEN, J. G.	9509210127	40-8027	WOODHEAD, C. F.	9309250140*	FOIA	ZIMMERMAN, J. V.	9509060208*	FOIA
WILKIE, L. V.	9509080007	50-269 S	WOODLAN, D. R.	9509060183	50-445 P	ZIMMERMAN, J. V.	9509060213*	FOIA
WILKIE, L. V.	9509190356	50-287 S	WOODLAN, D. R.	9509120046	50-445 F	ZIMMERMAN, J. V.	9509060227*	FOIA
WILLIAMS, A. L.	9509110175	50-255 R	WOODLAN, D. R.	9509180155	50-445 F	ZIMMERMAN, J. V.	9509060243*	FOIA
WILLIAMS, D. C.	9509280082*	FOIA	WOODSON, N. D.	9509220219*	TOPREP	ZIMMERMAN, R. P.	9509080139	ORG
WILLIAMS, J.	9509210266*	50-249 S	WOODWARD, R.	9509250196	50-331 R	ZINTL, W.	9509140034*	50-206
						ZINTL, W.	9509140037*	50-206
						ZUCHERO, M. R.	9509190141	50-29
						ZUPPINGER, W. L.	9509210020*	PROJ
						ZURAKOWSKI, P. R.	9509140376*	FOIA



CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9509010273	XPORTLIC		9509130042*	70-*****
	9509080034	50-255	S	9509130111*	FOIA
	9509120085	52-1		9509130135*	FOIA
	9509120087	TOPREP		9509130161*	FOIA
	9509120153	52-2		9509130215*	FOIA
	9509130212	70-36		9509140200*	FOIA
	9509150078	TOPREP		9509140232*	FOIA
	9509150084*	TOPREP		9509140244*	FOIA
	9509180103	TOPREP		9509150090*	FOIA
	9509180106*	TOPREP		9509150129*	FOIA
AEA O'Donnell, Inc. (formerly SMC)	9509220292*	50-261	O	9509110162*	COMMISSIO
	9509280026	PR		9509050221*	COMMISSIO
	9509280250	TOPREP		9109250051*	FOIA
	9509280174*	50-295	P	9202040255*	FOIA
O'Donnell, Inc. & O'Donnell & Associate ALARON Corp. ASEA Brown Boveri, Inc.	9509210028*	FOIA		9202040257*	FOIA
	9509080034	50-255	S	9202040261*	FOIA
	9509110012	70-36		9202040265*	FOIA
	9509120087	TOPREP		9509250188	40-8852
	9509140324*	50-293	O	9509280019	27-48
	9509150078	TOPREP		9509080258	40-4492
	9509180103	TOPREP		9509080264	40-4492
	9509180106*	TOPREP		9509140243	40-4492
	9509220292*	50-261	O	9509110196	NUREG
	9509280250	TOPREP		9509110202	NUREG
AVI Professional Corp.	9509080110*	40-4492		9509110205	NUREG
	9509270205	40-4492		9509110210	NUREG
Advanced Medical Systems, Inc.	9105160373*	FOIA		9509050308	71-9147
	9105240090*	FOIA		9509130222	PT21
	9210090071*	FOIA		9509140206*	FOIA
	9509050131*	FOIA		9509140212*	FOIA
	9509070102*	FOIA		9509140222*	FOIA
	9509140254*	FOIA		9509140228*	FOIA
	9509150295*	FOIA		9509140235*	FOIA
	9509180031*	FOIA		9509140237*	FOIA
	9509200011*	FOIA		9509140247*	FOIA
	9509200034*	FOIA		9509140249*	FOIA
9509200050*	FOIA		9509140250*	FOIA	
9509200055*	FOIA		9509140252*	FOIA	
9509200058*	FOIA		9509140255*	FOIA	
9509200243*	FOIA		9509140257*	FOIA	
9509200245*	FOIA		9509140259*	FOIA	
9509200268*	FOIA		9509140260*	FOIA	
9509200282*	FOIA		9509140264*	FOIA	
9509200286*	FOIA		9509140265*	FOIA	
9509200309*	FOIA		9509140292*	FOIA	
9509200316*	FOIA		9509140297*	FOIA	
9509200326*	FOIA		9509140312*	FOIA	
9509200362*	FOIA		9509140328*	FOIA	
9509210009*	FOIA		9509140343*	FOIA	
9509210016*	FOIA		9509140349*	FOIA	
9509210026*	FOIA		9509140352*	FOIA	
9509210030*	FOIA		9509140359*	FOIA	
9509210032*	FOIA		9509140366*	FOIA	
9509210038*	FOIA		9509140368*	FOIA	
9509210043*	FOIA		9509260137	71-9165	
9509210359*	FOIA		9509260253	PT21	
9509220011*	FOIA		9509080096	71-153	
9509220015*	FOIA		9509010150	50-526	
Advanced Medical Testing Systems, St. Louis, MO	9209150093*	FOIA		9509010152*	50-526
	9210160073*	FOIA		9509010176	50-526
	9509200358*	FOIA		9509010179*	50-526
	9509210023*	FOIA		9509050102	50-526
Aflon Associates, Inc. Air Force, Dept. of	9509250214*	FOIA		9509050111*	50-526
	9509060249	71-5862		9509050127	50-526
	9509060257*	71-5862		9509050144	50-526
				9509050147	50-526
			9509060176	50-526	
					R

272 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509060197	50-529		9509210013	70-364
	9509060197	50-529		9509260005*	50-413
	9509060197	50-529		9509260223	70-364
	9509120065	50-528		9509270240	70-135
	9509120071	50-529		9509270258*	TOPREP
	9509120076*	50-528		9509280009	70-27
	9509120077*	50-529		9509280136	70-27
	9509190059	50-528	Babcock & Wilcox Operating Plants Owners Group	9509060173	PROJ
	9509190226	50-528		9509270252	TOPREP
	9509190226	50-528		9509101115	50-317
	9509250248	50-528	Baltimore Gas & Electric Co.	9509070071	50-317
	9509250248	50-528		9509070071	50-317
	9509250248	50-528		9509070296	50-317
	9509250249*	50-528		9509070296	50-317
	9509250249*	50-528		9509120123	50-317
	9509260060	50-528		9509120370	50-317
	9509260060	50-528		9509150004	50-317
	9509260060	50-528		9509150108	50-317
	9509260109	50-528		9509190155	50-317
	9509260130	50-528		9509190155	50-317
	9509270159	50-528		9509190164	50-317
Arizona, State of	9509270188*	50-528		9509190164	50-317
	9509010099	STATE PROJ		9509190258	50-317
Arkansas, State of	9509280225	STATE PROJ		9509190258	50-317
Armed Forces Radiobiological Research Institute	9509080221	50-170		9509210118	50-317
Ashland Oil, Inc.	9509280037*	FOIA		9509260351	50-317
Atlanta, GA	9509080035	50-160	Bank of America	9509280248	50-317
Atlantic Richfield Co. (ARCO)	9509080335	40-8902		9509200186	40-7580
	9509080336*	40-8902	Bartlett Nuclear, Inc.	9509220051	50-29
	9509120258	40-8902	Battelle Memorial Institute, Columbus Laboratories	9306140129*	FOIA
	9509120359	40-8902	Battelle Memorial Institute, Pacific Northwest Laboratory	9409120195*	50-249
	9509200210	40-8902		9509130146	NUREG
Atlas Corp.	9509210014*	70-364		9509250303*	50-413
Atomics International	9509060200	40-3453	Biological Monitoring, Inc.	9509260230	70-3052
	9509110007*	FOIA	Blazosky Associates, Inc.	9509260233*	70-3052
	9509140286*	FOIA		9509260246*	70-3052
	9509140294*	FOIA		9509070043	PT21
	9509140299*	FOIA	Boeing Computer Services Co. (div. of Boeing Co.)	9509120293	QA999
	9509140380*	FOIA		9509210296	PT21
	9509150072*	FOIA		9509010137	50-293
	9509150079*	FOIA	Boston Edison Co.	9509060200	50-293
	9509150092*	FOIA		9509060219	50-293
	9509150120*	FOIA		9509080232	50-293
	9509150230*	FOIA		9509110042*	50-293
	9509150317*	FOIA		9509120078	50-293
Austin, TX	9509150336*	FOIA		9509120079*	50-293
	9509110280*	50-498		9509120231	50-293
B&W Fuel Co.	9509180117	70-1201		9509120234*	50-293
	9509210365	71-9251		9509130001	50-293
	9509260129	70-1201		9509140076	50-293
	9509270078	71-9251		9509140227	50-293
	9509280136	70-1201		9509140315*	50-293
B. Koh & Associates, Inc.	9509280145	40-*****		9509150025	50-293
	9509280212*	40-*****		9509190237	50-293
	9509280224*	40-*****		9509200146	50-293
	9509280256	40-8724		9509200154*	50-293
	9509280296*	40-7604		9509200289	50-293
BIX Testing Laboratories	9509060178	71-9035		9509220132	50-293
BP Chemicals International	9509190062	40-7604		9509250264	50-293
	9509190201	40-7604		9509260100	50-293
	9509280268	40-7604		9009260143*	FOIA
	9509280275	40-7604	Boston Univ. Medical Center, Boston, MA	7909130224*	70-1163
	9509280279	40-7604	Boston Univ., Boston, MA	8512160440*	FOIA
	9509280292	40-7604		8601030272*	FOIA
BWR Owners Group	9509120211*	FOIA		8602070232*	30-10860
	9408150176*	FOIA		8602070236*	FOIA
	9509150123	PROJ		8602070237*	FOIA
	9509210076	TOPREP		8801040291*	FOIA
	9509220331	TOPREP		8801040318*	FOIA
	9509280083	TOPREP		8801040527*	FOIA
	9509280093*	TOPREP		8801260188*	FOIA
Babcock & Wilcox Co.	9509060174*	PROJ		8808030050*	70-1163
	9509070054	70-27		8808030051*	70-1163
	9509070295	70-27		8901120518*	FOIA
	9509070300	70-27		8903140841*	FOIA
	9509110016	70-135		9008070236*	FOIA
	9509110275	TOPREP		9008210230*	FOIA
	9509140251	70-27		9509110043	FOIA
	9509150374	70-27		9509110086*	FOIA
	9509150387	70-27		9509110094*	FOIA
	9509180158	70-27		9509110193*	FOIA
	9509180282	70-27		9509110262*	FOIA
	9509180289*	70-27		9509110279*	FOIA
	9509200124	70-364		9509110290*	FOIA
	9509200205	70-1201			

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509110298*	FOIA		9509120184	50-324 H
	9509110305*	FOIA		9509130078	50-261 F
	9509110324*	FOIA		9509130184	50-324 R
	9509110348*	FOIA		9509150002	50-400 F
	9509110356*	FOIA		9509180153	50-324 P
	9509110358*	FOIA		9509180197	50-261 R
	9509120005*	FOIA		9509180286	50-261 Q
	9509120007*	70-1163		9509190041	50-400 P
	9509120031*	FOIA		9509190270	50-324 P
	9509120033*	FOIA		9509190270	50-324 P
	9509120213*	FOIA		9509190273*	50-324 P
	9509130004*	FOIA		9509190284	50-325 P
	9509130008*	FOIA		9509190298	50-261 P
	9509130010*	FOIA		9509190300*	50-261 P
	9509130020*	FOIA		9509190370	50-324 P
	9509130043*	FOIA		9509190370	50-324 P
	9509130053*	FOIA		9509190373*	50-324 P
	9509130059*	FOIA		9509190373*	50-324 P
	9509130118*	70-1163		9509220287	50-261 Q
	9509130130*	FOIA		9509220318	50-324 R
	9509130140*	FOIA		9509220318	50-324 R
	9509130149*	FOIA		9509250025	50-400 P
	9509130153*	FOIA		9509260072	50-261 F
	9509130166*	FOIA		9509260307	50-400 P
	9509150041*	FOIA		9509280057	50-324 F
	9509150045*	FOIA		9509280057	50-324 F
	9509150048*	FOIA		9509280061	50-400 S
	9509200321*	FOIA	Center for Molecular Medicine & Immunology, Newark, NJ	9509270062	PR
	9509210031*	FOIA	Center for Nuclear Waste Regulatory	9509140173	WASTE MGT
	9509210034*	FOIA			
Braunkohle Transport USA, Inc.	9509250007	XPORTLIC	Analyses		
Brentwood Hosp., Cleveland, OH	9509120372*	FOIA		9509140365	WASTE MGT
	9509120374*	FOIA		9509200082	WASTE MGT
Brookhaven National Laboratory	9507270222*	50-333		9509200101	WASTE MGT
	9509130124*	TOPREP		9509200104*	WASTE MGT
	9509130181	NUREG		9509210314	WASTE MGT
	9509200030	NUREG		9509210319*	WASTE MGT
	9509200039	NUREG		9509260216	WASTE MGT
	9509200367	NUREG		9509260223*	WASTE MGT
COGEMA, Inc.	9509110283	40-8502		9509280231	WASTE MGT
	9509110296	40-8502		9509280238	WASTE MGT
	9509110301	40-8502		9509280243	WASTE MGT
	9509110318	40-8502		9509280247*	WASTE MGT
	9509110357	40-8502	Centerior Energy	9509060250	50-440 P
	9509110370	40-8502		9509060254*	50-440 P
	9509120341	40-8502		9509070217	50-346 F
	9509120343*	40-8502		9509080105	50-440 P
Cabot Corp.	9509110139	40-9027		9509090122	50-346 P
	9509110141*	40-9027		9509120127	50-440 P
	9509260312	40-6940		9509150026	71-541
	9509260316	40-6940		9509150111	50-440 P
California, State of	9509120321	50-275		9509150126	50-440 V
Cameco (Formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd. Canberra Industries, Inc.	9509150273	XPORTLIC		9509150145	50-346 P
	9509050191*	FOIA		9509180154	50-346 P
Cardinal Industrial Products Corp.	9509080175	50-334		9509180250	50-440 R
	9509080313	QA999		9509180262	50-440 R
	9509210006	50-334		9509180271*	50-440 R
	9509210008	50-334		9509180274*	50-440 R
Carolina Power & Light Co.	9509010080	50-324		9509180276*	50-440 R
	9509010202	50-261		9509180276*	50-440 R
	9509010202	50-261		9509180284	50-440 R
	9509010206*	50-261		9509180284	50-440 R
	9509010208*	50-261		9509200007	50-440 F
	9509010211*	50-261		9509200227	71-541
	9509050014	I&E		9509250029	50-346 P
	9509050170	50-261		9509250140	50-346 V
	9509050170	50-261		9509250220	50-440 P
	9509050170	50-261		9509250369	50-440 P
	9509050170	50-261		9509290052	50-346 P
	9509050219	50-400		9509290052	50-346 P
	9509050292	50-261		9509060222	71-9096
	9509060195	PR	Chem-Nuclear Systems, Inc.	9508070039	40-8724
	9509060381	50-400	Chemetron Corp.	9509080119	40-8724
	9509070032	50-324		9509080121*	40-8724
	9509070032	50-324		9509280135	40-8724
	9509070034	50-324		9509080064	40-8027
	9509070034	50-324	Cherokee Nation	9509110065	40-8027
	9509070104	50-324		9509110067*	40-8027
	9509070104	50-324		9509110070*	40-8027
	9509070106	50-324		9509210127	40-8027
	9509070112	50-324		9509270049	50-29 H
	9509070112	50-324		9509270121	50-29 H
	9509070127	50-324		9509290074	50-29 H
	9509070127	50-324		9509290076	50-29 H
	9509090003	50-324	Coalition on West Valley Nuclear Wastes	9509210172	PROJ
	9509080003	50-324		9509010013	STATE PRO G
	9509080015	50-400	Colorado, State of	9509050036	XPORTLIC
	9509110207	50-261	Commerce, Dept. of	9509010023	50-295 S
	9509120084	50-400	Commonwealth Edison Co.	9508010000	50-295 S

274 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509010200	50-373		9509180245	50-454
	9509050008	50-456		9509180298	50-295
	9509050008	50-456		9509190015	50-454
	9509050056	50-373		9509190015	50-454
	9509050056	50-373		9509190017	50-295
	9509050057*	50-373		9509190060	50-265
	9509050150	50-373		9509190063*	50-265
	9509050253	50-237		9509190072	50-254
	9509050262	50-373		9509190073*	50-254
	9509050262	50-373		9509190087	50-10
	9509050299	50-373		9509190087	50-10
	9509060187	50-237		9509190087	50-10
	9509060187	50-237		9509190087	50-10
	9509060190*	50-237		9509190087	50-10
	9509060190*	50-237		9509190087	50-10
	9509060252	50-457		9509190087	50-10
	9509060258	50-456		9509190087	50-10
	9509070010	50-237		9509190092	50-265
	9509070291	50-254		9509190093	50-456
	9509070291	50-254		9509190100	50-254
	9509080045	50-295		9509190109*	50-254
	9509080045	50-295		9509190119	50-265
	9509080051*	50-295		9509190186*	50-265
	9509080051*	50-295		9509190213	50-10
	9509110084	50-237		9509190213	50-10
	9509110084	50-237		9509190213	50-10
	9509110084	50-237		9509190311	50-237
	9509110084	50-237		9509190311	50-237
	9509110088*	50-237		9509190376	50-237
	9509110088*	50-237		9509190376	50-237
	9509110088*	50-237		9509190376	50-237
	9509110122	PR		9509190383*	50-237
	9509110143	50-237		9509190383*	50-237
	9509110143	50-237		9509190383*	50-237
	9509110147*	50-237		9509190383*	50-237
	9509110147*	50-237		9509200074	I&E
	9509110177	50-456		9509200088	50-304
	9509110177	50-456		9509200143	50-455
	9509110259	50-454		9509200187	50-10
	9509110259	50-454		9509200187	50-10
	9509110261*	50-454		9509200215	50-254
	9509110261*	50-454		9509200215	50-254
	9509110278	50-454		9509200355	50-454
	9509110278	50-454		9509200355	50-454
	9509110285	50-454		9509200355	50-454
	9509110285	50-454		9509200355	50-454
	9509110285	50-454		9509200359*	50-454
	9509110289*	50-454		9509200359*	50-454
	9509110289*	50-454		9509200359*	50-454
	9509110289*	50-454		9509210187	50-295
	9509110293	50-454		9509210187	50-295
	9509110293	50-454		9509210265	50-249
	9509110300	50-454		9509210268*	50-249
	9509110300	50-454		9509220079	50-454
	9509110304*	50-454		9509220153	50-454
	9509110304*	50-454		9509250067	50-254
	9509110313	50-454		9509250067	50-254
	9509110313	50-454		9509250082*	50-254
	9509110319*	50-454		9509250092*	50-254
	9509110319*	50-454		9509250094	50-454
	9509110387	50-373		9509250124	50-454
	9509120003	50-237		9509250124	50-454
	9509120003	50-237		9509250124	50-454
	9509120154	50-295		9509250124	50-454
	9509130167	50-374		9509250150	50-295
	9509130189*	50-374		9509250202	50-237
	9509140003	50-456		9509250271	50-454
	9509140003	50-456		9509250271	50-454
	9509140007	50-237		9509250271	50-454
	9509140107	52-2		9509250348	50-295
	9509140113*	52-2		9509250373	50-265
	9509140124	52-2		9509260071	50-457
	9509140124	52-2		9509260080	50-249
	9509150017	50-454		9509260123	50-454
	9509150017	50-454		9509260127	50-249
	9509150017	50-454		9509260146	50-454
	9509150080	50-295		9509260146	50-454
	9509150150	50-454		9509260150	50-373
	9509150150	50-454		9509260376	50-454
	9509150227	50-454		9509270073	50-456
	9509150227	50-454		9509270133*	50-456
	9509180142	50-237		9509270182	50-237
	9509180146*	50-237		9509270184*	50-237
	9509180173	50-455		9509270186*	50-237
	9509180187	50-373		9509280049	50-237
	9509180193	50-254		9509280049	50-237
	9509180193	50-254		9509280072	50-10

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509280072	50-10	Defense, Dept. of, Defense Logistics Agency	9509200366	40-341
	9509280072	50-10			
	9509280079	50-254		9509200368	40-341
	9509280144	50-295	Detroit Edison Co.	9509101142	50-341
	9509290009	50-304		9509050152	50-341
	9509290103	50-373		9509050156	50-341
	9509290103	50-373		9509050298	FOIA
Computer Simulation & Analysis, Inc.	9509130168	NUREG		9509080063	50-16
Conam Inspection	9509270031	PR		9509120137	50-341
Conference of Radiation Control Program	9509010136	STATE PRO		9509130030	50-341
				9509180314	50-341
Directors, Inc.	9509050141	50-213		9509190022	50-341
Connecticut Yankee Atomic Power Co.	9509050148	50-213		9509190023	50-341
	9509120019	50-213		9509190247	50-341
	9509120021*	50-213		9509220150	50-341
	9509120114	50-213		9509250001*	50-341
	9509120125	50-213		9509250002*	50-341
	9509140009	50-213		9509250280	50-341
	9509140009	50-213		9509260320	50-341
	9509140030	50-213		9509260322*	50-341
	9509150029	50-213	Diamond H. Testing Co.	9509060181	71-764
	9509220095	50-213	Don't Waste Oregon Committee	9509270116	50-344
	9509220296	50-213	Dow Chemical Co.	8004280642*	FOIA
	9509250384	50-213		8507260146*	FOIA
Consolidated Edison Co. of New York, Inc.	9509010118	50-247		8507260161*	FOIA
	9509050118	50-247		9509220122	FOIA
	9509050120*	50-247		9509220151*	FOIA
	9509050121*	50-247		9509220235*	FOIA
	9509050134	50-247		9509220241*	FOIA
	9509050135*	50-247		9509220268*	FOIA
	9509050139	50-247		9509250012	XPORTLIC
	9509060217	50-247		9509250040*	FOIA
	9509070041	50-247		9509250048*	FOIA
	9509130154	50-3		9509260019*	FOIA
	9509140016	50-247		9509260275*	FOIA
	9509140019*	50-247	Dow Jones & Co., Inc., National Observer	9509150143	FOIA
	9509140111	50-247		9509150146	FOIA
	9509140114*	50-247		9509150157	FOIA
	9509140346*	50-3		9509150168	FOIA
	9509140358*	50-3		9509150189	FOIA
	9509150005	50-247		9509150199	FOIA
	9509150006*	50-247		9509010203	50-317
	9509150015	50-247	Dresser-Rand Co.	9509260366	71-9168
	9509260158	50-247	DuPont Merck Pharmaceutical Co.	9509010076	50-269
	9509260169	50-247	Duke Power Co.	9509010076	50-269
	9509260177	50-3		9509010076	50-269
	9509260177	50-3		9509010076	50-269
Consumers Power Co.	9509280329	50-247		9509010079	50-269
	9509050151	50-255		9509010079	50-269
	9509050154*	50-255		9509010079	50-269
	9509060266	50-255		9509010079	50-269
	9509060385	50-155		9509010079	50-269
	9509070044	50-255		9509010093	50-269
	9509070167*	50-255		9509010093	50-269
	9509070182	50-255		9509010093	50-269
	9509110175	50-255		9509010094*	50-269
	9509120012	50-255		9509010094*	50-269
	9509120015*	50-255		9509010094*	50-269
	9509120074	PR		9509010102	50-269
	9509130179	50-155		9509010102	50-269
	9509150037	50-255		9509010102	50-269
	9509150055*	50-255		9509050314	50-269
	9509190048	50-255		9509050317*	50-269
	9509190053*	50-255		9509060065	50-413
	9509190075	50-255		9509060065	50-413
	9509190330	50-255		9509060068*	50-413
	9509190384	50-255		9509060068*	50-413
	9509200070	50-255		9509060089	50-269
	9509200318	50-155		9509060089	50-269
	9509200318	50-155		9509060089	50-269
	9509200322*	50-155		9509060101*	50-269
	9509210276	50-255		9509060101*	50-269
	9509210278	50-255		9509060101*	50-269
	9509220093	50-155		9509060244	PR
	9509250299	50-155		9509070238	50-269
	9509250300*	50-155		9509070238	50-269
	9509260049	50-255		9509070238	50-269
	9509260065	50-255		9509080007	50-269
	9509260116	50-255		9509080041	50-369
	9509260117*	50-255		9509080041	50-369
	9509260250	50-155		9509080042*	50-369
	9509260367	50-255		9509080042*	50-369
	9509260370	50-255		9509080047	50-369
	9509280262	50-255		9509080050*	50-369
	9509280336	50-255		9509110154	50-269
Council of State Governments	9509180357	STATE PRO		9509110154	50-269
Cuyahoga County, OH	9509280141	40-*****		9509110156	50-269
Dairyland Power Cooperative	9509180125	50-409		9509110182	50-269
	9509180127*	50-409		9509110192	50-269

276 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9509110192	50-269	P	9509250291	50-413	P
	9509110192	50-269	P	9509250291	50-413	P
	9509110192	50-269	P	9509250294	50-413	P
	9509110192	50-269	P	9509250294	50-413	P
	9509110192	50-269	P	9509260003	50-413	P
	9509110195*	50-269	P	9509260004*	50-413	P
	9509110195*	50-269	P	9509260007	50-369	P
	9509110195*	50-269	P	9509260007	50-369	P
	9509110195*	50-269	P	9509260009*	50-369	P
	9509110195*	50-269	P	9509260009*	50-369	P
	9509110195*	50-269	P	9509260018	50-369	P
	9509110195*	50-269	P	9509260018	50-369	P
	9509110206	50-369	P	9509260021*	50-369	P
	9509110206	50-369	P	9509260021*	50-369	P
	9509110206*	50-369	P	9509260027	50-414	S
	9509110206*	50-369	P	9509260110	50-369	P
	9509110237	50-269	I	9509260110	50-369	P
	9509110237	50-269	I	9509260110	50-369	P
	9509110237	50-269	I	9509010018	50-334	P
	9509110237	50-269	I	9509010018	50-334	P
	9509110242*	50-269	I	9509010020*	50-334	P
	9509110312	50-369	P	9509010020*	50-334	P
	9509110312	50-369	P	9509010134	50-334	R
	9509110317*	50-369	P	9509010134	50-334	R
	9509110317*	50-369	P	9509060276	50-412	S
	9509120036	50-413	Q	9509180175	50-334	R
	9509120036	50-413	Q	9509190007	50-412	S
	9509120040	50-369	Q	9509190098	50-334	P
	9509120040	50-369	Q	9509190289	50-334	F
	9509120172	50-413	P	9509190317	50-334	P
	9509120172	50-413	P	9509190317	50-334	P
	9509120243	50-269	P	9509190320*	50-334	P
	9509120253*	50-269	P	9509190320*	50-334	P
	9509120253*	50-269	P	9509200006	50-334	S
	9509120253*	50-269	P	9509200291	50-334	V
	9509130036	50-269	Q	9509210302	50-334	F
	9509130036	50-269	Q	9509260006	50-334	S
	9509130036	50-269	Q	9509280331	50-412	P
	9509130179	50-155	R	9509280332*	50-412	P
	9509150061	50-413	S	9509150113*	50-317	P
	9509150066*	50-413	S	9509190275*	50-324	P
	9509150083	50-369	F	9509010311	XPORTLIC	
	9509150083	50-369	F	9509070251	70-1252	
	9509150086*	50-369	F	9509070253	XPORTLIC	
	9509150086*	50-369	F	9509070262	XPORTLIC	
	9509150091*	50-369	F	9509120020	XPORTLIC	
	9509150091*	50-369	F	9509120023*	XPORTLIC	
	9509150096*	50-369	F	9509150161	70-1252	
	9509150096*	50-369	F	9509150237	70-1252	
	9509180178	50-413	P	9509150249	XPORTLIC	
	9509180178	50-413	P	9509150262	70-1252	
	9509180180*	50-413	P	9509150264	70-1252	
	9509180180*	50-413	P	9509250004	70-1252	
	9509180206	50-413	R	9509250014	70-1252	
	9509180206*	50-413	R	9509250023	70-1252	
	9509180208*	50-413	R	9509250027	70-1252	
	9509180211*	50-413	R	9509250037	70-1252	
	9509180217	50-269	R	9509250045	70-1252	
	9509180221*	50-269	R	9509060075*	40-8968	
	9509180221*	50-269	R	9509060078*	40-8968	
	9509180226*	50-269	R	9509010190*	50-528	I
	9509180231	50-369	R	9509110083	TOPREF	
	9509180234*	50-369	R	9509070246	40-8681	
	9509180234*	50-369	R	9509190080	40-8681	
	9509180235*	50-369	R	9509200118	40-9024	
	9509180322	50-413	P	9509010326	WASTE MGT	
	9509190086	50-370	S	9509010341	WASTE MGT	
	9509190206	50-269	P	9509060122	WASTE MGT	
	9509190206	50-269	P	9509070046	PRCJ	
	9509190356	50-287	S	9509070051	72-1009	
	9509190378	50-413	S	9509070291	WASTE MGT	
	9509200102	50-413	P	9509080207	WASTE MGT	
	9509200102	50-413	P	9509080261	WASTE MGT	
	9509210074	50-369	P	9509080318	WASTE MGT	
	9509210074	50-369	P	9509110120	WASTE MGT	
	9509220075	50-269	Q	9509110128	WASTE MGT	
	9509220075	50-269	Q	9509110130*	WASTE MGT	
	9509220075	50-269	Q	9509110149	WASTE MGT	
	9509220078	50-269	Q	9509110178	WASTE MGT	
	9509220078	50-269	Q	9509110268	WASTE MGT	
	9509220078	50-269	Q	9509110273*	WASTE MGT	
	9509220160	50-369	S	9509110277	72-1009	
	9509250022	50-414	C	9509110376	PRCJ	
	9509250052	50-369	Q	9509110379*	PRCJ	
	9509250052	50-369	Q	9509120056	WASTE MGT	
	9509250056	50-413	S	9509120084*	WASTE MGT	
	9509250261	50-269	Q	9509120106*	FOIA	
	9509250289	50-413	P	9509120139	WASTE MGT	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509120206	WASTE MGT		9509120103	40-8102
	9509120239	WASTE MGT		9509120108*	40-8102
	9509130070*	WASTE MGT	FBF, Inc.	9509080082*	71-185
	9509130098	70-7001	Fansteel Metals	9509120282*	FOIA
	9509180160	WASTE MGT	Fansteel, Inc.	9509010073	40-7580
	9509180161	WASTE MGT		9509200132	40-7580
	9509200206	WASTE MGT	Federal Emergency Management Agency	9507130178*	50-352 F
	9509200216	70-7001		9508020214*	50-352 F
	9509200219	70-7001		9509120014*	ORG
	9509200221	70-7001	Florida Power & Light Co.	9509010002	50-335 S
	9509210018	PROJ		9509010015	50-335 S
	9509210180	PROJ		9509050167	50-250 F
	9509210255	71-6553		9509060106	50-250 P
	9509220053	I&E		9509060269	REGGD
	9509220117	WASTE MGT		9509110374	50-251 P
	9509220320	WASTE MGT		9509120289	50-250 P
	9509250093	WASTE MGT		9509130200	50-250 P
	9509250254	WASTE MGT		9509130200	50-250 P
	9509250257*	WASTE MGT		9509130203*	50-250 P
	9509250260	WASTE MGT		9509130203*	50-250 P
	9509250265*	WASTE MGT		9509180145	50-335 S
	9509250274	WASTE MGT		9509180238	50-250 R
	9509250278*	WASTE MGT		9509190037	50-250 P
	9509250284	WASTE MGT		9509190038*	50-250 P
	9509250286	WASTE MGT		9509200002	50-250 S
	9509250290	WASTE MGT		9509210017	50-335 S
	9509250297	WASTE MGT		9509210307	50-335 R
	9509260046	WASTE MGT		9509250194	50-302 S
	9509260050	WASTE MGT		9509260308	I&E
	9509270149	XPORTLIC		9509260372	50-335 P
	9509270154	XPORTLIC		9509260375	50-250 F
	9509270157	XPORTLIC	Florida Power Corp.	9509070269	50-302 Q
	9509270163	XPORTLIC		9509120249	50-302 F
	9509270188	WASTE MGT		9509120315	50-302 F
	9509280160*	STATE PRO	G	9509150352	50-302 F
	9509280183	WASTE MGT		9509150357	50-302 F
	9509280337	WASTE MGT		9509190205	50-302 R
Energy Dept. of, Environmental Measurements Laboratory	9509280338*	WASTE MGT		9509200025	50-302 F
	9509200281	NUREG		9509250081	50-302 F
				9509260011	50-302 P
Energy Operations, Inc.	9509200363	NUREG		9509260012*	50-302 P
	9509010131	50-458	F	9509260265	50-302 F
	9509010143	50-458	R	9509290091	50-302 O
	9509010318	50-313	P	9509290114	50-302 P
	9509010318	50-313	P	9509060246	STATE PRO G
	9509010321*	50-313	P	9509060253*	STATE PRO G
	9509010321*	50-313	P	9509120128	STATE PRO G
	9509050146	50-416	S	9509120131*	STATE PRO G
	9509050291	50-416	F	9509190107	50-83 K
	9509050296	50-313	R	9509190108*	50-83 K
	9509050300*	50-313	R	9509150099*	40-7102
	9509060210	PR		9509270057	50-29 H
	9509070124	50-368	P	9509060028*	FOIA
	9509070126*	50-368	P	9509130218*	FOIA
	9509070189	50-313	F	9509130223*	FOIA
	9509070232	50-416	P	9509130232*	FOIA
	9509070261	50-458	I	9509150046*	FOIA
	9509110145*	50-313	P	9509150067*	FOIA
	9509110164	50-382	Q	9509150101*	40-*****
	9509120073	52-1		9509150125*	FOIA
	9509120298	50-313	F	9509150160*	FOIA
	9509140004	50-382	R	9509150333*	FOIA
	9509190103	50-458	S	9509150347*	FOIA
	9509190229	50-368	R	9509150358*	FOIA
	9509190232	50-313	R	9509150367*	FOIA
	9509190243	50-458	R	9509150379*	FOIA
	9509200311	50-416	F	9509180008*	FOIA
	9509200314	50-382	F	9509180032*	FOIA
	9509210079	50-382	F	9509180034*	FOIA
	9509210231	50-382	P	9509180074*	FOIA
	9509220054	50-382	F	9509180080*	FOIA
	9509220061	50-382	F	9509190044*	FOIA
	9509220061	50-458	P	9509200229*	FOIA
	9509220188	50-416	O	9509210312*	FOIA
	9509220191*	50-416	Q	9509220014*	FOIA
	9509260297	50-382	F	9509220040*	40-*****
	9509260374	50-458	P	9509220157*	FOIA
	9509280046	50-313	F	9509120203	FOIA
Envirocare of Utah, Inc.	9509280060	50-458	S	9509070080	71-8057
	9509050137	40-8989			
	9509110146	40-8989		9509080072*	40-8027
Environmental Protection Agency	9509110185	40-8989		9509080083	40-8027
European Atomic Energy Community (EURATOM)	9509220126	40-8027		9509060095*	40-8027
	9509120055	XPORTLIC		9509110375	50-89 P
European Communities, Commission of	9501050025	XPORTLIC		9509110378*	50-89 P
	9501050054	XPORTLIC			
Exxon Corp.	9509110388	40-8102	General Dynamics Corp. General Electric Co.	9509210135	40-8027
				9509250111	70-221
				9509010112	52-4
				9509010264	52-4

278 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509010267*	52-4		9509260086	50-424
	9509010302	52-4		9509260096	50-424
	9509010306*	52-4		9509260103*	50-424
	9509010359	52-4		9509260103*	50-424
	9509070210	XPORTLIC	Georgia, State of	9509080158	50-160
	9509070218	XPORTLIC		9509080197	50-160
	9509070226	XPORTLIC	Georgians Against Nuclear Energy	9509110099	50-160
	9509070230	XPORTLIC	Golder Associates	9509210159*	WASTE MGT
	9509080044	70-1113	Government Accountability Project	9509110330	FOIA
	9509110060	52-4	Greenpeace USA	9509110152	I&E
	9509110110*	FOIA	Gulf Nuclear, Inc.	9509210248*	FOIA
	9509110117*	FOIA		9509210252*	FOIA
	9509120026	XPORTLIC	HRI, Inc. (Hydro Resources, Inc.)	9509060072	40-8968
	9509120052	52-4		9509060085	40-8968
	9509120099	52-1		9509060087	40-8968
	9509120187*	FOIA		9509080286	40-8968
	9509130062*	50-277	HWS Technologies, Inc.	9509270067	PR
	9509130113*	50-237	Hadley, E.C.	9509080209	50-245
	9509130113*	50-237		9509110306	50-245
	9509130131*	50-237		9509260334*	FOIA
	9509130131*	50-237		9509270270*	FOIA
	9509130136*	50-237	Harmon, Curran, Gallagher & Spielberg	9509110065	40-8027
	9509130136*	50-237	(formerly Harmon, Curran & Tousley)		
	9509130144*	50-237		9509110067*	40-8027
	9509130144*	50-237		9509110087	40-8027
	9509130152*	50-237		9509110100*	40-8027
	9509130159*	50-237		9509110103*	40-8027
	9509140093*	50-237		9509110111*	40-8027
	9509140310*	50-293	Harvard Univ., Cambridge, MA	9509110267*	FOIA
	9509140318*	50-293	Health & Human Services, Dept. of. U.S.	9509110251*	FOIA
	9509180072*	50-219	Public Health Service		
	9509190268	52-4		9509110253*	FOIA
	9509200151*	50-293		9509110257*	FOIA
	9509210088*	50-219		9509110263*	FOIA
	9509260151	52-4		9509110269*	FOIA
	9509260229*	50-277	Heartland Operation to Protect the	9509280233*	PR
	9509260377	70-1113	Environment, Inc.		
	9509280059	PR	Holtec International	9509130022	71-9261
	9509280063	PR		9509130041*	71-9261
General Public Utilities Corp. - GPU	9509010156	50-320		9509130063	72-1008
Service Corp.				9509130066*	72-1008
	9509050287	50-219		9509130180	72-1008
	9509050294	PR	Homestake Mining Co.	9509110159	40-8903
	9509060182*	50-289	House of Rep.	9509140290*	50-390
	9509060202	50-320		9509200378*	FOIA
	9509060211*	50-320	Houston Lighting & Power Co.		
	9509110005*	FOIA		9311190198*	50-498
	9509110008*	FOIA		9311190198*	50-498
	9509150007	50-219		9509050161	50-498
	9509150218*	FOIA		9509070001	50-498
				9509070001	50-498
	9509180183	50-289		9509070002*	50-498
	9509190032	50-219		9509070002*	50-498
	9509200308	50-219		9509070005	50-498
	9509210181	50-219		9509070007*	50-498
	9509250278	50-219		9509070313	50-498
	9509260039	50-289		9509070313	50-498
	9509260041*	50-289		9509080014	50-498
	9509280044	50-219		9509110158*	50-498
	9509280053	50-219		9509110187*	50-498
	9509290108	50-289		9509110270*	50-498
	9509290109*	50-289		9509120022	50-498
Georgia Institute of Technology, Atlanta	9509080158	50-160		9509120029	50-498
GA				9509120104*	50-498
	9509080197	50-160		9509120379*	50-498
	9509210039	71-5957		9509120379*	50-498
Georgia Power Co.				9509190181	50-498
	9509060376	50-321		9509190181	50-498
	9509120093	50-425		9509190195*	50-498
	9509190197	50-321		9509190195*	50-498
	9509190282	50-424		9509190195*	50-498
	9509190310	50-424		9509200114	50-498
	9509190310	50-424		9509200114	50-498
	9509200272	50-424		9509220073	50-498
	9509210122	50-321		9509220073	50-498
	9509210125*	50-321		9509280073	50-498
	9509210129	50-424	Hydro-Engineering	9509280070*	40-2259
	9509210129	50-424			
	9509210133*	50-424	ICF, Inc.	9309300272*	40-8948
	9509210133*	50-424		9509070098*	FOIA
	9509210139	50-424	IES Utilities Inc., (formerly Iowa	9509050138	50-331
	9509210139	50-424	Electric Light & Power Co)		
	9509210139	50-424		9509050142	50-331
	9509210145	50-424		9509060335	50-331
	9509210145	50-424		9509120080	50-331
	9509210155*	50-424		9509130142	50-331
	9509210177	50-424		9509210105	50-331
	9509210177	50-424		9509210113*	50-331
	9509210185*	50-424		9509250210	50-331
	9509210185*	50-424		9509260142	50-331
	9509250292	50-321	INPUT, Inc.	9509140099	FOIA
	9509250295*	50-321	INTERA, Inc., Austin, TX (formerly INTER	9509010126	40-8904

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Technologies, Inc.) Idaho National Engineering Laboratory	9507260172*	50-309	Los Angeles Dept. of Water & Power	9509220347	71-516
	9507280140*	50-254	Louisiana Energy Services	9509010196*	50-528
	9508110271*	50-295	Louisiana, State of	9509290027	PR
	9509120068*	50-261	Magnesium Elektron, Inc. (formerly	9509270185	70-3070
				9509120269	40-8984
	9509130162	NUREG	Meiberk, Inc.)		
	9509150284	NUREG	Maine Yankee Atomic Power Co.	9509050157	50-309
	9509150290	NUREG		9509050159*	50-309
	9509150303	NUREG		9509050209	50-309
	9509150307	NUREG		9509050212*	50-309
	9509200271*	50-327			
	9509250381*	52-3		9509060111	50-309
Idaho State Univ., Pocatello, ID	9509080213	50-264		9509070066	50-309
Idaho, State of	9509280159*	STATE PRO		9509130176	50-309
Illinois Power Co.	9509110170	50-461		9509150022	50-309
				9509150023*	50-309
	9509120036	50-461			
	9509120054	50-461		9509200208	50-309
	9509130075	50-461		9508220086	50-309
	9509130091	50-461		9509220089*	50-309
	9509280075	50-461		9509220291	50-309
				9509250359	50-309
Illinois, State of	9509010071	STATE PRO			
	9509010091	STATE PRO		9509280333	50-309
	9509010123	STATE PRO	Marubeni America Corp.	9509070293	XPORTLIC
	9509010141	STATE PRO	Maryland, State of	9509200112	STATE PRO
	9509050011	PR	Massachusetts Citizens for Safe Energy	9509200313	40-341
				9509220062	50-29
	9503060189	STATE PRO	Massachusetts Institute of Technology,		
	9509120117	STATE PRO	Cambridge, MA	9509150038	50-20
	9509120132	STATE PRO			
	9509140248*	FOIA		9509200030	NUREG
	9509140249*	FOIA		9509250285	50-20
				9509260165	50-20
	9509140259*	FOIA			
	9509260302	REGGD	Massachusetts, Commonwealth of	9509280056	50-20
Illinois, Univ. of, Urbana, IL	9509180149	50-151		9509140083	50-29
	9509180151*	50-151		9508270109	50-29
Indiana Michigan Power Co.	9509250198	50-331		9508270117	50-29
				9509270125	50-29
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9509010129	50-315			
				9509290056	50-29
	9509110364	50-315	Mathtech, Inc.	9508290066	50-29
	9509140011	50-315	Mays & Valentine	9508010054*	STATE PRO
				9509080061	40-8027
				9509080072*	40-8027
	9509140013*	50-315			
	9509140013*	50-315		9509080083	40-8027
	9509140020	50-315		9509080095*	40-8027
	9509140020	50-315		9509210135	40-8027
	9509190001	50-315	Mellon Bank, N.A.	9208250034*	40-7102
			Mendia Euclid Hosp., Euclid, OH	9509130195*	FOIA
			(formerly Euclid General Hosp.)		
	9509190062	50-315	Mendia Hillcrest Hosp., Mayfield		
	9509190249	50-315	Heights, OH (formerly Hillcrest Hosp.)	9509110336*	FOIA
	9509190251	50-315			
	9509210056	50-315		9509110355*	FOIA
	9509210084	50-315		9509110365*	FOIA
	9508220041	50-316		9509110369*	FOIA
	9509280064	50-315		9509110372*	FOIA
	9509290006	50-316	Meridia Huron Hosp., Cleveland, OH	8006180863*	FOIA
	9509290010	50-315	(formerly Huron Road Hosp.)		
	9509290024	50-315		9006210123*	FOIA
Indiana Regional Cancer Treatment Center Indiana, PA	9509120092*	FOIA			
Interior, Dept. of, Fish & Wildlife Service	9509060083	40-8968		9006210125*	FOIA
Interior, Dept. of, Geological Survey	9509150383	50-274		9509120199*	FOIA
				9509130122*	FOIA
	9509210142	WASTE MGT	Meridia Suburban Hosp., Warrensville, OH	9509130132*	FOIA
	9509210164*	WASTE MGT	(formerly Suburban Community Hosp.)	9509130134*	FOIA
International Technology Corp.	9508180376*	40-185			
Iowa State Univ., Ames, IA	9509120027	50-116		9509130236*	FOIA
Italy, Govt. of	9509110168*	52-4		9509140364*	FOIA
				9509140374*	FOIA
JRA Associates	9508310201	50-318			
Jacobs Engineering Group, Inc.	9509110273*	WASTE MGT		9509140379*	FOIA
Jersey Central Power & Light Co.	9509180069*	50-219		9509140381*	FOIA
	9509210093*	50-219	Mescalero Apache Tribe	9509150059*	FOIA
	9509210311*	50-219	Metallurg, Inc.	9508260045	71-*****
				9208100283*	40-8948
John Wreathall & Co., Inc.	9509210327*	50-219	Michigan, State of		
Justice, Dept. of	9508200039	NUREG		9509110160	40-1790
Kennecott Corp.	9509050326*	FOIA		9509110160	40-1790
	9509010108	40-8584		9509110167*	40-1790
	9509010110*	40-8584		9509110167*	40-1790
				9509110184*	40-1790
Kentucky, Commonwealth of	9509010135	40-8584			
Kem-McGee Corp.	9509010114	STATE PRO	Minnesota Mining & Manufacturing Co. (3M Co.)	9509110191*	40-1790
Kirkpatrick & Lockhart	9509200136	70-3073		9509070113*	ORG
Kohn, Kohn & Colapinto, P.C. (formerly	9509180091	40-7580			
Kohn & Associates)	9509080091	50-424		9509280011*	FOIA
	9509110054	50-424		9509280012*	FOIA
L. Lehman & Associates, Inc.	9509250212*	FOIA		9509280012*	FOIA
Law Engineering	9509070223	STATE PRO		9509280013*	FOIA
LeBoeuf, Lamb, Leiby & MacRae	9509110220*	FOIA		9509280014*	FOIA
				9509280014*	FOIA
Liberty Technologies (formerly Liberty Technology Center, Inc.)	9509110222	FOIA			
Long Island Lighting Co.	9508290134	QA899		9509280015*	FOIA
				9509280016*	FOIA
	9509110020	71-516		9509280017*	FOIA
				9509280018*	FOIA

280 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9509280020*	FOIA			9509060175	50-220	F
	9509280021*	FOIA			9509060231	50-220	Q
	9509280022*	FOIA			9509060231	50-220	Q
	9509280023*	FOIA			9509080059	50-410	P
	9509280023*	FOIA			9509080062*	50-410	P
	9509280028*	FOIA			9509120274	50-220	H
	9509280028*	FOIA			9509250163	50-410	R
	9509280030*	FOIA			9509250215	50-220	S
	9509280030*	FOIA			9509260260	50-220	F
	9509280032*	FOIA			9509290045	50-220	P
	9509280032*	FOIA			9509280076	50-410	Q
	9509280034*	FOIA		North American Rockwell	9509150317*	FOIA	
	9509280034*	FOIA			9509150336*	FOIA	
	9509280035*	FOIA		North Atlantic Energy Service Corp. (NAESCO)	9509080011	50-443	P
	9509280035*	FOIA					
Missouri, Univ. of, Columbia, MO	9509070186	50-186	F		9509080012*	50-443	P
	9509150225	50-186	F		9509080066	50-443	F
	9509150245	50-186	F		9509080071*	50-443	F
Mitsubishi International Corp. Mitsui & Co. (USA), Inc.	9509010196	XPORTLIC			9509080215	50-443	S
	9509250003	XPORTLIC			9509110108	50-443	P
	9509250005	XPORTLIC			9509110112*	50-443	P
	9509270162	XPORTLIC			9509110116*	50-443	P
Morgan, Lewis & Bookius	9509080072*	40-8027			9509190036	50-443	P
	9509080103	40-8027			9509190039*	50-443	P
	9509080113	40-8027			9509190096	50-443	S
	9509150216	50-298	Q		9509190209	50-443	R
	9509190079	50-1			9509250279	50-443	P
	9509210193	40-8027			9509250282*	50-443	P
Morrison-Knudsen Co., Inc.	9509210199*	40-8027			9509260053	50-443	P
	9509130191	50-267	Q		9509260056*	50-443	P
	9509130197*	50-267	Q		9509260061*	50-443	P
	9509140383	50-267	Q		9509290012	50-443	P
Morristown Memorial Hosp., Morristown, TN	9509270023	PR			9509290015*	50-443	P
NDT Services, Inc. (formerly Caribe Shel & Tube, Inc.)	9509200217	71-417		North Carolina Electric Membership Corp.	9509110246*	50-269	I
	9509260184	71-417			9509110244*	50-269	I
National Fire Protection Association	9509290071	PRM		North Carolina Municipal Power Agencies	9509010222	50-297	R
National Technical Services	9509250091	QA999		North Carolina State Univ., Raleigh, NC	9509190281	50-297	F
	9509250100*	QA999			9509190285*	50-297	F
	9509250114*	QA999			9509200197	50-297	K
	9509250119*	QA999			9509200199*	50-297	K
	9509250127*	QA999		North Carolina, State of	9509010209*	STATE PRO	G
	9509250130*	QA999			9509010278*	STATE PRO	G
	9509250139*	QA999			9509010291*	STATE PRO	G
Native Americans for a Clean Environment	9509080084	40-8027			9509200142*	STATE PRO	G
	9509110061	71-817			9509200158*	STATE PRO	G
	9509110065	40-8027			9509200161*	STATE PRO	G
	9509110067*	40-8027		North Dakota, State of	9509280143	STATE PRO	G
	9509110070*	40-8027			9509010330	50-336	S
	9509210127	40-8027		Northeast Nuclear Energy Co.	9509050005	50-336	S
	9509140021	71-9094			9509050013	50-245	S
Navy, Dept. of	9509120163	71-*****			9509050141	50-213	P
Navy, Dept. of, Naval Weapons Station, Concord, CA					9509050143	50-423	V
	9509120167*	71-*****			9509050148	50-213	Q
Nebraska Public Power District	9509010139	50-298	R		9509050148	50-213	Q
	9509010169	50-298	S		9509060262	50-336	Q
	9509080028	50-298	Q		9509060267	50-336	V
	9509110169	50-298	R		9509060352	50-245	S
	9509120058	50-298	F		9509070173	50-245	P
	9509120067	50-298	R		9509070176*	50-245	P
	9509120069*	50-298	R		9509070247	50-336	P
	9509120228	50-298	F		9509070250*	50-336	P
	9509140015	50-298	F		9509070252	50-245	F
	9509150000	50-298	R		9509070252	50-245	F
	9509150302	50-298	F		9509070252	50-245	F
New Jersey, State of	9509010068	STATE PRO	G		9509080010	50-245	S
	9509060055	50-272	F		9509080067	50-423	P
	9509070142	50-219	P		9509110211	50-245	G
	9509200103	50-354	P		9509110212*	50-245	G
	9509210239*	FOIA			9509120043	50-336	P
	9509270102	50-29	H		9509120049	50-423	Q
New York Univ., New York, NY	9509280263*	STATE PRO	G		9509120050*	50-423	Q
New York, State Univ. of, Albany, NY	9509010194	STATE PRO	G		9509120062	50-245	F
New York, State of	9509210126	STATE PRO	G		9509120062	50-245	F
	9509280142	STATE PRO	G		9509120285	50-336	S
	9509200113	PROJ			9509120344	50-245	S
Newfield, NJ	9509130019*	FOIA			9509130007	50-336	S
Newman & Holtzinger	9509130027*	50-498	P		9509140009	50-213	H
	9509130063	71-789			9509140009	50-213	H
Newport News Shipbuilding & Dry Dock Co.	9509050186	50-410	R		9509150196	50-423	F
	9509050190*	50-410	R		9509180138	50-245	P
	9509050220	50-220	R		9509180230	50-336	S
	9509050233*	50-220	R		9509190211	50-245	R
	9509050243*	50-220	R		9509190211	50-245	R
	9509060060	50-410	Q		9509190211	50-245	R
	9509060092*	50-410	Q		9509190312	50-336	P
	9509060156	50-410	P		9509190322*	50-336	P
	9509060159*	50-410	P		9509200010	50-245	S
	9509060161*	50-410	P		9509200020	50-336	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9509200139	50-423		9509200180*	50-263	F
	9509200234	50-245		9509220309	50-282	F
	9509200237*	50-245		9509220309	50-282	F
	9509200293	50-423		9509220309	50-282	F
	9509200295*	50-423		9509220312	50-282	F
	9509220296	50-245		9509220312	50-282	F
	9509220076	50-245		9509250191	50-263	F
	9509220095	50-213		9509250203	50-263	F
	9509220095	50-213		9509250206	50-263	F
	9509220095	50-213		9509270171	50-282	F
	9509220099	50-423		9509270171	50-282	F
	9509220216	50-245		9509270174	50-282	F
	9509250268	50-336		9509270174	50-282	F
	9509250313	50-213		9509270180	50-282	F
	9509250313	50-213		9509270180	50-282	F
	9509250313	50-213		9509280139	50-306	Q
	9509250347	50-336		9509280140*	50-306	Q
	9509250353	50-336		9509290097	50-282	P
	9509250354	50-336	Nova Machine Products Corp.	9509120347	PT21	
	9509250356	50-245	Nuclear Assurance Corp.	9509010294	72-1002	
	9509250357*	50-336	Nuclear Containers, Inc.	9509270006	71-9234	
	9509280187	50-336	Nuclear Energy Institute (formerly	9509010042	REVIEW GR	P
	9509280242	50-245	Nuclear Mgmt & Resources Council)	9509050006	PR	
	9509280334	50-245		9509140101	REGGD	
	9509280335	50-423		9509150369	PRM	
Northeast Ohio Regional Sewer District	9509280339	50-245		9509200063	I&E	
	9509050108	FOIA		9509220178	REVIEW GR	P
	9509080039	FOIA		9509220180*	REVIEW GR	P
	9509120047	FOIA		9509280001	PR	
	9509120204	STATE PRO	G	9509280024	PR	
	9509140322*	FOIA		9509280038	PR	
	9509140325*	FOIA		9509290059	50-29	H
Northeast Utilities	9509250075	FOIA		9509290072	50-344	H
	9509070315	50-245		9509260266*	FOIA	
	9509080067	50-423		9509260276*	71-9193	
	9509140009	50-213	H	9509110150*	40-9027	
	9509190312	50-336	P	9509260215*	71-9193	
	9509190322*	50-336	P	9509260221*	40-8724	
	9509200010	50-245	S	9509260247*	FOIA	
	9509200139	50-423	S	9509190134	50-344	H
	9509250347	50-336	P	9509190142	50-344	H
	9509250353	50-336	P	9509080058	71-9009	
	9509250386*	50-213	P	9509080100	70-143	
	9509280033	50-245	P	9509110266	70-143	
	9509280187	50-336	F	9509110362*	70-143	
Northeast Utilities Service Co.	9509280242	50-245	G	9509270235	70-143	
	9509050141	50-213	P	9509280003	PR	
	9509050143	50-423	V	9509200084	I&E	
	9509050148	50-213	Q	9509270052	50-29	H
	9509060262	50-336	C	9509210097*	FOIA	
	9509060267	50-336	V	9509130084*	50-461	P
	9509070173	50-245	P	9509290115*	50-302	P
	9509070247	50-336	P	9509290116*	50-302	P
	9509110211	50-245	G	9509080101	40-341	
	9509120019	50-213	F	9509110027	71-0168	
	9509120043	50-336	P	9509110029	71-4601	
	9509120049	50-423	Q	9509110031	71-5805	
	9509120062	50-245	F	9509110033	71-8096	
	9509120062	50-245	F	9509190117	40-185	
	9509150029	50-213	P	9509200036	40-185	
	9509200234	50-245	P	9509200076*	40-185	
	9509200293	50-423	P	9509200085	40-185	
	9509220076	50-245	S	9509200113*	FOIA	
	9509220095	50-213	H	9306140163*	FOIA	
	9509220095	50-213	H	9306140306*	40-8948	
	9509220099	50-423	P	9306150157*	FOIA	
	9509250268	50-336	S	9310080071*	FOIA	
	9509250313	50-213	P	9311180041*	FOIA	
	9509250354	50-336	P	9402100266*	40-8948	
	9509250384	50-213	P	9406270310*	40-8948	
	9509280334	50-245	C	9509140283*	FOIA	
	9509280335	50-423	P	9509140289*	FOIA	
	9509280339	50-245	G	9509180011*	FOIA	
	9509060166	50-263	R	9509180206	70-3073	
	9509060166	50-263	R	9509180212*	70-3073	
	9509060167	50-263	R	9509180266	50-267	W
	9509060168*	50-263	R	9509200367	NUREG	
	9509060170*	50-263	R	9509280154	40-8724	
	9509060228	50-282	F	9405260207*	40-8948	
	9509080203	50-282	S	9405260216*	40-8948	
	9509130097	50-263	F	9406230245*	40-8948	
	9509130099	50-282	S	9406230253*	40-8948	
	9509140001	50-282	R	9509070074	NUREG	
	9509140008	50-282	S	9509130143	NUREG	
	9509140010*	50-282	S	9509150076*	FOIA	
	9509160171	50-263	R	9509150082*	FOIA	
	9509200177	50-263	F	9509150185*	FOIA	
	9509200177	50-263	F			
	9509200180*	50-263	F			
Northern States Power Co.						

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509070229*	50-333		9509280051	PR
	9509070257	50-333	Sacramento Municipal Utility District	9509060116	50-312
	9509110004*	50-286		9509070186	50-312
	9509110297	50-286		9509120051	50-312
	9509110297	50-286		9509290098	50-312
	9509150075	50-286		9509290127*	50-312
	9509180025	50-286	San Juan Capistrano, CA	9509120300	50-206
	9509190118	50-286	Sandia National Laboratories	9509250010	WASTE MGT
	9509190200	50-333	Sargent & Lundy, Inc.	9509050080*	50-373
	9509190390	50-333		9509070287*	50-373
	9509200005	50-333		9509220244	TOPREP
	9509210062	50-333		9509220245*	TOPREP
	9509210068*	50-333		9509280168*	50-295
	9509210071*	50-333	Science & Engineering Associates, Inc.	9509010054*	STATE PRO
	9509210080*	50-333		9509280040*	PR
Power Resources Corp.	9509270030	50-286	Science Applications International Corp. (formerly Science Applications, Inc.)	9509200039	NURLG
	9509110089	40-8857		9509210261*	CONTRACT
	9509210103	40-8857	Senate	9509050107*	FOIA
Process Technology, Inc.	9509210369	40-8857		9509050123*	50-289
	9509010065*	STATE PRO		9509050178*	FOIA
Professional Service Industries, Inc. (formerly PTL Inspectorate, Inc. & Public Service Co. of Colorado)	9509120182	PT21		9509050185*	FOIA
	9509050153	50-305		9509060137*	50-219
	9509180148	50-267		9509080227*	FOIA
	9509210203	71-9253		9509110350*	50-445
Public Service Co. of New Mexico	9509270145*	50-267		9509110371*	FOIA
Public Service Electric & Gas Co. of New Jersey	9509010195*	50-528		9509120155*	FOIA
	9509010010	50-272		9509120189*	FOIA
	9509010127	50-272		9509120175*	FOIA
	9509010188	50-272		9509120189*	FOIA
	9509050165	50-272		9509120192*	FOIA
	9509050176	50-354		9509120224*	FOIA
	9509070213	50-354		9509120236*	FOIA
	9509110006	50-354		9509120240*	FOIA
	9509110082	50-272		9509150330*	FOIA
	9509120060	50-354		9509150351*	FOIA
	9509120292	50-354		9509200364*	FOIA
	9509150093	50-354	Senate, Judiciary	9509120118*	FOIA
	9509190020	50-354	Sequoyah Fuels Corp.	9509080072*	40-8027
	9509190121	50-311		9509200303	40-8027
	9509190245	50-354		9509210193	40-8027
	9509190252	50-272		9509210199*	40-8027
	9509210106	50-354	Sevenson Environmental Services, Inc.	9509140291*	70-133
	9509210115	50-272		9509140298*	70-133
	9509210115	50-272		9509140301*	70-133
	9509220102	50-272		9509140305*	70-133
	9509220102	50-272	Shaw, Pittman, Potts & Trowbridge	9509180069*	50-219
	9509250135	50-272		9509210093*	50-219
	9509250362	50-272		9509210129	50-424
	9509260075	50-311		9509210129	50-424
	9509260078*	50-311		9509210139	50-424
	9509270047	50-272		9509210139	50-424
	9509280055	50-272		9509210145	50-424
	9509280055	50-272	Shepherd Miller, Inc.	9509120386	40-4482
	9509280074	50-272	Sheldalloy Metallurgical Corp.	9409300099*	40-8948
Quivira Mining Co.	9509290037	50-354		9502100040*	40-7102
	9509120281	40-8905		9509180089*	40-8948
	9509200213	40-8905		9509210144	40-7102
	9509270191	40-8905		9509210192	40-7102
RAI	9509140109*	FOIA		9509210194*	40-7102
RUST Environment & Infrastructure, Inc. (formerly SEC Donohue)	9504190331*	40-9022		9509210198*	40-7102
	9504190334*	40-9022	Siemens Corp.	9509280043	70-1257
	9509260079*	40-9022	Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear)	9509070033	TOPREP
Radioactive Waste Management Associates	9509220038	50-29		9509070231	XPORTLIC
Reed College, Portland, OR	9509270024	50-344		9509120361	40-8102
Rensselaer Polytechnic Institute, Troy, NY	9509060273*	50-225		9509140088	TOPREP
Rhode Island, State of	9509270089	50-29		9509140092*	TOPREP
Rio Algom Mining Corp.	9509070260	40-8084		9509140174	TOPREP
	9509260052	40-8964		9509140182*	TOPREP
	9509260328*	40-8964		9509210205	71-8248
Rochester Gas & Electric Corp.	9509070205	50-244		9509250180	TOPREP
	9509080079	50-244	Sierra Nuclear, Inc.	9509280261	TOPREP
	9509080081*	50-244		9509190116	72-1007
	9509080085*	50-244	SmithKline Beckman Corp.	9509270034	PR
	9509080089*	50-423	Source Production & Equipment Co., Inc.	9509140085	FOIA
	9509110085	50-244	South Carolina Electric & Gas Co.	9509070318	50-395
	9509120034	50-244		9509080269	50-395
	9509150034	50-244		9509080271*	50-395
	9509260152	50-244		9509180200	50-395
	9509260234	50-244		9509190113	50-395
	9509260255	50-244		9509200122	50-395
	9509260256	50-244		9509200327	50-395
	9509260256	50-244		9509200370	50-395
S. Cohen & Associates, Inc.	9509280040*	PR		9509250258	50-395
SAM-SON Inspection & Technical Services, Inc.	9509270045	PR		9509250267*	50-395
SCIENTECH, Inc.	9509280048	PR	Southeastern Oklahoma State Univ.,	9509260064	50-395
				9509200062	70-2981

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9509260106	50-390	Utah, State of	9509010043*	STATE PRO
	9509270249	50-390		9509050341*	STATE PRO
Tennessee, State of	9509010089	STATE PRO		9509250236*	40-3453
	9509010201*	STATE PRO		9509260361	40-3453
Texas Utilities Electric Co. (TU Electric)	9509060183	50-445		9509280229*	PR
	9509120046	50-445	Varnum, Riddering, Schmidt & Howlett (formerly Varnum, Riddering, Wierengo & Vectra Technologies, Inc.)	9509250066	40-9022
	9509120317	50-445		9509080115	71-192
	9509120329*	50-445		9509110095	72-1004
	9509150032	50-445		9509110101*	72-1004
	9509180120	50-445		9509270053	71-9196
	9509180155	50-445		9509270063*	71-9196
	9509180155	50-445	Vermont Yankee Nuclear Power Corp.	9509010004	50-271
	9509180377	50-445		9509010172	50-271
	9509180377	50-445		9509050149	50-271
	9509190287	50-445		9509060177	50-271
Texas, State of	9509210316	50-446		9509110165	50-271
	9509010173*	STATE PRO		9509140014	50-271
	9509010175	STATE PRO		9509140017*	50-271
	9509010254*	STATE PRO		9509180255	50-271
Thermal Science, Inc.	9509200111	STATE PRO		9509190207	50-271
	9509210130*	50-390		9509190223*	50-271
	9509210137*	50-390		9509220063	50-271
Toledo Edison Co.	9509080125*	50-346		9509260222	50-271
	9509080127*	50-346	Vermont, State of	9509200330*	50-271
	9509220280	50-346		9509290064	50-29
	9509250028	50-346	Victoreen, Inc.	9509130213*	FOIA
Transco, Inc.	9509150305	70-1426		9509130216*	FOIA
Transnuclear, Inc.	9508070271	XPORTLIC	Virginia Power (Virginia Electric & Power Co.)	9509050249	I&E
	9509070280	XPORTLIC		9509060148	50-280
	9509070290	XPORTLIC		9509080279	50-336
	9509150183	70-1426		9509080279	50-336
	9509150235	70-1426		9509080281*	50-336
	9509150260	70-1426		9509080281*	50-336
	9509250006	70-1426		9509080286*	50-336
	9509250009	70-1426		9509080288*	50-336
	9509250020	70-1426		9509120032	50-339
Transportation, Dept. of	9509250042	70-1426		9509120016	50-280
	9509080190*	71-3025		9509120229	50-280
	9509130051	71-*****		9509120229	50-280
	9509140097	71-*****		9509120229	50-280
TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9509080112	50-424		9509120229	50-280
	9509110075	50-424		9509120230*	50-280
	9509210114	50-424		9509120230*	50-280
	9509210114	50-424		9509120230*	50-280
	9509210145	50-424		9509120230*	50-280
	9509210145	50-424		9509130128	50-280
	9509210155*	50-424		9509130137	REGGD
	9509210177	50-424		9509140005	50-280
Two-Six, Inc., U.S. District Court, Southern District of New York	9509120004	40-8868		9509140005	50-280
U.S. Embassies	9309130195*	40-7102		9509140006	50-280
	9509010269	XPORTLIC		9509180064	50-280
	9509270164	XPORTLIC		9509180064	50-280
UMETCO Minerals Corp.	9509270243	XPORTLIC		9509180064	50-280
	9509190382	40-4492		9509180064	50-280
	9509200317	40-299		9509180243	50-336
Union Electric Co.	9509010227	50-483		9509180243	50-336
	9509060357	50-483		9509190183	50-280
	9509070139	50-483		9509190183	50-280
	9509120111	50-483		9509220030	I&E
	9509120115*	50-483		9509220050	REGGD
	9509120116*	50-483		9509220057	50-336
	9509190029	50-483		9509220057	50-336
	9509190105	50-483		9509220060*	50-336
	9509190305	50-483		9509220060*	50-336
	9509200003	50-483		9509220125	50-336
	9509200004	50-483		9509220125	50-336
United Nuclear Corp. (subs. of UNC, Inc.)	9509070004	40-8907		9509220130*	50-336
	9509080078	40-8907		9509220130*	50-336
United States Enrichment Corp. (USEC)	9509060218	70-7001		9509250266	50-280
	9509060294	70-7001		9509270048	50-280
	9509190129	70-7001	Wall Street Journal	9509050132	FOIA
	9509190136	70-7002		9509120091	FOIA
	9509190286	70-7001		9509120094	FOIA
	9509190290*	70-7001		9509120096	FOIA
	9509190299	70-7002		9509120097	FOIA
	9509190301*	70-7002		9509120141	FOIA
	9509200032	70-7001		9509120145	FOIA
	9509200079	70-7002	Washington Public Power Supply System	9509010199	50-397
	9509260178	70-7001		9509060212	50-397
	9509260178	70-7001		9509070188	50-397
	9509260182*	70-7001		9509110096	50-305
	9509260286	70-7002		9509180179	50-397
	9509260296	70-7001		9509180378	50-397
	9509270022	70-7001		9509180381*	50-397
	9509270025	70-7002		9509250062	50-397
	9509280010	PR	Washington State Univ., Pullman, WA	9509060070	50-27

286 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Washington, State of We the People of The United States (We The People, Inc.) Weil, Gotshal & Manges West Valley Nuclear Services Co., Inc.	9509010132	STATE PRO	Wilcoxon, Wilcoxon & Primomo (formerly Wilcoxon & Wilcoxon)	9509280290	TOPREP
	9509260300*	FOIA		9509080084	40-8027
	9309140105*	40-7102		9509110065	40-8027
	9509110316	PROJ		9509110067*	40-8027
	9509110322*	PROJ		9509210127	40-8027
	9509110326*	PROJ		9509060108	FOIA
	9509210020*	PROJ		9509060160	FOIA
	9509120045*	COMMISSIO		9509010231	50-305
	9509110219	40-1162		9509070317	50-266
	9509110221*	40-1162		950920338	50-266
Western Governors' Association Western Nuclear, Inc.	9509110226	40-1162	9509120338	50-266	
	9509110228*	40-1162	9509130047	50-266	
	9509050197	52-3	9509140002	50-266	
	9509060127	52-3	9509140002	50-266	
	9509060132	52-3	9509140002	50-266	
	9509070056	TOPREP	9509200198	50-266	
	9509070058*	TOPREP	9509250013	50-266	
	9509070095	52-3	9509010314	50-305	
	9509110032	TOPREP	9509050261	50-305	
	9509110090	70-1151	9509150020	50-305	
Westinghouse Electric Corp.	9509110123	52-3	9509190295	50-305	
	9509110129*	52-3	9509260145	50-305	
	9509110135	TOPREP	9509260155*	50-305	
	9509110180*	50-456	9509210186	50-255	
	9509110182*	50-456	9509190024	50-156	
	9509110367	FOIA	9509280252*	FOIA	
	9509110377*	70-337	9509010219	50-482	
	9509120083	52-3	9509010220*	50-482	
	9509140119*	50-247	9509050263	50-482	
	9509140122*	50-247	9509050271*	50-482	
Westinghouse Operating Plants Owners Group	9509140143	52-3	9509060171	50-482	
	9509140150*	52-3	9509120037	50-482	
	9509140163	52-3	9509120057	50-482	
	9509140167*	52-3	9509120059	50-482	
	9509140219	52-3	9509180156	50-482	
	9509140233	52-3	9509180157*	50-482	
	9509180302	70-1151	9509180204	50-482	
	9509180310	70-1151	9509180251	50-482	
	9509180331	50-486	9509180257*	50-482	
	9509180264	52-3	9509220067	50-482	
Westinghouse Operating Plants Owners Group	9509190265	QA999	9509220114	50-482	
	9509190267*	52-3	9509220124*	50-482	
	9509190272	52-3	9509250021	50-482	
	9509190274*	52-3	9509250192	50-482	
	9509200016	52-3	9509250270	50-482	
	9509200163	70-1151	9509250272*	50-482	
	9509200201	52-3	9509180030*	40-7397	
	9509200300	52-3	9509180037*	40-7102	
	9509200332	52-3	9509180083*	40-8948	
	9509200341*	52-3	9509290046	PR	
Westinghouse Operating Plants Owners Group	9509210330*	50-446	9509070076	40-8857	
	9509210346*	50-446	9509080075	40-4492	
	9509220090	REGGD	9509080102	40-4492	
	9509220218	TOPREP	9509110311	40-8502	
	9509220219*	TOPREP	9509110359	40-8502	
	9509220290*	50-261	9509110368	40-8502	
	9509250340	52-3	9509120147	40-8971	
	9509250345	52-3	9508140081	40-8857	
	9509260031	71-708	9509190047	40-8857	
	9509260120	52-3	9509260325	40-8964	
Westinghouse Operating Plants Owners Group	9509260124*	52-3	9508260373	40-4492	
	9509260141	TOPREP	9509010090	50-29	
	9509260248	TOPREP	9509010140	50-29	
	9509270192	70-1151	9509060332	71-9262	
	9509280065*	50-315	9509060338*	71-9262	
	9510040309*	50-315	9509060346	50-29	
	9509080054	TOPREP	9509190148	50-29	
	9509150208	PROJ	9508190192	50-29	
	9509260067	TOPREP	9509250269	50-29	
			9509270120	50-29	
		9509290069	50-29		

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
11980-97333	9509210130*	50-390	A	NUREG-0940 V14 N2 P2	9509080016	NUREG	
1719-400-002-00	9509280174*	50-295	P	NUREG-0940 V14 N2 P3	9509130141	NUREG	
24A5172 R00	9509200151*	50-293	P	NUREG-1123 R01	9509250374	NUREG	
25A5579 R03	9509260229*	50-277	G	NUREG-1307 R05	9509070078	NUREG	
2PC-2345 R00	9509280167*	50-295	P	NUREG-1363 V06	9509070103	NUREG	BIENNIAL
52213-R-002 R00	9509190275*	50-324	P	NUREG-1423 V05	9509130173	NUREG	
94002/G-107	9509180360*	40-185		NUREG-1505 DRFT FC	9509200281	NUREG	
94002/G-110	9509180371*	40-185		NUREG-1506 DRFT FC	9509200363	NUREG	
94002/G-1107	9509190130*	40-185		NUREG-1507 DRFT FC	9509200367	NUREG	
94002/G-112	9509180364*	40-185		NUREG-1519	9509130158	NUREG	
94002/G-112	9509200076*	40-185		NUREG/BR-0191 V02 N3	9509130115	NUREG	
94002/G-114	9509180368*	40-185		NUREG/BR-0212	9509110189	NUREG	
94002/G-118	9509190156*	40-185		NUREG/CP-0142 V01	9509110196	NUREG	
953-2901	9509210159*	WASTE MGT		NUREG/CP-0142 V02	9509110202	NUREG	
AI-67-MEMO-149	9509110007*	FOIA		NUREG/CP-0142 V03	9509110205	NUREG	
AI-67-MEMO-150 V01	9509140299*	FOIA		NUREG/CP-0142 V04	9509110210	NUREG	
AI-67-MEMO-150 V02	9509110005*	FOIA		NUREG/CR-2907 V13	9509130181	NUREG	BNL-NUREG-51581
AI-67-MEMO-150 V02	9509110008*	FOIA		NUREG/CR-5535 V01	9509150284	NUREG	INEL-95/0174
BAW-2244	9509060174*	PROJ		NUREG/CR-5535 V02	9509150290	NUREG	INEL-95/0174
BAW-2245	9509270258*	TOPREP		NUREG/CR-5535 V04	9509150303	NUREG	INEL-95/0174
BWL-222-7693-LR-01	9509260005*	50-413	P	NUREG/CR-5535 V05 R1	9509150307	NUREG	INEL-95/0174
C-007 R00	9509050166*	50-305	P	NUREG/CR-5973 R02	9509130146	NUREG	PNL-8462
C-118 APP G R00	9509050164*	50-305	P	NUREG/CR-6089	9509130143	NUREG	ORNL-6765
C-113 APP L R00	9509050171*	50-305	P	NUREG/CR-6188 V02	9509130162	NUREG	INEL-95/0153
C-020 R00	9509050162*	50-305	P	NUREG/CR-6261	9509070074	NUREG	ORNL/TM-12601
CENPC-295-NP	9509150084*	TOPREP		NUREG/CR-6265	9509200039	NUREG	BNL-NUREG-52431
CENPC-300-NP-RAJ R01	9509180106*	TOPREP	TAC M91197	NUREG/CR-6305	9509200030	NUREG	BNL-NUREG-52446
CNWR-A 95-01S	9509280247*	WASTE MGT	HLWR	NUREG/CR-6325	9509130168	NUREG	
DOE/EA-1072	9509110379*	PROJ		NUREG/CR-6333	9509200049	NUREG	CNWR/RA-020
EMF-067927	9509070287*	50-373	P	NUREG/CR-6351	9509070092	NUREG	CNWR/RA 94-002
EMD-068078 R02	9509050060*	50-373	P	NUREG/CR-6356	9509150281	NUREG	CNWR/RA 94-027
EMF-93-177(NP)(A)S01	9509140182*	TOPREP		OIG-95A-10	9509270193*	ORG	
EMF-95-084(NP)	9509140092*	TOPREP		OQA-SA-95-002	9509110130*	WASTE MGT	HLWR
GE-NE-523-A181-1294	9509130159*	50-237	P	OQA-SA-95-004	9509250265*	WASTE MGT	HLWR
GENE-523-A107P-0794	9509110110*	FOIA		ORISE 95/F-80	9509190266	50-267	W
GENE-523-A107P-0794	9509120187*	FOIA		PGE-1012 A 016	9509010168*	50-344	F
GENE-523-A1114P-0894	9509110117*	FOIA		PMFR 95-12	9509200104*	WASTE MGT	HLWR
GENE-771-77-1194 R02	9509130144*	50-237	P	PSA-B 95-11 R00	9509110319*	50-454	P
GENE-771-81-1194 R01	9509130113*	50-237	P	PSA-B 95-15 R00	9509110261*	50-454	P
GENE-771-82-1194 R01	9509130131*	50-237	P	PSR-12 R01	9509110322*	PROJ	
GENE-771-83-1194 R01	9509130136*	50-237	P	PSR-13 R01	9509110326*	PROJ	
GENE-771-96-0195 R01	9509130152*	50-237	P	RC-2345 R00	9509280158*	50-295	P
HI-941184 R03	9509130066*	72-1008		S&SA 068 R00	9509200154*	50-293	P
HI-951251 R03	9509130041*	71-9261		S-95-17	9509220001	SPEECHES	
HO-SA-95-001	9509280338*	WASTE MGT	HLWR	SEA 87-288-08-A.1	9509010054*	STATE PRO	G
INEL-94/0244 R01	9509110271*	50-295	Q	SEA-94-706-03-A.315	9509280040*	PR	NRC-04-93-058
INEL-95/0047	9507280140*	50-254	Q		9507280254	SECY	
INEL-95/0208	9507260172*	50-309	Q		9507310225	SECY	
INEL-95/0280	9509120068*	50-281	Q		9508070401	SECY	
INEL-95/0375	9509200271*	50-327	P		9508110227	SECY	
IR-ISI-151	9509220292*	50-261	Q		9508230349	SECY	
JAF-RPT-ELEC-01547	9509210080*	50-333	P		9509060360	SECY	
JPRS-TND-94-006	9509070031*	FOIA			9509060365	COMMISSIO	N
LFNF-95-02 R00	9509120116*	50-483	P		9509120327	50-160	P
NEDC-32264 R02	9509280093*	TOPREP	GL-89-10		9509120222	SECY	
NEDO-32391 RC	9509010267*	52-4			9509120276	SECY	
NEDO-32391 S01	9509010306*	52-4			9509150043	COMMISSIO	N
NIS-1-00011	9509220191*	50-416	Q		9509150010	SECY	
NUCON 06FPB01/01	9509290115*	50-302	P		9509190244	COMMISSIO	N
NUCON 06FPB01/02	9509290116*	50-302	P		9509190352	SECY	
NUCON 06IL902/01	9509130084*	50-461	P		9509190218	SECY	
NUH004.0213 R01	9509110101*	72-1004			9509290090	COMMISSIO	N
NUREG-0040 V19 N02	9509070144	NUREG			9509280168*	50-295	P
NUREG-0750 V41 N06	9509080022	NUREG			9507270222*	50-333	P
NUREG-0750 V42 N01	9509080026	NUREG			9510040309*	50-315	P
NUREG-0940 V14 N2 P1	9509080019	NUREG		WCAP-14229	9509110180*	50-456	P

288 REPORT NUMBER INDEX

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
WCAP-14242	9509110182*	50-456	P	WVDP-218 R02	9509110316	PROJ	
WCAP-14253	9509190267*	52-3		WVNS-SD-67 R02	9509210020*	PROJ	
WCAP-14315	9509210330*	50-446	P	YM-ARP-96-01	9509250276*	WASTE MGT	HLWR
WCAP-14345	9509210346*	50-446	P	YRC-1031	9509060338*	71-9262	
WCAP-14406 R01	9509140122*	50-247	Q				

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7903280220	9509110321	95/03/08	FOIA	8903140830	9509110076	95/08/04	FOIA
7909130224	9509110076	95/08/04	70-1163	8903140837	9509110076	95/08/04	FOIA
7910010753	9509110321	95/03/08	FOIA	8903140841	9509110076	95/08/04	FOIA
7910250002	9509110321	95/03/08	FOIA	8905060260	9509260212	95/09/19	FOIA
7910250003	9509110321	95/03/08	FOIA	9003050066	9003050058	90/02/20	TOPREP
7912310309	9509110321	95/03/08	FOIA	9003070031	9509110321	95/03/08	FOIA
8003120242	9509220131	95/08/17	FOIA	9003070055	9509110321	95/03/08	FOIA
8004280642	9509220131	95/08/17	FOIA	9003120112	9509110076	95/08/04	FOIA
8005070786	9509110321	95/03/08	FOIA	9003280205	9003280202	90/03/21	50-29 P
8005070791	9509110321	95/03/08	FOIA	9004060270	9509260212	95/09/19	FOIA
8005280793	9509110076	95/08/04	FOIA	9005170298	9509210019	95/05/23	40-8948
8006180860	9509110321	95/03/08	FOIA	9006040245	9006040232	90/05/23	TOPREP
8006180863	9509110321	95/03/08	FOIA	9006210123	9509110321	95/03/08	FOIA
8203020400	9509110321	95/03/08	FOIA	9006210125	9509110321	95/03/08	FOIA
8203080324	9509220131	95/08/17	FOIA	9008070236	9509110076	95/08/04	FOIA
8207220557	9509110321	95/03/08	FOIA	9008100129	9509210019	95/05/23	40-8948
8208300143	9509110321	95/03/08	FOIA	9009210230	9509110076	95/08/04	FOIA
8208300145	9509110321	95/03/08	FOIA	9009260038	9509210019	95/05/23	40-8948
8208300237	9509110321	95/03/08	FOIA	9009260141	9509110076	95/08/04	FOIA
8209270397	9509110321	95/03/08	FOIA	9009260143	9509110076	95/08/04	FOIA
8305060216	9509110321	95/03/08	FOIA	9011150175	9509260212	95/09/19	FOIA
8305270158	9509110076	95/08/04	FOIA	9011150179	9509260212	95/09/19	FOIA
8503120071	9509110076	95/08/04	70-1163	9101150315	9509050169	95/07/14	FOIA
8503120079	9509110076	95/08/04	70-1163	9103080257	9509110076	95/08/04	FOIA
8507260127	9509220131	95/08/17	FOIA	9103080259	9509110076	95/08/04	FOIA
8507260138	9509220131	95/08/17	FOIA	9103210102	9509130210	95/04/12	FOIA
8507260146	9509220131	95/08/17	FOIA	9103280056	9509130210	95/04/12	FOIA
8507260161	9509220131	95/08/17	FOIA	9105160373	9509130210	95/04/12	FOIA
8512160432	9509110076	95/08/04	FOIA	9105240090	9509130210	95/04/12	FOIA
8512160436	9509110076	95/08/04	FOIA	9106070065	9509050169	95/07/14	FOIA
8512160440	9509110076	95/08/04	FOIA	9108220248	9509260212	95/09/19	FOIA
8601030286	9509110076	95/08/04	FOIA	9108250051	9509130210	95/04/12	FOIA
8601030269	9509110076	95/08/04	FOIA	9109250119	9509130210	95/04/12	FOIA
8601030272	9509110076	95/08/04	FOIA	9109250140	9509150210	95/04/12	FOIA
8602070229	9509110076	95/08/04	FOIA	9110280324	9509210019	95/05/23	40-8948
8602070230	9509110076	95/08/04	FOIA	9201310021	9509130210	95/04/12	FOIA
8602070232	9509110076	95/08/04	30-10860	9201310253	9509130110	95/09/08	FOIA
8602070233	9509110076	95/08/04	FOIA	9202040251	9509120101	95/07/11	FOIA
8602070235	9509110076	95/08/04	FOIA	9202040255	9509120101	95/07/11	FOIA
8602070236	9509110076	95/08/04	FOIA	9202040257	9509120101	95/07/11	FOIA
8602070237	9509110076	95/08/04	FOIA	9202040261	9509120101	95/07/11	FOIA
8602190522	9509130110	95/09/08	FOIA	9202040265	9509120101	95/07/11	FOIA
8606130040	9509110321	95/03/08	FOIA	9207010049	9509110076	95/08/04	FOIA
8601040278	9509110076	95/08/04	FOIA	9207290065	9509070131	95/08/03	FOIA
8601040282	9509110076	95/08/04	FOIA	9208100283	9509210019	95/05/23	40-8948
8801040291	9509110076	95/08/04	FOIA	9208250034	9509210019	95/05/23	40-7102
8801040302	9509110076	95/08/04	FOIA	9208280099	9509060008	95/06/20	FOIA
8801040318	9509110076	95/08/04	FOIA	9209150077	9509130210	95/04/12	FOIA
8801040527	9509110076	95/08/04	FOIA	9209150093	9509130210	95/04/12	FOIA
8801260174	9509110076	95/08/04	FOIA	9210090071	9509130210	95/04/12	FOIA
8801260188	9509110076	95/08/04	FOIA	9210180073	9509130210	95/04/12	FOIA
8801260189	9509110076	95/08/04	FOIA	9212210138	9508250060	95/08/06	50-245 P
8804150127	9509110076	95/08/04	70-1163	9303310111	9505260167	95/05/20	50-498
8804150131	9509110076	95/08/04	FOIA	9304090230	9509110061	95/08/08	40-8948
8808030048	9509110076	95/08/04	70-1163	9306140113	9509130210	95/04/12	FOIA
8808030050	9509110076	95/08/04	70-1163	9306140129	9509130210	95/04/12	FOIA
8808030051	9509110076	95/08/04	70-1163	9306140163	9509130210	95/04/12	FOIA
8901120510	9509110076	95/08/04	FOIA	9306140306	9509210019	95/05/23	40-8948
8901120515	9509110076	95/08/04	FOIA	9306150157	9509130210	95/04/12	FOIA
8901120518	9509110076	95/08/04	FOIA	9307190026	9509140267	95/07/14	FOIA

290 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9307190027	9509140267	95/07/14	FOIA	9507270222	9509070120	95/09/06	50-333 P
9308190106	9509150156	95/08/07	50-493 P	9507280140	9509220147	95/09/15	50-254 Q
9309090316	9509210019	95/05/23	40-8948	9508020214	9508020209	95/07/27	50-352 F
9309130195	9509110081	95/08/08	40-7102	9508070064	9508070056	95/08/02	50-245 G
9309140105	9509110081	95/08/08	40-7102	9508110271	9509070053	95/09/01	50-295 Q
9309140131	9509260167	95/09/20	FOIA	9508310225	9508310224	95/08/17	72-18
9309230171	9509130210	95/04/12	FOIA	9509010014	9509010014	95/07/21	STATE PRO G
9309300272	9509210019	95/05/23	40-8948	9509010008	9509010005	95/08/28	50-352 S
9311080071	9509130210	95/04/12	FOIA	9509010020	9509010018	95/08/24	50-334 P
9310080241	9509120089	95/08/30	50-498 Q	9509010043	9509010037	95/08/03	STATE PRO G
9310080255	9509120089	95/08/30	50-498 Q	9509010054	9509010037	95/08/03	STATE PRO G
9310120381	9509250069	95/09/18	40-9015	9509010064	9509010061	95/08/28	50-528 Q
9310140155	9509050309	95/07/25	50-325 Q	9509010070	9509010061	95/08/28	50-528 Q
9311050001	9509140267	95/07/14	40-861	9509010081	9509010072	95/07/31	STATE PRO G
9311200144	9509050309	95/07/25	50-325 Q	9509010085	9509010014	95/07/21	STATE PRO G
9311180041	9509130210	95/04/12	FOIA	9509010094	9509010093	95/08/21	50-269 P
9311190198	9509120089	95/08/30	50-498 P	9509010095	9508070056	95/08/02	50-245 G
9312020277	9509130178	95/04/03	40-7102	9509010110	9509010108	95/08/25	40-8584
9312030279	9509210019	95/05/23	40-8948	9509010152	9509010150	95/08/23	50-334 Q
9312030282	9509130178	95/04/03	40-8948	9509010167	9509010164	95/08/24	STATE PRO G
9312070210	9509050309	95/07/25	50-324 G	9509010188	9509010186	95/08/30	50-344 F
9312080170	9509130178	95/04/03	40-8948	9509010173	9509010164	95/08/24	STATE PRO G
9312300080	9509210019	95/05/23	40-8948	9509010178	9509010164	95/08/24	STATE PRO G
9401070366	9509150156	95/08/07	50-498 P	9509010179	9509010176	95/08/29	50-528 I
9401120005	9509140267	95/07/14	FOIA	9509010187	9509010176	95/08/29	50-528 I
9401120006	9509140267	95/07/14	FOIA	9509010190	9509010176	95/08/29	50-528 I
9401250039	9509140267	95/07/14	FOIA	9509010191	9509010183	95/08/28	50-295 Q
9401253049	9509140267	95/07/14	FOIA	9509010195	9509010176	95/08/29	50-528 I
9402100266	9509210019	95/05/23	40-8948	9509010198	9509010176	95/08/29	50-528 I
9403240122	9509260167	95/09/20	50-498 Q	9509010201	9509010049	95/08/01	STATE PRO G
9403310249	9509130178	95/04/03	40-7102	9509010204	9509010192	95/08/02	STATE PRO G
9404150173	9509130178	95/04/03	40-8948	9509010206	9509010202	95/08/29	50-261 R
9404210021	9509260167	95/09/20	50-498 S	9509010208	9509010192	95/08/02	STATE PRO G
9404220093	9509150156	95/08/07	50-498 Q	9509010209	9509010049	95/08/01	STATE PRO G
9405200190	9509130108	95/08/30	50-499 P	9509010210	9509010192	95/08/02	STATE PRO G
9405230154	9509050309	95/07/25	50-245 Q	9509010211	9509010202	95/08/29	50-261 R
9405260207	9509210019	95/05/23	40-8948	9509010213	9509010192	95/08/02	STATE PRO G
9405260216	9509210019	95/05/23	40-8948	9509010217	9509010192	95/08/02	STATE PRO G
9406070127	9509050309	95/07/25	50-237 P	9509010218	9509010192	95/08/02	STATE PRO G
9406080259	9509210019	95/05/23	40-8948	9509010220	9509010219	95/08/30	50-482 Q
9406230245	9509210019	95/05/23	40-8948	9509010221	9509010192	95/08/02	STATE PRO G
9406230253	9509210019	95/05/23	40-8948	9509010223	9509010192	95/08/02	STATE PRO G
9406270014	9509060141	95/07/26	FOIA	9509010224	9509010192	95/08/02	STATE PRO G
9406270310	9509210019	95/05/23	40-8948	9509010226	9509010214	95/08/18	STATE PRO G
9407010161	9509060133	95/07/26	50-341 P	9509010228	9509010192	95/08/02	STATE PRO G
9407200246	9509210019	95/05/23	40-8948	9509010235	9509010192	95/08/02	STATE PRO G
9408050234	9509210019	95/05/23	40-7102	9509010236	9509010214	95/08/18	STATE PRO G
9408120211	9509110091	95/08/18	FOIA	9509010239	9509010192	95/08/02	STATE PRO G
9408150176	9509110091	95/08/18	FOIA	9509010245	9509010192	95/08/02	STATE PRO G
9409010080	9509150220	95/09/08	50-298 Q	9509010247	9509010214	95/08/18	STATE PRO G
9409120183	9509060133	95/07/26	50-249 Q	9509010253	9509010214	95/08/18	STATE PRO G
9409120195	9509060133	95/07/26	50-249 P	9509010254	9509010049	95/08/01	STATE PRO G
9409190239	9509250069	95/09/18	FOIA	9509010258	9509010214	95/08/18	STATE PRO G
9409260106	9509150156	95/08/07	50-275 P	9509010261	9509010214	95/08/18	STATE PRO G
9409280326	9509080032	95/08/09	50-219 P	9509010262	9509010214	95/08/18	STATE PRO G
9409300099	9509210019	95/05/23	40-8948	9509010266	9509010214	95/08/18	STATE PRO G
9410050019	9509150027	95/05/01	FOIA	9509010267	9509010264	95/08/31	52-4
9410050027	9509150027	95/05/01	40-7397	9509010268	9509010214	95/08/18	STATE PRO G
9411140134	9509130108	95/08/30	50-272 F	9509010272	9509010214	95/08/18	STATE PRO G
9411150586	9509080032	95/08/09	50-249 P	9509010275	9509010214	95/08/18	STATE PRO G
9412080021	9509150156	95/08/07	50-498 P	9509010277	9508310208	95/06/20	50-318 Q
9412080028	9509150156	95/08/07	50-498 P	9509010278	9509010049	95/08/01	STATE PRO G
9412090191	9509060141	95/07/26	FOIA	9509010279	9509010214	95/08/18	STATE PRO G
9412120038	9509050309	95/07/25	50-325 S	9509010281	9509010270	95/08/18	50-263 Q
9412120050	9509080032	95/08/09	50-333 P	9509010282	9509010276	95/08/30	71-****
9501090358	9509150220	95/09/08	50-298 Q	9509010283	9509010214	95/08/18	STATE PRO G
9501130200	9509210019	95/05/23	40-8948	9509010284	9509010270	95/08/18	50-263 Q
9501130205	9509210019	95/05/23	40-8948	9509010285	9509010214	95/08/18	STATE PRO G
9501250220	9509210019	95/05/23	40-8948	9509010288	9509010214	95/08/18	STATE PRO G
9501250227	9509210019	95/05/23	40-8948	9509010291	9509010049	95/08/01	STATE PRO G
9501310196	9509050309	95/07/25	50-333 P	9509010292	9509010214	95/08/18	STATE PRO G
9502100029	9509110081	95/06/06	40-7102	9509010295	9509010214	95/08/18	STATE PRO G
9502100037	9509110081	95/05/01	40-7397	9509010296	9509010290	95/04/11	50-272 Q
9502100040	9509110081	95/08/06	40-7102	9509010300	9509010214	95/08/18	STATE PRO G
9502140198	9509080032	95/08/09	50-245 P	9509010303	9509010214	95/08/18	STATE PRO G
9503150189	9509060115	95/07/11	FOIA	9509010306	9509010302	95/08/31	52-4
9503170142	9509080032	95/08/09	50-220 P	9509010308	9509010214	95/08/18	STATE PRO G
9503190304	9509080032	95/08/06	50-220 P	9509010312	9509010214	95/08/18	STATE PRO G
9504130046	9509130110	95/09/08	FOIA	9509010315	9509010214	95/08/18	STATE PRO G
9504190160	9509150220	95/09/08	50-298 Q	9509010320	9509010214	95/08/18	STATE PRO G
9504190173	9509060133	95/07/26	50-321 P	9509010321	9509010318	95/08/25	50-313 P
9504190331	9509250069	95/09/18	40-9022	9509010327	9509010214	95/08/18	STATE PRO G
9504190334	9509250069	95/09/18	40-9022	9509010332	9509010214	95/08/18	STATE PRO G
9507060332	9509080032	95/06/09	50-237 P	9509010335	9509010214	95/08/18	STATE PRO G
9507130178	9509020208	95/07/27	50-352 F	9509010339	9509010334	95/08/02	52-3
9507170366	9509130110	95/09/08	FOIA	9509010340	9509010214	95/08/18	STATE PRO G
9507260172	9509060136	95/08/09	50-309 Q	9509010346	9509010214	95/08/18	STATE PRO G

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 291

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509010348	9509010214	95/08/18	STATE PRO G	9509060043	9509060025	95/08/31	50-424 P
9509010350	9509010214	95/08/18	STATE PRO G	9509060045	9509060027	95/08/31	50-317 H
9509050021	9509050018	95/08/23	50-255 Q	9509060046	9509050313	95/08/25	STATE PRO G
9509050031	9509050026	95/08/25	50-275 Q	9509060053	9509050313	95/08/25	STATE PRO G
9509050040	9509050028	95/08/17	STATE PRO G	9509060056	9509050313	95/08/25	STATE PRO G
9509050057	9509050056	95/08/28	50-373 P	9509060059	9509050313	95/08/25	STATE PRO G
9509050060	9509050056	95/08/28	50-373 P	9509060068	9509060065	95/07/13	50-413 F
9509050103	9509050100	95/07/18	FOIA	9509060074	9509060070	95/07/26	50-498 P
9509050107	9509050100	95/07/18	FOIA	9509060075	9509060072	94/02/23	40-8968
9509050111	9509050102	95/08/25	50-528 S	9509060078	9509060072	94/02/23	40-8968
9509050114	9509050100	95/07/18	50-289 P	9509060082	9509060070	95/07/26	50-498 P
9509050117	9509050100	95/07/18	FOIA	9509060088	9509060079	95/07/18	50-498 Q
9509050119	9509050100	95/07/18	50-289 P	9509060090	9509060086	95/08/31	50-443 P
9509050120	9509050118	95/08/29	50-247 P	9509060091	9509060070	95/07/26	50-498 P
9509050121	9509050118	95/08/29	50-247 P	9509060092	9509060080	95/08/30	50-410 Q
9509050123	9509050100	95/07/18	50-289 P	9509060093	9509060086	95/08/31	50-443 P
9509050125	9509050115	95/07/11	FOIA	9509060096	9509050070	95/07/26	50-498 P
9509050129	9509050115	95/07/11	FOIA	9509060099	9509060089	95/08/16	50-269 F
9509050131	9509050115	95/07/11	FOIA	9509060102	9509060099	95/07/27	50-341 P
9509050135	9509050134	95/08/25	50-247 P	9509060103	9509060070	95/07/26	50-445 P
9509050136	9509050133	95/08/15	50-272 Q	9509060110	9509060070	95/07/26	50-445 P
9509050154	9509050151	95/08/28	50-255 S	9509060114	9509060070	95/07/26	50-445 P
9509050159	9509050157	95/08/30	50-309 P	9509060120	9509060070	95/07/26	50-498 P
9509050160	9509050155	95/08/15	50-272 P	9509060123	9509060117	95/08/31	50-387 P
9509050162	9509050153	95/08/29	50-305 P	9509060125	9509060117	95/08/31	50-387 P
9509050164	9509050153	95/08/29	50-305 P	9509060128	9509060070	95/07/26	50-498 P
9509050166	9509050153	95/08/29	50-305 P	9509060131	9509060070	95/07/26	50-445 Q
9509050171	9509050153	95/08/29	50-305 P	9509060134	9509060070	95/07/26	50-498 F
9509050176	9509050169	95/07/14	FOIA	9509060137	9509060051	95/05/31	50-219 U
9509050182	9509050169	95/07/14	FOIA	9509060138	9509060136	95/08/09	50-309 Q
9509050185	9509050169	95/07/14	FOIA	9509060139	9509060070	95/07/26	50-498 P
9509050188	9509050184	95/07/13	FOIA	9509060142	9509060135	95/07/20	FOIA
9509050190	9509050186	95/08/28	50-410 R	9509060143	9509060070	95/07/26	FOIA
9509050191	9509050184	95/07/13	FOIA	9509060144	9509060140	95/08/31	50-413 Q
9509050212	9509050189	95/08/31	50-309 P	9509060146	9509060070	95/07/26	50-445 P
9509050217	9509050208	95/08/29	50-456 Q	9509060147	9509060135	95/07/20	FOIA
9509050221	9509050215	95/08/28	COMMISSIO N	9509060152	9509060070	95/07/26	50-445 P
9509050228	9509050226	95/08/28	50-271 Q	9509060154	9509060135	95/07/20	FOIA
9509050233	9509050220	95/08/28	50-220 R	9509060155	9509060151	95/07/31	FOIA
9509050236	9509050230	95/08/28	50-277 Q	9509060157	9509060070	95/07/26	50-498 P
9509050243	9509050220	95/08/28	50-220 R	9509060159	9509060156	95/08/28	50-410 P
9509050245	9509050242	95/08/28	50-286 C	9509060161	9509060156	95/08/28	50-410 P
9509050247	9509050242	95/08/28	50-286 C	9509060165	9509060162	95/07/31	FOIA
9509050256	9509050254	95/08/29	50-309 C	9509060168	9509060167	95/08/29	50-263 R
9509050267	9509050254	95/08/29	50-309 C	9509060170	9509060167	95/08/29	50-263 R
9509050271	9509050263	95/08/31	50-482 P	9509060174	9509060173	95/08/31	PROJ
9509050285	9509050282	95/08/29	50-333 Q	9509060182	9509060179	95/08/28	50-289 Q
9509050300	9509050296	95/08/30	50-313 R	9509060184	9509060135	95/07/20	FOIA
9509050304	9509050302	95/07/14	FOIA	9509060186	9509060135	95/07/20	FOIA
9509050312	9509050311	95/07/25	FOIA	9509060190	9509060187	95/08/31	50-237 P
9509050317	9509050314	95/08/22	50-269 P	9509060194	9509060135	95/07/20	FOIA
9509050320	9509050319	95/08/25	STATE PRO G	9509060199	9509060135	95/07/20	FOIA
9509050322	9509050319	95/07/27	50-423 Q	9509060203	9509060188	95/08/29	CA999
9509050323	9509050313	95/08/25	STATE PRO G	9509060206	9509060135	95/07/20	FOIA
9509050326	9509050321	95/06/20	FOIA	9509060208	9509060135	95/07/20	FOIA
9509050327	9509050313	95/08/25	STATE PRO G	9509060211	9509060202	95/08/17	50-320 P
9509050331	9509050321	95/06/20	FOIA	9509060213	9509060135	95/07/20	FOIA
9509050333	9509050313	95/08/25	STATE PRO G	9509060220	9509060215	95/08/28	50-247 Q
9509050338	9509050313	95/08/25	STATE PRO G	9509060227	9509060135	95/07/20	FOIA
9509050340	9509050313	95/08/25	STATE PRO G	9509060230	9509060224	95/08/29	50-309 Q
9509050341	9509050335	95/08/28	STATE PRO G	9509060233	9509060135	95/07/20	FOIA
9509050343	9509050337	95/08/31	50-410 F	9509060237	9509060225	95/08/25	50-220 Q
9509050346	9509050313	95/08/25	STATE PRO G	9509060241	9509060235	95/08/30	50-286 R
9509050347	9509050337	95/08/31	50-410 F	9509060243	9509060135	95/07/20	FOIA
9509060001	9509050313	95/08/25	STATE PRO G	9509060245	9509060235	95/08/30	50-286 R
9509060002	9509050313	95/08/25	STATE PRO G	9509060247	9509060247	95/08/29	50-387 Q
9509060004	9509050313	95/08/25	STATE PRO G	9509060251	9509060242	95/08/29	50-387 Q
9509060006	9509060005	95/08/31	50-155 H	9509060253	9509060246	95/08/31	STATE PRO G
9509060008	9509060007	95/08/31	50-298 Q	9509060254	9509060250	95/08/29	50-440 F
9509060010	9509050313	95/08/25	STATE PRO G	9509060257	9509060249	95/08/15	71-5862
9509060012	9509050313	95/08/25	STATE PRO G	9509060259	9509060135	95/07/20	50-324 P
9509060015	9509050313	95/08/25	STATE PRO G	9509060265	9509060135	95/07/20	50-324 P
9509060019	9509050313	95/08/25	STATE PRO G	9509060268	9509060261	95/09/01	50-113 P
9509060021	9509050313	95/08/25	STATE PRO G	9509060270	9509060255	95/08/31	50-387 Q
9509060022	9509050313	95/08/25	STATE PRO G	9509060271	9509060135	95/07/20	FOIA
9509060023	9509060013	95/08/31	50-317 Y	9509060272	9509060261	95/09/01	50-113 P
9509060024	9509050313	95/08/25	STATE PRO G	9509060273	9509060263	95/08/28	50-225 Q
9509060026	9509050313	95/08/25	STATE PRO G	9509060278	9509060135	95/07/20	FOIA
9509060028	9509060020	95/07/12	FOIA	9509060279	9509060275	95/08/30	50-244 P
9509060030	9509050313	95/08/25	STATE PRO G	9509060280	9509060277	95/09/01	50-456 P
9509060031	9509060009	95/06/20	FOIA	9509060281	9509060135	95/07/20	FOIA
9509060032	9509050313	95/08/25	STATE PRO G	9509060283	9509060135	95/07/20	FOIA
9509060033	9509050313	95/08/25	STATE PRO G	9509060289	9509060135	95/07/20	FOIA
9509060035	9509050313	95/08/25	STATE PRO G	9509060291	9509060135	95/07/20	FOIA
9509060039	9509050313	95/08/25	STATE PRO G	9509060297	9509060135	95/07/20	FOIA
9509060040	9509060009	95/06/20	50-445 P	9509060298	9509060135	95/07/20	FOIA
9509060041	9509060027	95/08/31	50-317 H	9509060302	9509060135	95/07/20	FOIA

292 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509060309	9509060135	95/07/20	FOIA	9509080050	9509080047	95/06/31	50-369 S
9509060311	9509060135	95/07/20	FOIA	9509080051	9509080045	95/09/01	50-295 P
9509060314	9509060135	95/07/20	FOIA	9509080053	9509080049	95/08/23	70-3073
9509060321	9509060316	95/05/31	50-280 P	9509080062	9509080059	95/08/29	50-410 P
9509060323	9509060316	95/05/31	50-280 P	9509080071	9509080066	95/08/30	50-443 F
9509060334	9509060330	95/08/29	50-259 P	9509080072	9509080061	95/08/25	40-8027
9509060337	9509060330	95/08/29	50-259 P	9509080074	9509080061	95/08/25	40-8027
9509060338	9509060332	95/08/30	71-8262	9509080077	9509080073	95/08/30	71-185
9509060350	9509060348	95/08/23	50-361 P	9509080081	9509080079	95/08/31	50-244 P
9509060354	9509060348	95/08/23	50-361 P	9509080082	9509080073	95/08/30	71-185
9509060356	9509060351	95/09/01	50-445 Q	9509080085	9509080079	95/08/31	50-244 P
9509060359	9509060351	95/09/01	50-445 Q	9509080088	9509080086	95/08/29	40-8801
9509060368	9509060362	95/08/29	50-424 P	9509080089	9509080087	95/08/30	50-423 P
9509060370	9509060366	95/09/01	50-285 P	9509080095	9509080061	95/08/25	40-8027
9509060371	9509060366	95/09/01	50-285 P	9509080109	9509080108	95/08/25	50-461 Q
9509060372	9509060362	95/08/29	50-424 P	9509080110	9509080102	95/08/30	40-4492
9509070002	9509070001	95/06/28	50-498 P	9509080121	9509080119	95/09/01	40-8724
9509070007	9509070005	95/08/31	50-499 S	9509080125	9509080122	95/08/29	50-346 P
9509070024	9509070018	95/08/04	FOIA	9509080127	9509080122	95/08/29	50-346 P
9509070027	9509070018	95/08/04	FOIA	9509080120	9509080117	95/08/25	50-295 Q
9509070031	9509070018	95/08/04	FOIA	9509080133	9509080123	95/08/25	50-254 Q
9509070038	9509070018	95/08/04	FOIA	9509080135	9509070164	95/09/01	50-298 Q
9509070045	9509070018	95/08/04	40-7580	9509080136	9509080126	95/08/18	50-263 Q
9509070049	9509050309	95/07/25	50-333 P	9509080140	9509080123	95/08/25	50-254 Q
9509070052	9509070018	95/08/04	40-7580	9509080141	9509080138	95/08/23	70-925
9509070057	9509070053	95/08/01	50-295 Q	9509080147	9509080144	95/08/25	50-10 Q
9509070059	9509070056	95/08/31	TOPREP	9509080149	9509080144	95/08/25	50-10 Q
9509070062	9509070055	95/08/25	50-263 P	9509080166	9509080157	95/08/24	50-461 Q
9509070068	9509110238	95/09/06	50-348 P	9509080167	9509080165	95/08/30	50-390 A
9509070089	9509070086	95/09/03	71-9006	9509080177	9509080171	95/08/31	50-272 Q
9509070093	9509070090	95/09/03	71-8793	9509080187	9509080181	95/08/31	50-245 Q
9509070098	9509080115	95/07/11	FOIA	9509080189	9509080185	95/08/30	71-3025
9509070102	9509080115	95/07/11	FOIA	9509080190	9509080185	95/08/30	71-3025
9509070113	9509080173	95/08/07	ORG	9509080191	9509080185	95/08/30	71-3025
9509070115	9509080184	95/07/13	FOIA	9509080192	9509080184	95/08/31	50-271 Q
9509070117	9509070111	95/06/23	50-387 F	9509080195	9509080193	95/09/05	50-454 P
9509070121	9509070111	95/06/23	50-387 F	9509080198	9509080195	95/09/05	50-397 Q
9509070126	9509070124	95/08/23	50-368 P	9509080202	9509080193	95/09/05	50-454 P
9509070129	9509050342	95/08/31	50-155 H	9509080204	9509080201	95/08/31	50-317 Q
9509070132	9509070131	95/08/03	FOIA	9509080206	9509080201	95/08/31	50-317 Q
9509070137	9509070134	95/08/31	50-334 P	9509080224	9509080222	95/08/28	70-1113
9509070138	9509070134	95/08/31	50-334 P	9509080225	9509080222	95/08/28	70-1113
9509070141	9509070134	95/08/31	50-334 P	9509080227	9509080223	95/08/03	FOIA
9509070145	9509070116	95/08/29	50-397 P	9509080230	9509080228	95/08/29	70-27
9509070151	9509070149	95/08/22	50-327 Q	9509080231	9509080228	95/08/29	70-27
9509070156	9509070152	95/06/24	40-8761	9509080233	9509080223	95/08/03	FOIA
9509070163	9509070157	95/08/25	50-369 Q	9509080234	9509080229	95/09/05	50-346 P
9509070185	9509070180	95/08/28	50-390 Q	9509080235	9509080229	95/08/05	50-346 P
9509070187	9509070044	95/08/21	50-255 S	9509080236	9509080220	95/08/05	50-387 P
9509070181	9509070161	95/08/31	50-413 Q	9509080254	9509080253	95/08/30	50-16 P
9509070172	9509070168	95/08/25	50-259 Q	9509080259	9509080252	95/08/06	50-282 P
9509070176	9509070173	95/08/31	50-245 P	9509080263	9509080262	95/08/01	50-276 P
9509070177	9509070161	95/08/31	50-413 Q	9509080265	9509080260	95/08/05	50-382 P
9509070180	9509070174	95/08/25	50-259 Q	9509080267	9509080260	95/08/05	50-382 P
9509070181	9509070170	95/08/30	50-259 Q	9509080271	9509080269	95/08/31	50-395 P
9509070194	9509070184	95/08/31	50-259 Q	9509080274	9509080268	95/08/30	50-281 Q
9509070196	9509070190	95/08/28	70-143	9509080279	9509080279	95/09/01	50-338 P
9509070197	9509070191	95/08/25	50-369 Q	9509080288	9509080279	95/09/01	50-338 P
9509070199	9509070190	95/08/28	70-143	9509080291	9509080283	95/09/01	50-316 P
9509070214	9509070211	95/08/22	50-335 Q	9509080295	9509080284	95/08/31	70-27
9509070215	9509070212	95/08/28	50-280 Q	9509080297	9509080290	95/09/01	50-382 P
9509070228	9509070221	95/08/29	50-369 Q	9509080302	9509080283	95/09/01	50-316 P
9509070229	9509070222	95/08/29	50-333 S	9509080302	9509080284	95/08/31	70-27
9509070235	9509070225	95/08/30	50-259 Q	9509080304	9509080293	95/09/05	50-261 P
9509070236	9509070220	95/08/09	50-265 V	9509080305	9509080300	95/08/30	40-278 P
9509070239	9509070233	95/08/29	50-390 Q	9509080309	9509080290	95/09/01	50-382 P
9509070241	9509070224	95/08/24	50-321 Q	9509080311	9509080298	95/09/06	50-219 P
9509070244	9509070237	95/08/24	50-416 Q	9509080314	9509080293	95/09/05	50-219 P
9509070249	9509070243	95/08/29	50-321 Q	9509080315	9509080298	95/09/06	50-261 P
9509070250	9509070247	95/08/31	50-336 P	9509080324	9509080322	95/09/01	50-526 P
9509070254	9509070245	95/08/24	70-1151	9509080327	9509080322	95/09/01	50-526 P
9509070278	9509070243	95/08/29	50-321 Q	9509080329	9509080326	95/09/01	50-389 F
9509070279	9509070273	95/08/31	50-321 P	9509080331	9509080326	95/09/01	50-389 F
9509070279	9506300032	95/08/29	50-424 G	9509080333	9509080332	95/09/01	50-280 P
9509070282	9509070273	95/08/31	50-321 P	9509080334	9509080332	95/09/01	50-280 P
9509070283	9509070275	95/08/31	50-390 Q	9509080336	9509080335	95/08/22	40-8902
9509070286	9509070275	95/08/31	50-390 Q	9509110003	9509110002	95/08/30	50-280 P
9509070287	9506500056	95/08/28	50-373 P	9509110004	9509070019	95/08/30	50-286 P
9509070289	9509070289	95/08/31	50-293 G	9509110005	9509110001	95/07/31	FOIA
9509070302	9509070289	95/08/31	50-293 G	9509110007	9509110001	95/07/31	FOIA
9509070310	9509070309	95/08/31	50-305 P	9509110008	9509110001	95/07/31	FOIA
9509070312	9509070309	95/08/31	50-305 P	9509110019	9509110014	95/08/10	50-498 T
9509080012	9509080011	95/08/28	50-443 P	9509110026	9509110022	95/08/08	50-498 T
9509080020	9509080017	95/09/05	50-390 A	9509110028	9509110014	95/08/10	50-498 T
9509080025	9509080023	95/08/01	50-272 P	9509110030	9509110014	95/08/10	50-498 T
9509080040	9509080038	95/08/28	40-8964	9509110035	9509110022	95/08/06	50-498 P
9509080042	9509080041	95/08/30	50-369 P	9509110037	9509110024	95/08/31	50-266 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 293

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509110037	9509110014	95/08/10	50-498 T	9509110271	9509110248	95/08/18	FOIA
9509110039	9509110024	95/08/31	50-286 P	9509110272	9509110076	95/08/04	FOIA
9509110040	9509110022	95/08/08	50-498 P	9509110273	9509110266	95/08/14	WASTE MGT
9509110041	9509110014	95/08/10	50-498 T	9509110274	9509110022	95/08/08	50-498 P
9509110042	9509080232	95/08/31	50-293 P	9509110276	9509110248	95/08/18	FOIA
9509110045	9509110014	95/08/10	50-498 T	9509110279	9509110076	95/08/04	FOIA
9509110050	9509110014	95/08/10	50-498 T	9509110280	9509110022	95/08/08	50-498 P
9509110052	9509110014	95/08/10	50-498 T	9509110282	9509110076	95/08/04	FOIA
9509110056	9509110022	95/08/08	50-498 P	9509110284	9509110248	95/08/18	FOIA
9509110059	9509110022	95/08/08	50-498 P	9509110289	9509110285	95/09/01	50-454 P
9509110063	9509110022	95/08/08	50-498 P	9509110290	9509110076	95/08/04	FOIA
9509110066	9509110022	95/08/08	50-498 P	9509110291	9509110248	95/08/18	FOIA
9509110067	9509110065	95/09/06	40-8027	9509110292	9509110022	95/08/08	50-499 P
9509110070	9509110065	95/09/06	40-8027	9509110294	9509110248	95/08/18	FOIA
9509110071	9509110022	95/08/08	50-498 P	9509110296	9509110076	95/08/04	FOIA
9509110074	9509110022	95/08/08	50-498 P	9509110299	9509110248	95/08/18	FOIA
9509110077	9509110044	95/08/30	50-286 P	9509110303	9509110248	95/08/18	FOIA
9509110079	9509110044	95/08/30	50-286 P	9509110304	9509110300	95/09/02	50-454 Q
9509110086	9509110076	95/09/04	FOIA	9509110305	9509110076	95/08/04	FOIA
9509110088	9509110084	95/09/05	50-237 P	9509110308	9509110022	95/08/06	50-498 P
9509110094	9509110076	95/08/04	FOIA	9509110309	9509110248	95/08/18	FOIA
9509110098	9509110093	95/08/31	71-****	9509110314	9509110248	95/08/18	FOIA
9509110100	9509110087	95/09/07	40-8027	9509110315	9509110076	95/08/04	FOIA
9509110101	9509110095	95/09/05	72-1004	9509110317	9509110312	95/09/01	50-369 P
9509110102	9509110097	95/08/31	50-413 P	9509110319	9509110313	95/09/04	50-454 P
9509110103	9509110087	95/09/07	40-8027	9509110320	9509110248	95/08/18	FOIA
9509110104	9509110097	95/08/31	50-413 P	9509110322	9509110316	95/09/07	PROJ
9509110105	9509110076	95/08/04	FOIA	9509110324	9509110076	95/08/04	FOIA
9509110110	9509110091	95/08/18	FOIA	9509110325	9509110248	95/08/18	FOIA
9509110111	9509110087	95/09/07	40-8027	9509110326	9509110316	95/09/07	PROJ
9509110112	9509110108	95/09/05	50-443 P	9509110327	9509110076	95/08/04	FOIA
9509110116	9509110108	95/09/05	50-443 P	9509110333	9509110326	95/09/06	70-27
9509110117	9509110091	95/08/18	FOIA	9509110336	9509110321	95/03/08	FOIA
9509110126	9509110121	95/09/01	WASTE MGT	9509110337	9509110076	95/08/04	FOIA
9509110129	9509110123	95/09/01	52-3	9509110341	9509110336	95/09/05	50-336 Q
9509110130	9509110120	95/09/05	WASTE MGT	9509110342	9509110076	95/08/04	FOIA
9509110141	9509110139	95/08/14	40-9027	9509110343	9509110340	95/09/05	50-275 F
9509110145	9509110138	95/09/08	50-313 P	9509110345	9509110339	95/08/23	FOIA
9509110147	9509110143	95/09/01	50-237 P	9509110346	9509110321	95/03/08	FOIA
9509110150	9509110139	95/08/14	40-9027	9509110348	9509110076	95/08/04	FOIA
9509110157	9509110142	95/09/07	50-498 P	9509110349	9509110076	95/08/04	FOIA
9509110158	9509110022	95/08/08	50-498 P	9509110350	9509110046	95/08/16	50-445 P
9509110162	9509110153	95/08/28	COMMISSIO N	9509110352	9509110076	95/08/04	FOIA
9509110163	9509110142	95/09/07	50-498 P	9509110355	9509110321	95/03/08	FOIA
9509110166	9509110161	95/09/06	50-272 P	9509110356	9509110076	95/08/04	FOIA
9509110167	9509110180	95/09/01	40-1790	9509110358	9509110076	95/08/04	FOIA
9509110168	9509110080	95/08/30	52-4	9509110360	9509110321	95/03/08	FOIA
9509110172	9509110161	95/09/06	50-272 P	9509110361	9509110046	95/08/16	50-498 P
9509110180	9509110177	95/08/22	50-456 P	9509110362	9509110266	95/08/30	70-143
9509110182	9509110177	95/08/22	50-456 P	9509110365	9509110321	95/03/08	FOIA
9509110184	9509110160	95/09/01	40-1790	9509110366	9509110363	95/08/23	FOIA
9509110187	9509110022	95/08/08	50-498 P	9509110369	9509110321	95/03/08	FOIA
9509110191	9509110180	95/09/01	40-1790	9509110371	9509110046	95/08/16	FOIA
9509110193	9509110076	95/08/04	FOIA	9509110372	9509110321	95/03/08	FOIA
9509110194	9509110176	95/09/06	50-255 Y	9509110377	9509110373	95/08/25	70-337
9509110195	9509110192	95/09/01	50-269 P	9509110378	9509110375	95/08/31	50-88 P
9509110199	9509110076	95/08/04	FOIA	9509110379	9509110376	95/08/29	PROJ
9509110203	9509110176	95/09/06	50-255 Y	9509110381	9509110321	95/03/08	FOIA
9509110206	9509110206	95/08/07	50-369 G	9509110381	9509110321	95/03/08	FOIA
9509110212	9509110211	95/08/31	50-245 G	9509110383	9509110321	95/03/08	FOIA
9509110216	9509110213	95/09/06	50-327 P	9509110384	9509110321	95/03/08	FOIA
9509110217	9509110214	95/08/25	FOIA	9509110385	9509110321	95/03/08	FOIA
9509110218	9509110213	95/09/06	50-327 P	9509110386	9509110321	95/03/08	FOIA
9509110220	9509110214	95/08/25	FOIA	9509120005	9509110076	95/08/04	FOIA
9509110221	9509110219	95/09/01	40-1162	9509120006	9509110076	95/08/04	FOIA
9509110228	9509110226	95/09/01	40-1162	9509120007	9509110076	95/08/04	70-1163
9509110234	9509110227	95/09/07	70-1113	9509120013	9509120008	95/08/31	FOIA
9509110240	9509110235	95/09/01	50-245 Q	9509120014	9509120010	95/09/01	FOIA
9509110242	9509110237	95/09/07	50-259 Q	9509120015	9509120012	95/09/06	50-255 Q
9509110243	9509110233	95/09/08	50-445 Q	9509120017	9509120011	95/08/29	FOIA
9509110244	9509110237	95/09/07	50-269 I	9509120021	9509120019	95/09/01	50-213 P
9509110246	9509110237	95/09/07	50-269 I	9509120023	9509120020	95/08/01	XPORTLIC
9509110250	9509110022	95/08/08	50-498 P	9509120031	9509110076	95/08/04	FOIA
9509110251	9509110248	95/08/18	FOIA	9509120033	9509110076	95/08/04	FOIA
9509110252	9509110233	95/09/08	50-445 Q	9509120041	9509120024	95/08/23	FOIA
9509110253	9509110248	95/08/18	FOIA	9509120045	9509120042	95/09/01	COMMISSIO N
9509110255	9509110237	95/09/07	50-269 I	9509120050	9509120048	95/09/07	50-423 Q
9509110257	9509110248	95/08/18	FOIA	9509120064	9509120035	95/08/29	FOIA
9509110258	9509110076	95/08/04	FOIA	9509120066	9509120056	95/09/07	WASTE MGT
9509110260	9509110022	95/08/08	50-498 P	9509120068	9509080268	95/08/30	50-281 Q
9509110261	9509110259	95/09/01	50-454 P	9509120069	9509120067	95/09/05	50-296 R
9509110262	9509110076	95/08/04	FOIA	9509120070	9509120053	95/08/30	FOIA
9509110263	9509110348	95/08/18	FOIA	9509120076	9509120065	95/09/04	50-528 S
9509110264	9509110348	95/08/18	FOIA	9509120077	9509120071	95/09/07	50-529 S
9509110267	9509110076	95/08/04	FOIA	9509120079	9509120078	95/09/01	50-293 Q
9509110269	9509110246	95/08/18	FOIA	9509120081	9509120053	95/08/30	FOIA
9509110270	9509110022	95/08/08	50-498 P	9509120082	9509120053	95/08/30	FOIA

294 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509120086	9509120053	95/08/30	FOIA	9509130004	9509110076	95/08/04	FOIA
9509120092	9509120053	95/08/30	FOIA	9509130005	9509110076	95/08/04	FOIA
9509120095	9509120053	95/08/30	FOIA	9509130008	9509110076	95/08/04	FOIA
9509120104	9509120089	95/08/30	50-498	9509130010	9509110076	95/08/04	FOIA
9509120105	9509120053	95/08/30	FOIA	9509130011	9509110076	95/08/04	FOIA
9509120106	9509120101	95/07/11	FOIA	9509130014	9509130002	95/08/28	FOIA
9509120108	9509120103	95/08/23	40-8102	9509130016	9509130002	95/08/28	FOIA
9509120110	9509120053	95/08/30	FOIA	9509130019	9509130013	95/08/11	FOIA
9509120115	9509120111	95/09/06	50-483	9509130020	9509110076	95/08/04	FOIA
9509120116	9509120111	95/09/06	50-483	9509130023	9509130002	95/08/28	FOIA
9509120118	9509120101	95/07/11	FOIA	9509130025	9509120112	95/04/25	70-*****
9509120119	9509120112	95/09/08	50-456	9509130026	9509110321	95/03/08	FOIA
9509120121	9509120053	95/08/30	FOIA	9509130027	9509130013	95/08/11	50-498
9509120130	9509120053	95/08/30	FOIA	9509130028	9509130002	95/08/28	FOIA
9509120131	9509120128	95/09/07	STATE PRO	9509130029	9509120112	95/04/25	70-*****
9509120136	9509120053	95/08/30	FOIA	9509130031	9509130013	95/08/11	50-498
9509120140	9509120053	95/08/30	FOIA	9509130032	9509120112	95/04/25	70-*****
9509120155	9509120148	95/07/11	FOIA	9509130034	9509130013	95/08/11	50-498
9509120157	9509120144	95/08/31	50-259	9509130037	9509120112	95/04/25	70-*****
9509120158	9509120152	95/09/08	71-192	9509130038	9509130002	95/08/28	FOIA
9509120160	9509120148	95/07/11	FOIA	9509130039	9509130013	95/08/11	50-498
9509120162	9509120151	95/09/05	70-7001	9509130041	9509130022	95/09/08	71-9261
9509120165	9509120148	95/07/11	FOIA	9509130042	9509120112	95/04/25	70-*****
9509120166	9509120161	95/09/08	71-602	9509130043	9509110076	95/08/04	FOIA
9509120167	9509120163	95/08/15	71-*****	9509130045	9509120112	95/04/25	70-*****
9509120169	9509120148	95/07/11	FOIA	9509130048	9509110076	95/08/04	FOIA
9509120170	9509120148	95/07/11	FOIA	9509130049	9509120294	95/09/11	50-293
9509120175	9509120148	95/07/11	FOIA	9509130050	9509130013	95/08/11	50-498
9509120176	9509120173	95/09/08	71-*****	9509130052	9509120112	95/04/25	70-*****
9509120180	9509110321	95/03/08	FOIA	9509130053	9509110076	95/08/04	FOIA
9509120186	9509120148	95/07/11	FOIA	9509130056	9509110076	95/08/04	FOIA
9509120187	9509110091	95/08/18	FOIA	9509130057	9509130013	95/08/11	50-498
9509120189	9509120148	95/07/11	FOIA	9509130059	9509110076	95/08/04	FOIA
9509120192	9509120148	95/07/11	FOIA	9509130060	9509110321	95/03/08	FOIA
9509120194	9509120193	95/09/08	71-390	9509130062	9509120357	95/08/28	50-277
9509120195	9509120148	95/07/11	FOIA	9509130064	9509110076	95/08/04	FOIA
9509120198	9509120148	95/07/11	FOIA	9509130065	9509130013	95/08/11	50-498
9509120199	9509110321	95/03/08	FOIA	9509130066	9509130063	95/09/08	72-1008
9509120201	9509120188	95/06/28	50-277	9509130068	9509130013	95/08/11	50-498
9509120203	9509120148	95/07/11	FOIA	9509130070	9509130069	95/08/18	WASTE MGT
9509120209	9509110321	95/03/08	FOIA	9509130074	9509130067	95/09/07	50-277
9509120213	9509110076	95/08/04	FOIA	9509130077	9509110076	95/08/04	70-1163
9509120214	9509120148	95/07/11	FOIA	9509130079	9509130067	95/09/07	50-277
9509120216	9509110321	95/03/08	FOIA	9509130084	9509130075	95/09/06	50-461
9509120218	9509120148	95/07/11	FOIA	9509130086	9509120112	95/04/25	70-*****
9509120220	9509110076	95/08/04	FOIA	9509130089	9509130088	95/05/05	50-498
9509120224	9509120148	95/07/11	FOIA	9509130090	9509130085	95/05/05	50-498
9509120230	9509120229	95/08/06	50-280	9509130093	9509130092	95/01/08	FOIA
9509120233	9509120232	95/07/12	FOIA	9509130095	9509110321	95/03/08	FOIA
9509120234	9509120231	95/09/05	50-293	9509130096	9509120112	95/04/25	70-*****
9509120236	9509120232	95/07/12	FOIA	9509130100	9509110321	95/03/08	FOIA
9509120237	9509120235	95/09/08	50-293	9509130102	9509110321	95/03/08	FOIA
9509120238	9509120232	95/07/12	FOIA	9509130103	9509120112	95/04/25	FOIA
9509120240	9509120232	95/07/12	FOIA	9509130104	9509110321	95/03/08	FOIA
9509120253	9509120243	95/08/30	50-269	9509130106	9509120112	95/04/25	FOIA
9509120266	9509120263	95/09/08	71-417	9509130107	9509130101	95/06/25	FOIA
9509120275	9509120272	95/07/18	FOIA	9509130109	9509110321	95/03/08	FOIA
9509120282	9509120272	95/07/18	FOIA	9509130111	9509120112	95/04/25	FOIA
9509120296	9509120286	95/09/08	50-57	9509130112	9509130101	95/08/25	FOIA
9509120297	9509120286	95/09/08	50-57	9509130113	9509130108	95/06/30	50-237
9509120308	9509120112	95/04/25	70-*****	9509130114	9509120112	95/04/25	FOIA
9509120309	9509120303	95/09/07	50-298	9509130116	9509110076	95/08/04	70-1163
9509120313	9509120303	95/09/07	50-298	9509130119	9509110076	95/08/04	70-1163
9509120322	9509110076	95/08/04	FOIA	9509130120	9509110321	95/03/08	FOIA
9509120323	9509120112	95/04/25	70-*****	9509130122	9509110321	95/03/08	FOIA
9509120324	9509110076	95/08/04	FOIA	9509130123	9509110076	95/08/04	FOIA
9509120329	9509120317	95/09/08	50-445	9509130124	9006040232	90/05/23	TOPREP
9509120331	9509120112	95/04/25	70-*****	9509130126	9509110076	95/08/04	FOIA
9509120343	9509120341	95/03/30	40-8502	9509130127	9509120112	95/04/25	FOIA
9509120348	9509120112	95/04/25	70-*****	9509130129	9509110321	95/03/08	FOIA
9509120353	9509120089	95/08/30	50-498	9509130130	9509110076	95/08/04	FOIA
9509120355	9509120112	95/04/25	70-*****	9509130131	9509130108	95/08/30	50-237
9509120363	9509120112	95/04/25	70-*****	9509130132	9509110321	95/03/08	FOIA
9509120368	9509120112	95/04/25	70-*****	9509130133	9509120112	95/04/25	FOIA
9509120372	9509110321	95/03/08	FOIA	9509130134	9509110321	95/03/08	FOIA
9509120373	9509120069	95/08/30	50-498	9509130135	9509120112	95/04/25	FOIA
9509120374	9509110321	95/03/08	FOIA	9509130136	9509130108	95/06/30	50-237
9509120376	9509120112	95/04/25	70-*****	9509130138	9509120112	95/04/25	FOIA
9509120377	9509120089	95/08/30	50-498	9509130139	9509130101	95/08/25	FOIA
9509120378	9509120112	95/04/25	70-*****	9509130140	9509110076	95/08/04	FOIA
9509120379	9509120089	95/08/30	50-498	9509130144	9509130108	95/08/30	50-237
9509120380	9509110321	95/03/08	FOIA	9509130145	9509130101	95/08/25	FOIA
9509120381	9509120112	95/04/25	70-*****	9509130147	9509110076	95/08/04	FOIA
9509120382	9509110321	95/03/08	FOIA	9509130148	9509110321	95/03/08	FOIA
9509120383	9509120112	95/04/25	70-*****	9509130149	9509110076	95/08/04	FOIA
9509120384	9509120089	95/08/30	50-498	9509130151	9509120112	95/04/25	FOIA
9509120385	9509120112	95/04/25	70-*****	9509130152	9509130108	95/08/30	50-237

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 295

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509130153	9509110076	95/08/04	FOIA	9509140113	9509140107	95/08/23	52-2
9509130155	9509120112	95/04/25	FOIA	9509140114	9509140111	95/09/05	50-247
9509130156	9509110321	95/03/08	FOIA	9509140115	9509140087	95/05/01	FOIA
9509130157	9509110076	95/08/04	FOIA	9509140119	9509140111	95/09/05	50-247
9509130159	9509130108	95/08/30	50-237 P	9509140121	9509140087	95/05/01	FOIA
9509130160	9509110076	95/08/04	FOIA	9509140122	9509140111	95/09/05	50-247
9509130161	9509120112	95/04/25	FOIA	9509140125	9509140087	95/05/01	FOIA
9509130163	9509120112	95/04/25	FOIA	9509140127	9509140124	95/08/23	52-2
9509130164	9509110321	95/03/08	FOIA	9509140131	9509140087	95/05/01	FOIA
9509130165	9509120112	95/04/25	FOIA	9509140133	9509140087	95/05/01	FOIA
9509130166	9509110076	95/08/04	FOIA	9509140135	9509140087	95/05/01	FOIA
9509130169	9509110321	95/03/08	FOIA	9509140138	9509140087	95/05/01	FOIA
9509130170	9509120112	95/04/25	FOIA	9509140142	9509140087	95/05/01	FOIA
9509130171	9509110076	95/08/04	FOIA	9509140150	9509140143	95/09/12	52-3
9509130174	9509120112	95/04/25	FOIA	9509140151	9509140087	95/05/01	FOIA
9509130175	9509110321	95/03/08	FOIA	9509140153	9509140149	95/09/11	50-388
9509130177	9509110076	95/08/04	FOIA	9509140155	9509140149	95/09/11	50-388
9509130183	9509120112	95/04/25	FOIA	9509140158	9509140087	95/05/01	FOIA
9509130185	9509130101	95/08/25	FOIA	9509140164	9509140161	95/09/07	50-285
9509130186	9509110321	95/03/08	FOIA	9509140166	9509140161	95/09/07	50-285
9509130188	9509120112	95/04/25	FOIA	9509140167	9509140163	95/09/12	52-3
9509130189	9509130167	95/09/08	50-374 Q	9509140170	9509140087	95/05/01	FOIA
9509130190	9509130101	95/08/25	FOIA	9509140172	9509140087	95/05/01	FOIA
9509130193	9509130178	95/04/03	40-7102	9509140176	9509140087	95/05/01	FOIA
9509130194	9509110321	95/03/08	FOIA	9509140180	9509140175	95/09/12	71-*****
9509130195	9509110321	95/03/08	FOIA	9509140181	9509140087	95/05/01	FOIA
9509130196	9509120112	95/04/25	FOIA	9509140182	9509140174	95/09/07	TOPREP
9509130197	9509130191	95/09/13	50-267 Q	9509140184	9509140087	95/05/01	FOIA
9509130198	9509130178	95/04/03	40-7102	9509140186	9509140087	95/05/01	FOIA
9509130199	9509120112	95/04/25	FOIA	9509140190	9509140087	95/05/01	FOIA
9509130202	9509120112	95/04/25	FOIA	9509140192	9509130210	95/04/12	FOIA
9509130203	9509130200	95/09/11	50-250 P	9509140193	9509140087	95/05/01	FOIA
9509130206	9509130178	95/04/03	FOIA	9509140196	9509140191	95/09/06	50-528
9509130209	9509120112	95/04/25	FOIA	9509140199	9509140191	95/09/06	50-528
9509130211	9509110321	95/03/08	FOIA	9509140200	9509120112	95/04/25	FOIA
9509130213	9509130210	95/04/12	FOIA	9509140204	9509140197	95/09/11	50-244
9509130215	9509120112	95/04/25	FOIA	9509140205	9509140202	95/09/12	50-354
9509130216	9509130210	95/04/12	FOIA	9509140206	9509140087	95/05/01	FOIA
9509130218	9509130205	95/07/11	FOIA	9509140207	9509140202	95/09/12	50-354
9509130219	9509110321	95/03/08	FOIA	9509140208	9509120112	95/04/25	FOIA
9509130220	9509120112	95/04/25	FOIA	9509140210	9509140087	95/05/01	FOIA
9509130221	9509120112	95/04/25	FOIA	9509140211	9509110321	95/03/08	FOIA
9509130223	9509130205	95/07/11	FOIA	9509140212	9509140087	95/05/01	FOIA
9509130224	9509130210	95/04/12	FOIA	9509140214	9509120112	95/04/25	FOIA
9509130225	9509120112	95/04/25	FOIA	9509140216	9509140215	95/09/13	50-245
9509130226	9509110321	95/03/08	FOIA	9509140217	9509140215	95/09/13	50-245
9509130227	9509120112	95/04/25	FOIA	9509140222	9509140087	95/05/01	FOIA
9509130228	9509130205	95/07/11	FOIA	9509140223	9509140221	95/09/11	50-410
9509130229	9509110321	95/03/08	FOIA	9509140224	9509140221	95/09/11	50-410
9509130230	9509130178	95/04/03	FOIA	9509140226	9509140087	95/05/01	FOIA
9509130231	9509130178	95/04/03	FOIA	9509140228	9509140087	95/05/01	FOIA
9509130232	9509130205	95/07/11	FOIA	9509140231	9509140087	95/05/01	FOIA
9509130234	9509130233	95/08/31	50-160 H	9509140232	9509120112	95/04/25	FOIA
9509130235	9509110321	95/03/08	FOIA	9509140235	9509140087	95/05/01	FOIA
9509130236	9509110321	95/03/08	FOIA	9509140236	9509120112	95/04/25	FOIA
9509140010	9509140008	95/09/08	50-282 S	9509140237	9509140087	95/05/01	FOIA
9509140012	9509130205	95/07/11	FOIA	9509140238	9509140234	95/09/11	70-27
9509140013	9509140011	95/08/08	50-315 P	9509140239	9509140234	95/09/11	70-27
9509140017	9509140014	95/09/11	50-271 I	9509140240	9509140087	95/05/01	FOIA
9509140018	9509130210	95/04/12	FOIA	9509140241	9509120112	95/04/25	FOIA
9509140019	9509140016	95/09/05	50-247 Q	9509140242	9509120112	95/04/25	FOIA
9509140023	9509140022	95/09/11	50-285 Q	9509140244	9509120112	95/04/25	FOIA
9509140025	9509140022	95/09/11	50-285 Q	9509140245	9509120112	95/04/25	FOIA
9509140027	9509140024	95/09/08	50-382 Q	9509140246	9509120112	95/04/25	FOIA
9509140032	9509130210	95/04/12	FOIA	9509140247	9509140037	95/05/01	FOIA
9509140034	9509140026	95/09/11	50-206 F	9509140248	9509140087	95/05/01	FOIA
9509140035	9509140029	95/09/08	50-440 P	9509140249	9509140087	95/05/01	FOIA
9509140036	9509140029	95/09/08	50-440 P	9509140250	9509140087	95/05/01	FOIA
9509140037	9509140028	95/09/11	50-206 F	9509140252	9509140087	95/05/01	FOIA
9509140038	9509140031	95/07/25	FOIA	9509140253	9509110321	95/03/08	FOIA
9509140043	9509140040	95/09/11	50-328 P	9509140254	9509130210	95/04/12	FOIA
9509140048	9509140031	95/07/25	FOIA	9509140255	9509140087	95/05/01	FOIA
9509140052	9509140031	95/07/25	FOIA	9509140257	9509140087	95/05/01	FOIA
9509140062	9509140031	95/07/25	FOIA	9509140258	9509130210	95/04/12	FOIA
9509140066	9509140031	95/07/25	FOIA	9509140259	9509140087	95/05/01	FOIA
9509140068	9509140064	95/09/11	50-458 P	9509140260	9509140087	95/05/01	FOIA
9509140069	9509140087	95/07/25	FOIA	9509140261	9509140087	95/05/01	FOIA
9509140072	9509140031	95/07/25	FOIA	9509140264	9509140087	95/05/01	FOIA
9509140077	9509140031	95/07/25	FOIA	9509140265	9509140087	95/07/14	70-133
9509140082	9509140088	95/09/08	TOPREP	9509140271	9509130210	95/04/12	FOIA
9509140083	9509130108	95/08/30	50-237 P	9509140276	9509130210	95/04/12	FOIA
9509140085	9509140087	95/05/01	FOIA	9509140279	9509140258	95/07/24	FOIA
9509140086	9509140087	95/05/01	FOIA	9509140282	9509140267	95/07/14	40-861
9509140103	9509140087	95/05/01	FOIA	9509140283	9509130210	95/04/12	FOIA
9509140106	9509140087	95/05/01	FOIA	9509140285	9509140087	95/05/01	FOIA
9509140109	9509140104	95/09/05	FOIA	9509140286	9509140266	95/07/24	FOIA
9509140110	9509140087	95/05/01	FOIA	9509140287	9509140267	95/07/14	40-861

296 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509140289	9509130210	95/04/12	FOIA	9509150054	9509150027	95/05/01	40-7102
9509140290	9509140284	95/09/11	50-390	9509150055	9509150037	95/09/08	50-255
9509140291	9509140267	95/07/14	70-133	9509150056	9509130178	95/04/03	FOIA
9509140292	9509140087	95/05/01	FOIA	9509150059	9509110321	95/03/08	FOIA
9509140293	9509140278	95/08/30	50-277	9509150060	9509150058	95/08/02	50-387
9509140294	9509140266	95/07/24	FOIA	9509150063	9509130178	95/04/03	FOIA
9509140297	9509140087	95/05/01	FOIA	9509150065	9509110321	95/03/08	FOIA
9509140298	9509140267	95/07/14	70-133	9509150066	9509150061	95/09/08	50-413
9509140299	9509140266	95/07/24	FOIA	9509150067	9509130205	95/07/11	FOIA
9509140301	9509140267	95/07/14	70-133	9509150068	9509150057	95/09/13	50-390
9509140302	9509130210	95/04/12	FOIA	9509150069	9509130178	95/04/03	FOIA
9509140303	9509140278	95/08/30	50-277	9509150070	9509120112	95/04/25	70-*****
9509140304	9509140087	95/05/01	FOIA	9509150072	9509140266	95/07/24	FOIA
9509140305	9509140267	95/07/14	70-133	9509150073	9509130205	95/07/11	FOIA
9509140307	9509140266	95/07/24	FOIA	9509150075	9509130178	95/04/03	FOIA
9509140308	9509140295	95/09/11	50-254	9509150077	9509150057	95/09/13	50-390
9509140309	9509140087	95/05/01	FOIA	9509150079	9509140266	95/07/24	FOIA
9509140310	9509140227	95/08/31	50-293	9509150081	9509150057	95/09/13	50-390
9509140311	9509140266	95/07/24	FOIA	9509150082	9509130178	95/04/03	FOIA
9509140312	9509140087	95/05/01	FOIA	9509150084	9509150078	95/09/12	TOPREP
9509140313	9509130210	95/04/12	FOIA	9509150085	9509140266	95/07/24	FOIA
9509140314	9509140087	95/05/01	FOIA	9509150086	9509150083	95/09/06	50-369
9509140315	9509140227	95/08/31	50-293	9509150087	9509130205	95/07/11	FOIA
9509140316	9509140295	95/09/11	50-254	9509150088	9509150027	95/05/01	40-7102
9509140318	9509140227	95/08/31	50-293	9509150090	9509120112	95/04/25	FOIA
9509140320	9509140278	95/08/30	50-277	9509150091	9509150083	95/09/06	50-369
9509140321	9509140087	95/05/01	FOIA	9509150092	9509140266	95/07/24	FOIA
9509140322	9509130210	95/04/12	FOIA	9509150094	9509120112	95/04/25	FOIA
9509140323	9509140266	95/07/24	FOIA	9509150095	9509150057	95/09/13	50-390
9509140324	9509140227	95/08/31	50-293	9509150096	9509150083	95/09/06	50-369
9509140325	9509130210	95/04/12	FOIA	9509150097	9509130178	95/04/03	FOIA
9509140326	9509120112	95/04/25	FOIA	9509150099	9509150027	95/05/01	40-7102
9509140327	9509140266	95/07/24	FOIA	9509150100	9509120112	95/04/25	FOIA
9509140328	9509140087	95/05/01	FOIA	9509150101	9509130205	95/07/11	40-*****
9509140330	9509130210	95/04/12	FOIA	9509150103	9509150057	95/09/13	50-390
9509140333	9509120112	95/04/25	FOIA	9509150104	9509140266	95/07/24	FOIA
9509140335	9509140087	95/05/01	FOIA	9509150105	9509150042	95/08/29	71-*****
9509140336	9509130108	95/08/30	50-237	9509150107	9509120112	95/04/25	FOIA
9509140338	9509140266	95/07/24	FOIA	9509150109	9509140266	95/07/24	FOIA
9509140339	9509120112	95/04/25	FOIA	9509150110	9509150057	95/09/13	50-390
9509140340	9509140087	95/05/01	FOIA	9509150112	9509130205	95/07/11	40-*****
9509140342	9509110321	95/03/08	FOIA	9509150113	9509150108	95/09/12	50-317
9509140343	9509140087	95/05/01	FOIA	9509150115	9509140266	95/07/24	FOIA
9509140344	9509140266	95/07/24	FOIA	9509150116	9509120112	95/04/25	FOIA
9509140346	9509140329	95/09/11	50-3	9509150117	9509150057	95/09/13	50-390
9509140348	9509110321	95/03/08	FOIA	9509150118	9509150027	95/05/01	FOIA
9509140349	9509140087	95/05/01	FOIA	9509150119	9509130178	95/04/03	FOIA
9509140352	9509140087	95/05/01	FOIA	9509150120	9509140266	95/07/24	FOIA
9509140353	9509140266	95/07/24	FOIA	9509150121	9509140266	95/07/24	FOIA
9509140355	9509110321	95/03/08	FOIA	9509150122	9509150057	95/09/13	50-390
9509140356	9509140087	95/05/01	FOIA	9509150124	9509140266	95/07/24	FOIA
9509140357	9509120112	95/04/25	FOIA	9509150125	9509130205	95/07/11	FOIA
9509140358	9509140329	95/09/11	50-3	9509150126	9509140266	95/07/24	FOIA
9509140359	9509140087	95/05/01	FOIA	9509150127	9509130178	95/04/03	FOIA
9509140361	9509130210	95/04/12	FOIA	9509150129	9509120112	95/04/25	FOIA
9509140362	9509140266	95/07/24	FOIA	9509150130	9509120112	95/04/25	FOIA
9509140363	9509140087	95/05/01	FOIA	9509150131	9509150027	95/05/01	FOIA
9509140364	9509110321	95/03/08	FOIA	9509150132	9509140266	95/07/24	FOIA
9509140365	9509140341	95/09/08	50-245	9509150133	9509120112	95/04/25	FOIA
9509140366	9509140087	95/05/01	FOIA	9509150134	9509130178	95/04/03	FOIA
9509140367	9509120112	95/04/25	FOIA	9509150135	9509120112	95/04/25	FOIA
9509140368	9509140087	95/05/01	FOIA	9509150136	9509140266	95/07/24	FOIA
9509140370	9509110321	95/03/08	FOIA	9509150139	9509140266	95/07/24	FOIA
9509140371	9509140266	95/07/24	FOIA	9509150140	9509150137	95/09/07	50-327
9509140372	9509120112	95/04/25	FOIA	9509150141	9509130178	95/04/03	FOIA
9509140374	9509110321	95/03/08	FOIA	9509150142	9509130205	95/07/11	FOIA
9509140376	9509120112	95/04/25	FOIA	9509150144	9509140266	95/07/24	FOIA
9509140377	9509140266	95/07/24	FOIA	9509150147	9509150057	95/09/13	50-390
9509140379	9509110321	95/03/08	FOIA	9509150148	9509130205	95/07/11	FOIA
9509140380	9509140266	95/07/24	FOIA	9509150149	9509140266	95/07/24	FOIA
9509140381	9509110321	95/03/08	FOIA	9509150151	9509140266	95/07/24	FOIA
9509140382	9509130210	95/04/12	FOIA	9509150153	9509140266	95/07/24	FOIA
9509140384	9509120112	95/04/25	FOIA	9509150154	9509120112	95/04/25	FOIA
9509150006	9509150005	95/09/05	50-247	9509150155	9509140266	95/07/24	FOIA
9509150009	9509150008	95/09/11	50-328	9509150158	9509140266	95/07/24	FOIA
9509150012	9509150011	95/09/08	50-327	9509150159	9509120112	95/04/25	FOIA
9509150019	9509130210	95/09/12	50-286	9509150160	9509130205	95/07/11	FOIA
9509150023	9509150022	95/09/08	50-309	9509150163	9509140266	95/07/24	FOIA
9509150035	9509150033	95/09/09	50-353	9509150164	9509120112	95/04/25	FOIA
9509150039	9509110076	95/08/04	FOIA	9509150165	9509130178	95/04/03	FOIA
9509150041	9509110076	95/08/04	FOIA	9509150170	9509140266	95/07/24	FOIA
9509150045	9509110076	95/08/04	FOIA	9509150172	9509140266	95/07/11	FOIA
9509150046	9509130205	95/07/11	FOIA	9509150173	9509120112	95/04/25	FOIA
9509150048	9509110076	95/08/04	FOIA	9509150178	9509140266	95/07/24	FOIA
9509150049	9509150027	95/05/01	40-7102	9509150185	9509140266	95/07/24	FOIA
9509150052	9509130178	95/04/03	FOIA	9509150190	9509140266	95/07/24	FOIA
9509150053	9509120112	95/04/25	FOIA	9509150192	9509150182	95/09/08	50-298

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 297

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509150196	9509150187	95/09/08	50-482 Q	9509150380	9509150337	95/07/24	FOIA
9509150197	9509140266	95/07/24	FOIA	9509150584	9509150337	95/07/24	FOIA
9509150200	9509150194	95/09/07	50-213 Q	9509150385	9509130205	95/07/11	FOIA
9509150203	9509140266	95/07/24	FOIA	9509140267	9509140267	95/07/14	70-133
9509150207	9509140266	95/07/24	FOIA	9509180002	9509140267	95/07/14	70-133
9509150211	9509140266	95/07/24	FOIA	9509180003	9509140267	95/07/14	FOIA
9509150218	9509140266	95/07/24	FOIA	9509180004	9509140267	95/07/14	FOIA
9509150221	9509150214	95/09/08	50-482 Q	9509180005	9509140267	95/07/14	70-133
9509150230	9509140266	95/07/24	FOIA	9509180006	9509140267	95/07/14	70-133
9509150244	9509140266	95/07/24	FOIA	9509180007	9509140267	95/07/14	70-133
9509150252	9509140266	95/07/24	FOIA	9509180008	9509130205	95/07/11	FOIA
9509150255	9509140275	95/09/12	50-373 P	9509180009	9509130205	95/07/11	FOIA
9509150256	9509140266	95/07/24	FOIA	9509180010	9509150285	95/05/30	40-8406
9509150263	9509140266	95/07/24	FOIA	9509180011	9509150285	95/05/30	FOIA
9509150267	9509150259	95/09/14	50-287 P	9509180012	9509150285	95/05/30	40-8406
9509150268	9509150156	95/08/07	50-498 P	9509180013	9509150285	95/05/30	40-8406
9509150269	9509140266	95/07/24	FOIA	9509180014	9509130205	95/07/11	FOIA
9509150274	9509140266	95/07/24	FOIA	9509180015	9509150285	95/05/30	40-8406
9509150275	9509140266	95/07/24	FOIA	9509180016	9509150285	95/05/30	40-8406
9509150278	9509130210	95/04/12	FOIA	9509180017	9509150027	95/05/01	FOIA
9509150280	9509140266	95/07/24	FOIA	9509180018	9509150285	95/05/30	40-8406
9509150282	9509150156	95/08/07	50-498 P	9509180019	9509150285	95/05/30	40-8406
9509150286	9509150156	95/08/07	50-498 P	9509180020	9509130205	95/07/11	40-****
9509150291	9509140266	95/07/24	FOIA	9509180021	9509150027	95/05/01	40-7102
9509150293	9509140266	95/07/24	FOIA	9509180022	9509130205	95/07/11	FOIA
9509150295	9509130210	95/04/12	FOIA	9509180023	9509130178	95/04/03	FOIA
9509150298	9509150285	95/05/30	40-8406 P	9509180024	9509150027	95/05/01	40-7397
9509150299	9509150292	95/08/22	50-309 P	9509180026	9509130178	95/04/03	FOIA
9509150301	9509140266	95/07/24	FOIA	9509180027	9509130205	95/07/11	40-****
9509150304	9509150292	95/08/22	50-309 P	9509180028	9509150057	95/09/13	50-390 G
9509150306	9509150156	95/08/07	FOIA	9509180029	9509130178	95/04/03	FOIA
9509150308	9509140266	95/07/24	FOIA	9509180030	9509150027	95/05/01	40-7397
9509150309	9509150285	95/05/30	40-8406 P	9509180031	9509130210	95/04/12	FOIA
9509150310	9509150285	95/05/30	40-6940 P	9509180032	9509130205	95/07/11	FOIA
9509150313	9509140266	95/07/24	FOIA	9509180033	9509150027	95/05/01	40-7397
9509150314	9509140266	95/07/24	FOIA	9509180034	9509130205	95/07/11	FOIA
9509150317	9509140266	95/07/24	FOIA	9509180035	9509130210	95/04/12	FOIA
9509150318	9509150285	95/05/30	FOIA	9509180036	9509130210	95/04/12	FOIA
9509150320	9509150285	95/05/30	40-8406 P	9509180037	9509150027	95/05/01	40-7102
9509150322	9509130205	95/07/11	40-****	9509180039	9509130205	95/07/11	FOIA
9509150323	9509150027	95/05/01	FOIA	9509180044	9509130205	95/07/11	FOIA
9509150324	9509130178	95/04/03	FOIA	9509180045	9509150027	95/05/01	40-7397
9509150325	9509140266	95/07/24	FOIA	9509180047	9509180041	95/08/24	50-219 P
9509150326	9509150156	95/08/07	50-498 P	9509180049	9509130178	95/04/03	FOIA
9509150327	9509150285	95/05/30	40-8406 P	9509180051	9509180041	95/08/24	50-219 P
9509150328	9509140266	95/07/24	FOIA	9509180052	9509130178	95/04/03	FOIA
9509150329	9509130178	95/04/03	FOIA	9509180053	9509150285	95/05/30	40-8406 P
9509150330	9509140266	95/07/24	FOIA	9509180055	9509180041	95/08/24	50-219 P
9509150331	9509130210	95/04/12	FOIA	9509180057	9509150285	95/05/30	40-8406 P
9509150332	9509150156	95/08/07	50-498 P	9509180058	9509180041	95/08/24	50-219 P
9509150333	9509130205	95/07/11	FOIA	9509180059	9509130178	95/04/03	FOIA
9509150334	9509140266	95/07/24	FOIA	9509180060	9509150285	95/05/30	40-8406 P
9509150335	9509130178	95/04/03	FOIA	9509180061	9509130205	95/07/11	FOIA
9509150336	9509140266	95/07/24	FOIA	9509180062	9509130178	95/04/03	FOIA
9509150338	9509140266	95/07/24	FOIA	9509180065	9509150285	95/05/30	FOIA
9509150339	9509130205	95/07/11	FOIA	9509180067	9509130205	95/07/11	FOIA
9509150340	9509150027	95/05/01	FOIA	9509180068	9509130178	95/04/03	FOIA
9509150341	9509150285	95/05/30	40-8406 P	9509180069	9509180041	95/08/24	50-219 P
9509150342	9509150337	95/07/24	FOIA	9509180070	9509150285	95/05/30	40-8406 P
9509150343	9509150285	95/05/30	40-8406 P	9509180071	9509150027	95/05/01	40-8948
9509150344	9509150156	95/08/07	FOIA	9509180072	9509180041	95/08/24	50-219 P
9509150345	9509130178	95/04/03	FOIA	9509180074	9509130205	95/07/11	FOIA
9509150346	9509150285	95/05/30	40-8406 P	9509180075	9509130178	95/04/03	FOIA
9509150347	9509130205	95/07/11	FOIA	9509180076	9509150285	95/05/30	40-8406 P
9509150348	9509130178	95/04/03	FOIA	9509180077	9509150285	95/05/30	40-8406 P
9509150349	9509150027	95/05/01	40-7397 P	9509180078	9509180041	95/08/24	50-219 P
9509150350	9509150156	95/08/07	50-498 P	9509180080	9509130205	95/07/11	FOIA
9509150351	9509150337	95/07/24	FOIA	9509180081	9509130178	95/04/03	FOIA
9509150353	9509130205	95/07/11	FOIA	9509180082	9509150285	95/05/30	40-8406 P
9509150354	9509150285	95/05/30	40-8406 P	9509180083	9509150027	95/05/01	40-8948
9509150355	9509150285	95/05/30	40-8406 P	9509180084	9509180041	95/08/24	50-219 P
9509150356	9509150156	95/08/07	50-498 P	9509180085	9509130205	95/07/11	FOIA
9509150358	9509130205	95/07/11	FOIA	9509180089	9509150027	95/05/01	40-8948
9509150362	9509130178	95/04/03	FOIA	9509180090	9509130205	95/07/11	FOIA
9509150363	9509130178	95/04/03	FOIA	9509180104	9509180100	95/08/29	70-820
9509150364	9509130205	95/07/11	FOIA	9509180105	9509130178	95/04/03	FOIA
9509150365	9509150361	95/09/13	71-8147 P	9509180106	9509180103	95/09/12	TOPREP
9509150367	9509130205	95/07/11	FOIA	9509180111	9509130178	95/04/03	FOIA
9509150368	9509150366	95/09/13	71-6078 P	9509180113	9509180107	95/09/11	50-321 P
9509150370	9509150156	95/08/07	50-498 P	9509180116	9509180107	95/09/11	50-321 P
9509150371	9509130210	95/04/12	FOIA	9509180118	9509130178	95/04/03	FOIA
9509150372	9509130205	95/07/11	FOIA	9509180121	9509130178	95/04/03	FOIA
9509150375	9509150337	95/07/24	FOIA	9509180123	9509130178	95/04/03	FOIA
9509150376	9509130205	95/07/11	FOIA	9509180127	9509180125	95/08/22	50-409 W
9509150377	9509150156	95/08/07	50-498 P	9509180130	9509130178	95/04/03	FOIA
9509150378	9509150337	95/07/24	FOIA	9509180136	9509180132	95/09/13	50-296 P
9509150379	9509130205	95/07/11	FOIA	9509180146	9509180142	95/09/12	50-237 P

298 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509180147	9509180141	95/09/01	50-275 P	9509190014	9509190006	95/09/01	50-324 Q
9509180151	9509180149	95/09/12	50-151 P	9509190019	9509190013	95/09/05	50-277 P
9509180157	9509180156	95/09/15	50-482 R	9509190038	9509190037	95/09/08	50-250 P
9509180163	9509180159	95/08/11	50-295 P	9509190039	9509190036	95/09/12	50-443 P
9509180165	9509180162	95/09/15	50-348 P	9509190042	9509190034	95/09/13	50-327 P
9509180167	9509180123	95/08/31	50-302 P	9509190043	9509190040	95/09/15	50-344 Q
9509180168	9509180159	95/09/11	50-295 P	9509190044	9509190205	95/07/11	FOIA S
9509180170	9509180166	95/09/13	50-260 S	9509190050	9509190046	95/09/13	50-295 Q
9509180176	9509180133	95/08/31	50-302 P	9509190053	9509190048	95/09/14	50-255 S
9509180177	9509130178	95/04/03	FOIA	9509190056	9509190054	95/08/31	40-6659
9509180180	9509180178	95/09/13	50-413 P	9509190061	9509190057	95/09/12	50-315 Q
9509180186	9509130178	95/04/03	FOIA	9509190063	9509190060	95/09/07	50-265 S
9509180189	9509180174	95/09/11	50-269 P	9509190064	9509190054	95/08/31	40-6659
9509180195	9509130178	95/04/03	FOIA	9509190067	9509190057	95/09/12	50-315 Q
9509180199	9509130178	95/04/03	FOIA	9509190070	9509190054	95/08/31	40-6659
9509180201	9509130178	95/04/03	FOIA	9509190073	9509190072	95/09/07	50-254 S
9509180202	9509180196	95/09/11	50-352 V	9509190074	9509190066	95/09/11	40-**** Q
9509180207	9509180203	95/09/11	50-293 Q	9509190077	9509190071	95/09/08	50-440 Q
9509180208	9509190206	95/09/15	50-413 R	9509190084	9509190080	95/09/13	50-8681
9509180209	9509130178	95/04/03	FOIA	9509190099	9509190089	95/09/11	40-****
9509180210	9509180205	95/09/07	50-20 Q	9509190102	9509190097	95/09/06	50-285 P
9509180211	9509180206	95/09/15	50-413 R	9509190104	9509190094	95/09/11	40-****
9509180212	9509130178	95/04/03	FOIA	9509190106	9509190095	95/09/15	40-8681
9509180215	9509180198	95/09/08	50-390 Q	9509190108	9509190107	95/09/14	50-83
9509180216	9509130178	95/04/03	FOIA	9509190109	9509190100	95/09/11	50-254 S
9509180218	9509180213	95/09/08	50-390 Q	9509190114	9509190081	95/09/14	QA999
9509180220	9509130178	95/04/03	FOIA	9509190130	9509190127	95/09/05	40-185
9509180221	9509180217	95/09/15	50-269 R	9509190133	9509190081	95/09/14	QA999
9509180222	9509180214	95/09/11	50-245 Q	9509190156	9509190153	95/03/27	40-185
9509180224	9509130178	95/04/03	FOIA	9509190177	9509190172	95/08/22	50-296 P
9509180225	9509130178	95/04/03	FOIA	9509190181	9509190172	95/08/22	50-296 P
9509180226	9509180217	95/09/15	50-269 R	9509190188	9509190119	95/08/24	50-265 S
9509180227	9509180213	95/09/08	50-390 Q	9509190186	9509190172	95/08/22	50-296 P
9509180228	9509130178	95/04/03	FOIA	9509190190	9509190187	95/09/13	50-245 P
9509180229	9509180219	95/09/08	50-247 Q	9509190193	9509190187	95/09/13	50-245 P
9509180234	9509180231	95/09/15	50-369 R	9509190194	9509190172	95/08/22	50-296 P
9509180235	9509180231	95/09/15	50-369 R	9509190195	9509190191	95/09/14	50-498 P
9509180237	9509180232	95/09/11	50-293 Q	9509190199	9509190172	95/08/22	50-296 P
9509180240	9509180233	95/09/11	50-259 Q	9509190203	9509190198	95/09/13	50-344 P
9509180241	9509130178	95/04/03	FOIA	9509190204	9509190172	95/08/22	50-296 P
9509180244	9509180239	95/09/06	50-325 Q	9509190212	9509190208	95/08/31	70-3073
9509180247	9509180236	95/06/01	70-27	9509190223	9509190207	95/09/12	50-271 P
9509180249	9509130178	95/04/03	FOIA	9509190225	9509190215	95/09/07	XPORTLIC
9509180253	9509130178	95/04/03	FOIA	9509190267	9509190264	95/09/15	52-3
9509180256	9509180248	95/09/11	50-423 Q	9509190273	9509190270	95/09/15	50-324 P
9509180257	9509180251	95/09/14	50-482 P	9509190274	9509190272	95/09/12	52-3
9509180261	9509180236	95/09/01	70-27	9509190275	9509190270	95/09/15	50-324 P
9509180265	9509180259	95/09/08	50-335 Q	9509190285	9509190281	95/09/15	50-297 F
9509180270	9509180264	95/08/30	STATE PRO G	9509190290	9509190286	95/09/15	70-7001
9509180271	9509180262	95/09/15	50-440 R	9509190294	9509190278	95/09/12	50-338 P
9509180273	9509180267	95/09/11	50-333 Q	9509190300	9509190298	95/09/11	50-261 P
9509180274	9509180262	95/09/15	50-440 R	9509190301	9509190299	95/09/15	70-7002
9509180276	9509180262	95/09/15	50-440 R	9509190309	9509190306	95/09/15	50-261 F
9509180289	9509180282	95/08/30	70-27	9509190313	9509190307	95/09/15	50-410 P
9509180290	9509180280	95/09/01	50-302 Q	9509190320	9509190317	95/09/13	50-334 P
9509180293	9509180285	95/09/13	50-245 Q	9509190322	9509190312	95/09/11	50-336 P
9509180294	9509180277	95/06/08	50-259 Q	9509190324	9509190307	95/09/15	50-410 P
9509180295	9509180280	95/09/01	50-302 Q	9509190325	9509190315	95/06/05	50-382 P
9509180296	9509180287	95/09/08	50-390 Q	9509190332	9509190318	95/09/14	50-354 P
9509180297	9509180285	95/09/13	50-245 Q	9509190335	9509190315	95/09/05	50-382 P
9509180299	9509180292	95/09/11	50-482 Q	9509190337	9509190327	95/09/11	50-335 P
9509180308	9509180300	95/09/06	50-348 Q	9509190338	9509190334	95/09/13	50-388 P
9509180309	9509180292	95/09/11	50-482 Q	9509190341	9509190327	95/09/11	50-335 P
9509180313	9509180304	95/09/11	50-387 S	9509190342	9509190334	95/09/13	50-388 P
9509180315	9509180306	95/09/08	70-143	9509190347	9509190339	95/09/15	50-334 P
9509180324	9509180317	95/09/08	50-259 Q	9509190348	9509190346	95/09/05	40-8889
9509180325	9509120241	95/09/06	50-369 P	9509190349	9509190339	95/09/15	50-334 P
9509180336	9509180333	95/09/12	50-458 P	9509190363	9509190357	95/09/14	50-443 P
9509180339	9509180333	95/09/12	50-458 P	9509190366	9509190357	95/09/14	50-443 P
9509180342	9509180337	95/09/12	50-281 Q	9509190373	9509190370	95/09/13	50-324 P
9509180344	9509180340	95/09/06	50-334 Q	9509190374	9509190368	95/09/15	50-354 P
9509180348	9509180343	95/09/01	50-400 Q	9509190375	9509190371	95/09/11	50-263 P
9509180351	9509180346	95/09/12	50-387 P	9509190377	9509190368	95/09/15	50-354 P
9509180353	9509180349	95/09/13	50-272 Q	9509190383	9509190376	95/09/15	50-237 P
9509180354	9509180346	95/09/12	50-387 P	9509190392	9509190389	95/09/13	50-315 P
9509180358	9509180352	95/09/11	50-348 Q	9509190393	9509190389	95/09/13	50-315 P
9509180360	9509180345	94/12/19	40-185 Q	9509190397	9509190391	95/09/13	50-415 P
9509180362	9509180361	95/09/06	50-424 Q	9509200008	9509130210	95/04/12	FOIA
9509180364	9509180345	94/12/19	40-185 Q	9509200011	9509130210	95/04/12	FOIA
9509180367	9509180363	95/09/11	50-333 P	9509200012	9509130210	95/04/12	FOIA
9509180368	9509180345	94/12/19	40-185 Q	9509200024	9509200021	95/09/14	50-443 P
9509180370	9509180363	95/09/11	50-333 P	9509200026	9509200021	95/09/14	50-443 P
9509180371	9509180345	94/12/19	40-185 Q	9509200034	9509130210	95/04/12	FOIA
9509180376	9509180345	94/12/19	40-185 Q	9509200038	9509200029	95/09/13	50-327 P
9509180381	9509180378	95/09/12	50-397 Q	9509200043	9509200029	95/09/13	50-327 P
9509190009	9509190006	95/09/01	50-324 Q	9509200048	9509130210	95/04/12	FOIA
9509190012	9509190006	95/09/01	50-324 Q	9509200050	9509130210	95/04/12	FOIA

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 299

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509200055	9509130210	95/04/12	FOIA	9509210016	9509130210	95/04/12	FOIA
9509200057	9509200052	95/09/14	50-280 P	9509210020	9509210018	95/09/13	PROJ
9509200058	9509130210	95/04/12	FOIA	9509210021	9509130210	95/04/12	FOIA
9509200060	9509200052	95/09/14	50-280 P	9509210022	9509130205	95/07/11	FOIA
9509200075	9509200065	95/09/13	STATE PRO G	9509210023	9509130210	95/04/12	FOIA
9509200076	9509200036	94/12/29	40-185	9509210026	9509130210	95/04/12	FOIA
9509200077	9509200061	95/09/15	50-361 S	9509210027	9509130205	95/09/13	FOIA
9509200092	9509200066	95/09/05	STATE PRO G	9509210028	9509130210	95/04/12	FOIA
9509200099	9509200094	95/09/13	50-278 P	9509210030	9509130210	95/04/12	FOIA
9509200100	9509200093	95/09/13	STATE PRO G	9509210031	9509110076	95/08/04	FOIA
9509200104	9509200101	95/09/15	WASTE MGT	9509210032	9509130210	95/04/12	FOIA
9509200109	9509200093	95/09/13	STATE PRO G	9509210033	9509130205	95/09/13	FOIA
9509200119	9509200093	95/09/13	STATE PRO G	9509210034	9509110076	95/08/04	FOIA
9509200127	9509200125	95/09/15	71-9225	9509210035	9509130210	95/04/12	FOIA
9509200133	9509200130	95/09/15	71-9036	9509210036	9509110076	95/08/04	FOIA
9509200140	9509190248	95/09/14	I&E	9509210038	9509130210	95/04/12	FOIA
9509200142	9509200117	95/09/06	STATE PRO G	9509210041	9509110076	95/08/04	FOIA
9509200147	9509200138	95/09/11	50-254 P	9509210043	9509130210	95/04/12	FOIA
9509200150	9509200148	95/09/15	50-327 P	9509210045	9509110076	95/08/04	FOIA
9509200151	9509200146	95/09/12	50-293 P	9509210047	9509110076	95/08/04	FOIA
9509200152	9509200138	95/09/11	50-254 P	9509210048	9509130205	95/07/11	FOIA
9509200154	9509200146	95/09/12	50-293 P	9509210049	9509130205	95/07/11	FOIA
9509200155	9509200131	95/09/14	STATE PRO G	9509210051	9509210042	95/09/18	50-395 P
9509200158	9509200117	95/09/06	STATE PRO G	9509210052	9509130205	95/07/11	FOIA
9509200159	9509200146	95/09/12	50-293 P	9509210054	9509110076	95/08/04	FOIA
9509200160	9509200144	95/09/18	I&E	9509210055	9509210042	95/09/18	50-395 P
9509200161	9509200117	95/09/06	STATE PRO G	9509210058	9509110076	95/08/04	FOIA
9509200168	9509190278	95/09/12	50-338 P	9509210061	9509110076	95/08/04	FOIA
9509200180	9509200177	95/09/05	50-263 F	9509210066	9509150027	95/05/01	40-8948
9509200199	9509200197	95/09/15	50-297 K	9509210068	9509210062	95/09/15	50-333 P
9509200229	9509130205	95/07/11	FOIA	9509210070	9509130205	95/07/11	FOIA
9509200237	9509200234	95/09/12	50-245 P	9509210071	9509210062	95/09/15	50-333 P
9509200239	9509130205	95/07/11	FOIA	9509210073	9509200015	95/09/15	50-327 P
9509200243	9509130210	95/04/12	FOIA	9509210078	9509150027	95/05/01	40-8948
9509200245	9509130210	95/04/12	FOIA	9509210080	9509210062	95/09/20	50-333 P
9509200246	9509130210	95/04/12	FOIA	9509210082	9509180041	95/08/24	50-219 P
9509200246	9509200244	95/09/15	50-327 P	9509210083	9509150027	95/05/01	40-7397
9509200249	9509150156	95/08/07	50-496 P	9509210085	9509130205	95/07/11	FOIA
9509200251	9509200244	95/09/15	50-327 P	9509210088	9509180041	95/08/24	50-219 P
9509200252	9509150156	95/08/07	50-496 P	9509210089	9509210040	95/08/04	40-8948
9509200255	9509130210	95/04/12	FOIA	9509210093	9509180041	95/08/24	50-219 P
9509200252	9509200254	95/09/13	50-361 P	9509210094	9509150027	95/05/01	FOIA
9509200263	9509130210	95/04/12	FOIA	9509210097	9509130205	95/07/11	FOIA
9509200264	9509200254	95/09/13	50-361 P	9509210101	9509210040	95/08/04	40-8948
9509200268	9509130210	95/04/12	FOIA	9509210104	9509130205	95/07/11	FOIA
9509200271	9509200258	95/09/15	50-327 P	9509210111	9509130205	95/07/11	FOIA
9509200274	9509200270	95/09/14	71-541	9509210113	9509210105	95/09/15	50-331 F
9509200275	9509130210	95/04/12	FOIA	9509210119	9509130205	95/07/11	FOIA
9509200278	9509200136	95/08/25	70-3073	9509210125	9509210122	95/09/15	50-321 P
9509200282	9509130210	95/04/12	FOIA	9509210130	9509210124	95/09/14	50-390 A
9509200287	9509200285	95/09/15	71-9228	9509210133	9509210114	95/09/20	50-424 G
9509200288	9509130210	95/04/12	FOIA	9509210137	9509210124	95/09/14	50-390 A
9509200295	9509200293	95/09/12	50-423 P	9509210140	9509210136	95/09/18	50-424 G
9509200298	9509200290	95/08/07	50-298 F	9509210149	9509210141	95/09/14	MISC
9509200299	9509200294	95/09/15	71-9096	9509210153	9509210141	95/09/14	MISC
9509200302	9509200153	95/09/13	50-259 P	9509210154	9509210142	95/07/13	WASTE MGT
9509200306	9509200153	95/09/13	50-259 P	9509210155	9509210145	95/09/20	50-424 G
9509200309	9509130210	95/04/12	FOIA	9509210157	9509210151	95/09/14	QA999
9509200316	9509130210	95/04/12	FOIA	9509210159	9509210142	95/07/13	WASTE MGT
9509200321	9509110076	95/08/04	FOIA	9509210164	9509210142	95/07/13	WASTE MGT
9509200322	9509200318	95/09/11	50-155 P	9509210176	9509210175	95/09/15	50-367 R
9509200324	9509110076	95/08/04	FOIA	9509210179	9509210175	95/09/15	50-367 R
9509200326	9509130210	95/04/12	FOIA	9509210185	9509210177	95/09/13	50-424 G
9509200328	9509110076	95/08/04	FOIA	9509210194	9509210192	95/09/15	40-7102
9509200330	9509200315	95/09/19	50-271 Q	9509210198	9509210192	95/09/15	40-7102
9509200331	9509130210	95/04/12	FC	9509210199	9509210193	95/09/15	40-8027
9509200333	9509110076	95/08/04	FOIA	9509210206	9509200312	95/09/18	50-498 P
9509200336	9509110076	95/08/04	FOIA	9509210213	9509210209	95/09/15	50-382 C
9509200339	9509110076	95/08/04	FOIA	9509210214	9509210210	95/09/18	50-344 C
9509200341	9509200332	95/09/15	52-3	9509210216	9509210209	95/09/15	50-382 C
9509200342	9509110076	95/08/04	FOIA	9509210219	9509210210	95/09/18	50-344 C
9509200348	9509130210	95/04/12	FOIA	9509210233	9509210233	95/09/13	50-247 C
9509200351	9509130205	95/07/11	FOIA	9509210235	9509210230	95/09/16	50-361 C
9509200353	9509130210	95/04/12	FOIA	9509210239	9509210162	95/07/24	FOIA
9509200358	9509130210	95/04/12	FOIA	9509210248	9509210162	95/07/24	FOIA
9509200359	9509200355	95/09/14	50-454 P	9509210252	9509210162	95/07/24	FOIA
9509200361	9509200357	95/09/18	50-496 P	9509210253	9509210243	95/09/18	50-F28 Q
9509200362	9509130210	95/04/12	FOIA	9509210256	9509210162	95/07/24	FOIA
9509200364	9509150337	95/07/24	FOIA	9509210268	9509210265	95/09/15	50-249 S
9509200371	9509220285	95/09/08	ORG	9509210273	9509210269	95/09/18	50-261 P
9509200374	9509130205	95/07/11	FOIA	9509210274	9509210270	95/09/18	40-8027
9509200376	9509150337	95/07/24	FOIA	9509210277	9509210275	95/09/14	50-461 P
9509200378	9509150337	95/07/24	FOIA	9509210280	9509210275	95/09/14	50-461 P
9509210004	9509200013	95/09/13	50-237 P	9509210284	9509210263	95/09/18	CONTRACT
9509210009	9509130210	95/04/12	FOIA	9509210293	9509210288	95/09/15	50-368 P
9509210010	9509130205	95/07/11	FOIA	9509210295	9509210286	95/09/15	50-368 P
9509210014	9509210013	95/09/11	70-364	9509210300	9509210292	95/09/19	50-255 Q

300 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509210306	9509210305	95/09/15	50-397 P	9509220217	9509220215	95/09/13	40-8857
9509210311	9509180041	95/08/24	50-219 P	9509220219	9509220218	95/09/15	TOPREP
9509210312	9509210162	95/07/24	FOIA	9509220222	9509220211	94/05/19	50-237 Q
9509210316	9509210313	95/09/15	50-313 P	9509220223	9509220221	95/09/19	50-334 P
9509210317	9509180041	95/08/24	50-219 P	9509220224	9509220211	94/05/19	50-237 Q
9509210319	9509210314	95/09/15	WASTE MGT	9509220231	9509220230	95/09/14	50-250 P
9509210321	9509210309	95/09/15	50-368 P	9509220234	9509220232	95/09/20	50-395 P
9509210323	9509210162	95/07/24	30-13089	9509220235	9509220231	95/08/17	FOIA
9509210325	9509210313	95/09/15	50-313 P	9509220239	9509220236	95/09/19	50-272 P
9509210327	9509180041	95/08/24	50-219 P	9509220240	9509220236	95/09/19	50-272 P
9509210328	9509210309	95/09/15	50-368 P	9509220241	9509220131	95/08/17	FOIA
9509210330	9509210318	95/09/19	50-446 P	9509220245	9509220244	95/09/15	TOPREP
9509210332	9509210322	95/09/19	50-237 V	9509220253	9509220249	95/09/18	50-397 P
9509210333	9509180041	95/08/24	50-219 P	9509220255	9509220249	95/09/18	50-397 P
9509210334	9509210298	95/09/18	50-395 P	9509220258	9509220250	95/09/18	50-413 P
9509210336	9509180041	95/08/24	50-219 P	9509220262	9509220250	95/09/18	50-413 P
9509210337	9509210298	95/09/18	50-395 P	9509220264	9509220256	95/09/20	50-298 P
9509210338	9509210335	95/09/18	ORG	9509220268	9509220131	95/08/17	FOIA
9509210340	9509180041	95/08/24	50-219 P	9509220276	9509210040	95/08/04	40-8948
9509210346	9509210318	95/09/19	50-446 P	9509220281	9509210040	95/08/04	40-8948
9509210347	9509210343	95/09/18	50-395 P	9509220284	9509210040	95/08/04	40-8948
9509210348	9509210258	95/09/18	50-418 P	9509220290	9509220287	95/09/15	50-261 Q
9509210349	9509210342	95/09/15	50-440 P	9509220292	9509220287	95/09/15	50-261 Q
9509210351	9509130210	95/04/12	FOIA	9509220294	9509220131	95/08/17	FOIA
9509210352	9509210342	95/09/15	50-440 P	9509220304	9509180041	95/08/24	50-219 F
9509210356	9509210353	95/09/18	50-272 P	9509220325	9509220321	95/09/20	50-180 P
9509210358	9509130210	95/04/12	FOIA	9509220326	9509220321	95/09/20	50-180 P
9509210359	9509130210	95/04/12	FOIA	9509220333	9509220328	95/09/07	FOIA
9509210361	9509210353	95/09/18	50-272 P	9509220336	9509180041	95/08/24	50-219 Q
9509210363	9509210362	95/09/19	50-251 P	9509220339	9509180041	95/08/24	50-219 P
9509210364	9509210360	95/09/18	50-155 T	9509220342	9509180041	95/08/24	50-219 P
9509220002	9509150027	95/05/01	40-7102	9509220344	9509220340	95/09/13	FOIA
9509220004	9509150027	95/05/01	40-7102	9509220345	9509180041	95/08/24	50-219 P
9509220007	9509220006	95/09/19	50-289 P	9509220348	9509220343	95/09/20	NUREG
9509220008	9509210162	95/07/24	FOIA	9509220350	9509180041	95/08/24	50-219 P
9509220009	9509220006	95/09/19	50-289 P	9509250001	9509220305	95/06/16	50-341 P
9509220011	9509130210	95/04/12	FOIA	9509250002	9509220305	95/06/16	50-341 P
9509220013	9509210162	95/07/24	FOIA	9509250008	9509220305	95/06/16	50-341 Q
9509220014	9509130205	95/07/11	FOIA	9509250017	9509220305	95/06/16	50-341 Q
9509220015	9509130210	95/04/12	FOIA	9509250034	9509250033	95/09/19	50-277 P
9509220017	9509210162	95/07/24	FOIA	9509250035	9509180041	95/08/24	50-219 P
9509220019	9509130205	95/07/11	FOIA	9509250036	9509250030	95/08/16	50-400 P
9509220020	9509180041	95/08/24	50-219 P	9509250039	9509180041	95/08/24	50-219 P
9509220021	9509210162	95/07/24	30-5409	9509250040	9509220131	95/08/17	FOIA
9509220022	9509180041	95/08/24	50-219 P	9509250041	9509180041	95/08/24	50-219 P
9509220027	9509210162	95/07/24	FOIA	9509250044	9509180041	95/08/24	50-219 P
9509220028	9509130210	95/04/12	FOIA	9509250046	9509180041	95/08/24	50-219 P
9509220029	9509210162	95/07/24	FOIA	9509250047	9509250026	95/09/18	50-260 S
9509220032	9509210162	95/07/24	FOIA	9509250048	9509220131	95/08/17	FOIA
9509220035	9509180041	95/08/24	50-219 P	9509250056	9509250054	95/09/08	FOIA
9509220040	9509130205	95/07/11	40-*****	9509250069	9509250060	95/09/06	FOIA
9509220046	9509180041	95/08/24	50-219 P	9509250073	9509250060	95/09/06	FOIA
9509220047	9509180041	95/08/24	50-219 P	9509250078	9509220131	95/08/17	FOIA
9509220060	9509220057	95/09/19	50-338 P	9509250080	9509220305	95/06/16	50-341 T
9509220068	9509220064	95/09/14	50-352 P	9509250083	9509220305	95/06/16	50-341 T
9509220069	9509180041	95/08/24	50-219 P	9509250084	9509220305	95/06/16	50-341 T
9509220082	9509180041	95/08/24	50-219 P	9509250086	9509250082	95/09/11	FOIA
9509220084	9509180041	95/08/24	50-219 P	9509250086	9509220131	95/08/17	FOIA
9509220085	9509180041	95/08/24	50-219 P	9509250089	9509250060	95/09/06	FOIA
9509220088	9509180041	95/08/24	50-219 P	9509250092	9509250067	95/09/20	50-254 P
9509220089	9509220086	95/09/15	50-309 F	9509250100	9509250091	95/09/22	QA999
9509220097	9509220092	95/09/18	50-237 P	9509250114	9509250091	95/09/22	QA999
9509220101	9509220092	95/09/18	50-237 P	9509250119	9509250091	95/08/22	QA999
9509220110	9509220108	95/09/18	50-352 P	9509250127	9509250091	95/09/22	QA999
9509220115	9509180041	95/08/24	50-219 P	9509250130	9509250091	95/09/22	QA999
9509220116	9509180041	95/08/24	50-219 P	9509250138	9509250134	95/09/21	71-9019
9509220123	9509180041	95/08/24	50-219 P	9509250139	9509250091	95/09/22	QA999
9509220124	9509220114	95/09/15	50-482 P	9509250168	9509250159	95/09/18	50-367 P
9509220126	9509180041	95/08/24	50-219 P	9509250171	9509250159	95/09/18	50-367 P
9509220130	9509220125	95/09/19	50-338 P	9509250175	9509250170	95/09/21	71-8001
9509220133	9509220128	95/09/19	50-368 P	9509250178	9509250011	95/09/18	FOIA
9509220134	9509220128	95/09/19	50-368 P	9509250184	9509250011	95/09/18	FOIA
9509220135	9509180041	95/08/24	50-219 P	9509250193	9509250011	95/09/18	FOIA
9509220137	9509180041	95/08/24	50-219 P	9509250196	9509250011	95/09/18	FOIA
9509220138	9509180041	95/08/24	50-219 P	9509250204	9509250011	95/09/18	FOIA
9509220144	9509180041	95/08/24	50-219 P	9509250205	9509250060	95/09/06	FOIA
9509220146	9509220139	95/09/05	50-390 H	9509250209	9509250197	95/09/21	70-1201
9509220149	9509130205	95/07/11	FOIA	9509250212	9509250011	95/09/18	FOIA
9509220151	9509220131	95/08/17	FOIA	9509250214	9509250011	95/09/18	FOIA
9509220157	9509130205	95/07/11	FOIA	9509250217	9509250060	95/09/06	FOIA
9509220159	9509220147	95/08/15	50-254 Q	9509250223	9509250219	95/09/21	40-6659
9509220168	9509220185	95/09/18	50-412 P	9509250224	9509250011	95/09/18	FOIA
9509220171	9509220185	95/09/18	50-412 P	9509250230	9509250060	95/09/06	FOIA
9509220172	9509220169	95/09/11	STATE PRO	9509250234	9509250221	95/08/07	ORG
9509220180	9509220178	95/09/20	REVIEW GR	9509250236	9509250233	95/09/21	40-3453
9509220191	9509220188	95/09/18	50-416 Q	9509250240	9509250060	95/09/06	FOIA
9509220193	9509220183	95/07/17	50-313 Q	9509250249	9509250248	95/09/10	50-528 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 301

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509250251	9509250246	95/08/23	ORG	9509260219	9509260204	95/09/15	50-213 Q
9509250257	9509250254	95/09/21	WASTE MGT	9509260221	9509260212	95/09/19	40-8724
9509250259	9509250011	95/09/18	FOIA	9509260225	9509260213	95/09/15	50-277 G
9509250265	9509250260	95/09/21	WASTE MGT	9509260229	9509260213	95/09/15	50-277 G
9509250272	9509250270	95/09/20	50-482 Q	9509260233	9509260230	94/10/20	70-3052
9509250276	9509250274	95/09/21	WASTE MGT	9509260238	9509260230	94/10/20	70-3052
9509250282	9509250279	95/09/20	50-443 P	9509260239	9509260232	95/09/19	50-354 Q
9509250295	9509250292	95/09/19	50-321 R	9509260240	9509220343	95/09/20	NUREG
9509250300	9509250299	95/09/20	50-155 F	9509260244	9509260230	94/10/20	70-3052
9509250303	9509250294	95/09/20	50-413 P	9509260246	9509260230	94/10/20	70-3052
9509250306	9509250296	95/08/07	ORG	9509260247	9509260212	95/09/19	FOIA
9509250318	9509250314	95/09/20	50-528 P	9509260249	9509220343	95/09/20	NUREG
9509250326	9509250314	95/09/20	50-526 P	9509260251	9509260212	95/09/19	FOIA
9509250329	9509250316	95/09/20	50-237 P	9509260252	9509220343	95/09/20	NUREG
9509250336	9509250316	95/09/20	50-237 P	9509260258	9509260212	95/09/19	FOIA
9509250357	9509250354	95/09/19	50-336 P	9509260259	9509250060	95/09/06	50-320 P
9509250365	9509250355	95/09/20	50-354 P	9509260261	9509250060	95/09/06	50-354
9509250372	9509250355	95/09/20	50-354 P	9509260262	9509260167	95/09/20	FOIA
9509250380	9509250351	95/09/19	50-454 P	9509260263	9509250060	95/09/06	FOIA
9509250381	9509250379	95/08/04	52-3	9509260266	9509250060	95/09/06	FOIA
9509250386	9509250384	95/09/21	50-213 P	9509260268	9509220131	95/08/17	FOIA
9509250388	9509250060	95/09/06	FOIA	9509260269	9509260167	95/09/20	50-498 P
9509250389	9509250385	95/09/13	50-244 P	9509260271	9509260167	95/09/20	50-498
9509250393	9509250060	95/09/06	FOIA	9509260272	9509220343	95/09/20	NUREG
9509250398	9509250380	95/09/06	FOIA	9509260273	9509260212	95/09/19	FOIA
9509250401	9509250060	95/09/06	50-320 P	9509260275	9509220131	95/08/17	FOIA
9509260004	9509260003	95/09/18	50-413 P	9509260276	9509250060	95/09/06	71-9193
9509260005	9509260003	95/09/18	50-413 P	9509260277	9509260167	95/09/20	50-499 P
9509260009	9509260007	95/09/18	50-369 P	9509260278	9509260212	95/09/19	FOIA
9509260012	9509260011	95/09/19	50-302 P	9509260279	9509250060	95/09/06	FOIA
9509260016	9509260013	95/09/20	50-387 Q	9509260280	9509260212	95/09/19	FOIA
9509260019	9509220131	95/08/17	FOIA	9509260282	9509220343	95/08/20	NUREG
9509260021	9509260018	95/09/18	50-369 P	9509260284	9509250060	95/09/06	FOIA
9509260033	9509260025	95/09/18	50-220 Q	9509260285	9509220343	95/09/20	NUREG
9509260041	9509260039	95/09/20	50-289 P	9509260287	9509250060	95/09/06	FOIA
9509260044	9509260040	95/09/19	50-245 Q	9509260289	9509220343	95/09/20	NUREG
9509260048	9509260040	95/09/19	50-245 Q	9509260291	9509260212	95/09/19	FOIA
9509260056	9509260053	95/09/20	50-443 P	9509260292	9509260167	95/09/20	50-498
9509260057	9509220343	95/09/20	NUREG	9509260293	9509260274	95/09/20	50-298 P
9509260061	9509260053	95/09/20	50-443 P	9509260294	9509250060	95/09/06	FOIA
9509260069	9509260058	95/09/20	40-534	9509260295	9509260212	95/09/19	FOIA
9509260074	9509260066	95/09/21	50-89 Q	9509260300	9509260212	95/09/19	FOIA
9509260076	9509260063	95/09/20	40-****	9509260301	9509220343	95/09/20	NUREG
9509260078	9509260075	95/09/21	50-311 S	9509260304	9509250060	95/09/06	FOIA
9509260079	9509250069	95/09/18	40-9022	9509260305	9509260212	95/09/19	FOIA
9509260088	9509260065	95/09/20	50-271 Q	9509260306	9509260167	95/09/20	50-498 H
9509260091	9509260064	95/09/15	50-387 Q	9509260310	9509260212	95/09/19	FOIA
9509260093	9509260082	95/09/20	50-397 P	9509260311	9509250060	95/09/06	FOIA
9509260101	9509220343	95/09/20	NUREG	9509260313	9509260212	95/09/19	50-237 H
9509260102	9509260095	95/09/19	50-354 Q	9509260314	9509260212	95/09/19	FOIA
9509260103	9509260096	95/09/22	50-424 P	9509260315	9509260212	95/09/19	FOIA
9509260107	9509220343	95/09/20	NUREG	9509260318	9509260212	95/09/19	FOIA
9509260108	9509260095	95/09/19	50-354 Q	9509260319	9509250060	95/09/06	FOIA
9509260117	9509260116	95/09/21	50-255 P	9509260321	9509260212	95/09/19	FOIA
9509260119	9509220343	95/09/20	NUREG	9509260322	9509260320	95/09/20	50-341 P
9509260124	9509260120	95/09/21	52-3	9509260323	9509250060	95/09/06	FOIA
9509260130	9509220343	95/09/20	NUREG	9509260324	9509260212	95/09/19	FOIA
9509260135	9509260133	95/09/20	FOIA	9509260327	9509260212	95/09/19	FOIA
9509260139	9509220343	95/09/20	NUREG	9509260328	9509260325	95/08/03	40-8964
9509260140	9509260083	95/09/22	50-498 P	9509260329	9509260326	95/09/22	50-193 P
9509260144	9509220343	95/09/20	NUREG	9509260330	9509250060	95/09/06	FOIA
9509260148	9509250060	95/09/06	FOIA	9509260331	9509260326	95/09/22	50-193 P
9509260154	9509220343	95/09/20	NUREG	9509260332	9509260212	95/09/19	FOIA
9509260155	9509260145	95/09/19	50-305 P	9509260333	9509260212	95/09/19	FOIA
9509260159	9509220343	95/09/20	NUREG	9509260334	9509260212	95/09/19	FOIA
9509260161	9509250060	95/09/06	50-320 P	9509260336	9509260274	95/09/20	FOIA
9509260162	9509220131	95/08/17	FOIA	9509260337	9509260212	95/09/19	FOIA
9509260163	9509250060	95/09/06	50-320 P	9509260338	9509250060	95/09/06	FOIA
9509260166	9509220343	95/09/20	NUREG	9509260339	9509260212	95/09/19	FOIA
9509260168	9509250060	95/09/06	FOIA	9509260340	9509260212	95/09/19	FOIA
9509260172	9509220131	95/08/17	FOIA	9509260343	9509260212	95/09/19	FOIA
9509260174	9509260167	95/09/20	50-498 P	9509260344	9509250060	95/09/06	FOIA
9509260179	9509220343	95/09/20	NUREG	9509260345	9509260212	95/09/19	FOIA
9509260181	9509260167	95/09/20	50-498 Q	9509260346	9509260341	95/09/20	50-286 P
9509260182	9509260178	95/03/22	70-7001	9509260347	9509260212	95/09/19	FOIA
9509260186	9509220343	95/09/20	NUREG	9509260348	9509260341	95/09/20	50-286 P
9509260187	9509260176	95/09/18	FOIA	9509260363	9509260361	95/09/19	40-3453
9509260188	9509260180	95/08/15	50-286 Q	9509260389	9509250060	95/09/06	FOIA
9509260190	9509260176	95/09/18	FOIA	9509270009	9509260356	95/09/22	50-382 Q
9509260193	9509260183	95/09/18	50-390 Q	9509270012	9509260356	95/09/22	50-382 Q
9509260199	9509260181	95/09/19	50-354 Q	9509270013	9509270005	95/09/21	50-387 Q
9509260201	9509260196	95/09/18	70-135	9509270018	9509270016	95/09/22	50-361 Q
9509260202	9509220343	95/09/20	NUREG	9509270063	9509270053	95/09/21	71-9196
9509260208	9509220343	95/09/20	NUREG	9509270114	9509260274	95/09/20	50-298 P
9509260210	9509260204	95/09/15	50-213 Q	9509270127	9509260274	95/09/20	50-298 P
9509260215	9509260212	95/09/19	71-9193	9509270130	9509270124	95/09/25	70-27
9509260216	9509260211	95/09/13	50-293 Q	9509270133	9509270073	95/09/15	50-456 R

302 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9509270144	9509260274	95/09/20	50-298 Q	9509280119	9509260212	95/09/19	FOIA
9509270145	9509270140	95/09/25	50-267 Q	9509280120	9509280112	95/09/22	50-220 P
9509270146	9505190401	95/05/10	50-309 H	9509280124	9509280122	95/09/25	71-9794
9509270168	9509270159	95/08/18	50-528 F	9509280128	9509280127	95/09/25	50-366 P
9509270184	9509270182	95/09/25	50-237 P	9509280129	9509280122	95/09/25	71-9794
9509270186	9509270185	95/09/25	50-237 P	9509280140	9509280139	95/09/25	50-306 Q
9509270193	9509270189	95/09/13	ORG	9509280158	9509280144	95/09/25	50-295 P
9509270194	9509250060	95/09/06	FOIA	9509280159	9509280153	95/09/21	STATE PRO G
9509270197	9509270195	95/09/15	50-255 Q	9509280160	9509280147	95/09/19	STATE PRO G
9509270198	9509270196	95/09/15	50-282 Q	9509280162	9509280157	95/09/18	50-390 Q
9509270200	9509270199	95/09/14	50-266 Q	9509280167	9509280144	95/09/25	50-295 F
9509270202	9509270199	95/09/14	50-266 Q	9509280168	9509280144	95/09/25	50-295 P
9509270203	9509270201	95/09/20	50-456 Q	9509280174	9509280144	95/09/25	50-295 P
9509270204	9509270201	95/09/20	50-456 Q	9509280176	9509280172	95/09/20	70-1113 Q
9509270212	9509270211	95/09/25	71-516 Q	9509280177	9509280170	95/09/14	50-338 Q
9509270230	9509270227	95/09/23	50-458 P	9509280182	9509280170	95/09/14	50-338 Q
9509270231	9509270216	95/09/25	50-219 P	9509280194	9509280188	95/09/14	50-324 Q
9509270234	9509250060	95/09/06	FOIA	9509280199	9509280193	95/09/15	50-390 Q
9509270237	9509270233	95/09/25	50-354 P	9509280202	9509280200	95/09/21	50-261 Q
9509270239	9509270233	95/09/25	50-354 P	9509280206	9509280197	95/09/22	50-369 Q
9509270244	9509250060	95/09/06	FOIA	9509280208	9509280201	95/09/12	50-424 Q
9509270245	9509270238	95/09/25	71-6206 FOIA	9509280209	9509280193	95/09/15	50-390 Q
9509270251	9509250060	95/09/06	FOIA	9509280210	9509280203	95/09/25	50-498 Q
9509270258	9509270252	95/09/22	TOPREP	9509280212	9509280195	95/06/27	40-*****
9509270261	9509270254	95/09/25	50-336 P	9509280214	9509280201	95/09/12	50-424 Q
9509270266	9509260212	95/09/19	FOIA	9509280215	9509280211	95/09/15	50-395 Q
9509270267	9509260212	95/09/19	FOIA	9509280217	9509280205	95/09/22	STATE PRO G
9509270268	9509260212	95/09/19	FOIA	9509280220	9509280211	95/09/15	50-395 Q
9509270269	9509260212	95/09/19	FOIA	9509280222	9509280204	95/09/15	50-369 Q
9509270270	9509260212	95/09/19	FOIA	9509280223	9509280218	95/09/12	WASTE MGT
9509270271	9509260212	95/09/19	FOIA	9509280224	9509280195	95/06/27	40-*****
9509270272	9509260212	95/09/19	FOIA	9509280227	9509280221	95/09/15	50-390 Q
9509270273	9509260212	95/09/19	FOIA	9509280229	9509050336	95/08/03	PR
9509270274	9509260212	95/09/19	FOIA	9509280230	9509280228	95/09/12	50-390 Q
9509270276	9509210343	95/09/18	50-395 P	9509280233	9509050336	95/08/03	PR
9509280011	9509280007	95/09/20	FOIA	9509280236	9509280226	95/09/13	50-259 Q
9509280012	9509280007	95/09/20	FOIA	9509280237	9509280232	95/09/18	50-261 Q
9509280013	9509280007	95/09/20	FOIA	9509280240	9509280232	95/09/18	50-261 Q
9509280014	9509280007	95/09/20	FOIA	9509280241	9509280234	95/09/19	STATE PRO G
9509280015	9509280007	95/09/20	FOIA	9509280245	9509280235	95/09/18	50-369 Q
9509280016	9509280007	95/09/20	FOIA	9509280247	9509280243	95/08/21	WASTE MGT
9509280017	9509280007	95/09/20	FOIA	9509280251	9509280246	95/09/21	50-390 Q
9509280018	9509280007	95/09/20	FOIA	9509280252	9509220131	95/08/17	FOIA
9509280020	9509280007	95/09/20	FOIA	9509280260	9509280246	95/09/21	50-390 Q
9509280021	9509280007	95/09/20	FOIA	9509280263	9509280257	95/09/22	STATE PRO G
9509280022	9509280007	95/09/20	FOIA	9509280280	9509260212	95/09/19	FOIA
9509280023	9509280007	95/09/20	FOIA	9509280281	9509280249	95/09/22	STATE PRO G
9509280028	9509280007	95/09/20	FOIA	9509280283	9509260212	95/09/19	FOIA
9509280030	9509280007	95/09/20	FOIA	9509280284	9509280278	95/09/19	STATE PRO G
9509280032	9509280007	95/09/20	FOIA	9509280285	9509260212	95/09/19	FOIA
9509280034	9509280007	95/09/20	FOIA	9509280286	9509280249	95/09/22	STATE PRO G
9509280035	9509280007	95/09/20	FOIA	9509280287	9509280282	95/09/15	50-413 Q
9509280036	9509260212	95/09/19	FOIA	9509280291	9509280249	95/09/22	STATE PRO G
9509280037	9509280007	95/09/20	FOIA	9509280293	9509280249	95/09/22	STATE PRO G
9509280039	9509260212	95/09/19	FOIA	9509280294	9509280249	95/09/22	STATE PRO G
9509280040	9505100214	95/04/25	PR	9509280296	9509280292	95/09/18	40-7604
9509280042	9509260212	95/09/19	FOIA	9509280298	9509280249	95/09/22	STATE PRO G
9509280047	9509260212	95/09/19	FOIA	9509280300	9509280249	95/09/22	STATE PRO G
9509280050	9509260212	95/09/19	FOIA	9509280302	9509280249	95/09/22	STATE PRO G
9509280054	9509260212	95/09/19	FOIA	9509280304	9509280249	95/09/22	STATE PRO G
9509280058	9509260212	95/09/19	FOIA	9509280305	9509280249	95/09/22	STATE PRO G
9509280062	9509260212	95/09/19	FOIA	9509280307	9509280301	95/09/25	50-354 P
9509280065	9509280064	95/08/22	50-315 F	9509280309	9509280249	95/09/22	STATE PRO G
9509280066	9509260212	95/09/19	FOIA	9509280310	9509280301	95/09/25	50-354 P
9509280070	9509280067	95/09/26	40-2259	9509280312	9509280249	95/09/22	STATE PRO G
9509280078	9509270002	95/09/18	FOIA	9509280316	9509280249	95/09/22	STATE PRO G
9509280082	9509260212	95/09/19	FOIA	9509280332	9509280331	95/09/20	50-412 P
9509280084	9509280071	95/09/15	ORG	9509280338	9509280337	95/09/21	WASTE MGT
9509280091	9509260212	95/09/19	FOIA	9509290015	9509290012	95/09/22	50-443 P
9509280093	9509280083	95/09/08	TOPREP	9509290017	9509290012	95/09/22	50-443 P
9509280096	9509260212	95/09/19	FOIA	9509290042	9509290041	95/09/26	50-440 P
9509290097	9509280094	95/09/21	50-275 F	9509290051	9509290048	95/09/25	50-277 P
9509290099	9509260212	95/09/19	FOIA	9509290083	9509290088	95/09/26	50-275 P
9509280105	9509260212	95/09/19	FOIA	9509290109	9509290108	95/09/21	50-289 P
9509280109	9509260212	95/09/19	FOIA	9509290115	9509290114	95/09/22	50-302 P
9509280111	9509260212	95/09/19	FOIA	9509290116	9509290114	95/09/22	50-302 P
9509280115	9509260212	95/09/19	FOIA	9509290118	9509140373	95/09/06	50-62 V
9509280116	9509280112	95/09/22	50-220 P	9509290127	9509290096	95/09/21	50-312 W
9509280118	9509260212	95/09/19	FOIA	9510040309	9509280064	95/09/22	50-315 P
				9510110158	9509250011	95/09/18	FOIA

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|---|
| <p>19. Safety Evaluation Reports (SERs) on specific generic issues.</p> <p>20. Reports of site visits.</p> | <p>21. Backup technical documents (e.g., topical reports) submitted in support of the application.</p> <p>22. Proposed equipment failure/instructions.</p> <p>23. NRC's changes in internal organizational structure.</p> |
|--|---|

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

- All related correspondence is filed in Category A.
- | | |
|--|--|
| <p>1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).</p> | <p>2. Amendments and changes to the PSAR.</p> <p>3. Transmittal and acknowledgment letters.</p> <p>4. Certificates of service to the PSAR.</p> |
|--|--|

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

- | | |
|--|--|
| <p>1. Environmental Report (ER) submitted by the utility.</p> <p>2. Amendments and supplements to the ER.</p> <p>3. Transmittal and acknowledgment letters.</p> <p>4. Information on scheduling of submittal or review of ER.</p> <p>5. NRC questions, requests for additional information, and applicant responses.</p> | <p>6. Federal Register notices citing the availability of items 1 and 2.</p> <p>7. Correspondence relating to the review of ER.</p> <p>8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.</p> <p>9. Correspondence relating to certification of pollution control devices.</p> <p>NOTE: Other environmental documents are filed in Categories A, D, P, or R.</p> |
|--|--|

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

- | | |
|--|--|
| <p>1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.</p> <p>2. Supplements to the DES and FES.</p> <p>3. Correspondence relating to the DES and FES.</p> <p>4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.</p> <p>5. Transmittal and acknowledgment letters.</p> <p>6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.</p> | <p>7. Backup technical documents submitted in connection with above.</p> <p>8. Federal Register notices citing availability of items 1 and 2.</p> <p>9. Reports of site visits to obtain information for the DES or FES.</p> <p>10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.</p> <p>NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.</p> |
|--|--|

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

- | | |
|--|--|
| <p>1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.</p> <p>2. Supplements to the SER.</p> <p>3. Correspondence relating to the SER and supplements.</p> <p>4. Federal Register notices citing availability of items 1 and 2.</p> <p>5. Information on scheduling of SER submittals and review.</p> | <p>6. Requests for additional information for use in preparing SER; responses to such requests.</p> <p>7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.</p> <p>8. Transmittal and acknowledgment letters.</p> <p>NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.</p> |
|--|--|

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 56 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.
 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.
 3. Amendments and changes to the FSAR and USAR.
 4. Federal Register notices citing availability of the FSAR and amendments.
 5. Transmittal and acknowledgment letters.
 6. Certificates of service to the FSAR and USAR.
- NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

ings, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.
8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.
9. Information on the Standard Review Plan (STP).
10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).
11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|--|
| 12. Owner's group meeting announcements and reports. | 19. Start-up test reports. |
| 13. Quality assurance information. | 20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i> |
| 14. Environmental matters (technical). | 21. SERs on specific generic issues. |
| 15. Seismic qualification review team (SQRT) reports and related correspondence. | 22. Proposed equipment failure/instructions. |
| 16. Emergency core cooling system documents. | 23. Inservice testing (not inspections). |
| 17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y. | 24. Reports of site visits. |
| 18. Correspondence regarding expansion of spent fuel storage pool. | 25. Application to voluntarily surrender license, dismantle, and dispose of component parts. |
| | 26. Changes in NRC's internal organizational structure. |

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

- | | |
|--|--|
| 1. Inspection reports. | 7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs). |
| 2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices. | 8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S. |
| 3. Responses by applicant to IE correspondence. | 9. Health physics inspections/appraisals. |
| 4. Applicant's determination of proprietary nature of Inspection Reports. | 10. Emergency preparedness inspections/appraisals. |
| 5. Letters concerning areas of noncompliance. | 11. Inspections and related correspondence from the International Atomic Energy Agency. |
| 6. Pre-service and in-service inspections and procedures. | 12. Systematic Assessment of Licensee Performance (SALP). |

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|---|
| <p>13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.</p> <p style="margin-left: 20px;">A. Integrated Design Inspection (IDI) reports.</p> <p style="margin-left: 20px;">B. Independent Design Verification Program (IDVP) reports.</p> <p>14. Notice of significant licensee meetings.</p> | <p>15. Performance Appraisal Team (PAT) reports.</p> <p>16. Licensee/Vendor interface inspections.</p> <p>17. Correspondence relating to items 12, 13, 14, 15 and 16.</p> <p style="text-align: center;">NOTE: For IE Bulletins and Information Notices, see I&E file series.</p> |
|--|---|

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

- | | |
|--|---|
| <p>1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.</p> <p>2. Periodic environmental monitoring, effluent testing, or similar reports.</p> <p>3. Periodic personnel exposure reports.</p> | <p>4. Periodic nonconformance reports (issued pursuant to Board orders).</p> <p>5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.</p> <p>6. Correspondence or other documents relating to the items listed.</p> |
|--|---|

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

- | | |
|--|---|
| <p>1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).</p> <p>2. Potential or possible reportable Deficiency Reports and related correspondence.</p> <p>3. Individual Personnel Exposure Reports.</p> | <p>4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).</p> <p>5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).</p> <p>6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.</p> <p>7. Part 21 Reports or Defects and Noncompliance.</p> <p>8. Correspondence or other documents relating to items 1-7.</p> |
|--|---|

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.
4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. Order granting authority to dismantle/decommission. 2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental | <p style="margin-left: 20px;">Report on Dismantling, Safety Analysis Report on Decommissioning.</p> <ol style="list-style-type: none"> 3. Documents relating to disposal of radioactive material and decontamination of the site. 4. Other correspondence relating to decommissioning. 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P. |
|--|--|

X. ONSITE STORAGE OF LOW-LEVEL WASTE

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor. 2. All related correspondence and reports. | <p>NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.</p> |
|---|--|

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.) | <ol style="list-style-type: none"> 2. All related correspondence and reports to the above. <p>NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.</p> |
|--|--|

1000

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

ings related to both facility license applications and safety-related matters.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM – NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION – NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
 2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
 3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
 4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.
- NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.
-

CONTRACT – NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.
 2. Contractual documents and modifications to contracts.
-

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).
 2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
 3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.
-

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
 2. Correspondence with industry and within NRC discussing methodologies, analyses, the program and technical aspects of issues.
 3. Meeting notifications and minutes.
 4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.
-

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

- | | |
|---|--|
| 4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations. | Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance. |
| 5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest. | 7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties. |
| 6. Preliminary Notifications of Safeguards Events or | NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file. |
-

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

- | | |
|---|---|
| Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series. | 6. Management and program analysis reports. |
| 1. Results of licensing studies of specific plants or facilities preliminary to licensing actions. | 7. Statistical analyses that are of interest to the staff, the industry, and the public. |
| 2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry. | 8. Administrative reports that are of interest to the staff, the industry, and the public. |
| 3. Action and review plans, as well as guidance, for meeting NRC requirements. | 9. Correspondence from industry, government, and the public commenting on reports. |
| 4. Task force reports on specific topics. | 10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports. |
| 5. Proceeding of conferences and workshops. | NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D. |

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG — Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR — Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.
5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).
3. Applicant Quality Assurance Manual.
4. Early site review information.
5. Backup technical documents submitted in support of the application.
6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.
2. Amendments and change to the PSAR.
3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

PT 21-10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999 - Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Typical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD – Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES – Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.

2. *Formal technical reports*, which may be periodic progress reports on long-term projects or final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.

3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.

3. Research plans and predicted results of major experiments and presentations by research contractors.
 4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
 5. Internal memoranda relating to topics under discussion.
 6. Correspondence related to items 1 through 5.
-

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.

3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
 4. Hearing Board orders and rulings.
 5. Technical reports submitted as evidence in the proceedings.
 6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP — Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH — AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM — Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.

- b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

- | | |
|---|---|
| 3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard. | 5. Correspondence from citizens and other non-government organizations for the above items. |
| 4. NRC topical report reviews and associated correspondence. | NOTE: For contractor research on waste management activities, see the WMRES category. |
-

WMRES – Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level disposal in geologic repositories, including:

- | | |
|--|--|
| 1. Periodic contractor progress reports. | 3. Draft and final reports submitted for NRC review or information. |
| 2. Trip reports. | 4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved. |
-

XPORTLIC – Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

- | | |
|--|---|
| 1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials. | 5. Correspondence to and from foreign governments, international organizations, and members of the public. |
| 2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment. | 6. Hearing records and decisions. |
| 3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views. | 7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license. |
| 4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States. | 8. Licenses, license amendments, and license renewals for types specified in item 1. |
- NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC. Add Vol.,
Supp., Rev., and Addendum Num-
bers, if any.)

NUREG-0540
Vol. 17, No. 9

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available
September 1-30, 1995

3. DATE REPORT PUBLISHED

MONTH	YEAR
November	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)

Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE



Federal Recycling Program

UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

120555150926 1 IANIA51CV
US NRC-OADM
DIV FOIA & PUBLICATIONS SVCS
FOREMAN
DUPLICATING & COPYING SECTION
IWFN-P1-37
WASHINGTON DC 20555

SPECIAL FOURTH-CLASS MAIL
POSTAGE AND FEES PAID
USNRC
PERMIT NO. G-67