

Duke Power Company  
Electric System Support  
13319 Hagers Ferry Road  
Huntersville, NC 28078-7929



**DUKE POWER**

November 30, 1995

Mr. Timothy M. Eleazer  
Industrial and Agricultural Wastewater Division  
South Carolina Department of Health  
and Environmental Control  
2600 Bull Street  
Columbia, SC 29201

Subject: Catawba Nuclear Station -NPDES Permit No. SC0004278  
Request for Maintenance Chemical Approval  
File: CN-702.13

Dear Mr. Eleazer:


Catawba Nuclear Station requests approval to begin using a polyacrylate dispersant for siltation control. This product will be used in the plants Nuclear Service Water (RN) and Low Pressure Service Water (RL) system and discharged at non-toxic concentrations to Lake Wylie from outfall 001.

A polyacrylate dispersant is presently being used in the cooling towers at Catawba and is being discharged via the blowdown line (outfall 005) to outfall 001. The concentrations to be discharged from outfall 001 from the combined cooling tower blowdown line, RN, and RL systems is estimated to be less than 10 ppm for a worst case scenario.

The information provided in a MSDS sheet for a typical polyacrylate dispersant shows the aquatic toxicity for the product to have a No Observed Effect Concentration (NOEC) of 1000 ppm for *Daphnia magna*. Attached please find the MSDS sheet for Nalco 23382 which is a typical polyacrylate dispersant. The attached MSDS for the Nalco product is typical of the polyacrylate dispersants which will be used. However, other suppliers or manufacturers for polyacrylate dispersant will also be used.

Should you have any questions concerning this letter please give John Estridge a call at (704) 875-5965.

Sincerely,

  
John S. Carter, Technical Systems Manager  
Environmental Division, Water Protection

jte/485

cc: NRC Document Distribution List

Printed on recycled paper

9512050251 951130  
PDR ADOCK 05000413  
P PDR

JE23

bc: M.A. Lascara - MF03A5  
C.T. Peed - CN01EM  
A.P. Jackson - CN03CH  
J.T. Harris - CN01EM  
W.J. Davis - CN01CH  
S.D. Davenport - EC07D



OCT 11 1995

# MATERIAL SAFETY DATA SHEET

PRODUCT

21263<sub>v</sub>

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: NALCO 23382

DESCRIPTION: An aqueous solution of a polyacrylate and a polymeric dispersant with a tracer

NFPA 704M/HMIS RATING 1/1 HEALTH 1/1 FLAMMABILITY 0/0 REACTIVITY 0 OTHER  
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

## SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation of the ingredient(s) under OSHA's Hazard Communication Rule, 29 CFR 1910.1200 has found none of the ingredient(s) hazardous.

## SECTION 3 PRECAUTIONARY LABEL INFORMATION

CAUTION: May cause irritation to skin and eyes. Avoid contact with skin, eyes and clothing. Do not take internally.

Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

## SECTION 4 FIRST AID INFORMATION

EYES: Flush with water for 15 minutes. Call a physician.  
SKIN: Flush with water for 15 minutes. If irritation persists, call a physician.  
INGESTION: Do not induce vomiting. Give water. Call a physician.  
INHALATION: Remove to fresh air. Treat symptoms. Call a physician.

NOTE TO PHYSICIAN: Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.


CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

## SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin

EYE CONTACT: May cause irritation with prolonged contact.  
SKIN CONTACT: May cause irritation with prolonged contact.

SYMPTOMS OF EXPOSURE: A review of available data does not identify any symptoms from exposure not previously mentioned.





# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 5 HEALTH EFFECTS INFORMATION

( CONTINUED )

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions.

## SECTION 6 TOXICOLOGY INFORMATION

TOXICITY STUDIES: No toxicity studies have been conducted on this product.

## SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Dark brown/red	FORM: Liquid	
DENSITY: 9.1-9.6 lbs/gal.		
SPECIFIC GRAVITY: 1.09-1.15 @ 77 Degrees F		ASIM D-1298
pH (NEAT) = 10.7-11.5		ASIM E-70
VISCOSITY: 4 cps @ 74 Degrees F		ASIM D-2983
FREEZE POINT: 26 Degrees F		ASIM D-1177
FLASH POINT: Greater than 200 Degrees F (PMOC)		ASIM D-93

NOTE: These physical properties are typical values for this product.

## SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: Greater than 200 Degrees F (PMOC) ASIM D-93

EXTINGUISHING MEDIA: This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable. Use water to cool containers exposed to fire.

UNUSUAL FIRE AND EXPLOSION HAZARD: May evolve NO<sub>x</sub> under fire conditions.

## SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: Avoid contact with strong oxidizers (eg. chlorine, peroxides, chromates, nitric acid, perchlorates, concentrated oxygen, permanganates) which can generate heat, fires, explosions and the release of toxic fumes.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO<sub>2</sub>, NO<sub>x</sub> may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

## SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection is not normally needed since the volatility and toxicity are low. If significant mists are generated, use either a chemical cartridge respirator with a dust/mist prefilter or supplied air.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 10 PERSONAL PROTECTION EQUIPMENT

( CONTINUED )

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure-demand, self-contained breathing apparatus is recommended.

**VENTILATION:** General ventilation is recommended.

**PROTECTIVE EQUIPMENT:** Use impermeable gloves and chemical splash goggles when attaching feeding equipment, doing maintenance or handling product. Examples of impermeable gloves available on the market are neoprene, nitrile, PVC, natural rubber, viton and butyl (compatibility studies have not been performed).

The availability of an eye wash fountain and safety shower is recommended.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

## SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (800) I-M-ALERT or (800) 462-5378.

### SPILL CONTROL AND RECOVERY:

**Small liquid spills:** Contain with absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal. Refer to CERCLA in Section 14.

**Large liquid spills:** Dike to prevent further movement and reclaim into recovery or salvage drums or tank truck for disposal. Refer to CERCLA in Section 14.

For large indoor spills, evacuate employees and ventilate area. Those responsible for control and recovery should wear the protective equipment specified in Section 10.

**DISPOSAL:** If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

As a non-hazardous liquid waste, it should be solidified with stabilizing agents (such as sand, fly ash, or cement) so that no free liquid remains before disposal to an industrial waste landfill. A non-hazardous liquid waste can also be incinerated in accordance with local, state and federal





# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 11 SPILL AND DISPOSAL INFORMATION

( CONTINUED )

regulations.

## SECTION 12 ENVIRONMENTAL INFORMATION

### AQUATIC DATA:

Results below are based on a similar product.

96 hour static acute LC50 to Bluegill Sunfish = Greater than 1,000 ppm

96 hour no observed effect concentration is 1,000 ppm based on no mortality or abnormal effects.

TOXICITY RATING: Essentially non-toxic

96 hour static acute LC50 to Rainbow Trout = Greater than 1,000 ppm

96 hour no observed effect concentration is 1,000 based on no mortality or abnormal effects.

TOXICITY RATING: Essentially non-toxic

48 hour static acute LC50 to Daphnia magna = Greater than 1,000 ppm

48 hour no observed effect concentration is 1,000 based on no mortality or abnormal effects.

TOXICITY RATING: Essentially non-toxic

If released into the environment, see CERCLA in Section 14.

## SECTION 13 TRANSPORTATION INFORMATION

PROPER SHIPPING NAME/HAZARD CLASS MAY VARY BY PACKAGING, PROPERTIES, AND MODE OF TRANSPORTATION. TYPICAL PROPER SHIPPING NAMES FOR THIS PRODUCT ARE:

ALL TRANSPORTATION MODES : PRODUCT IS NOT REGULATED  
DURING TRANSPORTATION

## SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 14 REGULATORY INFORMATION

( CONTINUED )

### FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, none of the ingredients in this product are hazardous.

CERCLA/SUPERFUND, 40 CFR 117, 302:

Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986  
(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):  
Our hazard evaluation has found that this product is not hazardous under 29 CFR 1910.1200.

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain ingredients on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:  
Consult Section 11 for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15/ formerly Sec. 307, 40 CFR 116/formerly Sec. 311:  
None of the ingredients are specifically listed.

CLEAN AIR ACT, Sec. 111 (40 CFR 60), Sec. 112 (40 CFR 61, 1990 Amendments),  
Sec. 611 (40 CFR 82, CLASS I and II Ozone depleting substances):  
This product does not contain ingredients covered by the Clean Air Act.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 14 REGULATORY INFORMATION

( CONTINUED )

### STATE REGULATIONS:

#### CALIFORNIA PROPOSITION 65:

This product does not contain any chemicals which require warning under California Proposition 65.

#### MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

#### STATE RIGHT TO KNOW LAWS:

This product does not contain ingredients listed by State Right To Know Laws.

### INTERNATIONAL REGULATIONS:

This is not a WHMIS controlled product under The House of Commons of Canada Bill C-70.

## SECTION 15 ADDITIONAL INFORMATION

Nalco internal number F100991

## SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

## SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Adair, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.





# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 23382

Emergency Telephone Number

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT

## SECTION 17 BIBLIOGRAPHY

( CONTINUED )

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PREPARED BY: Ricky A. Stackhouse, PhD., Toxicologist

DATE CHANGED: 02/28/95

DATE PRINTED: 09/06/95



# MATERIAL SAFETY DATA SHEET

PRODUCT

*Emergency Telephone Number*

Medical (800) 462-5378 (24 hours)

(800) I-M-ALERT