November 30, 1995

Mr. R. Phares Director, Licensing Clinton Power Station P.O. Box 678 Clinton, IL 61727

Dear Mr. Phares:

This is in response to your letter of October 27, 1995, discussing Illinois Power's review of our Plant Performance Review and related inspection plan. In that letter, you also described your plans for conducting a safety system functional self-assessment of the Automatic Depressurization System (ADS) and requested credit for this effort in place of an NRC team inspection. We appreciate your initiative to conduct a self-assessment of the ADS and we will review the results of this effort as part of our overall effort to evaluate the performance of Clinton station. However, at this time there are no NRC planned team inspections for which the ADS self-assessment would be an appropriate replacement. Nonetheless, we believe this self-assessment to be a worthwhile effort on your part and encourage you to continue your initiative.

In the October 27, 1995 letter, you also noted your intention to perform an Engineering and Technical Support (E&TS) self-assessment and requested that it be used in lieu of the NRC's E&TS inspection planned for May 27, 1996. Again, we note your initiative in this area. However, Region III has not yet decided to expand the policy of allowing licensees to conduct self-assessments in lieu of NRC inspections into the E&TS area. The results of a recent pilot inspection in this regard will be reviewed to determine the appropriateness of extending the policy to E&TS inspection has been expanded to focus on Materiel Condition as well as Engineering in order to better ensure we have an accurate picture of performance in these areas at Clinton. For these reasons, we decline the request to have your E&TS self-assessment used in lieu of our inspection. Again, however, we encourage you to continue your initiative as it supports your overall plan for the Clinton station.

9512050253 951130 PDR ADOCK 05000461 P PDR R. Phares

2

These views were previously discussed by Mark Ring and Brent Clayton from Region III with Joe Miller, Clinton Engineering Manager. Please contact Mark at (708) 829-9703 or Brent at (708) 829-9602 if you have any questions on these subjects.

Sincerely,

/s/ G. E. Grant

Geoffrey E. Grant, Director Division of Reactor Safety

## Docket No. 50-461

cc: J. Cook, Vice President R. Morgenstern, Plant Manager, Clinton Power Station Nathan Schloss, Sconomist, Office of the Attorney General K. K. Berry, Licensing Services Manager, General Electric Company Chairman, DeWitt County Board State Liaison Officer Chairman, Illinois Commerce Commission

020051

Distribution:

Docket File	DRS	LPM, NRR
PUBLIC IE-01	RIII PRR	H. A. Walker, RIII
OC/LFDCB	SRIs, Clinton, Dresden,	
DRP	LaSalle, Quad Cities	

## SEE ATTACHED CONCURRENCES

DOCUMENT NAME: G:CLINTON.LTR To receive a copy of this document, indicate in the box "C" = Copy w/o attach/encl "E" = Copy w/attach/encl "N" = No copy

OFFICE	RIII:DRS	RIII:DRP	RIII:DRS	
NAME	Ring/kjc/lc	Clayton	Grant	
DATE	11/ /95	11/ /95	11/29/95	

2

R. Phares

These views were previously discussed by Mark Ring and Brent Clayton from Region III with Joe Miller, Clinton Engineering Manager. Please contact Mark at (708) 829-9703 or Brent at (708) 829-9602 if you have any questions on these subjects.

Sincerely,

Geoffrey E. Grant, Director Division of Reactor Safety

## Docket No. 50-461

cc: J. Cook, Vice President R. Morgenstern, Plant Manager, Clinton Power Station Nathan Schloss, Economist, Office of the Attorney General K. K. Berry, Licensing Services Manager, General Electric Company Chairman, DeWitt County Board State Liaison Officer Chairman, Illinois Commerce Commission

Distribution:<br/>Docket FileDRSLPM, NRR<br/>H. A. Walker, RIIIPUBLIC IE-01RIII PRRH. A. Walker, RIIIOC/LFDCBSRIs, Clinton, Dresden,<br/>LaSalle, Quad CitiesLaSalle, Quad Cities

DOCUMENT NAME: G:CLINTON.LTR

To receive a copy of this document, indicate in the box "C" = Copy w/o attach/encl "E" = Copy w/attach/encl "N" = No copy

OFFICE	RIII:DRS	EI	RIII:DR	P	C	RIII:	DRS		
NAME	Ring/kjc/lc/	mari	Clayton	fe		Grant			
DATE	11/25/95		11/29/9	5		11/	/95		
Provide and the provide state of the second state		the latence is a second second by the other	Constant of the local division of the			ALCONT IN COLUMN S	and a second	and and research resident and	

OFFICIAL RECORD COPY