1	UNITED STATES OF AMERICA
2	NUCLEAR REGULATORY COMMISSION
3	BEFORE THE ATOMIC SAFETY & LICENSING BOARD
•	'84 AGD 20 P5:11
5	
6	In the matter of: :
	TEXAS UTILITIES ELECTRIC :
7	COMPANY, et al. (Company, et al. COMPANY, et al. COMPA
8	(Comanche Peak Steam Electric :
9	Station, Units 1 and 2) :
10	
11	Room 46
**	Glen Rose Motor Inn Glen Rose, Texas
12	철학 것은 것은 것은 것 같아요. 것은 것은 것을 것을 가지 않는 것을 것을 것을 것을 수 있는 것을 수 있는 것을 수 있는 것을 하는 것을 수 있다. 것을 가지 않는 것을 가지 않는 것을 수 있는 것을 하는 것을 수 있는 것을 하는 것을 수 있다. 가지 않는 것을 수 있는 것을 것을 수 있는 것을 것을 것을 것을 것을 것을 것을 것을 것을 것 같이 없다. 것을 것 같이 것 같이 않는 것을 것 같이 않는 것을 것 같이 않는 것을 것 같이 않는 것 같이 않는 것 같이 않는 것 같이 없다. 것 같이 않는 것 같이 없다. 것 같이 않는 것 같이 않는 것 같이 없는 것 같이 않는 것 같이 없다. 것 같이 않는 것 같이 않는 것 같이 없는 것 같이 없다. 것 같이 않는 것 같이 없다. 것 같이 않는 것 같이 않는 것 않는 것 같이 없다. 것 같이 않는 것 같이 않는 것 같이 않는 것 같이 않는 것 않는 것 않는 것 않는 것 않는 것 같이 않는 것 않는
13	August 1, 1984
14	Deposition of: HOUSTON FLOYD GUNN
15	called for examination by counsel for Applicants,
16	taken before Margaret Schneider, Court Reporter,
17	beginning at 10:47 a.m., pursuant to agreement.
18	
19	
20	
21	
22	
23	
24	
25	8408220405 840820 PDR ADOCK 05000445 T PDR

TW

Δ	P	D	1	Δ	D	A	M	C	17	C	
- 63		*	-	-	20	n	14	10	5.4	2	٠

TW-1

For the Applicants, Texas Utilities Electric Company, et al: MCNEILL WATKINS, ESQUIRE Bishop, Liberman, Cook, Purcell & Reynolds 1200 Seventeenth Street, Northwest Washington, D. C. 20036 For the Deponent, Houston Floyd Gunn, Personally: R. JEFFREY COPPOCK, ESQUIRE Vinson & Elkins First City Tower Houston, Texas 77002 * *

75,002

1		INDE	<u>K</u>		
2	WITNESS:	DIRECT	CROSS	REDIRECT	RECROSS
3	Houston Floyd Gunn	75,004			
4					
5					
6					1.5 . 24
7					
8					
9					53641
10					1.25
11					28.4
12					
13		•			
14					
15					
16					
17					
18					
19					
20					
21 22					
22					
23					
24					
25					
					1.7494

w-

75,003 PROCEEDINGS 1 10:47 a.m. 2 MR. WATKINS: Good morning. 3 My name is McNeill Watkins, counsel for the 4 Applicants in this proceeding. 5 This is the deposition of Houston Gunn. 6 Applicants will take Mr. Gunn's deposition as part of an 7 offer of proof that they will make to the Board in this 8 9 proceeding. Because this deposition involves an offer 10 of proof, his examination will consist solely of questions 11 12 asked by the Applicant. Mr. Coppock, would you like to identify 13 yourself? 14 15 MR. COPPOCK: Yes. 16 My name is Jeff Coppock. I'm with the law 17 firm of Vinson & Elkins in Houston. I'm here today 18 representing Mr. Houston Gunn, who is a Brown & Root employee. 19 For purposes of the record, I'd like to note that Mr. Gunn is appearing here voluntarily and is 20 21 not under subpoena. 22 Whereupon, 23 HOUSTON FLOYD GUNN 24 the deponent, having first been duly sworn, was examined 25 and testified upon his oath as follows:

1	DIRECT EXAMINATION				
2	BY MR. WATKINS:				
3	Q.	Mr. Gunn, would you state your full name,			
4	please?				
5	Α.	Houston Floyd Gunn.			
6	Q.	By whom are you employed?			
7	Α.	Brown & Root.			
8	٥.	Where are you employed?			
9	А.	Comanche Peak Steam Electric.			
10	Q.	Are you a certified QC inspector?			
11	Α.	Yes.			
12	۵.	Are you a protective coating inspector?			
13	Α.	Yes.			
14	۵.	Where do you work as a protective coating			
15	inspector?				
16	Α.	I work at the paint fab shop.			
17	Q.	How long have you been assigned as a QC			
18	inspector in the paint fab shop?				
19	Α.	Seven years in October.			
20	Q.	Do you remember Robert Hamilton at the time			
21	that he was em	ployed at Comanche Peak?			
22	Α.	Yes.			
23	Q.	Do you remember Joe Krolak at the time he			
24	was employed a	t Comanche Peak?			
25	Α.	Yes.			

Q. Do you remember Sherman Shelton at the time 1 that he was employed at Comanche Peak? 2 Yes. 3 A . Do you recall the day on which those three Q. 4 gentlemen were terminated? 5 Yes, sir. 6 A . What is your understanding of the reason 7 Q. for which they were terminated? 8 9 A. For refusing to make an inspection. Do you know where the location of the inspec-10 Q. tion was that they refused to perform? 11 A. It was Reactor Building 2, a rotating 12 platform rail. 13 Mr. Gunn, on that day did any of your super-14 Q. visors direct you to perform an inspection in Reactor 15 Building 2 at or around the rotating access platform rail? 16 17 A. No, sir. 18 Q. How can you be so sure? Well, the main reason is I have a phobia 19 Α. of heights, and I found out when I first came to work there 20 that I couldn't work at extreme height. I went to manage-21 22 ment and told them what the condition was and offered to 23 resign. 24 Q. How did you discover that you had this fear 25 of heights?

I went up in a spider basket in Reactor A. 1 2 Building 2 and --When you were first on the job? 3 Q. About the first -- About the second month A . 4 I worked there, yes. 5 And the spider basket malfunctioned. It 6 dropped, and I was tied off to a safety line with my safety 7 belt. When it did, well, it kind of hung me up in the 8 basket and everything. Then they had to take somebody 9 up on the platform that they had the basket extended from 10 and pull the cable back up manually to get me loose, to 11 get me back down, and --12 Did you have to be helped down? 13 0. Well, I was -- I was in an extremely nervous 14 Α. state, and it was, you know, kind of weak in the knees, 15 so to say, you know, frightened or whatever, but --16 17 Q. Mr. Gunn, did your superiors accept your offer to resign at that time? 18 19 No, sir. The main reason actually I was A . . 20 hired anyway was to write our QCs, QCIs and our procedures, 21 and I was certified as an inspector, also. But they told 22 me that we only had three inspectors on the job. Didn't 23 have anybody else certified and couldn't find anybody at 24 the time. 25 They told me that as long as the fab shop

was up there they had to have a full-time employee there, 1 2 and they told me that, you know, that I could have that 3 job, that I didn't have to work in the reactor building 4 or climb any heights. 5 0. After you were initially assigned to the 6 paint fab shop, Mr. Gunn, did you perform any field 7 inspections? 8 No, sir. I did one Saturday work in A . 9 Reactor Building 1, 905 elevation, but it was on the floor. 10 I did not climb or get off the floor at any time. 11 And is that the only field inspection that Q. 12 you have performed during your period in the paint fab 13 shop? 14 After the first two months, yes, sir. A . 15 On the day that Mr. Hamilton, Mr. Shelton, Q. 16 and Mr. Krolak were terminated, how many QC coating 17 inspectors were there at Comanche Peak? 18 Ongoing or backfit? Α. 19 0. Ongoing inspectors. 20 There were six. A . 21 How many of those six ongoing paint Q. 22 inspectors worked on the day shift at that time? 23 There were four on days and two on nights. A . 24 Who were the four that worked days? Q. 25 Joe Krolak, Bob Hamilton, Sherman Shelton, Α.

and Houston Gunn. 1 Q. So you were the only other inspector on 2 the day shift at that time? 3 Yes, sir. Α. 4 Who were the two night shift 2C inspectors? Q. 5 Joe Fazi and Bill Dunham. Α. 6 MR. WATKINS: Mr. Coppock, do you have any 7 questions? 8 MR. COPPOCK: No, I do not. 9 MR. WATKINS: That concludes Mr. Gunn's 10 11 testimony. Thank you, Mr. Gunn. 12 (Where pon, at 10:53 a.m., the deposition 13 was concluded.) 14 * * * 15 16 17 18 19 20 21 22 23 24 25

Tw-

CERTIFICATE OF PROCEEDINGS

	This is to certify that the attached proceedings before the
2	NRC COMMISSION
3	In the matter of: TEXAS UTILITIES ELECTRIC COMPANY, et al
4	(Deponent: Houston Floyd Gunn) Date of Proceeding: August 1, 1984
5	Place of Proceeding: Glen Rose, Texas
6	철 것이 같은 것이 가 잘 못 못 한 것 같아. 김 가 같은 것이 나는 것이 많이 가 있는 것 같아. 것이 같아. 것이 같아.
7	were held as herein appears, and that this is the original
8	transcript for the file of the Commission.
9	Margaret K. Schneider
10	Official Reporter - Typed
11	
12	Margarett Schuerder
13	Offical Reporter - Signature
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
1923	TAVIAE ACCORTATES

TAYLOE ASSOCIATES REGISTERED PROFESSIONAL REPORTERS NORFOLK, VIRGINIA