



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV

611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

Omaha Public Power District
ATTN: T. L. Patterson, Division Manager
Nuclear Operations
Fort Calhoun Station FC-2-4 Adm.
P.O. Box 399, Hwy. 75 - North of Fort Calhoun
Fort Calhoun, Nebraska 68023-0399

SUBJECT: NRC INSPECTION REPORT 50-285/95-11

Thank you for your letter of November 27, 1995, in response to our Notice of Violation, dated October 19, 1995. We have reviewed your reply and find it responsive to the concerns raised in our Notice of Violation. We will review the implementation of your corrective actions for Part I of your response during a future inspection to determine that full compliance has been achieved and will be maintained.

With respect to Part II of your response to the Notice of Violation, we acknowledge that Engineering Procedures PED-GEI-60, "Substitute Replacement Item Evaluations," did not require a 10 CFR 50.59 safety evaluation for the installation and testing portions of the seven modifications cited in the Notice of Violation. We agree with your conclusion that our perception that a procedural violation occurred resulted from unclear procedural statements that are currently under revision. Accordingly, this portion of the violation is withdrawn.

We will review the administrative processes you use to accomplish such evaluations during a future inspection to ensure that changes made to the facility using the substitute replacement process are acceptable in accordance with 10 CFR 50.59.

Sincerely,

Samuel J. Collins
Deputy Regional Administrator

Docket: 50-285
License: DPR-40

cc:
Winston & Strawn
ATTN: Mr. James R. Curtiss
1400 L. Street, N.W.
Washington, D.C. 20005-3502

9512180298 951214
PDR ADOCK 05000285
Q PDR

Washington County Board
of Supervisors

ATTN: Jack Jensen, Chairman
Blair, Nebraska 68008

Nebraska Department of Health
ATTN: Cheryl Rogers, LLRW Program Manager
Environmental Protection Section
301 Centennial Mall, South
P.O. Box 95007
Lincoln, Nebraska 68509-5007

Nebraska Department of Health
ATTN: Dr. Mark B. Horton, M.S.P.H.
Director
P.O. Box 950070
Lincoln, Nebraska 68509-5007

Fort Calhoun Station
ATTN: James W. Chase, Manager
P.O. Box 399
Fort Calhoun, Nebraska 68023

E-Mail report to D. Nelson (DJN)
E-Mail report to NRR Event Tracking System (IPAS)

bcc to DMB (IE01)
bcc distrib. by RIV:

L. J. Callan	Resident Inspector
MIS System	
Branch Chief (DRP/A)	Project Engineer (DRP/A)
RIV File	Branch Chief (DRP/TSS)
Senior Resident Inspector - Cooper	Leah Tremper (OC/LFDCB, MS: TWFN 9E10)
DRS AI 95-109	

DOCUMENT NAME: R:\FC\fc511ak.tfs

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

RIV:SRI:EB	<input checked="" type="checkbox"/>	C:EB	<input type="checkbox"/>	E	<input type="checkbox"/>	D:DRS	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>	PBA:DRP	<input checked="" type="checkbox"/>	N	<input type="checkbox"/>	DRA	<input checked="" type="checkbox"/>
TFStetka/1E	<input checked="" type="checkbox"/>	CVanDenburg	<input checked="" type="checkbox"/>	TPGwynn	<input checked="" type="checkbox"/>	JLPellet	<input checked="" type="checkbox"/>	SJCollins	<input checked="" type="checkbox"/>						
12/ /95		12/12/95		12/13/95		12/13/95		12/14/95							

OFFICIAL RECORD COPY

E-Mail report to D. Nelson (DJN)
E-Mail report to NRR Event Tracking System (IPAS)

bcc to DMB (IE01) ~~NO~~
bcc distrib. by RIV:

L. J. Callan	Resident Inspector
MIS System	
Branch Chief (DRP/A)	Project Engineer (DRP/A)
RIV File	Branch Chief (DRP/TSS)
Senior Resident Inspector - Cooper	Leah Tremper (OC/LFDCB, MS: TWFN 9E10)
DRS AI 95-109	

DOCUMENT NAME: R:\FC\fc511ak.tfs

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

RIV:SRI:EB	E	C:EB	E	D:DRS	N	PBA:DRP	N	DRS	
TFStetka/1b	<i>Callan</i>	CVanDenburgh	<i>Callan</i>	TPGwynn	<i>Callan</i>	JLPellet	<i>Callan</i>	SJCollins	<i>Callan</i>
12/ /95		12/12/95		12/13/95		12/13/95		12/14/95	

OFFICIAL RECORD COPY

180123