

SOUTH CAROLINA ELECTRIC & GAS COMPANY

POST OFFICE 764

COLUMBIA, SOUTH CAROLINA 29218

August 24, 1984

O. W. DIXON, JR.
VICE PRESIDENT
NUCLEAR OPERATIONS

Mr. Harold R. Denton, Director
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Subject: Virgil C. Summer Nuclear Station
Docket No. 50/395
Operating License No. NPF-12
Technical Specification Change
to Table 2.2-1

Dear Mr. Denton:

The Virgil C. Summer Nuclear Station is designed for full load rejection (runback to house load) without a turbine trip or reactor trip. Data taken during partial load rejection tests conducted during our Phase III startup test program revealed that the plant did not have the capability to handle a full load rejection without tripping using the protection and control system setpoints specified by Technical Specifications and Westinghouse.

Following an indepth analysis of this problem by Westinghouse, they have recommended changes to the overtemperature delta-T and steam generator low level trip setpoints and to the steam dump control system setpoints. These setpoint changes are a result of control and protection system evaluations. The safety analysis design basis will continue to be met.

South Carolina Electric and Gas Company (SCE&G) requests that Tables 2.2-1 and 3.3-4 of Technical Specifications be revised as shown on the attached sheets. The revisions to Table 2.2-1 which were requested in correspondence to you dated July 22, 1983 were assumed in the analysis.

SCE&G has determined that a finding of no significant hazards is appropriate, because these setpoint changes remain bounded by the existing safety analyses for the Virgil C. Summer Nuclear Station.

This amendment has been reviewed and approved by both the Plant Safety Review Committee and the Nuclear Safety Review Committee. The statements and matters set forth herein are true and correct to the best of my knowledge, information and belief. As required by Title 10 of the Code of Federal Regulations, Part 170 (10CFR170), a check in the amount of one hundred fifty dollars

8408280104 840824
PDR ADOCK 05000395
P PDR

Rec'd w/ check \$150.00


Acc'd
111

Mr. Harold R. Denton
Technical Specification Change
Table 2.2-1
August 24, 1984
Page #2

(\$150.00) is enclosed to initiate the processing of this request.

If you have any questions, please advise.

Very truly yours,



O. W. Dixon, Jr.

SMC/CWD/gj

| | |
|-------------------------------------|--------------------|
| cc: V. C. Summer | C. A. Price |
| T. C. Nichols, Jr./O. W. Dixon, Jr. | C. L. Ligon (NSRC) |
| E. H. Crews, Jr. | K. E. Nodland |
| E. C. Roberts | R. A. Stough |
| W. A. Williams, Jr. | G. Percival |
| D. A. Nauman | C. W. Hehl |
| J. P. O'Reilly | J. B. Knotts, Jr. |
| Group Managers | H. G. Shealy |
| O. S. Bradham | NPCF |
| | File |