December 20, 1995

Mr. Lee Liu Chairman of the Board and Chief Executive Officer IES Utilities, Incorporated IE Towers P.O. Box 351 Cedar Rapids, IA 52406

Dear Mr. Liu:

Thank you for your 10 CFR 50.54(a) submittal dated November 14, 1995, which incorporates changes in your Quality Assurance Program description (QAPD). We have reviewed the changes, including the reductions in your audit program, associated with this submittal. In addition, we have reviewed the change in Chapter 3.2 of your Updated Safety Analysis Report regarding the QA Program Scope, and the changes in the QAPD describing your regulatory guide commitments. Based on our review, we conclude that these revisions continue to meet the requirements of 10 CFR Part 50, Appendix B, and are acceptable.

We explicitly that the shift in the inspection program responsibilities, from the Qualit surance to the Maintenance Organization, will be implemented gradualiy as discussed in Attachment 2 to your letter. If there are changes to QA commitments existing in docketed correspondence outside of the Quality Assurance Program description, you are obligated to notify this office.

We appreciate your timely submittal of information required by 10 CFR 50.54(a). Please contact me at (708) 829-9751 with any questions you may have regarding this matter.

Sincerely,

/s/ R. N. Gardner

9512280034 951220 PDR ADDCK 05000331 PDR

R. N. Gardner, Chief Engineering Branch 2

Docket No. 50-331

Distribution: See attached list

DOCUMENT NAME: G:DUA5054.LTR To receive a copy of this document, indicate in the box "C" = Copy w/o attach/end "F" = Copy w/attach/end "N" = No copy

OFFICE	RIII:DRS C	RIII:DRP N	RIII:DRS C	T
	Maura/kjc 5m	LanksburyOL	Gardner RNA	
DATE	12/19/95	12/20/95	12/20/95	

OFFICIAL RECORD COPY

Distribution: Letter to L. Liu, Dated: December 20, 1995

cc: G. Van Middlesworth, Plant Manager P. Bessette, Acting Manager, Nuclear Licensing Chairperson, Iowa Utilities Board

Docket File	RIII PRR
PUBLIC IE 21 10	SRI, DAEC
OC/LFDCB	LPM, NRR
DRP	TOMB, NRR
DRS	

.