

12/28/95

70-700/

DR. CARL PAPERIELLO, DIRECTOR
OFFICE OF NUCLEAR MATERIAL
SAFETY & SAFEGUARDS
ATTN: DOCUMENT CONTROL DESK
U.S. N.R.C.
WASHINGTON, D.C. 20555-0001

DEAR SIR:

I AM WRITING TO EXPRESS MY OPPOSITION TO CERTIFICATION OF THE PADUCAH GASEOUS DIFFUSION PLANT. MY COMMENT IS BASED ON THE THREAT TO OFFSITE RESIDENTS & THE LOCAL ECOLOGY & THE FAILURE OF THE APPLICATION TO PROVIDE PROPER SAFEGUARDS TO PROTECT HUMAN HEALTH & THE ENVIRONMENT. THE APPLICATION DOES NOT GIVE PROPER CONSIDERATION TO THE FULL RANGE OF HAZARDS FROM A SIGNIFICANT SEISMIC EVENT OR FLOOD. LACK OF EVACUATION PLANS OR EFFECTIVE SIRENS TO ALERT OUR COMMUNITY COUPLED WITH PAST RECORDS OF RELEASES & EMERGENCIES AT THE PLANT ADD TO MY CONCERNS. I DO NOT SUPPORT CERTIFICATION AT THIS TIME.

THANK YOU FOR CONSIDERING MY COMMENTS.

Relite: LA

Add: NMSS/FCEB

030047

TRA-39

9601030078 951228
PDR ADOCK 07007001
C PDR

NF04.1/0

Ms. Lou Coots
Ms. Lou COOTS
330 N. 38TH ST.
PADUCAH, KY. 42001