



May 12, 1992

20AN059202

U. S. Nuclear Regulatory Commission  
Document Control Desk  
Mail Station PI-137  
Washington, DC 20555

Subject: Arkansas Nuclear One - Unit 2  
Docket No. 50-368  
License No. NPF-6  
Voluntary Steam Generator Tubes  
Plugged or Sleeved Report


Gentlemen:

Arkansas Nuclear One, Unit 2 (ANO-2) Technical Specification 4.4.5.5 a requires the number of tubes plugged or sleeved in each steam generator to be reported to the Commission. The inspections performed during the recent forced outage were not the Technical Specification required inservice inspections. However, Entergy Operations is reporting the number of tubes that were plugged or sleeved during the forced outage.

In 2E-24A (steam generator "A"), 29 tubes were plugged and 392 tubes were sleeved. In 2E-24B (steam generator "B"), 11 tubes were plugged and 56 tubes were sleeved. Tables 1 and 2 provide the location of the tubes that were plugged in the "A" and "B" steam generators, respectively. The location of the "A" and "B" steam generator tubes that were sleeved is provided in Tables 3 and 4, respectively.

Entergy Operations intends to provide the complete results of the steam generator tube inspections performed during the forced outage in a future report. Should you have any questions regarding this submittal, please contact me.

Very truly yours,

  
James J. Fisicaro  
Director, Licensing

JJF/EL/sjf

*Acc'd  
11*

U. S. NRC  
May 12, 1992  
Page 2

cc: Mr. Robert Martin  
U. S. Nuclear Regulatory Commission  
Region IV  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011-8064

NRC Senior Resident Inspector  
Arkansas Nuclear One - ANO-1 & 2  
Number 1, Nuclear Plant Road  
Russellville, AR 72601

Mr. Thomas W. Alexion  
NRR Project Manager, Region IV/ANO-1  
U. S. Nuclear Regulatory Commission  
NRR Mail Stop 13-H-3  
One White Flint North  
11555 Rockville Pike  
Rockville, Maryland 20852

Ms. Sheri Peterson  
NRR Project Manager, Region IV/ANO-2  
U. S. Nuclear Regulatory Commission  
NRR Mail Stop 13-H-3  
One White Flint North  
11555 Rockville Pike  
Rockville, Maryland 20852

TABLE 1  
"A" STEAM GENERATOR TUBES PLUGGED

ROW	COL	OUTAGE	INDICATION	PLUG TYPE	LOCATION
13	147	03/92 LKR	PLUGGED	WELD	TEH
13	147	03/92 LKR	PLUGGED	MECH	TEC
14	148	03/92 LKR	PLUGGED	MECH	TEH
14	148	03/92 LKR	PLUGGED	MECH	TEC
19	137	03/92 LKR	PLUGGED	MECH	TEH
19	137	03/92 LKR	PLUGGED	MECH	TEC
25	131	03/92 LKR	PLUGGED	MECH	TEH
25	131	03/92 LKR	PLUGGED	MECH	TEC
26	52	03/92 LKR	PLUGGED	MECH	TEH
26	52	03/92 LKR	PLUGGED	MECH	TEC
28	128	03/92 LKR	PLUGGED	MECH	TEH
28	128	03/92 LKR	PLUGGED	MECH	TEC
30	124	03/92 LKR	PLUGGED	MECH	TEH
30	124	03/92 LKR	PLUGGED	MECH	TEC
40	120	03/92 LKR	PLUGGED	MECH-STAB	TEH
40	120	03/92 LKR	PLUGGED	MECH-STAB	TEC
46	50	03/92 LKR	PLUGGED	MECH	TEH
46	50	03/92 LKR	PLUGGED	MECH	TEC
46	78	03/92 LKR	PLUGGED	MECH-STAB	TEH
46	78	03/92 LKR	PLUGGED	MECH-STAB	TEC
52	52	03/92 LKR	PLUGGED	MECH	TEH
52	52	03/92 LKR	PLUGGED	MECH	TEC
55	63	03/92 LKR	PLUGGED	WELD	TEH
55	63	03/92 LKR	PLUGGED	MECH	TEC
66	108	03/92 LKR	PLUGGED	MECH	TEH
66	108	03/92 LKR	PLUGGED	MECH	TEC
67	109	03/92 LKR	PLUGGED	MECH-STAB	TEH
67	109	03/92 LKR	PLUGGED	MECH-STAB	TEC
68	108	03/92 LKR	PLUGGED	MECH	TEH
68	108	03/92 LKR	PLUGGED	MECH	TEC
70	74	03/92 LKR	PLUGGED	MECH-STAB	TEH
70	74	03/92 LKR	PLUGGED	MECH-STAB	TEC
75	131	03/92 LKR	PLUGGED	MECH	TEH
75	131	03/92 LKR	PLUGGED	MECH	TEC
76	76	03/92 LKR	PLUGGED	MECH-STAB	TEH
76	76	03/92 LKR	PLUGGED	MECH-STAB	TEC
80	84	03/92 LKR	PLUGGED	MECH-STAB	TEH
80	84	03/92 LKR	PLUGGED	MECH-STAB	TEC
80	90	03/92 LKR	PLUGGED	MECH	TEH
80	90	03/92 LKR	PLUGGED	MECH	TEC
81	127	03/92 LKR	PLUGGED	MECH	TEH
81	127	03/92 LKR	PLUGGED	MECH	TEC
83	83	03/92 LKR	PLUGGED	MECH-STAB	TEH
83	83	03/92 LKR	PLUGGED	MECH-STAB	TEC
83	127	03/92 LKR	PLUGGED	MECH	TEH
83	127	03/92 LKR	PLUGGED	MECH	TEC
88	126	03/92 LKR	PLUGGED	MECH	TEH

TABLE 1  
 "A" STEAM GENERATOR TUBES PLUGGED

ROW	COL.	OUTAGE	INDICATION	PLUG TYPE	LOCATION
88	126	03/92 LKR	PLUGGED	MECH	TEC
92	46	03/92 LKR	PLUGGED	MECH	TEH
92	46	03/92 LKR	PLUGGED	MECH	TEC
103	105	03/92 LKR	PLUGGED	MECH-STAB	TEH
103	105	03/92 LKR	PLUGGED	MECH-STAB	TEC
107	37	03/92 LKR	PLUGGED	MECH	TEH
107	97	03/92 LKR	PLUGGED	MECH	TEC
109	77	03/92 LKR	PLUGGED	MECH	TEH
109	77	03/92 LKR	PLUGGED	MECH	TEC
120	72	03/92 LKR	PLUGGED	MECH	TEH
120	72	03/92 LKR	PLUGGED	MECH	TEC

LEGEND : TEH = TUBE END HOT  
 TEC = TUBE END COLD  
 LKR = LEAKER  
 MECH = MECHANICAL PLUG  
 MECH-STAB = MECHANICAL PLUG AND STABILIZER  
 WELD = WELDED TUBESHEET PLUG

TABLE 2  
 "B" STEAM GENERATOR TUBES PLUGGED

ROW	COL	OUTAGE	INDICATION	PLUG TYPE	LOCATION
15	31	03/92 LKR	PLUGGED	MECH	TEH
15	31	03/92 LKR	PLUGGED	MECH	TEC
19	55	03/92 LKR	PLUGGED	WELD	TEH
19	55	03/92 LKR	PLUGGED	MECH	TEC
36	130	03/92 LKR	PLUGGED	WELD	TEH
36	130	03/92 LKR	PLUGGED	MECH	TEC
60	100	03/92 LKR	PLUGGED	MECH	TEH
60	100	03/92 LKR	PLUGGED	MECH	TEC
84	40	03/92 LKR	PLUGGED	MECH	TEH
84	40	03/92 LKR	PLUGGED	MECH	TEC
84	150	03/92 LKR	PLUGGED	MECH	TEH
84	150	03/92 LKR	PLUGGED	MECH	TEC
91	85	03/92 LKR	PLUGGED	MECH-STAB	TEH
91	85	03/92 LKR	PLUGGED	MECH-STAB	TEC
96	116	03/92 LKR	PLUGGED	WELD	TEH
96	116	03/92 LKR	PLUGGED	MECH	TEC
104	60	03/92 LKR	PLUGGED	MECH	TEH
104	60	03/92 LKR	PLUGGED	MECH	TEC
104	90	03/92 LKR	PLUGGED	MECH	TEH
104	90	03/92 LKR	PLUGGED	MECH	TEC
131	110	03/92 LKR	PLUGGED	MECH	TEH
131	113	03/92 LKR	PLUGGED	MECH	TEC

LEGEND : TEH = TUBE END HOT  
 TEC = TUBE END COLD  
 LKR = LEAKER  
 MECH = MECHANICAL PLUG  
 MECH-STAB = MECHANICAL PLUG AND STABILIZER  
 WELD = WELDED TUBESHEET PLUG



TABLE 3  
"A" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
4	28	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
5	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
5	55	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
6	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
8	16	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
8	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
8	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
9	151	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
11	19	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
11	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
11	61	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
11	145	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
11	149	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
11	151	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
12	28	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
12	128	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
12	142	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
12	146	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	17	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	25	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	27	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	127	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	141	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	149	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	151	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
13	153	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
14	28	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
14	142	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
14	144	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
14	152	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	31	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	59	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	141	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	143	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	145	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	147	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	149	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
16	112	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
16	146	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
16	148	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
16	152	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
17	33	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
17	147	03/92 LKR	SLEEVED	DESIGN 2	TSH + 6.5
17	151	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
18	32	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
18	34	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
18	136	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
18	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 3  
"A" STEAM GENERATOR TUBES SLEEVED

POW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
19	35	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
20	36	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
20	52	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
20	60	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
20	136	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	33	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	35	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	39	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	135	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	147	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	149	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	151	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
22	30	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
22	36	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
22	134	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
22	136	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
22	146	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
23	31	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
23	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
23	125	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
23	133	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
24	34	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
24	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
24	146	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
25	39	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
26	34	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
26	128	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
26	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
26	132	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
27	33	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
27	35	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
27	39	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
27	111	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
27	129	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
28	32	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
28	52	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
28	112	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
28	126	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
28	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
28	132	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
29	41	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
29	51	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
29	111	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
29	127	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
29	129	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
29	133	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
30	38	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
30	50	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
30	112	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 3  
 "A" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
30	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
30	120	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	41	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	51	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	123	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	125	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
31	127	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	20	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	46	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	48	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	50	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	52	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	124	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
32	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	24	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	40	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	42	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	44	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	50	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	98	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	112	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
34	128	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
35	127	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
36	38	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
36	44	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
36	50	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
36	52	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
36	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
37	27	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
37	37	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
37	39	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
37	95	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
40	22	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
40	56	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
40	140	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
41	35	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
41	39	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
41	109	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
42	118	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
42	132	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
43	119	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
44	46	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
44	48	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
44	108	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
44	120	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
45	47	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
45	49	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
45	119	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5



TABLE 3  
 "7" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
45	121	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	46	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	48	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	58	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	74	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
46	120	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
47	49	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
47	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
47	121	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
47	139	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
48	104	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
48	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
49	49	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	38	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	64	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	66	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	102	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	104	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	118	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
50	120	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
51	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
51	51	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
51	117	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
51	119	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
52	44	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
52	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
52	102	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
52	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
52	116	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
53	33	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
53	67	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
53	115	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
54	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
54	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
54	116	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
55	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
55	65	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
55	77	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
56	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
56	62	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
56	64	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
56	100	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
57	65	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
57	67	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
58	32	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
58	56	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
58	64	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 3  
 "A" STEAM GENERATOR TUBES SLEEVED

ROW	COI	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
58	60	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
59	57	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
59	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
59	65	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
60	56	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
60	66	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
60	68	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
60	112	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
60	114	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
61	111	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
62	58	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
62	64	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
62	66	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
62	70	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
62	112	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
62	138	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	59	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	61	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	67	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	77	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	31	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	91	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	97	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
63	111	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
64	68	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
64	70	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
64	76	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
64	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
64	90	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
64	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
65	77	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
65	89	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
65	93	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
66	50	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
66	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
66	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
66	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
66	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
67	77	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
67	81	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	32	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	76	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	80	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	110	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
69	65	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
69	95	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
70	72	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 3  
 "A" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
70	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
71	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
71	105	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
71	107	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
71	131	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
72	72	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
72	74	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
72	76	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
72	104	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
73	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
73	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
73	133	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
74	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
74	132	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
75	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
76	74	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
76	80	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
77	81	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
77	99	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
77	101	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
78	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
78	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
78	86	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
78	130	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
79	79	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
79	81	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
79	87	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
80	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
80	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
80	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
80	94	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
81	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
81	93	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
82	80	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
82	86	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
84	126	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
85	133	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
86	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
86	124	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
87	43	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
88	46	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
90	80	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
90	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
90	122	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
91	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
91	119	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
92	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 5.5
92	118	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
93	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
94	46	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 3  
 "A" STEAM GENERATOR TUBES SLEEVED

ROW	CGL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
94	50	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
95	119	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
96	46	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
96	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
96	118	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
97	115	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
97	121	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
98	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
98	110	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
98	116	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
99	109	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
100	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
100	122	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
101	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
101	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
101	79	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
101	109	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	72	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	76	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	84	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	94	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
103	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
103	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
103	97	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
103	107	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
103	109	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	96	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	108	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	61	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	67	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	71	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	77	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	79	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	85	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	103	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	64	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	68	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	70	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	76	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	78	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	80	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 3  
 "A" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
106	86	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	88	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	96	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	98	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	100	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	104	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	65	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	71	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	75	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	81	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	87	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	89	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	91	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	93	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	95	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	72	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	74	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	76	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	88	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	90	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	94	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
109	85	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
110	62	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
110	68	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
110	74	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
110	92	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
111	93	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
111	95	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
113	67	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
113	71	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
113	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
113	91	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
113	93	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
114	72	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
115	71	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
133	85	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
139	95	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

LEGEND : TEH = TUBE END HOT  
 TEC = TUBE END COLD  
 TSH + = INCHES ABOVE TUBE SHEET HOT SECONDARY FACE  
 LKR = LEAKER  
 MECH = MECHANICAL PLUG



TABLE 3  
"A" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
-----	-----	--------	------------	----------------	----------

MECH-STAB = MECHANICAL PLUG AND STABILIZER  
WELD = WELDED TUBESHEET PLUG

TABLE 4  
 "B" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
11	17	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
14	148	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	19	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
15	145	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
17	147	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
18	154	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
19	151	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
19	165	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
20	16	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
20	164	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
21	19	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
24	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
43	67	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
43	101	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
53	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
60	32	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
66	132	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
67	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
68	48	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
74	40	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
76	94	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
81	39	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
81	43	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
81	45	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
81	87	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
84	42	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
84	44	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
87	119	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
90	120	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
91	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
91	125	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
93	53	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
94	54	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
98	52	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
100	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
102	96	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
103	65	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	68	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
104	106	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	61	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	69	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	89	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
105	93	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	70	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
106	82	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	63	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	71	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
107	79	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

TABLE 4  
 "B" STEAM GENERATOR TUBES SLEEVED

ROW	COL	OUTAGE	INDICATION	SLEEVE TYPE	LOCATION
108	02	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
108	06	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
110	70	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
111	71	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
111	73	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
111	85	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
111	99	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5
113	99	03/92 LKR	SLEEVED	DESIGN 1	TSH + 6.5

LEGEND :  
 TEH = TUBE END HOT  
 TEC = TUBE END COLD  
 TSH + = INCHES ABOVE TUBE SHEET HOT SECONDARY FACE  
 LKR = LEAK  
 MECH = MECHANICAL PLUG  
 MECH-STAB = MECHANICAL PLUG AND STABILIZER  
 WELD = WELDED TUBESHEET PLUG