Canadian Seismic Agreement

Annual Report July 1989 – June 1990

Prepared by
R. J. Wetmiller, J. A. Lyons, W. E. Shannon, P. S. Munro,
J. T. Thomas, M. D. Andrew, S. P. Lapointe, M. Lamontagne,
C. Wong, F. M. Anglin, J. Adams, M. G. Cajka, W. McNeil, J. A. Drysdale

Geological Survey of Canada

Canadian Commercial Corporation

Prepared for U.S. Nuclear Regulatory Commission

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

- 1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555
- The Superintendent of Documents, U.S. Government Printing Office, P.O. Box 37062, Washington, DC 20013-7082
- 3. The National Technical Information Service, Springfield, VA 22161

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available five inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices, licensee event reports, vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the GPO Sales Program: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grant publications, and NRC booklets and brochures. Also available are regulatory guider, NRC regulations in the Code of Federal Regulations, and Nuclear Regulatory Commission Issuences.

Documents available from the National Technical information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. Federal Register notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555.

CLOUS of Industry codes and standards used in a substantive manner in the NRC regulatory process are maked the NRC Library, 7920 Norfolk Avenue. Bethesda, Maryland, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018.

DISCLAIMER NOTICE

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, or any of their employees, makes any warranty, expressed or implied, or assumes any legal liability of responsibility for any third party's use, or the results of such use, of any information, apparatus, product or process disclosed in this report, or represents that its use by such third party would not infringe privately owned rights.

Canadian Seismic Agreement

Annual Report July 1989 - June 1990

Manuscript Completed: January 1991 Date Published: May 1992

Prepared by
R. J. Wetmiller, J. A. Lyons, W. E. Shannon, P. S. Munro,
J. T. Thomas, M. D. Andrew, S. P. Lapointe, M. Lamontagne,
C. Wong, F. M. Anglin, J. Adams, M. G. Cajka, W. McNeil, J. A. Drysdale

Department of Energy, Mines and Resources Geological Survey of Canada Ottawa, Ontario K1A 0Y3 CANADA

Under Contract to: Canadian Commercial Corporation Ottawa, Ontario K1A 056 CANADA

Prepared for Division of Engineering Office of Nuclear Regulatory Research U.S. Nuclear Regulatory Commission Washington, DC 20555 NRC FIN D1139 Under Contract No. NRC-04-85-110

ABSTRACT

This is a progress report of work carried out under the terms of a research agreement entitled the "Canadian Seismic Agreement between the U.S. Nuclear Regulatory Commission (USNRC), the Canadian Commercial Corporation and the Geophysics Division of the Geological Survey of Canada (GD/GSC) during the period from July 01, 1989 to June 30, 1990. The "Canadian Seismic Agreement" supports generally the operation of various seismograph stations in eastern Canada and the collection and analysis of earthquake data for the purpose of mitigating seismic hazards in eastern Canada and the northeastern U.S. The specific activities carried out in this one-year period are summarized below under four headings: Eastern Canada Telemetred Network and local network developments, Datalab developments, strong-motion network developments and earthquake activity. During this period the first surface fault unequivocably determined to have accompanied a historic earthquake in eastern North America, occurred in northern Quebec.

CONTENTS

1. Introduction
2. ECTN and Portable network developments
3. Datalab developments
4. Strong motion network developments
5. Earthquake activity July 1989 to June 1990
6. Bibliography
FIGURES
Seismograph stations supported by the Canadian Seismic Agreement
2. Block diagram of telephone-links for ECTN stations, SLTN stations and the CLTN processor
3. Block diagram of radio-links for ECTN stations
4. Map of the Sudbury and Charlevoix Local Telemetered Networks
5. Block diagram of SLTN equipment
6. Block diagram of CLTN equipment
7. Block diagram of Ottawa Datalab computing facilities
8. Block diagram of ECTN data flow
9. Block diagram of proposed new Canadian Seismicity Database
10. Strong-motion seismographs in eastern Canada supported by the Canadian Seismic Agreement
11. Summary of eastern Canadian seismic activity
12. Summary of West Québec seismic activity
13. Summary of Charlevoix seismic activity
14. Summary of Lower St. Lawrence seismic activity
15. Summary of New Brunswick seismic activity
16. Summary of Ungava seismic activity since 1960
17. Felt area of the Ungava earthquake

18	The Turquoise Lake Fault Scarp								4		36
19	Summary of seismic activity in the Sudbury Basin			V				'n.			38
20	. Mechanism solutions determined for earthquakes		'n		ij.	Ġ					39
	TABLES										
1.	Eastern Canada Telemetered Network Outstations										. 3
2.	Downtimes for ECTN Stations 1985-1989										11
3.	ECTN Network Configuration File: June 30, 1989			4							15
4.	Es Canada Strong-Motion Seismograph Network .					d					21
5.	Earthquakes magnitude 3.0 or greater in eastern Canada					į,	ķ			23	-25
6.	Felt earthquakes in eastern Canada	ş				į	į		Į	27	-28
7.	Summary of mechanism solutions										40

CANADIAN SEISMIC AGREEMENT

Annual Report: Contract No. NRC-04-85-110 July 1989 - June 1990

1. INTRODUCTION

This is a progress report of work carried out under the terms of a research agreement entitled the Canadian Seismic Agreement between the U.S. Nuclear Regulatory Commission (USNRC), the Canadian Commercial Corporation and the Geophysics Division of the Geological Survey of Canada (GD/GSC) during the period from July 01, 1989 to June 30, 1990. The Canadian Seismic Agreement supports generally the operation of various seismograph stations in eastern Canada and the collection and analysis of earthquake data for the purpose of mitigating seismic hazards in eastern Canada and the northeastern U.S. The specific activities carried out in this one-year period are summarized below under four headings; Eastern Canada Telemetred Network and local network developments, Datalab developments, strong-motion network developments and earthquake activity.

Activities undertaken by GD (formerly the Earth Physics Branch) under this contract from 1979 to 1985 have previously been described in a Technical Report Covering 1979–1985 (NUREG/CR-4317 Vol. 1), in the previous Annual Reports of this series (NUREG/CR-4573 Vols. 1, 2, 3 and 4), for 1985–86, 1986–87, 1987–88 and 1988–89 and in the regular quarterly reports issued under terms of this agreement. During the period of this report, the contract resources were spent on operation and maintenance of the Eastern Canada Telemetred Network (ECTN), development of special purpose local network systems, servicing and maintenance (by contract) of the strong-motion seismograph network in eastern Canada, operation and expansion of the Ottawa Datalab and earthquake monitoring and reporting. The development of the local networks for the Sudbury (SLTN) and Charlevoix (CLTN) areas are reported on here because they are closely linked to ECTN developments although they are supported in whole or in part by other sources.

Of special note in this period was the discovery of the surface fault break of an earthquake in northern Quebec. This is the first time that such a feature has been identified unequivically in eastern North America and the fault scarp is one of a very few surface fault breaks that have been produced by earthquakes in stable continental areas throughout the world.

In this period a modification to the Canadian Seismic Agreement was prepared that extended the terms of the agreement to the end of 1990. However, USNRC support of eastern Canadian seismicity studies will cease after that time and a reduction in the level of seismic monitoring will be necessary because of the loss in funding. GD has negotiated an agreement with Hydro-Québec for support of ECTN stations in the prevince of Québec that will offset the loss partially but it seems likely that GSQ will have to be closed because of the high cost of telemetry from that site and that all ECTN sites in New Brunswick (EBN, KLN, LMN and GGN) may have to be closed by the end of 1990 unless alternative support can be found.

At the same time, GD has obtained special funding from within GSC to establish a national network of broad-band satelite-linked seismograph stations across Canada to replace the obsolete Canadian Standard Seismograph Network. Some of the stations planned for this new network in eastern Canada will offset the reduction in ECTN coverage.

In September, 1989 GSC was reorganized and GD was incorporated in a new Branch called the

Geophysics and Marine Geoscience Branch which includes the main Canadian government marine science laboratories on both the west and east coasts. The reorganization had no effect on the work carried out under the Canadian Seismic Agreement by GD but should be noted for dministrative purposes.

2. ECTN AND LOCAL NETWORK DEVELOPMENTS

ECTN now consists of 19 short-period vertical outstations which monitor seismic activity in eastern Canada from northeastern Ontario to eastern New Brunswick (Fig. 1 and Table 1). The SRO-type borehole triaxial, short- and long-period outstation, GAC, at Glen Almond, Quebec was closed on February 19 because of continuing technical problems and the ECTN station, EBN, at Edmundston, N.B. was closed on May 2 for financial considerations.

ECTN outstations transmit seismic data in real time to a central processing facility in the Ottawa Datalab by either dedicated telephone lines (Fig. 2) or by UHF radio links (Fig. 3). Data are sampled at 60 Hz at each outstation using a 12-bit A/D converter with a four-stage gain-ranging scheme which gives a dynamic range of 96, 108 or 126 db depending on the type of outstation, Mk 1, 2 or 3.

ECTN data are integrated with the data from two local digital telemetered networks, SLTN in Sudbury, Ontario (Fig. 4a) and CLTN in La Pocatière, Québec (Fig. 4b), which are designed to provide enhanced seismic monitoring within their local areas. Each local network has a complete seismic processing facility located on site which can operate the array and store triggered event data. At SLTN it is also possible to carry out routine analysis of the events.

SLTN was completed in April, 1987, as part of an expanded program of rockburst monitoring of 15 active mines in the Sudbury, Ontario area (Fig. 4a) supported jointly by EMR, the Canadian mining industry and the Ontario provincial government. The array consists of three Mark III outstations sampling at 60 Hz. and linked by dedicated telephone lines to the local processor at the Science North Museum in the city of Sudbury. The processing facility forms part of a popular public display in the museum, featuring continuous monitors of the three outstations and and an automatic display of the last triggered event on the graphics terminal (Fig. 5). There is also a link provided to Laurentian University in Sudbury for inspection and acquisition of current events.

SLTN files follow the route

PDP-11/73DEMSAMVAX3

to Ottawa where they are analyzed on MVAX3 concurrently with ECTN and CLTN events. DEMSA is a new communication server which has handled SLTN data since May 1989 and also handles DATAPAC connections to the computing facilities. In Ottawa SLTN files are systematically screened and noise files eliminated, location and magnitude are calculated for any well recorded events and P-nodal analyses are carried out. The affected mines are surveyed for information about the nature, depth and effects of the seismic events they have experienced and the information collected is stored in the seismicity database along with the hypocentral parameters. GD circulates comprehensive quarterly reports of all the information collected to the mining community.

CLTN became fully operational on October 30, 1987 replacing the older analogue array which had

Table 1: Canadian Telemetered Networks 1989/90

Code	Station Mk	Name	Lat. Long. Elev.	Operating Dates start - stop
TAK			ECIN	
OTT	1	Ottawa		02/24/74-04/25/78 01/26/79-
N. C. N. CO.		Montréal	45.5025 73.6230 112	02/24/74-
MNT	2	Manicouagan	50.5333 68.7744 564	11/27/74-
MNQ	3	Glen Almond	45.7033 75.4783 062	10/26/79-02/19/90
GAC	-	La Pocatière	47.3408 70.0094 126	06/06/80-
LPQ	3	Sherbrooke	45.3783 71.9264 265	08/12/80-
SBQ	3		45.0003 75.2750 085	12/09/80-
WBO	3	Williamsburg Chalk River	45.9944 77.4500 190	01/12/81-
CKO	3	Mont-Tremblant	46.2222 74.5556 853	03/16/81-
TRQ	3	Grand-Remous	46.6067 75.8600 290	03/16/81-
GRQ	3	Grand-Remous Grosses-Roches	48.9142 67.1106 398	10/28/81-
GSQ	3	Edmundston	47.4620 68.2420 195	19/28/81-05/02/90
EBN	2		45.1170 66.8220 030	18/28/81-
GGN	3	St. Georges Caledonia Mt.	45.8520 64.8060 363	10/28/81-
LMN	3		46.8433 66.3717 411	01/28/82-
KLN	3	McKendrick L.	49.1917 68.3939 123	04/15/82-
HTQ	3	Hauterive	44.0186 78.3744 149	04/30/82-
WEO	3	Welcome	53.8022 75.7211 366	02/26/85-
JAQ	3	La Grande-3		03/08/84-
EEO	3	Eldee	46.6411 79.0733 398	
DPQ	3	St-Jean-des-Piles	46.6804 72.7774 167	01/20/88-12/15/88
				02/27/89-
DAQ	3	Lac Daran	47.9644 71.2425 939	12/15/88-
			SLTN	
SUO	3	Chief L. Road	46.4027 81.0068 252	12/16/84-
SZO	3	Chicago Mine	46.4380 81.4960 312	01/24/87-
SWO	3	Joe Lake	46.7330 80.9990 372	05/27/87-
			CLTN	
A11	3		47.2430 70.1970 045	10-30-87-
A16	3		47.4680 70.0100 022	10-30-87-
A21	3		47.7040 69.6900 000	
A54	3		47.4570 70.4130 384	10-30-87-
A61	3		47.6940 70.0910 358	
A64	3		47.8270 63.8910 137	




Figure 1. Seismograph stations supported by the Canadian Seismic Agreement.




Figure 2. Block diagram of telephone-links for ECTN stations, SLTN stations and the CLTN processor.




Figure 3. Block diagram of radio-links for ECTN stations.




Figure 4. Maps of the Charlevoix (A) and Sudburg 'B) Loxos Telemetered Networks.




Figure 5. Block diagram of SLTN equipment.

SUDBURY LOCAL TELEMETRED NETWORK

operated at the same sites since 1977. CLTN consists of 6 Mark III 3-component outstations (Fig. 4b) each sampling at 80 Hz and transmitting data to the local processor at La Pocatière, Québec via UHF radio-links. Each signal has a dynamic range of 126 db with a sample resolution of 1 count/nm/sec. A two-station coincidence requirement has been imposed on the CLTN trigger algorithm in order to reduce the number of false alarm triggers. CLTN event files also have a 15-sec pre-trigger buffer instead of the 60-sec buffer used for ECTN files. Figure 6 shows the layout of the acray.

CLTN event files are automatically transferred to Ottawa on a dedicated telephone line for analysis. The files follow the route

LSI-11/73 DEMSA MVAX3

to Ottawa. CLTN event files, including teleseisms, are analyzed on MVAX3 concurrently with ECTN and SLTN files and are appended to any corresponding ECTN files in Ottawa before archiving.

ECTN Performance: Table 2 shows the down-times for individual ECTN stations over the past five years. JAQ, EEO, HTQ, MNQ, LMN, GGN and KLN all experienced a significant amount of down-time in this period, as did all the radio-linked stations - CKO, WBO, GRQ and TRQ. In addition, service from GAC was effectively lost entirely after September. Causes for the loss of service for individual stations are described in the following sections.

Polarity of all vertical ECTN components was confirmed regularly in this period by systematically inspecting the first breaks of well recorded teleseisms or nuclear tests. No polarity reversals were identified.

Radio-linked Outstations: WBO, CKO, TRQ and GRQ experienced a lengthy service interuption starting on November 21 because of interference problems at the Camp Fortune repeater. The outstations appeared to be functioning normally, but no signals could be passed through Camp Fortune. The equipment there was removed and returned to the GD instrument lab for repairs and calibration. Several malfunctions were identified and repaired and the cavity filter was retuned. The Camp Fortune transmitter was reinstalled on January 25 and regular service from TRQ, GRQ, WBO and CKO resumed on February 5.

The repeater at Mont-Ste-Marie was serviced on September 26. The transmitter frequency was changed from channel 7 to channel 4 and the output power was boosted to 1.44 watts on February 01. These changes improved the signal margins at Camp Fortune for GRQ and TRQ by almost 2 db resulting in fewer missed samples during transmission.

The repeater at Foymont transferring CKO data to Camp Fortune was serviced on October 31.

TRQ was upgraded to a Mark III station on September 20, GRQ on October 12, CKO on October 23 and WBO on October 27.

Telephone-linked Outstations: The performance of the SRO station at GAC deteriorated significantly during September. The short-period signal became very spikey, and the long-period signal very wavy. Extensive trouble-shooting was carried out to determine the cause of the problems and it was finally determined that they rested in the down-hole equipment. The down-hole electronic package could not be recovered and repaired, so the SEO station had to be abandonzed and re-




Figure 6. Block diagram of CLTN equipment,

CHARLEVOIX LOCAL TELEMETRED NETWORK

Table 2 Down-time for ECTN stations 1983-1087

STATION	% Down-Time 89 88 87 86 85 84 83	Comment
	Telephone-linked Stations	
TTO	1.2 0.0 0.3 2.9 2.3 3.9 7.5	direct connection
MNT	0.3 0.1 0.1 0.2 0.4 0.1 0.8	direct line
SEQ	0.3 1.3 3.9 0.6 0.2 0.1 0.0	direct line
EEO	19. 7.3 6.5 1.6 1.4 2.1	direct line
WEO	5.5 1.2 2.1 5.0 2.5 5.8 1.1	direct line
HTQ	16. 0.6 0.3 15. 7.2 1.8 0.2	direct line
MNQ	25. U.6 Y.8 24. 34. 1.8 0.4	via Hauterive
EBN	1.5 5.2 2.2 2.5 6.4 4.3 0.0	via Rivdu-Loup
GSQ	3.3 1.8 1.8 3.7 3.6 2.1 0.6	via Rivdu-Loup
LPQ	5.3 4.5 2.3 4.0 4.6 9.0 5.4	via Rivdu-Loup
LMN	16. 1.8 1.9 3.2 8.4 13. 11.	via St. John and Riv -du-Loup
GGN	23. 7.1 0.0 3.5 1.8 1.9 0.9	via St. John and Rivdu-Loup
KLN	18. 7.4 1.1 2.2 1.5 3.1 11.	short radio link
		via St. John and
		Rivdq-Loup
JA'Q	33. 36. 6.8 3.0 11. 13. 5.0	short radio link
DPQ	14. 8.4	direct line
GAC SPZ	4.7 3.4 3.6 2.5 5.5 4.2 2.8	direct line
	Radio-linked Stations	
CKO	28. 7.3 5.2 15. 10. 32. 5.7	via Foymont and Camp Fortune
WBO	12, 3.7 7.8 20, 10, 18, 5.8	via Camp Fortinge
GRQ	15. 19. 15. 20. 15. 10. 23.	via Camp Fortrue
TKQ	13. 19. 15. 21. 22. 11. 54.	via Camp Fortune

placed by a surface seismograph. A new broad-band system employing Streckheisen seismometers, a prototype station for the new national network of broad-band seismograph stations in Cans. a, was assembled and installed in the mine adjacent to GAC during the summer of 1990. Broad-band data were transmitted to an IBM PC in the Ottawa datalab by telephone line for a short period of time as a test and software to convert the signal to SAM-type files was written and tested. The transmission of data from the new system has now been balted pending the completion of a satellite communication link from the Ottawa datalab to the GAC broad-band mation and the acquisition of new computer systems to process the data.

The transmission of data from the GAC SRO station was halted on February 13.

ECTN stations, JAQ, MNQ and HTQ, all in northern Québec, experienced a significant disruption in service in this period because of continuing labour problems at Hydro-Québec. JAQ performance began to deteriorate on August 20 and ran only intermittently after that time. The signal, when received, was very spikey. The poor performance may have been related to power supply problems, which have occurred at JAQ in the past, but it is still under investigation. IAQ sent finally out of service on September 8, MNQ followed on October 9 and HTQ or November 7. The stations could not be serviced because GD could not obtain access to the sites cluring this labour dispute.

Supersnodeme at Saint John, N.B. and Rivière-du-Loup, Qué, both failed in this period and had to be replaced, leading to a lengthy interuption of service from the stations in New Brunswick whose data pass through these supermodems. The supermodem at Saint John was replaced on July 11 and the one at Rivière-du-Loup was replaced on September 15.

The signals from the New Brunswick stations KLN, GGN and LMN, which now have to pass through the new supermodern at Saire John, also now have frequent transmission spikes, the cause of which is still under investigation.

KLM also began to operate intermittently and finally went down completely on January 25. On February 12, KLN was serviced and the station was converted to a Mk 3 station. WEO was serviced on October 24 and a subsequent trip was made on November 22 to convert the station to low power and to change its batteries. The signal from WEO was lost on March 5 and could not be re-established until March 30.

The beismonieter vault at DAQ was moved 406 feet away from the adjacent microwave tower in order to improve the quality of the signal from this site. The station was calibrated on August 2.

LPQ has been plauged with spiking problems in this period. The problems are believed to be related to the auxiliary 2400-band channel on the CLTN supermodern which now brings the signal to Ottawa. The problem is still under investigation.

The "Zap Trap" lightning protector at EEO was triggered 14 times in this period. The instrument was not damaged by any of the lightning strikes but experienced a series of minor interuptions as a result.

SLTN Developments: SLTN had a clock malfunction and the timing for the data from July 31 to August 1 was unreliable. The transmission line linking SLTN to GD was out of service from February 26 to March 4. Data were stored on the SLTN processor until the transmission line was repaired and regular service resumed. No data were lost in the process. The SLTN processor system

disk failed on May 11. A spare disk was installed on May 15

SUO was out of service from March 28 to 30. SZO trigger level was raised from 3 to 4 on June 28.

Mr. S. Lapointe retired as a temporary part-time analyst or SLTN data at the end of August to zeturn to school. Mr. W. McNeil was hired as a permanent part-time analyst for SLTN on December 1. The backlog of data that had accumulated as a result of the absense of an analyst was eliminated and SLTN data analysis is again being done routinely.

CLTN Developments: Outstations were serviced in July. Site 61 had been damaged by a lightning strike. The vertical and east-west components were repaired in July, the north-south component could not be repaired until October.

A remote boot facility was added to the CLTN processor in July.

Mr. F. Augli., continued to be responsible for analysis of the CUTN data.

3. DATALAB DEVELOPMENTS

ECTN data are received in the Ottawa Datalab by dual PDP-11/73 microcomputers (Fig. 7) where acquisition software demultiplexes the seismic data, produces formatted one-second data buffers of the network data, stores the data in a 5-minute ring buffer on disk and produces a number of continuous visual monitors of individual channels on helicorders. A separate TRIGGER program continuously monitors the incoming data and, when the trigger conditions are satisfied for any single trace, creates an event file of the entire network data on disk. The overall process is controlled by a Network Configuration File (Table 3). The ECTN event files are then automatically scanned for noise files (typically those triggered by transmission glitches), which are segregated and the remaining files finally transfe, ed via Ethernet to MVAX3 for analysis. The two 11/73 processors work independently of each other thus providing an important degree of redundacy for the acquisition system.

On MVAX3 (Fig. 8) the triggered event files are processed by a series of automatic programs (CAUSMO) which monitor the file transfers from the 11/73 processors, issue alerts on the computer systems for mutli-station-trigger files and plot and scale the transferred files for the network analysts attention. Each network's files (ECTN, CLTN and SLTN) go through a similar process. The analysts then identify all the valid seismic events in each day's files, including files containing teleseismic signals, and save them, combining the ECTN, CLTN and SLTN files for common events into one file as required in the process. Copies of all the saved files are returned to OTTVAX for archiving on magnetic tape while those containing local seismic events are analysed on MVAX3 using SAM to scale phase times and amplitudes and LOC to locate the hypocentres. The hypocentral data are stored in the database facility for future reference and for prepartion of the quarterly seismic bulletins which are distributed regularly to a wide variety of users both inside and outside of Canada.

Hardware Developments: During the year the PDP-11/34 minicomputer was retired. High-perforamnce STC tape drives were shared between the OTTVAX and the SUN 4/280 waveform server via the "pass-through" mode function of the Aquidneck OAS-150 optical archiving system. This system was purchased last year to playback the 12 " 3.2 Gigabyte WORM optical disk platters created by the Yellowknife Array systems. A QMS 820 Turbo PostScript laser printer has been acquired and connected to the waveform server.




Figure 7. Block diagram of Ottawa Datalab computing facilities.

Table 3

ECTN Network Configuration File: September, 1920

			DZ U Pre-t Save LTSI	nits rigg after O Co upt 3	er:		4	0 #					Ring Post Initi Tim	Chan Buffe -trigg al LTS e Base ressor: sole:	t: et: ID:		12 300 30 # 30 60 B			
L	C	STN	CP	BD	D	S	F	TC ms	SEN nm/s		G	E	LVI	RAT	CF1	R1	CF2	R2	STC	LTC
-	÷							2110	11111/0	-				-	1111					
1	1	OTT	SZ	1200	2	60	2	-56	10.0			1	4.0	0.8	2.	1.2	04.	1.35	1.10	4.27
2	1	MNT	SZ	1200	2	60	1	-60	10.0			1	1	26	2.	1.2	04.	1.35	1.10	4.27
3	1	EEO	SZ	1200	2	60	2	-60	017	6	3	0	5.1	40	4.	1.2	10.	1.80	1.10	4.27
4	1	DPQ	SZ	1200	2	60	2	-61	0.1	7	2	1	3.0	20	4.	1.2	10.	1.80	1.10	4.27
5	1	SBQ	SZ	1200	2	60	2	-69	01.1	10	1	1	4.0	20	2.	1.2	10.	1.35	1.10	4.27
7		WEO				60	5	-06	01.1	9		1	4.0	30	2.	1.2	04.	1.35	1.10	4.27
8	1	FCC	SZ	1200	5	60	5	-253	01.1			1	3.0	20	4.	1.2	10.	1.80	1.10	4.27
9	1	MNQ	SZ :	2400	14	60	5	-98	10.0			0	3.0	18	4.	1.2	10.	1.80	1.10	4.27
9	2	HTQ	SZ			60	3	-70	10.0			1	4.0	10		1.2	08.	1.50	1.10	4.27
10	1	WBO	SZ	1200	2	60	5	-52	01.1		0	1	4.0	15	4.	1.2	10.	1.80	1.10	4.27
11	1	CKO	SZ	1200	2	60	5	-62	01.1	5	2	1	4.0	10	4.	1.2	10.	1.80	1.10	4.27
12	1	TRQ	SZ 2	2400	14	60	5	-87	01.1			1	4.0	10	4.	1.2	10.	1.80	1.10	4.27
12	2	GRQ	SZ			60	5	~ 87	01.1	11	3	1	4.0	10	4.	1.2	10.	1.8	1.10	4.27
13		GSQ		6081	234	60	3	-216	10.0	2	2	0	4.0	8	3.	1.2	08.	1.80	1.10	4.27
14	1	GGN	SZ 4	1800	234	60	5	-294	1.10	4	2	1	4.0	16	3.	1.2	08.	1.80	1.10	4.27
14	2	LMN	SZ			60	3	-294	10.0	1	3	1	4.0	10	3.	1.2	08.	1.80	1.10	4.27
14	3	KLN	SZ			60	5	-294	1.10	3	3	1	4.0	30	3.	1.2	93,	1.80	1.10	4.27
15	1	LPQ	3Z 2	2400	14	60	5.	-216	1.10	8	-1	1	4.0	30	3.	1.2	08.	1.80	1.10	4.27
16	1	DAQ	SZ 1	1200	2	60	5	- 61	1.10	12	2	1	3.0	20	4.	1.7	10.	1.80	1.10	4.27
L		line n	umbe	er.	Ci	6	han	inel			BI):	baud	rate			D:	packe	rt code	
F:		forma	t flag		SEN:	b	it i	esolut	ion		A:		analo	g chan			G:	anald	g gain	
E:		error			IVL:		rigg	ger lev	el		R.A	T:	trigge	r ratio	n.		CF:	filter	freq.	
R:		filter			STC:	6	hor	t-tern	n const		LT	C:	long-	term c	onst.		S:	samp	ling	
CF	V.	comp															TC:	time	COTT.	




Figure 8. Block diagram of ECTN data flow.

Acquisit a Software: A persistent bug in the DEMUX program which creates the ECTN, CLTN and SLTN triggered time series files was identified and corrected in this period. Basically, the problem arose for multi-station triggers when one or more of the first triggers were deemed to be noise by the automatic discremination code. The DEMUX program purported to truncate the time series from the front to remove the false detections and update the trigger sequence list and start-of-data pointers accordingly. While DEMUX did update the pointers, it did not in fact delete any data, leading to an inconsistancy between the Local and reported start of the data on the disk. The timing would be relatively correct for the individual network data but shifted from U.T. by an arbitrary time corresponding to the time between the triggers.

The source of the problem was identified in January and corrected on February 13. It is unclear how iong this problem had been present.

Another less serious bug was uncovered and corrected in TRIGGR at the same time. TRIGGR used to turn off early for multi-station triggers spaced several seconds apart, providing less than the nominal 30 seconds of post-trigger buffer.


Analysis Software: SAM was modified to read 3-letter SEED-format channel designators from YKA files (eg. BHZ for the broad-band vertical channels, SHZ for the short-period vertical channels and EHZ for the high frequency vertical channels). An appropriate transfer function for use in SAM was defined for each of the YKA channel types. For multiple station triggers, SAM used to remove from the trigger list all but the last occurrence; it now preserves the first occurrence. Minor modifications were also made to SAM to improve its handling of teleseismic waveforms.

Database Facilities: The Current Seismicity Database (CSDB) was used routinely in this period to store and update information about local earthquakes determined from ECTN. This database facility only contains the last two years of Canadian earthquake data and is optimized for current seismicity needs. The quarterly Bulletins and Summaries of earthquake activity distributed by GD were generated directly from this facility.

The CSDB was copied from the OTTVAX to a SUN 4/280 workstation (SUNDBS) for testing and development. Preliminary testing shows an improvement of performance of 4 to 20 times. The OTTVAX CSDB database is still being used for routine seismicity needs while development of a much faster seismicity database facility on the SUN systems continued to progress in this period.

Con the SUNDBS the database facility (Fig. 9) has been re-organized around five local databases, CSDB, CEDB, INT6, STRESSDB and ANALOGREC. STRESSDB is the Conadian STRESS database converted from OTTVAX under DATATRIEVE to SUNDBS under INGRES. The ANALOGREC database (inventory of Canadian analog seismograph records) has also been moved onto the SUNDBS from a PC. The intensity tables previously held in the CEDB have been separated from the main database into the new database named INT6.

SUNDRS DATABASES






Figure 9. Block diagram of new Canadian Earthquake Database.

CEDB on SUNDBS now contains only information on ECTN and YKA time series files and detections including header information for all existing YKA tapes. YKA data files are now being stored on optical disks and an index of the disks will be stored in the CEDB in the near future.

SUN Operating System 4.0.3 and Fortran 1.2 were installed on the SUNBDS. INGRES Release 6 has been implemented on the systems providing faster response times and the ability to define null values in any field. Procedures were set up on SUNDBS to enter PIK files automatically into the database, similar to procedures used on MVAX3 and OTTVAX.

Questionnaires for the intensity survey of the Ungava Peninsula earthquake were prepared directly from the database.

4. STRONG-MOTION NETWORK DEVELOPMENTS.

The Eastern Canada Strong Motion Seismograph Network, supported by the Canadian Seismic Agreement, consists of 19 sites centered around the Charlevoix region of Québec (Fig. 10). The instruments are all Kinemetrics SMA-1 three-component analogue accelerographs (Table 4). Regular servicing of the network is carried out twice yearly by Geonetics Engineering Inc. of Ottawa under contract to GD.

The network was complemented with five additional SMA-1 accelerographs installed in the epicentral region of the Saguenay earthquake during the week of November 28, 1988. These units remained in place until the beginning of August when they were serviced and removed. No accelerograms were produced by these units. Three SSA-1 recorders owned by Lamont-Doherty Geological Observatory remain in the epicentral area.

The GP network was last serviced in May, 1990. No records were produced by the network since prior servicing in October, 1989. The next service trip is scheduled for October, 1990.

5. EARTHQUAKE ACTIVITY JULY 01 1989 TO JUNE 30 1990

Under the terms of the Canadian Seismic Agreement, seismic data, provisional hypocentres and magnitudes for eastern Canadian and northeastern U.S. earthquakes are distributed quarterly to operators of the northeast U.S. seismic networks in the form of the ECTN Bulletin. The October to December 1989 Bulletin has been distributed and the January to March 1990 Bulletin will be issued shortly.

The most significant earthquake in eastern North American during this period was the magnitude 6.2 earthquake December 25 in extreme northern Québec, on the Ungava Peninsula as described in the previous quarterly report. Although this earthquake took place outside the usual reporting area for this document, additional information is given below because of the rarity of such large events in eastern North America.

In the area covered by this report during the period from July 1, 1989 to June 30, 1990, 234 earthquakes were analysed for location and magnitude. They are shown in Figure 11 and listed in Table 5. Twenty-three earthquakes were magnitude 3.0 or greater, the largest, onshore, was magnitude 4.0 and occurred November 16 in western Quebec about 50 km northwest of Maniwaki. Two other magnitude 4 events were located offshore on the Laurentian slope, one on August 21 and one on February 15.




Figure 16. Strong-motion seismographs in eastern Canada supported by the Canadian Seismic Agreement.

Table 4.

Eastern Canada Strong Motion Seismograph Network

June 1990

No.	Location	Date	Coord	Instr.	Sens.	Trigger	Building	Foundation
1.	St-Ferréol,Qué.	1/66	47.1256	SMA-1	1 g	0.0072 g	Underground seismic vault.	bedrock
35.1	the Kerristal State.	1700		TCG-1B			Instrument on concrete pier.	
2.	Québec,Qué.	6/67	46.7782		1 g	0.0065 g	3-storey, reinforced concrete.	bedrock
	of an entire land and			TCG-1A			Instrument on concrete pier on	
							basement floor slab.	
3.	Montréal, Qué.	12/73	45.5025	SMA-1	1 g	0.0049 g	4-storey steel frame, curtain	bedrock
	Account of the contract of the			TCG-1A			wall, poured concrete. Instru-	
							ment in basement seismic vault.	
4.	Ottawa, Ont.	8/84	45.3942	SMA-1	1 g	0.0105 g	Underground seismic vault.	bedrock
787	grand, cont.	.,		TCG-1A			Instrument on concrete pier.	
5.	Tadoussac, Qué.	5/79	48.1432		1 g	0.0101 g	Concrete pier to bedrock in	bedrock
				TCG-1B			crawl space of 1-storey bldg.	
6.	Rivière-du-Loup,	6/80	47.8356		1 g	0.0108 g	Two-storey rein forced concrete	bedrock
			69.5379	TCG-1B			Instrument on basement slab.	
7.	Baie-St-Paul,	10/82	47.4423		1 g	0.0090 g	Two-storey brick building.	alluvium
	Qué.		70.5069	TCG-1B			Instrument on basement slab.	valley
8.	La Malbaie,	9/67	47.6553	SMA-1	1 g	0.0113 g	1-storey steel frame, masonary	bedrock
	Qué.		70.1527	TCG-1B			walls. Instrument on concrete	
							pier on basement floor slab.	
9.	St-Pascal, Qué.	10/69	47.5257	SMA-1	1 g	0.0050 g	1-storey reinforced concrete	bedrock
			6145	TCG-1B			and masonary. Instrument on	
							concrete basement floor slab.	
10.	Rivière-Ouelle,	8/84	47.4757	SMA-1	1 g	0.0108 g	Above ground seismic vault	bedrock
			69.9961	TCG-1B				
12.	Edmundston,	8/84	47.4614	SMA-1	1 g	0.0103 g	Above ground seismic vault	bedrock
	N.B.		68.2411	TCG-1B				
13.	St-Eleuthère,	8/84	47.4950	SMA-1	1 g	0.0059 g	Above ground seismic vault	bedrock
	Qué.		69.3628	TCG-1B				
14.	Ste-Lucie-de-	8/84	46.7414	SMA-1	1 g	0.0105 g	Above ground seismic vault	bedrock
	Beauregard, Qué.		70.0172	TCG-1B				
15.	St-Georges, Qué.	8/84	46.1399	SMA-1	1 g	0.0132 g	Above ground seismic vault	bedrock
			70.5799	TCG-1A				
16.	Chicoutimi-Nord	0/84	48.4902	SMA-1	1/2 g	0.0045 g	Outcrop in basement of	bedrock
	Qué		71.0123	TCG-1A			two-storey wood frame house.	
17.	St-André-du-Lac-	9/84	48.3248	SMA-1	1 g	0.0054 g	Above ground seismic vault	bedrock
	St-Jean, Qué.		71.9917	TCG-1A				
18.	Rimouski, Qué.	9/84	48.4452	SMA-1	1 g	0.0035 g	Above ground seismic vault	bedrock
			68.4822	TCG-1B				
19.	Miramichi, N.B.	19/86	46.9729	SMA-1	1 g	0.0105 g	Above ground seismic vault	bedrock
	'Loggie Lodge II'		66.5293	TCG-1A				
20.	Les Éboulements,	6/85	47.5496	SMA-1	1 g	0.0075 g	Above ground seismic vault	bedrock
	Qué.			TCG-1B				




Figure 11. Summary (`eastern Canadian seismic activity in 1989-90. Shown below the map are graphs the cumulative number of events that occurred and the magnitude-time history of the activity. Circle size is proportional to magnitude.

TARLE \$ / TARLERU \$ LIST / LISTE FASTERN CANADALAN EARTHQUANES JULY 1989 TO JUNE 1990

i de		j																			*					×	,						
MAG	4MM	AMM	1000	0.1ML	Swa	2MN	ZNIK	2. 7MN			MAN	2.2MS					A OPPN			780		2 Kinn	ZMN			2 7MN				2.4MN			Z. 4PPN
90	00	200		1.0		×	118		38	8	111	18.0	15			18		8	ré.	20.11			188	100	Ü	20.6	á	222	120	18	188	N O	18.0
1/JWS	76.6	9. 6	e r e s	-68, 701		146		-74 878	97	65.48	69.88	-73 061	79.76				-52, 829		70.34	19	0.0	-66,600	12		- 80	-70.05s	Ħ	B					-66,897
LAT	7.03	6.63	2 41	49.814				45.061	40			47.962	m	200	- 12		45,979			- 6	42	47.000	χĎ.		8 11	47,665	386	7.63		5.26	9 5	7 556	49 587
N N	26.02	96:30	26.40	20.55:54.5		K-48-24	21.53.36	11,58-55,3	7:02:11.	9.48.56	3-42:19.	02-37:27.2	1.07:58.	4:09:51	1.19.42	0.46.17	18, 16, 09, 0	7:38:26	0-35-36	5-14-33	8-03-22	03:39:15.1	4-42-17.		32-40.	K	44 64	44-20.	9:25	2.32.31		200.00	20-04-40.3
DATE	29/10/686	60/10/686	989/01/10	1989/01/15	17/10/100	0897077	989/07/1	1969/07/19	27/10//696	10/685	989708	1989/08/63	966/08	9867,086	ONU JUD	SPREZUM	1989/00/21	989/68	989/68	989/68/2	988/08/2	1989/08/26	989/08/2	2/90/696	2/80/686	1989/08/30	87807686	989/08/3	5/80/686	50/686	986 /09		1989/09/05
				500				600		0.11	0172	E S	614		91.0		818	013		023		0233	9724	975	976		800	6258					0.00

O)		*			8	×	×	. 0	Ö				÷		ė			\times	×	×	×	×		×	Ŕ	×	*	×	ń	*	è		×.	ė	ě.	ě	×	*	8	×	*		×	*		×
MAG		2. 1950			2 9880		G. COME.					1.4999				1 199N				1.6759		0.385				1.0994				0. SMt.			100	3.4889	18	d				11k	2. Smr			40		ρġ
19	20	18.6		100	14.8	100					i a	18.0			ě.				re.	3.4			80		10			8	á	10			Já		ä.					d			00	18.0		b)
14,00%	8.019	-76.324	9,1	1 (7)						22.0	200	-67.81R	67.86		28.69	144 1610	9.0			-20,190	66. 36	70.20		20	8.9 8	-66, 594	F. 15	96 69	620 573	70, 188	66.80		5,00	122 228	28.7	88	9.99	O.K.		74 98	-68 500	68.41	75.66	76, 602	98	N1 78
DAIL	8 7	46.545	1.7	a ha	47.570	7.42	7.48	9		7.0	200	49.107	8	6 1		47.900				42, 733		47.614		200	SIS SIS	46, 676	3,29		7.00	40.542		77		355 656	6.8			6.3	17		47,000	W	8	46.500		8
B 25 25	6.42.57	01.22.56.0	0.21.03	5-06-55	55, 23	5, 23, 30	2-16-01	9.15.00	0 16 30	4-31-38	1-00-29	06.48.24.9	6-57,05.	1.00.03	6126139.	21,10,38,9	20,927,003,0	4.43.22	4-04-42	23-38-25.5	2:46:37.	1:01:34	2:40:59		1-59-08	02-33-38-6	0.29.44	6-22-80	7.87.70	15:21:50 %	6-29-33	2.51.05.	4-56-54	04-50-03.5	2.34.02		0.43.37	56.54	25.41.	-11 -09	20 13 37.5	49 - 59	44.37	09-24-51-7		23-29
DRIE	969/09/10	11/60/6961	999,409,71	989,709,71	1/60/685	1/69/686	1989/09/15	GB9 470 77	SON ACTION	000 70071	CZ807/508	1989/09/25	2/60/486	969/110/10	969/10/0	1389/10/05	N/03/406	98971070	989/16/1	116	1/01/686	1/01/686	389/15/7	989/16/1	2501/696	1999/10/21	389/10/2	969716/2		1939/10/24	5/01/6/96	989/10/2	988/107	1989/10/31	989,117	989/11/	989/11/	969/11/10	0/11/686	989/11/70	1989/11/411	349/11/1	1711/586	1989/11/16	989/11/1	369,713,72
	0.79	080	04.1	042	043	044	045	0.00	0.00	0.80	040	020	051	8	680	65%		950	083	9539	650	090	062	082	086.3	664	983	990	0.00	068	5969							676	40.7 ×	97.8	97.6	000	083	082	083	084

	í								ì												Ta.																										
											H,	k a							*				*							*		100	*														ı
2. 7MN			2ME.			9.3.4L						COMME		New No.					Made							. SPMM				880		BMD	B,	OPEL	100	2365	Caser	See a	Section 1	1 865	Thum.	ē.	4 Nex	4100	1	NA.	
62	4	m	141	80	'n							2.5	9 9	4					mi.		西京					0.3				100	100	10						1 6						4.0			
18		115	113	m	915	122	pro-C	27	#H												H	erif						00			E		17	8	100	100		10					18				
51.4	345	398	347	1987		048						dista	BUSH	999	966	2.88	000		3622	100	430		4534	245	E 25	909	155	928		34.7	045	600	27	360	006	9006		A 300		1000	100	97.68	14.7	2000	000	190	
-74			-70	-63			-69	-639	6.5	99	4		200					0.9								-66	×.	16					2			23		70.0		1			100	200			
566	455	542	553		674		999	386	9754	990					698	97/1			573		374		100	100		000	8.8	98		25	460													2000			
45.	47	47	43	47	47.	4		10		200		1				80		ai.	47		20		12			47.4					\$7.18	K	6	14	6	26.0		91.73		9, 3			14	0.7	0.		
6.1			49.6			13													6							100					10					00											
5-2					24.5	17:39						A STATE OF									5:36		15		5	100			7							31.26		1.45						10.00			
02:4						180.1						HART I			2	-					12,55	r:				21.5		45			11.3	100	200	10	100			57		83	0	4		000			
727						92	des	75						00		04				din.	1.61					100							(C)		0.0	100		9 1					- 15				
117			3	22		33%		122	120	N					2	1	Š	à	ã																	20			8		3	2		\$ 1			
386	988	688	7688	8	9897	96697	1889	1887	1897	(69)		ALC:						689	2,689	98	7686	2	89	88	288	99070	706	9671	90/1	98	10/106	2007	200	200	90/3	396/101		0.000			2	8					
20.00	13		811	650	:000		ans,	275	819	85			15.7	100	400	HR.					-						25	2		20	2			773													
88	0.84		9880		0.86	093	09	80	050	000		000		260	0.09	100	100	3.00	103	MARK		3536			202		(m)			100		3116		138	2 4 5	877				100	-	1335	36.1		100	128	

2222

the season on the

0 × 0 0 0

明子子子の

28888

20222

100000

00000

COMMO

188

NEW NEW

madain

00000

阿里阿里的

500 500 600 600 600

2222

ANGRE

REGER

SECE

55555

BEREE

MAHNO

ROBMH

高四四年出

25225

BERRR

20 4 12 IS

医内室性炎

图用品素品

EHRSE #

28282

\$6888 8888 8888

医医装冠室

22202

88883

BERRE!

SEXXX

25555

1996,084,02 1990,084,02 1990,084,08 1996,04,08

mi mi mi mi mi

00000

2000

282 282 650 650 850

在出办公司

计名字品品

28085

82228

1996/04/5 1996/04/5 1996/04/5 1996/04/5

安司州市场

22224

266 850 649 649 649 670

REKOR

F 2 2 2 2 2

ENGRE

SARRE

12888

1990/04/ 1990/04/ 1990/04/ 1990/04/

24 E E E

REERE

*NANO

0000H

EEEE

3122 948 9726 928

XXXC5

4555 900 315 673

47555

BURKER

美景四景景

82228

851111

702/15 702/16 702/18 702/20

100

rain rainin

00084

BERRY

200

811688

22000

KERRER

18128

22222

\$25 B S S

147.85 25553

DOMMA

WHIMP

200 Miles

X 50 000

55555

RESER

28484

88858

RESERVE

	514 18.0 2.7mN	8.13	298 11.1 0.4eg.	13.6 -,	14.8 1.	13.3 1.	12 5 0 1 41.		16 0 0 aes.	18.0 L Ben	5, 0 2, 6min		O. U. J. SEIN	10. 7 2. SPIN	100 00 0 1 AME	K7.V 1. WID	5.0 I 48N	18.0 Z. 28N	362 S.9 L.9ex	18.2 2.895	18.0 1.7MN	10 0 0 000	5 O O Get	5 3 3 Cont.	7 6 0 19C	600 5.0 1.8ess	18.0 2.9km	7. O 7. OWN	0 2 7 000	045 IL 7 L 988 *	 2.00.0.0000	20 20 20	900 10 0 1 6PN	10.6 2.	11.9 - Sec.	041 8.9 0.365 *	18.0 2.	7.0 - 100.	14.5.1.7994	18 0 2 4ms	258 13.6 0.485. *	7.6 - 1917	18 0 2 8MN	18.0.2.89N
	995 -74.5		542 -70.3	-70	-63	-70		100	0.0	53		999			863 -70.0		99-	-65	519 70.3				100			9.99- 000	-77	99			99	Ť.	199	-64		90 -70.04	100			-74			-64	-64
	7 45.9	47	9 47.5	47.	47	47.		7 47 6	47	45	47	1	1	47	2 87.88	9.00	47	43	9 47.5	47.	48			100	47	47.00	46	4		47.460	6	40	010 98	JE.	27.5	47.4	49.1	47.4	47.3	46	47,387	4.7	4.3	6.8
	02:45:18.	23.02.51.	3 17-08-56	00.33.49.	05-33-10	04:24:55	10.17.20	09-49-38	18. 13. 15	06-06-16	08-42-52.	12-15-15.	19:57:17.	17:20:34	04-56-35	04:01:00	62.18.26.	14-22-47.	17:08:18.	14:55:35.	12,55,36	20 44 40	12.13.20	15.70.57	4.01.56.535.	21-56-23	06-57-55	23-40-25	07:31:10	11.30.53.6	39:40	19:36	500	×	11.24	23,32,49,5	23 30	57-57	45,51	6:30:22	11:04:34.4	4.49:47	1.40.02	5-21-04
	1988/11/21	1986/11/2	1989/11/2	1989/11/2	1589/11/2	1989/11/2	1900/1	198977	1980/1	1788871	1969/12/67	169/12	989/12	989/12	1989/12/11	1007.12	926/12/1	989/12/1	1989/12/37	5/21/686	17/21/686		MEN AND	989/12		1990/01/06	990/01/06		Section of the section of	1990/01/12	990/01/1	99070171	ţij	996/00		1990/01/21	996/61/2	990/01/2	990/01/2	990/101/2	1990/02/10	1/23/066	990/02/1	990/02/1
Olimpia .	085	ONE	180		580	060	100	DAZ	200	2000	000	960		860	560	100	202		103	104			300	100	100	1110	and a		4.9	112		1117	0.210	1280	101	132	133	124	125	126	1227	128	128	130

差	DATE	H M S	LAT	LONG	7	DAG.	0
224	1990/06/16	03:33:32.4 13:48:05.8 00:47:22.1	47.000	-66,500 -66,600 -80,179	5.0	1.98N 2.98N	
227 228 229	1990/06/17 1990/06/18 1990/06/21	07:00:16.6 08:17:46.0	45.861 47.599 47.587 46.060 49.379	-73.432 -70.032 -70.244 -73.446 -78.479	10.8 12.7 18.0	0.3ML 2ML 2.1MN	* * *
232	1990/06/25	11:11:59.3 03:51:55.3 10:00:58.2 01:43:43.4	49.423 47.645 45.951 45.956	-76.554 69.856 -72.682 -77.213	16.2	0.2ML 2.0MN	

Eighteen earthquakes were reported felt in southeastern Canada in this same period. They are summarized in Table 6.

Figure 11 shows that the general pattern of activity has continued to be similar to that of previous years with seismic activity concentrated in the recognized seismic zones of West Québec; Charlevoix, Québec; Lower St. Lawrence, Québec; Miramichi, N.B.; and the Laurentian Continental Slope. However, activity in New Brunswick was more wide spread than in the previous report periods and significant seismic activity occurred on the Laurentian Continental Slope in areas which had not been active previously. Periods with a higher rate of seismic activity occurred in August and April.

West Quebec. The West Quebec zone (Fig. 12) experienced the largest event onshore in eastern Canada (magnitude 4.0) on November 16. The termor was felt (Table 6) but only mildly. A field survey was not carried out and no foreshocks or aftershocks were detected by the network. Following that event the activity throughout the zone showed an apparent decline until January. However, this decline coincided with the period of erratic service from ECTN radio- linked stations in the West Quebec area and the failure of GAC, so the significance of the decline is open to question. Swarm activity was observed near the Baskatong Reservoir in April. Otherwise, the activity throughout the zone was scattered in space and time.

Charlevoix: Eighty-one earthquakes were located in the Charlevoix seismic zone (Fig. 13) during this period; six were reported felt (Table 6). The largest event on March 3 was only magnitude 5.6. It occurred at the extreme north end of the seismic zone, north of the river. The remaining activity did not show significant clustering it, space or time, but the rate of activity appeared to be 'low' in July and August at the start of the reporting period, recovering at the end of August to a more normal pace. Parts of the seismic zone remained assismic throughout the year.

Lower St. Lawrence: The activity in the Lower St. Lawrence seismic zone (Fig. 14) was runderate in this period. Twenty-three events were located, of which none were greater than magnitude 3.6. An unusual burst of events occurred in the month of September.

The detection and location of seismic events in the Lower St. Lawrence region was significantly degraded in this period by the prolonged outages experienced at the MNQ and HTQ stations.

New Brunswick: As usual, peristent seismic activity occurred in the Miramichi aftershock zone, but, in this year, more seismic activity was observed elsewhere in New Brunswick than in past years (Fig. 15). Twenty-five events occurred within the aftershock zone; all were less than magnitude 3.0. Twenty-two events, including 3 with magnitude 5.0-3.5, were located in other parts of New Brunswick, outside the aftershock zone. Two of the larger events were reported felt (Table 6).

The largest rockburst in some years occurred in Brunswick Mines near Bathurst on July 19. The event was magnitude 3.1 and caused some damage in the mine. (It is not plotted on the Figure because it is classified as a mining-induced or at).

Laurentian Slope: Offshore seismicity was highlighted by a swarm of earthquakes in the Laurentian Channel (Fig. 11), which began with the magnitude 4.5 event on February 2, 1989 (see last year's report), the largest earthquake to occur on the southeast Canadian continental margin since 1975. The swarm occurred in a hitherto assismic region of the Laurentian Channel. That initial earthquake has been followed by a continuing series of smaller events including a magnitude 4.0

TABLE 6/ TABLESS 6/ WATCOME STORMS CAMEDA CAMADA

PRILTY / RESSENTE

0.00 5 LATITUR 5 55.00 5.00 5 LAMATRUR 5 -51.00

JUL/2011 1989 - JUN/JULN 1990

R DATE H M S LAT LANG E MAG Q

- 001 1989/07/19 11:58:55.3 45.061 -74.878 0.0 2.78N RMSSTERN GERRE 0 0.018 0.022 6.5 0.2 NO= 11 18 8 CCRMWALL, ONT PRILY AND HEARD SOCALLY IN CORNWALL AND LONG SAULY. REARD LINE A TRUCK PASSING BY:
- 002 1989/08/05 21:07:57:9 43.295 -79.760 5:0 1.2MN * RMS- 0.38 ERR- 0 0.008 0.015 0 0.2 MD- 15.24 14 FRLT IN THE HAMILTON-CARVILLE-MISSISSAMEA
- 003 1959/08/30 08:25:48:6 47.660 -70.054 23 6 2.7PM * RMS- 0.05 ERR- 0 0.002 0.303 0.3 0.2 RO- 6 12 8 GARLEVOIX, QUE.

WESTERN LAKE ONTARIO

CHARLENOIA, ORE.
FREAT.
HEARD IN SAINT-IRENEE, SAINT-HIJARICH,
POINTS-AU-PIC, IA MALEAIE AND
ON ILE AUX COURSES.

- 005 1999/10/13 14:04:42.8 47.393 -70.113 22.7 3.2MN * RMS* 0 12 ERR* 0 0.004 0.007 0.8 0.2 30- 6.12 7 CHARLEVOIX, QUEREX. FELT ON THE NORTH SERVER NT ST HILARION, BAIR-SAINT-PAUL, IA MALARIE, LES EROTIGMENTS.
- 006 1989/10/31 04:50:03:5 48 666 -72, 328 18:0 3, 48M * RMS- 0.57 ERR- 0 0.018 0.015 G 0.3 MO- 16 29 17

DART H M S LAT 120NG 2 MAG NURAR ROBERTAL, LAC SAINT-SEAN AS TOLERS, WORMANIN, R. ST-SEA, ST-SEAL ST-SEA, S. ST-SEA, S.

- 807 1989/11/04 23.25;43.5 46.216 -75.723 7 3.498 * 8HS= 0.07 ERR= 0 0.006 0.005 2.6 0.4 NO 3 6.10 MESTERN QUERBC
 - FELT (111) AT BLUE SEA LAND, HESSINES LAW MOLLENG, AND STE THERESE,
- 008 1989/11/16 09.24.51.7 46.576 -76.602 18 0 4.088 *
 RMSS-0.21 EPP- 0 0.011 6.007 0.0.3 NO- 6 11 14
 MESTERN OTHERC
 50 ZE NA NO P. MANINARI
 FELT MILERA A MANINARI, CUE.
 A PRO OTTAWA, COST.
- 009 1989/11/21 02:45:16.8 45.994 74.532 18.0 2.7MK * RSS= 0.63 RRR= 0 0.14 0.C21 G 0.1 NO= 9 17 6 WESTERN QUEBBC FELL MILLOLK MT STEL MATHER ET ST. JOVITE
- 010 1989/11/22 23:02:51.6 47.455 -70.345 8.1 3.488 *

 HKS- 0.98 ERR- 0.0 002 0.004 0.6 6.1 NO- 7.34 15

 FREIT (1980)

 IN RAIE-ST-PART, LA MAISAIE,

 LES EBOULKMENTS, ST-IHENEE

 FREIT (111)

 IN ST-HELARION,

 AND ON THE SOUTH SHORE AT

 ST-FASCAL, STVIERE-OURLIE, RAMOURSTA.
- 011 1989/12/11 04:56:35.7 47.863 -70.036 18:0 2.286x * RPS-1.13 ERR-0 0.063 0.055 6.0.1 NO-5 10.3 CHARLEVOIX, QUE. RETWORK TOWN CHARLEVOIX LOCAL NETWORK TOWN
- 012 1990/03/03 02:06:03.3 47.856 -69.977 20.8 3.6em *
 RMS- 0 09 RRP- 0 0.004 0.005 0.4 0.2 NO- 8 15 22
 CHARLSTOIX, GTB.
 APTERSHOCK AT 02:09
 RELT IN CHARLSTOIX
 RECH IN CHARLSTOIX
 RECH SAINT-SIMEON TO LES EMOULEMENTS
 ALSO REPORTED FELT IN RIVIERE-UX -LOUP

- 013 1959/03/03 15:17:54:1 47.699 -70.083 8.4 2.0MN *
 RMS= 0.04 RRR= 0 0.001 0.001 0.1 0.4 NO= 8 16 3
 CHURLEVOIX, CUEBEC
 FELT BT SAINT-HILARION AND
 LES EBOULEMENTS
- 014 1990/03/13 19:10:39.3 47.534 -70.136 15.3 3.2MN RMS= 0.08 ERR= 0 0.002 0.003 0.5 0.3 NO= 7 14 13 NEAR LA MALBAIE FELT IN LA MALBAIE AND FOINTE-AU-PIC CHARLEVOIX, QUE.
- 015 1999/04/01 19:13:05.3 45.084 -66.912 10.0 2.7MN RMS- 0.85 ERR- 0 0.050 0.048 G 0.2 NO- 8 16 15 SOUTHERN N.B. PRIJT IN ST. GBORGES, ST. AMERIEWS FELT AND HEARD IN BACKBAY FIXED DEPTH
- 016 1990/04/21 01:23:04.1 47.553 -70.070 9.6 3.1MN *
 RMS- 0.04 ERR- 0 0.001 0.002 0.3 0.4 NO- 8 15 2
 CHARLEVOIX, CUE.
 FELT AT ST-HILARION, LA MALBAIE
 POINTE-AU-PIC, LES ENGULEMENTS.
- 017 1990/04/23 06. 8:04.7 47.409 -70.179 7.9 3.0MN *
 RMS= 0.06 ERR= 0 0.002 0.002 0.7 0.2 MO= 8 13 6
 CHARLEVOIX-KAMOURASKI, QUEBEC.
 FELT LOCALLY
 AT L'ILE AUX COUDRES, SAINT-HILARION,
 LES EMOULEMENTS, SAINT-IRENES,
 HAIE-SAINT-PAUL,
 LA MALBAIE AND POINTE-AU-PIC.
- 018 1990/05/28 18:22:31.5 46.514 -66.796 18.0 3.2MN *
 RMS= 0.57 EPR= 0 0.011 0.015 G 0.2 MO= 10 22 9
 CENTRAL N.B.
 REPORTED FELT BY A CREW OF TREE
 PLANTERS APPROX. 3 KM NW OF THE
 EPICENTRE. THEY HEARD A RUMBLING SOUND
 AND FELT THE GROUND SHAKING.
 MOT REPORTED FELT IN BOIESTOWN AND
 STANLEY.




Figure 12. Summary of West Quebec seismic activity in 1989-90 as in Fig. 11.




Figure 13. Summary of Charlevoix seismic activity in 1989-90 as in Fig. 11.




Figure 14. Summary of Lower St. Lawrence seismic activity in 1989–90 as in Fig. 11.




Figure 15. Summary of New Brunswick seismic activity in 1989-90 as in Fig. 11.

earthqua' on August 21. From the epicentres determined, the earthquakes lie in a NW-trending ellipse about 25 km long by 15 km wide. On February 15 a magnitude 4.0 earthquake occurred on the Laurentian slope in the area which has been most active historically. Most recently on June 6 there was a magnitude 3.0 earthquake in the same area.

Other areas: A magnitude 3.2 carthquake on August 5 at 21:07 U.T. was felt in the Hamilton-Oakville-Mississauga area at the west end of lake Outario. A previous earthquake from this area took place July 23, 1987 and had a similar magnitude of 3.4. A magnitude 3.4 event took place at night in an unusual area near Roberval, Quebec in the Lac-St-Jean region on October 18. The event was felt (Table 6). Our investigation could find no source of blasting to explain the event and the event is assumed to be an earthquake.

Only three aftershocks were recorded from the epicentral region of the Saguenay earthquake (November 25, 1988, magnitude 6) in this entire year. The largest was magnitude 1.9.

Ungava Penipsula: The magnitude 0.2 Ungava Earthquake of December 25 occurred in an area of northern Quebec that had previously recognized as a seismic zone (Fig. 16), but historically had not experienced an event refer magnitude 6.0. The earthquake followed a magnitude 5.1 foreshock 10 hours earlier. There were 5 earthquakes, magnitude 3 or greater, between the foreshock and the mainshock, and at least 8 magnitude 3 or greater aftershocks in the two weeks after the mainshock, the largest being magnitude 4.4. The epicentre was in the middle of the unpopulated Ungava Peninsula of northern Quebec, the nearest population centres were small coastal settlements. Intensity questionnaires were sent to the postmasters of about 100 communities in northern Quebec, Northwest Territories and Labrador. The mainshock was felt moderately at Kangirsuk (Payne Bay), the closest community at 200 km to the east, quite strongly in Kuujjuaq (Fort Chimo) at 360 km, and not felt at all at Iqaluit (Frobisher Bay) at 500 km. The maximum intensity felt was MMIV as shown in Figure 17. The felt area was considerably smaller than that of the magnitude 6 Saguenay Earthquake of November 25 1988 and appears to be more consistent with the Ungava event's local magnitude than with its telesei-mic magnitude.

Temperatures (-35°C), short daylight (<3 hr/day), and remoteness precluded an immediate field aftershock study, however, GD conducted a survey from July 9 to 24, 1990. The field party was led by R. J. Wetmiller, and field investigators included John Adams, J. Drysdale, and M. Lamontagne. The survey, which relied exclusively on helicopters to deploy equipment, was hampered by strong winds in the epicentral area and the almost total cecession of aftershock activity six months after the mainshock. However, the aftershock zone was found from the very low level of seismic activity (all less than magnitude 2.0) that persisted (Figure 16).

At the aftershock zone the field party discovered the surface fault rupture caused by the earthquake (Figure 18). The Ungava earthquake, the largest in North America east of the Rockies since 1963, thus becomes the first earthquake in eastern North America confirmed to have produced surface faulting. The fault break was traced over a length of 8.5 km (Fig. 18), trending an average of 038° (concave to the northwest), and centred at 60.12°N, 73.60°W. The fault trace uplifted lake shorelines near the fault, allowing the extent and pattern of the vertical deformation to be determined. The sense of displacement on the fault was thrust faulting with the southeast side upthrown. The maximum throw was 1.8 m along a central 1 km segment, and the throw tapered to less than 0.3 m at each end. As well as the deformed shorelines, there were fault scarps along the fault trace between adjoining lakes, torn muskeg above some traces, sand volcanoes, mud boils, freshly cracked




Figure 16. Summary of Ungava seismic activity since 1960. The graphs below the map show the magnitude-time history of the events in the sequence detected by the permanent network and (in the insert) the magnitude-time history of aftershock activity found by the field survey in July.





Figure 17. Felt area of the Ungava earthquake.



Lake Fault Scarp (B) and uplift profile (C) across the fault trace (iron: Adams et al., 1994). Figure 18. The location (A), distribution of deformation associated with Turquoine

boulders, a partly-drained lake, a left-lateral surface strike-slip fault, and new springs. Two lakes were discoloured by seismically-injected silt.

Sudbury Basim Mining-induced seismic activity in the Sudbury Basia was moderate in this period (Fig. 19). Through the year 528 events (excluding known or suspected blasts) were located with SLTN. Most of the events occurred in the vicinity of one or another of the thirteen active taines in the area. The distribution showed two clusters, the larger cluster on the southern run of the basin, with the other smaller cluster on the northwest rim. The overall rate of seismic activity showed a slight increase in January reflecting the general resumption of full scale operations by many of the mining companies after a 'slow' summer period. The largest event in the year (magnitude 3.6) occurred on October 30 at the Creighton Mine where it was strongly felt. This was the largest seismic event to occur at the Creighton Mine in the past two years. The event was described as a 'fault-slip' event by the company, as opposed to a 'burst' into the mining cavity. A reverse-type solution seemed to be indicated by the data but they were too sparse to define the solution reliably.

Mechanism Studies: Sixteen events in this period were analyzed for P-uodal mechanisms, however, reliable solutions could not be determined for four. The fault-slip and stress parameters determined from the analyses are summarized in Table 8 and the F-nodal solutions that were found are shown in Figure 20. The two Ungava events, which lie outside the area of this report are not included. The solutions found were generally reverse-fault ones with a varying small strike-slip component, which is the norm for events in this region. The four solutions analysed in the Charlevoix Seismic Zone showed a variety of fault-strike and stress directions over a small area, which has been observed before and suggests a complex tectonic setting. One event in the West Queb c zone and one event in New Brunswick showed unusual normal fault mechanisms.



Figure 19. Summary of seismic activity in the Sudbury Basin 1989-90 as in Fig. 11.

Table 8 Vault-Slip and Stress Parameters From P-Nodal Solutions July 1, 1989 to June 30, 1990

Date	Time	Polarities	Solutions	Errors	Comment	Nodal Planes str/dip/rak	Stress Axes az/pl
989/08/10	21:17	16	1	2		P: 324/59/60 A: 191/42/129	P: 74/09 T: 182/63
1989/09/13	14:55	12	1	-0		P: 042/57/40 A: 288/57/140	P:/00 T: 255/50
1989/11/16	00:24	20	1	2		P: 116/63/62 A: 346/38/133	In 326/14 Tr 342/61
1989/12/25	04:25	46	2	1.0		P: 251/54/46 A: 129/54/134	P: 190/00 T: 100/56
1989/12/25	14:24	144	1	8		P: 235/53/62 A: 096/45/122	P: 344/05 T: 085/67
1990/01/08	21:40	16	1	- 5	poor	P: 116/75/-85 A: 277/16/-109	P: 033/60 T: 202/30
1990/03/03	01:12	15	1			P: 226/42/-50 A: 358/59/-120	P: 218763 T: 1/2/90
1990/03/03	02:06	16	23	1	poor	P: 214/61/78 A: 057/31/109	P: 312/15 T: 997/72
1990/03/13	19:10	12	2	1		P: 042/61/73 A: 260/36/126	P: 145/14 T: 268/65
1996/03/30	01:54	10	3	0		P: 145/52/71 A: 362/42/112	P: 246/05 T: 354/74
1990/04/21	01/2	34	15	ž.		P: 297/51/77 A: 337/41/105	P: 036/05 T: 152/79
1990/04/28	00:2	8 13	1			P: 174/41/41 A: 051/65/123	P: 117/13 T: 007/57




Figure 20. Mechanism solutions determined for earthquakes it 1989-90.

BIBLIOGRAPHY OF PUBLICATIONS ON EASTERN CANADIAN SEISMICITY AND RELATED TOPICS BY GEOPHYSICS DIVISION (1989/90).

The data provided by ECTN and the local networks form the basis for a wide variety of seismological research projects carried out by GD staff into the seismicity, seismic source properties and seismic bazards of eastern Canada; a summary of such publications, either submitted or issued in this period, is given in the following bibliography.

Adams, J. and S. Bell, 1990. Crustal stresses in Canada, in Slemmons, D.B., Engdahl, E.R., Blackwell, D. and Schwarz, D., Eds., Neotectonics of North America: Boulder, Colorado, Geological Society of America, Decade Map Volume.

Anglia, F.M., R.J. Wetmiller, R.B. Herner, G.C. Rogers and J.A. Drysdale, 1990. Seismicity Map of Canada. Geological Survey of Canada, Geophysical Atlas Map 15, Scale 1:10M, Ottawa.

Burke, K.B.S., R.J. Wetmiller, M. Lamontagne, M.J. Carr, and C. Hickey, 1989. Microearthquake survey of the Miramichi, New Brunswick, epicentral region, 1989. Canadian Journal of Earth Sciences, 26, p. 2567-2577.

Drysdale, J.A., 1989. Southeastern Canadian earthquake activity: January 01, 1988 to September 30, 1989. Geological Survey of Canada Current Research, Paper 90-1A, p. 67-71.

Du Berger, R., D.W. Roy, M. Lamontagne, G. Woussen, R.G. North and R.J. Wetmiller, 1989. The Saguenay (Quebec) earthquake of November 25, 1988. Seismological Data and Geological Setting. Tectonophysics, (in press)

Hasegawa, H.S., 1990. Mining related seismic source mechanisms and ground vibrations, Geological Surv. of Canada Current Research, Paper 90-1A, p. 57-65.

Hasegawa, H.S. and J. Adams, 1990. Re-analysis of the 1963 Baffin Island earthquake (Ms 6.2) and its seismotectonic environment. Seismological Research Letters, (in press).

Lamontagne, M., P. Morel-à-l'Hussier and A.E. Stevens, 1989. Séisme en direct. Géochronique/Actualités géologique, 32, p 4.

Lamontagne, M., R.J. Wetmiller and R. Du Berger, 1990. Some results from the November 25, 1988 Saguenay (Quebec) earthquake. Geological Survey of Canada Current Research, Paper 90–1B, p. 115–121.

Stevens, A.E., 1989. A critical review of the Wallach Report of May, 1989 entitled "Newly Discovered Geological Features and their Potential Impact on Darlington and Pickering". Geophysics Division Internal Report, 89-6, p.

Wetm. Per, R.J. and J. Adams, 1990. An carthquake doublet in the Charlevoix seismic zone, Quebec. Geological Survey of Canada Current Reseach, Paper 90-15, P. 105-113.

Wetmiller, R.J., J.A. Lyons, W.E. Shannon, P.S. Munro, J.T. THomas, M.D. Andrew, M. Lamontagne, C. Wong, F.M. Anglin, M. Picuffe, S.P. Lapointe, J. Adams and J.A. Drysdale, 1990. Eastern Canada Seismic Studies, July 1988 to June 1989. Geological Survey of Canada Open-file, 2134, 54 p.

Yamasaki, K. and H.S. Hasegawa. 1990. Dec. 1977 of non-ur 7 .m viscous lithely 4 re: with special reference to seismogenic stress in southeast in Canada. Tohoku Geophysical Journal, 33, p. 23

NRC FORM 335 (2-89) NRCM 1102 (201, 3362	BIBLIOGRAPHIC DATA SHEET (See conscious on the reverse)	AR REGULATORY COMMISSION	1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp. Re- and Addendum Numbers, If any) NUREG/CR-4753	
Canadian Sei	VGT. 5			
Annual Repor July 1989-Ju		May 1992 4 EIN OR CRANT NUMBER		
J.T. Thomas,	Wetmiller, J.A. Lyons, W.E. Shann M.D. Andrew, S. P. Lapointe, M. L J. Adams, M. G. Cajka, W. McNeil,	amontagne, C. Wong	6 TYPE OF REPORT , Annual Report 7 PERIOD COVERED Machiner Dates JUl. 1989 to June 1990	
Department of Geologic Stawa, KIA OY3, CAN	ntract to: Commercial Corporation Ontario CANADA			
"Division of Office of Nu	clear Regulatory Research Regulatory Commission	contractor provide NHC Division. Office	or Regula, U.S. Niveler Regulatory Commission,	
10. SUPPLEMENTARY NO	DYES			
agreeme Regulat Geophys from Ju general collect hazards carried Eastern develop this per	a progress report of work carrint entitled the "Canadian Seismi ory Commission (USNRC) the Canics Division of the Geological Survey 1, 1989 to June 30, 1990. The ly the operation of various seismostion and analysis of earthquake dat in eastern Canada and the north out in this one-year period are Canada Telemetred Network and ments, strong-motion network developments of the first surface fault unequiric earthquake in eastern North Americal Canada Telemetres fault unequirical earthquake in eastern North Americal Earthquake In eastern North In Earthquake In eastern In Earthquake In eastern North In Earthquake In eastern	c Agreement betwe adian Commercial vey of Canada (GD/G "Canadian Sei mic graph stations in e a for the purpose ceastern U.S. The summarized below local network depoments and earthquivocably determined	Corporation and the SC) during the period Agreement" supports astern Canada and the of mitigating seismic specific activities under four headings; evelopments, Datalah ake activity. During d to have accompanied	

Seismicity Ungava Canada (Eastern) Surface Faulting Saguenay Charlevoix

12 KEY WORDS/DESCRIPTORS Class words or phrases that will assist researchers in locating the report, I

A AVAILABILITY STATEMENT Unlimited 14 SECURITY CLASSIFICATION (This Page) Unclassified (This Report) Unclassified 15. NUMBER OF PAGES 16 PRICE

MAC 9 URM 335 12 891



THIS DOCUMENT WAS PRINTED USING RECYCLED PAPER

NUCLEAR REGULATORY COMMISSION WASHINGTON, D.C. 20555

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$30C

POSTAGE AND FEES - AND USNRC PERMIT NO. G 67

120555139531 US NAC-UARM 719 FOIA PURITATIONS SUCS F-21 WASHINGTON