

January 17, 1996

Duke Power Company  
ATTN: Mr. W. R. McCollum  
Site Vice President  
Catawba Site  
4800 Concord Road  
York, SC 29745-9635

Gentlemen:

SUBJECT: CATAWBA MEETING NOTICE - RESCHEDULED TIME OF MEETING

This letter confirms the conversation between Mr. J. Lowery of your staff and Mr. R. Carroll of this office on January 16, 1996, concerning changing the time of the February 6, 1996, Management meeting to discuss the status and results of performance improvement initiatives at Catawba. The meeting will now be conducted at Catawba Nuclear Station (Administration Building, Room 153A) on February 6, 1996, from 1:00 p.m. to 3:00 pm. This will be an open meeting as per "Staff Meetings Open to the Public; Final Policy Statement" (September 20, 1994; 59 FR 48340).

Should you have any questions concerning this meeting, please contact Mr. R. Carroll at (404) 331-5543.

Sincerely,

Original signed by  
R. V. Crlenjak, Chief  
Reactor Projects Branch 3  
Division of Reactor Projects

Docket Nos. 50-413 and 50-414  
License Nos. NPF-35 and NPF-52

cc: Mr. Z. L. Taylor  
Compliance  
Duke Power Company  
4800 Concord Road  
York, SC 29745-9635

Mr. A. V. Carr, Esq.  
Duke Power Company  
422 South Church Street  
Charlotte, NC 28242-0001

cc cont'd: (See page 2)

9601260337 960117  
PDR ADOCK 05000413  
P PDR

260018

110  
IC45

cc: Continued  
Mr. Robert P. Gruber  
Executive Director  
Public Staff - NCUC  
P. O. Box 29520  
Raleigh, NC 27626-0520

Mr. J. Michael McGarry, III, Esq.  
Winston and Strawn  
1400 L Street, NW  
Washington, D. C. 20005

North Carolina MPA-1  
Suite 600  
P. O. Box 29513  
Raleigh, NC 27626-0513

Mr. Max Batavia, Chief  
S. C. Department of Health  
and Environmental Control  
2600 Bull Street  
Columbia, SC 29201

Mr. Richard P. Wilson, Esq.  
Assistant Attorney General  
P. O. Box 11549  
Columbia, SC 29211

Mr. Michael Hirsch  
Federal Emergency Management Agency  
500 C Street, Sw, Room 840  
Washington, D. C. 20472

North Carolina Electric  
Membership Corporation  
P. O. Box 27306  
Raleigh, NC 27611

Ms. Karen E. Long  
Assistant Attorney General  
N. C. Department of Justice  
P. O. Box 629  
Raleigh, NC 27602

Saluda River Electric  
Cooperative, Inc.  
P. O. Box 929  
Laurens, SC 29360

cc cont'd: (See page 3)

cc: Continued  
 Mr. T. Richard Puryear  
 Nuclear Technical Services Manager  
 Carolinas District  
 Westinghouse Electric Corporation  
 2709 Water Ridge Parkway, Ste. 430  
 Charlotte, NC 28217

E-Mail  
 Meeting Announcement Coordinator,  
 OADM/DFIPS (PMNS)  
 Region II Admin. Secretary  
 Region II Div. Dirs. and  
 Deputies  
 Region II Public Affairs Officer

County Manager of York County  
 York County Courthouse  
 York, SC 29745


Piedmont Municipal Power Agency  
 121 Village Drive  
 Greer, SC 29651

Mr. G. A. Copp  
 Licensing - EC050  
 Duke Power Company  
 P. O. Box 1006  
 Charlotte, NC 28201-1006

Mr. Paul Pappas  
 Director Nuclear Operations  
 North Carolina Electric  
 Membership Corporation  
 Catawba Nuclear Station  
 4800 Concord Road  
 York, SC 29745

Distribution:

- Hard Paper Copy  
 J. Johnson, RII  
 A. Gibson, RII  
 B. Mallett, RII  
 A. Gody, DISP/PIPB  
 G. Tracy, OEDO (17G21)  
 R. Martin, NRR  
 H. Berkow, NRR
- R. V. Crlenjak, RII  
 R. E. Carroll, RII  
 NRC Resident Inspector  
 Docket File  
 Public

SEND TO PUBLIC DOCUMENT ROOM?		YES		NO					
OFFICE	RII:DRP								
SIGNATURE									
NAME	RCarroll:sam								
DATE	01 / 17 / 96	01 / / 96	01 / / 96	01 / / 96	01 / / 96	01 / / 96	01 / / 96	01 / / 96	01 / / 96
COPY?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO