

OFFSITE DOSE CALCULATION MANUAL
FOR
SOUTH CAROLINA ELECTRIC AND GAS COMPANY
VIRGIL C. SUMMER NUCLEAR STATION

REVISION 6

July 1984

Nuclear Data - Nuclear Power Division
2734 South Cobb Industrial Boulevard
Smyrna, Georgia, 30080
(404) 434-9889

REVIEWED BY PSRC


CHAIRMAN

7/11/84
DATE

Revision 6

8409130161 840810
PDR ADOCK 05000395
R PDR

LIST OF EFFECTIVE PAGES


<u>Page</u>	<u>Revision</u>	<u>Page</u>	<u>Revision</u>
i	6	1.0-1	5
ii	6	1.0-2	5
iii	5	1.0-3	5
iv	5	1.0-4	5
v	5	1.0-5	5
vi	5	1.0-6	5
vii	5	1.0-7	5
viii	5	1.0-8	5
		1.0-9	5
		1.0-10	5
		1.0-11	5
		1.0-12	5
		1.0-13	5
		1.0-14	5
		1.0-15	5
		1.0-16	5
		1.0-17	5
		1.0-18	5
		1.0-19	5
		1.0-20	5
		1.0-21	5
		1.0-22	5
		1.0-23	5
		1.0-24	5
		1.0-25	5
		1.0-26	5
		1.0-27	5
		1.0-28	5
		1.0-29	5
		1.0-30	5
		1.0-31	5
		1.0-32	5
		1.0-33	5
		1.0-34	5
		1.0-35	5
		1.0-36	5
		1.0-37	5
		1.0-38	5
		1.0-39	5
		1.0-40	6

LIST OF EFFECTIVE PAGES (Continued)

<u>Page</u>	<u>Revision</u>	<u>Page</u>	<u>Revision</u>
2.0-1	5	2.0-46	5
2.0-2	5	2.0-47	5
2.0-3	5	2.0-48	5
2.0-4	5	2.0-49	5
2.0-5	5	2.0-50	5
2.0-6	5	2.0-51	6
2.0-7	5		
2.0-8	5		
2.0-9	5	3.0-1	5
2.0-10	5	3.0-2	5
2.0-11	5	3.0-3	5
2.0-12	5	3.0-4	5
2.0-13	5	3.0-5	5
2.0-14	5	3.0-6	5
2.0-15	5	3.0-7	5
2.0-16	5	3.0-8	5
2.0-17	5	3.0-9	5
2.0-18	5	3.0-10	5
2.0-19	5	3.0-11	5
2.0-20	5	3.0-12	5
2.0-21	5	3.0-13	5
2.0-22	5		
2.0-23	5		
2.0-24	5		
2.0-25	5		
2.0-26	5		
2.0-27	5		
2.0-28	5		
2.0-29	5		
2.0-30	5		
2.0-31	5		
2.0-32	5		
2.0-33	5		
2.0-34	5		
2.0-35	5		
2.0-36	5		
2.0-37	5		
2.0-37a	5		
2.0-38	5		
2.0-39	5		
2.0-40	5		
2.0-41	5		
2.0-42	5		
2.0-43	5		
2.0-44	5		
2.0-45	5		

1.4 LIQUID RADWASTE TREATMENT SYSTEM

Figure 1.4-1 Minimum OPERABLE Liquid Radwaste Treatment System per Technical Specification 4.11.1.3.2



2.5 Gaseous Radwaste Treatment System

Figure 2.5-1 Minimum OPERABLE Gaseous Radwaste Treatment System as per Technical Specification 4.11.2.4.2

