IES Utilities, Inc. Mr. John F. Franz Vice President Nuclear 200 First Street S.E. P. O. Box 351 Cedar Rapids, IA 52406-8162

SUBJECT:

ACKNOWLEDGMENT OF DECEMBER 22, 1995 LETTER TO JAMES LIEBERMAN,

DIRECTOR, NRC OFFICE OF ENFORCEMENT

Dear Mr. Franz:

This refers to your letter dated December 22, 1995 to James Lieberman, Director, NRC Office of Enforcement. In that letter you notified us of your intent to change a commitment made to the NRC in response to a May 26, 1992 Notice of Violation and Proposed Imposition of Civil Penalty (EA 92-056). The change pertained to the elimination of the requirement to have a health physics technician accompany workers on initial entries into high radiation areas to determine work area dose rates. Your basis for the change included such things as increased emphasis on proper use of electronic dosimeters (including appropriate response to alarms) in the General Employee Training (GET) and in the recent special training courses for all personnel; the use of telemetric dosimetry for selected high radiation job coverage; improvements in planning survey techniques; and additional training for high radiation area work coverage.

We reviewed your proposal and determined it to be an acceptable change from your previous commitment. The effectiveness of this change will be reviewed during future NRC inspections. We have no further questions regarding this matter at this time.

Sincerely,

/s/ G. E. Grant

Geoffrey E. Grant, Director Division of Reactor Safety

Docket No. 50-331

See Attached Distribution

(SEE PREVIOUS CONCURRENCE)

DOCUMENT NAME: G:DUA02146.DRS

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII	RIII	RIII	RIII	RIII
NAME	KSelburg:jp	RCaniano	RLanksbury	BBurgess	GGranteg
DATE	02/ /96	02/ /96	02/ /96	02/ /96	02/14(/95

OFFICIAL RECORD COPY

IES Utilities, Inc. Mr. John F. Franz Vice President Nuclear 200 First Street S.E. P. O. Box 351 Cedar Rapids, IA 52406-8162

SUBJECT:

ACKNOWLEDGMENT OF DECEMBER 22, 1995 LETTER TO JAMES LIEBERMAN,

DIRECTOR, NRC OFFICE OF ENFORCEMENT

Dear Mr. Franz:

This refers to your letter dated December 22, 1995 to James Lieberman, Director, NRC Office of Enforcement. In that letter you notified us of your intent to change a commitment made to the NRC in response to a May 26, 1992 Notice of Violation and Proposed Imposition of Civil Penalty (EA 92-056). The change pertained to the elimination of the requirement to have a health physics technician accompany workers on initial entries into high radiation areas to determine work area dose rates. Your basis for the change included such things as increased emphasis on proper use of electronic dosimeters (including appropriate response to alarms) in the General Employee Training (GET) and in the recent special training courses for all personnel; the use of telemetric dosimetry for selected high radiation job coverage; improvements in planning survey techniques; and additional training for high radiation area work coverage.

We have reviewed your proposal and determined it to be an acceptable change from your previous commitment. The effectiveness of this change will be reviewed during future NRC inspections. We have no further questions regarding this matter at this time.

Sincerely,

Geoffrey E. Grant, Director Division of Reactor Safety

Docket No. 50-331

See Attached Distribution

DOCUMENT NAME: G:DUA02016.DRS

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII E	RIII	C	RII France IN		RIII
NAME	KSelburg:jpo	RCaniano (Me	RLanksbury	BBurgess	GGrant
DATE	02/1/96	02/ / /96	1	02/1/96	02/1/96	02/ /96

OFFICIAL RECORD COPY

cc: P. Bessette, Acting Manager, Nuclear Licensing

cc w/ltr dtd 12/22/95: Chairperson, Iowa Utilities Board

Distribution:
Docket File w/encl
PUBLIC IE-01 w/encl
LPM, NRR w/encl

DRS w/encl OC/LFDCB w/encl JLieberman, OE w/encl

A. B. Beach, RIII w/encl SRI, DAEC w/encl