

NUREG-0540
Vol. 17, No. 7

Title List of Documents Made Publicly Available

July 1, 1995

U.S. Nuclear Regulatory Commission

Office of Administration



9510030198 950930
PDR NUREG
0540 R PDR

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG-0540
Vol. 17, No. 7

Title List of Documents Made Publicly Available

July 1-31, 1995


Date Published: September 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001



CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low-Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	8
Standardized Nuclear Power Plant Design — Docket 52	133
Domestic Licensing of Special Nuclear Material — Docket 70	135
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	141
Licensing of Independent Spent Fuel Storage — Docket 72	147
Nondocketed Items	149
10 CFR — Commission Meeting Records	149
ACNW — Advisory Committee on Nuclear Waste	149
ACRS — Advisory Committee on Reactor Safeguards	150
ADVCM — NRC Advisory Committee	150
COMMISSION — NRC Commissioners	150
CONTRACT — NRC Contracts and Modifications	153
FOIA — Freedom of Information Act Requests and Releases	155
GEN TECH IS — Generic Technical Issues	163
I&E — Inspection and Enforcement	163
MISC — Public Document Room Miscellaneous	164
NUREG — NUREG Reports and Related Correspondence	164
ORG — Correspondence with Other Organizations	167
PR — Proposed Rule	169
PRESS — Press Releases	172
PRM — Petition for Rulemaking	172
PROJ — Projects-Predocket Licensing	172
PT21 — Noncompliance Reports and Related Correspondence	173
QA999 — Quality Assurance Inspections	173
REG CERT Registry Certificate	174
REGGD — Regulatory Guides	174
REVIEW GROUP — NRC Research Review Groups	175
SECY — Position Papers Before the Commission	176
STATE PROG — State Programs	177
TOPREP — Vendor Reports and Related Correspondence	181
WASTE MGT — Nuclear Waste Management	184
XPORTLIC — Export and Import Licenses	187
Personal Author Index	191
Corporate Source Index	209
Report Number Index	225
Cross Reference of Enclosures to Principal Documents	227
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1



PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 ADVCM—NRC Advisory Committees
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues
 IE—Inspection and Enforcement Issuances
 MISC—Public Document Room Miscellaneous
 NUREG—NRC-Issued Formal Reports and Related Correspondence
 ORG—Organizational File
 PR—Proposed Rules
 PRM—Petitions for Rulemaking
 PROJ—Projects
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—Research Review Groups
 RM—Rulemakings
 SECY—Staff Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Topical Reports and Correspondence
 WASH—AEC-Issued Formal Reports and Correspondence
 WM—Waste Management Documents
 WMRES—Waste Management Contract Documents
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

① NUREG—NRC-Issued Formal Reports and Related Correspondence

② ③ ④
 8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE
 TEST VI-2

⑤ ⑥
 OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

⑦ ⑧ ⑨ ⑩ ⑪
 FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

⑫ ⑬ ⑭ ⑮
 51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).

11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is
Superintendent of Documents
U.S. Government Printing Office
P.O. Box 37082
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is
National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is
2120 L Street, NW.
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission
Public Document Room
Mail Stop LL-6
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-7708	UNION CARBIDE CORP., NEW YORK, NY	3
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8027	SEQUOYAH FUELS CORP., GORE, OK	3
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8084	RIO ALGOM MINING CORP., MOAB, UT	4
DOCKET	UNKNOWN	1	40-8102	EXXON CORP., HOUSTON, TX	4
Domestic Licensing of Source Material - Docket 40			40-8452	BEAR CREEK URANIUM CO., CASPER, WY	4
40-0185	G.T.E. PRODUCTS CORP., TOWANDA, PA	1	40-8502	TOTAL MINERALS CORP., CASPER, WY	4
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	4
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1	40-8681	UMETCO MINERALS CORP., BLANDING, UT	4
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	1	40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	5
40-0645	CLEVITE CORP. CLEVELAND	1	40-8724	CHEMETRON CORP., PROVIDENCE, RI	5
40-0659	GENERAL ELECTRIC CO., CINCINNATI, OH	1	40-8778	MOLYCORP, INC., LOS ANGELES, CA	5
40-0672	NUCLEAR METALS, INC., CONCORD, MA	1	40-8794	MOLYCORP, INC., LOS ANGELES, CA	5
40-0861	HORIZONS INC. CEVELAND	2	40-8805	CERAC, INC., MILWAUKEE, WI	5
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2	40-8833	MANLABS, INC., CAMBRIDGE, MA	5
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	2	40-8852	FERRULMATIC, INC., TOTOWA, NJ	5
40-1389	CLEVITE CORP. CLEVELAND	2	40-8857	POWER RESOURCES, INC., GLENROCK, WY	5
40-1650	WYMAN-GORDON CO., NORTH GRAFTON, MA	2	40-8866	NUCLEAR METALS, INC., CONCORD, MA	6
40-2253	ARMY, DEPT. OF, WATERTOWN, MA	2	40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	6
40-2377	KAISER ALUMINUM SPECIALTY PRODUCTS	2	40-8903	HOMESTAKE MINING CO., GRANTS, NM	6
40-2384	RMI CO., ASHTABULA, OH	2	40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	6
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2	40-8905	QUIVIRA MINING CO., GRANTS, NM	6
40-3453	ATLAS CORP., DENVER, CO	2	40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	6
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2	40-8936	BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN	7
40-6500	ENERGY, DEPT. OF, CANONSBURG, PA	3	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	7
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	3	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	7
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	3	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	7
40-6940	CABOT CORP., BOYERTOWN, PA	3	40-8971	U.S. ENERGY CORP., RIVERTON, WY	7
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3	40-8981	PATHFINDER MINES CORP., MILLS, WY	7
40-7354	ARMY, DEPT. OF, ABERDEEN, MD	3	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	7
40-7397	FOOTE MINERAL CO., EXTON, PA	3	40-9022	HARTLEY & HARTLEY LANDFILL	8
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	3	40-9024	ENERGY FUELS NUCLEAR	8
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	3	40-9027	CABOT CORP. READING & REVERE	8
			Domestic Licensing of Production and Utilization Facilities - Docket 50		
			50-3	INDIAN POINT STATION, UNIT 1	8
			50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	8

Docket	Name	Page	Docket	Name	Page
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	8	50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	16
50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	9	50-236	LOCKHEED AIRCRAFT CORP.	16
50-18	VALLECITOS BOILING WATER REACTOR	9	50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	16
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	9	50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	18
50-29	YANKEE-ROWE NUCLEAR POWER STATION	9	50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	18
50-54	CINTICHEM	9	50-247	INDIAN POINT STATION, UNIT 2	20
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	9	50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	21
50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	9	50-250	TURKEY POINT PLANT, UNIT 3	22
50-72	UNIV. OF UTAH RESEARCH REACTOR	9	50-251	TURKEY POINT PLANT, UNIT 4	23
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	10	50-254	QUAD-CITIES STATION, UNIT 1	24
50-77	CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	10	50-255	PALISADES NUCLEAR PLANT	25
50-83	UNIV. OF FLORIDA TRAINING REACTOR	10	50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	26
50-89	GENERAL ATOMICS	10	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	27
50-113	UNIV. OF ARIZONA RESEARCH REACTOR	10	50-261	H.B. ROBINSON PLANT, UNIT 2	29
50-116	IOWA STATE UNIV. RESEARCH REACTOR	10	50-263	MONTICELLO NUCLEAR GENERATING PLANT	30
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	10	50-265	QUAD-CITIES STATION, UNIT 2	31
50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	10	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	32
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	10	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	33
50-150	OHIO STATE UNIV. RESEARCH REACTOR	11	50-269	OCONEE NUCLEAR STATION, UNIT 1	33
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	11	50-270	OCONEE NUCLEAR STATION, UNIT 2	34
50-155	BIG ROCK POINT NUCLEAR PLANT	11	50-271	VERMONT YANKEE NUCLEAR POWER STATION	35
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	12	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	36
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	38
50-163	GENERAL ATOMICS	13	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	38
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	13	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	38
50-183	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	13	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	40
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	13	50-280	SURRY POWER STATION, UNIT 1	42
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	13	50-281	SURRY POWER STATION, UNIT 2	43
50-213	HADDAM NECK PLANT	13	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	43
50-219	OYSTER CREEK NUCLEAR POWER PLANT	14	50-284	IDAHO STATE UNIV. RESEARCH REACTOR	45
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	15	50-285	FORT CALHOUN STATION, UNIT 1	45
			50-286	INDIAN POINT STATION, UNIT 3	46
			50-287	OCONEE NUCLEAR STATION, UNIT 3	48
			50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50

Docket	Name	Page	Docket	Name	Page
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	50	50-339	NORTH ANNA POWER STATION, UNIT 2	79
50-295	ZION NUCLEAR POWER STATION, UNIT 1	51	50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	80
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	52	50-344	TROJAN NUCLEAR PLANT	81
50-298	COOPER NUCLEAR STATION	54	50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	81
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	55	50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	81
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	56	50-352	LIMERICK GENERATING STATION, UNIT 1	82
50-304	ZION NUCLEAR POWER STATION, UNIT 2	57	50-353	LIMERICK GENERATING STATION, UNIT 2	83
50-305	KEWAUNEE NUCLEAR POWER PLANT	58	50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	85
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	58	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	86
50-309	MAINE YANKEE ATOMIC POWER PLANT	59	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	87
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	60	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	89
50-312	RANCHO SECO NUCLEAR GENERATING STATION	61	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	90
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	62	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	91
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	62	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	92
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	64	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	93
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	65	50-373	LASALLE COUNTY STATION, UNIT 1	94
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	65	50-374	LASALLE COUNTY STATION, UNIT 2	95
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	66	50-382	WATERFORD GENERATING STATION, UNIT 3	95
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	66	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	97
50-322	SHOREHAM NUCLEAR POWER STATION	67	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	97
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	68	50-389	ST. LUCIE PLANT, UNIT 2	98
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	69	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	99
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	69	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	101
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	70	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	103
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	71	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	104
50-329	MIDLAND PLANT, UNIT 1	72	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	105
50-330	MIDLAND PLANT, UNIT 2	72	50-407	UNIV. OF UTAH RESEARCH REACTOR	106
50-331	DUANE ARNOLD ENERGY CENTER	72	50-409	LA CROSSE BOILING WATER REACTOR	106
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	73	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	106
50-334	BEAVER VALLEY POWER STATION, UNIT 1	75	50-412	BEAVER VALLEY POWER STATION, UNIT 2	107
50-335	ST. LUCIE PLANT, UNIT 1	76	50-413	CATAWBA NUCLEAR STATION, UNIT 1	107
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	77	50-414	CATAWBA NUCLEAR STATION, UNIT 2	109
50-338	NORTH ANNA POWER STATION, UNIT 1	78	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	110

Docket	Name	Page	Docket	Name	Page
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	111	52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	133
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	111	52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	135
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	112	DOCKET	UNKNOWN	135
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	113	Domestic Licensing of Special Nuclear Material - Docket 70		
STN-50-437	FLOATING NUCLEAR PLANT	115	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	135
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	115	70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	136
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	115	70-0113	PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	136
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	115	70-0133	CLEVITE CORP., CLEVELAND, OH	136
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	116	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	136
50-443	SEABROOK NUCLEAR STATION, UNIT 1	116	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	136
50-444	SEABROOK NUCLEAR STATION, UNIT 2	117	70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	137
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	117	70-0687	CINTICHEM, INC., TUXEDO, NY	137
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	118	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	137
STN-50-454	BYRON STATION, UNIT 1	118	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	137
STN-50-455	BYRON STATION, UNIT 2	119	70-0882	COLUMBIA UNIV., NEW YORK, NY	137
STN-50-456	BRAIDWOOD STATION, UNIT 1	120	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	137
STN-50-457	BRAIDWOOD STATION, UNIT 2	121	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	137
50-458	RIVER BEND STATION, UNIT 1	122	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	138
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	123	70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	138
50-461	CLINTON POWER STATION, UNIT 1	123	70-1201	B&W FUEL CO., LYNCHBURG, VA	138
STN-50-482	WOLF CREEK GENERATING STATION	124	70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	139
STN-50-483	CALLAWAY PLANT, UNIT 1	125	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	139
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	126	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	139
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	128	70-2872	RS HOLDING, INC., CLEVELAND, OH	139
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	129	70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	139
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	129	70-3020	NUCLEAR ASSURANCE CORP., NORCROSS, GA	139
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	131	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	139
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	132	70-3074	COLUMBIA UNIV., NEW YORK, NY	140
50-537	CLINCH RIVER BREEDER REACTOR	133	70-3087	SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN	140
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	133	70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	140
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	133	70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	140

Docket	Name	Page	Docket	Name	Page
DOCKET	UNKNOWN	141	71-0692	T&K INSPECTION	143
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			71-0701	NDT SPECIALISTS, INC.	143
71-0016	NORTHWEST AIRLINES, INC.	141	71-0703	NORDION INTERNATIONAL, INC.	143
71-0093	HUNTINGTON TESTING	141	71-0706	S.K. MCBRYDE, INC.	143
71-0097	NONDESTRUCTIVE INSPECTION SERVICE	141	71-0721	QUALITY SYSTEMS NDE, LTD.	143
71-0103	TWIN CITY TESTING CORP.	141	71-0723	BASIN SERVICES, INC.	143
71-0111	MATERIAL TESTING LABORATORY OF VIRGINIA, INC.	141	71-0738	VERMONT NONDESTRUCTIVE TESTING, INC.	143
71-0119	INGERSOLL-RAND CO.	141	71-0749	CURTIS INSPECTION SERVICES, INC.	143
71-0135	BABCOCK & WILCOX CO.	141	71-0770	RUST REMEDIAL SERVICES	143
71-0149	MIDWEST INSPECTION SERVICE	141	71-0780	WESTERN INDUSTRIAL X-RAY	143
71-0157	FROEHLING & ROBERTSON, INC.	141	71-0783	NORTHWEST INSPECTION & TESTING SERVICES	143
71-0158	X-R-I TESTING OF MICHIGAN	141	71-0787	LAFAYETTE TESTING SERVICES	143
71-0172	EMPIRE STEEL CASTINGS, INC.	141	71-0817	MESCALERO ENVIRO, INC.	144
71-0185	FBF, INC.	141	71-0819	FAIRFIELD UNIVERSITY	144
71-0252	DAYTON X-RAY CO.	142	71-0821	PENSACOLA TESTING LABS, INC.	144
71-0260	ASTROTECH, INC.	142	71-3027	MODEL: NT-IV TRANSPORTATION, DEPT. OF	144
71-0319	GENERAL TESTING & INSPECTION CO.	142	71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	144
71-0326	INDUSTRIAL NDT SERVICES Div. (INDUSTRIAL HEAT TREATING)	142	71-5957	MODEL: BMI-1, CINTICHEM, INC.	144
71-0346	PUBLIC SERVICE CO. OF COLORADO	142	71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	144
71-0352	NILES STEEL TANK CO.	142	71-6717	MODEL: 6717-B, AMERSHAM CORP.	144
71-0378	WISCONSIN ELECTRIC POWER CO.	142	71-9001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	144
71-0401	RELIANCE TESTING CO.	142	71-9006	MODEL: AI 500 SU, AMERSHAM CORP.	144
71-0431	TRUTOM (U.S.), LTD.	142	71-9007	MODEL: AI 520, AMERSHAM CORP.	144
71-0461	ATLANTIC RESEARCH CORP.	142	71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	144
71-0495	SOUTHWEST X-RAY CORP.	142	71-9032	MODEL: 650, AMERSHAM CORP.	144
71-0524	RADIATION STERILIZERS, INC.	142	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	145
71-0532	WESTERN X-RAY	142	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	145
71-0539	ARROW NDE CO., INC.	142	71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	145
71-0552	OLD DOMINION FABRICATORS	142	71-9039	MODEL: 715, AMERSHAM CORP.	145
71-0579	SENIOR ENGINEERING CO.	142	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	145
71-0583	MINNESOTA VALLEY ENGINEERING, INC.	142	71-9107	MODEL: 771, AMERSHAM CORP.	145
71-0600	SHAFFER VALVE CO.	142	71-9126	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	145
71-0601	CARRIER CORP.	142	71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	145
71-0615	ALONSO & CARUS IRON WORKS, INC.	142	71-9141	MODEL: 900, AMERSHAM CORP.	146
71-0637	WESTERN STRESS, INC.	143	71-9143	MODEL: 920, AMERSHAM CORP.	146
71-0642	RTS TECHNOLOGY, INC.	143	71-9147	MODEL: 850, AMERSHAM CORP.	146
71-0644	PACIFIC COAST TESTING SERVICE, INC.	143	71-9150	MODEL: PAT-2, ENERGY, DEPT. OF	146
71-0656	PROFESSIONAL WELDING ASSOCIATES, INC.	143			
71-0659	TRI STATE ASSOCIATES, INC.	143			
71-0678	PACTEC, INC.	143			

Docket	Name	Page	Docket	Name	Page
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	146	72-0005	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	147
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	146	72-0007	ISFSI PALISADES GEN LIC/VSC-24, 50-255	147
71-9176	MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	146	72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	147
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	146	72-0009	FORT ST. VRAIN ISFSI, 50-267	147
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	146	72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	148
71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	146	72-0011	RANCHO SECO ISFSI, 50-312	148
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	146	72-0014	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	148
71-9251	MODEL: BW-2901, B&W FUEL CO.	146	72-0015	ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-219	148
71-9259	MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	146	72-0016	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	148
71-9260	MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	146	72-0018	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	148
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	147	72-1002	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	148
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	147	72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	148
Licensing of Independent Spent Fuel Storage - Docket 72			72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	148
72-0001	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	147	72-1008	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	148
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	147	72-1009	DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	148
			72-1012	DOE-MPC-24B FOR BWR FUEL	148

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			MANLABS, INC., CAMBRIDGE, MA	40-8833	5
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	MOLYCORP, INC., LOS ANGELES, CA	40-8794	5
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	MOLYCORP, INC., LOS ANGELES, CA	40-8778	5
Domestic Licensing of Source Material - Docket 40			NUCLEAR METALS, INC., CONCORD, MA	40-8866	6
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2	NUCLEAR METALS, INC., CONCORD, MA	40-0672	1
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2	PATHFINDER MINES CORP., MILLS, WY	40-8981	7
ARMY, DEPT. OF, ABERDEEN, MD	40-7354	3	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	3
ARMY, DEPT. OF, WATERTOWN, MA	40-2253	2	PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	3
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	6	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8696	5
ATLAS CORP., DENVER, CO	40-3453	2	POWER RESOURCES, INC., GLENROCK, WY	40-8857	5
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	4	QUIVIRA MINING CO., GRANTS, NM	40-8905	6
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	3	RIO ALGOM MINING CORP., MOAB, UT	40-8084	4
BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN	40-8936	7	RMI CO., ASHTABULA, OH	40-2384	2
CABOT CORP. READING & REVERE	40-9027	8	SEQUOYAH FUELS CORP., GORE, OK	40-8027	3
CABOT CORP., BOYERTOWN, PA	40-6940	3	SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	7
CERAC, INC., MILWAUKEE, WI	40-8805	5	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3
CHEMETRON CORP., PROVIDENCE, RI	40-8724	5	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	6
CLEVITE CORP. CLEVELAND	40-0645	1	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	2
CLEVITE CORP. CLEVELAND	40-1389	2	TOTAL MINERALS CORP., CASPER, WY	40-8502	4
ENERGY FUELS NUCLEAR	40-9024	8	U.S. ENERGY CORP., RIVERTON, WY	40-8971	7
ENERGY, DEPT. OF, CANONSBURG, PA	40-6500	3	UMETCO MINERALS CORP., BLANDING, UT	40-8681	4
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	7	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
EXXON CORP., HOUSTON, TX	40-8102	4	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	6
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	3	UNION CARBIDE CORP., NEW YORK, NY	40-7708	3
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	7	WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
FERRULMATIC, INC., TOTOWA, NJ	40-8852	5	WYMAN-GORDON CO., NORTH GRAFTON, MA	40-1650	2
FOOTE MINERAL CO., EXTON, PA	40-7397	3	Domestic Licensing of Production and Utilization Facilities - Docket 50		
G.T.E. PRODUCTS CORP., TOWANDA, PA	40-0185	1	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	16
GENERAL ELECTRIC CO., CINCINNATI, OH	40-0659	1	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	112
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	1	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	113
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	62
HARTLEY & HARTLEY LANDFILL	40-9022	8	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	91
HOMESTAKE MINING CO., GRANTS, NM	40-8903	6	BEAVER VALLEY POWER STATION, UNIT 1	50-334	75
HORIZONS INC. CEVELAND	40-0861	2	BEAVER VALLEY POWER STATION, UNIT 2	50-412	107
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	7	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	115
KAISER ALUMINUM SPECIALTY PRODUCTS	40-2377	2	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	115
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	4			

Name	Docket	Page	Name	Docket	Page
BIG ROCK POINT NUCLEAR PLANT	50-155	11	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	9
BRAIDWOOD STATION, UNIT 1	STN-50-456	120	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	80
BRAIDWOOD STATION, UNIT 2	STN-50-457	121	FLOATING NUCLEAR PLANT	STN-50-437	115
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	26	FORT CALHOUN STATION, UNIT 1	50-285	45
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	27	FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	33
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	52	GENERAL ATOMICS	50-163	13
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	69	GENERAL ATOMICS	50-89	10
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	69	GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	9
BYRON STATION, UNIT 1	STN-50-454	118	GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	10
BYRON STATION, UNIT 2	STN-50-455	119	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	12
CALLAWAY PLANT, UNIT 1	STN-50-483	125	GRAND GULF NUCLEAR STATION, UNIT 1	50-416	110
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	65	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	111
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	65	H.B. ROBINSON PLANT, UNIT 2	50-261	29
CATAWBA NUCLEAR STATION, UNIT 1	50-413	107	HADDAM NECK PLANT	50-213	13
CATAWBA NUCLEAR STATION, UNIT 2	50-414	109	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	85
CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	50-77	10	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	10
CINTICHEM	50-54	9	IDAHO STATE UNIV. RESEARCH REACTOR	50-284	45
CLINCH RIVER BREEDER REACTOR	50-537	133	INDIAN POINT STATION, UNIT 1	50-3	8
CLINTON POWER STATION, UNIT 1	50-461	123	INDIAN POINT STATION, UNIT 2	50-247	20
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	117	INDIAN POINT STATION, UNIT 3	50-286	46
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	118	IOWA STATE UNIV. RESEARCH REACTOR	50-116	10
COOPER NUCLEAR STATION	50-298	54	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	73
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	56	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	81
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	81	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	89
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	38	KANSAS STATE UNIV. RESEARCH REACTOR	50-188	13
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	68	KEWAUNEE NUCLEAR POWER PLANT	50-305	58
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	62	LA CROSSE BOILING WATER REACTOR	50-409	106
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	64	LASALLE COUNTY STATION, UNIT 1	50-373	94
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	8	LASALLE COUNTY STATION, UNIT 2	50-374	95
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	16	LIMERICK GENERATING STATION, UNIT 1	50-352	82
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	21	LIMERICK GENERATING STATION, UNIT 2	50-353	83
DUANE ARNOLD ENERGY CENTER	50-331	72	LOCKHEED AIRCRAFT CORP.	50-236	16
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	66	MAINE YANKEE ATOMIC POWER PLANT	50-309	59
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	90	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	9
			MIDLAND PLANT, UNIT 1	50-329	72
			MIDLAND PLANT, UNIT 2	50-330	72
			MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	18

Name	Docket	Page	Name	Docket	Page
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	77	SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	86
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	111	SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	87
MONTICELLO NUCLEAR GENERATING PLANT	50-263	30	SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	10
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	15	SEABROOK NUCLEAR STATION, UNIT 1	50-443	116
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	106	SEABROOK NUCLEAR STATION, UNIT 2	50-444	117
NORTH ANNA POWER STATION, UNIT 1	50-338	78	SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	70
NORTH ANNA POWER STATION, UNIT 2	50-339	79	SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	71
OCONEE NUCLEAR STATION, UNIT 1	50-269	33	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	105
OCONEE NUCLEAR STATION, UNIT 2	50-270	34	SHOREHAM NUCLEAR POWER STATION	50-322	67
OCONEE NUCLEAR STATION, UNIT 3	50-287	48	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	126
OHIO STATE UNIV. RESEARCH REACTOR	50-150	11	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	128
OYSTER CREEK NUCLEAR POWER PLANT	50-219	14	ST. LUCIE PLANT, UNIT 1	50-335	76
PALISADES NUCLEAR PLANT	50-255	25	ST. LUCIE PLANT, UNIT 2	50-389	98
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	129	SURRY POWER STATION, UNIT 1	50-280	42
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	131	SURRY POWER STATION, UNIT 2	50-281	43
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	132	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	97
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	13	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	97
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	38	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	50
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	40	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	66
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	8	TROJAN NUCLEAR PLANT	50-344	81
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	115	TURKEY POINT PLANT, UNIT 3	50-250	22
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	116	TURKEY POINT PLANT, UNIT 4	50-251	23
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	50	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	38
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	32	UNIV. OF ARIZONA RESEARCH REACTOR	50-113	10
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	55	UNIV. OF FLORIDA TRAINING REACTOR	50-83	10
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	43	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	11
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	58	UNIV. OF UTAH RESEARCH REACTOR	50-407	106
QUAD-CITIES STATION, UNIT 1	50-254	24	UNIV. OF UTAH RESEARCH REACTOR	50-72	9
QUAD-CITIES STATION, UNIT 2	50-265	31	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	9
RANCHO SECO NUCLEAR GENERATING STATION	50-312	61	UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	10
RIVER BEND STATION, UNIT 1	50-458	122	UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	12
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	18	VALLECITOS BOILING WATER REACTOR	50-18	9
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	36	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	50-183	13
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	60	VERMONT YANKEE NUCLEAR POWER STATION	50-271	35
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	13	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	103
			WATERFORD GENERATING STATION, UNIT 3	50-382	95
			WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	99

Name	Docket	Page	Name	Docket	Page
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	101	SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN	70-3087	140
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	92	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	139
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	93	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	139
WOLF CREEK GENERATING STATION	STN-50-482	124	TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	139
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	123	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	140
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	104	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION)	70-7002	140
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	129	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	138
YANKEE-ROWE NUCLEAR POWER STATION	50-29	9			
ZION NUCLEAR POWER STATION, UNIT 1	50-295	51			
ZION NUCLEAR POWER STATION, UNIT 2	50-304	57			
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	133	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	133	ALONSO & CARUS IRON WORKS, INC.	71-0615	142
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	135	ARROW NDE CO., INC.	71-0539	142
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	133	ASTROTECH, INC.	71-0260	142
			ATLANTIC RESEARCH CORP.	71-0461	142
Domestic Licensing of Special Nuclear Material - Docket 70			BABCOCK & WILCOX CO.	71-0135	141
B&W FUEL CO., LYNCHBURG, VA	70-1201	138	BASIN SERVICES, INC.	71-0723	143
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	136	CARRIER CORP.	71-0601	142
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	135	CURTIS INSPECTION SERVICES, INC.	71-0749	143
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	137	DAYTON X-RAY CO.	71-0252	142
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	137	EMPIRE STEEL CASTINGS, INC.	71-0172	141
CINTICHEM, INC., TUXEDO, NY	70-0687	137	FAIRFIELD UNIVERSITY	71-0819	144
CLEVITE CORP., CLEVELAND, OH	70-0133	136	FBF, INC.	71-0185	141
COLUMBIA UNIV., NEW YORK, NY	70-0882	137	FROEHLING & ROBERTSON, INC.	71-0157	141
COLUMBIA UNIV., NEW YORK, NY	70-3074	140	GENERAL TESTING & INSPECTION CO.	71-0319	142
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	136	HUNTINGTON TESTING	71-0093	141
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	137	INDUSTRIAL NDT SERVICES DIV. (INDUSTRIAL HEAT TREATING)	71-0326	142
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	139	INGERSOLL-RAND CO.	71-0119	141
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	137	LAFAYETTE TESTING SERVICES	71-0787	143
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	137	MATERIAL TESTING LABORATORY OF VIRGINIA, INC.	71-0111	141
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	138	MESCALERO ENVIRO, INC.	71-0817	144
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	139	MIDWEST INSPECTION SERVICE	71-0149	141
NUCLEAR ASSURANCE CORP., NORCROSS, GA	70-3020	139	MINNESOTA VALLEY ENGINEERING, INC.	71-0583	142
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	136	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	145
PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	70-0113	136	MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.	71-9126	145
RS HOLDING, INC., CLEVELAND, OH	70-2872	139	MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	146
			MODEL: 650, AMERSHAM CORP.	71-9032	144
			MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	145
			MODEL: 6717-B, AMERSHAM CORP.	71-6717	144

Name	Docket	Page	Name	Docket	Page
MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	144	PENSACOLA TESTING LABS, INC.	71-0821	144
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	145	PROFESSIONAL WELDING ASSOCIATES, INC.	71-0656	143
MODEL: 715, AMERSHAM CORP.	71-9039	145	PUBLIC SERVICE CO. OF COLORADO	71-0346	142
MODEL: 771, AMERSHAM CORP.	71-9107	145	QUALITY SYSTEMS NDE, LTD.	71-0721	143
MODEL: 850, AMERSHAM CORP.	71-9147	146	RADIATION STERILIZERS, INC.	71-0524	142
MODEL: 900, AMERSHAM CORP.	71-9141	146	RELIANCE TESTING CO.	71-0401	142
MODEL: 920, AMERSHAM CORP.	71-9143	146	RTS TECHNOLOGY, INC.	71-0642	143
MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	144	RUST REMEDIAL SERVICES	71-0770	143
MODEL: AI 520, AMERSHAM CORP.	71-9007	144	S.K. MCBRYDE, INC.	71-0706	143
MODEL: BMI-1, CINTICHEM, INC.	71-5957	144	SENIOR ENGINEERING CO.	71-0579	142
MODEL: BW-2901, B&W FUEL CO.	71-9251	146	SHAFER VALVE CO.	71-0600	142
MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	145	SOUTHWEST X-RAY CORP.	71-0495	142
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	147	T&K INSPECTION	71-0692	143
MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-9001	144	TRI STATE ASSOCIATES, INC.	71-0659	143
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	146	TRUTOM (U.S.), LTD.	71-0431	142
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	146	TWIN CITY TESTING CORP.	71-0103	141
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	146	VERMONT NONDESTRUCTIVE TESTING, INC.	71-0738	143
MODEL: NT-IV TRANSPORTATION, DEPT. OF	71-3027	144	WESTERN INDUSTRIAL X-RAY	71-0780	143
MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	71-9176	146	WESTERN STRESS, INC.	71-0637	143
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	144	WESTERN X-RAY	71-0532	142
MODEL: PAT-2, ENERGY, DEPT. OF	71-9150	146	WISCONSIN ELECTRIC POWER CO.	71-0378	142
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	144	X-R-I TESTING OF MICHIGAN	71-0158	141
MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	146			
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	146	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	145	CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	147
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	147	DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	72-1009	148
MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	71-9260	146	DOE-MPC-24B FOR BWR FUEL	72-1012	148
MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	71-9259	146	FORT ST. VRAIN ISFSI, 50-267	72-0009	147
NDT SPECIALISTS, INC.	71-0701	143	GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308	72-0001	147
NILES STEEL TANK CO.	71-0352	142	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	72-0014	148
NONDESTRUCTIVE INSPECTION SERVICE	71-0097	141	ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-219	72-0015	148
NORDION INTERNATIONAL, INC.	71-0703	143	ISFSI PALISADES GEN LIC/VSC-24, 50-255	72-0007	147
NORTHWEST AIRLINES, INC.	71-0016	141	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	72-0005	147
NORTHWEST INSPECTION & TESTING SERVICES	71-0783	143	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	72-1008	148
OLD DOMINION FABRICATORS	71-0552	142	MODEL: NAC S/T, NUCLEAR ASSURANCE CORP.	72-1002	148
PACIFIC COAST TESTING SERVICE, INC.	71-0644	143	MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	148
PACTEC, INC.	71-0678	143	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	148
			OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	147

Name	Docket	Page	Name	Docket	Page
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	148	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	148
PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	72-0018	148	UNKNOWN	DOCKET	135
RANCHO SECO ISFSI, 50-312	72-0011	148	UNKNOWN	DOCKET	1
			UNKNOWN	DOCKET	141

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9507210163 Advises that NRC has reviewed revised rept & determined that rept meets requirements of License Condition 18 of license 12-13536-01 Amend 28.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. STILL,J. Chem-Nuclear Systems, Inc. 1p. 84807:355-84807:355.

9507250289 Summary of 950529 meeting w/Chem-Nuclear Sys,Inc in Rockville,MD re recent developments & licensing/regulatory activities related to decommissioning,low-level radwaste processing & disposal.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/07. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 25pp. 84836:158-84836:183.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9507100147 Forwards 1994 facility utilization rept per Condition 32 of amend 11 to license 16-19204-01.
BEDE,B.C. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 95/06/26. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 17pp. 84890:285-84890:301.

9507100112 Forwards copy of 1994 Annual Environ Monitoring Rept for US Ecology Inc LLRW disposal facility near Richland,WA.
LEDoux,M.R. American Ecology Corp. 95/06/28. HOGG,R. Division of Waste Management (NMSS 940403). 1p. 84690:001-84690:253.

-9507100120 "Annual Environ Monitoring Rept for CY94 for US Ecology in Richland,WA LLRW Disposal Facility."
LEDoux,M.R., PALMER,A.J. American Ecology Corp. 94/12/31. 252pp. 84690:002-84690:253.

9507310165 Forwards Rev 2 to Richland Operational Procedure 32, "Processing DOE/NRC 741 Forms" & Rev 3 to Richland Operational Procedure 9, "Dosimetry Issuance" for review & approval.
WEISKITTEL,R. American Ecology Corp. 95/07/11. HOGG,R. NRC - No Detailed Affiliation Given. 4pp. 84903:044-84903:057.

-9507310186 Rev 2 to Richland Operational Procedure ROP 32, "Processing DOE/NRC 741 Forms."
* American Ecology Corp. 95/06/06. 3pp. 84903:048-84903:050.

-9507310290 Rev 3 to Richland Operational Procedure ROP 9, "Dosimetry Issuance."
* American Ecology Corp. 95/06/06. 7pp. 84903:051-84903:057.

DOCKET DOCKET UNKNOWN

9507110080 Responds to NRC 950509 ltr re violations noted in insp rept 40-7753/95-01. Corrective actions:licensee plans to complete scope of work & select qualified contractor to assist in characterization & decontamination work by Aug 1995.
TRELOAR,C.F. BP America, Inc. 95/06/19. KULZER,E.L. Region 3 (Post 820201). 1p. 84557:257-84557:257.

9507140026 Ack receipt of 950619 ltr responding to insp rept 40-7753/95-01. Submits clarification of NRC expectations for corrective actions & requests to review characterization & remediation plan before clean-up activity begins.
MCCORMICK Region 3 (Post 820201). 95/06/30. TRELOAR,C. Region 3 (Post 820201). 2pp. 84625:143-84625:144.

9507170212 Forwards summary of 950606 meeting w/NRC in Region 1 to discuss characterization & remediation of Tenneco property located in Fords,New Jersey.
KINNEMAN,J.D. Region 1 (Post 820201). 95/07/11. FERRIES,M. Affiliation Not Assigned. 3pp. 84747:347-84747:349.

9507270015 Responds to 950418 ltr re "Project Work Plan To Remove Off-Site Contamination," from property adjacent to northern border of Washington Site. Questions & comments encl.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/18. DANKMEYER,B. Molycorp, Inc. 4pp. 84883:073-84883:076.

9507270091 Provides comments on staff technical position on effluent disposal at licensed Uranium recovery facilities.
PAULSON,O.A. Kennecott Corp. 95/07/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 84651:315-84651:321.

9507310097 Responds to NRC 950703 RAI on proposed amend to process uranyl nitrate solutions from Rhone Poulenc for recovery of U.
SPARLING,D.K. Energy Fuels Nuclear, Inc. SCHIERMAN,S.L. Energy Fuels Nuclear, Inc. 95/07/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84903:271-84903:273.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0185 G.T.E. PRODUCTS CORP., TOWANDA, PA

9507240049 Forwards insp rept 40-0185/95-01 on 950629-30. No violations noted. Informs of closure of confirmatory action ltr.
HEHL,C.W. Region 1 (Post 820201). 95/07/17. ALPER,A.M. OSRAM Corp. 3pp. 84824:351-84824:353.

DOCKET 40-0295 UMETCO MINERALS CORP., RIVERTON, WY

9507050145 Ack receipt of ltr identifying discrepancy in 950609 ltr to NRC,confirming change in bond numbers resulting from change from Seaboard Surety to Safeco insurance Co of America.
GREGG,R.D. UMETCO Minerals Corp. 95/06/29. HAGUE,M. Division of Low-Level Waste Management & Decommissioning (870413-940402). 1p. 84558:356-84558:360.

-9507050159 Confirms that State of WY holds in favor bond 5757793-32 referred to in 870916 ltr to NRC,approved as to increase to sum by state in 871120 ltr.
LYONS,P.J.L. UMETCO Minerals Corp. 95/06/26. HAGUE,M. Division of Low-Level Waste Management & Decommissioning (870413-940402). 3pp. 84558:357-84558:360.

9507250206 Provides NRC position on review of previously approved reclamation plans.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/18. LYONS,P.J. UMETCO Minerals Corp. 2pp. 84834:323-84834:353.

9507270069 Informs that license condition 55 of source mat license SUA-648 has been amended,increasing surety amount.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. LYONS,P.J. UMETCO Minerals Corp. 4pp. 84873:180-84873:197.

-9507270073 Amend 28 to license SUA-648 for Umetco Minerals Corp.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. 14pp. 84873:184-84873:197.

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9507120110 Summary of 950522 Ordnance Road Citizen's Committee meeting re demolition & removal of final building & NRC remediation research. Attendees listed.
MINNITTE,S. Anne Arundel County, MD. 95/06/26. Anne Arundel County, MD. 1p. 84681:254-84681:254.

9507120203 Discusses findings by J McQuade of MD Dept of Environ Asbestos Enforcement Div at Curtis Bay site. Debris being loaded found to contain excessive amounts of friable asbestos.
HLOPAK,W.J. OHM Corp. 95/07/07. LASH,J. Chem-Nuclear Systems, Inc. 2pp. 84698:353-84698:354.

9507140174 Requests asbestos evaluation of Anne Arundel County property adjacent to DLA. Suspected asbestos contamination from transite panels which were broken off in ground w/ portions remaining both above & below grade.
WELLS,P.K. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/07. MCQUADE,J.E. Maryland, State of. 2pp. 84738:350-84738:351.

9507140262 Rev 1 to PL-NRS-0595-182, "Curtis Bay Final Status Survey Plan."
GAUL,W. Affiliation Not Assigned. 95/07/11. 14pp. 84761:130-84761:143.

95J7140279 Forwards concurred on responses from OHM, addressing NRC concerns & questions documented in NRC 950607 & 20 ltrs.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/07/11. ORLANDO,D.A. Division of Low-Level Waste Management & Decommissioning (870413-940402). 3pp. 84761:149-84761:151.

9507140187 Submits radiochemical analysis results for sample taken from monitoring well (MW-1) at Curtis Bay Depot site.
WILLIAMS,A.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/12. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 14pp. 84761:023-84761:036.

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties...for Decommissioning."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER,W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 40-0645 CLEVITE CORP. CLEVELAND

9507310169 Partial response to FOIA requests for documents. App A records already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/21. MORANO,D. Affiliation Not Assigned. 2pp. 84872:012-84872:013.

DOCKET 40-0659 GENERAL ELECTRIC CO., CINCINNATI, OH

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties...for Decommissioning."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER,W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9507100084 Informs that NRC will withhold from public disclosure per 10CFR2.790, marked pricing data in Olin Corp contract dtd 940325, per 950414 request.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/21. VUMBACO,F.J. Nuclear Metals, Inc. 4pp. 84692:120-84692:126.

2 DOCKETED ITEMS

9507100036 Ack receipt of 950605 ltr informing NRC of steps taken to correct violations noted in insp repts 40-0672/94-01 & 40-8866/94-01. KINNEMAN,J.D. Region 1 (Post 820201). 95/06/28. VUMBACO,F.J. Nuclear Metals, Inc. 2pp. 84539-039-84539-043.

-9507100042 Responds to NRC 950407 ltr re violations noted in insp repts 40-0672/94-01 & 40-8866/94-01. Corrective actions attached in-house memo distributed to members of staff w/regards to proper handling of future commitments. VUMBACO,F.J. Nuclear Metals, Inc. 95/06/05. KINNEMAN,J.D. Region 1 (Post 820201). 3pp. 84539-041-84539-043.

9507190091 Ack receipt of 950605 ltr & Radioactive Waste Mgt Assoc rept approving NMI characterization of holding basin & expecting remedial plan by 950815. Concludes that NMI does not meet requirements in NRC decommissioning funding regulations. MILLER,M.T. Region 1 (Post 820201). 95/06/30. RESNIKOFF,M. Radioactive Waste Management Associates. 2pp. 84723-236-84723-284.

-9507190100 Forwards Radioactive Waste Mgt Assoc rept, "Review of Phase II Field Investigation & Financial Resources of NMI," & expresses concern re NMI lack of financial resources to decommission Concord,MA site & bldgs. RESNIKOFF,M. Radioactive Waste Management Associates. 95/06/05. MILLER,M. Region 1 (Post 820201). 1p. 84723-238-84723-238.

-9507190107 "Review of Phase II Field Investigation & Financial Resources of NMI." KNOWLTON,K. RESNIKOFF,M. Radioactive Waste Management Associates. 95/05/22. 46pp. 84723-239-84723-284.

DOCKET 40-0861 HORIZONS INC. CLEVELAND

9507130159 Advises of determination that govt contractually liable for costs necessary to remediate work site of contamination which occurred as result of performing contract DE.AC09-95SR1853R (formerly AT(30-1)-1335). PAINTER,G.W. Energy, Dept. of. 95/06/22. WAINER,H. Horizons Inc. Cleveland, OH. 2pp. 84676-234-84676-235.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9507250275 Provides NRC final position on review of previously approved reclamation plans, discussed at Mar 1995 joint NRC - American Mining Congress U recovery workshop in Denver. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/18. BAKER,S.J. Western Nuclear, Inc. 2pp. 84836-098-84836-127.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9507250209 Provides NRC final position on review of previously approved reclamation plans, per Mar 1995 joint NRC - American Mining Congress U recovery workshop in Denver, CO. Commission Paper SECY-95-155 on sub encl. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/18. CARRIER,P. Tennessee Valley Authority. 2pp. 84835-283-84835-283.

DOCKET 40-1369 CLEVITE CORP. CLEVELAND

9507310168 Partial response to FOIA requests for documents. App A records already available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 840714). 95/02/21. MORANO,D. Affiliation Not Assigned. 2pp. 84872-012-84872-013.

DOCKET 40-1650 WYMAN-GORDON CO., NORTH GRAFTON, MA

9507270189 Advises that results of Apr 1995 groundwater sample analyses from Wyman-Gordon indicate that Th concentrations less than 15 pCi/l gross alpha & within EPA Primary Drinking Water Standards. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/18. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84874-097-84874-097.

DOCKET 40-2253 ARMY, DEPT. OF, WATERTOWN, MA

9507190014 Awaits US Army Research Laboratory response re review of Volumes 1 & 2. Requests schedule be prepared for survey plan as soon as possible. W/o decommissioning plan & volumes 3,6 & 8. KINNEMAN,J.D. Region 1 (Post 820201). 95/06/22. BECK,J. Oak Ridge Associated Universities. 5pp. 84711-022-84711-026.

DOCKET 40-2377 KAISER ALUMINUM SPECIALTY PRODUCTS

9507270301 Summary of 950518 meeting w/M Scott, contractor & consultant to Kaiser Aluminum Specialty Products in Rockville, MD re characterization & decommissioning of licensee SDMP site in Tulsa, OK. TURTEL,R.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84874-187-84874-188.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9507030122 Application for amend to license SMB-602, incorporating decommissioning plan (DP) for RMI Titanium Co extrusion plant submitted to NRC 950427, allowing RMI to perform radiological decommissioning activities described in DP. HENDERSON,J.W. RMI Co. 95/06/12. 4pp. 84561-164-84561-167.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9507060364 Accepts proposal made in 950607 ltr re accident notifications. Advises that Div of Planning & Analysis will be working w/licensee in order to implement agreement. PEPPER,A.J. Illinois, State of. 95/06/22. KOSMIDER,M.D. Allied-Signal Corp. 1p. 84617-358-84617-358.

9507260032 Forwards insp rept 40-3392/95-03 on 950626-28. No violations noted. One USI re whether or not contamination surveys of labeled ore concentrate drums received from intl suppliers by exclusive-use vehicles required, also noted. SHEAR,G. Region 3 (Post 820201). 95/07/20. KOSMIDER,M. Allied-Signal Corp. 2pp. 84793-110-84793-118.

-9507260033 Insp rept 40-03392/95-03 on 950626-28. No violations noted. Major areas inspected in compliance w/requirements specified in NRC regulations, license & license condition. JACOBSON,J.M. SHEAR,G.L. Region 3 (Post 820201). 95/07/20. 7pp. 84793-112-84793-118.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9507280177 Forwards "Summary Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT" & "Technical Support Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT." BLUBAUGH,R.E. Atlas Corp. 95/07/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84882-062-84882-289.

-9507280181 "Summary Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT." * SENES Consultants, Ltd. 95/06/23. 55pp. 84882-066-84882-120.

-9507280184 "Technical Support Document Screening Risk Assessment for Reclamation of U Mill Tailings at Moab, UT." * SENES Consultants, Ltd. 95/06/23. 168pp. 84882-121-84882-289.

9507050168 EN-95-041 on 950615, notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee. Action based on violation involving release for unrestricted use of scrap mill from dismantled U mill at Moab, UT, in excess of limits. MAMISH,N. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/12. 1p. 84507-297-84507-297.

9507120385 Discusses insp repts 40-3453/93-02 & 40-3453/95-01 & NRC investigation rept 4-93-047R & forwards notice of violation & proposed imposition of civil penalty in amount of \$5,000. CALLAN,L.J. Region 4 (Post 820201). 95/06/15. BLUBAUGH,R.E. Atlas Corp. 4pp. 84675-335-84675-341.

-9507120387 Notice of violation & proposed imposition of civil penalty in amount of \$5,000. Noncompliance noted: equipment & mats released from licensee restricted area during 1993 which exceeded limits specified in guidelines. * Region 1 (Post 820201). 95/06/15. 3pp. 84675-339-84675-341.

9507050237 Provides copy of minutes from 950612 meetings re groundwater quality issues at Atlas Minerals U mill tailings facility near Moab, UT. SINCLAIR,W.J. Utah, State of. 95/06/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 12pp. 84570-215-84570-226.

9507120300 Responds to questions re licensee proposed plan to dispose of asbestos-containing mat within restricted area at Moab site. BLUBAUGH,R.E. Atlas Corp. 95/06/28. FLIEGEL,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84699-353-84699-353.

9507140451 Forwards "1994 ALARA Audit Rept for Atlas Minerals Div of Atlas Corp Radiation Protection Program at Moab Mill Site." BLUBAUGH,R.E. Atlas Corp. 95/07/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84738-216-84738-269.

-9507140452 "1994 ALARA Audit Rept for Atlas Minerals Div of Atlas Corp Radiation Protection Program at Moab Mill Site." EDWARDS,D.L. Atlas Corp. 95/06/30. 53pp. 84738-217-84738-269.

9507140453 Forwards annual technical evaluation of embankment performance re Atlas Corp Moab Mill site, in accordance w/ license SUA-917, license condition 30. Technical evaluation performed by Smith Environ Technologies Corp. BLUBAUGH,R.E. Atlas Corp. 95/07/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84738-352-84738-356.

9507180196 Forwards response to NRC 950615 & 950619 ltrs re violations noted in insp of license SUA-917 on 931130-940209. Corrective actions: instructed site personnel to move mat back into restricted area. BLUBAUGH,R.E. Atlas Corp. 95/07/13. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 84785-252-84785-256.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9507140422 Notification of 950619, 20 & 21 meetings w/WY Dept of Environ Quality Land Quality Div in Casper, WY to discuss reclamation of ANC Gas Hills site. HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/01. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84760-016-84760-016.

9507260049 Summarizes 950619-21 meetings w/American Nuclear Co re reclamation design & AVI work plan. * American Nuclear Corp. 95/06/21. HOOKS,K., JOHNSON,T., ROM,D. NRC - No Detailed Affiliation Given. 7pp. 84837-244-84837-250.

9507200241 Outlines approach on listed key issues, as follow-up to discussions in 950619-21 meeting w/NRC in Casper, WY re American Nuclear Gas Hills project. CHANCELLOR,R.A. Wyoming, State of. 95/07/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84777-331-84777-333.

9507250283 Forwards minutes from 950619-21 site visit & meetings w/Wyoming Dept of Environ Quality re NRC comments on American Nuclear Corp Reclamation Plan for Gas Hills,WY site & Dept of Environ Quality plans for completing site reclamation. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. MOXLEY,M. Wyoming, State of. 30pp. 84836:129-84836:157.

DOCKET 40-6500 ENERGY, DEPT. OF, CANONSBURG, PA

9507050216 Forwards proposed mods to Canonsburg,PA UMTRA project site completion rept (CR) & two signed certification summaries.CR mods in response to NRC 950605 ltr ABRAMS,M.F. Energy, Dept. of. 95/06/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 37pp. 84565:313-84565:349.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9507140045 Forwards insp rept 40-6622/95-01 on 950606-07.No violations or deviations noted. SCARANO,R.A. Region 4 (Post 820201). 95/07/10. NUGENT,E.L. Pathfinder Mines Corp. 4pp. 84625:201-84625:212.

-9507140049 Insp rept 40-6622/95-01 on 950606-07.No violations noted.Major areas inspected:licensee mill tailings program, mgt & organization controls,operations review,radiation protection,radioactive waste mgt & environmental monitoring. VASQUEZ,G.M. Region 4 (Post 820201). 95/07/07. 8pp. 84625:205-84625:212.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9507250278 Provides NRC final position on review of previously approved reclamation plans,discussed at Mar 1995 joint NRC - American Mining Congress U recovery workshop in Denver. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/18. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 2pp. 84836:068-84836:097.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9507140132 Requests amend to license SMC-1562 for release of bldg & surrounding areas at Reading site for unrestricted use. CAMPITELLI,A.T. Cabot Corp. 95/07/05. HOGG,R. Licensing Branch. 1p. 84761:044-84761:044.

9507190169 Requests addl 30 days to provide NRC w/answers to questions in 950302 & 950307 ltrs from Dr Klasky. CAMPITELLI,A.T. Cabot Corp. 95/07/12. CASSANO,R.F. Licensing Branch. 1p. 84769:343-84769:343.

9507240116 Responds to 950524 ltr,providing update of progress in developing decommissioning cost estimate for Cabot Corp Boyertown facility. CASSANO,R.F. Licensing Branch. 95/07/18. GANNON,W.C. Cabot Corp. 1p. 84824:216-84824:216.

9507270152 Ack receipt of 950712 Campitelli ltr requesting addl 30 days to respond to NRC RAIs,dtd 950302 & 07.Extension of 30 days granted. CASSANO,R.F. Licensing Branch. 95/07/19. GANNON,W. Cabot Corp. 1p. 84874:158-84874:158.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9507070194 Ack receipt of 950531 ltr & requests that any further actions or developments w/regard to Newfield Site Of Shieldalloy be communicated to Borough by correspondence sent to attention of Mayor & Council. SPALL,G.R. Affiliation Not Assigned. 95/06/07. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 84622:345-84622:346.

9507070448 Forwards "Project Status & Schedules Environ Programs." OLWA,J.M. Affiliation Not Assigned. 95/06/26. COMFORT,G. NRC - No Detailed Affiliation Given. 1p. 84619:247-84619:272.

-9507070451 "Project Status & Schedules Environ Programs." * Affiliation Not Assigned. 95/06/14. 25pp. 84619:248-84619:272.

9507070422 Ack receipt of encl ltr dtd 950519 forwarding B Marcyniuk & Z Marcyniuk 950508 ltr expressing concerns re storage of radioactive matl at Shieldalloy Metallurgical Corp. GIMELLO,R.J. New Jersey, State of. 95/06/27. ANDREWS,R.E. House of Rep. 3pp. 84619:225-84619:227.

9507270310 Summary of 950620 meeting w/Shieldalloy Metallurgical Corp Cyprus Foote Mineral Corp in Rockville,MD re development of EIS for Cambridge,OH & Newfield,NJ facilities. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84874:170-84874:177.

9507240372 Advises that as discussed in 950606 telcon,NRC has no objection to licensee accelerating monitoring schedules for sampling programs other than large area monitoring. COMFORT,G.C. Licensing Branch. 95/07/11. EVES,C.S. Shieldalloy Metallurgical Corp. 1p. 84824:062-84824:062.

DOCKET 40-7354 ARMY, DEPT. OF, ABERDEEN, MD

9507050126 Responds to 950214 ltr to S Villar re licensed activities at Aberdeen Proving Ground.Forwards copies of NRC licenses that NRC could locate which currently authorize or previously authorized use of licensed matl at Aberdeen Proving Ground. KINNEMAN,J.D. Region 1 (Post 820201). 95/06/16. OCHS,R. Affiliation Not Assigned. 4pp. 84507:266-84507:270.

-9507050133 informs of concerns about historical & ongoing radiological contamination present at Aberdeen Proving Ground & possible past,present & future adverse health affects in community. OCHS,R. Affiliation Not Assigned. 95/02/14. VILLAR,S. Region 1 (Post 820201). 1p. 84507:270-84507:270.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9507060019 Forwards insp rept 40-7397/95-01 on 950509-11.No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 95/06/27. LEE,P. Foote Mineral Co. 2pp. 84516:102-84516:108.

-9507060024 Insp rept 40-7397/95-01 on 950509-11.No violations noted. Major areas inspected:radiological surveys conducted to identify contaminated slag at residential locations that may exceed criteria for release of sites for unrestricted use. GLINSKI,R.L. MCCORMICK-BARGE Region 3 (Post 820201). 95/06/27. 5pp. 84516:104-84516:108.

9507100316 Confirms 950628 conversation w/R Glinski requesting & receiving extension for submittal Phase II data rept & dose response rept. LEE,P.E. Foote Mineral Co. 95/06/30. MCCORMICK-BARGE Region 3 (Post 820201). 1p. 84668:318-84668:318.

9507180386 Ack approved Cyprus Foote Mineral schedule for submittal of Phase II Data Rept & Dose Response Rept. BARGER,J.W. Region 3 (Post 820201). 95/07/10. LEE,P. Cyprus Industrial Minerals Co. 1p. 84785:346-84785:346.

9507190030 Forwards copy of NRC response to number of questions & comments raised by Save Wills Creek Water Resources Committee. MCCORMICK-BARGE Region 3 (Post 820201). 95/07/10. Affiliation Not Assigned. 14pp. 84711:226-84711:247.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9507060190 Forwards proprietary request for addl info for processing existing residues of past operations.Encl withheld. DATTA,A. Licensing Branch. 95/06/29. HUNTER,J.J. Fansteel, Inc. 1p. 84579:014-84579:014.

9507060091 Notification of 950718 meeting w/licensee in Rockville,MD to discuss license decommissioning funding plan. DATTA,A. Licensing Branch. 95/06/30. Licensing Branch. 1p. 84618:332-84618:332.

9507200242 Forwards non-proprietary version of encl to 950629 ltr re request for addl info for processing residues.Ltr & encl will be placed in public domain. DATTA,A. Licensing Branch. 95/07/18. HUNTER,J.J. Fansteel, Inc. 3pp. 84815:334-84815:336.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9507260011 Provides notice of use of respiratory protection per 10CFR20.1703(d).Applications of protection in various characterization & remediation activities discussed. RUPERT,W.M. BP Chemicals International. 95/07/07. MILLER,H. Region 3 (Post 820201). 2pp. 84836:346-84836:347.

DOCKET 40-7706 UNION CARBIDE CORP., NEW YORK, NY

9507210199 Confirms 950707 telcon,which explained property boundary misunderstanding between Eikem Metals & Eveready,involving Eikem Metals SOMP site in Manetta,OH. NORRIS,S.T. Affiliation Not Assigned. 95/07/10. BARGER,J. Region 3 (Post 820201). 3pp. 84797:344-84797:346.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9507260240 Appeals denial of FOIA request for records re Sequoyah Fuels Corp application for amend to license to allow changes in mgt structure. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 94/12/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84833:254-84833:255.

9507260248 Responds to appeal of denial of FOIA request for documents cited in e-mail message of 940920 from J Shepherd to M Vasquez.Appeal granted. THOMPSON,H.L. Dep Exec Dir for Nuc Matts Safety,Safeguards & Operations Support (Post 890205). 95/02/08. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 84833:256-84833:266.

-9507260251 Informs of review of NACE petition & section 4 of IR deal w/mgt issues at SFC in light of amend request. SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 94/09/20. VASQUEZ,G.M. NRC - No Detailed Affiliation Given. 1p. 84833:257-84833:266.

9507260090 Forwards "Preliminary Property Search Document,Sequoyah Fuels Corp,Gore,OK." POTTS,M.W. Environmental Protection Agency. 95/04/20. HUGHES,L. Native Americans for a Clean Environment. 2pp. 84838:001-84839:014.

-9507260103 "Preliminary Property Search Document,Sequoyah Fuels Corp, Gore,OK." MILLER,C. Environmental Protection Agency. 88-W4-0007. 94/07/13. 376pp. 84838:003-84839:014.

9507270141 Forwards FR notice of public info meeting on remediation of Sequoyah Fuels Corp facility in Gore,OK. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/16. MEYERS,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84874:080-84874:087.

4 DOCKETED ITEMS

-9507270143 FR notice of public info meeting on remediation of Sequoyah Fuels Corp facility in Gore,OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/16. 6pp. 84874:082-84874:087.

9507050305 Extends invitation to share info concerning remediation of Sequoyah Fuels facility located near Gore,OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/21. SCOTT,C. Oklahoma, State of. 5pp. 84570:227-84570:230.

9507060230 Informs that Sequoyah Fuels Corp in Gore,OK produced ammonium nitrate solution that has been applied as N fertilizer to lands used for production of forage crops.
HEBERT,M.A. Environmental Protection Agency. 95/06/21. CURRY,B. Oklahoma, State of. 1p. 84617:063-84617:063.

9507100073 Order.* NRC Staff shall file brief within 17 days after svc of order & license & General Atomics shall file answers within 10 days after svc on staff brief.W/ Certificate of Svc.Served on 950629.
HOYLE,J.C. Office of the Secretary of the Commission. #395 16667. 95/06/29. Office of the General Counsel (Post 860701). 6pp. 84538:145-84538:150.

9507100100 Memorandum & order (denying General Atomics motion re NRC Staff "Reliance" issues & establishing schedule for bifurcated issue of agency jurisdiction).Motion to strike language denied.W/Certificate of Svc.Served on 950630.
GLEASON,J.P., KLINE,J.R., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #395 16873. 95/06/30. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 23pp. 84538:308-84538:330.

9507140341 Submits proposed escrow agreement to provide financial assurance for decommissioning of facility.
ELLIS,J.H. Sequoyah Fuels Corp. 95/07/07. WEBER,M. Decommissioning & Regulatory Issues Branch (Post 901230). 9pp. 84760:063-84760:071.

9507180055 Native Americans for Clean Environment & Cherokee Nation first set of interrogatories & requests for production of documents to Sequoyah Fuels Corp.* W/ Certificate of Svc. Related Correspondence.
CURRAN,D., WILCOXEN,J.G. Native Americans for a Clean Environment. WILCOXEN,J.G. Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen). #395 16687. 95/07/10. Sequoyah Fuels Corp. 17pp. 84675:041-84675:057.

9507180117 Native Americans for Clean Environ & Cherokee Nation first set of interrogatories & request for production of documents to General Atomics.* W/Certificate of Svc. Related correspondence.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. WILCOXEN,J.G. Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen). #395 16886. 95/07/10. General Atomics (formerly GA Technologies, Inc./ General Atomic Co.). 19pp. 84675:109-84675:127.

9507180111 NRC Staff brief in support of partial reversal of LBP-95-05.* Submits that paragraph 7 of protective order exceeds scope of Board authority & inconsistent w/ policies on referral of matters internally.W/Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). #395 16891. 95/07/14. Commissioners (Post 750119). 21pp. 84675:087-84675:108.

9507270062 Forwards intervenor written presentations in opposition to Sequoyah Fuels Corp proposed license amend application for changes to organization & mgmt structure.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 16809. 95/07/17. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 84813:234-84814:045.

-9507270068 Native Americans for Clean Environ & Cherokee Nation brief in opposition to Sequoyah Fuels Corp license amend application.* Informs that Sequoyah Fuels 950303 revised licensee application denied.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. 95/07/17. Atomic Safety & Licensing Board Panel. 21pp. 84813:235-84813:255.

-9507270074 Testimony of Earl re 940506 Sequoyah Fuels Corp proposed mgmt changes.W/Certificate of Svc.
EARL,C.J. Affiliation Not Assigned. 95/07/17. 150pp. 84813:256-84814:045.

9507270319 Forwards comments on licensee request for amend to license SUB-1010,dtid 940719,re changes to implement new 10CFR20 & related administrative changes.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/19. ELLIS,J.H. Sequoyah Fuels Corp. 5pp. 84874:165-84874:169.

9507270055 Informs of filing of CJ Earl affirmation of testimony in license amend proceeding re proposed mgmt changes at Sequoyah Fuels facility.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 16910. 95/07/20. JUCIAN,E.L. Docketing & Services Branch. 2pp. 84813:226-84813:229.

9507270112 Advises that no addl action by licensee required re preliminary plan for completion of decommissioning.
WEBER,M.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/21. ELLIS,J.H. Sequoyah Fuels Corp. 4pp. 84883:050-84883:055.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9507140061 Forwards revised pages 2 & 9 for semi-annual effluent rept submitted to NRC on 940830.
FOSSEY,F.G. Rio Algom Mining Corp. 95/07/06. HOLONICH,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84760:275-84760:277.

9507310011 Forwards insp rept 40-8084/95-02 on 950425-26.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/25. FERDINAND,B. Rio Algom Mining Corp. 4pp. 84843:038-84843:044.

-9507310012 Insp rept 40-8084/95-02 on 950425-26.No violations noted.Major areas inspected:licensee evaporation ponds & environs,including review of construction records.
NATARAJA,M. Region 4 (Post 820201). 95/06/12. 3pp. 84643:042-84643:044.

DOCKET 40-8102 EXXON CORP., HOUSTON, TX

9507260150 Provides NRC final position on review of previously approved reclamation plans.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/18. PATTON,J.D. Exxon Corp. 2pp. 84842:192-84842:221.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9507250315 Forwards TER of ltr requesting amend to License SUA-1310 for Bear Creek U Co.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84834:357-84834:359.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9507030174 Forwards corrected pages to 10CFR40.65 semiannual effluent rept for period covering Jan-June 1994,including Tables 1 & 4 correcting U,Ra-226 & Th-230 analytical results & Table 1 to annual rept to WY Dept of Environ Quality for Permit 478.
WICHERS,D.L. COGEMA, Inc. 95/06/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84561:133-84561:142.

-9507030179 Revised Tables 1 & 4 to 10CFR40.65 semiannual effluent rept for period covering Jan-June 1994 & revised Table 1 to annual rept to WY Dept of Environ Quality for Permit 478.
* COGEMA, Inc. 94/06/30. 8pp. 84561:134-84561:141.

-9507030182 Forwards corrected pages to 10CFR40.65 semiannual effluent rept for period covering Jan-June 1994,including Tables 1 & 4 correcting U,Ra-226 & Th-230 analytical results & Table 1 to annual rept to WY Dept of Environ Quality.W/o encls.
WICHERS,D.L. COGEMA, Inc. 95/06/19. CAIN,C. Region 4 (Post 820201). 1p. 84561:142-84561:142.

9507170100 Forwards insp rept 40-8502/95-01 on 950606-08.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/10. WICHERS,D.L. Affiliation Not Assigned. 4pp. 84747:157-84747:177.

-9507170109 Insp rept 40-8502/95-01 on 950606-08.No violations noted. Major areas inspected:mgmt & organization controls,operations review,radiation protection,envirom monitoring,fire protection & EPs.
CAIN,C.L. Region 4 (Post 820201). 95/07/07. 17pp. 84747:161-84747:177.

9507260181 Ack receipt of ltr dtid 950619,along w/corrected pages to semi-annual effluent rept for first half of 1994.
CAIN,C.L. Region 4 (Post 820201). 95/07/24. WICHERS,D.L. COGEMA, Inc. 3pp. 84842:170-84842:179.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9507030118 Informs that Kennecott U Co currently assembling database for background groundwater study for sweetwater U project & intends to have database analyzed by Shepherd Miller,Inc.
PAULSON,G.A. Kennecott Uranium Co. (formerly Minerals Exploration Co.). 95/06/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84561:162-84561:163.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9507050183 Advises that NMSS has reviewed Energy Fuels Nuclear Inc 941212 request to enlarge disposal area of non-decommissioning radwaste matl & to modify disposal practices in Cell 2.Procedures generally acceptable.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84566:357-84566:361.

9507110059 Withdraws 950111 amend request to process yellowcake slurry from Dawn Mining Co.
SCHIERMAN,S.L. Energy Fuels Nuclear, Inc. 95/06/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84695:011-84695:011.

9507100106 NRC Staff response to N Begay motion to discontinue proceedings.* Motion should be deferred or denied w/o prejudice to being refiled in six months.W/ Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #395 16872. 95/06/30. Atomic Safety & Licensing Board Panel. 8pp. 84538:333-84538:340.

9507110333 Informs that NRC reviewed 950112 request to receive & process feed matl from Rhone-Poulenc Chemicals & concludes that listed addl info necessary before NRC can grant request.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/03. SCHIERMAN,S. Energy Fuels Nuclear, Inc. 2pp. 84694:338-84694:339.

9507100118 Forwards documents re recent agreements reached w/Swiss Limited Partners ensuring that necessary money available to maintain all partnership activities through 1996.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/07/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 184pp. 84691:001-84691:184.

9507280037 Advises that staff has no technical objections to licensee request to remove license condition 24(B),re quarterly monitoring of environ radon,from license.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84875:005-84875:006.

9507180031 Memorandum and order (extending proceeding in abeyance) (establishing conference date). * Denies intervenor motion to discontinue proceeding. Orders parties to continue to provide monthly status reports. Certificate of Svc. Served on 950712. GLEASON, J.P. Atomic Safety & Licensing Board Panel. #395 16888. 95/07/12. Office of the General Counsel (Post 860701). 5pp. 84675:001-84675:005.

9507250317 Forwards request for addl info to assess licensee ability to operate White Mesa facility in near future.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/14. ROBERTS, H. Energy Fuels Nuclear, Inc. 3pp. 84834:354-84834:356.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9507100423 "Effluent Monitoring Rept for Jan-June 1995 for Shooting Canyon U Processing Facility." w/950705 ltr.
MORRILL, V. Plateau Resources, Ltd. 95/06/30. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 84691:351-84691:360.

9507270078 Informs that NRC has completed review of licensee annual surety update & found that increase incorporates inflation of cost estimate by 2.9%, informs that revised amount of \$2,482,119, acceptable. Amend 15 to license SUA-1371 encl.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. WEBBER, K. Plateau Resources, Ltd. 2pp. 84874:069-84874:079.

-9507270080 Amend 15 to license SUA-1371 for Plateau Resources Ltd.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. 9pp. 84874:071-84874:079.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9507030166 Forwards summary of final release survey data for east fence line of ALCOA property, in response to telcon w/ K Lambert.
ADAMS, T.G. B. Koh & Associates, Inc. 95/06/19. JOHNSON, T. NRC - No Detailed Affiliation Given. 8pp. 84560:350-84560:357.

9507030163 Submits deficiencies & comments as result of review & discussions during 950614 meeting re B Koh & Associates 950428 response to State of OH 950320 notice of deficiency ltr on licensee 941205 request to implement closure plan.
PARKER, J.L. Ohio, State of. 95/06/20. KOH, B. B. Koh & Associates, Inc. 16pp. 84560:305-84560:320.

9507050166 Advises that NRC has determined that confirmatory survey does not need to be performed re interior of Building 5B.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/27. SARGENT, D.R. Chemetron Corp. 4pp. 84570:156-84570:159.

9507270076 Requests response on encl comments re Chemetron Site Remediation Plan rev 1, transmitted on 950228 by B Koh.
JOHNSON, T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. SARGENT, D.R. Chemetron Corp. 9pp. 84874:203-84874:211.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9507070014 Expresses gratitude for informing NRC of actions taken in 950526 ltr re posting of contaminated areas at Washington, PA facility. Responds to request re posting of contaminated areas at Mo', cor; York facility.
KINNEMAN, J.D. Region 1 (Post 820201). 95/06/26. DANKMYER, B. Molycorp, Inc. 2pp. 84530:063-84530:065.

-9507070018 Informs that Molycorp posted areas in question immediately after 950428 site visit & all access gates to impoundment area & all traffic access roads to area have been posted w/ caution signs in response to 950510 ltr.
DAWES, G.W. Molycorp, Inc. 95/05/26. KINNEMAN, J. Region 1 (Post 820201). 2pp. 84530:065-84530:065.

9507120302 Forwards amend 2 to license SMB-1393 & SER. Amend changes Condition 14, Section E of license to require new date by which decommissioning activities at facility must be completed.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. DANKMEYER, B. Molycorp, Inc. 2pp. 84676:327-84676:332.

-9507120305 Amend 2 to license SMB-1393 for Molycorp, Inc. changing Condition 14, Section E to require new date by which decommissioning activities at facility must be completed.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/30. 1p. 84676:329-84676:329.

-9507120306 SER supporting amend 2 to license SMB-1393.
* NRC - No Detailed Affiliation Given. 95/06/28. 3pp. 84676:330-84676:332.

9507270362 Trip rept of 950428 visit to Molycorp site in Washington, PA re first hand review of licensee site environ characteristics & examination of physical details of ongoing site characterization activities. List of attendees encl.
PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. 84872:348-84872:352.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9507070014 Expresses gratitude for informing NRC of actions taken in 950526 ltr re posting of contaminated areas at Washington, PA facility. Responds to request re posting of contaminated areas at Molycorp York facility.
KINNEMAN, J.D. Region 1 (Post 820201). 95/06/26. DANKMYER, B. Molycorp, Inc. 2pp. 84530:063-84530:065.

9507270362 Trip rept of 950428 visit to Molycorp site in Washington, PA re first hand review of licensee site environ characteristics & examination of physical details of ongoing site characterization activities. List of attendees encl.
PERSON, L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. 84872:348-84872:352.

DOCKET 40-8805 CERAC, INC., MILWAUKEE, WI

9507240017 Responds to 950419 & 950526 ltrs re results of licensee investigation of certain licensed activities, per NRC request. Concludes that investigation sufficient to support findings.
HOLT, B.J. Region 3 (Post 820201). 95/06/30. Cerac, Inc. 1p. 84751:044-84751:044.

DOCKET 40-8633 MANLABS, INC., CAMBRIDGE, MA

9507050150 Discusses insp rept 40-8833/95-02 on 950504 & forwards notice of violation.
HEHL, C.W. Region 1 (Post 820201). 95/06/23. ESSELMAN, T.C. Affiliation Not Assigned. 3pp. 84507:285-84507:290.

-9507050158 Notice of violation from insp on 950504. Violation noted: wipe test surveys were not taken of floors & work surfaces every 2 wks.
* Region 1 (Post 820201). 95/06/23. 3pp. 84507:288-84507:290.

9507260072 Forwards response to NRC 950623 ltr re violations noted in insp of license SUB-1427. Corrective actions: wipe tests have been performed & negative.
ESSELMAN, T.C. 95/07/21. Document Control Branch (Document Control Desk). 10pp. 84837:311-84837:320.

DOCKET 40-8852 FERRULMATIC, INC., TOTOWA, NJ

9507180128 Safety insp on 940427 & 950629 of license SUB-1443. Insp findings: no violations observed.
* Region 1 (Post 820201). * Ferrulmatic, Inc. 95/07/05. 1p. 84765:313-84765:313.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9507210219 Responds to request for addl info re PRI response to comment 6, involving average transmissivity estimate determined from F-Wellfield hydrology test.
KEARNEY, W.F. Power Resources Corp. 94/01/14. HOGG, B. Wyoming, State of. 3p. 84866:343-84866:345.

9507210214 Discusses issues raised in meeting w/ util & Dept of Environ Quality on 931217 re wastewater land application permit 603. Details what PRI needs to do to remedy concerns noted.
CHANCELLOR, R.A. Wyoming, State of. 94/01/16. KEARNEY, B. Power Resources Corp. 4pp. 84866:263-84866:266.

9507210117 Informs that review has been completed for initial monitoring of F-Wellfield. Requests that licensee submit text that details progression of mining for first eight wellfield patterns.
MEINING, J. Wyoming, State of. 94/01/21. KEARNEY, B. Power Resources Corp. 2pp. 84866:328-84866:329.

9507210196 Informs that Power Resources, Inc. intends to submit revised renewal info soon after NRC issuance of pending license application submitted on 931203.
KEARNEY, W.F. Power Resources Corp. 94/01/26. HALL, R.E. Uranium Recovery Field Ofc, R4. 1p. 84866:335-84866:335.

9507210208 Forwards addl comments to Power Resources, Inc. on initial monitoring plan for proposed F-Wellfield. Revised monitoring plan reflected on tables 1 & 2. One over-size drawing encl.
KEARNEY, W.F. Power Resources Corp. 94/01/26. HALL, R.E. Uranium Recovery Field Ofc, R4. 7pp. 84866:336-84866:342.

9507200272 Forwards three revised pages OP-36 & OP-36A for Volume 6 of approved license application to reflect that min of one casing vol of water will be routinely pumped from monitor wells prior to sampling.
KEARNEY, W.F. Power Resources Corp. 94/01/31. HALL, R.E. Uranium Recovery Field Ofc, R4. 2pp. 84867:220-84867:223.

-9507210038 Revised pages OP-36 & OP-36A to Section 8.3 of Volume 6, "Water Quality Sampling & Analysis Procedures" of approved license application.
* Power Resources Corp. 94/01/31. 2pp. 84867:222-84867:223.

9507210179 Responds to C Corbett request for addl info to support demonstrate that domestic & stock wells in area of proposed facilities not routinely installed to depths less than 200 feet. Results of investigation into depths of wells encl.
KEARNEY, W.F. Power Resources Corp. 94/02/04. HALL, R.E. Uranium Recovery Field Ofc, R4. 2pp. 84866:331-84866:334.

9507210135 Informs that Power Resources, Inc. permit revision request to reduce baseline sampling requirements of permit 603 has been reviewed by LQD & WQD staffs. Receipt of ltr grants PRI permission to change operations plan as submitted.
SHAFFER, R. Wyoming, State of. 94/02/09. KEARNEY, B. Power Resources Corp. 1p. 84866:330-84866:330.

9507210102 Responds to 940131 ltr concerning required mechanical integrity tests conducted in A/B-Wellfields. Requests that wells I-24 & I-50, which did not pass testing be plugged & abandoned as soon as possible.
MEINING, J. Wyoming, State of. 94/02/14. KEARNEY, B. Power Resources Corp. 1p. 84866:327-84866:327.

9507210247 Discusses info concerning ground water quality issue of well M-63.
SHAFFER, R. Wyoming, State of. 94/02/16. MORZENTI, S.P. Uranium Recovery Field Ofc, R4. 2pp. 84866:347-84866:349.

9507210241 Informs that Power Resources, Inc. permit revision request to change number of casing volumes require to be removed from monitoring wells before water quality samples collected for permit 603 has been reviewed.
SHAFFER, R. Wyoming, State of. 94/02/28. KEARNEY, B. Uranium Recovery Field Ofc, R4. 1p. 84866:346-84866:346.

9507190324 Informs that Power Resources, Inc. permit 603 rev request reviewed & receipt of ltr grants util permission to commence mining operations in F-Wellfield. Revs processed as nonsignificant & recorded as permit changes 18, 19 & 20.
SHAFFER, R. Wyoming, State of. 94/03/01. KEARNEY, B. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 2pp. 84866:353-84866:354.

6 DOCKETED ITEMS

9507190315 Requests expedition of review & approval to allow injection activities at proposed F-Wellfield & to allow Power Resources, Inc to proceed w/const & operation of satellite 2 waste water land application facility.
 COOPER, P.G. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 94/03/03. HALL, R.E. Uranium Recovery Field Ofc. R4. 2pp. 84866:351-84866:352.

9507200330 Forwards revised section 9, "Radiation Safety" of approved Operations Plan, per 931203 application for amend to license.
 KEARNEY, W.F. Power Resources Corp. 94/03/04. HALL, R.E. Uranium Recovery Field Ofc. R4. 1p. 84866:267-84866:309.

-9507240341 Revised section 9, "Radiation Safety" of Operations Plan.
 * Power Resources Corp. 94/03/04. 42pp. 84866:268-84866:309.

9507200262 Discusses license condition 10.11 which requires that satellite 1 purge storage reservoir at Highland U Project be maintained at freeboard of four feet.
 KEARNEY, W.F. Power Resources Corp. 94/03/11. HALL, R.E. Uranium Recovery Field Ofc. R4. 3pp. 84866:260-84866:262.

9507200307 Informs that Power Resources, Inc permit rev to incorporate satellite 2, Wastewater Land Application Facility into Operations Plan for permit 603 has been reviewed by LOD & WOD staffs.
 SHAFER, R. Wyoming, State of. 94/03/11. KEARNEY, B. Uranium Recovery Field Ofc. R4. 3pp. 84866:257-84866:259.

9507200318 Responds to 940228 request to hold meeting on outstanding issues of 940118 ltr from R Chancellor & 940216 ltr to S Morzenti. No meeting will be scheduled.
 SHAFER, R. Wyoming, State of. 94/03/11. KEARNEY, B. Uranium Recovery Field Ofc. R4. 2pp. 84866:310-84866:311.

9507200319 Forwards detailed assessment to determine potential radiological impacts to public of land applying wastewater containing two mg/l natural U & submits list of factors used in assessment, per 940401 URFO ltr re license amend request.
 KEARNEY, W.F. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 94/04/13. HALL, R.E. Uranium Recovery Field Ofc. R4. 2pp. 84867:005-84867:012.

-9507200322 "Assessment of Radiation Doses to Public From Irrigation w/Treated Waste Water, Power Resources, Inc, Highland U Project."
 * Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 94/04/13. 6pp. 84867:007-84867:012.

9507200289 Informs that Power Resources, Inc responses to conditions for approval for permit 603 reviewed. Receipt of ltr signifies that all conditions for F-Wellfield & Wastewater Land Application facility satisfied. Recorded as permit change 22.
 SHAFER, R. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 94/04/18. KEARNEY, B. Wyoming, State of. 1p. 84867:004-84867:004.

9507200352 Informs that addl info submitted demonstrated that total effective dose equivalent for U substantially less than 50 mrem per year limit specified in 10CFR20.1302(2)(ii).
 KEARNEY, W.F. Power Resources Corp. 94/04/21. HALL, R.E. Uranium Recovery Field Ofc. R4. 2pp. 84866:325-84866:326.

9507210084 Responds to NRC 940209 request for addl info re conditions at & near well M-63 in order that NRC can evaluate PRI 931105 request for rev of UCLs at well M-63.
 KEARNEY, W.F. Power Resources Corp. 94/04/25. HALL, R.E. Uranium Recovery Field Ofc. R4. 13pp. 84866:312-84866:324.

9507210323 Responds to NOV cover ltr re radiation safety staffing. Informs that licensee determined that addl person in Highland Environmental/Radiation Safety dept will enhance present programs & will provide assistance in areas.
 HILDENBRAND, P. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 94/05/04. HALL, R.E. Uranium Recovery Field Ofc. R4. 2pp. 84867:062-84867:063.

9507120206 Informs of review of license amend request to add approx 80 acres to existing licensed area for Power Resources, Inc Highland U Project.
 AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/30. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84672:360-84672:360.

9507310254 Informs that licensee in process of revising 1995 surety estimate to account for increases in surety estimates associated w/ground water restoration & will submit revised 1995 surety estimate to NRC & State of WY by 950630.
 KEARNEY, W.F. Power Resources Corp. 95/05/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84903:312-84903:313.

9507100231 Provides two floppy disks that contain Lotus 123 files of baseline water quality data for F-Wellfield at facility Highland U Project.
 KEARNEY, W.F. Power Resources Corp. 95/06/29. BRADLEY, V. Division of Waste Management (NMSS 940403). 2pp. 84692:325-84692:326.

9507170142 Ack receipt of 950605 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8857/95-01.
 CAIN, C.L. Region 4 (Post 825201). 95/07/11. HILDENBRAND, P. Power Resources Corp. 4pp. 84747:185-84747:195.

9507180269 Forwards 1995 surety estimate for Highland U Project, per license condition 9.10 for NRC review & approval.
 KEARNEY, W.F. Power Resources Corp. 95/07/14. HOLONICH, J.J. Division of Waste Management (NMSS 940403). 45pp. 84783:222-84783:266.

9507260026 Forwards modified SER in response to recipient branch 950602 request for radiological assessment of Power Resources, Inc license renewal document & mod to SER. Licensee should update document to present terminology in 10CFR20.
 AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84842:081-84842:103.

-9507260028 Modified SE approving Power Resources, Inc request for renewal of license SUA-1511.
 * Division of Waste Management (NMSS 940403). 95/07/18. 21pp. 84842:083-84842:103.

9507250193 Informs that staff has no technical objections to licensee amend request to construct & operate Satellite 3 facility at Highland U Project.
 AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/21. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84828:250-84828:250.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9507100064 Informs that NRC will withhold from public disclosure per 10CFR2.790, marked pricing data in Clin Corp contract dtd 940325, per 950414 request.
 KINNEMAN, J.D. Region 1 (Post 820201). 95/06/21. VUMBACO, F.J. Nuclear Metals, Inc. 4pp. 84692:120-84692:126.

9507100036 Ack receipt of 950605 ltr informing NRC of steps taken to correct violations noted in insp repts 40-0672/94-01 & 40-8866/94-01.
 KINNEMAN, J.D. Region 1 (Post 820201). 95/06/28. VUMBACO, F.J. Nuclear Metals, Inc. 2pp. 84539:039-84539:043.

-9507100042 Responds to NRC 950407 ltr re violations noted in insp repts 40-0672/94-01 & 40-8866/94-01. Corrective actions attached in-house memo distributed to members of staff w/regards to proper handling of future commitments.
 VUMBACO, F.J. Nuclear Metals, Inc. 95/06/05. KINNEMAN, J.D. Region 1 (Post 820201). 3pp. 84539:041-84539:043.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9507260087 Forwards tailings data re five layers per discussion w/ recipient.
 BAKER, K. Atlantic Richfield Co. (ARCO). 95/06/06. NRC - No Detailed Affiliation Given. 3pp. 84842:161-84842:163.

9507050177 Submits clarification of origin of byproduct matl containing PCBs.
 ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 95/06/23. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84581:101-84581:106.

9507110024 Forwards "Atlantic Richfield Co Land Use Survey Rept Bluewater U Mill Site Grants, NM" for 1995 Reclamation activity at site only significant deviation in land use within survey area at site from 1994 rept.
 ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 95/06/29. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84682:179-84682:197.

-9507110026 "Atlantic Richfield Co Land Use Survey Rept, Bluewater U Mill Site Grants, NM" w/two oversize drawings.
 * Atlantic Richfield Co. (ARCO). 95/06/30. 17pp. 84682:180-84682:197.

9507250210 Forwards amend 28 to license SUA-1470 to revise cover design for Carbonate Tailings Pile, design of main tailings impoundment South Toe bench, slope design & quarry & rock scoring criteria.
 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/20. ZIEGLER, R.S. Atlantic Richfield Co. (ARCO). 13pp. 84835:263-84835:282.

-9507250258 Amend 28 to license SUA-1470 for Atlantic Richfield Co.
 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/20. 7pp. 84835:276-84835:282.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9507140339 Informs that licensee prepared to place bedding & erosion protection on outcrops, per 950707 telcon w/T Harms. Placement of bedding scheduled to begin 950713.
 CRAFT, F.R. Homestake Mining Co. 95/06/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84761:158-84761:158.

9507070298 Forwards revised summary of reclamation cost estimate, as per request by K Hooks.
 CRAFT, F.R. Homestake Mining Co. 95/06/28. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84622:347-84622:348.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9507260154 Provides NRC final position on review of previously approved reclamation plans.
 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/18. CROUCH, D. Kennecott Corp. 2pp. 84842:222-84842:251.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9507110332 Forwards TER documenting NRC review of licensee 950616 proposal to use ntrap at Ambrosia Lake site which does not meet NRC approved scoring criteria/ licensee current const specs.
 HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/03. FERDINAND, B. Quivira Mining Co. 3pp. 84694:340-84694:342.

9507240460 Requests that NRC approve disposal of byproduct matl in areas adjacent to tailings impoundments.
 FERDINAND, B. Quivira Mining Co. 95/07/20. HOLONICH, J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84824:180-84824:189.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9507110335 Notification of 950720 meeting w/ licensee in Rockville, MD to discuss Church Rock background water quality stds & alternate concentration limits.
 HOOKS, K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/29. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84694:337-84694:337.

9507120141 Expresses appreciation for recent invitation to travel to Washington to meet w/United Nuclear personnel & consultants.
 TRUJILLO, D.M. New Mexico, State of. 95/06/29. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84681:251-84681:252.

9507110330 Informs that as described in encl TER,NRC unable to approve extension of licensee parent company guarantee, based on review of request in 950330 ltr. Licensee requested to initiate efforts to secure alternate financial instrument.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/09. J. VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC, Inc.). 4pp. 84694:343-84694:346.

9507120184 Forwards workplan outlining field work to be performed in vicinity of Church Rock Superfund site to determine if nitrate naturally occurring in alluvial soils at Church Rock Superfund site, McKinley County, NM.
TRUJILLO, D.M. New Mexico, State of. 95/07/09. GHOSE, S. Environmental Protection Agency. 5pp. 84684:233-84684:238.

9507250129 Expresses appreciation for recent invitation to travel to Washington to meet w/UNC personnel & consultants.
TRUJILLO, D.M. New Mexico, State of. 95/07/19. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84825:359-84825:359.

9507250020 Forwards disk w/1977 water quality data & slides used in presentation of Quivira operations at Church Rock site & excerpt out of 1992 Background Water Quality Rept. Disk & slides not encl.
DU PONT, S. Affiliation Not Assigned. 95/07/21. HOOKS, K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. 84837:210-84837:243.

DOCKET 40-8936 BUTKIN PRECISION MANUFACTURING, INC., MILFORD, CN

9507250264 Forwards amend 5 to license STB-1505 & SER & categorical exclusion Amend transfers license from Butkin Precision Mfg. Inc to B&B Tool Co.
HOGG, R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/12. BUTKA, J. Affiliation Not Assigned. 9pp. 84831:335-84831:349.

9507250266 Amend 5 to license STB-1505 for B&B Tool Co., transferring license from Butkin Precision Mfg. Inc to B&B Tool Co.
WEBER, M.F. Division of Waste Management (NMSS 940403). 95/07/12. 2pp. 84831:344-84831:345.

9507250269 SER & categorical exclusion supporting Amend 5 to license STB-1505.
* NRC - No Detailed Affiliation Given. 95/07/12. 4pp. 84831:346-84831:349.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9507060204 Provides requested info & requests that NRC approves addl flow increase for main recovery plant.
KNODE, R. 95/06/26. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84632:317-84632:335.

9507110327 Recommends that subsequent annual pond insp repts include plan-view map showing locations of land survey points & summary of settlement data from previous land surveys, based on review of licensee 1994 pond insp rept submitted 941117.
PARK, J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/30. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84694:347-84694:350.

9507260078 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8943/95-01.
CAIN, C.L. Region 4 (Post 820201). 95/07/20. COLLINGS, S.P. Affiliation Not Assigned. 4pp. 84793:136-84793:140.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9507110085 Forwards Vols I,II,III & IV of draft "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge, OH." w/four oversize.
SHIELDS, W.J. PTI Services, Inc. 95/06/29. ACKMAN, O. Ohio, State of. 2pp. 84700:001-84704:329.

9507110087 Vols I,II,III & IV of draft "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge, OH."
* PTI Services, Inc. 95/06/30. 1,783pp. 84700:003-84704:329.

9507110341 Forwards revised rept, "Onsite Slag Characterization & Distribution at Shieldalloy Metallurgical Corp Site, Cambridge, OH."
SHIELDS, W.J. PTI Services, Inc. 95/06/30. NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84682:001-84682:178.

9507110342 Revised rept, "Onsite Slag Characterization & Distribution at Shieldalloy Metallurgical Corp Site, Cambridge, OH."
* PTI Services, Inc. 95/06/30. 175pp. 84682:004-84682:178.

9507110338 Forwards OH EPA comments on draft work plan for remedial investigation & feasibility study at Shieldalloy Metallurgical Corp site in Cambridge, OH, dtd 950216.
BLAIR, B.J. Ohio, State of. 95/03/16. EVES, C.S. Shieldalloy Metallurgical Corp. LEE, P. Foote Mineral Co. 13pp. 84694:209-84694:227.

9507060218 Forwards original of response to OPEA & NRC comments on Draft RI/FS Work Plan faxed to B Blair on 950328.
SHIELDS, W.J. PTI Services, Inc. 95/05/24. NELSON, R.A. NRC - No Detailed Affiliation Given. 19pp. 84600:285-84600:303.

9507100054 Notice of hearing on fifth applications of professionals for allowance of compensation for svcs rendered & reimbursement of expenses.
RAPISARDI, J.J. Metallurg, Inc. RAPISARDI, J.J. Shieldalloy Metallurgical Corp. RAPISARDI, J.J. Weil, Gotshal & Manges. 95/06/19. 37pp. 84689:278-84689:314.

9507060211 Forwards ltr from S Bauman re concerns w/Shieldalloy site in Guernsey County, OH.
NEY, R.W. House of Rep. 95/06/22. NELSON, R. NRC - No Detailed Affiliation Given. 2pp. 84617:296-84617:297.

9507060227 Forwards draft source term development for metal CoPCs in East & West Slag Piles at Shieldalloy site in Cambridge, OH.
SHIELDS, W.J. PTI Services, Inc. 95/06/23. NELSON, R.A. Office of Nuclear Material Safety & Safeguards. 1p. 84642:176-84642:216.

9507060223 "Draft Source Term Development for Metal CoPCs in East & West Slag Piles, Shieldalloy Metallurgical Corp Site in Cambridge, OH."
* PTI Services, Inc. 95/06/23. 38pp. 84642:177-84642:216.

9507060013 Forwards insp rept 40-8948/95-01 on 950227-0511. No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/06/26. EVES, S. Shieldalloy Metallurgical Corp. 2pp. 84516:078-84516:090.

9507060016 Insp rept 40-8948/95-01 on 950227-0511. No violations noted. Major areas inspected: posting measures, program for maintaining integrity of West Pile cap & program of surveillance for security slag piles.
GLINSKI, R.L., MCCORMICK-BARGE Region 3 (Post 820201). 95/06/26. 11pp. 84516:080-84516:090.

9507270310 Summary of 950620 meeting w/Shieldalloy Metallurgical Corp Cyprus Foote Mineral Corp in Rockville, MD re development of EIS for Cambridge, OH & Newfield, NJ facilities.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/28. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84874:170-84874:177.

9507110340 Forwards response to NRC comments transmitted on 950616 in memo entitled, "NRC Staff Review of Remedial Investigation/ Feasibility Study Work Plan, Shieldalloy Metallurgical Corp, Cambridge, OH - May 1995."
SHIELDS, W.J. PTI Services, Inc. 95/06/30. NELSON, R.A. Office of Nuclear Material Safety & Safeguards. 3pp. 84695:021-84695:023.

9507110306 Requests EIS scope change re Cambridge OH site.
EVES, C.S. Shieldalloy Metallurgical Corp. 95/07/05. NELSON, R. NRC - No Detailed Affiliation Given. 1p. 84893:359-84893:359.

9507270017 Discusses public release of preliminary draft EIS for Shieldalloy Metallurgical Corp in Cambridge, OH.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/05. BLAIR, B. Environmental Protection Agency. 5pp. 84874:019-84874:023.

9507270296 Notifies licensee of change in NRC project mgt responsibilities for licensing & decommissioning of facility in Cambridge, OH (license SMB-1507).
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/11. EVES, C.S. Shieldalloy Metallurgical Corp. 1p. 84874:193-84874:193.

9507270174 Advises that Remedial Investigation/Feasibility Study, received on 950703, did not adequately address all NRC questions concerning alternatives to analysis of facility. Unresolved questions listed.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. EVES, C.S. Shieldalloy Metallurgical Corp. 4pp. 84874:092-84874:095.

9507270323 Responds to 950627 ltr re scope of EIS being developed by NRC for licensee.
NELSON, R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/20. D'ARRIGO, D. Nuclear Information & Resource Service. 4pp. 84873:196-84873:201.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9507250186 Informs that addl staff hours necessary to complete SER review for license application for Crownpoint, NM in-situ leach U project.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. PELIZZA, M.S. HRI, Inc. (Hydro Resources, Inc.). 2pp. 84828:248-84828:249.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9507270266 Forwards suppl technical evaluation rept to suppl review completed on 950203 re licensee Green Mountain ion exchange facility decommissioning.
AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84874:194-84874:197.

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9507170081 Forwards insp rept 40-8981/95-01 on 950605 & 08. No violations noted. Inspector noted two monthly insps of evaporation ponds water levels measured but not recorded.
SCARANO, R.A. Region 4 (Post 820201). 95/07/11. WICHERS, D.L. Pathfinder Mines Corp. 4pp. 84755:293-84755:303.

9507170087 Insp rept 40-8981/95-01 on 950605 & 08. No violations noted. Major areas inspected: mgt & organization controls, operations review, radiation protection & environ monitoring.
CAIN, C.L. Region 4 (Post 820201). 95/07/07. 7pp. 84755:297-84755:303.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9507120207 Forwards Bingham Environ 1994 4th quarter LARW & 11e(2) groundwater sampling results, consisting of results from first, second, third & fourth quarter sampling.
HELLSTROM, G.W. Envirocare of Utah, Inc. 95/07/07. CARLSON, B. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 234pp. 84699:001-84699:234.

9507110311 Application for amend to License SMC-1559, requesting annual surety review. Replace Page 9-10 through end of Section 9 w/ encl pages.
HELLSTROM, G.W. Envirocare, Inc. 95/05/24. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 25pp. 84694:161-84694:185.

9507250298 Forwards amend 5 to license SMC-1559 & TER. Amend expands waste capacity of 11e(2) disposal cell from 3.3 million to 5.5 million cubic yards.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/07. JUDD, C.A. Envirocare of Utah, Inc. 6pp. 84842:252-84842:268.

8 DOCKETED ITEMS

-9507250300 Amend 5 to license SMC-1559 for Envirocare of Utah, Inc. expanding waste capacity of 11e.(2) disposal cell from 3.3 million to 5.5 million cubic yards. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/07. 11pp. 84842:258-84842:268.

9507200021 Requests that NRC approve qualifications of G Sadquist & summary of proposed annual audit per license condition 9.17, license SMC-1559 & amend 5. HELLSTROM, G.W. Envirocare of Utah, Inc. 95/07/14. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. 84799:280-84799:313.

DOCKET 40-9022 HARTLEY & HARTLEY LANDFILL

9507140228 Forwards Vols 1 & 2 of "Technical Memo Nonintrusive (Phase IIA) Investigation SCA/Hartley & Hartley Landfill Bay County, Mi." W/five oversize drawings. OGLE, R.A. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/07. PARROTT, J. NRC - No Detailed Affiliation Given. HARTMAN, M. Michigan, State of. 1p. 84762:001-84762:321.

-9507140238 Vols 1 & 2 of "Technical Memo Nonintrusive (Phase IIA) Investigation SCA/Hartley & Hartley Landfill, Bay County, Mi." W/five oversize drawings. * RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/31. 320pp. 84762:002-84762:321.

9507050162 Forwards FRN announcing FONSI & opportunity for hearing on issuance of license SUC-1565. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/12. MEYER, D.L. Regulatory Publications Branch (890205-920322). 6pp. 84569:354-84569:359.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9507050211 Summarizes I Seim 950518 meeting w/representatives from Energy Fuels Nuclear, Inc to discuss Omnibus Budget Reconciliation Act of 1990 issues, including NRC new approach to fees. MCCONNELL, K.I. Commissioners (Post 750119). 95/06/15. Commissioners (Post 750119). 1p. 84516:196-84516:196.

9507200023 Submits follow up to 950705 telcon re POL for storage of used resin at Reno Creek & associated reclamation bond. REHMANN, M.R. Energy Fuels Nuclear, Inc. 95/07/10. CARLSON, R.D. NRC - No Detailed Affiliation Given. 14pp. 84779:336-84779:349.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9507050310 Discusses review of decommissioning activities planned for Reading, PA facility. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/23. BARRON, R. Cabot Corp. 2pp. 84570:231-84570:236.

-9507050317 Notice of violation from insp. Violation noted: licensee failed to submit adequate characterization plan by 950330. * Office of Nuclear Material Safety & Safeguards. 95/06/23. 2pp. 84570:233-84570:236.

9507250074 Responds to NRC 950623 ltr re violations noted in insp of license SMC-1562. Corrective actions: revised characterization plan to include specific schedule for performing characterization of slag pile. LINDELL, J.S. Cabot Corp. 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84828:309-84828:316.

9507310158 Forwards response to NRC comments on "Characterization Plan for Reading Slag Pile." dtd Jul 1995 Rev 1 to NES Document 82A8695, "Characterization Plan for Reading Slag Pile" also encl. CAMPITELLI, A.T. Cabot Corp. 95/07/24. HOGG, R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 84903:058-84903:078.

-9507310161 Rev 1 to "Characterization Plan for Reading Slag Pile." CRAIG, K., REISENWEAVER, D. Nuclear Energy Services, Inc. 82A8695 R01. 95/07/31. 14pp. 84903:065-84903:078.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

Q. Inspection reports, IE Bulletins & correspondence

9507030019 Forwards insp repts 50-003/95-01 & 50-247/95-16 on 950605-09 & notice of violation. MARTIN, T.T. Region 1 (Post 820201). 95/06/23. QUINN, S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84696:046-84696:067.

-9507180183 Notice of violation from insp on 950605-09. Violation noted: licensee delivered mats to carrier for exclusive use transport in package w/radiation levels of 375 mrem per hour on contact w/outer surface of vehicle. * Region 1 (Post 820201). 95/06/23. 3pp. 84696:048-84696:050.

-9507030026 Insp repts 50-003/95-01 & 50-247/95-16 on 950605-09. Violations noted: Major areas inspected: radwaste processing, waste steam sampling & analysis, preparation & shipment of radioactive matl & onsite storage of radwaste. NOGGLE, J., BORES, R. Region 1 (Post 820201). 95/06/21. 14pp. 84696:051-84696:067.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9507100004 Forwards insp repts 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 84538:351-84538:359.

-9507100010 Insp repts 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. Major areas inspected: reactor operations, health physics program, emergency preparedness, mgt oversight, & use of special nuclear matl. DRAGOUN, T. Region 1 (Post 320201). 95/06/28. 7pp. 84538:353-84538:359.

G. Inspection reports, IE Bulletins & correspondence

9507100004 Forwards insp repts 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 84538:351-84538:359.

-9507100010 Insp repts 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. Major areas inspected: reactor operations, health physics program, emergency preparedness, mgt oversight, & use of special nuclear matl. DRAGOUN, T. Region 1 (Post 820201). 95/06/28. 7pp. 84538:353-84538:359.

S. Reportable occurrences, LERs & related correspondence

9507120162 RO on 930510-950630, when comparing control rod worth data from annual surveillance tests during 1994 & 1995 discrepancy of greater than one dollar of reactivity was observed. SHIRLEY, D.A. Pennsylvania State Univ., University Park, PA. 95/07/07. Document Control Branch (Document Control Desk). 5pp. 84676:337-84676:341.

V. Operator Examinations

9507060261 Forwards reactor operator license certificate for MP Gneb, newly licensed individual at P. Pennsylvania State Univ. W/o encl. BOGER, B.A. 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., University Park, PA. 1p. 84531:360-84531:360.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507250141 Revised Maps for Corporate EIPs from CEPIP-3000 Series including rev 2 to Quad Cities Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents. W/two oversize drawings. * Commonwealth Edison Co. 95/06/02. 3pp. 84871:336-84871:338.

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK, M.J. Commonwealth Edison Co. 95/06/18. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507110049 Forwards info re physical security activities at plant for review & followup. Requests that results of review & disposition of subj matters be submitted to Region III within 45 days of receipt of dtd ltr. CREED, E.W. Region 3 (Post 820201). 95/07/03. JOYCE, T. Commonwealth Edison Co. 2pp. 84557:252-84557:253.

9507250111 Forwards util revised EP EALS. VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF. JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

R. Periodic operating reports & related correspondence

9507190354 Monthly operating repts for June 1995 for Dresden Generating Station Units 1,2 & 3. W/950714 ltr. CARROLLE, W., HOLLAND, P.G. Commonwealth Edison Co. 95/06/30. 21pp. 84762:335-84762:355.

9507270103 Forwards 1995 second quarter rept of changes, tests & experiments per 10CFR50.59. Rept previously being submitted on annual basis, but will now be submitted on quarterly basis. HOLLAND, P.G. Commonwealth Edison Co. 95/07/10. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84849:001-84851:023.

-9507270106 Rept of changes, tests & experiments per 10CFR50.59 for 1995 second quarter. * Commonwealth Edison Co. 95/06/30. 750pp. 84849:002-84851:023.

S. Reportable occurrences, LERs & related correspondence

9507170397 LER 95-001-00 on 950615, Unit 1 high radiation area was unlocked in violations of TS. Caused by lack of review & verification of plant TS. Detailed review was made of all Unit 1 area W/950714 ltr. BAXTER, J., JOYCE, T.P. Commonwealth Edison Co. 95/07/10. 5pp. 84764:019-84764:023.

W. Decommissioning Stage Documents & Correspondence

9507110316 Documents understanding reached in 950621 telcon re significance of SER attached to Order approving Dresden Unit 1 decommissioning plan & issuance of amend 37 to license DPR-2 to TS.
HOLLAND, P.G. Commonwealth Edison Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84692:356-84692:358.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507110303 Notification of 950711 meeting w/Commonwealth Edison Co in Rockville, MD to discuss licensee plans for dry spent fuel storage at plant.
EASTON, E.P. Office of Nuclear Material Safety & Safeguards. 95/07/03. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 1p. 84616:281-84616:281.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1**H. General correspondence**

9507170383 Commits to provide notice of transfer to NRC re proposed Corporate restructuring of Detroit Edison Co. as requested by T Colburn.
GIPSON, D.R. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84776:269-84776:270.

W. Decommissioning Stage Documents & Correspondence

9507270261 Trip rept of 950602 visit to Fermi Unit 1 in Lagoona Beach, MI re familiarizing project manager & other DWM/LLDP staff w/facility & facilitating meeting of project manager w/utl counterparts at plant.
BROWN, S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/30. BELL, L.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 84874:159-84874:164.

DOCKET 50-18 VALLECITOS BOILING WATER REACTOR**I. Financial information**

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties...for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR**V. Operator Examinations**

9507060137 Notifies that JC VanAntwerp resigned position as senior reactor operator effective 950630.
BERNARD, J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84617:212-84617:212.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION**F. Security, medical, emergency & fire protection plans**

9507050244 Advises that 950420 Rev 5 to defueled security plan consistent w/provisions of 10CFR50.54(b) & acceptable for inclusion in plan.
JOYNER, J.H. Region 1 (Post 820201). 95/06/21. GRANT, J. Yankee Atomic Electric Co. 2pp. 84570:271-84570:273.

9507180468 Revised EIPs, including Revs 114 & 115 to table contents & Rev 12 to OP-3315, "Control Room Actions During Emergency."
* Yankee Atomic Electric Co. 95/07/07. 19pp. 84786:047-84786:065.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507170052 Document custody assignment form & YAEC controlled document record of changes form to YNPS FSAR, YNPS FSAR current through Change 9.
* Yankee Atomic Electric Co. 95/07/05. 2pp. 84755:199-84755:200.

Q. Inspection reports, IE Bulletins & correspondence

9507250037 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Util believes that rept writers should be required to clearly articulate safety significance of each finding.
THAYER, J. Yankee Atomic Electric Co. 95/07/13. MEYERS, D. NRC - No Detailed Affiliation Given. 10pp. 84787:140-84787:149.

9507240204 Forwards insp rept 50-029/95-01 on 950214-16 & 0523-25. No violations noted. NRC noted one concern re number of radiological & industrial safety events among contract workers.
JOYNER, J.H. Region 1 (Post 820201). 95/07/14. THAYER, J.K. Yankee Atomic Electric Co. 3pp. 84823:291-84823:304.

-9507240211 Insp rept 50-029/95-01 on 950214-17 & 0523-25. No violations noted. Major areas inspected: audits & appraisals, changes to program, procedures & staff, radiological activities in 1994, planning & preparation for future work & interim storage.
NICK, J., BORES, R. Region 1 (Post 820201). 95/07/13. 11pp. 84823:294-84823:304.

W. Decommissioning Stage Documents & Correspondence

9507110256 Notification of 950718 meeting w/utl in Rockville, MD to discuss plans to use Yankee Models generically Meeting cancelled.
ORR, F.R. 95/06/19. JONES, R.C. 2pp. 84587:100-84587:101.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507110031 Comment supporting proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits."
GRANT, J.M. Yankee Atomic Electric Co. 95/06/30. Docketing & Services Branch. 2pp. 84557:081-84557:082.

DOCKET 50-54 CINTICHEM**W. Decommissioning Stage Documents & Correspondence**

9507190306 Forwards supplementary info requested in NRC 950608 ltr re licensee proposed method for developing bedrock release criteria, including proposed bedrock sampling plan.
MCGOVERN, J.J. Cintichem, Inc. 95/07/12. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84786:088-84786:096.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR**P. Operating license stage documents & correspondence**

9507310213 Forwards amend 21 to amended license R-66 & SE. Amend removes from license authorization to possess high-enriched U reactor fuel, updates & adds definitions to TS, editorially updates & reformats various TS to improve clarity.
ADAMS, A. 95/07/21. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 3pp. 84879:233-84879:305.

-9507310221 Amend 21 to license R-66, removing from license authorization to possess high-enriched U reactor fuel, updates & adds definitions to TS, editorially updates & reformats various TS to improve clarity.
WEISS, S.H. Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. 61pp. 84879:236-84879:296.

-9507310223 Safety evaluation supporting amend 21 to license R-66.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. 9pp. 84879:297-84879:305.

Q. Inspection reports, IE Bulletins & correspondence

9507120330 Forwards insp rept 50-062/95-01 on 950605-07. No violations noted.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 2pp. 84676:310-84676:320.

-9507120340 Insp rept 50-062/95-01 on 950505-07. No violation noted. Major areas inspected: onsite review of operations of Class 1 non-power reactor.
BASSETT, C.H., DESAI, B.B., MCALPINE, E.J. Region 2 (Post 820201). 95/07/07. 9pp. 84676:312-84676:320.

V. Operator Examinations

9507060157 Informs that written & operating exams scheduled for wk of 950828. Requests that reference mats be furnished at least 60 days prior to exam date & that license applications be submitted at least 30 days prior to first exam date.
DOYLE, P.V. 95/06/26. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 10pp. 84539:341-84539:352.

DOCKET 50-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR**I. Financial information**

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties...for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 50-72 UNIV. OF UTAH RESEARCH REACTOR**W. Decommissioning Stage Documents & Correspondence**

9507190102 Forwards ltr & rept from Oak Ridge Inst for Science & Education re final termination survey for reactor, including questions on licensee 950322 document, "Summary of Decommissioning Process..." for review & response.
SCARANO, R.A. Region 4 (Post 820201). 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 4pp. 84769:293-84769:310.

10 DOCKETED ITEMS

-9507190111 Forwards comments on licensee "Summary of Decommissioning Process of Univ of UT AGN-201 Reactor 107, Final Rept. Rev 1."
ADAMS, W.C. Oak Ridge Associated Universities. 95/07/13. MURRAY, B. Region 4 (Post 820201). 14pp. 84769:297-84769:310.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

I. Financial Information

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties. for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 50-77 CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9507120281 Responds to request for addl info re final status survey rept.
LUSTER, D.R. Catholic Univ. of America, Washington, DC. 95/06/02. JOYNER, J.H. Region 1 (Post 820201). 10pp. 84684:211-84684:228.

9507210177 Responds to 950602 ltr which requested review of final status survey plan for area currently identified as power plant machine shop related to Catholic Univ of America research reactor.
MENDONCA, M.M. 95/07/17. LUSTER, D.R. Catholic Univ. of America, Washington, DC. 3pp. 84764:059-84764:061.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

F. Security, medical, emergency & fire protection plans

9507240468 Forwards Rev 12 of physical security plan for Univ of Florida Training Reactor per 10CFR50.54. Encl withheld.
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84831:037-84831:038.

P. Operating license stage documents & correspondence

9507270221 Expresses opinion that 10CFR20.1601(c) can readily relieve any burden on license R-56 operations in response to NRC 950605 request for input on burden associated w/controlling radiation beams at facility.
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 95/07/11. WEISS, S.H. 2pp. 84673:359-84673:360.

S. Reportable occurrences, LERs & related correspondence

9507070459 RC on 950609 failure of primary coolant return line flow sensor to initiate trip occurred. Flow sensors checked after debris removal & as of 950626 problem considered resolved.
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 95/06/30. Region 2 (Post 820201). 6pp. 84619:232-84619:240.

-9507100115 Informs that E McAlpine relative to failure of primary coolant flow line return sensor discovered on 950609, per 950612 telcon.
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 95/06/12. EBNETER, S. Region 2 (Post 820201). 3pp. 84619:238-84619:243.

DOCKET 50-89 GENERAL ATOMICS

F. Security, medical, emergency & fire protection plans

9507280212 Forwards revised radiological contingency plan, together w/ GA ltr requesting revs be approved & NRC ltr approving Jan 1995 revs as requested. Rev 9 of "Emergency Procedures - TRIGA Reactors Facility" also encl.
HICKMAN, S. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/07/14. ADAMS, A. 1p. 84881:278-84882:061.

-9507280214 Revised "Radiological Contingency Plan."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/06/30. 97pp. 84881:279-84882:017.

-9507280218 Rev 9 to "Emergency Procedures - TRIGA Reactors Facility."
RAZVI, J., BAXTER, A.M., BROCK, J.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/11/07. 44pp. 84882:018-84882:061.

DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9507060179 Application for amend to license R-52, revising TS Section 6, "Administrative Controls," including revised organizational chart & changes in emergency plan & physical security plan. TS, emergency plan & SAR processed separately.
WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84598:356-84598:358.

9507120241 Requests application for amend to license R-52 re changes that affect units at univ other than Nuclear Reactor Lab.
WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84710:112-84710:213.

-9507120245 Rev 6 to "Emergency Plan for Univ of AZ Nuclear Reactor Lab."
* Arizona, Univ. of, Tucson, AZ. 95/06/30. 202pp. 84710:115-84710:159.

P. Operating license stage documents & correspondence

9507060179 Application for amend to license R-52, revising TS Section 6, "Administrative Controls," including revised organizational chart & changes in emergency plan & physical security plan. TS, emergency plan & SAR processed separately.
WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84598:356-84598:358.

9507120241 Requests application for amend to license R-52 re changes that affect units at univ other than Nuclear Reactor Lab.
WILLIAMS, J.G. Arizona, Univ. of, Tucson, AZ. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84710:112-84710:213.

-9507120245 Rev 6 to "Emergency Plan for Univ of AZ Nuclear Reactor Lab."
* Arizona, Univ. of, Tucson, AZ. 95/06/30. 202pp. 84710:115-84710:159.

-9507120253 "SAR Univ of Arizona Triga Mark I Research Reactor for June 1995."
* Arizona, Univ. of, Tucson, AZ. 95/06/30. 6pp. 84710:160-84710:166.

-9507120277 Proposed tech specs re changes in administrative organization of univ.
* Arizona, Univ. of, Tucson, AZ. 95/06/30. 47pp. 84710:167-84710:213.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

V. Oper. Examinations

9507270289 Informs that written & operating exams scheduled at facility during wk of 951113, per telcon. between J Adams & W Eresian. Ref matl listed in Encl 1 requested 60 days prior to exam date.
ERESIAN, W.J. Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. DONOFSKY, R. Iowa State Univ., Ames, IA. 10pp. 84844:032-84844:042.

9507310082 Informs that written & operating exams scheduled for wk of 951113 per telcon between J Adams & W Eresian. Requests set of ref matl be furnished at least 60 days before test & submission of license application 30 days prior to test.
ERESIAN, W.J. 95/07/21. DONOFSKY, R. Iowa State Univ., Ames, IA. 10pp. 84866:347-84866:356.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507180172 Forwards amend 29 to license DPR-7 & safety evaluation. Amend permits provisions of 10CFR50.59 to be applied re changes to facility or procedures described in Decommissioning Plan or changes to Decommissioning Plan.
YATES, C.Y. 95/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 84696:333-84696:339.

-9507180180 Amend 29 to license DPR-7, permitting provisions of 10CFR50.59 to be applied re changes to facility or procedures described in Decommissioning Plan or changes to Decommissioning Plan & conduct of tests not described in Decommissioning Plan.
WEISS, S.H. 95/07/07. 2pp. 84696:336-84696:337.

-9507180185 Safety evaluation supporting amend 29 to license DPR-7.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 2pp. 84696:338-84696:339.

DOCKET 50-139 UNIV. OF WASHINGTON RESEARCH REACTOR

H. General correspondence

9507110011 Informs of change in facility organization due to retirement on 950630 of WP Miller. Appointed M. Carette to replace Miller as of 950701.
DAMBORG, M.J. Washington, Univ. of, Seattle, WA. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84695:058-84695:058.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9507030280 Forwards addendum to TS Change Request 56 to license DPR-4, revising TS pages 1,2 & 8 to change organization performing remainder of characterization activities & future decommissioning activities to assure linkage w/ licensee.
HILDEBRAND, J.E. Saxton Nuclear Experimental Corp. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84561:089-84561:097.

-9507030286 Addendum to TS Change Request 56 to license DPR-4, revising TS pages 1,2 & 3 to change organization performing remainder of characterization activities & future decommissioning activities to assure linkage w/ licensee maintained.
HILDEBRAND, J.E. Saxton Nuclear Experimental Corp. 95/06/23. 4pp. 84561:091-84561:094.

-9507030291 Proposed tech specs pages 1,2 & 8, changing organization performing remainder of characterization activities & future decommissioning activities to assure linkage w/ licensee appropriately maintained.
* Saxton Nuclear Experimental Corp. 95/06/23. 3pp. 84561:095-84561:097.

9507050343 Summary of 950608 meeting w/SNEC re proposed change to TS & proposed schedule for decommissioning facility. List of attendees & briefing matl encl.
* NRC - No Detailed Affiliation Given. 95/06/23. NRC - No Detailed Affiliation Given. 8pp. 84530:212-84530:219.

R. Periodic operating reports & related correspondence

- 9507060125 Forwards "Saxton Nuclear Experimental Corp 1994 Annual Rept for Saxton Nuclear Experimental Facility for 940101-941231."
GOOD,B.A. Saxton Nuclear Experimental Corp. 95/06/28. Document Control Branch (Document Control Desk). 1p. 84600:304-84600:314.
- 9507060130 "Saxton Nuclear Experimental Corp 1994 Annual Rept for Saxton Nuclear Experimental Facility for 940101-1231."
* Saxton Nuclear Experimental Corp. 94/12/31. 10pp. 84600:305-84600:314.

S. Reportable occurrences, LERs & related correspondence

- 9507060133 Ack receipt of 950608 rept & forwards RAI re breach of plant containment vessel liner that occurred on 950525, due within 30 days of ltr date.
ADAMS,A. 95/06/27. HILDEBRAND,J.E. Saxton Nuclear Experimental Corp. 4pp. 84539:337-84539:340.

DOCKET 50-159 OHIO STATE UNIV. RESEARCH REACTOR**P. Operating license stage documents & correspondence**

- 9507030183 Forwards "TRTR Peer Review for OH State Univ Nuclear Reactor Lab." for 950214-15.
MYSER,R. Ohio State Univ., Columbus, OH. 95/06/14. MICHAELS,T. NRC - No Dealt Affiliation Given. 2pp. 84560:321-84560:349.
- 9507030185 "TRTR Peer Review for OH State Univ Nuclear Reactor Lab." for 950214-15.
RICHARDS,W.J., HUGHES,D.E., ERNST,J. Ohio State Univ., Columbus, OH. 95/05/10. 27pp. 84560:323-84560:349.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR**V. Operator Examinations**

- 9507280243 Forwards results for operator initial exam conducted at Univ of Illinois on 950626-27. W/c encl.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 1p. 84868:135-84868:135.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT**F. Security, medical, emergency & fire protection plans**

- 9507180466 Rev 117 to Vol 9 to "Site Emergency Plan" & table of contents/effective pages. W/undated ltr.
* Consumers Power Co. 95/03/31. 4pp. 84786:023-84786:026.
- 9507030158 Advises that 950615 Rev 13 to suitability, training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/06/22. DONNELLY,P.M. Consumers Power Co. 2pp. 84561:151-84561:152.
- 9507030241 Responds to NRC 050524 ltr re violations & proposed imposition of civil penalty noted in insp rept 50-155/95-06. Corrective actions: facility shutdown & fire sys dual-basket strainer repaired & tested.
DONNELLY,P.M. Consumers Power Co. 95/06/22. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 16pp. 84560:160-84560:175.
- 9507060067 Forwards SE accepting relief requests & proposed alternatives, as requested w/exception of core spray & fire water pump test frequency relief requests which had been granted on provisional basis.
CARPENTER,C.A. 95/06/23. DONNELLY,P.M. Consumers Power Co. 2pp. 84531:295-84531:320.
- 9507060072 SER granting relief per 10CFR50.55a(f)(6)(i) to test core spray pumps during cold shutdowns based on impracticality of performing testing IAW code requirements.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 24pp. 84531:297-84531:320.
- 9507060078 Requests corrections to rev 27 of security plan for Big Rock Point. Rev withheld.
DONNELLY,P.M. Consumers Power Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 84598:354-84598:354.
- 9507180115 Forwards insp rept 50-155/95-08 on 950428-0612. No violations noted.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/07. DONNELLY,P.M. Consumers Power Co. 4pp. 84781:270-84781:286.
- 9507180121 Insp rept 50-155/95-08 on 950428-0612. No violations noted. Major areas inspected: operations, maint, engineering & plant support activities, including insps of operational status of EP program.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/07. 13pp. 84781:274-84781:286.
- 9507180461 Rev 86 to EOF Procedures Index.
* Consumers Power Co. 95/07/13. 2pp. 84786:045-84786:046.
- 9507180462 Rev 45 to EOF App G. "Emergency Telephone Numbers."
* Consumers Power Co. 95/07/13. 9pp. 84786:036-84786:044.
- 9507260034 Forwards 950327 FEMA correspondence, transmitting findings for offsite EP aspects of plant exercise conducted on 930323. No deficiencies identified.
CREED,J.R. Region 3 (Post 820201). 95/07/14. DONNELLY,P.M. Consumers Power Co. 2pp. 84794:225-84794:310.
- 9504130145 Forwards final exercise rept of 930323 exercise of radiological emergency preparedness. No deficiencies noted. Ten areas requiring CA identified.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/27. SPASSARD,R.L. 2pp. 84794:227-84794:228.

- 9504130149 Final rept. "Radiological Emergency Preparedness Exercise Evaluation Rept." conducted on 930323.
* Federal Emergency Management Agency. 95/03/09. 84pp. 84794:229-84794:310.

- 9507310113 Page 5 of 8 to EPIP-5B, "Protective Action Recommendations for Offsite Populations."
* Consumers Power Co. 95/07/19. 2pp. 84907:036-84907:039.

- 9507250147 Ack receipt of 950629 ltr forwarding Rev 28 to plant Security Plan. NRC has determined that rev acceptable. Rev being withheld from public disclosure per 10CFR73.21.
CREED,J.R. Region 3 (Post 820201). 95/07/20. DONNELLY,P.M. Consumers Power Co. 2pp. 84828:244-84828:245.

- 9507270053 Rev 118 to Vol 9 of Big Rock Point NPP Site Emergency Plan.
WOOSTER,K.A. Consumers Power Co. 95/07/21. 19pp. 84874:033-84874:051.

- 9507270130 Rev 167 to volume 9A, "Site Emergency Plan Implementing Procedures." procedures include EPIP-5B, EPIP-6F, EPIP-4A, EPIP-6H, EPIP-6L & EPIP-6S.
WOOSTER,K.A. Consumers Power Co. 95/07/21. 44pp. 84851:179-84851:223.

H. General correspondence

- 9507060181 Responds to 950612 ltr re request to be put on distribution lists of documents re licensing, operation & decommissioning of nuclear facilities in Great Lake Basin.
CARPENTER,C.A. 95/06/27. LLOYD,B. 3pp. 84536:236-84536:240.

- 9507060189 Urges extension to period of public comment by at least 90 days. Requests NRC add organization to communications list.
LLOYD,B. 95/06/12. DUDLEY,R.F. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84536:239-84536:240.

P. Operating license stage documents & correspondence

- 9507060067 Forwards SE accepting relief requests & proposed alternatives, as requested w/exception of core spray & fire water pump test frequency relief requests which had been granted on provisional basis.
CARPENTER,C.A. 95/06/23. DONNELLY,P.M. Consumers Power Co. 2pp. 84531:295-84531:320.

- 9507060072 SER granting relief per 10CFR50.55a(f)(6)(i) to test core spray pumps during cold shutdowns based on impracticality of performing testing IAW code requirements.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 24pp. 84531:297-84531:320.

- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

- 9507120346 Responds to 950626 ltr requesting copies of NRC questions on plant decommissioning plan, transcript of May 1995 public meeting & executive summary of plant decommissioning plan.
DUDLEY,R.F. 95/07/06. CAMPBELL,J.W. 2pp. 84625:340-84625:343.

- 9507120350 Expresses appreciation for prompt response to 950612 ltr re plant decommissioning plan. Listed info requested.
CAMPBELL,J.W. 95/06/26. DUDLEY,R.F. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84625:342-84625:343.

- 9507130032 Requests exemption from annual fee requirements of 10CFR171.15 for Big Rock Point.
DONNELLY,P.M. Consumers Power Co. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84736:110-84736:111.

- 9507130265 Ack receipt for 10CFR50.54(a) submittal dtd 950518, incorporating changes in QA program description topical rept.
RING,M.A. Region 3 (Post 820201). 95/07/11. DONNELLY,P.M. Consumers Power Co. 1p. 84732:323-84732:323.

- 9507210291 Forwards plant response to NRC 950612 RAI re plant decommissioning plan & environ rept.
DONNELLY,P.M. Consumers Power Co. 95/07/12. WEISS,S.H. 47pp. 84797:272-84797:318.

- 9507250303 Forwards Engineering Analysis EA-BRP-SEP-95-01, "Big Rock Point CRD Piping & Supports Evaluation/SEP III-6 Item Resolution," informing NRR of CPC position re resolving NRC concerns w/operability of CRD piping.
DONNELLY,P.M. Consumers Power Co. 95/07/19. Document Control Branch (Document Control Desk). 4pp. 84836:276-84836:326.

- 9507250304 "Big Rock Point CRD Piping & Supports Evaluation/SEP III-6 Item Resolution."
JENKINS,R.B. Consumers Power Co. EA-BRP-SEP-95-01 R00. 95/07/13. 43pp. 84836:280-84836:326.

- 9507310043 Forwards copy of EA & FONSI re 930304 application for amend to plant TSs, as revised 930414 & supplemented 950419 & 0531.
TRAN,L.N. 95/07/26. DONNELLY,P.M. Consumers Power Co. 2pp. 84883:342-84883:346.

- 9507310049 Environ assessment & finding of no significant impact re 930304 application for amend to plant TSs. Amend revises TS to conform to wording of revised 10CFR20, "Stds for Protection Against Radiation."
HANNON,J.N. 95/07/26. 3pp. 84883:344-84883:346.

12 DOCKETED ITEMS

G. Inspection reports, IE Bulletins & correspondence

- 9507030241 Responds to NRC 950524 ltr re violations & proposed imposition of civil penalty noted in insp rept 50-155/95-06. Corrective actions: facility shutdown & fire sys dual-basket strainer repaired & tested. DONNELLY, P.M. Consumers Power Co. 95/06/22. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 16pp. 84560:160-84560:175.
- 9507180115 Forwards insp rept 50-155/95-08 on 950428-0612. No violations noted. PHILLIPS, M.P. Region 3 (Post 820201). 95/07/07. DONNELLY, P.M. Consumers Power Co. 4pp. 84781:270-84781:286.
- 9507180121 Insp rept 50-155/95-08 on 950428-0612. No violations noted. Major areas inspected: operations, maint, engineering & plant support activities, including insp of operational status of EP program. PHILLIPS, M.P. Region 3 (Post 820201). 95/07/07. 13pp. 84781:274-84781:286.
- 9507180177 Ack receipt of 950622 ltr informing NRC of steps taken to correct violations noted in insp rept 50-155/95-08. PHILLIPS, M.P. Region 3 (Post 820201). 95/07/13. DONNELLY, P.M. Consumers Power Co. 1p. 84765:310-84765:310.

R. Periodic operating reports & related correspondence

- 9507120401 Monthly operating rept for June 1995 for Big Rock Point Nuclear Plant. W/950705 ltr. JOHNSTON, J.R., DONNELLY, P.M. Consumers Power Co. 95/06/30. 7pp. 84675:298-84675:303.

S. Reportable occurrences, LERs & related correspondence

- 9507070468 LER 95-005-00: on 950606, battery room fire door blocked open during monthly battery readings. Caused by human performance. Individuals involved counseled by dept manager. W/950630 ltr. BOURASSA, M.D., DONNELLY, P.M. Consumers Power Co. 95/06/30. 4pp. 84578:340-84578:343.
- 9507110246 Forwards LER 94-010 re manual scram due to loss of FW. DONNELLY, P.M. Consumers Power Co. 95/07/03. Document Control Branch (Document Control Desk). 1p. 84630:021-84630:025.
- 9507110247 LER 94-010-01: on 941129, manual scram occurred due to loss of FW. Daily order was written & posted on 941214 to prohibit use of SOP 15. BOURASSA, M.D. Consumers Power Co. 95/07/03. 4pp. 84630:022-84630:025.
- 9507180050 Forwards LER 95-004 re unexpected alarm due to addl load from stack lights placed on 125 Vdc sys. DONNELLY, P.M. Consumers Power Co. 95/07/10. Document Control Branch (Document Control Desk). 1p. 84764:010-84764:013.
- 9507180053 LER 95-004-00: on 950615, unexpected trouble alarm was received due to addl load from stack lights placed on 125 Vdc sys. Caused by human error. Recalculated station battery to include addl 12 ampere load. BOURASSA, M.D. Consumers Power Co. 95/07/10. 3pp. 84764:011-84764:013.

V. Operator Examinations

- 9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. CHASENSKY, T.M., SCHMIDT, T.L. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

- 9507270075 Rev 4 to Univ of WI Nuclear Reactor Emergency Plan. W/950714 ltr. CASHWELL, R.J. Wisconsin, Univ. of, Madison, WI. 95/07/14. 14pp. 84874:055-84874:068.

V. Operator Examinations

- 9507070463 Informs that effective 950621 RJ Acaise appointed as SRO & Alternate Reactor Supervisor upon re-licensing as SRO & that LJ Kress, HJ MacLean, DE Raebel & WR Wood appointed ROs upon licensing as ROs, in accordance w/TS 6.7c(3) & 10CFR50.74. CASHWELL, R.J., MATUSEWIC, S.M. Wisconsin, Univ. of, Madison, WI. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84619:241-84619:241.
- 9507060377 Forwards certificates to newly listed licensed individuals. Commission provides certificates, suitable for framing, to all new operator & senior operator licensees in recognition of important role in protecting health & safety of public. BOGER, B.A. 95/06/28. CASHWELL, R.J. Wisconsin, Univ. of, Madison, WI. 1p. 84536:187-84536:187.
- 9507280189 Forwards operator & senior operator license certificates for listed individuals at licensee facility. Requests that RJ Cashwell convey personal congratulations to each recipient of certificates. BOGER, B. 95/06/28. CASHWELL, R.J. Wisconsin, Univ. of, Madison, WI. 1p. 84868:131-84868:131.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

- 9507120210 Discusses insp rept 50-160/95-01 on 950222-24 & 27, 0320-24 & 27 & telcon on 950426-26 & forwards notice of violations. COLLINS, D.M. Region 2 (Post 820201). 95/06/21. KARAM, R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 84576:078-84576:107.

- 9507120224 insp rept 50-160/95-01 on 950222-24, 27 & 0320-24 & 27 & telcon on 0425-26. Violations noted. Major areas inspected: radiation protection program activities, including radiation control surveillance, experiments & security. BASSETT, C.H., LENAHAN, J.J., GLOERSEN, W.B. Region 2 (Post 820201). 95/06/21. 24pp. 84576:084-84576:107.

G. Adjudicatory correspondence

- 9507100055 NRC response to request for protective order filed by Georgians Against Nuclear Energy. * Recommends that request be deferred or denied w/o prejudice to being refilled at later date. W/Certificate of Svc. TURK, S.E. Office of the General Counsel (Post 860701). #395 16853. 95/06/26. Atomic Safety & Licensing Board Panel. fpp. 84539:046-84539:051.
- 9507100061 Georgians Against Nuclear Energy Response to Georgia Tech & NRC Staff Comments on Housekeeping Stay. * Requests clarification as to fuel that Georgia Tech intends to remove. W/Certificate of Svc. CARROLL, G. Georgians Against Nuclear Energy. #395 16870. 95/06/26. Commissioners (Post 750119). 3pp. 84538:001-84538:004.
- 9507100072 NRC reply to responses filed by GA Institute of Technology & Georgians Against Nuclear Energy to Commission order of 950609. * Submits that Commission should retain housekeeping stay in effect. W/Certificate of Svc. TURK, S.E. Office of the General Counsel (Post 860701). #395 16854. 95/06/27. Commissioners (Post 750119). 12pp. 84538:132-84538:144.
- 9507110051 Questions NRC issuance of Order re reactor fuel when so much pending on GA Tech Neelley Research Reactor. BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/06/27. NRC - No Detailed Affiliation Given. 1p. 84693:357-84693:358.
- 9507180118 Informs that 950627 ltr from P Blockey-O'Brien, w/950518 encis, was sent to Georgia Inst of Technology Licensing Board Chairman C Bechhoefer. Requests distribution to licensee svc list. W/Certificate of Svc. Served on 950706. COMIEZ, A.M. Atomic Safety & Licensing Board Panel. #395 16878. 95/07/05. JULIAN, E.L. Docketing & Services Branch. 7pp. 84675:128-84675:135.
- 9507180037 Georgians Against Nuclear Energy Response to NRC interrogatories & request for production of documents. * W/Certificate of Svc. Related correspondence. CARROLL, G. Georgians Against Nuclear Energy. #395 16889. 95/07/07. Office of the General Counsel (Post 860701). 7pp. 84675:013-84675:019.
- 9507180047 NRC Staff response to discovery requests filed by Georgians Against Nuclear Energy. * Affidavit of MM Mendonca, in response to GANE interrogatory to NRC Staff encl. Related correspondence. TURK, S.E. Office of the General Counsel (Post 860701). #395 16881. 95/07/07. 6pp. 84675:025-84675:035.
- 9507180123 Affidavit of MM Mendonca in response to interrogatory filed by Georgians Against Nuclear Energy. * Staff responds to interrogatory by GANE to NRC staff on 950605. W/Certificate of Svc. MENDONCA, M.M. Office of the General Counsel (Post 860701). MENDONCA, M.M. 95/07/07. 5pp. 84675:031-84675:035.
- 9507180099 Notice of Appearance. * Submits listed info in accordance w/ 10CFR2.713(b), Part 2. W/Certificate of Svc. WOODHEAD, C.P. Office of the General Counsel (Post 860701). #395 16880. 95/07/07. 3pp. 84675:081-84675:084.
- 9507180088 Memorandum & order (Request for protective order). * Informs that Board will defer ruling on intervenor request pending further Commission guidance re validity & potential scope of Contention 5. W/Certificate of Svc. Served on 950710. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #395 16884. 95/07/10. Georgians Against Nuclear Energy. 4pp. 84675:071-84675:075.
- 9507180049 Georgia Institute of Technology clarification of response to Commissioner order issuing housekeeping stay. * Georgia Tech agrees to remove nuclear fuel to off-site location. W/Certificate of Svc. DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA. DUNN, D.R. Georgia, State of. #395 16890. 95/07/12. 5pp. 84675:036-84675:040.
- 9507270048 Discusses recipient 950627 ltr to President Clinton re "2.206 Petition." Informs that NRC requesting Docketing & Svc Branch to distribute copies of subj ltr to Georgia Inst of Technology W/Certificate of Svc. Served on 950717. INGRAM, F.L. Office of Public Affairs (Post 911117). #395 16897. 95/07/17. BLOCKEY-O'BRIEN Affiliation Not Assigned. 4pp. 84813:224-84813:227.
- 9507270110 Forwards petition to intervene dtd 950706 submitted by G Carroll on behalf of Georgians Against Nuclear Energy. Petition filed in response to "Order Modifying Facility Operating License R-97." HOYLE, J.C. Office of the Secretary of the Commission. #395 16902. 95/07/17. COTTER, B.P. Atomic Safety & Licensing Board Panel. 1p. 84814:055-84814:060.
- 9507270118 Georgians Against Nuclear Energy request for hearing on conversion of Georgia Tech Research Reactor from use of HEU to LEU. * CARROLL, G. Georgians Against Nuclear Energy. 95/07/06. Commissioners (Post 750119). 5pp. 84814:056-84814:060.
- 9507270127 Establishment of Atomic Safety & Licensing Board. * Board being established in proceeding per request by G Carroll on behalf of Georgians Against Nuclear Energy W/Certificate of Svc. Served on 950719. GLEASON, J.P. Atomic Safety & Licensing Board Panel. #395 16903. 95/07/18. 3pp. 84814:081-84814:083.
- 9507270165 Discusses 10CFR2.206 petition to NRC on Georgia Tech reactor/ALARA/sewer dumping. BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/07/18. NRC - No Detailed Affiliation Given. 3pp. 84874:089-84874:091.

Q. Inspection reports, IE Bulletins & correspondence

9507120210 Discusses insp rept 50-160/95-01 on 950222-24 & 27, 0320-24 & 27 & telcon on 950426-26 & forwards notice of violations.
COLLINS,D.M. Region 2 (Post 820201). 95/06/21. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 3pp. 84576:078-84576:107.

-9507120217 Notice of violation from insp on 950222-24,27 & 0320-24,27. Violations noted annual repts submitted by licensee which described operations during years 1983,1986 & 1988-1993 did not contain stated specified data.
* Region 2 (Post 820201). 95/06/21. 3pp. 84576:081-84576:083.

-9507120224 Insp rept 50-160/95-01 on 950222-24,27 & 0320-24 & 27 & telcon on 0425-26. Violations noted. Major areas inspected: radiation protection program activities, including radiation control surveillance, experiments & security.
BASSETT,C.H., LENAHAN,J.J., GLOERSEN,W.B. Region 2 (Post 820201). 95/06/21. 24pp. 84376:084-84576:107.

9507120067 Ack receipt of 950619 ltr informing NRC of steps taken to correct violations noted in insp rept 50-160/95-02 on 950601.
COLLINS,D.M. Region 2 (Post 820201). 95/06/27. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 84575:265-84575:269.

DOCKET 50-163 GENERAL ATOMICS**F. Security, medical, emergency & fire protection plans**

9507280212 Forwards revised radiological contingency plan, together w/ GA ltr requesting revs be approved & NRC ltr approving Jan 1995 revs as requested. Rev 9 of "Emergency Procedures - TRIGA Reactors Facility" also encl.
HICKMAN,S. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/07/14. ADAMS,A. 1p. 84881:278-84882:061.

-9507280214 Revised "Radiological Contingency Plan."
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/06/30. 97pp. 84881:279-84882:017.

-9507280216 Rev 9 to "Emergency Procedures - TRIGA Reactors Facility."
RAZVI,J., BAXTER,A.M., BROCK,J.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/11/07. 44pp. 84882:018-84882:061.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1**P. Operating license stage documents & correspondence**

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

DOCKET 50-183 VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR**I. Financial information**

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/ criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees...for Decommissioning."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER,W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR**P. Operating license stage documents & correspondence**

9507030037 Advises NRC that licensee existing control of access to radiation beams adequate to protect individuals from over-exposure & to assure compliance w/ 10CFR20.1601.
RYAN,B.C. Kansas State Univ., Manhattan, KS. 95/06/19. WEISS,S.H. 2pp. 84561:189-84561:190.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9507030342 "City of San Juan Capistrano Emergency Response Plan."
* San Juan Capistrano, CA. 95/05/31. 25pp. 84588:001-84588:258.

9507120097 Revised table of contents for SONGS OERF.
* Southern California Edison Co. 95/07/05. 3pp. 84681:259-84681:261.

9507170188 Rev 3 to EPIP SO123-XXI-1.11.3, "Emergency Plan Training Program Description." W/950706 ltr.
MARSH,W.C. Southern California Edison Co. 95/07/06. 23pp. 84747:315-84747:337.

9507250013 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
MARSH,W.C. Southern California Edison Co. 95/07/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84767:023-84767:023.

9507270263 Advises that 950512 revs 4 & 5 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies" acceptable.
SCARANO,R.A. Region 4 (Post 820201). 95/07/21. RAY,H.B. Southern California Edison Co. 5pp. 84674:001-84674:006.

9507310132 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection against radiological sabotage, facilitating implementation of biometrics access control sys.
WEBB,M.K., FIELDS,M. 95/07/21. RAY,H.B. Southern California Edison Co. 3pp. 84883:302-84883:316.

-9507310141 Exemption from 10CFR73.55 requirements re issuance, storage & retrieval of picture badges for unescorted access persons.
WEISS,S.H. 95/07/21. Southern California Edison Co. 6pp. 84883:305-84883:310.

-9508010187 Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR73.55 physical protection.
WEISS,S.H. 95/07/13. 6pp. 84883:311-84883:316.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-213 HADDAM NECK PLANT**F. Security, medical, emergency & fire protection plans**

9507060194 Revised EIPs, including Rev 28 to EPIP 1.5-1, Rev 3 to EPIP 1.5-1A & Temporary Procedure Change 95-831 to Rev 14 to EPIP 1.5-14.
BUCH,W.H. Connecticut Yankee Atomic Power Co. 95/06/30. 67pp. 84629:074-84629:144.

9507140229 Temporary Procedure Change 95-853 to Rev 3 to EPIP 1.5-1A, "Non-Emergency Event Assessment."
* Connecticut Yankee Atomic Power Co. 95/06/30. 2pp. 84761:124-84761:125.

G. Adjudicatory correspondence

9507100088 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-11 in docket has expired. Decision became final on 950626. W/Certificate of Svc. Served on 950630.
HOYLE,J.C. Office of the Secretary of the Commission. #395 16866. 95/06/29. GAVENSKY,R. Affiliation Not Assigned. 2pp. 84536:306-84536:307.

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/ regards to work control, tagging control & procedure compliance.
ROSS,A.J. Affiliation Not Assigned. 95/07/11. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 43pp. 84796:006-84796:064.

-9204230091 Informs of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at util.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/04/06. ELLIS,W.B. Northeast Nuclear Energy Co. 10pp. 84796:049-84796:064.

H. General correspondence

9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA,J.F. Northeast Utilities. 95/07/14. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84738:115-84738:116.

P. Operating license stage documents & correspondence

9507190119 Forwards Rev 2 to "Haddam Neck Plant Technical Requirements Manual."
JANNETTY,T.F. Connecticut Yankee Atomic Power Co. 95/06/26. NRC - No Detailed Affiliation Given. 2pp. 84769:311-84769:324.

-9507190123 Rev 2 to "Haddam Neck Plant Technical Requirements Manual."
* Connecticut Yankee Atomic Power Co. 95/06/26. 12pp. 84769:313-84769:324.

9507030335 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes."
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/27. Document Control Branch (Document Control Desk). 30pp. 84587:294-84587:323.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507250082 Expresses appreciation for opportunity to meet on 950608 re spent fuel rerack.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/07/06. MCCracken,C.E. NRC - No Detailed Affiliation Given. 1p. 84828:145-84828:145.

9507140155 Forwards "Haddam Neck Plant Technical Rept Supporting Cycle 19 Operation." Rev 5.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84730:260-84730:314.

14 DOCKETED ITEMS

--9507140163 Rev 5 to "Haddam Neck Plant Technical Rept Supporting Cycle 19 Operation"
* Northeast Nuclear Energy Co. 95/07/07. 53pp. 84730:262-84730:314.

9507170127 Forwards "Startup Physics Test Rept for Cycle 19" operation for plant.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84755:142-84755:173.

--9507170132 "CYAP Haddam Neck Plant Core XIX Startup Physics Test Rept for June 1995."
STODDARD,J.E., HERWIG,W.M., PALMIERI,R.J. Connecticut Yankee Atomic Power Co. 95/06/30. 31pp. 84755:143-84755:173.

9507240319 Forwards SE accepting use of enhanced computer codes re topical rept NUSCO-152, addendum 4, "Physics Methodology for PWR Reload Design."
RONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/18. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84778:340-84778:349.

--9507240322 Safety evaluation accepting use of enhanced computer codes re topical rept NUSCO-152, addendum 4, "Physics Methodology for PWR Reload Design."
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 6pp. 84778:344-84778:349.

9507240186 Forwards safety evaluation concluding that util adequately responded to issues re SEP Topic III-1, "QA Group Classification of Components & Sys" & considers SEP Topic III-1 complete.
WANG,A. Project Directorate I-4 (PD1-4) (Post 941001). 95/07/19. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84823:277-84823:290.

--9507240196 Safety evaluation concluding that util adequately responded to issues re SEP Topic III-1, "QA Group Classification of Components & Sys" & considers SEP Topic III-1 complete.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/19. 10pp. 84823:281-84823:290.

9507240330 Provides comments on preliminary accident sequence precursor analysis of operational events & conditions which have occurred at Haddam Neck Plant.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 95/07/19. Document Control Branch (Document Control Desk). 30pp. 84823:324-84823:356.

9507280034 Requests withdrawal of LAR re reduction of unnecessary plugging of Haddam Neck Plant SG tubes in tubsheet expansion roll transition area.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84874:359-84874:360.

Q. Inspection reports, IE Bulletins & correspondence

9507050452 Informs NRC of change in completion date of commitment util made in 950103 response to NRC 941125 ltr re violation noted in insp rept 50-213/94-22. Activities related to commitment will be completed by 950726.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84570:184-84570:185.

9507110048 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
OPEKA,J.F. Northeast Utilities Service Co. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 820323). 10pp. 84557:242-84557:251.

9507100243 Forwards resident safety insp rept 50-213/95-14 on 950509-0619. No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/07/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84692:061-84692:082.

--9507100246 Resident insp rept 50-213/95-14 on 950509-0619. No violations noted. Major areas inspected: plant operations, maint, engineering & technical support & plant support activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/06/30. 19pp. 84692:064-84692:082.

9507130174 Forwards "1995 Refuel Outage ISI Summary Rept."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84676:001-84676:151.

--9507130179 "1995 Refuel Outage ISI Summary Rept."
FULLER,R.J., FAN,J., DELAWRENCE,J.L. Connecticut Yankee Atomic Power Co. 95/07/06. 150pp. 84676:002-84676:151.

9507260298 Requests add info for proposed use of Code Case N-506-1 in snubber insp program for Haddam Neck Plant & Millstone NPP, Units 1, 2 & 3.
MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/07/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 6pp. 84816:343-84816:348.

R. Periodic operating reports & related correspondence

9507190319 Monthly operating rept for June 1995 for Haddam Neck Plant. W/950714 ltr.
EMMONS,K.W., RYLEY,M.E., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/06/30. 7pp. 84762:328-84762:334.

9507170402 Provides 1994 joint frequency distribution of wind distribution, wind speed & stability for Haddam Neck Plant & Millstone Nuclear Power Station.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/13. TICHLER,J. Brookhaven National Laboratory. 6pp. 84755:028-84755:033.

5. Reportable occurrences, LERs & related correspondence

9507050347 Informs of revised commitment date for completion of corrective action associated w/ LER 94-026.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84559:018-84559:019.

9507060058 LER 95-015-00 on 950602, SG narrow range level channel was found inoperable due to failure to identify that channel 4C was inoperable within one h. Replaced transmitter.
LEBARON,L., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/06/28. 5pp. 84578:231-84578:236.

9507280064 Part 21 rept re high failure rates of dc/dc converter added to std N-2A0-V2H analog output converter module. Caused by abnormal power draw by converter. Replacement converter being designed.
KEIPER,J.T. Foxboro Corp. 95/07/07. NRC - No Detailed Affiliation Given. 3pp. 84855:001-84855:003.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9507120331 Forwards Rev 9 to UFSAR & Rev 8 fire hazards analysis rept.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84719:001-84723:117.

--9507120338 Rev 8 to "Fire Hazards Analysis Rept."
* General Public Utilities Corp. - GPU Service Corp. 95/05/19. 571pp. 84719:003-84720:209.

9507060307 Provides status of 941208 2.206 petition re Thermo-Lag fire barrier evaluations.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/28. GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 4pp. 84533:357-84533:360.

9507130157 Revised EPIPs, including EPIP/6430 series EPIPs index. Rev 15 to EPIP-OC-03, Rev 12 to EPIP-OC-06 & Rev 4 to EPIP-OC-40. W/950710 ltr.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/07/10. 73pp. 84684:261-84684:333.

9507240104 Forwards plant response to NRC RAI re previous responses to GL 92-08 on Thermo-Lag 330 fire barriers.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/07/17. Document Control Branch (Document Control Desk). 11pp. 84823:235-84823:245.

9507240256 Responds to 950629 request for clarification of response period extended in excess of 90 days re licensee RAI of 941229. Informs that 45-day response period concerns followup RAI of 950524, not RAI 941229.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/19. POLLARD,R.B. Union of Concerned Scientists. 3pp. 84778:325-84778:328.

--9507240266 Requests clarification of contradiction between RAI of 941229 & followup RAI of 950524, re specified response period. Informs that it appears that response period has been extended beyond 90 days.
POLLARD,R.D. Union of Concerned Scientists. 95/06/29. DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 84778:328-84778:328.

9507270178 Notification of 950823 meeting w/ util in Rockville, MD to discuss security matters re Independent Spent Fuel Facility, proposed change to 10CFR73.55(d)(8), vehicle barrier sys & protected area lighting.
DROMERICK,A.W. 95/07/24. MCKEE,P.F. 4pp. 84872:353-84872:356.

G. Adjudicatory correspondence

9507060307 Provides status of 941208 2.206 petition re Thermo-Lag fire barrier evaluations.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/28. GUNTER,P., DECAMP,W. Nuclear Information & Resource Service. 4pp. 84533:357-84533:360.

H. General correspondence

9506230332 Responds to 950517 ltr from FR Lautenberg re concerns expressed by constituent L Amato on US govt administration plan to accept & store SF from foreign reactors before providing for SF storage from NPPs in US.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/08. LAUTENBERG,F.R. Senate. 2pp. 84796:082-84796:088.

--9507210098 Expresses concern on behalf of LA Amato for Township of Lacey, NJ re Oyster Creek Nuclear Generating Station spent fuel rods storage facility & Administration plan to allow for import of used nuclear fuel from Europe.
LAUTENBERG,F.R. Senate. 95/05/17. TAYLOR,J. NRC - No Detailed Affiliation Given. 4pp. 84796:084-84796:088.

9507030097 Informs that NRC will continue to keep citizens of NJ & all other States informed of paramount concern in activities, per 950523 ltr to LT Conners re storage of "radhot" nuclear fuel rods at plant.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/16. ANSTETT,R. Affiliation Not Assigned. 8pp. 84511:273-84511:280.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507120331 Forwards Rev 9 to UFSAR & Rev 8 fire hazards analysis rept.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84719:001-84723:117.

-9507120338 Rev 8 to "Fire Hazards Analysis Rept."
* General Public Utilities Corp. - GPU Service Corp. 95/05/19. 571pp. 84719:003-84720:208.

-9507120339 Rev 9 to updated FSAR for Oyster Creek Nuclear Generating Station.
* General Public Utilities Corp. - GPU Service Corp. 95/06/30. 1,000pp. 84720:210-84723:117.

P. Operating license stage documents & correspondence

9507050013 Requests that proposed amend to license DPR-16 re elimination of requirement to perform reactor shutdown & drywell solely to inspect snubbers be considered cost beneficial licensee action.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84561:331-84561:345.

-9507050017 Application for amend to license DPR-16. Amend would eliminate requirement to perform reactor shutdown & drywell solely for purpose of inspecting snubbers in svc for only 12 months.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/06/26. 8pp. 84561:334-84561:341.

-9507050020 Proposed tech specs re performance of reactor shutdown & drywell to inspect snubbers in svc for only 12 months.
* General Public Utilities Corp. - GPU Service Corp. 95/06/26. 4pp. 84561:342-84561:345.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060381 Requests extension of commitment date for submitting USI A-46 seismic evaluation rpt to 960329. Util committed by 920914 ltr in response to Suppl 1 to GL 87-02 to submit rpt by 950930.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84617:099-84617:100.

9507240104 Forwards plant response to NRC RAI re previous responses to GL 92-08 on Thermo-Lag 330 fire barriers.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/07/17. Document Control Branch (Document Control Desk). 11pp. 84823:235-84823:245.

Q. Inspection reports, IE Bulletins & correspondence

9507050099 Forwards insp rpt 50-219/95-09 on 950404-0521 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 95/06/26. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 84507:110-84507:135.

-9507050102 Notice of violation from insp on 950404-0521. Violation noted while conducting post maint testing following repairs to refuel bridge, core alteration performed w/o direct supervision by licensed SRC.
* Region 1 (Post 820201). 95/06/26. 1p. 84507:113-84507:113.

-9507050105 Insp rpt 50-219/95-09 on 950404-0521. Violations noted. Major areas inspected: plant operations, maint, engineering, plant support & safety assessment/quality verification.
ROGGE,J. Region 1 (Post 820201). 95/06/26. 22pp. 84507:114-84507:135.

9507100324 Forwards insp rpt 50-219/95-12 on 950515-19. No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/06/30. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 84691:294-84691:307.

-9507100326 Insp rpt 50-219/95-12 on 950515-19. No violations noted. Major areas inspected/evaluated: effectiveness of licensee controls in identifying, resolving & preventing issues that degrade quality of plant operations or safety.
ROGGE,J. Region 1 (Post 820201). 95/06/30. 11pp. 84691:297-84691:307.

9507140002 Ack receipt of 950316 ltr informing NRC of steps taken to correct violations noted in insp rpt 50-219/94-24.
WIGGINS,J.T. Region 1 (Post 820201). 95/07/06. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 84625:044-84625:052.

9507200084 Forwards CAL issued 950707 to VECTRA Technologies, Inc. concerning insp of NUHOMS-24P sys. for licensee reference.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/14. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 84752:351-84752:357.

9507250035 Responds to NRC ltr re violations noted in insp rpt 50-219/95-09. Corrective actions: upon notification to refueling licensed SRC that fuel bundle lifted & reseat-ed, another refueling SRC verified bundle to be correct.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84628:328-84628:330.

R. Periodic operating reports & related correspondence

9507200024 Monthly operating rpt for June 1995 for Oyster Creek Nuclear Generating Station W/950712 ltr.
EDELMAHN,P., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/06/30. 5pp. 84779:356-84779:360.

S. Reportable occurrences, LERs & related correspondence

9507110153 LER 95-004-00 on 950606. SRC Group Shift Supervisor left CR during TS required time. Caused by personnel error. Re-enforcement of station mgt expectations re direct face-to-face turnovers w/ personnel W/950705 ltr.
SHUMAKER,B., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/07/05. 4pp. 84662:043-84662:046.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200084 Forwards CAL issued 950707 to VECTRA Technologies, Inc. concerning insp of NUHOMS-24P sys. for licensee reference.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/14. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 84752:351-84752:357.

9507270178 Notification of 950823 meeting w/ util in Rockville, MD to discuss security matters re independent Spent Fuel Facility, proposed change to 10CFR73.55(d)(8), vehicle barrier sys & protected area lighting.
DROMERICK,A.W. 95/07/24. MCKEE,P.F. 4pp. 84872:353-84872:356.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9507060175 Rev 5 to EPIP-EPP-08, "Off-Site Dose Assessment & Protective Action Recommendation." W/950626 ltr.
ABBOTT,R.B., DAHLBERG,K.A., MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/06/26. 35pp. 84617:228-84617:262.

9507250002 Comment supporting proposed GL 95-XX, "Process Changes to Security Plans W/O Prior NRC Approval."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/07/03. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787:002-84787:002.

H. General correspondence

9507210012 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/06/30. Docketing & Services Branch 1p. 84738:015-84738:015.

9507200261 Responds to 950426 ltr re concerns on how situation developed in which licensee stored radioactive water in basement room since 1981. NRC enforcement of regulations & industry storage of spent nuclear fuel.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/07/14. EWING,J.S. Affiliation Not Assigned. 4pp. 84771:335-84771:351.

-9507200265 Requests consideration of encl ltr from J Ewing.
MIKULSKI,B.A. Senate. 95/05/19. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 5pp. 84771:347-84771:351.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507070195 Forwards Rev 13 "Nine Mile Point Nuclear Station Unit 1 FSAR (Update)," including changes to QA topical rpt & annual safety evaluation summary rpt.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/06/29. Document Control Branch (Document Control Desk). 60pp. 84580:001-84581:100.

-9507070196 Rev 13 to "Nine Mile Point Nuclear Station Unit 1 FSAR (Updated)."
* Niagara Mohawk Power Corp. 95/06/30. 404pp. 84580:061-84581:100.

P. Operating license stage documents & correspondence

9507030056 Forwards response to NRC 950421 RAI re util 930727 response to GL 88-20, Suppl 1, "Initiation of IPE for Severe Accident Vulnerabilities - 10CFR50.54(f)."
TERRY,C.D. Niagara Mohawk Power Corp. 95/06/26. Document Control Branch (Document Control Desk). 86pp. 84580:001-84580:086.

9507050361 Forwards SE approving relief request CS-RR-6 re alternative testing proposed for certain core spray sys relief valves.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/26. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84539:081-84539:087.

-9507050388 SER granting relief as requested per 10CFR50.55a(a)(3)(ii).
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. 4pp. 84539:084-84539:087.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507210133 Transmits SE re licensee determination of no plant mods warranted for two human engineering observations re earlier DCRDR.
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/10. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 84754:298-84754:303.

-9507210138 Safety evaluation accepting licensee reassessment of HED EA-007' & resolution of issue re HED VER-028.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/10. 3pp. 84754:300-84754:303.

9507210004 Advises NRC of withdrawal of proposed license amend, dtd 941223 re extension of calibration frequency.
TERRY,C.D. Niagara Mohawk Power Corp. 95/07/13. Document Control Branch (Document Control Desk). 2pp. 84811:351-84811:352.

16 DOCKETED ITEMS

9507260062 Responds to 950421 request from R Sylvia, accepting change to QAP for plant re addition of functions of records mgmt, document control & QA administrative svcs to QA organization, IAW 10CFR50.54. MODES, M.C. Region 1 (Post 820201). 95/07/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 84793:130-84793:131.

9507240399 Forwards mod of SPDES discharge permit NY-000-1015 for Nine Mile Point Nuclear Station Units 1 & 2. MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/07/18. Document Control Branch (Document Control Desk). 5pp. 84824:116-84824:120.

G. Inspection reports, IE Bulletins & correspondence

9507050074 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-10 & 50-410/95-10. JOYNER, J.H. Region 1 (Post 820201). 95/06/26. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 84507:047-84507:052.

9507060202 Responds to NRC ltr re violations noted in insp rept 50-220/95-03 & 50-410/95-03. Corrective actions briefed operations management on technical issues. SYLVIA, B.R. Niagara Mohawk Power Corp. 95/06/26. Document Control Branch (Document Control Desk). 5pp. 84592:351-84592:355.

9507100314 Forwards insp repts 50-220/95-12 & 50-410/95-12 on 950423-0603. No violations noted. COWGILL, C.J. Region 1 (Post 820201). 95/06/28. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84691:280-84691:293.

-9507100318 Insp repts 50-220/95-12 & 50-410/95-12 on 950423-0603. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support, safety assessment/quality verification & previously open items. DOERFLEIN, L.T. Region 1 (Post 820201). 95/06/27. 11pp. 84691:283-84691:293.

9507060270 Forwards "Summary Rept of Insps & Exams Performed for ASME B&PV Code Section XI, Class 1 & 2 Pressure Retaining Components & Supports at Culmination of Refueling Outage 13 Which Ended on 950404." TERRY, C.D. Niagara Mohawk Power Corp. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84600:001-84600:151.

-9507060275 "Summary Rept of Insps & Exams Performed for ASME B&PV Code Section XI, Class 1 & 2 Pressure Retaining Components & Supports at Culmination of Refueling Outage 13 Which Ended on 950404." * Niagara Mohawk Power Corp. 95/06/29. 150pp. 84600:002-84600:151.

9507100345 Forwards MOV insp repts 50-220/95-11 & 50-410/95-11 on 950530-0609 & notice of violation. BLOUGH, A.R. Region 1 (Post 820201). 95/06/30. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84662:333-84662:360.

-9507100362 Notice of violation from insp on 950530-0609. Violation noted: failed to adequately disposition condition adverse to quality in that two safety-related HPSC valves not properly identified as being susceptible to pressure locking. * Region 1 (Post 820201). 95/06/30. 1p. 84662:336-84662:336.

-9507100377 Insp repts 50-220/95-11 & 50-410/95-11 on 950530-0630. Violations noted. Major areas inspected: MOV items opened during previous insps of GL 89-10 program & issues requiring resolution prior to program closeout. TRAPP, J.M., KELLY, E.M. Region 1 (Post 820201). 95/06/29. 25pp. 84662:337-84662:360.

9507100255 Forwards Safety Insp Rept 50-220/95-15 on 950605-08. Violations noted. MEYER, G.W. Region 1 (Post 820201). 95/07/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84692:195-84692:207.

-9507100259 Insp Rept 50-220/95-15 on 950605-08. Violations noted. Major areas inspected: licensed operator requalification training program through performance-based insp. WALKER, T., MEYER, G.W. Region 1 (Post 820201). 95/06/30. 10pp. 84692:198-84692:207.

9507240280 Forwards insp repts 50-220/95-17 & 50-410/95-17 on 950626-29. No violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/07/14. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84824:302-84824:309.

-9507240286 Insp repts 50-220/95-17 & 50-410/95-17 on 950626-29. No violations noted. Major areas inspected: radiological environ monitoring program & meteorological monitoring program. PELLUSO, L., BORES, R. Region 1 (Post 820201). 95/07/14. 5pp. 84824:305-84824:309.

9507270250 Ack receipt of 950626 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-03 & 50-410/95-03. COWGILL, C.J. Region 1 (Post 820201). 95/07/19. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84843:336-84843:343.

R. Periodic operating reports & related correspondence

9507190332 Monthly operating rept for June 1995 for Nine Mile Point Nuclear Station Unit 1 W/950706 ltr. COLEMAN, D.E., ABBOTT, R.B. Niagara Mohawk Power Corp. 95/06/30. 5pp. 84790:254-84790:258.

S. Reportable occurrences, LERs & related correspondence

9507050075 Part 21 rept re discovery that rept used to determine svc life of various Agastat GP series relays erroneous. Caused by utilization of electrical characteristics of relay bobbin matl. Relays replaced & use of rept discontinued. TERRY, C.D. Niagara Mohawk Power Corp. 95/06/23. Document Control Branch (Document Control Desk). 3pp. 84559:015-84559:017.

9507060093 Special rept on 950615, #11 drywell high range gamma radiation monitoring sys was removed from svc under WO #95-01247-02. ABBOTT, R.B. Niagara Mohawk Power Corp. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84570:358-84570:359.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507100255 Forwards Safety Insp Rept 50-220/95-15 on 950605-08. Violations noted. MEYER, G.W. Region 1 (Post 820201). 95/07/03. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84692:195-84692:207.

-9507100259 Insp Rept 50-220/95-15 on 950605-08. Violations noted. Major areas inspected: licensed operator requalification training program through performance-based insp. WALKER, T., MEYER, G.W. Region 1 (Post 820201). 95/06/30. 10pp. 84692:198-84692:207.

DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

H. General correspondence

9507200124 Informs of administrative changes occurring within OEA family of companies. TSUKIMURA, R.R. Aerotest Operations, Inc. 95/07/10. COLLINS, S.J. Region 4 (Post 820201). 2pp. 84777:351-84777:353.

R. Periodic operating reports & related correspondence

9507120173 Forwards rept summarizing Aerotest Radiography Research Reactor operations from 940701-950630. MEREN, A.W., Aerotest Operations, Inc. 95/07/01. NRC - No Detailed Affiliation Given. 1p. 84681:232-84681:237.

-9507120178 "Annual Summary of Changes, Tests & Experiments Performed at Aerotest Radiography & Research Reactor." MEREN, A.W., TSUKIMURA, R. Aerotest Operations, Inc. 95/06/30. 5pp. 84681:233-84681:237.

DOCKET 50-236 LOCKHEED AIRCRAFT CORP.

G. Inspection reports, IE Bulletins & correspondence

9507260298 Requests add info for proposed use of Code Case N-508-1 in snubber insp program for Haddam Neck Plant & Millstone NPP, Units 1, 2 & 3. MCKEE, P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/07/21. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 6pp. 84816:343-84816:348.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507250141 Revised Maps for Corporate EPIPs from CEPIP-3000 Series including rev 2 to Quad Cities Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents W/two oversize drawings. * Commonwealth Edison Co. 95/06/02. 3pp. 84871:336-84871:338.

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507110049 Forwards info re physical security activities at plant for review & followup. Requests that results of review & disposition of subj matters be submitted to Region III within 45 days of receipt of dtd ltr. CREED, J.R. Region 3 (Post 820201). 95/07/03. JOYCE, T. Commonwealth Edison Co. 2pp. 84557:252-84557:253.

9507200173 Expresses appreciation for participation in Dresden exercise in Operations Ctr on 950711. ENRIGHT, A. 95/07/17. CRUTCHLEY, J. 1p. 84752:358-84752:358.

9507250111 Forwards util revised EP EALS. VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF. JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

P. Operating license stage documents & correspondence

9507260231 Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 telcon RAI. PIET, P.L. Commonwealth Edison Co. 94/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 84845:302-84845:323.

9507050405 Informs that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other matl licensees. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. O'CONNOR, J.J. Commonwealth Edison Co. 5pp. 84530:244-84530:249.

- 9507060304** Forwards amends 136,130,157 & 153 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation. Amends respond to licensee application dtd 930216 re TS Upgrade program for plants.
STANG,J.F. 95/06/23. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84531:188-84531:255.
- 9507060314** Amends 136,130,157 & 153 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively, responding to licensee application dtd 930216 re TS Upgrade Program for plants.
STANG,J.F. 95/06/23. 48pp. 84531:191-84531:238.
- 9507060323** Safety evaluation supporting amends 136,130,157 & 153 to licenses DPR-19,DPR-25,DPR-29 & DPR-30, respectively.
95/06/23. 16pp. 84531:239-84531:255.
- 9507030145** Forwards detailed safety assessment discussing calculational methodologies used in evaluating impact of inadvertent loading.
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84560:292-84560:304.
- 9507030154** "Reactor Bldg Crane & Cask Yoke Assembly Mods."
Commonwealth Edison Co. 94/10/31. 7pp. 84560:298-84560:304.
- 9506280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.
- 9507100079** Informs that util will implement TS amends 134 & 128 to ensure that sufficient margin exists from condenser low vacuum SCRAM setpoint to allow for circulating water reversal through main condenser.
PIET,P.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84692:241-84692:247.
- 9507100082** Proposed tech specs which includes revised settings.
Commonwealth Edison Co. 95/06/29. 4pp. 84692:244-84692:247.
- 9507060336** Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632:315-84632:315.
- 9507060338** Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599:001-84599:257.
- 9507070341** Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES,G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.
- 9507070353** "BWR Transient Analysis Methods."
FREEMAN,J.M., TSAI,R.W., RIECK,T.A. Commonwealth Edison Co. NFSR-0111 R00. 95/06/23. 200pp. 84599:003-84599:257.
- 9507100177** Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
PIET,P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 56pp. 84665:232-84666:006.
- 9507100182** Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
Commonwealth Edison Co. 95/06/30. 79pp. 84665:288-84666:006.
- 9507110324** Provides results of Comm Ed assessments of concerns raised by NRC during 950501 visit to plant, re potential impact of HPCI turbine exhaust rupture disk opening.
JOYCE,T.P. Commonwealth Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 23pp. 84694:186-84694:208.
- 9507170114** Transmits corrected document of design documents for proposed repair of Dresden Station Unit 2 & 3 core shrouds.
SCHRAGE,J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk). 5pp. 84755:182-84755:186.
- 9507130266** Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.
- 9507240356** Notifies that Comm Ed intends to provide for NRC review & approval, rev 3 to Dresden IST plan, prior to 950631 to supersede revs 1 & 2 to Dresden IST plan, submitted by Comm Ed 930630 & 0910 ltrs, respectively.
JOYCE,T.P. Commonwealth Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84824:028-84824:029.
- 9507240401** Application for amends to licenses DPR-19,DPR-25,DPR-29 & DPR-30, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
SCHRAGE,J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84824:121-84824:138.
- 9507240406** Proposed tech specs, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
Commonwealth Edison Co. 95/07/19. 15pp. 84824:124-84824:138.
- 9507240142** Expresses understanding re util partial implementation of amends 134 & 128 relating to new setpoint for condenser low vacuum scram for Dresden Station, Units 2 & 3, respectively.
STANG,J.F. 95/07/20. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84822:359-84822:360.
- 9507240466** Forwards response to NRC 950222 RAI re util TS upgrade program section 3/4.7, "Containment Sys.," submitted by util on 930917. Marked-up current TS pages & marked-up BWR/4 STS pages also encl.
PIET,P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 173pp. 84823:001-84823:173.
- 9507240474** Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 STS requirements & requirements proposed in TS upgrade program 3/4.7.
Commonwealth Edison Co. 95/07/20. 91pp. 84823:063-84823:173.
- 9507280066** Informs that staff accepts licensee 950120 proposal for alternate method for recirculation of plant recirculation loop from "Category G" weld to "Category E" weld in accordance w/ guidelines of GL 88-01.
STANG,J.F. 95/07/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84844:353-84844:355.
- 9507280264** Forwards request for addl info re core shroud repair for plant Units 2 & 3.
STANG,J.F. 95/07/26. FARRAR,D.L. Commonwealth Edison Co. 5pp. 84868:152-84868:156.

G. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507240301 Ack receipt of 950621 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/95-05 & 50-249/95-05.
HILAND,P.L. Region 3 (Post 820201). 95/07/14. JOYCE,T. Commonwealth Edison Co. 2pp. 84819:352-84819:353.

R. Periodic operating reports & related correspondence

9507190354 Monthly operating repts for June 1995 for Dresden Generating Station Units 1,2 & 3.W/950714 ltr.
CARROLL,E.W., HOLLAND,P.G. Commonwealth Edison Co. 95/06/30. 21pp. 84762:335-84762:355.

9507270103 Forwards 1995 second quarter rept of changes, tests & experiments per 10CFR50.59. Rept previously being submitted on annual basis, but will now be submitted on quarterly basis.
HOLLAND,P.G. Commonwealth Edison Co. 95/07/10. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84849:001-84851:023.

-9507270106 Rept of changes, tests & experiments per 10CFR50.59 for 1995 second quarter.
Commonwealth Edison Co. 95/06/30. 750pp. 84849:002-84851:023.

S. Reportable occurrences, LERs & related correspondence

9507110304 Forwards response to NRC 950526 request for comments on technical adequacy of preliminary accident sequence precursor of operational condition discovered at facility. Comments correct description of event.
JOYCE,T.P. Commonwealth Edison Co. 95/07/05. Document Control Branch (Document Control Desk). 6pp. 84695:051-84695:056.

9507130059 LER 95-015-00: on 950607, leakage limit exceeded due to excessive leakage past MSIVs 1A & 1C will be inspected, repaired & local leak rate tested prior to unit start up.W/950705 ltr.
MCGIVERN,M., JOYCE,T.P. Commonwealth Edison Co. 95/07/07. 5pp. 84682:319-84682:323.

9507130009 LER 95-018-00: on 950610, Type B & C leakage limit exceeded due to excessive leakage past HPCI check valve (CV). Cause of CV LLRT failure under investigation, HPCI turbine exhaust CV will be removed, inspected & replaced.W/950705 ltr.
MCGIVERN,M., JOYCE,T.P. Commonwealth Edison Co. 95/07/10. 4pp. 84729:103-84729:106.

9507280043 Forwards preliminary ASP analysis of operational condition which occurred at plant on 940608 & reported in LER 237/94-018, Rev 1. For comment.
STANG,J.F. 95/07/20. FARRAR,D.L. Commonwealth Edison Co. 13pp. 84859:302-84859:323.

9507250078 LER 94-022-01: on 940808, Type B & C leakage limit was exceeded due to worn seating surface of HPCI check valve. Replaced HPCI turbine exhaust check valve w/ dual-disk type check valve.W/950721 ltr.
MCGIVERN,M., JOYCE,T.P. Commonwealth Edison Co. 95/07/21. 6pp. 84832:040-84832:045.

9507250146 Forwards LER 95-002 re failure of drywell air sample valve 2-9205B.
JOYCE,T.P. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 1p. 84832:026-84832:030.

-9507250168 LER 95-002-01: on 950117, Type B & C leakage limit was exceeded due to leaking drywell air sample valve. Repaired drywell air sample valve 2-9205B.
MCGIVERN,M. Commonwealth Edison Co. 95/07/31. 4pp. 84832:027-84832:030.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. WEIDNER,R.C. Commonwealth Edison Co. CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 84919:021-84919:023.

18 DOCKETED ITEMS

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9507050195** Rev 14 to EOP-FR-H.1 "Response to Loss of Secondary Heat Sink." W/ 950626 ltr.
* Rochester Gas & Electric Corp. 95/06/26. JOHNSON,A.R. Project Directorate I-3 (PD1-3) (Post 941001). 29pp. 84558:306-84558:335.
- 9507120058** Revised EPIPs,including rev 23 to EPIP 1-5,rev 4 to EPIP 1-15 & rev 4 to EPIP 2-8 W/950706 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 95/07/06. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 49pp. 84672:311-84672:359.
- 9507210007** Revised EPIPs,including rev 9 to EPIP 4-5,rev 10 to EPIP 5-2,rev 13 to EPIP 5-3 & rev 4 to EPIP 5-9 W/950707 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 95/07/07. JOHNSON,A. Project Directorate I-1 (PD1-1) (Post 941001). 82pp. 84819:211-84819:292.
- 9507200239** Offers listed info re SG tube rupture procedure,per telcon between AR Johnson & G Wrobel.In EOP E-3,SG sampling allowed as means of identifying location of rupture.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/07/11. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84777:359-84777:360.
- 9507310285** Revised EPIPs,including Rev 9 to EPIP 1-11, "Survey Ctr Activation," Rev 13 to EPIP 2-1, "Protective Action Recommendations" & rev 7 to EPIP 2-3, "Emergency Release Rate Determination." W/950719 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 95/07/19. JOHNSON,A. Project Directorate I-1 (PD1-1) (Post 941001). 58pp. 84894:257-84894:314.

P. Operating license stage documents & correspondence

- 9507060076** Forwards safety evaluation in response to GL 90-06 which provides resolution of GI-70 "Power Operated Relief Valve & Block Valve Reliability" & GI-94, "Add Low Temp Overpresser Protection for LWR."
JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/21. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 84540:032-84540:042.
- 9507060092** Safety evaluation accepting proposed TS 3.1.1.6 & associated action statements equivalent to those proposed in GL 90-06.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 8pp. 84540:035-84540:042.
- 9507120342** Forwards SE granting licensee 940415 request re plant inservice testing program for pumps & valves relief requests VR-31 & VR-32.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/21. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 84622:351-84622:360.
- 9507120351** Safety evaluation granting plant inservice testing program pumps & valves relief request VR-31 & VR-32.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 7pp. 84622:354-84622:360.
- 9507050216** Responds to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes."
MECREDEY,R.C. Rochester Gas & Electric Corp. 95/06/27. JOHNSON,A.R. Project Directorate I-3 (PD1-3) (Post 941001). 3pp. 84570:200-84570:202.
- 9507060258** informs that NRC finds responses to GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies," acceptable & closes TAC M86848.
JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/27. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 84536:246-84536:248.
- 9505280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507140088** Forwards SE in future rev of RG 1.147.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/07. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 84710:335-84710:340.
- 9507140091** Safety evaluation supporting relief request 13,rev 1.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 3pp. 84710:338-84710:340.

- 9507200239** Offers listed info re SG tube rupture procedure,per telcon between AR Johnson & G Wrobel.In EOP E-3,SG sampling allowed as means of identifying location of rupture.
MECREDEY,R.C. Rochester Gas & Electric Corp. 95/07/11. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84777:359-84777:360.

- 9507250159** Forwards response to questions in ref 950711 ltr re methodology for determining LTOP sys setpoints.
MECREDEY,R.C. Rochester Gas & Electric Corp. 95/07/17. GRIMES,C.I. 6pp. 84826:352-84826:357.

- 9507240160** Forwards corrected safety evaluation,granting plant IST program for pumps & valves relief requests VR-31 & VR-32.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/20. MECREDEY,R.C. Rochester Gas & Electric Corp. 2pp. 84824:324-84824:332.

- 9507240170** Corrected safety evaluation,granting plant IST program for pumps & valves relief requests VR-31 & VR-32.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 6pp. 84824:326-84824:332.

Q. Inspection reports, IE Bulletins & correspondence

- 9507060337** Forwards SE authorizing licensee 921215 & 950216 ltrs related to third 10-yr interval inservice insp program plan.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/23. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 84536:279-84536:288.

- 9507060342** Safety evaluation authorizing licensee 921215 & 950216 ltrs related to third 10-yr interval inservice insp program plan.
* Project Directorate I-1 (PD1-1) (Post 941001). 95/06/23. 2pp. 84536:282-84536:283.

- 9507060348** Technical ltr rept re third 10-yr interval inservice insp program relief request.
* Idaho National Engineering Laboratory. 95/06/23. NRC - No Detailed Affiliation Given. 5pp. 84536:284-84536:288.

- 9507140058** Forwards insp rept 50-244/95-12 on 950507-0617.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 95/07/07. MECREDEY,R.C. Rochester Gas & Electric Corp. 3pp. 84625:221-84625:247.

- 9507140062** Insp rept 50-244/95-12 on 950507-0617.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/07/07. 24pp. 84625:224-84625:247.

- 9507170167** Forwards final exam rept re plant 1995 SG eddy current insp.
MECREDEY,R.C. Rochester Gas & Electric Corp. 95/07/10. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 1p. 84755:048-84755:117.

- 9507170169** Rev 0 to "Final Exam Rept for 1995 SG Eddy Current insp at Ginna Nuclear Power Station," dtd 950503.
DAVISON,M.J., SAPORITO,M.J. Rochester Gas & Electric Corp. 95/05/04. 69pp. 84755:049-84755:117.

R. Periodic operating reports & related correspondence

- 9507190326** Monthly operating rept for June 1995 for RE Ginna Nuclear Power Plant.W/950711 ltr.
ORLOWSKI,C.A., WALDEN,J., WIDAY,J.A. Rochester Gas & Electric Corp. 95/06/30. 5pp. 84776:338-84776:342.

S. Reportable occurrences, LERs & related correspondence

- 9507120033** LER 95-005-00 on 95/06/07.FW isolation on high SG level occurred.Caused by decrease in instrument air pressure due to an air leak in containment.FW flow switched to manual control W/950707 ltr.
ST MARTIN,J.T., MECREDEY,R.C. Rochester Gas & Electric Corp. 95/07/07. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 9pp. 84676:280-84676:288.

- 9507210322** Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

- 9507200264** Part 21 rept re 14 inch air-operated butterfly valve,used as SW outlet valve AOV-4561 supplied by Fisher Controls Co.On 950418,found that valve actuated opposite from required configuration.Actuator lever reinstalled.
MECREDEY,R.C. Rochester Gas & Electric Corp. 95/07/14. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 4pp. 84815:158-84815:161.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9507180230** Revised EPIPs,including Rev 165 to EPIP 4000 procedure index Rev 1 to EPIP 4404, "Notification & Communications" & rev 1 to EPOP 3470, "Control Room Data Coordination."
* Northeast Nuclear Energy Co. 95/06/29. 43pp. 84784:217-84784:261.

- 9507140073** Informs NRC that ubl annual emergency preparedness exercise for plant has been scheduled for 951005.Scope & objectives re exercise encl.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84760:267-84760:274.

- 9507140175** Rev 18 to Millstone Emergency Plan.
* Northeast Nuclear Energy Co. 95/07/07. 20pp. 84736:245-84736:281.

- 9507240080** Forwards insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0606.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/07/17. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84752:021.

- 9507240084** Insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0606.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/07/14. 47pp. 84751:339-84752:021.

- 9507310155** Revised EPIPs,including change 1 to rev 4 to EPIP form 4400-1 & change 1 to rev 3 to EPIP form 4400-2.
* Northeast Nuclear Energy Co. 95/07/20. 9pp. 84907:040-84907:048.

- 9507180310** Rev 18 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/07/31. 4pp. 84786:076-84786:078.

G. Adjudicatory correspondence

- 9507100088** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-11 in docket has expired.Decision became final on 950626. W/Certificate of Svc.Served on 950630.
HOYLE,J.C. Office of the Secretary of the Commission. #395 16866. 95/06/29. GAVENSKY,R. Affiliation Not Assigned. 2pp. 84538:306-84538:307.

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control,tagging control & procedure compliance
ROSS,A.J. Affiliation Not Assigned. 95/07/11. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 43pp. 84796:006-84796:064.

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control,tagging control & procedure compliance
ROSS,A.J. Affiliation Not Assigned. 95/07/11. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 43pp. 84796:006-84796:064.

--9204230091 informs of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at util.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/04/06. ELLIS,W.B. Northeast Nuclear Energy Co. 10pp. 84796:049-84796:064.

9507240109 Provides update on five 10CFR2.206 petitions submitted,dtd 941230 & 950102,05,06 & 17.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/19. ROSS,A.J. Affiliation Not Assigned. 2pp. 84824:336-84824:337.

H. General correspondence

9507050455 informs NRC of mgt change within Nuclear Group which affects distribution of NRC correspondence to NNECO
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84570:186-84570:189.

9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA,J.F. Northeast Utilities. 95/07/14. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84738:115-84738:116.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507210265 Forwards rev 9 to "Updated Final Safety Analysis Rept." for Millstone Nuclear Power Station,Unit 1.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84777:001-84777:312.

--9507210266 Rev 9 to "Updated Safety Analysis Rept." for Millstone Nuclear Power Station,Unit 1.
* Northeast Nuclear Energy Co. 95/06/30. 310pp. 84777:003-84777:312.

P. Operating license stage documents & correspondence

9507060031 Informs that NRC has reviewed ISAP update & staff comments contained in encls.Staff notes that 16 topics should remain open within 144 ISAP topics.W/encl.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/26. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 8pp. 84536:193-84536:200.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507180233 Application for amend to license DPR-21,modifying TSs to allow use of pull-to-lock switches to defeat automatic initiation of ECCS.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/07/11. Document Control Branch (Document Control Desk). 7pp. 84765:285-84765:297.

--9507180235 Proposed tech specs,allowing use of pull-to-lock switches to defeat automatic initiation of ECCS.
* Northeast Nuclear Energy Co. 95/07/11. 6pp. 84765:292-84765:297.

9507200105 Forwards ltr dtd 931003 re plant IPE for internal events. Requests placement of document in PDR.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/12. LANHAM,D.H. Office of Information Resources Management (Post 890205). 1p. 84752:219-84752:241.

--9310080296 Forwards SE re individual plant exam,in response to Generic Ltr 88-20.No specific unresolved safety issues or generic safety issues were proposed for resolution as part of IPE.
ANDERSEN,J.W. Project Directorate I-4. 93/10/05. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 22pp. 84752:220-84752:223.

--9507210055 Safety evaluation accepting licensee evaluation of individual plant exam of internal events,per GL 88-20.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 93/10/05. 18pp. 84752:224-84752:241.

9507200138 Forwards supplemental response to GL 94-03, "IGSCC of Core Shrouds in BWRs."
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/14. Document Control Branch (Document Control Desk). 11pp. 84779:254-84779:264.

9507240143 Application for amend to license DPR-21 Amend would incorporate operability & SRs for RPV overflow protection instrumentation.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/18. Document Control Branch (Document Control Desk). 10pp. 84823:246-84823:264.

--9507240148 Proposed tech specs re incorporation of operability & SRs for RPV overflow protection instrumentation.
* Northeast Nuclear Energy Co. 95/07/18. 9pp. 84823:256-84823:264.

9507240234 Notification of 950824 meeting w/util in Rockville,MD to discuss service water & emergency service water issues.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/19. MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 3pp. 84778:306-84778:308.

9507270262 Forwards Amend 83 to License DPR-21 & safety evaluation. Amend permits individual without current senior reactor operator for Unit 1 to hold operations manager position.
ANDERSEN,J.W. 95/07/24. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84873:144-84873:154.

--9507270265 Amend 83 to License DPR-21,permitting individual without current senior reactor operator license for Unit 1 to hold operations manager position.
MCKEE,P.F. 95/07/24. 5pp. 84873:147-84873:151.

--9507270267 Safety evaluation supporting Amend 83 to license DPR-21.
* 95/07/24. 3pp. 84873:152-84873:154.

9507270311 Forwards amend 84 to license DPR-21 & safety evaluation. Amend allows use of ANSI/ANS 5.1-1979 decay heat model for post-loss of coolant accident containment analysis.
ANDERSEN,J.W. 95/07/24. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 84874:178-84874:186.

--9507270314 Amend 84 to license DPR-21,allowing use of ANSI/ANS 5.1-1979 decay heat model for post-loss of coolant accident containment cooling analysis.
MCKEE,P.F. 95/07/24. 2pp. 84874:182-84874:183.

--9507270317 Safety evaluation supporting amend 84 to license DPR-21.
* 95/07/24. 3pp. 84874:184-84874:186.

Q. Inspection reports, IE Bulletins & correspondence

9507030001 Expresses appreciation for informing NRC of actions taken to strengthen licensee licensed operator initial exam training program.
MEYER,G.W. Region 1 (Post 820201). 95/06/22. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84488:001-84488:005.

9507030022 Ack receipt of 950612 ltr informing NRC of steps taken to correct violations noted in insp rept 50-245/95-14.
MEYER,G.W. Region 1 (Post 820201). 95/06/22. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84488:168-84488:175.

9507030016 Forwards insp repts 50-245/95-16 & 50-423/95-16 on 950410-14,24-28 & 0508-12 & notice of violation.Violations involved poor planning of work & workers exceeding planned scope of work w/o correcting work package.
MEYER,G.W. Region 1 (Post 820201). 95/06/23. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84488:120-84488:143.

--9507030017 Notice of violation from insp on 950410-28.Violation noted:corrective actions taken to preclude repetition of work control violations had been inadequate,as evidenced by listed recurrent events.
* Region 1 (Post 820201). 95/06/23. 2pp. 84488:123-84488:124.

--9507030020 Insp repts 50-245/95-16 & 50-423/95-16 on 950410-14,24-28 & 0508-12.Violations noted.Major areas inspected:maint, engineering & plant support.
KENNY,T.J., MEYER,G.W. Region 1 (Post 820201). 95/06/22. 19pp. 84488:125-84488:143.

9507100321 Forwards insp rept 50-245/95-24 on 950612-16.
KELLY,E.M. Region 1 (Post 820201). 95/06/29. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84692:304-84692:312.

--9507100328 Insp rept 50-245/95-24 on 950612-16.No violations noted. Major areas inspected:hardened wetwall vent.
KORONA,B.E., KELLY,E.M. Region 1 (Post 820201). 95/06/29. 7pp. 84692:306-84692:312.

9507110048 Comment on proposed "Review of NRC insp Rept Content,Format & Style"
OPEKA,J.F. Northeast Utilities Service Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 10pp. 84557:242-84557:251.

9507240080 Forwards insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0606.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/07/17. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84752:021.

--9507240084 Insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0606.No violations noted.Major areas inspected: plant operations,radioisotopic controls,maint,surveillance, security,outage activities & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84752:021.

9507260298 Requests add info for proposed use of Code Case N-508-1 in snubber insp program for Haddam Neck Plant & Millstone NPP,Units 1,2 & 3.
MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/07/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 6pp. 84816:343-84816:348.

R. Periodic operating reports & related correspondence

9507200011 Forwards monthly operating repts for June 1995 for Millstone Nuclear Power Station, Units 1,2 & 3.Revs to Apr & May 1995 repts for Unit 1 also encl.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84763:309-84763:326.

--9507200012 Monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/06/30. 15pp. 84763:310-84763:324.

20 DOCKETED ITEMS

- 9507200096 Rev to May 1995 monthly operating rept for Millstone Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/05/31. 1p. 84763:325-84763:325.
- 9507200098 Revised monthly operating rept for Apr 1995 for Millstone Unit 1.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/04/30. 1p. 84763:326-84763:326.
- 9507170402 Provides 1994 joint frequency distribution of wind distribution, wind speed & stability for Haddam Neck Plant & Millstone Nuclear Power Station.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/13. TICHLER,J. Brookhaven National Laboratory. 6pp. 84755:028-84755:033.

5. Reportable occurrences, LERs & related correspondence

- 9507200286 Forwards ASP analysis of shutdown event which occurred at plant on 940410 & reported in LER 94-015.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/14.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 11pp. 84771:310-84771:328.
- 9507310143 LER 95-010-00 on 950621, listed SGTS deficiencies discovered. Caused by inadequate documentation & inadequate understanding of original SGTS design bases & operation. Mods made to provide LOCKOUT switch for SGTS trains. W/950721 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/07/21. 6pp. 84883:291-84883:296.
- 9507310156 LER 95-011-00 on 950626, discovered that loss of normal power (LNP) circuitry did not meet single failure criteria due to design deficiency. Both LNP circuits modified to installed manually reset seal. W/950721 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/07/21. 7pp. 84883:284-84883:290.

V. Operator Examinations

- 9507030001 Expresses appreciation for informing NRC of actions taken to strengthen licensee licensed operator initial exam training program.
MEYER,G.W. Region 1 (Post 820201). 95/06/22. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84488:001-84488:005.
- 9507030022 Ack receipt of 950612 ltr informing NRC of steps taken to correct violations noted in insp rept 50-245/95-14.
MEYER,G.W. Region 1 (Post 820201). 95/06/22. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84488:168-84488:175.
- 9507280027 Requests that staff evaluate initial license candidates in simulator w/ number of RO currently required by TS.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/07/20.
MARTIN,T.T. Region 1 (Post 820201). 2pp. 84874:343-84874:344.
- 9507270262 Forwards Amend 83 to License DPR-21 & safety evaluation. Amend permits individual without current senior reactor operator for Unit 1 to hold operations manager position.
ANDERSEN,J.W. 95/07/24. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84873:144-84873:154.
- 9507270265 Amend 83 to License DPR-21, permitting individual without current senior reactor operator license for Unit 1 to hold operations manager position.
MCKEE,P.F. 95/07/24. 5pp. 84873:147-84873:151.
- 9507270267 Safety evaluation supporting Amend 83 to license DPR-21.
* 95/07/24. 3pp. 84873:152-84873:154.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9507140117 Forwards SE which concludes that proposed changes to emergency action level meet requirements of 10CFR50.47(b)(4) & App E to 10CFR50.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/11. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84662:163-84662:168.
- 9507140120 SER accepting proposed EAL changes for plant, per 10CFR50.47(b)(4) & App E to 10CFR50.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 3pp. 84662:166-84662:168.

G. Adjudicatory correspondence

- 9507030078 Ack receipt of 950518 ltr requesting that NRC suspend licensee license until completion of actions requested in GL 95-03. Request denied.
RUSSELL,W. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16.
HOGARTH,C. Westchester Peoples Action Coalition, Inc. 7pp. 84516:118-84516:126.
- 9507030086 Notice of receipt of petition for Director's Decision under 10CFR2.206.
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. 2pp. 84516:125-84516:126.

P. Operating license stage documents & correspondence

- 9507050435 Requests NRC approval to allow through-wall leak in svc water piping to be left in as found condition per GL 90-05. Detailed basis for acceptability of not performing ASME code acceptable repair encl.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/22. Document Control Branch (Document Control Desk). 5pp. 84566:352-84566:356.
- 9507050082 Requests enforcement discretion from TSs 3.0.1,3.3.F.2 & 3.3.F.3 to allow continued operation of unit above 350 F for up to 80 h w/non-essential SW header drained & inoperable. Justification encl.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/26. Document Control Branch (Document Control Desk). 10pp. 84561:321-84561:330.

9507060182 Advises that response to RAI re 920612 IPE will be submitted by 951031.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84617:062-84617:062.

9507060188 Provides request info in response to GL 95-03 re circumferential stress corrosion cracking.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/26. Document Control Branch (Document Control Desk). 7pp. 84617:277-84617:283.

9507100257 Forwards Rev 1 to justification for continued operation in support of request for enforcement discretion requested on 950626.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/28. Document Control Branch (Document Control Desk). 13pp. 84675:271-84675:283.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060330 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599:001-84599:257.

-9507070341 Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES,G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.

-9507070353 "BWR Transient Analysis Methods."
FREEMAN,J.M., TSAI,R.W., RIECK,T.A. Commonwealth Edison Co. NFSR-0111 R00 95/06/23. 200pp. 84599:003-84599:257.

9507170194 Notifies that NRC intended to exercise enforcement discretion not to enforce compliance w/TS 3.3.F.2 & 3.0.1 for period from 950629 at 1:05 am until 9:05 am on 950702, as requested by utli 950626 & 28 ltrs.
COOPER,R.W. Region 1 (Post 820201). 95/06/30. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84747:289-84747:314.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALET,T.D. 95/07/26. QUAY,T.R. 46pp. 84888:143-84888:188.

Q. Inspection reports, IE Bulletins & correspondence

9507030019 Forwards insp repts 50-003/95-01 & 50-247/95-16 on 950605-09 & notice of violation.
MARTIN,T.T. Region 1 (Post 820201). 95/06/23. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84696:046-84696:067.

-9507180183 Notice of violation from insp on 950605-09. Violation noted: licensee delivered mats to carrier for exclusive use transport in package w/radiation levels of 375 mrem per hour on contact w/outer surface of vehicle.
* Region 1 (Post 820201). 95/06/23. 3pp. 84696:048-84696:050.

-9507030026 Insp repts 50-003/95-01 & 50-247/95-16 on 950605-09. Violations noted: Major areas inspected: radwaste processing, waste steam sampling & analysis, preparation & shipment of radioactive matl & onsite storage of radwaste.
NOGGLE,J., BORES,R. Region 1 (Post 820201). 95/06/21. 14pp. 84696:051-84696:067.

9507100232 Forwards insp rept 50-247/95-13 on 950530-0602. No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/07/03. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84690:314-84690:331.

-9507100234 Insp rept 50-247/95-13 on 950530-0602. No violations noted. Major areas inspected: review of enhanced monitoring program for Rosemount transmitter models 114 & 1153B/D mfg prior to 890711.
CALVERT,J.A., RULAND,W.H. Region 1 (Post 820201). 95/07/03. 14pp. 84690:316-84690:331.

9507140016 Forwards insp rept 50-247/95-15 on 950507-0617. No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/07/07. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84625:101-84625:115.

-9507140021 Insp rept 50-247/95-15 on 950507-0617. No violations noted. Major areas inspected: plant operations, maint, surveillance & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/07/07. 12pp. 84625:104-84625:115.

9507240085 Responds to NRC 950612 ltr re violations noted in insp rept 50-247/95-08. Corrective actions: containment spray pump secured & MOV closed. Tagout reviewed & modified to include containment spray pump & pump discharge valves.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/07/12. Document Control Branch (Document Control Desk). 6pp. 84828:344-84828:349.

9507260213 Ack receipt of 950619 ltr in response to 950428 ltr that transmitted insp rept 50-247/95-09.
JOYNER,J.H. Region 1 (Post 820201). 95/07/14. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 84848:351-84848:353.

5. Reportable occurrences, LERs & related correspondence

9507110159 LER 95-015-00 on 950605, two motor driven AFPs inadvertently started. Caused by main boiler feedwater pump trip signal due to personnel error. AFPs secured & returned to automatic mode W/950630 ltr.
WHITNEY,M.A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/30. 5pp. 84662:038-84662:042.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507260128 LER 95-016-00 on 950612, electrical generator trip occurred that initiated RT. Caused by actuation of pilot wire relay HCB/85PW. Post trip review was completed & held meetings w/ Station Nuclear Safety Committee W/950712 ltr.
BAHR, J.M., QUINN, S.E. Consolidated Edison Co. of New York, Inc. 95/07/12. 4pp. 84867:350-84867:353.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507250141 Revised Maps for Corporate EPIPs from CEPIP-3000 Series including rev 2 to Quad Cities Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents. W/two oversize drawings.
* Commonwealth Edison Co. 95/06/02. 3pp. 84871:336-84871:338.

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507110049 Forwards info re physical security activities at plant for review & followup. Requests that results of review & disposition of subj matters be submitted to Region III within 45 days of receipt of dtd ltr.
CREED, J.R. Region 3 (Post 820201). 95/07/03. JOYCE, T. Commonwealth Edison Co. 2pp. 84557:252-84557:253.

9507200173 Expresses appreciation for participation in Dresden exercise in Operations Ctr on 950711.
ENRIGHT, A. 95/07/17. CRUTCHLEY, J. 1p. 84752:358-84752:358.

9507250111 Forwards util revised EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950608 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

P. Operating license stage documents & correspondence

9507260262 Forwards "Response to NRR RAI (Dtd 940623) Re Core Cracking at Dresden Unit 3 & Quad Cities Unit 1."
PIET, P.L. Commonwealth Edison Co. 94/07/08. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 84853:001-84854:032.

9507260266 "Response to NRR RAI (Dtd 940623) Re Core Shroud Cracking at Dresden Unit 3 & Quad Cities Unit 1."
* Commonwealth Edison Co. 94/06/25. 393pp. 84853:004-84854:032.

9507260231 Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 telcon RAI.
PIET, P.L. Commonwealth Edison Co. 94/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 84845:302-84845:323.

9507050405 Informs that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other mat'l licensees.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. O'CONNOR, J.J. Commonwealth Edison Co. 5pp. 84530:244-84530:249.

9507060304 Forwards amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation. Amends response to licensee application dtd 930216 re TS Upgrade program for plants.
STANG, J.F. 95/06/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84531:188-84531:255.

9507060314 Amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to licensee application dtd 930216 re TS Upgrade Program for plants.
STANG, J.F. 95/06/23. 48pp. 84531:191-84531:238.

9507060323 Safety evaluation supporting amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/06/23. 16pp. 84531:239-84531:255.

9507030145 Forwards detailed safety assessment discussing calculational methodologies used in evaluating impact of inadvertent loading.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84560:292-84560:304.

9507030154 "Reactor Bldg Crane & Cask Yoke Assembly Mods."
* Commonwealth Edison Co. 94/10/31. 7pp. 84560:298-84560:304.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507100079 Informs that util will implement TS amends 134 & 128 to ensure that sufficient margin exists from condenser low vacuum SCRAM setpoint to allow for circulating water reversal from steam main condenser.
PIET, P.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84692:241-84692:247.

9507100082 Proposed tech specs which includes revised settings.
* Commonwealth Edison Co. 95/06/29. 4pp. 84692:244-84692:247.

9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632:315-84632:315.

9507100177 Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
PIET, P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 56pp. 84665:232-84666:006.

9507100182 Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
* Commonwealth Edison Co. 95/06/30. 79pp. 84665:288-84666:006.

9507110324 Provides results of Comm Ed assessments of concerns raised by NRC during 950501 visit to plant re potential impact of HPCI turbine exhaust rupture disk opening.
JOYCE, T.P. Commonwealth Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 23pp. 84694:186-84694:208.

9507170114 Transmits corrected document of design documents for proposed repair of Dresden Station Unit 2 & 3 core shrouds.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk). 5pp. 84755:182-84755:186.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507240356 Notifies that Comm Ed intends to provide for NRC review & approval re 3 to Dresden IST plan, prior to 950831 to supersede revs 1 & 2 to Dresden IST plan, submitted by Comm Ed 930630 & 0910 ltrs, respectively.
JOYCE, T.P. Commonwealth Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84824:028-84824:029.

9507240401 Application for amends to licenses DPR-19, DPR-25, DPR-29 & DPR-30, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84824:121-84824:138.

9507240406 Proposed tech specs, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
* Commonwealth Edison Co. 95/07/19. 15pp. 84824:124-84824:138.

9507240142 Expresses understanding re util partial implementation of amends 134 & 128 relating to new setpoint for condenser low vacuum scram for Dresden Station, Units 2 & 3, respectively.
STANG, J.F. 95/07/20. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84822:359-84822:360.

9507240466 Forwards response to NRC 950222 RAI re util TS upgrade program section 3/4.7, "Containment Sys.," submitted by util on 930917. Marked-up current TS pages & marked-up BWR/4 STS pages also encl.
PIET, P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 173pp. 84823:001-84823:173.

9507240474 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 STS requirements & requirements proposed in TS upgrade program 3/4.7.
* Commonwealth Edison Co. 95/07/20. 91pp. 84823:063-84823:173.

9507260264 Forwards request for addl info re core shroud repair for plant Units 2 & 3.
STANG, J.F. 95/07/26. FARRAR, D.L. Commonwealth Edison Co. 5pp. 84868:152-84868:156.

Q. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to inspections which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507240301 Ack receipt of 950621 ltr informing NRC of steps taken to correct violations noted in insp repts 50-237/95-05 & 50-249/95-05.
HILAND, P.L. Region 3 (Post 820201). 95/07/14. JOYCE, T. Commonwealth Edison Co. 2pp. 84819:352-84819:353.

R. Periodic operating reports & related correspondence

9507190354 Monthly operating repts for June 1995 for Dresden Generating Station Units 1, 2 & 3. W/950714 ltr.
CARROLL, E.W., HOLLAND, P.G. Commonwealth Edison Co. 95/06/30. 21pp. 84762:335-84762:355.

9507270103 Forwards 1995 second quarter rept of changes, tests & experiments per 10CFR50.59. Rept previously being submitted on annual basis, but will now be submitted on quarterly basis.
HOLLAND, P.G. Commonwealth Edison Co. 95/07/10. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84849:001-84851:023.

9507270106 Rept of changes, tests & experiments per 10CFR50.59 for 1995 second quarter.
* Commonwealth Edison Co. 95/06/30. 750pp. 84849:002-84851:023.

22 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

- 9507030012** LER 95-010-00: on 950528, inadvertent LCO entry occurred due to inadequate control of decay heat during cooldown. Trained licensed operators on RHR alternately W/950626 ltr. FENILLER, JOYCE, T.P. Commonwealth Edison Co. 95/06/26. 5pp. 84559:090-84559:094
- 9507030134** LER 95-008-00: on 950528, Unit 3 scrambled from main turbine stop valve closure due to turbine trip on high vibration. Performed visual & NDE insps on failed LP-C rotor. Wade W/ 950622 ltr. GARRETT, J., JOYCE, T.P. Commonwealth Edison Co. 95/06/26. 11pp. 84559:104-84559:114.
- 9507070351** Forwards LER 95-009, providing info associated w/original equipment manufacture evaluation of belt failure & updates corrective actions to be performed. JOYCE, T.P. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84598:229-84598:234.
- 9507070365** LER 95-009-01: on 950416, HPCI was declared inoperable due to broken room cooler drive belt. Investigated use of stronger belt for Unit-2 HPCI room cooler fan. LUPAIA, G. Commonwealth Edison Co. 95/06/23. 5pp. 84598:230-84598:234.
- 9507090094** LER 95-011-00: on 950529, Type B & C primary containment leakage limit exceeded due to excessive leakage past HPCI check valve. HPCI turbine check valve 3-2301-45 will be replaced & local leak rate tested. W/950626 ltr. MCGIVERN, M., JOYCE, T.P. Commonwealth Edison Co. 95/06/28. 4pp. 84559:095-84559:098.
- 9507060107** LER 95-012-00: on 950531, degraded secondary containment condition was observed during testing due to procedure deficiency. Closed RPR matl interlock inner door. W/950626 ltr. WILLIAMS, J., JOYCE, T.P. Commonwealth Edison Co. 95/06/29. 6pp. 84578:243-84578:248.
- 9507270176** Forwards LER 95-009 re test vols that exceeded administrative local leakage limits during plant refueling outage 13. JOYCE, T.P. Commonwealth Edison Co. 95/07/24. Document Control Branch (Document Control Desk). 1p. 84867:317-84867:331.
- 9507270184** LER 95-009-00: on 940312, Type B & C leakage was exceeded due to valve 3-1301-3 was not fully closed. Mod request form was submitted to consider providing slower speed gearing ratio for 3-1301-3 valve to facilitate fine adjustment of valve. MCGIVERN, M. Commonwealth Edison Co. 95/07/24. 14pp. 84867:318-84867:331.

V. Operator Examinations

- 9507310006** Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. EBERHARDT, R.R. Detroit Edison Co. BROWN, J.J. Wisconsin Public Service Corp. 3pp. 84919:021-84919:023.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

- 9507240025** Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." PLUNKETT, T.F. Florida Power & Light Co. 95/07/13. Document Control Branch (Document Control Desk). 13pp. 84823:217-84823:234.
- 9507240040** "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.A. Nucon, Inc. 95/06/27. 5p. 84823:230-84823:234.
- 9507270375** Discusses 940620-21 evaluation of plant physical protection program, including mods to protection program resulting from 1994 OSRE. Mods adequate to resolve concerns raised during 1994 OSRE. SPESSARD, R.L. 95/07/19. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84834:316-84834:318.

G. Adjudicatory correspondence

- 9507100145** Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-07 in listed docket has expired. Decision became final agency action on 950606. W/Certificate of Svc. Served on 950630. HOYLE, J.C. Office of the Secretary of the Commission. #395 16882. 95/06/29. SAPORITO, T.J. Saporito, T.J. 2pp. 84538:343-84538:344.

P. Operating license stage documents & correspondence

- 9507060032** Forwards safety evaluation re approval to utilize leak-before-break methodology for reactor coolant sys piping for plant, units 3 & 4. CROTEAU, R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/23. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84540:025-84540:031.
- 9507060036** Safety evaluation supporting NRC independent flaw calculations to evaluate licensee LBB analysis of large diameter reactor coolant piping for plant, units 3 & 4. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 5pp. 84540:027-84540:031.
- 9506280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507060162** Forwards copy of Order identifying FL Dept of Environ. Protection as permitting agency authorized to administer NPDES permit for Turkey Point. PLUNKETT, T.F. Florida Power & Light Co. 95/06/29. Document Control Branch (Document Control Desk). 8pp. 84617:213-84617:220.
- 9507240025** Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." PLUNKETT, T.F. Florida Power & Light Co. 95/07/13. Document Control Branch (Document Control Desk). 13pp. 84823:217-84823:234.
- 9507240040** "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.A. Nucon, Inc. 95/06/27. 5p. 84823:230-84823:234.
- 9507190048** Transmits "Turkey Point Nuclear Plant Service Water Operational Performance Insp. Self Assessment, Final Rept." BOHLKE, W.H. Florida Power & Light Co. 95/07/14. Document Control Branch (Document Control Desk). 1pp. 84769:001-84769:101.
- 9507190070** "Service Water Operational Performance Insp. Self Assessment, Final Rept." for Turkey Point Nuclear Plant. * Florida Power & Light Co. 95/07/14. 100pp. 84769:002-84769:101.
- 9507190228** Informs that audit of licensee USI A-46 program will be conducted during wk of 951205 to resolve remaining issues re USI A-46, Suppl 1 to GL 87-02 for facilities. NORRIS, J., CROTEAU, R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84769:219-84769:221.
- 9507310192** Application for amends to licenses DPR-31 & DPR-41, modifying TS Table 4.3-1 re nuclear instrumentation sys adjustments based on calorimetric measurements at reduced power levels. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84903:174-84903:189.
- 9507310193** Proposed tech specs for nuclear instrumentation sys adjustments based on calorimetric measurements at reduced power levels. * Florida Power & Light Co. 95/07/26. 3pp. 84903:187-84903:189.
- 9507310198** Application for amends to licenses DPR-31 & DPR-41, revising TS 3/4.1.3.1, "Movable Control Assemblies - Group Height" & 3/4.1.3.2, "Position Indication Sys - Operating" & associated bases. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84890:142-84890:221.
- 9507310200** Proposed tech specs re rod misalignment requirement for movable control assemblies. * Florida Power & Light Co. 95/07/26. 67pp. 84890:155-84890:221.
- 9507310219** Application for amends to licenses DPR-31 & DPR-41, revising TS to achieve consistency throughout document by removing outdated matl, incorporating administrative clarifications & corrections & correcting typos. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903:001-84903:022.
- 9507310220** Proposed tech specs, revising TS to achieve consistency throughout document by removing outdated matl, incorporating administrative clarifications & corrections & correcting typos. * Florida Power & Light Co. 95/07/26. 12pp. 84903:011-84903:022.
- 9507310224** Application for amends to licenses DPR-31 & DPR-41, adding to approved COLR analysis methodology used for SBLOCA analysis in anticipation of thermal uprate to 2,300 MWt for both units & increasing current margin to calculated PCT. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 8pp. 84902:257-84902:303.
- 9507310226** Proposed tech specs, adding to approved COLR analysis methodology used for SBLOCA analysis in anticipation of thermal uprate to 2,300 MWt for both units & increasing current margin to calculated PCT. * Florida Power & Light Co. 95/07/26. 39pp. 84902:265-84902:303.
- 9507310234** Application for amends to licenses DPR-31 & DPR-41, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/NIS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2. PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 19pp. 84903:221-84903:253.
- 9507310236** Proposed tech specs, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/NIS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentation. * Florida Power & Light Co. 95/07/26. 14pp. 84903:240-84903:253.
- 9507310247** Application for amends to licenses DPR-31 & DPR-41, modifying TS per selected line items from NRC GL 93-05, "Line-Item TS Improvements to Reduce SRs for Testing During Power Operation." PLUNKETT, T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903:206-84903:220.
- 9507310250** Proposed tech specs 4.1.3.1, 2.4.6.5.1, 4.4.6.2.2, 4.10.1.2 & Table 4.3-3 to reduce frequency of testing, per GL 93-05. * Florida Power & Light Co. 95/07/26. 5pp. 84903:216-84903:220.

Q. Inspection reports, IE Bulletins & correspondence

- 9507120055** Forwards insp rept 50-250/95-10 & 50-251/95-10 on 950430-0526. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting efforts meet specified criteria. LANDIS, K.D. Region 2 (Post 820201). 95/06/22. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84575:099-84575:128.

-9507120059 Insp repts 50-250/95-10 & 50-251/95-10 on 950430-0526.No violations noted.Major areas inspected:plant operations including operational safety & plant events,maint including surveillance observations,engineering & plant support.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/06/22. 27pp. 84575:102-84575:128.

9507110013 Comments on proposed rule re. "Review of NRC Insp Rept Content,Format & Style."
BOHLKE,W.H. Florida Power & Light Co. 95/06/27. MEYERS,D. Rules & Directives Review Branch (Post 920323). 6pp. 84557:039-84557:044.

9507200195 Forwards insp repts 50-250/95-12 & 50-251/95-12 on 950626-30.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/07/12. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84816:244-84816:255.

-9507200199 Insp repts 50-250/95-12 & 50-251/95-12 on 950626-30.No violations or deviations noted.Major areas inspected: implementation of new 10CFR20 requirements.
FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201). 95/07/10. 9pp. 84816:247-84816:255.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9507240025 Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
PLUNKETT,T.F. Florida Power & Light Co. 95/07/13. Document Control Branch (Document Control Desk). 13pp. 84823:217-84823:234.

-9507240040 "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples."
FREEMAN,W.P. Nucon, Inc. 95/06/27. 5p. 84823:230-84823:234.

9507270375 Discusses 940620-21 evaluation of plant physical protection program,including mods to protection program resulting from 1994 OSRE.Mods adequate to resolve concerns raised during 1994 OSRE.
SPESSARD,R.L. 95/07/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84834:316-84834:318.

G. Adjudicatory correspondence

9507100145 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-07 in listed docket has expired.Decision became final agency action on 950606.W/Certificate of Svc.Served on 950630.
HOYLE,J.C. Office of the Secretary of the Commission. #395 16862. 95/06/29. SAVORITO,T.J. Saporito, T.J. 2pp. 84538:343-84538:344.

P. Operating license stage documents & correspondence

9507060032 Forwards safety evaluation re approval to utilize leak-before-break methodology for reactor coolant sys piping for plant,units 3 & 4.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/23. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 84540:025-84540:031.

-9507060036 Safety evaluation supporting NRC independent flow calculations to evaluate licensee LBB analysis of large diameter reactor coolant piping for plant,units 3 & 4.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 5pp. 84540:027-84540:031.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060162 Forwards copy of Order identifying FL Dept of Environ Protection as permitting agency authorized to administer NPOES permit for Turkey Point.
PLUNKETT,T.F. Florida Power & Light Co. 95/06/29. Document Control Branch (Document Control Desk). 8pp. 84617:213-84617:220.

9507240025 Forwards info in addition to plant previous responses re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
PLUNKETT,T.F. Florida Power & Light Co. 95/07/13. Document Control Branch (Document Control Desk). 13pp. 84823:217-84823:234.

-9507240040 "Pyrolysis Gas Chromatography Analysis of 7 Thermo-Lag Fire Barrier Samples."
FREEMAN,W.P., KELLER,T.A. Nucon, Inc. 95/06/27. 5p. 84823:230-84823:234.

9507190048 Transmits "Turkey Point Nuclear Plant Service Water Operational Performance Insp,Self Assessment,Final Rept."
BOHLKE,W.H. Florida Power & Light Co. 95/07/14. Document Control Branch (Document Control Desk). 1pp. 84769:001-84769:101.

-9507190070 "Service Water Operational Performance Insp,Self Assessment, Final Rept." for Turkey Point Nuclear Plant.
* Florida Power & Light Co. 95/07/14. 100pp. 84769:002-84769:101.

9507190228 Informs that audit of licensee USI A-46 program will be conducted during wk of 951205 to resolve remaining issues re USI A-46,Suppl 1 to GL 87-02 for facilities.
NORRIS,J., CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84769:219-84769:221.

9507310192 Application for amends to licenses DPR-31 & DPR-41,modifying TS Table 4.3-1 re nuclear instrumentation sys adjustments based on calorimetric measurements at reduced power levels.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84903:174-84903:189.

-9507310193 Proposed tech specs for nuclear instrumentation sys adjustments based on calorimetric measurements at reduced power levels.
* Florida Power & Light Co. 95/07/26. 3pp. 84903:187-84903:189.

9507310198 Application for amends to licenses DPR-31 & DPR-41, revising TS 3/4.1.3.1, "Movable Control Assemblies - Group Height" & 3/4.1.3.2, "Position Indication Sys - Operating" & associated bases.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 13pp. 84890:142-84890:221.

-9507310200 Proposed tech specs re rod misalignment requirement for movable control assemblies.
* Florida Power & Light Co. 95/07/26. 67pp. 84890:155-84890:221.

9507210219 Application for amends to licenses DPR-31 & DPR-41, revising TS to achieve consistency throughout document by removing outdated matl,incorporating administrative clarifications & corrections & correcting typos.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903:001-84903:022.

-9507310220 Proposed tech specs, revising TS to achieve consistency throughout document by removing outdated matl,incorporating administrative clarifications & corrections & correcting typos.
* Florida Power & Light Co. 95/07/26. 12pp. 84903:011-84903:022.

9507310224 Application for amends to licenses DPR-31 & DPR-41, adding to approved COLR analysis methodology used for SBLOCA analysis in anticipation of thermal uprate to 2,300 MWt for both units & increasing current margin to calculated PCT.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 8pp. 84902:257-84902:303.

-9507310226 Proposed tech specs, adding to approved COLR analysis methodology used for SBLOCA analysis in anticipation of thermal uprate to 2,300 MWt for both units & increasing current margin to calculated PCT.
* Florida Power & Light Co. 95/07/26. 39pp. 84902:265-84902:303.

9507310234 Application for amends to licenses DPR-31 & DPR-41, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/NIS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 19pp. 84903:221-84903:253.

-9507310236 Proposed tech specs, modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS instrumentation, Tables 4.3-1 & 4.3-2 SRs for RPS/NIS/ESFAS instrumentation & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentation.
* Florida Power & Light Co. 95/07/26. 14pp. 84903:240-84903:253.

9507310247 Application for amends to licenses DPR-31 & DPR-41, modifying TS per selected line items from NRC GL 93-05, "Line-Item TS Improvements to Reduce SRs for Testing During Power Operation."
PLUNKETT,T.F. Florida Power & Light Co. 95/07/26. Document Control Branch (Document Control Desk). 10pp. 84903:206-84903:220.

-9507310250 Proposed tech specs 4.1.3.1.2, 4.6.5.1, 4.4.6.2.2, 4.10.1.2 & Table 4.3-3 to reduce frequency of testing, per GL 93-05.
* Florida Power & Light Co. 95/07/26. 5pp. 84903:216-84903:220.

Q. Inspection reports, IE Bulletins & correspondence

9507120655 Forwards insp rept 50-250/95-10 & 50-251/95-10 on 950430-0526. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting efforts meet specified criteria.
LANDIS,K.D. Region 2 (Post 820201). 95/06/22. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84575:099-84575:128.

-9507120059 Insp repts 50-250/95-10 & 50-251/95-10 on 950430-0526.No violations noted.Major areas inspected:plant operations including operational safety & plant events,maint including surveillance observations,engineering & plant support.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/06/22. 27pp. 84575:102-84575:128.

9507110013 Comments on proposed rule re. "Review of NRC Insp Rept Content,Format & Style."
BOHLKE,W.H. Florida Power & Light Co. 95/06/27. MEYERS,D. Rules & Directives Review Branch (Post 920323). 6pp. 84557:039-84557:044.

9507200195 Forwards insp repts 50-250/95-12 & 50-251/95-12 on 950626-30.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/07/12. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84816:244-84816:255.

-9507200199 Insp repts 50-250/95-12 & 50-251/95-12 on 950626-30.No violations or deviations noted.Major areas inspected: implementation of new 10CFR20 requirements.
FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201). 95/07/10. 9pp. 84816:247-84816:255.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

24 DOCKETED ITEMS

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9507250141** Revised Maps for Corporate EPIPs from CEIP-3000 Series including rev 2 to Quad Cities Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents. W/ two oversize drawings.
* Commonwealth Edison Co. 95/06/02. 3pp. 84871:336-84871:338.
- 9507050304** Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.
- 9507030305** Revised EPIPs, including Rev 25 to QEP 150-0 & Interim Procedure 975.
* Commonwealth Edison Co. 95/06/20. 9pp. 84561:098-84561:106.
- 9507120050** Revised EPIPs, including rev 19 to QEP 100-0, rev 6 to QEP 100-T2, rev 29 to QEP 110-0, rev 10 to QEP 110-S1, rev 6 to QEP 110-S2, rev 6 to QEP 110-S3, rev 26 to QEP 150-0, rev 4 to QEP 150-T8, rev 4 to QEP 150-T9 & rev 4 to QEP 150-T10.
* Commonwealth Edison Co. 95/07/06. 28pp. 84681:272-84681:299.
- 9507180450** Revised EPIPs, including Rev 12 to QEP 175-0, "Chemistry Director Procedures," Rev 5 to QEP 175-T3, "Post-Accident Sampling Procedure List" & Rev 4 to QEP 175-T4, "Post-Accident Sample/Analysis Procedure Ref."
* Commonwealth Edison Co. 95/07/12. 9pp. 84786:027-84786:035.
- 9507200049** Revised EPIPs, including rev 17 to QEP 140-0, rev 9 to QEP 140-S1, rev 3 to QEP 140-S5, rev 27 to QEP 150-0, rev 7 to QEP 150-S5, rev 25 to QEP 730-0 & rev 11 to QEP 730-T4.
* Commonwealth Edison Co. 95/07/14. 28pp. 84815:253-84815:280.
- 9507260069** Ack receipt of 950609 FEMA ltr transmitting findings for offsite emergency preparedness aspects of plant 940727 exercise.
CREED, J.R. Region 3 (Post 820201). 95/07/14. KRAFT, E. Commonwealth Edison Co. 2pp. 84795:001-84795:081.
- 9507050302** Forwards final rept for 940727, full-participation plume exposure pathway exercise. No deficiencies noted. Five ARCA's noted.
HEPLER, O.M. Federal Emergency Management Agency. 95/06/06. SPESSARD, R.L. 2pp. 84795:003-84795:004.
- 9507260079** "Radiological Emergency Preparedness Exercise Evaluation Rept."
* Federal Emergency Management Agency. 95/05/02. 77pp. 84795:005-84795:081.
- 9507250111** Forwards util revised EP EALs
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.
- 9507240458** Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.
- 9507310045** Forwards EA & FONSI re 950621 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of Quad Cities in conjunction w/ photograph identification badges.
PULSIFER, R.M. 95/07/25. FARRAR, D.L. Commonwealth Edison Co. 2pp. 04868:328-84868:334.
- 9507310051** Environ assessment & finding of no significant impact re licensee request for exemption dtd 950621 re hand biometric sys of site access control.
PULSIFER, R.M. 95/07/25. 5pp. 84868:330-84868:334.

P. Operating license stage documents & correspondence

- 9507260262** Forwards "Response to NRR RAI (Dtd 940623) Re Core Cracking at Dresden Unit 3 & Quad Cities Unit 1."
PIET, P.L. Commonwealth Edison Co. 94/07/08. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 84853:001-84854:032.
- 9507260266** "Response to NRR RAI (Dtd 940623) Re Core Shroud Cracking at Dresden Unit 3 & Quad Cities Unit 1."
* Commonwealth Edison Co. 94/06/25. 393pp. 84853:004-84854:032.
- 9507260231** Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 telcon RAI.
PIET, P.L. Commonwealth Edison Co. 94/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 84845:302-84845:323.
- 9507100057** Forwards "Shroud Repair Program For Quad Cities Unit 2," GENE-771-111-0695 & GENE-771-113-0695, Rev 0.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 24pp. 84689:315-84689:345.
- 9507160065** Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support."
JAHANIAN, Y., POTTER, M., SVARNEY, N. Commonwealth Edison Co. GENE-771-111-0695 R0. 95/06/15. 4pp. 84689:337-84689:340.
- 9507100070** Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support."
JAHANIAN, Y., POTTER, M., SVARNEY, R. Commonwealth Edison Co. GENE-771-113-0695 R0. 95/06/15. 4pp. 84689:341-84689:345.
- 9507050405** Informs that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other mall licensees.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. O'CONNOR, J.J. Commonwealth Edison Co. 5pp. 84530:244-84530:249.
- 9507060304** Forwards amends 136,130,157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation. Amends respond to licensee application dtd 930216 re TS Upgrade program for plants.
STANG, J.F. 95/06/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84531:188-84531:255.

- 9507060314** Amends 136,130,157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to licensee application dtd 930216 re TS Upgrade Program for plants.
STANG, J.F. 95/06/23. 48pp. 84531:191-84531:238.
- 9507060323** Safety evaluation supporting amends 136,130,157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/06/23. 16pp. 84531:239-84531:255.
- 9507030145** Forwards detailed safety assessment discussing calculational methodologies used in evaluating impact of inadvertent loading.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84560:292-84560:304.
- 9507030154** "Reactor Bldg Crane & Cask Yoke Assembly Mods."
* Commonwealth Edison Co. 94/10/31. 7pp. 84560:298-84560:304.
- 9507060265** Forwards order approving transfer of licenses of plant to MidAmerican Energy Co. in response to 941121 ltr.
PULSIFER, R.M. 95/06/28. FARRAR, D.L. Commonwealth Edison Co. SHELTON, S.E. Iowa-Illinois Gas & Electric. 3pp. 84533:341-84533:356.
- 9507060276** Order approving transfer of license & notice of consideration of proposed issuance of associated amends, proposed NSHC determination & opportunity for hearing.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. Commonwealth Edison Co. 12pp. 84533:344-84533:356.
- 9506280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507060338** Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632:315-84632:315.
- 9507060338** Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599:001-84599:257.
- 9507070341** Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES, G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.
- 9507070353** "BWR Transient Analysis Methods."
FREEMAN, J.M., TSAI, R.W., RIECK, T.A. Commonwealth Edison Co. NFSR-0111 R00. 95/06/23. 200pp. 84599:003-84599:257.
- 9507100177** Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
PIET, P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 56pp. 84665:232-84666:006.
- 9507100182** Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
* Commonwealth Edison Co. 95/06/30. 79pp. 84665:288-84666:006.
- 9507110294** Forwards listed correspondences from LeBoeuf, Lamu, Greene & MacRae, supporting expedited review of proposal to transfer license W/o encl.
PULSIFER, R.M. 95/07/03. CAPRA, R.A. 1p. 84616:328-84616:328.
- 9507110188** Forwards analysis using realistic assumptions as documented in ref ltr, dtd 950630. Results confirm & further validate util conclusion that no permanent deformations nor gross yielding occurred as result of impingement.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84694:143-84694:160.
- 9507110193** "Quad Cities Unit 2 Shroud Head Contact on Upper Support."
BEHRINGER, T.J., DEBOO, G. Commonwealth Edison Co. 9389-64-DQ R00. 95/07/03. 16pp. 84694:145-84694:160.
- 9507170007** Requests inclusion of encl listed technical corrections into subsequent revs to SE re core shroud repair.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84755:356-84755:357.
- 9507130266** Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.
- 9507240401** Application for amends to licenses DPR-19, DPR-25, DPR-29 & DPR-30, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84824:121-84824:138.
- 9507240406** Proposed tech specs, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
* Commonwealth Edison Co. 95/07/19. 15pp. 84824:124-84824:138.
- 9507240466** Forwards response to NRC 950222 RAI re util TS upgrade program section 3/4.7, "Containment Sys," submitted by util on 930917. Marked-up current TS pages & marked-up BWR/4 STS pages also encl.
PIET, P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 173pp. 84823:001-84823:173.

-9507240474 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 STS requirements & requirements proposed in TS upgrade program 3/4/7.
* Commonwealth Edison Co. 95/07/20. 91pp. 84823:083-84823:173.

9507250012 Requests that ref GE ltr rept be considered for Cost Beneficial Licensing Action. Mislocated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased.
BENEŠ, G.G. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84828:333-84828:334.

Q. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507120107 Provides rev to original response to notice of violation dtd 941229 from insp repts 50-254/94-20 & 50-265/94-20.
PEARCE, L.W. Commonwealth Edison Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84681:255-84681:255.

9507180087 Forwards insp repts 50-254/95-04 & 50-265/95-04 on 950421-0602 & NOV.
HILAND, P.L. Region 3 (Post 820201). 95/07/06. KRAFT, E. Commonwealth Edison Co. 3pp. 84776:201-84776:232.

-9507180093 Notice of violation from insp on 950421-0602. Violation noted: on 950414, checklists had not been completed to document qualification of NDE contractor performing UT insp of core shroud vertical welds.
* Region 3 (Post 820201). 95/07/06. 2pp. 84776:204-84776:206.

-9507180098 Insp repts 50-254/95-04 & 50-265/95-04 on 950421-0602. No violations noted. Major areas inspected: operations, maint, surveillance, engineering & technical support, plant support & issue resolution.
HILAND, P. Region 3 (Post 820201). 95/07/06. 26pp. 84776:207-84776:232.

9507190204 Forwards SE of third 10-year interval in-service insp request for relief CR-15. Alternative contained in request for relief authorized.
CAPPA, R.A. 95/07/12. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84729:010-84729:015.

-9507190209 Safety evaluation authorizing alternative contained in third 10-yr ISI request for relief CR-15.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 4pp. 84729:012-84729:015.

R. Periodic operating reports & related correspondence

9507190334 Monthly operating repts for June 1995 for Quad Cities Nuclear Station Units 1 & 2. W/950710 ltr.
MOORE, K., PEARCE, L.W. Commonwealth Edison Co. 95/06/30. 21pp. 84790:132-84790:153.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9507170030 Rev 6 to EPIP EI-7.2, "Emergency Post-Accident Analysis."
LEE, M.T. Consumers Power Co. 95/06/12. 14pp. 84755:306-84755:319.

9507070019 Forwards insp rept 50-255/95-07 on 950413-0527 & notice of violation.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. PALMISANO, T. Consumers Power Co. 5pp. 84530:066-84530:091.

-9507070032 Insp rept 50-255/95-07 on 950413-0527. Violations noted. Major areas inspected: current matl conditions, onsite event followup, maint activities, EP, engineering, past emergency actuations, training, communications & organization.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. 20pp. 84530:072-84530:091.

9507060105 Editorial changes to Rev 2 of EI-16.2, "Post Accident Sample Monitoring Sys Supplies & Associated Equipment Checks."
CALLOWAY, A.A., NICKLES, B.C. Consumers Power Co. 95/06/28. 11pp. 84617:194-84617:205.

9507110040 Comments on proposed generic ltr re process for changes to security plans w/o prior NRC approval. Proposed GL also avoids unnecessary expense for requirements that provide no benefit.
VINCENT, R.A. Consumers Power Co. 95/06/29. NRC - No Detailed Affiliation Given. 1p. 84557:090-84557:090.

9507060369 Forwards "IPE of External Events (IPEEE)," in response to GL 88-20, Suppl 4. Results of IPEEE demonstrate acceptable performance in seismic & other external events areas. Core damage frequency for internal fires slightly high.
HAAS, K.M. Consumers Power Co. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84573:026-84573:264.

9507120396 Forwards SALP 13 rept 50-255/95-01 covering period 931031-950527. Weaknesses noted.
MILLER, H.J. Region 3 (Post 820201). 95/07/03. FENECH, R.A. Consumers Power Co. 7pp. 84675:313-84675:325.

-9507120397 SALP 13 rept 50-255/95-01 covering period 931031-950327. Weaknesses noted. Areas assessed: plant operations, maint, engineering & plant support, including radiological controls, emergency preparedness, security, fire protection & chemistry.
* Region 3 (Post 820201). 95/07/03. 5pp. 84675:321-84675:325.

9507270124 Rev 2 to Emergency Implementing (EI) Procedure EI-7.10, "Post Accident Sampling, Radioactive Gaseous Effluent Monitoring."
WYMER, S.L. Consumers Power Co. 95/07/20. 9pp. 84843:344-84843:352.

P. Operating license stage documents & correspondence

9507180101 Sixth partial response to FOIA request for documents. App H documents encl & placed in PDR. Releasable portions of records identified in App I also encl (ref FOIA Exemption 5).
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/10. GLITZENSTEIN, E. Affiliation Not Assigned. GLITZENSTEIN, E. Don't Waste Michigan. 5pp. 84723:118-84723:235.

-9507180133 Informs that NRC & consultants waiting for plant soil boring data which will be due on 940415 before proceeding w/ independent analysis.
HSIA, A.H. Probabilistic Safety Assessment Branch. 94/04/12. CRANE, P.G. Office of the General Counsel (Post 860701). BAILEY, H.A. Office for Analysis & Evaluation of Operational Data. Director LANDSMAN, R.B. Region 3 (Post 820201). 1p. 84723:147-84723:147.

9507060048 Forwards safety evaluation re plant conformance to Reg Guide RG-1.97 for condensate storage tank water level monitoring instrumentation which identified subsequent to 871020 SER.
GAMBERONI, M. 95/06/21. HAAS, K.M. Consumers Power Co. 2pp. 84539:326-84539:330.

-9507060055 Safety evaluation re review of licensee submittals which concludes that sufficient justification has been provided for deviation in seismic qualification of CST level instrumentation channel cables.
* 95/06/21. 3pp. 84539:328-84539:330.

9507060006 Comment on proposed GL re relocation of pressure temperature limit curves & low temperature overpressure protection sys limits. Supports issuance of ltr.
VINCENT, R.A. Consumers Power Co. 95/06/27. NRC - No Detailed Affiliation Given. 1p. 84516:010-84516:010.

9507060103 Forwards SE re cracking of Inconel 600 components for plant.
GAMBERONI, M. 95/06/27. HAAS, K.M. Consumers Power Co. 2pp. 84539:261-84539:279.

-9507060109 SE re cracking of Inconel 600 components at plant.
* 95/06/27. 17pp. 84539:263-84539:279.

9507060119 Forwards plant response to GL 95-03, "Circumferential Cracking of SG Tubes."
HAAS, K.M. Consumers Power Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84587:345-84587:357.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070115 Informs that nonproprietary version of table 2-14, forwarded w/950615 ltr, which responded to NRC request to withdraw licensee proprietary designation contained in table 2-14 of Consumers Power Co rept, will be placed in PDR.
GAMBERONI, M. 95/06/29. HAAS, K.M. Consumers Power Co. 3pp. 84559:203-84559:205.

9507060369 Forwards "IPE of External Events (IPEEE)," in response to GL 88-20, Suppl 4. Results of IPEEE demonstrate acceptable performance in seismic & other external events areas. Core damage frequency for internal fires slightly high.
HAAS, K.M. Consumers Power Co. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84573:026-84573:264.

-9507060372 "IPE of External Events (IPEEE)."
* Consumers Power Co. 95/06/30. 235pp. 84573:030-84573:264.

9507110249 Application for amend to license DPR-20, deleting TS 6.4, "Training" & revising TS 6.5.1.2 on Plant Review Committee Composition & 6.5.3.1 & 6.5.3.2, clarifying & modifying function & composition of Plant Safety & Licensing staff.
HAAS, K.M. Consumers Power Co. 95/07/05. Document Control Branch (Document Control Desk). 7pp. 84675:284-84675:296.

-9507110250 Proposed tech specs, deleting section 6.4, "Training," & revising sections 6.5.1.2 on Plant Review Committee Composition & 6.5.3.1 & 6.5.3.2, clarifying & modifying function & composition of Plant Safety & Licensing staff.
* Consumers Power Co. 95/07/05. 6pp. 84675:291-84675:296.

9507130267 Notification of 950724 meeting w/util in Rockville, MD to discuss specific technical aspects of Palisades reactor vessel. List of participants encl.
GAMBERONI, M. 95/07/10. HANNON, J. 3pp. 84631:349-84631:351.

Q. Inspection reports, IE Bulletins & correspondence

9507060012 Ack receipt of 950619 ltr informing NRC of steps taken to correct violations noted in insp rept 50-255/95-04.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. PALMISANO, T. Consumers Power Co. 2pp. 84516:066-84516:077.

9507070019 Forwards insp rept 50-255/95-07 on 950413-0527 & notice of violation.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. PALMISANO, T. Consumers Power Co. 5pp. 84530:066-84530:091.

-9507070021 Notice of violation from insp on 950413-0527. Violation noted: sampling deficiencies in radiological environ monitoring program remained uncorrected after being identified in Oct 1991 & 1992.
* Region 3 (Post 820201). 95/06/27. 1p. 84530:071-84530:071.

26 DOCKETED ITEMS

-9507070032 Insp rept 50-255/95-07 on 950413-0527. Violations noted. Major areas inspected: current matl conditions, onsite event followup, maint activities, EP, engineering, past emergency actuations, training, communications & organization. KROPP, W.J. Region 3 (Post 820201). 95/06/27. 20pp. 84530:072-84530:091.

9507120396 Forwards SALP 13 rept 50-255/95-01 covering period 931031-950527. Weaknesses noted. MILLER, H.J. Region 3 (Post 820201). 95/07/03. FENECH, R.A. Consumers Power Co. 7pp. 84675:313-84675:325.

-9507120397 SALP 13 rept 50-255/95-01 covering period 931031-950327. Weaknesses noted. Areas assessed: plant operations, maint, engineering & plant support, including radiological controls, emergency preparedness, security, fire protection & chemistry. * Region 3 (Post 820201). 95/07/03. 5pp. 84675:321-84675:325.

R. Periodic operating reports & related correspondence

9507110321 Monthly operating rept for June 1995 for Palisades Nuclear Plant. W/950703 ltr. BERRIS, B.W., WILLIAMS, A.L. Consumers Power Co. 95/06/30. 5pp. 84695:040-84695:044.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

Y. Operator Examinations

9507250016 Advises NRC of plant withdrawal of commitment re sending of licensed operators to simulator training on startups if outage in excess of 100 days. Simulator has been relocated on site & training has become routine part of requalification. HAAS, K.M. Consumers Power Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84828:340-84828:341.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. SEIZERT, R.D. Wisconsin Electric Power Co. WALKER, W.P. Northern States Power Co. 3pp. 84919:021-84919:023.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507210295 FOIA request for records authored by Dr R Landsman since 1989 re spent fuel or dry cask storage. WILLIAMS, O.G. JRA Associates. 94/12/14. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797:005-84797:005.

9507180101 Sixth partial response to FOIA request for documents. App H documents encl & placed in PDR. Releasable portions of records identified in App I also encl (ref FOIA Exemption 8). POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/10. GLITZENSTEIN, E. Affiliation Not Assigned. GLITZENSTEIN, E. Don't Waste Michigan. 5pp. 84723:118-84723:235.

-9507180116 Informs that author attended NMSS brief for B Bernero on Palisades dry cask storage pads as result of R Landsman ltr to Chairman Selin. EDO briefing scheduled for 940303. Supporting documentation encl. HSIA, A.H. Plant Systems Branch. 94/03/01. MARSH, L.B. Division of Radiation Safety & Safeguards (Post 921004). 17pp. 84723:125-84723:141.

-9507180122 Trip rept of 940405 site visit to audit licensee analysis on ISFSI storage pad. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/04/06. MARSH, L.M. Project Directorate III-3. 5pp. 84723:142-84723:146.

-9507180141 Forwards highlight of plant dry cask storage. BAGCHI, G. Civil Engineering & Geosciences Branch. 94/04/12. HSIA, A.H. Probabilistic Safety Assessment Branch. 2pp. 84723:148-84723:149.

-9507180145 Confirms discussion re ISFSI audit at plant, including response spectrum & slope stability. Licensee currently taking necessary steps to address seismic issues re ISFSI raised by NRC. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/04/13. LANDSMAN, R.B. Region 3 (Post 820201). 1p. 84723:150-84723:150.

-9507180155 Informs that there will be conference call w/ plant on 950506 to discuss preliminary conclusions from NRC independent assessment of dry cask storage pad & licensee assessment. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/04. BAGCHI, G. Civil Engineering & Geosciences Branch. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. 1p. 84723:151-84723:151.

-9507180164 Informs that there will be conference call today w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/06. OLSHAN, L.N. Project Directorate I-2. REAMER, W.C. Office of the General Counsel (Post 860701). BEECHER, W.M. Office of Public Affairs (Pre 870413). 1p. 84723:152-84723:152.

-9507180175 Informs that there will be conference call on 940512 w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/09. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. OLSHAN, L.N. Project Directorate I-2. 2pp. 84723:153-84723:154.

-9507180191 Forwards matls on dry cask storage facility which were sent to util on 940510. SMEDLEY, D. Sargent & Lundy, Inc. 94/05/12. KROPP, W. Region 3 (Post 820201). 22pp. 84723:155-84723:176.

-9507180197 Forwards pages from App A1 to EA-FC-864-046-A1, Rev 0. "Seismic Evaluation of Dry Cask Storage Facility," which was sent to util on 940506. SMEDLEY, D. Sargent & Lundy, Inc. 94/05/11. KROPP, W. Region 3 (Post 820201). 53pp. 84723:177-84723:229.

-9507180202 Informs of arrangement made to have bridge number for plant ISFSI public meeting on 940516 in Rockville, MD to discuss plant restart issues. Portions of encl partially deleted. HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/12. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. DEAN, W.M. Ofc of the Executive Director for Operations. 6pp. 84723:230-84723:235.

9507210298 Final response to FOIA request for records. App A records encl & available in PDF. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. WILLIAMS, O.G. JRA Associates. 2pp. 84797:006-84797:016.

-9507210303 Forwards comments on draft info notice re dry cask storage, including short paragraph from Dr R Landsman about dynamic analysis of pad & foundation. GREENMAN, E.G. Region 3 (Post 820201). 94/12/13. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 84797:010-84797:016.

9507250176 Forwards proprietary Siemens Power Corp (SPC) rept EMF-94-160, "Temp Criteria for Quenching of Fuel in Dry Storage" & ltr from SPC to CPC which resolves various CPC comments on subj rept. Rept withheld per 10CFR2.790(b). HAAS, K.M. Consumers Power Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84828:251-84828:251.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120189 Forwards insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84578:064-84578:074.

-9507120193 Insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insp associated w/ Unit 3 restart activities. GOODEN, A. Region 2 (Post 820201). 95/06/23. 7pp. 84576:068-84576:074.

9507120045 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN. JAUDON, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority. 6pp. 84575:057-84575:062.

9507070284 Revised EPIPs, including index. Rev 15 to EPIP-2, Rev 18 to EPIP-3, Rev 17 to EPIP-4, Rev 19 to EPIP-5, Rev 15 to EPIP-6 & Rev 14 to EPIP-7. W/950629 ltr. SALAS, P. Tennessee Valley Authority. 95/06/29. 101pp. 84579:160-84579:260.

9507250297 Forwards trip rept of 950514-16 visit to Browns Ferry Nuclear Plant. NEBUDA, D.T. Army, Dept. of, Corps of Engineers. 95/06/29. YOUNG, F. NRC - No Detailed Affiliation Given. 1p. 84835:253-84835:260.

-9507250301 Trip rept of 950514-16 visit to Browns Ferry Nuclear Power Station re blast evaluation & subsequent vehicle barrier location. NEBUDA, D.T. Army, Dept. of, Corps of Engineers. 95/06/06. Army, Dept. of, Corps of Engineers. 7pp. 84835:254-84835:260.

9507170017 Ack receipt of 950517 ltr forwarding detailed scenario for plant radiological emergency plan exercise. Submittal meet requirement for full participation exercise scheduled for wk of 950724. BARR, K.P. Region 2 (Post 820201). 95/07/10. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84850:335-84850:337.

9507210002 Revised EPIPs, including rev 19 to EPIP-1, rev 12 to EPIP-5, rev 14 to EPIP-7, rev 12 to EPIP-8, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 8 to EPIP-17, rev 6 to EPIP-18, rev 9 to EPIP-22 & rev 6 to EPIP-23. W/950712 ltr. CARRIER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210.

9507260004 Comment on proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate. CARRIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

9507250114 Revised Central Emergency Control Ctr (CECC) EPIPs, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5. W/950720 ltr. CARRIER, P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828:001-84828:046.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A. "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501. CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description." * Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

P. Operating license stage documents & correspondence

9507050300 Discusses 950606-07 NRC senior managers meeting to evaluate nuclear performance of operating reactors, fuel facilities & other matls licensees. Recovery of unit 3 progressing accordingly. Disposition of unit 1 indeterminate. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84516:258-84516:261.

950628062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84718:259-84518:268.

950717006 Discusses NRC 950612 ltr announcing NRC meeting w/util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at util facilities.
JAUDON,J.F. Region 2 (Post 820201). 95/06/30. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84650:296-84650:301.

9507170065 Application for amends to licenses DPR-33,DPR-52 & DPR-68 revising TS base section 3.7.A/4.7.A to clarify method of determining operability of drywell to suppression chamber vacuum breakers.
SALAS,P. Tennessee Valley Authority. 95/07/10. Document Control Branch (Document Control Desk). 3pp. 84755:201-84755:212.

-9507170062 Proposed tech specs clarifying method of determining operability of drywell to suppression chamber vacuum breakers.
* Tennessee Valley Authority. 95/07/10. 9pp. 84755:204-F:755:212.

9507210022 Confirms conversation between S Wetzel & NRC staff on 950712 concerning meeting requested by util, which has been scheduled for 950720 to discuss results of svc water sys operational performance assessment.
LESSER,M.S. Region 2 (Post 820201). 95/07/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84738:048-84738:050.

9507210178 Provides suppl info verbally requested by NRC in 950629 teleconference for review of proposed TS 349.
SALAS,P. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 10pp. 84807:337-84807:346.

9507240193 Forwards Amends 222,237 & 196 to Licenses DPR-33,DPR-52 & DPR-68, respectively & safety evaluation. Amends implement analog transmitter/trip sys on plant, revise reactor vessel water level safety limit.
WILLIAMS,J.F. 95/07/17. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84821:265-84821:363.

-9507240214 Amends 222,237 & 196 to Licenses DPR-33,DPR-52 & DPR-68, respectively, implementing analog transmitter/trip sys on plant, revise reactor vessel water level safety limit & limiting safety sys setting for Units 1,2 & 3.
HEBDON,F.J. 95/07/17. 9pp. 84821:266-84821:352.

-9507240222 Safety evaluation supporting amends 222,237 & 196 to Licenses DPR-33,DPR-52 & DPR-68, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 11pp. 84821:353-84821:363.

9507240324 Submits RAI re TVA organization topical rept, rev 6. Requests response by 950818.
HEBDON,F.J. 95/07/20. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER,P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.

9507310281 Summary of 950801 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTI,D. 95/07/26. QUAY,T.R. 46pp. 84888:143-84888:188.

9507310287 Suppls previous responses to GL 89-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR NPPs."
SALAS,P. Tennessee Valley Authority. 95/07/26. Document Control Branch (Document Control Desk). 4pp. 84902:353-84902:356.

G. Inspection reports, IF Bulletins & correspondence

9507120189 Forwards insp repts 50-259/95-30,50-260/95-30 & 50-296/95-30 on 950530-0602. No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84578:064-84578:074.

-9507120193 Insp repts 50-259/95-30,50-260/95-30 & 50-296/95-30 on 950530-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/06/23. 7pp. 84576:068-84576:074.

9507120009 Forwards insp repts 50-259/95-34,50-260/95-34 & 50-296/95-34 on 950612-16. No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/06/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84574:124-84574:133.

-9507120010 Insp repts 50-259/95-34,50-260/95-34 & 50-296/95-34 on 950612-16. No violations noted. Major areas inspected: status of licensee actions for Unit 3 compliance w/Station Blackout Rule addressed in 10CFR50.63 & loss of all ac power.
SALGADO,N., SHYMLOCK,M. Region 2 (Post 820201). 95/06/27. 7pp. 84574:127-84574:133.

9507120012 Forwards insp repts 50-259/95-31,50-260/95-31 & 50-296/95-31 on 950514-0610 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84574:136-84574:169.

-9507120020 Notice of violation from insp on 950514-0610. Violation noted: in-service testing of Unit 2 core spray testable check valves not performed IAW listed requirements.
* Region 2 (Post 820201). 95/06/28. 2pp. 84574:140-84574:141.

-9507120024 Insp repts 50-259/95-31,50-260/95-31 & 50-296/95-31 on 950514-0610. No violations noted. Major areas inspected: operations, surveillance testing & maint activities.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/06/26. 27pp. 84574:142-84574:169.

9507100409 Responds to NRC 950606 ltr re violation noted in insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26. Corrective actions: Abnormal Operating Instruction (AOI) 0-AOI-100-7 revised to provide SOCS w/latitude to evaluate weather conditions.
MACHON,R.D. Tennessee Valley Authority. 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84692:331-84692:335.

9507140281 Forwards insp repts 50-259/95-33,50-260/95-33 & 50-296/95-33 on 950605-09 & notice of violation.
BARR,K.P. Region 2 (Post 820201). 95/07/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84728:333-84728:360.

-9507140294 Notice of violation from insp on 950605-09. Violation noted: on 950609, only one out of seven individuals preparing to enter RCA to perform work on Unit 2 RHRSW sys observed to thoroughly read RWP 95-2-0-01301.
* Region 2 (Post 820201). 95/07/06. 2pp. 84728:337-84728:338.

-9507140301 Insp repts 50-259/95-33,50-260/95-33 & 50-296/95-33 on 950605-09. Violation noted. Major areas inspected: radiation monitoring sys operations & radiation protection program activities.
KUZO,G.B., LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/07/06. 22pp. 84728:339-84728:360.

9507170002 Forwards insp repts 50-259/95-36,50-260/95-36 & 50-296/95-36 on 950605-09. No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/07/07. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84650:284-84650:295.

-9507170005 Insp repts 50-259/95-36,50-260/95-36 & 50-296/95-36 on 950605-09. No violations noted. Major areas inspected: engineering/technical support, design changes, mods & resolution of drawing control related issues.
WISEMAN,G., SHYMLOCK,M.B. Region 2 (Post 820201). 95/07/06. 9pp. 84650:287-84650:295.

9507200258 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-15, 50-260/95-15 & 50-296/95-15.
GIBSON,A.F. Region 2 (Post 820201). 95/07/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84811:356-84811:358.

9507180167 Forwards "SWS Operational Performance Insp (SWSOPI) Browns Ferry Nuclear Plant." TVA plans to meet w/NRC Region II to discuss encl rept & to provide NRC w/status of corrective actions for weaknesses noted in SWSOPI self-assessment rept.
MACHON,R.D. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84785:001-84785:180.

-9507180173 "SWS Operational Performance Insp (SWSOPI) Browns Ferry Nuclear Plant."
KOBYLARZ,S.F. Ogen Environmental & Energy Services Co. (formerly ERC Environmental & Energy S. 95/06/23. 150pp. 84785:003-84785:180.

R. Periodic operating reports & related correspondence

9507210035 Revised Table 9 to Browns Ferry Nuclear Plant Annual Radiological Effluent Release Rept for Jan-Dec 1994. W/950717 ltr.
SALAS,P. Tennessee Valley Authority. 94/12/31. 4pp. 84811:341-84811:344.

9507250052 Monthly operating repts for June 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3. W/950714 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/06/30. 13pp. 84828:106-84828:118.

DOCKET 50-280 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120189 Forwards insp repts 50-259/95-30,50-260/95-30 & 50-296/95-30 on 950530-0602. No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84578:064-84578:074.

-9507120193 Insp repts 50-259/95-30,50-260/95-30 & 50-296/95-30 on 950530-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities.
GOODEN,A. Region 2 (Post 820201). 95/06/23. 7pp. 84576:068-84576:074.

9507120045 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN.
JAUDON,J.P. 95/06/27. MEDFORD,M. Tennessee Valley Authority. 6pp. 84575:057-84575:062.

9507070284 Revised EPIPs, including index. Rev 15 to EPIP-2, Rev 18 to EPIP-3, Rev 17 to EPIP-4, Rev 19 to EPIP-5, Rev 15 to EPIP-6 & Rev 14 to EPIP-7. W/950629 ltr.
SALAS,P. Tennessee Valley Authority. 95/06/29. 101pp. 84579:160-84579:260.

9507250297 Forwards trip rept of 950514-16 visit to Browns Ferry Nuclear Plant.
NEBUDA,D.T. Army, Dept. of Corps of Engineers. 95/06/29. YOUNG,F. NRC - No Detailed Affiliation Given. 1p. 84835:253-84835:260.

-9507250301 Trip rept of 950514-16 visit to Browns Ferry Nuclear Power Stations re blast evaluation & subsequent vehicle barrier location.
NEBUDA,D.T. Army, Dept. of Corps of Engineers. 95/06/06. Army, Dept. of Corps of Engineers. 7pp. 84835:254-84835:260.

9507170017 Ack receipt of 950517 ltr forwarding detailed scenario for plant radiological emergency plan exercise. Submittal meet requirement for full participation exercise scheduled for wk of 950724.
BARR,K.P. Region 2 (Post 820201). 95/07/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84650:335-84650:337.

28 DOCKETED ITEMS

9507210002 Revised EIPs, including rev 19 to EIP-1, rev 12 to EIP-6, rev 14 to EIP-7, rev 12 to EIP-8, rev 7 to EIP-10, rev 7 to EIP-12, rev 8 to EIP-17, rev 6 to EIP-18, rev 9 to EIP-22 & rev 6 to EIP-23. W/950712 ltr.
CARRIER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210.

9507260004 Comment on proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans w/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

9507250114 Revised Central Emergency Control Ctr (CECC) EIPs, including rev 2 to CECC-EIP-2, rev 17 to CECC-EIP-3, rev 18 to CECC-EIP-4 & rev 20 to CECC-EIP-5. W/950720 ltr.
CARRIER, P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828:001-84828:046.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A. "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501.
CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070314 Provides suppl info requested by NRC for review of proposed TS 259 submitted on 950511 to reflect interim addition of scram pilot air header low pressure trip function on BFN Unit 3, Revised Units 2 & 3 TS bases page encl.
SALAS, P. Tennessee Valley Authority. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84579:305-84579:321.

-9507070319 Proposed tech specs bases pages for TS 359, incorporating info re scram pilot air header low pressure trip function.
* Tennessee Valley Authority. 95/06/30. 14pp. 84579:308-84579:321.

9507170006 Discusses NRC 950612 ltr announcing NRC meeting w/util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at util facilities.
JAUDON, J.P. Region 2 (Post 820201). 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 84650:296-84650:301.

9507170065 Application for amends to licenses DPR-33, DPR-52 & DPR-68 revising TS base section 3.7.A/4.7.A to clarify method of determining operability of drywell to suppression chamber vacuum breakers.
SALAS, P. Tennessee Valley Authority. 95/07/10. Document Control Branch (Document Control Desk). 3pp. 84755:201-84755:212.

-9507170082 Proposed tech specs clarifying method of determining operability of drywell to suppression chamber vacuum breakers.
* Tennessee Valley Authority. 95/07/10. 9pp. 84755:204-84755:212.

9507210022 Confirms conversation between S Wetzel & NRC staff on 950712 concerning meeting requested by util, which has been scheduled for 950720 to discuss results of svc water sys operational performance assessment.
LESSER, M.S. Region 2 (Post 820201). 95/07/12. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84738:048-84738:050.

9507210178 Provides suppl info verbally requested by NRC in 950629 teleconference for review of proposed TS 349.
SALAS, P. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 10pp. 84807:337-84807:346.

9507240193 Forwards Amends 222,237 & 196 to Licenses DPR-33, DPR-52 & DPR-68, respectively & safety evaluation. Amends implement analog transmitter/trip sys on plant, revise reactor vessel water level safety limit.
WILLIAMS, J.F. 95/07/17. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 84821:265-84821:363.

-9507240214 Amends 222,237 & 196 to Licenses DPR-33, DPR-52 & DPR-68, respectively, implementing analog transmitter/trip sys on plant, revise reactor vessel water level safety limit & limiting safety sys setting for Units 1,2 & 3.
HEBDON, F.J. 95/07/17. 9pp. 84821:266-84821:352.

-9507240222 Safety evaluation supporting amends 222,237 & 196 to Licenses DPR-33, DPR-52 & DPR-68, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 11pp. 84821:353-84821:363.

9507240324 Submits RAI re TVA organization topical rept, rev 6. Requests response by 950818.
HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTI, D. 95/07/26. QUAY, T.R. 46pp. 84888:143-84888:188.

Q. Inspection reports, IE Bulletins & correspondence

9507120189 Forwards insp rpts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84576:064-84576:074.

-9507120193 Insp rpts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities.
GOODEN, A., BARR, K. Region 2 (Post 820201). 95/06/23. 7pp. 84576:068-84576:074.

9507120009 Forwards insp rpts 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-16. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/06/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84574:124-84574:133.

-9507120010 Insp rpts 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-16. No violations noted. Major areas inspected: status of licensee actions for Unit 3 compliance w/Station Blackout Rule addressed in 10CFR50.63 & loss of all ac power.
SALGADO, N., SHYMLOCK, M. Region 2 (Post 820201). 95/06/27. 7pp. 84574:127-84574:133.

9507120012 Forwards insp rpts 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950514-0610 & notice of violation.
LESSER, M.S. Region 2 (Post 820201). 95/06/28. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84574:136-84574:169.

-9507120020 Notice of violation from insp on 950514-0610. Violation noted: in-service testing of Unit 2 core spray testable check valves not performed IAW listed requirements.
* Region 2 (Post 820201). 95/06/28. 2pp. 84574:140-84574:141.

-9507120024 Insp rpts 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950514-0610. No violations noted. Major areas inspected: operations, surveillance testing & maint activities.
WERT, L.D., LESSER, M.S. Region 2 (Post 820201). 95/06/28. 27pp. 84574:142-84574:169.

9507100409 Responds to NRC 950606 ltr re violation noted in insp rpts 50-259/95-26, 50-260/95-26 & 50-296/95-26. Corrective actions: Abnormal Operating Instruction (AOI) 0-AOI-100-7 revised to provide SOS w/latitude to evaluate weather conditions.
MACHON, R.D. Tennessee Valley Authority. 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84692:331-84692:335.

9507140281 Forwards insp rpts 50-259/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09 & notice of violation.
BARR, K.P. Region 2 (Post 820201). 95/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84728:333-84728:360.

-9507140294 Notice of violation from insp on 950605-09. Violation noted: on 950605-09 only one out of seven individuals preparing to enter RCA to perform work on Unit 2 RHRSW sys observed to thoroughly read RWP 95-2-0-01301.
* Region 2 (Post 820201). 95/07/06. 2pp. 84728:337-84728:338.

-9507140301 Insp rpts 50-259/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09. Violation noted. Major areas inspected: radiation monitoring sys operations & radiation protection program activities.
KUZO, G.B., LOO, W.T., RANKIN, W.H. Region 2 (Post 820201). 95/07/06. 22pp. 84728:339-84728:360.

9507170002 Forwards insp rpts 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/07/07. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84650:284-84650:295.

-9507170005 Insp rpts 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09. No violations noted. Major areas inspected: engineering/technical support, design changes, mods & resolution of drawing control related issues.
WISEMAN, G., SHYMLOCK, M.B. Region 2 (Post 820201). 95/07/06. 9pp. 84650:287-84650:295.

9507200258 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp rpts 50-259/95-15, 50-260/95-15 & 50-296/95-15.
GIBSON, A.F. Region 2 (Post 820201). 95/07/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84811:356-84811:358.

9507180167 Forwards "SWS Operational Performance Insp (SWSOPI) Browns Ferry Nuclear Plant." TVA plans to meet w/NRC Region II to discuss encl rept & to provide NRC w/status of corrective actions for weaknesses noted in SWSOPI self-assessment rept.
MACHON, R.D. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84788:001-84788:180.

-9507180173 "SWS Operational Performance Insp (SWSOPI) Browns Ferry Nuclear Plant."
KOBYLARZ, S.F. Ogden Environmental & Energy Services Co. (formerly ERC Environmental & Energy S. 95/06/23. 150pp. 84785:003-84785:180.

R. Periodic operating reports & related correspondence

9507210035 Revised Table 9 to Browns Ferry Nuclear Plant Annual Radiological Effluent Release Rept for Jan-Dec 1994. W/950717 ltr.
SALAS, P. Tennessee Valley Authority. 94/12/31. 4pp. 84811:341-84811:344.

9507250052 Monthly operating rpts for June 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3. W/950714 ltr.
SMITH, T.R., SALAS, P. Tennessee Valley Authority. 95/06/30. 13pp. 84828:106-84828:118.

5. Reportable occurrences, LERs & related correspondence

9507110089 Forwards LER 95-005 re failure of BFN Unit 2 HPCI during testing. Event reported per 10CFR50.73(a)(2)(v), as condition alone could have prevented fulfillment of safety function of structure or sys needed to mitigate consequences. MACHON, R.D. Tennessee Valley Authority, 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84668:341-84668:347.

-9507110095 LER 95-005-00 on 950607, HPCI steam supply valve failed during testing due to failure of HPCI steam supply valve to open during initial start of flow test. Issued maint work order to investigate & determine cause of valve failure. AUSTIN, S.W. Tennessee Valley Authority, 95/07/07. 5pp. 84668:343-84668:347.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

9507120051 Forwards insp rept 50-261/95-18 on 950523-26 & notice of violation. COLLINS, D.M. Region 2 (Post 820201). 95/06/22. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84575:088-84575:093.

-9507120061 Notice of violation from insp on 950523-26. Violation noted: safeguards in dskettes were found stored overnight in non-approved locked cabinet outside protection area. * Region 2 (Post 820201). 95/06/22. 2pp. 84575:091-84575:092.

-9507120063 Partially withheld insp rept 50-261/95-18 on 950523-26 (ref 10CFR73.21). Major areas inspected: protected area barriers, fitness for duty & alarm stations. STRATTON, L., TOBIN, W., MCGUIRE, D. Region 2 (Post 820201). 95/06/23. 1p. 84575:093-84575:093.

9507100399 Rev 13 to Plant Emergency Procedure (PEP) PEP-302, "Dose Projections." W/950628 ltr. KRICH, R.M. Carolina Power & Light Co. 95/06/28. 78pp. 84689:199-84689:277.

9507120030 Forwards insp rept 50-261/95-17 on 950605-09. No violations or deviations noted. PEEBLES, T.A. Region 2 (Post 820201). 95/06/29. HINNANT, C.S. Carolina Power & Light Co. 2pp. 84574:248-84574:253.

-9507120032 Insp rept 50-261/95-17 on 950605-09. No violations noted. Major areas inspected: emergency operating procedures & CA for previously identified deficiencies. MELLEN, L.S., KELLOGG, P.J. Region 2 (Post 820201). 95/06/26. 14pp. 84574:250-84574:263.

9507140337 Advises that rev 30 to radiological emergency plan satisfactory & meets planning aids of 10CFR50.47(b) & requirements of App E to 10CFR50. Reminds util of 10CFR50.54(g) requirements. BARR, K.P. Region 2 (Post 820201). 95/07/06. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84760:072-84760:074.

9507280157 Ltr contract NRC-03-93-036, confirming verbal authorization provided on 950530 to commence work under subj task order w/ listed ceiling amount, to "Emergency Operating Procedures Insp for Plant." WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/07/06. COLINA, I. Science & Engineering Associates, Inc. 6pp. 84845:023-84845:028.

9507250011 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGAN, R.E. Carolina Power & Light Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787:022-84787:022.

9507250070 Forwards revs to emergency plan & procedures. W/two oversize encl. KRICH, R.M. Carolina Power & Light Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84860:001-84860:362.

-9507250073 Revised plant emergency procedures (PEP), including rev 0 to PEP-857, rev 40 to PEP-171, rev 13 to PEP-154, rev 7 to PEP-160, rev 4 to PEP-183, rev 7 to PEP-551, rev 6 to PEP-552 & rev 8 to PEP-554. * Carolina Power & Light Co. 95/07/10. 11pp. 84860:006-84860:121.

-9507250077 Rev 31 to Plant Program Procedure PL-007, "Robinson Emergency Plan." W/two oversize drawings. * Carolina Power & Light Co. 95/06/22. 241pp. 84860:122-84860:362.

I. Financial information

9507120070 Confirms that \$34,186 was electronically transferred on 950629 for fees for listed invoices. ROGAN, R.E. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84681:262-84681:262.

P. Operating license stage documents & correspondence

9507110108 Discusses 950620 mgt meeting conducted in Region II ofc to discuss plant outage issues. List of attendees encl. VERRILLI, D.M. Region 2 (Post 820201). 95/06/21. HINNANT, C.S. Carolina Power & Light Co. 46pp. 84557:273-84557:318.

9507060324 Transmits change to basis of TS Section 3.10.1.5 re CR misalignment. KRICH, R.M. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84573:356-84573:358.

-9507060327 Proposed tech specs, changing basis of TS 3.10.1.5 re CR misalignment. * Carolina Power & Light Co. 95/06/22. 1p. 84573:358-84573:358.

9507050092 Advises NRC that mod committed in plant responses to GL 93-04, dtd 930820, 940826 & 950213, implemented during refueling outage 16 on 950429. KRICH, R.M. Carolina Power & Light Co. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84565:360-84565:361.

9507060083 Response to GL-95-03, "Circumferential Cracking Of SG Tubes." KRICH, R.M. Carolina Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 11pp. 84573:345-84573:355.

9507060108 Repts significant change in application of acceptable ECCS model that resulted in reduction of calculated peak fuel cladding temperature by more than 50 F from temp calculated for limiting transient using last model. KRICH, R.M. Carolina Power & Light Co. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84617:206-84617:207.

9506200062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507070154 Forwards "HB Robinson Steam Electric Plant (HBRSEP) Unit 2 IPE for External Events Submittal Final Rept," "HBRSEP Unit 2 USI A-46 Seismic Evaluation Rept Final Rept" & "HBRSEP Unit 2 USI A-46 Relay Evaluation Rept Final Rept," per GL 88-20. KRICH, R.M. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 5pp. 84640:001-84640:175.

-9507070160 "HB Robinson Steam Electric Plant Unit 2 IPE for External Events Submittal Final Rept." OLIVER, R.E., ZARZAR, J., JOHNSON, N. Carolina Power & Light Co. 95/06/30. 400pp. 84640:007-84640:096.

-9507070167 "HB Robinson Steam Electric Plant Unit 2 USI A-46 Seismic Evaluation Rept Final Rept." * EQE, Inc. 52212-R-002 R00. 95/06/22. 168pp. 84641:097-84641:263.

-9507070174 Rev 0 to "HB Robinson Steam Electric Plant Unit 2 USI A-46 Relay Evaluation Rept Final Rept." * Carolina Power & Light Co. * EQE, Inc. 95/06/30. 276pp. 84641:264-84642:175.

9507210029 Application for amend to license DPR-23. Amend would clarify requirements in TS Section 3.8, "Refueling." KRICH, R.M., HINNANT, C.S. Carolina Power & Light Co. 95/07/17. Document Control Branch (Document Control Desk). 11pp. 84809:318-84809:329.

-9507210033 Proposed tech specs re clarification of requirements in TS Section 3.8, "Refueling." * Carolina Power & Light Co. 95/07/17. 1p. 84809:329-84809:329.

Q. Inspection reports, IE Bulletins & correspondence

9507060151 Submits suppl reply to 950407 ltr transmitting Insp Rept 50-261/95-08. KRICH, R.M. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84617:046-84617:048.

9507120051 Forwards insp rept 50-261/95-18 on 950523-26 & notice of violation. COLLINS, D.M. Region 2 (Post 820201). 95/06/22. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84575:088-84575:093.

-9507120061 Notice of violation from insp on 950523-26. Violation noted: safeguards in dskettes were found stored overnight in non-approved locked cabinet outside protection area. * Region 2 (Post 820201). 95/06/22. 2pp. 84575:091-84575:092.

-9507120063 Partially withheld insp rept 50-261/95-18 on 950523-26 (ref 10CFR73.21). Major areas inspected: protected area barriers, fitness for duty & alarm stations. STRATTON, L., TOBIN, W., MCGUIRE, D. Region 2 (Post 820201). 95/06/23. 1p. 84575:093-84575:093.

9507120030 Forwards insp rept 50-261/95-17 on 950605-09. No violations or deviations noted. PEEBLES, T.A. Region 2 (Post 820201). 95/06/29. HINNANT, C.S. Carolina Power & Light Co. 2pp. 84574:248-84574:253.

-9507120032 Insp rept 50-261/95-17 on 950605-09. No violations noted. Major areas inspected: emergency operating procedures & CA for previously identified deficiencies. MELLEN, L.S., KELLOGG, P.J. Region 2 (Post 820201). 95/06/26. 14pp. 84574:250-84574:263.

9507140221 Ack receipt of 950618 response to violation C from insp rept 50-261/95-12. VERRILLI, D.M. Region 2 (Post 820201). 95/06/29. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84737:350-84737:352.

9507140226 Forwards insp rept 50-261/95-15 on 950530-0602. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/06/30. HINNANT, C.S. Carolina Power & Light Co. 3pp. 84760:001-84760:015.

-9507140232 Insp rept 50-261/95-15 on 950530-0602. No violations noted. Major areas inspected: adequacy of licensee occupational radiation protection program during extended outages. WRIGHT, F.N., RANKIN, W.H. Region 2 (Post 820201). 95/06/26. 12pp. 84760:004-84760:015.

9507170015 Notices that on 950731, representatives of NRC will meet w/mgt of Carolina Power & Light Co for SALP meeting to discuss plant performance over past 18 months. EBNETER, S.D. Region 2 (Post 820201). 95/06/30. COPELAND, W.R. Affiliation Not Assigned. 3pp. 84650:330-84650:332.

9507140241 Ack receipt of 950622 supplemental response to violations noted in insp rept 50-261/95-08. CASTO, C.A. Region 2 (Post 820201). 95/07/07. HINNANT, C.S. Carolina Power & Light Co. 2pp. 84737:348-84737:349.

9507180032 Responds to NRC 950612 ltr re violations noted in insp rept 50-261/95-14. Util denies violation. Corrective actions: supervisor performing thimble plug shuffles relieved from duties & qualifications suspended. HINNANT, C.S. Carolina Power & Light Co. 95/07/12. Document Control Branch (Document Control Desk). 11pp. 84785:182-84785:192.

30 DOCKETED ITEMS

9507200250 Forwards insp rept 50-261/95-20 on stated date.No violations or deviations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/07/12. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84821:118-84821:132.

-9507200255 Insp rept 50-261/95-20 on stated date.No violations or deviations noted.Major areas inspected:licensee efforts re violations & open items noted during SW operational performance insp.
KELLOGG,P.J., PEEBLES,T.A. Region 2 (Post 820201). 95/07/10. 12pp. 84821:121-84821:132.

9507260066 Ack receipt of 950712 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-14.
VERRELLI,D.M. Region 2 (Post 820201). 95/07/14. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84794:330-84794:332.

9507260113 Ack receipt of 950619 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-12 on 950519.
VERRELLI,D.M. Region 2 (Post 820201). 95/07/14. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84793:268-84793:270.

9507260127 Confirms scheduling of mgt meeting on 950731 to discuss results of SALP for period of 931226-950617.
VERRELLI,D.M. Region 2 (Post 820201). 95/07/14. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84793:328-84793:330.

9507210026 Responds to NRC 950618 ltr re violations noted in insp rept 50-261/95-13.Corrective actions:RCP studs replaced & visual exam utilizing mirrors employed for two studs on either side of replaced studs.Seismic stress evaluation completed.
HINNANT,C.S. Carolina Power & Light Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84811:329-84811:331.

9507240354 Forwards insp rept 50-261/95-19 on 950514-0617 & notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 95/07/17. HINNANT,C.S. Carolina Power & Light Co. 4pp. 84824:001-84824:027.

-9507240358 Notice of violation from insp on 950514-0617.Violation noted:OMM-005 was not followed in that auxiliary operator & independent verifier initiated local clear-ance & test request re valve 20.
* Region 2 (Post 820201). 95/07/17. 3pp. 84824:005-84824:007.

-9507240360 Insp rept: 50-261/95-19 on 950514-0617.Violations noted.Major areas inspected:plant operations,maint activities, engineering efforts & plant support functions.
ORDERS,W.T., VERRELLI,D.M. Region 2 (Post 820201). 95/07/17. 20pp. 84824:008-84824:027.

9507280036 Forwards response to NRC 950622 ltr re violations noted in insp rept 50-261/95-18.Corrective actions:removed diskettes containing SGI form non-approved container & placed in approved locked security storage container.
HINNANT,C.S. Carolina Power & Light Co. 95/07/24. Document Control Branch (Document Control Desk). 4pp. 84875:001-84875:004.

R. Periodic operating reports & related correspondence

9507130158 Monthly operating rept for June 1995 for HB Robinson Steam Electric Plant,Unit 2,W/950710 ltr.
SCARBROUGH,J., KRICH,R.M. Carolina Power & Light Co. 95/06/30. 4pp. 84736:094-84736:097.

S. Reportable occurrences, LERs & related correspondence

9507110006 PNO-II-95-037 on 950620.A charging pump relief valve lifted while operating at 2% reactor power.Investigation into failure of mechanism underway.NRC notified & licensee issued press release.
VERRELLI,D. Region 2 (Post 820201). 95/06/27. 1p. 84557:015-84557:015.

9507120299 LER 95-002-00 on 950606, inadvertent MSIV closure during plant cooldown occurred.Caused by high steam flow signal created by loss of water in steam flow transmitter sensing line.insulation installed.W/950706 ltr.
GARROU,A.L., YOUNG,D.E. Consumers Power Co. 95/07/06. 5pp. 84668:323-84668:327.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9507050193 Forwards revised pages of Rev 44 to Monticello Security Plan.Encl withheld.
ANDERSON,R.O. Northern States Power Co. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84589:019-84589:019.

9507070332 Revised EPIPs,including Rev 64 to index,Rev 15 to A.2-107, Rev 3 to A.2-109,Rev 3 to A.2-206,Rev 9 to A.2-410 & Rev 8 to A.2-424.W/950630 ltr.
ANDERSON,R.O. Northern States Power Co. 95/06/30. 110pp. 84619:094-84619:204.

9507180199 Provides comments re proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Util endorses NEI comments & believes process described would provide proper screening criteria re proposed security plan.
ANDERSON,R.O. Northern States Power Co. 95/07/13. Rules & Directives Review Branch (Post 920323). 1p. 84780:339-84780:339.

P. Operating license stage documents & correspondence

950730212 Summary of 950411 meeting w/GE in Rockville,MD re power uprates for GE BWRs.List of attendees,Agenda & Overhead slides & Overhead slides for Monticello Nuclear Generating Plant encl.
WETZEL,B.A. 95/06/24. 17pp. 84512:133-84512:149.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507100385 Forwards LAR to license DPR-22, revising TS to extend surveillance test intervals & allowable out-of-svc times for selected instrumentation.
HILL,W.J. Northern States Power Co. 95/07/05. Document Control Branch (Document Control Desk). 2pp. 84668:183-84668:229.

-9507100388 LAR to license DPR-22, revising TS to extend surveillance test intervals & allowable out-of-svc times for selected instrumentation.
HILL,W.J. Northern States Power Co. 95/07/05. 10pp. 84668:185-84668:194.

-9507100390 Proposed tech specs extending surveillance test intervals & allowable out-of-svc times for selected instrumentation.
* Northern States Power Co. 95/07/05. 35pp. 84668:195-84668:229.

9507120317 Forwards notice of 950515 withdrawal of 940126 application for amend to license,modifying TS re MSIV leak rate test. Notice filed w/Ofc of FFI for publication.
KIM,T.J. 95/07/05. ANDERSON,R.O. Northern States Power Co. 2pp. 84631:301-84631:304.

-9507120321 Notice of 950515 withdrawal of 940126 application for amend to license,modifying TS re MSIV leak rate test.
KIM,T.J. 95/07/05. 2pp. 84631:303-84631:304.

9507190246 Forwards amend 93 to license DPR-22 & safety evaluation. Amend increases min core spray pump flow to more conservatively account for ECCS bypass leakage paths & makes editorial & administrative changes to sections of TS.
KIM,T.J. 95/07/12. ANDERSON,R.O. Northern States Power Co. 3pp. 84720:126-84720:151.

-9507190251 Amend 93 to license DPR-22,increasing min core spray pump flow to more conservatively account for ECCS bypass leakage sections of TS.Changes to TS encl.
HANNON,J.N. 95/07/12. 15pp. 84728:129-84728:143.

-9507190255 Safety evaluation supporting amend 93 to license DPR-22.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 8pp. 84728:144-84728:151.

Q. Inspection reports, IE Bulletins & correspondence

9507310252 Fourth partial response to FOIA request for documents. Records in App D & E will be made available in PDR,App F records will be withheld in entirety or in part (ref FOIA Exemption 3).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. KATZ,D. Citizens Awareness Network. 5pp. 84883:079-84883:121.

-9507310268 Partially withheld notice of violation & proposed imposition of civil penalty from insp on 890911-15.Violation noted:on 890822 drywell & degraded barriers of 4KV switchgear room were not positioned to positively control ar arcs to areas.
DAVIS,A.B. Region 3 (Post 820201). 89/11/29. 31pp. 84883:091-84883:121.

9507180131 Forwards insp rept 50-263/95-06 on 950510-0623.No violations noted.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/07. WATZLE. Northern States Power Co. 4pp. 84781:318-84781:337.

-9507180136 Insp rept 50-263/95-06 on 950510-0623.No violations noted. Major areas inspected:operations,engineering,maint & plant support.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/07. 16pp. 84781:322-84781:337.

R. Periodic operating reports & related correspondence

9507200042 Monthly operating rept for June 1995 for Monticello Nuclear Generating Station,W/950713 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 95/06/30. 5pp. 84799:314-84799:318.

S. Reportable occurrences, LERs & related correspondence

9507140233 LER 95-006-00 on 950610,drain valve not fully re-closed during surveillance of SJAE OG RM chamber rendering both SJAE RMs inoperable.Caused by personnel/cognitive error. Training provided & procedure changed.W/950707 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 95/07/07. 6pp. 84729:119-84729:124.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam to a section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. SEIZERT,R.D. Wisconsin Electric Power Co. WALKER,W.P. Northern States Power Co. 3pp. 84819:021-84819:023.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 9507250141 Revised Maps for Corporate EIPs from CEIP-3000 Series including rev 2 to Quad Cities Map, rev 1 to Dresden Map & revised 3000 Series Table of Contents. W/ two oversized drawings.
* Commonwealth Edison Co. 95/06/02. 3pp. 84871:336-84871:338.
- 9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.
- 9507030305 Revised EIPs, including Rev 25 to QEP 150-0 & Interim Procedure 975.
* Commonwealth Edison Co. 95/06/20. 9pp. 84561:098-84561:106.
- 9507120050 Revised EIPs, including rev 19 to QEP 100-0, rev 6 to QEP 100-T2, rev 29 to QEP 110-0, rev 10 to QEP 110-S1, rev 6 to QEP 110-S2, rev 6 to QEP 110-S3, rev 26 to QEP 150-0, rev 4 to QEP 150-T8, rev 4 to QEP 150-T9 & rev 4 to QEP 150-T10.
* Commonwealth Edison Co. 95/07/06. 28pp. 84681:272-84681:299.
- 9507180456 Revised EIPs, including Rev 12 to QEP 175-0, "Chemistry Director Procedures," Rev 5 to QEP 175-T3, "Post-Accident Sampling Procedure List" & Rev 4 to QEP 175-T4, "Post-Accident Sample/Analysis Procedure Ref."
* Commonwealth Edison Co. 95/07/12. 9pp. 84786:027-84786:035.
- 9507200049 Revised EIPs, including rev 17 to QEP 140-0, rev 9 to QEP 140-S1, rev 3 to QEP 140-S5, rev 27 to QEP 150-0, rev 7 to QEP 150-S5, rev 25 to QEP 730-0 & rev 11 to QEP 730-T4.
* Commonwealth Edison Co. 95/07/14. 28pp. 84815:253-84815:280.
- 9507260069 Ack receipt of 950609 FEMA ltr transmitting findings for offsite emergency preparedness aspects of plant 940727 exercise.
CREED, J.R. Region 3 (Post 820201). 95/07/14. KRAFT, E. Commonwealth Edison Co. 2pp. 84795:001-84795:081.
- 9507050302 Forwards final rept for 940727, full-participation plume exposure pathway exercise. No deficiencies noted. Five ARCA's noted.
HEPLER, O.M. Federal Emergency Management Agency. 95/06/09. SPESARD, R.L. 2pp. 84795:003-84795:004.
- 9507260079 "Radiological Emergency Preparedness Exercise Evaluation Rept."
* Federal Emergency Management Agency. 95/05/02. 77pp. 84795:005-84795:081.
- 9507250111 Forwards util revised EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.
- 9507240456 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOP as interim EOP.
JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 841001). 2pp. 84816:356-84816:357.
- 9507310045 Forwards EA & FONSI re 950621 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of Quad Cities in conjunction w/ photograph identification badges.
PULSIFER, R.M. 95/07/25. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84868:328-84868:334.
- 9507310051 Environ assessment & finding of no significant impact re licensee request for exemption dtd 950621 re hand biometric sys of site access control.
PULSIFER, R.M. 95/07/25. 5pp. 84868:330-84868:334.

P. Operating license stage documents & correspondence

- 9507260231 Forwards safety assessment for reactor recirculation piping, in response to NRC 940707 telcon #A1.
PIET, P.L. Commonwealth Edison Co. 84/07/12. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 84845:302-84845:323.
- 9507100057 Forwards "Shroud Repair Program For Quad Cities Unit 2," GENE-771-111-0695 & GENE-771-113-0695, Rev 0.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 24pp. 84689:315-84689:345.
- 9507100065 Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On upper Support."
JAHANIAN, Y., POTTER, M., SVARNEY, N. Commonwealth Edison Co. GENE-771-111-0695 R0. 95/06/15. 4pp. 84689:337-84689:340.
- 9507100070 Rev 0 to "Shroud Repair Program For Quad Cities Unit 2, Shroud Head Contact On Upper Support."
JAHANIAN, Y., POTTER, M., SVARNEY, R. Commonwealth Edison Co. GENE-771-113-0695 R0. 95/06/15. 4pp. 84689:341-84689:345.
- 9507050405 Informs that 950606-07 NRC senior managers met to evaluate nuclear safety performance of operating reactors, fuel facilities & other mail licensees.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. O'CONNOR, J.J. Commonwealth Edison Co. 5pp. 84530:244-84530:249.
- 9507060304 Forwards amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30 & safety evaluation. Amends respond to licensee application dtd 930216 re TS Upgrade program for plants.
STANG, J.F. 95/06/23. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84531:188-84531:255.
- 9507060314 Amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, responding to licensee application dtd 930216 re TS Upgrade Program for plants.
STANG, J.F. 95/06/23. 48pp. 84531:191-84531:238.
- 9507060323 Safety evaluation supporting amends 136, 130, 157 & 153 to licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively.
* 95/06/23. 16pp. 84531:239-84531:255.

- 9507030145 Forwards detailed safety assessment discussing calculational methodologies used in evaluating impact of inadvertent loading.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84560:282-84560:304.
- 9507030154 "Reactor Bldg Crane & Cask Yoke Assembly Mods."
* Commonwealth Edison Co. 94/10/31. 7pp. 84560:298-84560:304.
- 9507060265 Forwards order approving transfer of licenses of plant to MidAmerican Energy Co. in response to 941121 ltr.
PULSIFER, R.M. 95/06/28. FARRAR, D.L. Commonwealth Edison Co. SHELTON, S.E. Iowa-Illinois Gas & Electric. 3pp. 84533:341-84533:356.
- 9507060276 Order approving transfer of license & notice of consideration of proposed issuance of associated amends, proposed NSHC determination & opportunity for hearing.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. Commonwealth Edison Co. 12pp. 84533:344-84533:356.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507060255 Notifies that Comm Ed completed GL 89-10 MOV testing activities for Quad-Cities Station Unit 2 on 950617.
SCHRAGE, J.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84617:097-84617:097.
- 9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632:315-84632:315.
- 9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599:001-84599:257.
- 9507070341 Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES, G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.
- 9507070353 "BWR Transient Analysis Methods."
FREEMAN, J.M. Commonwealth Edison Co. NFSR-0111 R00. 95/06/23. 200pp. 84509:003-84509:257.
- 9507100177 Forwards addl info requested re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
PIET, P.L. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 56pp. 84665:232-84666:006.
- 9507100182 Proposed tech specs re TS upgrade program for Dresden Units 2 & 3 & Quad Cities Units 1 & 2.
* Commonwealth Edison Co. 95/06/30. 79pp. 84665:28A-84666:006.
- 9507100294 Forwards listed correspondences from LeBoeuf, Lamb, Greene & MacRae, supporting expedited review of proposal to transfer license W/o encl.
PULSIFER, R.M. 95/07/03. CAPRA, R.A. 1p. 84616:328-84616:328.
- 9507110188 Forwards analysis using realistic assumptions as documented in ref ltr, dtd 950630. Results confirm & further validate util conclusion that no permanent deformations nor gross yielding occurred as result of impingement.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84694:143-84694:160.
- 9507110193 "Quad Cities Unit 2 Shroud Head Contact on Upper Support."
BEHRINGER, T.J., DEBOO, G. Commonwealth Edison Co. 9389-64-DQ R00. 95/07/03. 16pp. 84694:145-84694:160.
- 9507170007 Requests inclusion of encl listed technical corrections into subsequent revs to SE re core shroud repair.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84755:356-84755:357.
- 9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.
- 9507240401 Application for amends to licenses DPR-19, DPR-25, DPR-29 & DPR-30, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84824:121-84824:138.
- 9507240406 Proposed tech specs, reflecting util efforts to upgrade existing TS Sections 1.0, "Definitions," Section 3/4.0, "Applicability," & Section 3/4.3, "Reactivity Controls."
* Commonwealth Edison Co. 95/07/19. 15pp. 84824:124-84824:138.
- 9507240466 Forwards response to NRC 950222 RAI re util TS upgrade program section 3/4.7, "Containment Sys." submitted by util on 930917. Marked-up current TS pages & marked-up BWR/4 STS pages also encl.
PIET, P.L. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 173pp. 84823:001-84823:173.
- 9507240474 Marked-up TS, consisting of cross-ref between current TS requirements & cross-ref between BWR/4 STS requirements & requirements proposed in TS upgrade program 3/4.7.
* Commonwealth Edison Co. 95/07/20. 91pp. 84823:083-84823:173.

32 DOCKETED ITEMS

9507250012 Requests that ref GE ltr rpt be considered for Cost Beneficial Licensing Action. Mislocated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased.
BENES, G.G. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84828:333-84828:334.

Q. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507120107 Provides rev to original response to notice of violation dtd 941229 from insp repts 50-254/94-20 & 50-265/94-20.
PEARCE, L.W. Commonwealth Edison Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84681:255-84681:255.

9507180087 Forwards insp repts 50-254/95-04 & 50-265/95-04 on 950421-0602 & NOV.
HILAND, P.L. Region 3 (Post 820201). 95/07/06. KRAFT, E. Commonwealth Edison Co. 3pp. 84776:201-84776:232.

-9507180093 Notice of violation from insp on 950421-0602. Violation noted on 950414, checklists had not been completed to document qualification of NDE contractor performing UT insp of core shroud vertical welds.
* Region 3 (Post 820201). 95/07/06. 2pp. 84776:204-84776:206.

-9507180096 Insp repts 50-254/95-04 & 50-265/95-04 on 950421-0602. No violations noted. Major areas inspected: operations, maint, surveillance, engineering & technical support, plant support & issue resolution.
HILAND, P. Region 3 (Post 820201). 95/07/06. 26pp. 84776:207-84776:232.

9507170004 Forwards Rev 0 of Relief Request CR-15 re plant Unit 2 third ten year interval insp. Proposed request provides alternate provisions for bolted connections.
SCHRAGE, J.L. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 4pp. 84772:355-84772:358.

9507190204 Forwards SE of third 10-year interval inservice insp request for relief CR-15. Alternative contained in request for relief authorized.
CAPRA, R.A. 95/07/12. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84729:010-84729:015.

-9507190209 Safety evaluation authorizing alternative contained in third 10-yr ISI request for relief CR-15.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 4pp. 84729:012-84729:013.

R. Periodic operating reports & related correspondence

9507190334 Monthly operating repts for June 1995 for Quad Cities Nuclear Station Units 1 & 2. W/950710 ltr.
MOORE, K., PEARCE, L.W. Commonwealth Edison Co. 95/06/30. 21pp. 84790:132-84790:153.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

DOCKET 80-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050383 Forwards public & central files versions of revised EIPs. Central files version of revised EIPs withheld.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84569:089-84569:135.

-9507050387 Public version of revised EIPs, including Rev 30 to EPIP index, Rev 27 to EPIP 1.1, Rev 28 to EPIP 1.2 & Rev 4 to EPIP 1.2.
* Wisconsin Electric Power Co. 95/06/02. 45pp. 84569:090-84569:135.

9507050397 Forwards public & central files versions of revised EIPs. Central files version of revised EIPs withheld.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 84569:001-84569:087.

-9507050407 Public version of revised EIPs, including Rev 31 to EPIP index, Rev 26 to EPIP form index, Rev 11 to EPIP 6.1, EPIP-6.6c dtd 950629, Rev 17 to EPIP-22, Rev 18 to EPIP-23, Rev 15 to EPIP-25 & Rev 14 to EPIP-26.
* Wisconsin Electric Power Co. 95/06/29. 84pp. 84569:002-84569:087.

9507050409 Forwards Rev 0 to "Point Beach Nuclear Plant Emergency Action Level Technical Basis Document."
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 6pp. 84561:191-84561:310.

-9507050417 Rev 0 to "Point Beach Nuclear Plant Emergency Action Technical Basis Document."
* Wisconsin Electric Power Co. 95/06/02. 112pp. 84561:199-84561:310.

9507110175 Forwards EA & finding of no significant impact re application dtd 940804. Exemption allows three new cable trays, installed as part of DG addition project, to remain in place in auxiliary FW pump fire area.
HANSEN, A.G. 95/07/03. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84616:333-84616:340.

-9507110184 Environmental assessment & finding of no significant impact re allowance of three new cable trays, installed as part of DG addition project, to remain in place in auxiliary FW pump fire area.
PICKETT, D.V. 95/07/03. 5pp. 84616:336-84616:340.

9507250004 Comment on proposed 10CFR50.54(p) re process for changes to security plans w/o prior NRC approval. Supports proposed clarification of language in 10CFR50.54(p).
KRIESER, G.M. Wisconsin Electric Power Co. 95/07/11. NRC - No Detailed Affiliation Given. 2pp. 84787:005-84787:006.

9507190214 Forwards exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
HANSEN, A.G. 95/07/18. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84768:330-84768:341.

-9507190220 Exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
ROE, J.W. 95/07/18. Wisconsin Electric Power Co. 9pp. 84768:333-84768:341.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507120021 Updated FSAR for Point Beach Units 1 & 2. W/950630 ltr.
KRIESER, G.M. Wisconsin Electric Power Co. 95/06/30. 330pp. 84669:001-84669:330.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:268.

9507050426 Forwards "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities," per GL 88-20, Suppl 4 & NUREG-1407.
LINK, B. Wisconsin Electric Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84562:001-84562:126.

-9507050431 "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities."
* Wisconsin Electric Power Co. 95/06/30. 488pp. 84562:003-84562:126.

9507110175 Forwards EA & finding of no significant impact re application dtd 940804. Exemption allows three new cable trays, installed as part of DG addition project, to remain in place in auxiliary FW pump fire area.
HANSEN, A.G. 95/07/03. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84616:333-84616:340.

-9507110184 Environmental assessment & finding of no significant impact re allowance of three new cable trays, installed as part of DG addition project, to remain in place in auxiliary FW pump fire area.
PICKETT, D.V. 95/07/03. 5pp. 84616:336-84616:340.

9507120126 Forwards amends 162 & 166 to licenses DPR-24 & DPR-27, respectively & safety evaluation. Amends modify TS Section 15.6.5, "Review & Audit" & Section 15.7.B, "Administrative Controls."
HANSEN, A.G. 95/07/05. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84612:336-84612:356.

-9507120131 Amends 162 & 166 to licenses DPR-24 & DPR-27, respectively, modifying TS Section 15.6.5, "Review & Audit" & TS Section 15.7.B, "Administrative Controls."
HANSEN, A.G. 95/07/05. 15pp. 84612:339-84612:353.

-9507120136 Safety evaluation supporting amends 162 & 166 to licenses DPR-24 & DPR-27, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 3pp. 84612:354-84612:356.

9507190214 Forwards exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
HANSEN, A.G. 95/07/18. LINK, R.E. Wisconsin Electric Power Co. 3pp. 84768:330-84768:341.

-9507190220 Exemption from requirements of Section III.G.2.b of App R to 10CFR50, allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
ROE, J.W. 95/07/18. Wisconsin Electric Power Co. 9pp. 84768:333-84768:341.

9507240285 Forwards requests for relief associated w/ third ASME Section XI pressure test program.
MAXFIELD, G.J. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 5pp. 84824:310-84824:314.

9507250112 Forwards "Four-YR Performance Test Rept."
KRIESER, G.M. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 8482F 288.

-9507250171 "Four-YR Performance Test Rept."
* Wisconsin Electric Power Co. 95/07/19. 13pp. 84828:276-84828:288.

Q. Inspection reports, IE Bulletins & correspondence

9507140041 Confirms requalification program insp at plant during wk of 950911, per telcon w/F Cerovac & J Hansen. Requests operating tests by 950828, per 10CFR55.59(c).
RING, M.A. Region 3 (Post 820201). 95/07/07. LINK, R. Wisconsin Electric Power Co. 2pp. 84625:195-84625:196.

9507180073 Forwards insp repts 50-266/95-06 & 50-301/95-06 on 950505-0618.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/07/10. LINK,R. Wisconsin Electric Power Co. 2pp. 84780:344-84780:357.

-9507180074 Insp repts 50-266/95-06 & 50-301/95-06 on 950505-0618.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
FARBER,M.J. Region 3 (Post 820201). 95/07/10. 12pp. 84780:346-84780:357.

9507180016 Responds to NRC 950613 ltr re violations noted in insp repts 50-266/95-04 & 50-301/95-04 on 950311-0505.Corrective actions:LOV protection declared inoperable & TS 15.3.D entered & load decrease commenced.
LINK,B. Wisconsin Electric Power Co. 95/07/12. Document Control Branch (Document Control Desk). 5pp. 84785:201-84785:205.

9507190010 Forwards insp repts 50-266/95-07 & 50-301/95-07 on 950619-23.No violations noted.
JACOBSON,J.M. Region 3 (Post 820201). 95/07/13. LINK,R. Wisconsin Electric Power Co. 2pp. 84711:008-84711:018.

-9507190015 Insp repts 50-266/95-07 & 50-301/95-07 on 950619-23.No violations noted.Major areas inspected:licensee response to GL 89-10, "Safety-Related MOV Testing & Surveillance," & licensee self-assessment in this area.
BURGESS,S.D., GUZMAN,J.G., PEGG,W.D. Region 3 (Post 820201). 95/07/13. 9pp. 84711:010-84711:018.

R. Periodic operating reports & related correspondence

9507120054 Monthly operating repts for June 1995 for Point Beach Units 1 & 2.W/950706 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/30. 9pp. 84681:263-84681:271.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507140041 Confirms requalification program insp at plant during wk of 950911,per telcon w/F Cerovac & J Hansen.Requests operating tests by 950828,per 10CFR55.59(c).
RING,M.A. Region 3 (Post 820201). 95/07/07. LINK,R. Wisconsin Electric Power Co. 2pp. 84625:195-84625:196.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

Y. Dry Cask Independent Spent Fuel Storage installations

9507200134 Informs that NRC continues to believe that requirement applicable for licensee that proposes to store spent nuclear fuel in ISFSI under license issued in Subpart K of 10CFR72.
HANSEN,A.G. 95/07/14. LINK,R.E. Wisconsin Electric Power Co. 4pp. 84752:330-84752:333.

9507200125 Discusses ISFSI preoperational testing & forwards summary of results of load testing of MSB transfer cask.
LINK,B. Wisconsin Electric Power Co. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84875:173-84875:175.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

W. Decommissioning Stage Documents & Correspondence

9507180253 Second partial response to FOIA request for records re Ft St Vrain.App C records available in PDR.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. KATZ,D. Citizens Awareness Network. 2pp. 84723:331-84723:334.

9507060185 Submits proposed revisions to criteria for classification & investigation of final radiological survey areas.
FISHER,M.J. Public Service Co. of Colorado. 95/06/28. WEBER,M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 14pp. 84617:263-84617:275.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507270119 Forwards amend 88 to license DPR-34 & safety evaluation. Amend revises FSV DTS to reflect recent organizational changes resulting from corporate restructuring to prepare for repowering site w/natural gas-power turbines.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/30. CRAWFORD,A.C. Public Service Co. of Colorado. 2pp. 84851:243-84851:266.

-9507270120 Amend 88 to license DPR-34, revising FSV DTS to reflect recent organizational changes resulting from corporate restructuring to prepare for repowering site w/natural gas-power turbines & to incorporate editorial changes.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/30. 15pp. 84851:245-84851:263.

-9507270121 Safety evaluation supporting amend 88 to license DPR-34.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 3pp. 84851:264-84851:266.

9507270052 Informs of approval of "Final Survey Rept for Repower Area" for plant.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/17. CRAWFORD,A.C. Public Service Co. of Colorado. 3pp. 84854:368-84854:361.

9507270181 Advises of approval of 950523 submittal entitled, "Final Survey Plan for Site Release, Proposed Mod to Classification & Investigation Criteria."
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/17. CRAWFORD,A.C. Public Service Co. of Colorado. 1p. 84874:096-84874:096.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507190043 Discusses info re amend to license SNM-2504 for ISFSI which would permit repowering Fort St Vrain site w/natural gas-fired combustion turbines & heat recovery SGs.
FISHER,M.J. Public Service Co. of Colorado. 95/07/12. STURZ,F.C. Source Containment & Devices Branch (Post 911213). 2pp. 84768:359-84768:360.

9507250288 Requests that NRC review & approve proposed rev to plant "ISFSI Operational Quality Program" & change to QA program re radioactive matl packages 0346.
FISHER,M.J. Public Service Co. of Colorado. 95/07/19. Office of Nuclear Material Safety & Safeguards. 2pp. 84835:331-84835:354.

-9507250290 "ISFSI Operational Quality Program."
* Public Service Co. of Colorado. 95/07/13. 21pp. 84835:333-84835:354.

9507310258 Forwards proposed amend to ISFSI TS.Changes involve membership of ISFSI Safety Review Committee & reflect organization util will use "for long term operation & maint of ISFSI,as described in util 950719 ltr.
CRAWFORD,A.C. Public Service Co. of Colorado. 95/07/21. T-4AVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 84919:009-84919:020.

-9507310262 Application for amend to license SNM-2504, revising TS re membership of ISFSI Safety Review Committee, reflecting organization util will use for long term operation & maint of ISFSI & deleting ref to FSV 10CFR50 POL.
CRAWFORD,A.C. Public Service Co. of Colorado. 95/07/21. 3pp. 84919:011-84919:013.

-9508010152 Proposed tech specs.involving membership of ISFSI Safety Review Committee, reflecting organization util will use for long term operation & maint of ISFSI & deleting ref to FSV 10CFR50 POL.
* Public Service Co. of Colorado. 95/07/21. 7pp. 84919:014-84919:020.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan,per 10CFR50.54(p).Encl withheld.
TUCKMAN,M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84622:343-84622:344.

9507170008 Rev 95-05 to Vol B, "Oconee Nuclear Site EIPs." W/950711 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 95/07/11. 35pp. 84755:320-84755:355.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507060061 "Oconee Nuclear Station FSAR 1994 Update." W/950630 ltr.
HAMPTON,J.W. Duke Power Co. 94/12/31. 1,078pp. 84590:001-84592:350.

P. Operating license stage documents & correspondence

9507030106 Informs that addl audit not necessary to accept util use of revised CROV code.Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW,H.N. 95/06/19. TUCKMAN,M.S. Duke Power Co. 4pp. 84511:281-84511:284.

9507030258 Commits to complete fatigue analyses for RCS attached piping out to first isolation valve by 990831.Schedule for completion of fatigue analyses will be developed by 960301.
HAMPTON,J.W. Duke Power Co. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84561:185-84561:186.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN,M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:128.

9507120028 Discusses 950620 meeting w/representatives from Oconee Engineering Dept in Atlanta re overview of engineering activities at site.W/list of attendees & handout.
CASTO,C.A. Region 2 (Post 820201). 95/06/28. HAMPTON,J.W. Duke Power Co. 27pp. 84574:221-84574:247.

34 DOCKETED ITEMS

9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110086 Advises NRC that review of Oconee Nuclear Station mods indicates that LPSW flow instrumentation mods have been completed.
HAMPTON, J.W. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84695:136-84695:137.

9507240112 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
TUCKMAN, M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84796:287-84796:352.

-9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
* Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

-9507240123 "DPC TR QA Program."
* Duke Power Co. 95/06/29. 5pp. 84796:297-84796:352.

9507140447 Forwards "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co." Vols 1-3.
HAMPTON, J.W. Duke Power Co. 95/07/08. Document Control Branch (Document Control Desk). 2pp. 84740:001-84745:342.

-9507140448 "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co." Vols 1-3.
* Duke Power Co. 95/06/30. 2,180pp. 84740:003-84745:342.

9507140072 Informs that staff agrees that completion of analyses by 990831 commensurate w/safety benefits gained & acceptable. Schedule for performance of fatigue analyses to be developed by 990301.
WIENS, L.A. 95/07/10. HAMPTON, J.W. Duke Power Co. 4pp. 84662:145-84662:148.

9507170064 Provides suppl response to plant QA-1 licensing basis & GL 83-28, Section 2.2.1 subpart 1.
HAMPTON, J.W. Duke Power Co. 95/07/10. Document Control Branch (Document Control Desk). 6pp. 84755:213-84755:218.

9507170136 Modifies commitment made in 950404 suppl response 4 to GL 89-13.
HAMPTON, J.W. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84755:120-84755:121.

9507240031 Discusses util intention to perform mod to reroute LPSW discharge line & consequent effluent monitoring requirement.
HAMPTON, J.W. Duke Power Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84819:347-84819:349.

9507240451 Notification of 950815 meeting w/util in Rockville, MD to discuss proposed methodology for re-analysis of FSAR Chapter 15 non-LOCA accidents & status of MK B11 fuel assembly development program and status of Duke TR Agenda encl.
WIENS, L.A. 95/07/19. BERKOW, H.N. 5pp. 84815:238-84815:242.

Q. Inspection reports, IE Bulletins & correspondence

9507120071 Forwards insp repts 50-269/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527 & notice of deviation.
CRLENJAK, R.V. Region 2 (Post 820201). 95/06/21. HAMPTON, J.W. Duke Power Co. 3pp. 84575:194-84575:219.

-9507120077 Notice of deviation from insp on 950430-0527. Deviation noted: since initial operation, Channel "A" & "B" solenoid valves which operated MSSVs were not safety-related.
* Region 2 (Post 820201). 95/06/21. 1p. 84575:197-84575:197.

-9507120082 Insp repts 50-269/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527. Deviations noted. Major areas inspected: plant operations, surveillance testing, maint activities, onsite engineering & technical assistance & plant support.
HARMON, P.E., CRLENJAK, R.V. Region 2 (Post 820201). 95/06/21. 22pp. 84575:198-84575:219.

9507140316 Ack receipt of 950623 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/95-06, 50-270/95-06 & 50-287/95-06.
CRLENJAK, R.V. Region 2 (Post 820201). 95/06/29. HAMPTON, J.W. Duke Power Co. 3pp. 84761:152-84761:154.

9507120205 Responds to ltr of 950614, accepting delay in implementation schedule for plant until EOC-16 outage (start Nov 1996) re IE Bulletin 80-04.
WIENS, L.A. 95/06/30. HAMPTON, J.W. Duke Power Co. 3pp. 84631:278-84631:280.

9507200027 Forwards insp repts 50-269/95-11, 50-270/95-11 & 50-287/95-11 on 950528-0624 & NOV.
CRLENJAK, R.V. Region 2 (Post 820201). 95/07/12. HAMPTON, J.W. Duke Power Co. 3pp. 84800:309-84800:330.

-9507200031 Notice of violation from insp on 950528-0624. Violation noted: on 950523, licensee identified problem requiring operability evaluation for three HPI sys containment isolation valves, but did not initiate PIP for problem.
* Region 2 (Post 820201). 95/07/12. 2pp. 84800:312-84800:313.

-9507200034 Insp repts 50-269/95-11, 50-270/95-11 & 50-287/95-11 on 950528-0624. Violations noted. Major areas inspected: plant operations, maint & surveillance testing, onsite engineering & plant support.
HARMON, P.E., CRLENJAK, R.V. Region 2 (Post 820201). 95/07/12. 17pp. 84800:314-84800:330.

9507200207 Ack receipt of 950315 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31. Advises that NRC will reclassify Violation 2 as non-cited. Add comments listed.
GIBSON, A.F. Region 2 (Post 820201). 95/07/12. HAMPTON, J.W. Duke Power Co. 2pp. 84800:358-84800:359.

9507240380 Forwards insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 on 950605-16. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/07/14. HAMPTON, J.W. Duke Power Co. 3pp. 84824:086-84824:104.

-9507240382 Insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 on 950605-16. No violations noted. Major areas inspected: electrical design.
RUDISAIL, S., SHYLOCK, M. Region 2 (Post 820201). 95/07/12. 18pp. 84824:089-84824:104.

9507260120 Forwards insp repts 50-269/95-13, 50-270/95-13 & 50-287/95-13 on 950619-23. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/07/14. HAMPTON, J.W. Duke Power Co. 3pp. 84793:315-84793:324.

-9507260123 Insp repts 50-269/95-13, 50-270/95-13 & 50-287/95-13 on 950619-23. No violations or deviations noted. Major areas inspected: secondary water chemistry, control room emergency ventilation sys & audits.
JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 95/07/11. 6pp. 84793:318-84793:324.

R. Periodic operating reports & related correspondence

9507060154 Forwards facility changes for 1994.
HAMPTON, J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 65pp. 84573:265-84573:329.

9507110101 Informs that no 10CFR50.46 annual rept required, since no minor changes made to B&W ECCS model & no significant errors reported for period from Jan-Dec 1994.
HAMPTON, J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84695:007-84695:008.

9507200044 Monthly operating repts for June 1995 for Oconee Nuclear Station Units 1, 2 & 3 w/950714 ltr.
WILLIAMS, R.A., WEBER, R.L. Duke Power Co. 95/06/30. 18pp. 84795:339-84795:356.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 2¹ rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee internal operating practices used when declanning MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507200100 Forwards LER 93-001-02 re design deficiency resulting in technical inoperability of emergency power source due to postulated failure of Keowee Hydro Units.
HAMPTON, J.W. Duke Power Co. 95/07/13. Document Control Branch (Document Control Desk). 1p. 84786:145-84786:154.

-9507200104 LER 93-001-02 on 930111, design deficiency resulted in technical inoperability of plant emergency power source due to postulated failure of Keowee hydro units. Prohibited use of KH units for generation to sys grid.
WILKIE, L.V. Duke Power Co. 95/07/13. 9pp. 84786:146-84786:154.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507120029 Forwards cover page of 1994 update to FSAR for Oconee ISFSI.
HAMPTON, J.W. Duke Power Co. 95/06/30. Office of Nuclear Material Safety & Safeguards. 3pp. 84681:300-84681:302.

9507200004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded canisters & transfer casks used w/ISFSI.
WIENS, L.A. 95/07/13. HAMPTON, J.W. Duke Power Co. 3pp. 84739:347-84739:352.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p). Encl withheld.
TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84622:343-84622:344.

9507170008 Rev 95-05 to Vol B, "Oconee Nuclear Site EIPs" w/950711 ltr.
FOSTER, W.W., HAMPTON, J.W. Duke Power Co. 95/07/11. 35pp. 84755:320-84755:355.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507060061 "Oconee Nuclear Station FSAR 1994 Update." w/950630 ltr.
HAMPTON, J.W. Duke Power Co. 94/12/31. 1,078pp. 84590:001-84592:350.

P. Operating license stage documents & correspondence

9507030106 Informs that add audit not necessary to accept util use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW, H.N. 95/06/19. TUCKMAN, M.S. Duke Power Co. 4pp. 84511:281-84511:284.

9507030258 Commits to complete fatigue analyses for RCS as ached piping out to first isolation valve by 990831. Schedule for completion of fatigue analyses will be developed by 990301.
HAMPTON, J.W. Duke Power Co. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84561:185-84561:186.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:128.

9507120028 Discusses 950620 meeting w/representatives from Oconee Engineering Dept in Atlanta re overview of engineering activities at site.W/list of attendees & handout.
CASTO,C.A. Region 2 (Post 820201). 95/06/28. HAMPTON,J.W. Duke Power Co. 2pp. 84574:221-84574:247.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110086 Advises NRC that review of Oconee Nuclear Station mods indicates that LPSW flow instrumentation mods have been completed.
HAMPTON,J.W. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84695:136-84695:137.

9507240112 Application for amends to licenses DPR-38,DPR-47,DPR-55, NPF-9,NPF-17,NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes,station mods,TS amends & reportable events.
TUCKMAN,M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84796:287-84796:352.

-9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes,station mods, TS amends & reportable events.
* Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

-9507240123 "DPC TR QA Program."
* Duke Power Co. 95/06/29. 58pp. 84796:297-84796:352.

9507140447 Forwards "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co." Vols 1-3.
HAMPTON,J.W. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84740:001-84745:342.

-9507140448 "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co." Vols 1-3.
* Duke Power Co. 95/06/30. 2,160pp. 84740:003-84745:342.

9507140072 Informs that staff agrees that completion of analyses by 990631,commensurate w/safety benefits gained & acceptable. Schedule for performance of fatigue analyses to be developed by 960301.
WIENS,L.A. 95/07/10. HAMPTON,J.W. Duke Power Co. 4pp. 84662:145-84662:148.

9507170064 Provides suppl response to plant QA-1 licensing basis & GL 83-28,Section 2.2.1 subpart 1.
HAMPTON,J.W. Duke Power Co. 95/07/10. Document Control Branch (Document Control Desk). 6pp. 84755:213-84755:218.

9507170136 Modifies commitment made in 950404 suppl response 4 to GL 89-13.
HAMPTON,J.W. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84755:120-84755:121.

9507240031 Discusses util intention to perform mod to reroute LPSW discharge line & consequent effluent monitoring requirement.
HAMPTON,J.W. Duke Power Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84819:347-84819:349.

9507240451 Notification of 950815 meeting w/util in Rockville,MD to discuss proposed methodology for re-analysis of FSAR Chapter 15 non-LOCA accidents & status of MK B11 fuel assembly development program and status of Duke TR Agenda encl.
WIENS,L.A. 95/07/19. BERKOW,H.N. 5pp. 84815:238-84815:242.

Q. Inspection reports, IE Bulletins & correspondence

9507120071 Forwards insp repts 50-269/95-09,50-270/95-09 & 50-287/95-09 on 950430-0527 & notice of deviation.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/21. HAMPTON,J.W. Duke Power Co. 3pp. 84575:194-84575:219.

-9507120077 Notice of deviation from insp on 950430-0527.Deviation noted:since initial operation,Channel "A" & "B" solenoid valves which operated MSSVs were not safety-related.
* Region 2 (Post 820201). 95/06/21. 1p. 84575:197-84575:197.

-9507120082 Insp repts 50-269/95-09,50-270/95-09 & 50-287/95-09 on 950430-0527.Deviations noted.Major areas inspected:plant operations,surveillance testing,maint activities,onsite engineering & technical assistance & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/06/21. 22pp. 84575:198-84575:219.

9507140316 Ack receipt of 950623 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/95-06, 50-270/95-06 & 50-287/95-06.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/29. HAMPTON,J.W. Duke Power Co. 3pp. 84761:152-84761:154.

9507260027 Forwards insp repts 50-269/95-11,50-270/95-11 & 50-287/95-11 on 950528-0624 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/07/12. HAMPTON,J.W. Duke Power Co. 3pp. 84800:309-84800:330.

-9507200034 Insp repts 50-269/95-11,50-270/95-11 & 50-287/95-11 on 950528-0624.Violations noted.Major areas inspected:plant operations,maint & surveillance testing,onsite engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/07/12. 17pp. 84800:314-84800:330.

9507200207 Ack receipt of 950315 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31.Advises that NRC will reclassify Violation 2 as non-cited.Addl comments listed.
GIBSON,A.F. Region 2 (Post 820201). 95/07/12. HAMPTON,J.W. Duke Power Co. 2pp. 84800:358-84800:359.

9507240380 Forwards insp repts 50-269/95-10,50-270/95-10 & 50-287/95-10 on 950605-16.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/07/14. HAMPTON,J.W. Duke Power Co. 3pp. 84824:066-84824:104.

-9507240382 Insp repts 50-269/95-10,50-270/95-10 & 50-287/95-10 on 950605-16.No violations noted.Major areas inspected: electrical design.
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 95/07/12. 16pp. 84824:069-84824:104.

9507260120 Forwards insp repts 50-269/95-13,50-270/95-13 & 50-287/95-13 on 950619-23.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/07/14. HAMPTON,J.W. Duke Power Co. 3pp. 84793:315-84793:324.

-9507260123 Insp repts 50-269/95-13,50-270/95-13 & 50-287/95-13 on 950619-23.No violations or deviations noted.Major areas inspected:secondary water chemistry,control room emergency ventilation sys & audits.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/07/11. 6pp. 84793:318-84793:324.

9507250106 Responds to NRC 950621 ltr re deviations noted in insp repts 50-270/95-09 & 50-287/95-09.Corrective actions:schedule for completion of fatigue analyses for RCS will be developed by 960301.
HAMPTON,J.W. Duke Power Co. 95/07/21. Document Control Branch (Document Control Desk). 10pp. 84628:289-84628:296.

R. Periodic operating reports & related correspondence

9507060154 Forwards facility changes for 1994.
HAMPTON,J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 6pp. 84573:265-84573:329.

9507110101 Informs that no 10CFR50.46 annual rept required,since no minor changes made to B&W ECCS model & no significant errors reported for period from Jan-Dec 1994.
HAMPTON,J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84695:007-84695:008.

9507200044 Monthly operating repts for June 1995 for Oconee Nuclear Station Units 1,2 & 3.W/950714 ltr.
WILLIAMS,R.A., WEBER,R.L. Duke Power Co. 95/06/30. 18pp. 84795:339-84795:356.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declairng MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507120029 Forwards cover page of 1994 update to FSAR for Oconee ISFSI.
HAMPTON,J.W. Duke Power Co. 95/06/30. Office of Nuclear Material Safety & Safeguards. 3pp. 84681:300-84681:302.

9507200004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded canisters & transfer casks used w/ISFSI.
WIENS,L.A. 95/07/13. HAMPTON,J.W. Duke Power Co. 3pp. 84739:347-84739:352.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9507030013 Informs of insp to verify that plant maintained post-fire shutdown capability achieved during initial validation insp during wk of 950731.Requests documents concerning 10CFR50, app R & FP programs to be sent to RI & BNL prior to insp.
RULAND,W.H. Region 1 (Post 820201). 95/06/22. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84488:117-84488:119.

9507050355 Requests exemption from 10CFR50,App R,Section III.J, "Emergency Lighting."
REID,D.A. Vermont Yankee Nuclear Power Corp. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84568:351-84568:353.

9507180203 Forwards util 1995 emergency response exercise manual.Encl withheld per 10CFR2.790.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/07/13. Document Control Branch (Document Control Desk). 2pp. 84785:250-84785:251.

P. Operating license stage documents & correspondence

9507030126 Forwards updated TS pages in support of application for amend re BWR thermal hydraulic stability.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84560:275-84560:291.

-9507030127 Proposed tech specs supporting proposed amend re BWR thermal hydraulic stability.
* Vermont Yankee Nuclear Power Corp. 95/06/22. 15pp. 84560:277-84560:291.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507050355 Requests exemption from 10CFR50,App R,Section III.J, "Emergency Lighting."
REID,D.A. Vermont Yankee Nuclear Power Corp. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84568:351-84568:353.

36 DOCKETED ITEMS

9507170387 Requests review & concurrence w/listed changes to info reflected in amend 43 to license DPR 28.
REID,D.A. Vermont Yankee Nuclear Power Corp. 95/07/13. Document Control Branch (Document Control Desk). 3pp. 84776:257-84776:259.

9507200148 Forwards final EPRI rept, "Inside Surface Ultrasonic Technique Capabilities as Demonstrated for Insp of FW Nozzles," demonstrating ultrasonic exam techniques as replacement to NUREG-0619 liquid penetrant exam.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84779:206-84779:253.

-9507200151 "Inside Surface Ultrasonic Technique Capabilities as Demonstrated for Insp of FW Nozzles" final rept.
SAGSTETTER,M., KIETZMAN,K. Electric Power Research Institute. 95/06/20. 47pp. 84779:207-84779:253.

9507280147 Forwards plant startup test rept for cycle 18.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/07/25. Document Control Branch (Document Control Desk). 1p. 84875:204-84875:216.

-9507280158 "Startup Test Rept. Vermont Yankee Cycle 18."
* Vermont Yankee Nuclear Power Corp. 95/07/25. 12pp. 84875:205-84875:216.

9507310074 Forwards SE of relief request RR-V12 for third yr interval pump & valve IST program for plant.Rev changes test type & test frequency of svc SWS check valves V70-43A & B.
MCKEE,P.F. 95/07/27. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84883:347-84883:353.

-9507310079 Safety evaluation approving RR-V12 per 10CFR50.55a(f)(6)(i), provided that basis expanded to show that closure verification of both V70-43A & B impractical during refueling outages.
* 95/07/27. 4pp. 84883:350-84883:353.

G. Inspection reports, IE Bulletins & correspondence

9507090013 Informs of insp to verify that plant maintained post-fire shutdown capability achieved during initial validation insp during wk of 950731 Requests documents concerning 10CFR50, app R & FP programs to be sent to RI & BNL prior to insp.
RULAND,W.H. Region 1 (Post 820201). 95/06/22. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84488:117-84488:119.

9507050112 Forwards insp rept 50-271/95-10 on 950417-21.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/06/27. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84507:201-84507:215.

-9507050116 Insp rept 50-271/95-10 on 950417-21.No violations noted. Major areas inspected:effectiveness of licensee engineering organization in providing engineering & technical support for operation of plant.
CHAUDHARY,S.K., MODES,M.C. Region 1 (Post 820201). 95/06/27. 12pp. 84507:204-84507:215.

9507120337 EN-95-047 on 950705,notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee.Action based on violations indicative of weaknesses in corrective action.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/29. 1p. 84682:314-84682:314.

9507050319 Forwards "Third Interval ISI Program 930901 - 030831," Rev 1.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84565:010-84565:256.

-9507050338 "Third interval ISI Program 930901 - 030831," Rev 1.
LARSEN,C., FIELDS,W. Vermont Yankee Nuclear Power Corp. 95/06/22. 245pp. 84565:011-84565:256.

9507100392 Forwards Safety Insp Rept 50-271/95-12 on 950501-18.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/07/03. REID,D. Vermont Yankee Nuclear Power Corp. 2pp. 84692:001-84692:013.

-9507100398 Insp Rept 50-271/95-12 on 950501-18.No violations noted. Major areas inspected:maint program & associated maint activities.
BISSETT,P., MEYER,G.W. Region 1 (Post 820201). 95/06/30. 11pp. 84692:003-84692:013.

9507120373 Discusses insp rept 50-271/95-03 & forwards notice of violation & proposed imposition of civil penalty.
MARTIN,T.T. Region 1 (Post 820201). 95/07/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 5pp. 84675:349-84675:356.

-9507120377 Notice of violation & proposed imposition of civil penalty in amount of \$50,000 Noncompliance noted:from Mar 1994 until 950306,significance condition adverse to quality existed at facility but not promptly corrected.
* Region 1 (Post 820201). 95/07/05. 3pp. 84675:354-84675:356.

9507100204 "NRC Staff Proposes to Fine Vermont Yankee Nuclear Power Corp \$50,000 for Alleged Violation of NRC Requirements."
* Office of Public Affairs (Post 911117). 95/07/06. 2pp. 84630:001-84630:002.

9507140009 Forwards insp rept 50-271/95-16 on 950612-16.No violations noted.
BLOUGH,A.R. Region 1 (Post 820201). 95/07/07. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 84625:070-84625:084.

-9507140012 Insp rept 50-271/95-16 on 950612-16.No violations noted. Major areas inspected:input to plant event repts,LERs, equivalency evaluations & minor & temporary muds.
GRAY,E.H., BURRITT,A.L., BLOUGH,A.R. Region 1 (Post 820201). 95/07/06. 13pp. 84625:072-84625:084.

9507180102 Forwards insp rept 50-271/95-13 on 950522-0609.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/07/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84785:262-84785:284.

-9507180107 Insp rept 50-271/95-13 on 950522-0609.No violations noted. Major areas inspected:verified adequacy of program, procedures,training,equipment & sys for implementing station blackout ruto.
SHANINON,J., BHATIA,R.S., RULAND,W.H. Region 1 (Post 820201). 95/07/12. 21pp. 84785:265-84785:284.

9507210049 Forwards insp rept 50-271/95-11 on 950423-0603 & notice of violation.
LINFILDE,J.C. Region 1 (Post 820201). 95/07/14. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 84738:160-84738:183.

-9507210054 Notice of violation from insp on 950423-0603 Violation noted:facility procedures do not include detailed instructions for general insp of interior surface of drywell head.
* Region 1 (Post 820201). 95/07/14. 2pp. 84738:163-84738:164.

-9507210059 Insp rept 50-271/95-11 on 950423-0603 Violations noted.Major areas inspected:operations,maint,engineering,plant support & safety assessment & quality verification.
CONTE,R.J. Region 1 (Post 820201). 95/07/14. 19pp. 84738:165-84738:183.

R. Periodic operating reports & related correspondence

9507060143 Forwards suprl effluent & waste disposal semiannual rept for third & fourth quarters of 1994.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84600:207-84600:261.

-9507060150 "Suppl Effluent & Waste Disposal Semiannual Rept for Third & Fourth Quarters 1994,including Annual Radiological Impact on Man for 1994."
* Vermont Yankee Nuclear Power Corp. 94/12/31. 52pp. 84600:208-84600:261.

9507190344 Monthly operating rept for June 1995 for Vermont Yankee Nuclear Power Station.W/950710 ltr.
WALLIN,G.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/30. 18pp. 84786:332-84786:349.

S. Reportable occurrences, LERs & related correspondence

9507170369 LER 95-002-01 on 950118,discovered inadequate FSAR statement re ventilation airflow in radwaste bldg during resin cask transfer.Rev to FSAR will be submitted to correct statement. W/950713 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/07/13. 5pp. 84764:014-84764:018.

9507250054 LER 95-009-01 on 940720,inadvertent primary containment isolation sys actuation occurred due to unexpected transfer of 120/240 volt ac bus to alternate power source during lightning storm.Reset FW valve lockups W/950720 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/07/20. 11pp. 84832:050-84832:060.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507210210 Revised EIPs,including Rev 53 to table of contents,Rev 14 to EPIP 202S, "Operations Support Ctr (OSC) Activation & Operations" & Rev 30 to EPIP 204S, "Emergency Response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 95/07/12. 82pp. 84809:001-84809:082.

9507210201 Revised EIPs,including Rev 49 to table contents,Rev 16 to EPIP 1006,Rev 14 to EPIP 1007 & Rev 31 to EPIP 1013.
* Public Service Electric & Gas Co. of New Jersey. 95/07/13. 108pp. 84811:040-84811:148.

9507210047 Forwards insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623 & NOV.
COOPER,R.W. Region 1 (Post 820201). 95/07/14. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 84738:131-84738:159.

-9507210061 Insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623.No violations noted.Major areas inspected:operations, radiological controls,maint,surveillances,security, engineering,technical support,safety assessment & QV.
WHITE,J.R. Region 1 (Post 820201). 95/07/13. 21pp. 84738:139-84738:159.

9507190124 Revised EIPs,including Rev 42 to table of contents forms, Rev 16 to un-usual event,Rev 24 to Attachment 6,Rev 23 to Attachment 7,Rev 15 to Attachment 8,Rev 22 to Attachment 9 & Rev 4 to Attachment 23.
* Public Service Electric & Gas Co. of New Jersey. 95/07/16. 71pp. 84789:176-84789:246.

9507280012 Forwards 950504 ltr from JE Lamb,which transmits FEMA Region III final rept for 941025 radiological emergency preparedness exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/07/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84830:218-84830:303.

-9507280017 Forwards final rept for plant 941025 emergency preparedness exercise.
LAMB,J.E. Federal Emergency Management Agency. 95/05/04. SILK,D. Region 1 (Post 820201). 1p. 84830:222-84830:222.

-9505220275 "Radiological Emergency Preparedness Exercise Evaluation Rept." on 941025.
* Federal Emergency Management Agency. 95/03/28. 81pp. 84830:225-84830:303.

9507250061 Revised EIPs,including rev 3 to EPIP 403,rev 4 to EPIP 501, rev 8 to EPIP 601,rev 15 to EPIP 602,rev 12 to EPIP 603,rev 3 to EPIP 604,rev 6 to EPIP 701 & rev 27 to EPIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 147pp. 84826:001-84826:147.

9507250067 Revised EIPs,including rev 13 to EPIP 901,rev 13 to EPIP 902,rev 9 to EPIP 903 & rev 19 to EPIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 59pp. 84828:047-84828:105.

9507290091 Revised EPIPs, including rev 4 to EPIP 806, rev 5 to EPIP 807 & rev 14 to EPIP 700.
* Public Service Electric & Gas Co. of New Jersey, 95/07/26, 26pp, 84827-325-84827-350.

P. Operating license stage documents & correspondence

9507200323 Forwards amends 170 & 152 to licenses DPR-70 & DPR-75, respectively & SE. Amends increase TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001, 95/06/20, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 3pp, 84753-011-84753-031.

9507200327 Amends 170 & 152 to licenses DPR-70 & DPR-75, respectively, increasing TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001, 95/06/20, 14pp, 84753-014-84753-027.

9507200331 Safety evaluation supporting amends 170 & 152 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation (Post 941001), 95/06/20, 4pp, 84753-028-84753-031.

9507180262 Forwards environmental assessment & FONSI re application for exemption dtd 950404. Exemption would defer next scheduled containment integrated leak rate test for one outage from Refuel 12 to 13.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001, 95/06/27, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 3pp, 84696-265-84696-271.

9507180288 Environ assessment & finding of no significant impact re requirement of Section III.D.1(a) of App J to 10CFR50, which requires set of three Type A tests be performed at approx equal intervals during each 10-year svc period.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001, 95/06/27, 4pp, 84696-268-84696-271.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K., 95/06/29, Consolidated Edison Co. of New York, Inc, 10pp, 84518-259-84518-260.

9507200297 Informs that licensee 950404 request for exemption to defer performance of CILRT to thirteenth refueling outage, granted. Exemption encl.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001, 95/07/05, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 4pp, 84752-282-84752-291.

9507200301 Exemption deferring performance of CILRT until 13th refueling outage.
VARGA, S.A. Division of Reactor Projects I/II (DRPE) Post 941001, 95/07/05, Public Service Electric & Gas Co. of New Jersey, 6pp, 84752-285-84752-291.

9507210108 Forwards amend 171 to license DPR-70 & safety evaluation. Amend provides one-time interval extension for Type A test required by 10CFR50 App J.
OLSHAN, L.N. Project Directorate I-2 (PD1-2) Post 941001, 95/07/05, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 3pp, 84753-349-84753-357.

9507210115 Amend 171 to license DPR-70, providing one-time interval extension for Type A test required by 10CFR50 App J.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001, 95/07/05, 4pp, 84753-352-84753-355.

9507210122 Safety evaluation supporting amend 171 to license DPR-70.
* Office of Nuclear Reactor Regulation (Post 941001), 95/07/05, 2pp, 84753-356-84753-357.

9507170261 Submits charter for formation of Salem assessment panel to assist in coordination of NRC resources for performance monitoring & assessment of Salem Nuclear Generating Station.
MARTIN, T.T. Region 1 (Post 820201), 95/07/06, LINVILLE, J.C. Region 1 (Post 820201), 3pp, 84747-350-84747-352.

9507140057 Informs of formation of Salem Assessment Panel (SAP), which will coordinate resources for performance monitoring & assessment of plant & util nuclear business unit. Lists panel responsibilities & names of panel members.
LANNING, W.D. Region 1 (Post 820201), 95/07/07, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 3pp, 84625-218-84625-220.

9507170377 Informs that util requires addl 30 days to complete review & root cause evaluations of findings of independent technical issue investigation performed for util by Synergy Consulting Svcs Corp. Response will be submitted by 950804.
THOMSON, F.X. Public Service Electric & Gas Co. of New Jersey, 95/07/11, WHITE, J. Region 1 (Post 820201), 2pp, 84776-267-84776-268.

9507190009 Forwards plant response to GL 95-03 re circumferential cracking of SG tubes evaluations & plans developed.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey, 95/07/17, Document Control Branch (Document Control Desk), 12pp, 84786-299-84786-311.

9507240262 Comments on util 950418 submittal of license change request 94-28 re containment pressure/vacuum relief valves.
TOSCH, K.W. New Jersey, State of, 95/07/20, Document Control Branch (Document Control Desk), 2pp, 84824-300-84824-301.

9507260037 Notifies that util eliminated mgt observation group commitment per 940513 ltr.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey, 95/07/22, MARTIN, T.T. Region 1 (Post 820201), 2pp, 84776-350-84776-351.

Q. Inspection reports, IE Bulletins & correspondence

9507190126 Provides info requested re Bulletin 88-08 response. Test used to verify flow meter indication, encl.
ONORATO, H. Public Service Electric & Gas Co. of New Jersey, 95/01/26, OLSHAN, L. NRC - No Detailed Affiliation Given, 4pp, 84728-122-84728-125.

9507030002 Rev II to notification of significant licensee meeting 95-42 on 950728 w/util at Region 1 o/c to discuss NRC findings re apparent violations of 10CFR50, App B.
WHITE, J.R. Region 1 (Post 820201), 95/06/22, Region 1 (Post 820201), 2pp, 84488-006-84488-007.

9507030057 Forwards response to NRC 950524 ltr re violations noted in insp repts 50-272/95-07 & 50-311/95-07. Corrective actions: personnel involved in blocking second radiation monitoring channel have been appropriately disciplined.
ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 95/06/23, Document Control Branch (Document Control Desk), 28pp, 84560-203-84560-230.

9507210047 Forwards insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623 & NOV.
COOPER, R.W. Region 1 (Post 820201), 95/07/14, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 6pp, 84738-131-84738-159.

9507210057 Notice of violation from insp on 950507-0623. Violation noted: technician failed to unlatch cylinder fuel pump rack after obtaining compression pressure for cylinder 4R on 1C emergency DG.
* Region 1 (Post 820201), 95/07/14, 2pp, 84738-137-84738-138.

9507210061 Insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623. No violations noted. Major areas inspected: operations, radiological controls, maint, surveillances, security, engineering, technical support, safety assessment & QV.
WHITE, J.R. Region 1 (Post 820201), 95/07/13, 21pp, 84738-139-84738-159.

9507260105 Forwards insp repts 50-272/95-12 & 50-311/95-12 on 950515-0608 & notice of violation. Violation of concern because significant number of circuit breaker failures have occurred due to same cause dirt in operating mechanism.
RULAND, W.H. Region 1 (Post 820201), 95/07/19, ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey, 3pp, 84793-248-84793-262.

9507260109 Notice of violation from insp on 950515-0608. Violation noted: corrective actions not taken to prevent repetitive failure that occurred between 931204-950329 re hardened grease & dirt in breaker operating mechanism.
* Region 1 (Post 820201), 95/07/19, 2pp, 84793-251-84793-252.

9507260112 Insp repts 50-272/95-12 & 50-311/95-12 on 950515-0608. Violations noted. Major areas inspected: review of maint procedures, breaker reliability & corrective actions.
SCHOLL, L., RULAND, W.F. Region 1 (Post 820201), 95/07/18, 11pp, 84793-253-84793-262.

R. Periodic operating reports & related correspondence

9507190329 Monthly operating rept for June 1995 for Salem Nuclear Generating Station Unit 1, W/950714 ltr.
PHILLIPS, R., HELLER, R., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey, 95/06/30, 8pp, 84776-352-84776-359.

S. Reportable occurrences, LERs & related correspondence

9507110166 Special rept on 950607, identified that 950601 failure of EDG 1B potential common mode failure. Util unable to determine cause at present time. LER will be submitted to NRC.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey, 95/07/03, Document Control Branch (Document Control Desk), 2pp, 84695-065-84695-066.

9507110215 Forwards LER 95-009 re valid test failure of 1B EDG.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey, 95/07/06, Document Control Branch (Document Control Desk), 1p, 84662-001-84662-011.

9507110224 LER 95-009-00 on 950601, valid test of 1B EDG & subsequent inoperability of 1B & 1C EDGs identified. Caused by inadequate vibration tolerant design of original equipment. Cracked nipple replace to restore EDG 1B availability.
PASTVA, M.J. Public Service Electric & Gas Co. of New Jersey, 95/07/06, 10pp, 84662-002-84662-011.

9507260134 Forwards LER 95-006 re TS 3.0.3 for both units was entered.
SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey, 95/07/14, Document Control Branch (Document Control Desk), 1p, 84867-354-84867-361.

9507260138 LER 95-006-00 on 950404 TS 3.0.3 for both units was entered due to inability of CR emergency air conditioning sys to automatically actuate. Operability determination has been completed.
PASTVA, M.J. Public Service Electric & Gas Co. of New Jersey, 95/07/14, 6pp, 84867-355-84867-361.

9507260142 LER 95-008-00 on 950517, controlled shutdown completed due to inoperability of switchgear & penetration area ventilation sys (SPAVS). Three SPAVS supply fans will be inspected & fan motors replaced, W/950714 ltr.
PASTVA, M.J., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey, 95/07/14, 10pp, 84868-001-84868-010.

9507260220 LER 95-010-00 on 950615, HHR pumps for long-term flow requirements for both units declared inoperable due to RHR flow instrument uncertainties. Evaluated EOPs W/950721 ltr.
PASTVA, M.J., SUMMERS, J.C. Public Service Electric & Gas Co. of New Jersey, 95/07/14, 7pp, 84868-018-84868-024.

9507270169 LER 95-011-00 on 880222, inconsistency between WCAP-11634 analysis used for postulated steam line breaks outside containment & updated FSAR was discovered due to inadequate design review, W/950721 ltr.
PASTVA, M.J., WARREN, C.C. Public Service Electric & Gas Co. of New Jersey, 95/07/21, 8pp, 84867-341-84867-349.

9507310269 Notification of nonroutine event on 950702, one dead logger-head sea turtle recovered from trash rack of CWS intake. Cause of death appeared to be severe propeller cut on remaining carapace. Turtle disposed of in landfill.
BENJAMIN, J.A. Public Service Electric & Gas Co. of New Jersey, 95/07/21, Document Control Branch (Document Control Desk), 5pp, 84903-296-84903-300.

38 DOCKETED ITEMS

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9507200154 Requests add info to complete review of amend request for license R-113 for US Geological Survey TRIGA Research Reactor
ADAMS, A. 95/07/13. FOUCH, T. Interior, Dept. of, Geological Survey. 5pp. 84750:357-84750:361.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507110096 Rev 18 to EPIP EP R-2, "Release of Airborne Radioactive Matter-Initial Assessment," & revised Table of Contents w/ 950629 ltr.
ANGUS, M.J. Pacific Gas & Electric Co. 95/06/29. 14pp. 84695:123-84695:135.

9507120014 Revised EPIPs including rev 24 to Group Index EP G-1.W/ 950629 ltr.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. 8pp. 84661:303-84661:310.

9507120076 Forwards Rev 4 of Diablo Canyon Security Force Training & Qualification Plan. Encl withheld per 10CFR2.790(d).
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84669:355-84669:355.

9507130109 Forwards insp repts 50-275/95-09 & 50-323/95-09 on 950612-16 & notice of violation. Violation of concern because represents weakness in CAP.
SCARANO, R.A. Region 4 (Post 820201). 95/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 84596:204-84596:227.

-9507130111 Notice of violation from insp on 950612-16. Violation noted: licensee failed to conduct quarterly fire drills which ensured that all fire brigade team members participated in at least to quarterly fire drills per year.
* Region 4 (Post 820201). 95/07/07. 1p. 84596:210-84596:210.

-9507130115 Insp repts 50-275/95-09 & 50-323/95-09 on 950612-16. Violations noted. Major areas inspected: status of emergency preparedness program including changes to emergency plan & implementing procedures.
DEXTER, T.W. Region 4 (Post 820201). 95/06/28. 17pp. 84596:211-84596:227.

9507250014 Comment supporting NRC generic ltr re process for changes to security plans w/o prior NRC approval.
ANGUS, M.J. Pacific Gas & Electric Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787:024-84787:024.

P. Operating license stage documents & correspondence

9507030098 Forwards Rev 2 to Calculation 335-DC, "10CFR50 App R Emergency Lighting & Communications," & rept re emergency AC & DC lighting at Diablo Canyon plant.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/23. Document Control Branch (Document Control Desk). 6pp. 84556:177-84556:324.

-9507030102 "10CFR50 App R Emergency Lighting & Communications."
* Pacific Gas & Electric Co. 94/11/17. 150pp. 84556:183-84556:324.

9507100319 Forwards amends 105 & 104 to licenses DPR-80 & DPR-82, respectively & SE. Amends revise TS for DCPD on EDG surveillance testing starting w/cycle 8, next cycle for both units.
MILLER, M.A. 95/06/26. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 84606:349-84606:363.

-9507100335 Amends 105 & 104 to licenses DPR-80 & DPR-82, respectively, revising TS for DCPD on EDG surveillance testing starting w/cycle 8, next cycle for both units.
MILLER, M.A. 95/06/26. 7pp. 84606:355-84606:361.

-9507100380 Safety evaluation supporting amends 105 & 104 to licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. 2pp. 84606:362-84606:363.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060407 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. Document Control Branch (Document Control Desk). 20pp. 84599:332-84599:351.

9507070135 Forwards amend request 95-04, proposing to change TS 3/4.4.2.2 to add mode 1 applicability & to revise LTOP sys enable temp for Mode 4 applicability from 323 degrees F to 270 degrees F.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84582:330-84582:342.

-9507070140 Application for amend to licenses DPR-80 & DPR-82, proposing to change TS 3/4.4.2.2 to add Mode 1 applicability & to revise LTOP sys enable temp for Mode 4 applicability from 323 degrees F to 270 degrees F.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. 6pp. 84582:332-84582:337.

-9507070149 Proposed tech specs, proposing to change TS 3/4.4.2.2 to add Mode 1 applicability & to revise LTOP sys enable temp for Mode 4 applicability from 323 degrees F to 270 degrees F.
* Pacific Gas & Electric Co. 95/06/29. 4pp. 84582:339-84582:342.

9507250306 Forwards trip rept of 950517-19 visit to Diablo Canyon Power Plant.
NEBUDA, D.T. Army, Dept. of, Corps of Engineers. 95/06/29. YOUNG, F. NRC - No Detailed Affiliation Given. 1p. 84835:230-84835:232.

-9507250310 Trip rept of 950517-19 visit to Diablo Canyon Power Plant re drawings & standoff calculations.
NEBUDA, D.T. Army, Dept. of, Corps of Engineers. 95/06/08. Army, Dept. of, Corps of Engineers. 2pp. 84835:231-84835:232.

9507110074 Informs NRC that util did not meet 950630 date committed in util ltr DCL 94-174 for installation of enhanced auxiliary saltwater flow instrumentation. Basis for delaying commitment listed.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84695:049-84695:050.

9507120166 Forwards corrected SE page supporting amends 105 & 104 for plant, re 2 h loaded EDG run.
MILLER, M.A. 95/07/06. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 84631:327-84631:330.

-9507120175 Corrected SE page re 2 h loaded run which will be done at load of greater than or equal to 2484 kw rather than at EDG continuous rating of 2600 as incorrectly stated in previous SE.
* 95/07/03. 1p. 84631:330-84631:330.

9507120375 Forwards amends 106 & 105 to licenses DPR-80 & DPR-82, respectively & SE. Amends revise TS 3/4.7.2.3/4.7.3.3/4.7.8. 3/4.7.11 & 3/4.7.13 IAW Commission final policy statement for relocation of current TS.
MILLER, M.A. 95/07/06. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 84625:288-84625:317.

-9507120381 Amends 106 & 105 to licenses DPR-80 & DPR-82, respectively, revising TS 3/4.7.2.3/4.7.7.3/4.7.8.3/4.7.11 & 3/4.7.13.
MILLER, M.A. 95/07/06. 19pp. 84625:292-84625:311.

-9507120383 Safety evaluation supporting amends 106 & 323 to licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 6pp. 84625:312-84625:317.

9507280113 Notification of 950803 meeting w/util in Rockville, MD to discuss licensee plans for future licensing & site activities. Agenda encl.
MILLER, M.A. 95/07/24. BATEMAN, W.H. 5pp. 84842:295-84842:299.

9507310263 Discusses review of proposed emergency TS change for plant Unit 2. Request schedule submittal within 30 days in order to comply w/10CFR50.46(a)(3)(ii).
MILLER, M.A. 95/07/24. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 84679:356-84679:359.

Q. Inspection reports, IE Bulletins & correspondence

9507120147 Informs that licensee use of requirements of Exam Category B-M-2, Item B12.20 of 1989 Code Edition, approved for first 10-year interval of ISI program plan, per 10CFR50.55a(g)(4)(iv), provided that all requirements met.
BATEMAN, W.H. 95/07/06. RUEGER, G.M. Pacific Gas & Electric Co. 2pp. 84625:282-84625:287.

-9507120151 SER approving use of requirements of Exam Category B-M-2, Item B12.20 of 1989 Code, per 10CFR50.55a(g)(4)(iv).
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 4pp. 84625:284-84625:287.

9507130109 Forwards insp repts 50-275/95-09 & 50-323/95-09 on 950612-16 & notice of violation. Violation of concern because represents weakness in CAP.
SCARANO, R.A. Region 4 (Post 820201). 95/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 84596:204-84596:227.

-9507130111 Notice of violation from insp on 950612-16. Violation noted: licensee failed to conduct quarterly fire drills which ensured that all fire brigade team members participated in at least to quarterly fire drills per year.
* Region 4 (Post 820201). 95/07/07. 1p. 84596:210-84596:210.

-9507130115 Insp repts 50-275/95-09 & 50-323/95-09 on 950612-16. Violations noted. Major areas inspected: status of emergency preparedness program including changes to emergency plan & implementing procedures.
DEXTER, T.W. Region 4 (Post 820201). 95/06/28. 17pp. 84596:211-84596:227.

9507250080 Forwards response to NRC 950621 ltr re violations noted in insp repts 50-275/95-06 & 50-323/95-08 on 950402-0513. Corrective actions: removed scaffolding planks that restricted air flow & performed engineering analysis.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/07/21. Document Control Branch (Document Control Desk). 4pp. 84828:299-84828:302.

R. Periodic operating reports & related correspondence

9507250041 "NPDES Second Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950720 ltr.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/30. BRIGGS, R.W. California, State of. 100pp. 84826:148-84826:243.

9507250057 Monthly operating repts for June 1995 for Diablo Canyon NPP Units 1 & 2. W/950712 ltr.
EUBANK, T., FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/30. 12pp. 84828:119-84828:130.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507170243 Updates on efforts to review 941006 petition to shut down plant due to listed reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results. NRC reviewing util core shroud design mod.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. OCHS, R. Maryland Safe Energy Coalition. 161pp. 84673:001-84673:161.

9507170363 Rev 16 to EPIP ERP-101, "Classification of Emergencies." W/ 950630 ltr.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 23pp. 84776:280-84776:302.

9507100398 Forwards Physical Security Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/03. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84692:014-84692:020.

9507100401 Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No violations noted. Major areas inspected: mgt support & audits, protected area intrusion detection equipment, alarm stations & security training & qualification.
SMITH, G.C., LIMROTH, D.F. Region 1 (Post 820201). 95/07/03. 4pp. 84692:017-84692:020.

9507180048 Rev 10 to "Nuclear Emergency Plan," for PBAPS Units 2 & 3 & LGS Units 1 & 2 W/950711 ltr.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/11. 39pp. 84785:206-84785:244.

9507240055 Forwards combined insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. Insp rept documents generally good performance by operators, engineers, maint & health physics technicians & station mgt.
COOPER, R.W. Region 1 (Post 820201). 95/07/17. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84751:140-84751:169.

9507240056 Insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. No violations noted. Major areas inspected: operations, surveillance, maint, engineering & technical support.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/12. 26pp. 84751:144-84751:169.

9507310058 Forwards insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/21. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84890:343-84890:357.

9507310066 Insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No violations noted. Major areas inspected: emergency facilities, equipment, instrumentation & supplies, organization & mgt controls & emergency response organization training.
LAUGHLIN, J., JOYNER, J. Region 1 (Post 820201). 95/07/21. 12pp. 84890:346-84890:357.

G. Adjudicatory correspondence

9507170243 Updates on efforts to review 941006 petition to shut down plant due to listed reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results. NRC reviewing util core shroud design mod.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. OCHS, R. Maryland Safe Energy Coalition. 161pp. 84673:001-84673:161.

P. Operating license stage documents & correspondence

9507050420 Forwards amends 203 & 206 to licenses DPR-44 & DPR-56 & safety evaluation. Amends extend surveillance test intervals & allowable out-of-svc times for testing & or repair of instrumentation that actuate reactor protection sys.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/06. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84528:119-84528:290.

9507050425 Amends 203 & 206 to licenses DPR-44 & DPR-56, respectively, extending surveillance test intervals & allowable out-of-svc times for testing & or repair of instrumentation that actuate reactor protection sys.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/06. 126pp. 84528:123-84528:248.

9507050429 Safety evaluation supporting amends 203 & 206 to licenses DPR-44 & DPR-56, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/06. 42pp. 84528:249-84528:290.

9507030259 Summary of 950511 meeting between NRC & PECO re extended emergency diesel generator allowed outage time. List of attendees, licensee draft response & licensee meeting handout encl.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/07. Project Directorate I-2 (PD1-2) Post 941001. 14pp. 84512:166-84512:226.

9507030270 Rev 5 to administrative guideline procedure AG-43, "Guideline for Performance of Sys Outages."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/09/16. 15pp. 84512:180-84512:194.

9507030281 Rev 6 to GP-23, "Diesel Generator Outages."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/09/29. 32pp. 84512:195-84512:226.

9507050263 Forwards SE supporting approved installation of WR neutron monitoring sys for licenses DPR-44 & DPR-56.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/09. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84530:203-84530:211.

9507050282 Safety evaluation approving proposed installation of WR neutron monitoring sys for licenses DPR-44 & DPR-56.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 5pp. 84530:207-84530:211.

9507110141 Forwards amends 205 & 208 to licenses DPR-44 & DPR-56, respectively & SE. Amends change existing TS requirements for source range neutron monitoring equipment while in refueling mode.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/13. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84587:064-84587:087.

9507110151 Amends 205 & 208 to licenses DPR-44 & DPR-56, respectively, changing existing TS requirements for source range neutron monitoring equipment while in refueling mode.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/13. 16pp. 84587:067-84587:082.

9507110155 Safety evaluation supporting amends 205 & 208 to licenses DPR-44 & DPR-56, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 5pp. 84587:083-84587:087.

9507050154 Advises NRC of plant opposition to Condition 9 re EDG allowed OOS time. Reasons for opposition listed.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/16. Document Control Branch (Document Control Desk). 6pp. 84569:348-84569:353.

9507030076 Confirms commitments for PBAPS Unit 3 concerning power rate.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84555:356-84555:360.

9507050136 Forwards "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud," & proprietary "Shroud Mechanical Repair Program PBAPS Units 2 & 3 Shroud & Shroud Repair Hardware Stress Analysis." Proprietary encl withheld.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/22. Document Control Branch (Document Control Desk). 36pp. 84632:190-84632:314.

9507050141 "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud."
LENZ, M.O., MCCLEAN, N.A., TSCHANTRE, L.E. General Electric Co. GENE-771-59-0994 R04. 95/06/30. 89pp. 84632:226-84632:314.

9507050214 Provides written notice that util has implemented TS amend 206.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84570:207-84570:208.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507170001 Discusses Rev B to TS change request 93-16. Request originally submitted to NRC on 940929. Rev reflects incorporation of NRC review comments re plant conversion to improved TSs per NUREG-1433.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/07. Document Control Branch (Document Control Desk). 3pp. 84775:348-84775:350.

9507180291 Forwards SE which denies rev 2 to relief request GVRR-2 of second ten year interval of in-service testing program.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/07. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84696:242-84696:250.

9507180296 SER denying rev 2 to relief request GVRR-2 of second 10-year interval of in-service testing program.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 5pp. 84696:246-84696:250.

9507170057 Identifies administrative error associated w/submittal of TS change request 9003 & requests that NRC concur w/proposed corrective action.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84755:219-84755:220.

9507190075 Ack receipt of 941114 10CFR50.54(a) submittal transmitting proposed changes to QA Program description for plant & response to 950410 request for addl info.
MODES, J.C. Region 1 (Post 820201). 95/07/10. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84723:285-84723:287.

9507190017 Notification of significant licensee meeting 95-66 w/util on 950802 to discuss NRC findings relative to violation of TS 3.9.B.3 since E2 EDG was inoperable for more than 7 days.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/12. Region 1 (Post 820201). 2pp. 84711:029-84711:029.

9507200120 Resubmits modified version of Rev 2 to Relief Request GVRR-2 to second 10-yr interval of IST program & addresses NRC three concerns provided in Section 2.3 of SE attached to NRC 950707 ltr denying 950215 proposed rev 2 to relief request.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/14. Document Control Branch (Document Control Desk). 6pp. 84779:298-84779:303.

9507270307 Notification of significant licensee meeting 95-70 w/util on 950810 to discuss plans for implementing standard TS at Peach Bottom.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/21. Region 1 (Post 820201). 2pp. 84853:077-84853:078.

9507280042 Application for amends to licenses DPR-44 & DPR-56, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433, Std TS, GE Plants, BWR/4."
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84875:111-84875:135.

9507280054 Proposed tech specs, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433, "Std TS, GE Plants, BWR/4."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. 25pp. 84875:119-84875:135.

9507280287 Forwards amends 208 & 212 to licenses DPR-44 & DPR-56, respectively & safety evaluation. Amends relocate Nuclear Review Board review requirements, ISEG requirements & certain review & audit requirements from TS.
SHEA, J.W. 95/07/25. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84845:052-84845:077.

9507280291 Amends 208 & 212 to licenses DPR-44 & DPR-56, respectively, relocating NRB review requirements, ISEG requirements & certain review & audit requirements from TS.
STOLZ, J.F. 95/07/25. 16pp. 84845:056-84845:071.

9507280293 Safety evaluation supporting amends 208 & 212 to licenses DPR-44 & DPR-56, respectively.
* 95/07/25. 6pp. 84845:072-84845:077.

40 DOCKETED ITEMS

G. Inspection reports, IE Bulletins & correspondence

9507170243 Updates on efforts to review 941006 petition to shut down plant due to listed reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results. NRC reviewing util core shroud design mod.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. OCHS, R. Maryland Safe Energy Coalition. 161pp. 84673:001-84673:161.

9507100331 Forwards insp repts 50-277/95-17 & 50-278/95-17 on 950612-16. No violations noted.
MEYER, G.W. Region 1 (Post 820201). 95/06/29. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 84692:208-84692:214.

-9507100336 Insp repts 50-277/95-17 & 50-278/95-17 on 950612-16. No violations noted. Major areas inspected: sys testing & maint activities.
SISCO, C., MEYER, G.W. Region 1 (Post 820201). 95/06/29. 5pp. 84692:210-84692:214.

9507100396 Forwards Physical Security Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/03. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84692:014-84692:020.

-9507100401 Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No violations noted. Major areas inspected: mgt support & audits, protected area intrusion detection equipment, alarm stations & security training & qualification.
SMITH, G.C., LIMROTH, D.F. Region 1 (Post 820201). 95/07/03. 4pp. 84692:017-84692:020.

9507100251 Ack receipt of 950623 ltr informing NRC of steps taken to correct violations noted in insp rept 50-277/95-08 on 950319-0422.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/05. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84692:313-84692:318.

9507240055 Forwards combined insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. Insp rept documents generally good performance by operators, engineers, maint & health physics technicians & station mgt.
COOPER, R.W. Region 1 (Post 820201). 95/07/17. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84751:140-84751:169.

-9507240066 Insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. No violations noted. Major areas inspected: operations, surveillance, maint, engineering & technical support.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/12. 26pp. 84751:144-84751:169.

9507280068 Forwards Rev 4 to Relief Request RR-14 for PBAPS, Units 2 & 3 second ten-yr interval ISI program. Relief request would allow authorization to utilize Code Cases N-498-1 & N-416-1. Withdraws Relief Requests RR-14, Rev 3 & RR-20, Rev 2.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. Document Control Branch (Document Control Desk). 6pp. 84875:159-84875:164.

9507310058 Forwards insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/21. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84890:343-84890:357.

-9507310066 Insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No violations noted. Major areas inspected: emergency facilities, equipment, instrumentation & supplies, organization & mgt controls & emergency response organization training.
LAUGHLIN, J., JOYNER, J. Region 1 (Post 820201). 95/07/21. 12pp. 84890:346-84890:357.

F. Periodic operating reports & related correspondence

9507200015 Monthly operating repts for June 1995 for PBAPS Units 2 & 3. W/950712 ltr.
JEFFREY, W.J., RAINEY, G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 14pp. 84799:319-84799:332.

S. Reportable occurrences, LERs & related correspondence

9507130186 LER 95-001-00 on 950609, E-2 DG output breaker tripped open. Loss of power to 4kV bus caused Group II & III isolation. Caused by inadequate review of Routine Test RT-0-052-252-2. PCIS logic reset & affected sys restored W/undated ltr.
WASONG, A.J., EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/07. 4pp. 84882:315-84882:318.

9507280031 LER 95-002-00 on 950618, condition was prohibited by TS when two DGs inoperable at same time due to 59G relay issue. Corrected wiring discrepancy on E-2D/G & completed performance of post maint test W/950721 ltr.
WASONG, A.J., EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. 8pp. 84883:162-84883:169.

9507310165 Special rept on 950630, determined that number 12 cylinder on E-1 D/G had lower than normal operating temps during surveillance test. Caused by failure of fuel oil injector pump. Injector pump replaced & satisfactorily tested.
EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84903:288-84903:289.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507170243 Updates on efforts to review 941006 petition to shut down plant due to listed reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results. NRC reviewing util core shroud design mod.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. OCHS, R. Maryland Safe Energy Coalition. 161pp. 84673:001-84673:161.

9507170363 Rev 16 to EPIP ERP-101, "Classification of Emergencies." W/ 950630 ltr.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 23pp. 84776:280-84776:302.

9507100398 Forwards Physical Security Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/03. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84692:014-84692:020.

-9507100401 Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14. No violations noted. Major areas inspected: mgt support & audits, protected area intrusion detection equipment, alarm stations & security training & qualification.
SMITH, G.C. Region 1 (Post 820201). 95/07/03. 4pp. 84692:017-84692:020.

9507180048 Rev 10 to "Nuclear Emergency Plan," for PBAPS Units 2 & 3 & LGS Units 1 & 2. W/950711 ltr.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/11. 39pp. 84785:206-84785:244.

9507240055 Forwards combined insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. Insp rept documents generally good performance by operators, engineers, maint & health physics technicians & station mgt.
COOPER, R.W. Region 1 (Post 820201). 95/07/17. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84751:140-84751:169.

-9507240066 Insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624. No violations noted. Major areas inspected: operations, surveillance, maint, engineering & technical support.
ANDERSON, C.J. Region 1 (Post 820201). 95/07/12. 26pp. 84751:144-84751:169.

9507310058 Forwards insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/21. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84890:343-84890:357.

-9507310066 Insp repts 50-277/95-14 & 50-278/95-14 on 950612-16. No violations noted. Major areas inspected: emergency facilities, equipment, instrumentation & supplies, organization & mgt controls & emergency response organization training.
LAUGHLIN, J. Region 1 (Post 820201). 95/07/21. 12pp. 84890:346-84890:357.

G. Adjudicatory correspondence

9507170243 Updates on efforts to review 941006 petition to shut down plant due to listed reasons, including electrical control cable fire risk. Core shroud acceptable IAW insp results. NRC reviewing util core shroud design mod.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. OCHS, R. Maryland Safe Energy Coalition. 161pp. 84673:001-84673:161.

P. Operating license stage documents & correspondence

9507050420 Forwards amends 203 & 206 to licenses DPR-44 & DPR-56 & safety evaluation. Amends extend surveillance test intervals & allowable out-of-svc times for testing & or repair of instrumentation that actuate reactor protection sys.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/06. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84528:119-84528:290.

-9507050425 Amends 203 & 206 to licenses DPR-44 & DPR-56, respectively, extending surveillance test intervals & allowable out-of-svc times for testing & or repair of instrumentation that actuate reactor protection sys.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/06. 126pp. 84528:123-84528:248.

-9507050429 Safety evaluation supporting amends 203 & 206 to licenses DPR-44 & DPR-56, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/06. 42pp. 84528:249-84528:290.

9507030259 Summary of 950511 meeting between NRC & PECO re extended emergency diesel generator allowed outage time. List of attendees, licensee draft response & licensee meeting handout encl.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/07. Project Directorate I-2 (PD1-2) Post 941001. 14pp. 84512:166-84512:226.

-9507030270 Rev 5 to administrative guideline procedure AG-43, "Guideline for Performance of Sys Outages."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/09/16. 15pp. 84512:180-84512:194.

-9507030281 Rev 6 to GP-23, "Diesel Generator Outages."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/09/29. 32pp. 84512:195-84512:226.

9507050263 Forwards SE supporting approved installation of WR neutron monitoring sys for licenses DPR-44 & DPR-56.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/09. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84530:203-84530:211.

-9507050282 Safety evaluation approving proposed installation of WR neutron monitoring sys for licenses DPR-44 & DPR-56.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 5pp. 84530:207-84530:211.

9507110141 Forwards amends 205 & 208 to licenses DPR-44 & DPR-56, respectively & SE. Amends change existing TS requirements for source range neutron monitoring equipment while in refueling mode.
SHEA, J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/13. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84587:064-84587:067.

-9507110151 Amends 205 & 208 to licenses DPR-44 & DPR-56, respectively, changing existing TS requirements for source range neutron monitoring equipment while in refueling mode.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/13. 16pp. 84587:067-84587:082.

-9507110155 Safety evaluation supporting amends 205 & 208 to licenses DPR-44 & DPR-56, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 5pp. 84587:083-84587:087.

- 9507050154 Advises NRC of plant opposition to Condition 9 re EDG allowed OOS time.Reasons for opposition listed.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/16. Document Control Branch (Document Control Desk). 6pp. 84569:348-84569:353.
- 9507030076 Confirms commitments for PBAPS Unit 3 concerning power rate.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84555:358-84555:360.
- 9507050136 Forwards "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud," & proprietary "Shroud Mechanical Repair Program PBAPS Units 2 & 3 Shroud & Shroud Repair Hardware Stress Analysis." Proprietary encl withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/22. Document Control Branch (Document Control Desk). 36pp. 84632:190-84632:314.
- 9507050141 "Design Rept For Installation Of Stabilizers On PBAPS Units 2 & 3 Core Shroud."
LENZ,M.C., MCCLEAN,N.A., TSCHANTRC,L.E. General Electric Co. GENE-771-59-0994 R04. 95/06/30. 85pp. 84632:226-84632:314.
- 9507050214 Provides written notice that util has implemented TS amend 206.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84570:207-84570:208.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507210140 Forwards EA & FONSI re 941121 ltr for exemption involving one-time scheduler exemption concerning Type A test intervals for Peach Bottom Atomic Power Station,Unit 3.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84754:306-84754:313.
- 9507210142 Environ assessment & finding of no significant impact supporting one-time scheduler exemption concerning Type A test intervals for Peach Bottom Atomic Power Station,Unit 3.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. 5pp. 84754:309-84754:313.
- 9507170001 Discusses Rev B to TS change request 93-16.Request originally submitted to NRC on 940929.Rev reflects incorporation of NRC review comments re plant conversion to improved TSs per NUREG-1433.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.), 95/07/07. Document Control Branch (Document Control Desk). 3pp. 84775:348-84775:350.
- 9507180291 Forwards SE which denies rev 2 to relief request GVRR-2 of second ten year interval of inservice testing program.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/07. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84696:242-84696:250.
- 9507180296 SER denying rev 2 to relief request GVRR-2 of second 10-year interval of inservice testing program.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 5pp. 84696:246-84696:250.
- 9507170057 Identifies administrative error associated w/submittal of TS change request 9003 & requests that NRC concur w/proposed corrective action.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84755:219-84755:220.
- 9507180267 Forwards exemption which involves one-time scheduler exemption from requirements of 10CFR50,App J, Section III.D.1.(a) to perform three Type A Tests at approximately equal intervals & within 10-year svc period.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84696:289-84696:300.
- 9507180277 Exemption from requirements in App J to 10CFR50 that set of three Type A tests be performed,at approximately equal intervals,during each 10-year svc period.
VARGA,S.A. Associate Director for Projects (ADPR) (Post 941001). 95/07/10. PECO Energy Co., (formerly Philadelphia Electric Co.). 9pp. 84696:292-84696:300.
- 9507190075 Ack receipt of 941114 10CFR50.54(a) submittal transmitting proposed changes to QA Program description for plant & response to 950410 request for addl info.
MODES,M.C. Region 1 (Post 820201). 95/07/10. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84723:285-84723:287.
- 9507270249 Forwards amend 210 to license DPR-56 & safety evaluation. Amend allows third type A containment integrated leakage rate test in second 10 yr svc period to be conducted during refueling outage 11 scheduled for Sept 1997.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84873:155-84873:164.
- 9507270270 Amend 210 to license DPR-56,allowing third Type A containment ILRT in second 10 yr svc period to be conducted during refueling outage 11 scheduled for Sept 1997.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. 4pp. 84873:158-84873:161.
- 9507270275 Safety evaluation supporting amend 210 to license DPR-56.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/10. 3pp. 84873:162-84873:164.
- 9507190017 Notification of significant licensee meeting 95-66 w/util on 950802 to discuss NRC findings relative to violation of TS 3.9.B.3 since E2 EDG was inoperable for more than 7 days.
ANDERSON,C.J. Region 1 (Post 820201). 95/07/12. Region 1 (Post 820201). 2pp. 84711:029-84711:029.
- 9507170401 Informs of change to PBAPS,Unit 3 TS bases,figure 1.1-1, "APRM Flow Bias Scram Relationship To Normal Operating Conditions."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/13. Document Control Branch (Document Control Desk). 3pp. 84745:355-84745:357.
- 9507200120 Resubmits modified version of Rev 2 to Relief Request GVRR-2 to second 10-yr interval of IST program & addresses NRC three concerns provided in Section 2.3 of SE attached to NRC 950707 ltr denying 950215 proposed rev 2 to relief request.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/14. Document Control Branch (Document Control Desk). 6pp. 84779:298-84779:303.
- 9507270307 Notification of significant licensee meeting 95-70 w/util on 950810 to discuss plans for implementing standard TS at Peach Bottom.
ANDERSON,C.J. Region 1 (Post 820201). 95/07/21. Region 1 (Post 820201). 2pp. 84883:077-84883:078.
- 9507280042 Application for amends to licenses DPR-44 & DPR-56,proposing overall conversion of current FBAPS TS to improved TS as contained in NUREG-1433. Std TS,GE Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84875:111-84875:135.
- 9507280054 Proposed tech specs,proposing overall conversion of current FBAPS TS to improved TS as contained in NUREG-1433. "Std TS, GE Plants,BWR/4."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. 25pp. 84875:136-84875:135.
- 9507280287 Forwards amends 208 & 212 to licenses DPR-44 & DPR-56, respectively & safety evaluation.Amend relocate Nuclear Review Board review requirements,ISEG requirements & certain review & audit requirements from TS.
SHEA,J.W. 95/07/25. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84845:052-84845:077.
- 9507280291 Amends 208 & 212 to licenses DPR-44 & DPR-56, respectively, relocating NRB review requirements,ISEG requirements & certain review & audit requirements from TS.
STOLTZ,J.F. 95/07/25. 16pp. 84845:056-84845:071.
- 9507280293 Safety evaluation supporting amends 208 & 212 to licenses DPR-44 & DPR-56, respectively.
* 95/07/25. 6pp. 84845:072-84845:077.

Q. Inspection reports, IE Bulletins & correspondence

- 9507170243 Updates on efforts to review 941006 petition to shut down plant due to listed reasons,including electrical control cable fire risk.Core shroud acceptable IAW insp results.NRC reviewing util core shroud design mod.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. OCHS,R. Maryland Safe Energy Coalition. 161pp. 84673:001-84673:161.
- 9507100331 Forwards insp repts 50-277/95-17 & 50-278/95-17 on 950612-16.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/29. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 84692:208-84692:214.
- 9507100336 Insp repts 50-277/95-17 & 50-278/95-17 on 950612-16.No violations noted.Major areas inspected:sys testing & maint activities.
SISCO,C., MEYER,G.W. Region 1 (Post 820201). 95/06/29. 5pp. 84692:210-84692:214.
- 9507100398 Forwards Physical Security Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/07/03. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84692:014-84692:020.
- 9507100401 Insp Repts 50-277/95-16 & 50-278/95-16 on 950612-14.No violations noted.Major areas inspected:mgt support & audits, protected area intrusion detection equipment,alarm stations & security training & qualification.
SMITH,G.C., LIMROTH,D.F. Region 1 (Post 820201). 95/07/03. 4pp. 84692:017-84692:020.
- 9507240055 Forwards combined insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624.Insp repts documents generally good performance by operators,engineers,maint & health physics technicians & station mgt.
COOPER,R.W. Region 1 (Post 820201). 95/07/17. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84751:140-84751:169.
- 9507240066 Insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624.No violations noted.Major areas inspected:operations, surveillance,maint,engineering & technical support.
ANDERSON,C.J. Region 1 (Post 820201). 95/07/12. 26pp. 84751:144-84751:169.
- 9507280066 Forwards Rev 4 to Relief Request RR-14 for PBAPS,Units 2 & 3 second ten-yr interval ISI program.Relief request would allow authorization to utilize Code Cases N-498-1 & N-416-1. Withdraws Relief Requests RR-14,Rev 3 & RR-20,Rev 0.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 93/07/21. Document Control Branch (Document Control Desk). 6pp. 84875:159-84875:164.
- 9507310058 Forwards insp repts 50-277/95-14 & 50-278/95-14 on 950612-16.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/07/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84890:343-84890:357.
- 9507310066 Insp repts 50-277/95-14 & 50-278/95-14 on 950612-16.No violations noted.Major areas inspected:emergency facilities, equipment,instrumentation & supplies,organization & mgt controls & emergency response organization training.
LAUGHLIN,J., JOYNER,J. Region 1 (Post 820201). 95/07/21. 12pp. 84890:346-84890:357.

R. Periodic operating reports & related correspondence

- 9507300015 Monthly operating repts for June 1995 for PBAPS Units 2 & 3. W/950712 ltr
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 14pp. 84799:319-84799:332.

42 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9507310165 Special report on 950630, determined that number 12 cylinder on E-1 D/G had lower than normal operating temps during surveillance test. Caused by failure of fuel oil injector pump. Injector pump replaced & satisfactorily tested. EDWARDS, G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/25. Document Control Branch (Document Control Desk). 2p. 84903:288-84903:289.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120209 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants. DEMPSEY, K.C. Incident Response Branch. 95/02/27. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 84631:332-84631:332.

9507170009 Forwards SE which concludes that proposed Plan change which would eliminate requirement for 30 & 90 minute response times in Table 5.1 & deletion of Table 5.2, unacceptable. SAUL, K.P. Region 2 (Post 820201). 95/07/06. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84650:302-84650:321.

-9507170012 SER denying proposed revisions to decrease effectiveness of currently approved emergency plan for each site. * Office of Nuclear Reactor Regulation (Post 841001). 95/07/06. 5pp. 84650:305-84650:321.

9507180186 Advises that util still in strong support of PR re revs to emergency planning procedures. Util encourages NRC efforts to solicit industry advise & recommendations in development of PR. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Docketing & Services Branch. 1p. 84765:321-84765:321.

9507210331 Summary of 950711 meeting w/util re emergency plan staff augmentation. List of attendees & slides encl. ENGLE, L.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18. Project Directorate II-1 (PD2-1) (Post 941001). 15pp. 84754:074-84754:089.

P. Operating license stage documents & correspondence

9507210264 FOIA request for documents filed w/NRC re compliance w/any regulations dealing w/safety, safe operations & environ concerns. STEVENSON, V.L. Affiliation Not Assigned. 95/01/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797:001-84797:001.

9507210266 Final response to FOIA request for records. App A records available in PDR. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. STEVENSON, V.L. Affiliation Not Assigned. 3pp. 84797:002-84797:004.

9507120287 EVALUATION OF POTENTIAL SEVERE ACCIDENTS DURING LOW POWER AND SHUTDOWN OPERATIONS AT SURRY, UNIT 1. Evaluation Of Severe Accident Risk During Mid-Loop Operations. Appendices. JO, J., LIN, C.C., NEYMOTIN, L. Brookhaven National Laboratory. FIN L-1680. NUREG/CR-6144 V06 P2. 95/05/31. Division of Systems Technology (Post 941217). 275pp. 84633:084-84633:327.

9507120143 Confirms telcon between M Bowling & A Belisle on 950608 re cancellation of meeting which had been scheduled for 950710 to discuss control rod drive sys issues & planned corrective actions. LANDIS, K.D. Region 2 (Post 820201). 95/06/26. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84576:036-84576:036.

9506290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507110318 Forwards amends 200 & 200 to licenses DPR-32 & DPR-37 & safety evaluation. Amends change "as-found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 3%. BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84616:282-84616:294.

-9507110320 Amends 200 & 200 to licenses DPR-32 & DPR-37, respectively, changing "as found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 3%. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. 6pp. 84616:286-84616:291.

-9507110325 Safety evaluation supporting amends 200 & 200 to licenses DPR-32 & DPR-37, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 3pp. 84616:292-84616:294.

9507140127 Forwards exemption from requirements of 10CFR50, App J, Section 111.D.1.(a) to delay performance of type A test until 1997 refueling outage granted. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/07. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84710:314-84710:323.

-9507140133 Grants exemption from requirements of 10CFR50 App J, Section 111.D.1.(a) delaying performance of type A test until 1997 refueling outage granted. VARGA, S.A. Project Directorate I-2 (PD1-2) (Post 941001). 95/07/07. Virginia Power (Virginia Electric & Power Co.). 7pp. 84710:316-84710:323.

9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counterparts meeting. BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84729:020-84729:025.

9507190210 Forwards amends 201 & 201 to licenses DPR-32 & DPR-37 & SE. Amends change TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries. BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84728:081-84728:092.

-9507190216 Amends 201 & 201 to licenses DPR-32 & DPR-37, respectively, changing TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. 7pp. 84728:084-84728:090.

-9507190223 Safety evaluation supporting amends 201 & 201 to licenses DPR-32 & DPR-37, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 2pp. 84728:091-84728:092.

9507180176 Application for amends to licenses DPR-32 & DPR-37, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SU accumulators in lieu of isolation. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document Control Branch (Document Control Desk). 14pp. 84780:316-84780:338.

-9507190178 Proposed tech specs, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of accumulator isolation. * Virginia Power (Virginia Electric & Power Co.). 95/07/14. 9pp. 84780:330-84780:338.

9507180190 Advises NRC that util withdraws 930301 exemption request due to pending issuance of rev to App J of 10CFR50. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84765:298-84765:299.

9507270034 Informs that VEPCO has implemented changes to fitness for duty program & herein provides required notification. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84851:332-84851:333.

9507270067 Application for amends to licenses DPR-32 & DPR-37, proposing changes to TS, by establishing new setpoint limit for steam generator high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 10p. 84851:224-84851:242.

-9507270070 Proposed tech specs establishing new setpoint limit for SG high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints. * Virginia Power (Virginia Electric & Power Co.). 95/07/20. 9pp. 84851:234-84851:242.

Q. Inspection reports, IE Bulletins & correspondence

9507120072 Forwards insp repts 50-280/95-06 & 50-281/95-06 on 950430-0527. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting violation meet specified criteria. LANDIS, K.D. Region 2 (Post 820201). 95/06/23. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84575:220-84575:240.

-9507120078 Insp repts 50-280/95-08 & 50-281/95-08 on 950430-0527. No violations noted. Major areas inspected: plant status, operational safety verification, maint insp, surveillance insp, on-site engineering review, plant support. GARNER, L.W., BELISLE, G.A. Region 2 (Post 820201). 95/06/22. 17pp. 84575:224-84575:240.

9507030144 Forwards safety assessment & insp plans for Surry & North Anna plants per requirements of GL 95-03. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84555:328-84555:339.

9507140190 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/95-06 & 50-281/95-06. MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84737:355-84737:358.

9507140258 Forwards insp repts 50-280/95-11 & 50-281/95-11 on 950605-09. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/06/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84737:305-84737:319.

-9507140263 Insp repts 50-280/95-11 & 50-281/95-11 on 950605-09. No violations noted. Major areas inspected: organization & mgmt control, audits & appraisals, training & qualification, external exposure control & internal exposure control. FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 95/06/28. 12pp. 84737:308-84737:319.

9507240308 Forwards safety evaluation re plant third 10-yr interval ISI program update & associated requests for relief. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/19. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84778:329-84778:339.

-9507240316 Safety evaluation granting requests for relief RR-2, RR-6, RR-7, RR-8, RR-11, SR-002, SR-003, SR-004 & SR-006. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/19. 7pp. 84778:333-84778:339.

R. Periodic operating reports & related correspondence

9507190316 Monthly operating repts for June 1995 for Surry Power Station Units 1 & 2. W/950715 ltr. MASON, D., OLSEN, C., BRYANT, B.C. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 20pp. 84769:225-84769:244.

5. Reportable occurrences, LERs & related correspondence

9507030139 Part 21 rept re several incidents of instrument drift in excess of specified limits for Rosemount pressure transmitter Model 1154SH9. Other licensees advised to be alert to differences in pressure indication.
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84555:354-84555:357.

9507110113 LER 95-005-00 on 950531, review identified min value speed used in periodic test procedures incorrect. Caused by cognitive personnel error. CAT level verified in compliance w/ revised calculated min level of 98.4%. W/950630 ltr.
CHRISTIAN, D.A. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 5pp. 84630:016-84630:020.

DOCKET 50-281 SURRY POWER STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

9507120209 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants.
DEMPSEY, K.C. Incident Response Branch. 95/02/27. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 84631:332-84631:332.

9507170009 Forwards SE which concludes that proposed Plan change which would eliminate requirement for 30 & 90 minute response times in Table 5.1 & deletion of Table 5.2, unacceptable.
BARR, K.P. Region 2 (Post 820201). 95/07/06. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84650:302-84650:321.

-9507170012 SER denying proposed revisions to decrease effectiveness of currently approved emergency plan for each site.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 5pp. 84650:305-84650:321.

9507180186 Advises that util still in strong support of PR re revs to emergency planning procedures. Util encourages NRC efforts to solicit industry advise & recommendations in development of PR.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Docketing & Services Branch. 1p. 84765:321-84765:321.

9507210331 Summary of 950711 meeting w/util re emergency plan staff augmentation. List of attendees & slides encl.
ENGLE, L.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18. Project Directorate II-1 (PD2-1) (Post 941001). 15pp. 84754:074-84754:089.

P. Operating license stage documents & correspondence

9507210284 FOIA request for documents filed w/NRC re compliance w/any regulations dealing w/safety, safe operations & environ concerns.
STEVENSON, V.L. Affiliation Not Assigned. 95/01/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797:001-84797:001.

9507210286 Final response to FOIA request for records. App A records available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. STEVENSON, V.L. Affiliation Not Assigned. 3pp. 84797:002-84797:004.

9507120143 Confirms telcon between M Bowling & A Belisle on 950608 re cancellation of meeting which had been scheduled for 950710 to discuss control rod drive sys issues & planned corrective actions.
LANDIS, K.D. Region 2 (Post 820201). 95/06/26. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84576:036-84576:038.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110318 Forwards amends 200 & 200 to licenses DPR-32 & DPR-37 & safety evaluation. Amends change "as-found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 3%.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/03/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84616:282-84616:294.

-9507110320 Amends 200 & 200 to licenses DPR-32 & DPR-37, respectively, changing "as found" test acceptance criterion for pressurizer safety valves from plus or minus 1% to plus or minus 3%.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. 8pp. 84616:288-84616:291.

-9507110325 Safety evaluation supporting amends 200 & 200 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 3pp. 84616:292-84616:294.

9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counterparts meeting.
BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84729:020-84729:025.

9507190216 Forwards amends 201 & 201 to licenses DPR-32 & DPR-37 & SE. Amends change TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84728:061-84728:092.

-9507190216 Amends 201 & 201 to licenses DPR-32 & DPR-37, respectively, changing TSs to delete unnecessary descriptive phrases re number of cells in station & EDG batteries.
MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. 7pp. 84728:064-84728:090.

-9507190223 Safety evaluation supporting amends 201 & 201 to licenses DPR-32 & DPR-37, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 2pp. 84728:091-84728:092.

9507180176 Application for amends to licenses DPR-32 & DPR-37, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of isolation.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document Control Branch (Document Control Desk). 14pp. 84780:316-84780:338.

-9507180178 Proposed tech specs, providing two h allowed outage time for one RHR pump to accommodate plant safety, emergency power sys surveillance testing & permit depressurizing SI accumulators in lieu of accumulator isolation.
* Virginia Power (Virginia Electric & Power Co.). 95/07/14. 9pp. 84780:330-84780:338.

9507180190 Advises NRC that util withdraws 930301 exemption request due to pending issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84765:298-84765:299.

9507270034 Informs that VEPCO has implemented changes to fitness for duty program & herein provides required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84851:332-84851:333.

9507270067 Application for amends to licenses DPR-32 & DPR-37, proposing changes to TS, by establishing new setpoint limit for steam generator high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 10p. 84851:224-84851:242.

-9507270070 Proposed tech specs establishing new setpoint limit for SG high-high level & provides more restrictive setting limits for certain RPS/ESFAS setpoints.
* Virginia Power (Virginia Electric & Power Co.). 95/07/20. 9pp. 84851:234-84851:242.

Q. Inspection reports, IE Bulletins & correspondence

9507120072 Forwards insp repts 50-280/95-08 & 50-281/95-08 on 950430-0527. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting violation meet specified criteria.
LANDIS, K.D. Region 2 (Post 820201). 95/06/23. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84575:220-84575:240.

-9507120078 Insp repts 50-280/95-08 & 50-281/95-08 on 950430-0527. No violations noted. Major areas inspected: plant status, operational safety verification, maint insp, surveillance insp, on-site engineering review, plant support.
GARNER, L.W., BELISLE, G.A. Region 2 (Post 820201). 95/06/22. 17pp. 84575:224-84575:240.

9507030144 Forwards safety assessment & insp plans for Surry & North Anna plants per requirements of GL 95-03.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84555:328-84555:339.

9507140190 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/95-06 & 50-281/95-06.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84737:355-84737:358.

9507140259 Forwards insp repts 50-280/95-11 & 50-281/95-11 on 950605-09. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/06/30. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84737:305-84737:319.

-9507140263 Insp repts 50-280/95-11 & 50-281/95-11 on 950605-09. No violations noted. Major areas inspected: organization & mgt control, audits & appraisals, training & qualification, external exposure control & internal exposure control.
FORBES, D.B., RANKIN, W.H. Region 2 (Post 820201). 95/06/26. 12pp. 84737:308-84737:319.

R. Periodic operating reports & related correspondence

9507190316 Monthly operating repts for June 1995 for Surry Power Station Units 1 & 2 W/950713 ltr.
MASON, D., OLSEN, C., BRYANT, B.C. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 20pp. 84769:225-84769:244.

5. Reportable occurrences, LERs & related correspondence

9507030139 Part 21 rept re several incidents of instrument drift in excess of specified limits for Rosemount pressure transmitter Model 1154SH9. Other licensees advised to be alert to differences in pressure indication.
SAUNDERS, R.F. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84555:354-84555:357.

9507180028 LER 95-006-00 on 950614, experienced generator trip, followed by turbine & reactor trips. Cause believed to be due to inadvertent action during maintenance but not confirmed. Unit placed in safe shutdown. W/950713 ltr.
CHRISTIAN, D.A. Virginia Power (Virginia Electric & Power Co.). 95/07/13. 7pp. 84771:296-84771:302.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

44 DOCKETED ITEMS

9507030135 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified. RUSSELL, W.T., BJORALT, S.H. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. GUNTER, P.V. Nuclear Information & Resource Service. 31pp. 84518:269-84518:322.

-9507030138 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed. MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84518:300-84518:304.

-9507030162 Submits "Petition for Emergency Enforcement Action per 10CFR2.206, Concerning Primary Pressure Boundary Exams, Retrievability of Irradiated (spent) Fuel & Retrievability of Reactor Core at Plant." GUNTER, P.V., BJORALT, S.J. Nuclear Information & Resource Service. 95/06/05. TAYLOR, J.M. Ofc of the Executive Director for Operations. 18pp. 84518:305-84518:322.

9507060373 Forwards response to 941117 RAI re Thermo-Lag related ampacity derating issues. Most Kaowool-wrapped cables discussed in NRC RAI will either no longer require fire wrap or ampacities will be recalculated using encl methodologies. WADLEY, M.D. Northern States Power Co. 95/06/30. Document Control Branch (Document Control Desk). 13pp. 84617:159-84617:171.

9507240050 Forwards details re activities at Prairie Island NPP. Encl withheld (ref 10CFR2.790). CREED, J.R. Region 3 (Post 820201). 95/07/10. BAILEY, L.L. Federal Emergency Management Agency. 1p. 84751:135-84751:135.

9507180199 Provides comments re proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Util endorses NEI comments & believes process described would provide proper screening criteria re proposed security plan. ANDERSON, R.O. Northern States Power Co. 95/07/13. Rules & Directives Review Branch (Post 920323). 1p. 84780:339-84780:339.

G. Adjudicatory correspondence

9507030135 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified. RUSSELL, W.T., BJORALT, S.H. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. GUNTER, P.V. Nuclear Information & Resource Service. 31pp. 84518:269-84518:322.

-9507030138 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed. MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84518:300-84518:304.

-9507030162 Submits "Petition for Emergency Enforcement Action per 10CFR2.206, Concerning Primary Pressure Boundary Exams, Retrievability of Irradiated (spent) Fuel & Retrievability of Reactor Core at Plant." GUNTER, P.V., BJORALT, S.J. Nuclear Information & Resource Service. 95/06/05. TAYLOR, J.M. Ofc of the Executive Director for Operations. 18pp. 84518:305-84518:322.

9507200347 Responds to 950521 ltr re concerns raised w/respect to NRC response to 10CFR2.206 petition requesting certain actions including immediate suspension of plant Units 1 & 2 operating licenses held by NSP. HANNON, J.N. 95/07/12. BJORALT, S.J. Affiliation Not Assigned. 5pp. 84752:181-84752:208.

-9507200355 Requests immediate action & response re issues raised by Prairie Island Coalition Against Nuclear Storage & NIRS in 950605 ltr. Petition filing under 10CFR2.206. BJORALT, S.J. 95/06/21. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 3pp. 84752:186-84752:208.

P. Operating license stage documents & correspondence

9507050384 Forwards SE authorizing licensee 950418 request to utilize ASME Boiler & Pressure Vessel Code Case N-416-1 during third 10-yr inservice insp interval. CARPENTER, C.A. 95/06/24. ANDERSON, R.O. Northern States Power Co. 3pp. 84530:231-84530:237.

-9507050399 Safety evaluation authorizing licensee to utilize ASME B&PV Code Case N-416-1 as alternative to required hydrostatic pressure test. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/24. 4pp. 84530:233-84530:237.

9507030319 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes." ANDERSON, R.O. Northern States Power Co. 95/06/27. Document Control Branch (Document Control Desk). 8pp. 84561:120-84561:127.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060373 Forwards response to 941117 RAI re Thermo-Lag related ampacity derating issues. Most Kaowool-wrapped cables discussed in NRC RAI will either no longer require fire wrap or ampacities will be recalculated using encl methodologies. WADLEY, M.D. Northern States Power Co. 95/06/30. Document Control Branch (Document Control Desk). 13pp. 84617:159-84617:171.

9507110272 Forwards amends 119 & 112 to licenses DPR-42 & DPR-60, respectively. Amends revise TSs to allow containment airtight doors to remain open during core alterations provided certain conditions met. WETZEL, J.L. 95/07/03. ANDERSON, R.O. Northern States Power Co. 3pp. 84587:035-84587:063.

-9507110274 Amends 119 & 112 to licenses DPR-42 & DPR-60, respectively, revising TSs to allow containment airtight doors to remain open during core alterations provided certain conditions met. WETZEL, B.A. 95/07/03. 18pp. 84587:038-84587:055.

-9507110276 Safety evaluation supporting amends 119 & 112 to licenses DPR-42 & DPR-60, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 8pp. 84587:056-84587:063.

9507120278 Responds to 950512 ltr to Commissioner & confirms portions of discussions w/D Anthony on 950619 e codes & stds. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/07/05. HOWARD, J.J. Northern States Power Co. 1p. 84631:334-84631:334.

9507190082 Discusses evacuation adequacy re activities at plant. Requests results of review & disposition within 30 days of 950707 ltr. Stated encl details of matter withheld (ref 10CFR2.790). CREED, J.R. Region 3 (Post 820201). 95/07/07. WATZLE, E. Northern States Power Co. 2pp. 84711:284-84711:285.

9507170411 Forwards signed computer access & operating agreement between NSP & NRC. BERSON, B.A. Region 3 (Post 820201). 95/07/12. WADLEY, M. Northern States Power Co. 3pp. 84776:277-84776:279.

9507250185 Application for amends to licenses DPR-42 & DPR-60, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, std TS, Westinghouse plants. Rev 1 & GL 89-01. WADLEY, M.D. Northern States Power Co. 95/07/17. Document Control Branch (Document Control Desk). 17pp. 84825:20-84825:340.

-9507250190 Proposed tech spec, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, std TS, Westinghouse plants. Rev 1 & GL 89-01. * Northern States Power Co. 95/07/17. 122pp. 84825:218-84825:340.

Q. Inspection reports, IE Bulletins & correspondence

9507050285 Requests confirmation in writing that 940126 proposed notice of violation issued against Burns Intl Security Svcs withdrawn, per Secretary of Labor Final Decision & Order issued under date of 950524. THOMAS, G.D. Burns International Security Services, Inc. 95/06/21. Ofc of Enforcement (Post 870413). 2pp. 84570:269-84570:270.

9507070010 Forwards insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 950328-0515. Noncited violation noted. KROPP, W.J. Region 3 (Post 820201). 95/06/27. WATZLE, E. Northern States Power Co. 5pp. 84530:010-84530:039.

-9507070029 Insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 950328-0515. Noncited violation noted. Major areas inspected: licensee followup on previously identified items, operational safety verification & ESFS. KROPP, W.J. Region 3 (Post 820201). 95/06/27. 25pp. 84530:015-84530:039.

9507180156 Forwards insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 950124-0511 & NOV. GREENMAN, E.G. Region 3 (Post 820201). 95/06/30. WATZLE, E. Northern States Power Co. 7pp. 84783:267-84783:305.

-9507180161 Notice of violation from insp on 950124-0511. Violation noted: cask handling, loading & unloading activities not prescribed by approved procedures of type appropriate to circumstances as evidence. * Region 3 (Post 820201). 95/06/30. 2pp. 84783:274-84783:275.

-9507180166 Insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 950124-0511. Violations noted. Major areas inspected: cask handling & loading/unloading, maint & surveillance procedures. KROPP, W.J. Region 3 (Post 820201). 95/06/30. 30pp. 84783:276-84783:305.

9507100269 Forwards Rev 1 to "PINGP Unit 1 ISI Exam Plan Third Interval 931217-031216," in response to NRC RAI during 950530 telcon. ANDERSON, R.O. Northern States Power Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84665:035-84665:126.

-9507100273 Rev 1 to "PINGP Unit 1 ISI Exam Plan Third Interval 931217-031216." VIK, M., KINNEY, C., RICKER, J. Northern States Power Co. 95/07/06. 91pp. 84665:036-84665:126.

9507190083 Forwards responses to NRC 950530 RAI on third 10-yr ISI exam plan for PINGP Unit 2, submitted on 941115. Sys code drawings for PINGP Units 1 & 2 also encl. ANDERSON, R.O. Northern States Power Co. 95/07/13. Document Control Branch (Document Control Desk). 100pp. 84803:236-84803:337.

R. Periodic operating reports & related correspondence

9507110326 Monthly operating repts for June 1995 for Prairie Island Nuclear Generating Plant W/950705 ltr. DUGSTAD, D., ANDERSON, R.O. Northern States Power Co. 95/06/30. 9pp. 84695:012-84695:020.

S. Reportable occurrences, LERs & related correspondence

9507170138 Special report 950610, 122 diesel fire pump started 2 psig below acceptable pressure range allowed by procedure. ANDERSON, R.O. Northern States Power Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84747:183-84747:184.

9507210322 Part 21 rept re potential defect in Limitorque SMB/5B/SB0-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507240046 LER 95-007-00 on 950618, identified that door seal test of containment maintenance airlock not performed within 3 days of last use. Caused by personnel error. Surveillance performed immediately. W/950714 ltr. HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 95/07/14. 4pp. 84821:095-84821:088.

9507240036 LER 95-008-00 on 950617, found that SF pit continuous air monitor not operating. Caused by broken drive belt on sample pump. Belt replaced. W/950717 ltr. HUNSTAD, A.A., ANDERSON, R.O. Northern States Power Co. 95/07/17. 4pp. 84821:077-84821:080.

V. Operator Examinations

9507110029 Ack 950621 conversation between NRC & D Reynolds re four applicants seeking SOR license. Informs that applicants had not completed required on job training prior to administration of NRC exam during wk of 950515. GRANT, G.E. Region 3 (Post 820201). 95/07/05. WATZL, E. Northern States Power Co. 2pp. 84557:079-84557:080.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507060374 Responds to 950601 ltr stating you were not invited to 950605 meeting held at NRC headquarters w/ util. Summary of discussions at meeting encl. SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. WURST, J. Minnesota, State of. 2pp. 84540:062-84540:063.

9507060386 Summary of 950605 meeting w/ util in Rockville, MD re util progress in selecting site for second ISFSI needed to be built. SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. TRAYERS, W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 84540:055-84540:057.

9507180305 Responds to Prairie Island Coalition Against Nuclear Storage analysis which expresses concern that dry cask storage facility at Prairie Island site vulnerable to man-transportable anti-tank ground warfare weapons. HANNON, J.N. 95/07/13. CROCKER, G. 2pp. 84696:240-84696:241.

DOCKET 50-264 IDAHO STATE UNIV. RESEARCH REACTOR

G. Inspection reports, IE Bulletins & correspondence

9507260228 Forwards initial exam rept 50-264/OL-95-01, facility comments & NRC resolution of comments and exam & answer key re license to operate Idaho State Univ reactor. W/o encl. RICHARDS, S.A. 95/07/20. GALLAGHER, M.C. Idaho State Univ., Pocatello, ID. 1p. 84831:187-84831:187.

R. Periodic operating reports & related correspondence

9507100350 "ID State Univ Reactor Annual Operating Rept for 1994." W/ 950629 ltr. CLOVIS, R.D. Idaho State Univ., Pocatello, ID. 94/12/31. 58pp. 84662:275-84662:332.

V. Operator Examinations

9507260208 Forwards results of operator initial exam conducted at Idaho State Univ on 950706 W/o encl. RICHARDS, S.A. 95/07/20. CLOVIS, R.D. Idaho State Univ., Pocatello, ID. 1p. 84831:186-84831:186.

9507260228 Forwards initial exam rept 50-264/OL-95-01, facility comments & NRC resolution of comments and exam & answer key re license to operate Idaho State Univ reactor. W/o encl. RICHARDS, S.A. 95/07/20. GALLAGHER, M.C. Idaho State Univ., Pocatello, ID. 1p. 84831:187-84831:187.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050103 Forwards proprietary & non-proprietary versions of rev 5 to EPIP-OSC-21 & revised EPIP Index. PATTERSON, T.L. Omaha Public Power District. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84569:328-84569:344.

9507050109 Public version of rev 5 to EPIP-OSC-21, "Activation of Operations Support Ctr." & revised EPIP Index. * Omaha Public Power District. 95/06/22. 15pp. 84569:330-84569:344.

9507100292 Informs that as result of mod which upgraded FCS meteorological tower listed ERDS data points modified on 950616. Updated data point library ref file sheets including min & max instrument ranges for new instruments encl. PATTERSON, T.L. Omaha Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 5pp. 84692:063-84692:088.

9507100364 Informs that instrument calibration & calibration frequency are controlled by radiation protection dept procedures. PATTERSON, T.L. Omaha Public Power District. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84755:360-84755:360.

9507210216 Revised EPIPs including FC-EPP emergency plan forms indrx & Rev 7 to FC-EPP-23 Section B, "Airborne Release Calculation Main Steam Line." W/950714 ltr. PATTERSON, T.L. Omaha Public Power District. 95/07/14. 6pp. 84797:333-84797:338.

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 19CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559:127-84559:139.

9507060354 Notice of receipt of petition for Director's Decision under 19CFR2.206. Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. 2pp. 84559:135-84559:136.

9507060365 Request for shut down & SG tube insp for listed plants. CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents. DOHERTY, J.F. Affiliation Not Assigned. 95/05/02. Commissioners (Post 750119). 3pp. 84559:137-84559:139.

I. Financial information

9507310098 Forwards "1995/1996 Statement of Cash Flow From Operations," as guarantee of payment of deferred premiums for period of 950630-960630. PATTERSON, T.L. Omaha Public Power District. 95/07/21. DINITZ, J. NRC - No Detailed Affiliation Given. 3pp. 84890:358-84890:360.

P. Operating license stage documents & correspondence

9507050069 Forwards plant response to GL 95-03, "Circumferential Cracking of SG Tubes." PATTERSON, T.L. Omaha Public Power District. 95/06/23. Document Control Branch (Document Control Desk). 15pp. 84573:330-84573:344.

9507050170 Forwards amend 167 to license DPR-40 & SE. Amend relocates requirements for in-core instrumentation sys from TS to USAR. LIU, T. 95/06/26. PATTERSON, T.L. Omaha Public Power District. 4pp. 84530:185-84530:202.

9507050175 Amend 167 to license DPR-40, relocating requirements for in-core instrumentation sys from TS to USAR. LIU, T. 95/06/26. 9pp. 84530:189-84530:197.

9507050178 Safety evaluation supporting amend 167 to license DPR-40. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. 5pp. 84530:198-84530:202.

9507100069 Forwards application for amend to license DPR-40 re extension of allowed outage time for an inoperable LPSI pump from 24 h to seven days. GATES, W.G. Omaha Public Power District. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84691:185-84691:247.

9507100085 Application for amend to license DPR-40. Amend would extend allowed outage time for inoperable LPSI pump from 24 h to seven days. GATES, W.G. Omaha Public Power District. 95/06/27. 2pp. 84691:188-84691:190.

9507100071 Proposed tech specs re extension of allowed outage time for an inoperable low pressure SI pump. * Omaha Public Power District. 95/06/26. 9pp. 84691:191-84691:247.

9507100107 Forwards description & justification of changes to proposed audit frequencies re plant QA program. GATES, W.G. Omaha Public Power District. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84692:292-84692:297.

9507100110 Proposed tech specs re audit frequencies for plant QA program. * Omaha Public Power District. 95/06/26. 2pp. 84692:296-84692:297.

9507100090 Forwards application for amend to license DPR-40 re clarification & reformation of TS on chemical & vol control sys. GATES, W.G. Omaha Public Power District. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84692:248-84692:280.

9507100094 Application for amend to license DPR-40. Amend will modify & reformat TS re chemical & vol control sys. GATES, W.G. Omaha Public Power District. 95/06/27. 3pp. 84692:250-84692:252.

9507100230 Proposed tech specs re reformation & clarification of TS re chemical & vol control sys. * Omaha Public Power District. 95/06/27. 28pp. 84692:253-84692:280.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507100391 Forwards "Individual Plant Exam of External Events for Fort Calhoun Station," in response to GL 88-20, Suppl 4. PATTERSON, T.L. Omaha Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84666:007-84666:050.

9507100393 "Individual Plant Exam of External Events for Fort Calhoun Station." * Omaha Public Power District. 95/06/30. 405pp. 84666:010-84666:050.

9507210252 Forwards application for amends to license DPR-40, proposing TS, by allowing up to 24 hours to restore safety injection tank operability if inoperable. Also, forwards, "Joint Applications Rept For SIT AOT/STI Extension." GATES, W.G. Omaha Public Power District. 95/07/11. Document Control Branch (Document Control Desk). 3pp. 84818:276-84818:333.

9507210255 Application for amend to license DPR-40, proposing TS allowing up to 24 hours to restore SIT operability if inoperable. GATES, W.G. Omaha Public Power District. 95/07/11. 3pp. 84818:279-84818:281.

46 DOCKETED ITEMS

-9507210257 "Joint Applications Rept for Safety Injection Tank AOT/STI Extension."
* Omaha Public Power District. 95/05/31. 50pp. 84818.262-84818.333.

9507240378 Submits station RV matl data & withdrawal of proprietary versions for plant. Concludes that items in references 5 & 6 acceptable & withdraws submittals in references 1,2 & 3.
LIU, T. 95/07/20. PATTERSON, T.L. Omaha Public Power District. 4pp. 84778:354-84778:357.

9507270295 Forwards amend 168 to license DPR-40 & safety evaluation. Amend implements administrative changes to TSs 5.2 & 5.5.
LIU, T. 95/07/21. PATTERSON, T.L. Omaha Public Power District. 4pp. 84873:104-84873:119.

-9507270297 Amend 168 to license DPR-40, implementing administrative changes to TSs 5.2 & 5.5.
* 95/07/21. 8pp. 84873:108-84873:115.

-9507270300 Safety evaluation supporting amend 168 to license DPR-40.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. 4pp. 84873:116-84873:119.

9507270332 Forwards amend 169 to license DPR-40 & safety evaluation. Amend revises TS to make changes to TS 2.5,2.8,2.11,3.2 & 3.10.
LIU, T. 95/07/21. PATTERSON, T.L. Omaha Public Power District. 6pp. 84873:018-84873:046.

-9507270359 Amend 169 to license DPR-40, revising TS to make changes to TS 2.5,2.8,2.11,3.2 & 3.10.
* 95/07/21. 17pp. 84873:024-84873:040.

-9507270364 Safety evaluation supporting amend 169 to license DPR-40.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. 6pp. 84873:041-84873:046.

Q. Inspection reports, IE Bulletins & correspondence

9507100027 Forwards insp rept 50-285/95-07 on 950409-0520. No violations noted.
BEACH, A.B. Region 4 (Post 820201). 95/06/30. PATTERSON, T.L. Omaha Public Power District. 4pp. 84539:022-84539:036.

-9507100031 Insp rept 50-285/95-07 on 950409-0520. No violations noted. Major areas inspected: onsite events, operational safety verification, onsite engineering & open item followup.
JOHNSON, W.D. Region 4 (Post 820201). 95/06/30. 13pp. 84539:026-84539:038.

9507180056 Provides 1995 refueling outage ISI results, NIS-1 & NIS-2 forms.
PATTERSON, T.L. Omaha Public Power District. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84784:332-84784:351.

-9507180143 "Forms NIS-1 & NIS-2 Owner Rept for ISI."
* Omaha Public Power District. 95/07/11. 17pp. 84784:333-84784:351.

9507310001 Forwards insp rept 50-285/95-09 on 950521-0701 & notice of violation.
DYER, J.E. Region 4 (Post 820201). 95/07/25. PATTERSON, T.L. Omaha Public Power District. 5pp. 84843:001-84843:021.

-9507310005 Notice of violation from insp on 950521-0701. Violation noted: radiation protection technician, located inside contaminated area, reached across contaminated area boundary & touched clipboard in hands of person in clean area.
* Region 4 (Post 820201). 95/07/25. 1p. 84843:006-84843:006.

-9507310007 Insp rept 50-285/95-09 on 950521-0701. Violations noted: Major areas inspected: onsite events, operational safety verification, plant support activities, maint & surveillance activities, onsite engineering & open item followup.
YANDELL, L.A. Region 4 (Post 820201). 95/07/21. 15pp. 84843:007-84843:021.

R. Periodic operating reports & related correspondence

9507250274 "Fort Calhoun Station SG Eddy Current Test Rept, 1995 Refueling Outage."
W/950718 ltr.
PATTERSON, T.L. Omaha Public Power District. 95/03/31. 18pp. 84835:313-84835:330.

9507210154 Monthly operating rept for June 1995 for Fort Calhoun Station. W/950714 ltr.
LIPPY, D.L. PATTERSON, T.L. Omaha Public Power District. 95/06/30. 8pp. 84807:347-84807:354.

9507270025 Forwards "Fort Calhoun Station Performance Indicators." for June 1995.
PATTERSON, T.L. Omaha Public Power District. 95/07/20. Document Control Branch (Document Control Desk). 1p. 84851:078-84851:178.

-9507270026 "Fort Calhoun Station Performance Indicators." for June 1995.
* Omaha Public Power District. 95/06/30. 100pp. 34851:079-84851:178.

S. Reportable occurrences, LERs & related correspondence

9507060066 LER 95-004-09 on 950602, discrepancy re seismic classification of new fuel storage racks was discovered. Caused by lack of administrative control during parallel development of design. Performed calculation W/950630 ltr.
LINDQUIST, S.A. PATTERSON, T.L. Omaha Public Power District. 95/06/30. 5pp. 84578:210-84578:214.

9507060071 Forwards LER 94-010 Rev 2 that provides addl info re potential effects of elevated post-accident COW temp & up-dates status of corrective actions.
PATTERSON, T.L. Omaha Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84578:215-84578:225.

-9507060074 LER 94-010-02 on 941114, identified potential accident scenarios that could have resulted in inoperability of both CR A/C units. Developed administrative controls.
GESCHWENDER, J. Omaha Public Power District. 95/06/30. 10pp. 84578:216-84578:225.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507100124 Revised EIPs, including rev 1 to IP-2101, rev 1 to IP-2106, rev 1 to IP-2200, rev 1 to IP-2201, rev 1 to IP-2203, rev 1 to IP-2204, rev 2 to IP-2205, rev 1 to IP-2207, rev 2 to IP-2301, revised EP-Forms Index & EP-Form 23.W/950630 ltr.
CHAUBARD, M.A. Power Authority of the State of New York (New York Power Authority). 95/06/30. 88pp. 84668:230-84668:317.

9507210123 Forwards SE re proposed changes to plant EALs. Informs that NRC endorsed NUMRC/NESP-007 as acceptable method by which licensees may develop site-specific emergency classification schemes.
CONICELLA, N.F. Project Directorate i-1 (PD1-1) (Post 941001). 95/07/10.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 2pp. 84754:291-84754:297.

-9507210125 Safety evaluation accepting EAL changes to license DPR-64. Informs that sub/ changes consistent w/guidance in NUMRC/NESP-007 & meet requirements of 10CFR50.47(b)(4) & App E to 10CFR50.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/10. 4pp. 84754:293-84754:297.

9507140351 Revised EIPs, including Vol III to table of contents, Rev 15 to IP-1003, "Obtaining Meteorological Data" & Rev 13 to IP-1004, "Midas Computer Sys - Dose Assessment Model."
CHAUBARD, M. Power Authority of the State of New York (New York Power Authority). 95/07/12. 44pp. 84729:278-84729:321.

9507180467 Revised EIPs, including table of contents & rev 6 to IP-1052 "Hazardous Waste Emergency."
* Power Authority of the State of New York (New York Power Authority). 95/07/14. 18pp. 84786:005-84786:022.

G. Adjudicatory correspondence

9507030078 Ack receipt of 950518 ltr requesting that NRC suspend licensee license until completion of actions requested in GL-95-03. Request denied.
RUSSELL, W. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16.
HOGARTH, C. Westchester Peoples Action Coalition, Inc. 7pp. 84516:118-84516:126.

-9507030086 Notice of receipt of petition for Director's Decision under 10CFR2.206.
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. 2pp. 84516:125-84516:126.

P. Operating license stage documents & correspondence

9507050266 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees. Facility performance improved but monitoring continues.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. FREEMAN, D.S. Power Authority of the State of New York (New York Power Authority). 4pp. 84516:204-84516:207.

9507060041 Forwards plant response to GL 95-03, "Circumferential Cracking of SG Tubes."
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/06/27. Document Control Branch (Document Control Desk). 11pp. 84579:097-84579:107.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507140083 Forwards NYPA Assessment Panel charters & meeting minutes, from 1993, 1994, 1995 to present, to be made public per guidelines in MC 0350.
LANNING, W.D. Region 1 (Post 820201). 95/07/05. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 84650:001-84650:283.

-9507140131 Informs that NYPA Assessment Panel revised charter based on current shutdown status of plant, reflecting development of restart action plan & obtaining restart approval per MC 0350 & Region 1 instruction 1470.1. Lists panel responsibilities.
WIGGINS, J.T., MILLER, C.L. Region 1 (Post 820201). 93/05/13. COWGILL, C.J. Region 1 (Post 820201). 2pp. 84650:005-84650:006.

-9507140147 Informs of expansion of FitzPatrick Assessment Panel to include plant & assume new title of NYPA Assessment Panel.
HEHL, C.W. Region 1 (Post 820201). 93/01/11. COWGILL, C.J. Region 1 (Post 820201). 2pp. 84650:007-84650:008.

-9507140159 Summary of 930119 93-01 NYPA Assessment Panel meeting re NRC charter expectations for current panel members & future activities.
COWGILL, C.J. Region 1 (Post 820201). 93/01/29. NRC - No Detailed Affiliation Given. 15pp. 84650:009-84650:022.

-9507140166 Summary of 930204 93-02 NYPA Assessment Panel meeting re determination that corporate engineering team insp be redirected to be broad-based assessment of activities at plant.
COWGILL, C.J. Region 1 (Post 820201). 93/02/09. NRC - No Detailed Affiliation Given. 2pp. 84650:023-84650:024.

-9507140179 Summary of 930217 93-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants.
COWGILL, C.J. Region 1 (Post 820201). 93/03/01. NRC - No Detailed Affiliation Given. 5pp. 84650:025-84650:030.

- 9507140199 Summary of 930331 93-04 NYPA Assessment Panel meeting re NYPA presentation of FitzPatrick restart self-assessment, review of comment on plant PIP & plant restart process.
ESELGROTH,P. Region 1 (Post 820201). 93/04/07. NRC - No Detailed Affiliation Given. 5pp. 84650:031-84650:034.
- 9507140212 Summary of 930408 93-05 NYPA Assessment Panel meeting re FitzPatrick plant status,post startup issues,Indian Point plant status & establishment of sub-committees.
ESELGROTH,P. Region 1 (Post 820201). 93/04/14. NRC - No Detailed Affiliation Given. 11pp. 84650:035-84650:046.
- 9507140225 Submits restart item criteria to aid in development of list of restart issues for plant.
CONICELLA,N. Office of Nuclear Reactor Regulation (Post 941001). 93/04/07.
CAPRA,B. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84650:047-84650:047.
- 9507140234 Summary of 930415 93-06 NYPA Assessment Panel meeting re special team insp at plant to be conducted between 930426 & 930507,status of FitzPatrick plant,status of Indian Point plant & development of restart issues list.
ESELGROTH,P. Region 1 (Post 820201). 93/04/18. NRC - No Detailed Affiliation Given. 6pp. 84650:048-84650:052.
- 9507140255 Summary of 930514 93-07 NYPA Assessment Panel meeting re status of FitzPatrick plant,status of Indian Point plant, preliminary findings of special team insp,changes to draft restart issues list & insp su. port at Indian Point plant.
COWGILL,C.J. Region 1 (Post 820201). 93/05/14. NRC - No Detailed Affiliation Given. 32pp. 84650:053-84650:084.
- 9507140272 Summary of 930608 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant,status of Indian Point plant, review of NRC draft restart items list.
COWGILL,C.J. Region 1 (Post 820201). 93/06/07. NRC - No Detailed Affiliation Given. 6pp. 84650:085-84650:090.
- 9507140278 Summary of 930608 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes,status & insp status planning for FitzPatrick & Indian Point plants.
COWGILL,C.J. Region 1 (Post 820201). 93/06/18. NRC - No Detailed Affiliation Given. 12pp. 84650:091-84650:102.
- 9507140284 Summary of 930714 93-10 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,NYPA response to NRC questions & comments concerning PIP items & Indian Point restart action plan status.
COWGILL,C.J. Region 1 (Post 820201). 93/07/14. NRC - No Detailed Affiliation Given. 7pp. 84650:103-84650:110.
- 9507140292 Summary of 930804 93-11 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,logic functional deficiencies at FitzPatrick plant & need for review of changes to PIP as result of SIT.
COWGILL,C.J. Region 1 (Post 820201). 93/08/02. NRC - No Detailed Affiliation Given. 6pp. 84650:111-84650:116.
- 9507140307 Summary of 930902 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,OSTI planned for FitzPatrick plant,Indian Point restart issue checklist item IV.B & how NRC should best assess this area.
COWGILL,C.J. Region 1 (Post 820201). 93/09/29. NRC - No Detailed Affiliation Given. 6pp. 84650:117-84650:124.
- 9507140311 Summary of 931109 93-13 NYPA Assessment Panel meeting re status at FitzPatrick & Indian Point plants,OSTI at FitzPatrick plant,propose several ongoing issues for addition to restart issue list & views on PIP & SIT causes.
COWGILL,C.J. Region 1 (Post 820201). 93/11/23. NRC - No Detailed Affiliation Given. 16pp. 84650:125-84650:140.
- 9507140319 Summary of 931123 93-14 NYPA Assessment Panel meeting re insp plan at FitzPatrick for followup of items identified in IP3 SIT rept,status of FitzPatrick plant,insp plans/timelines for selected PIP items & NRC restart items.
COWGILL,C.J. Region 1 (Post 820201). 93/12/16. NRC - No Detailed Affiliation Given. 10pp. 84650:141-84650:150.
- 9507140321 Summary of 931221 93-15 NYPA Assessment Panel meeting re impressions of results of PIP mgt meeting,noted NYPA appears to be driven excessively by outside parties,conditions at Indian Point plant.
COWGILL,C.J. Region 1 (Post 820201). 94/03/04. NRC - No Detailed Affiliation Given. 3pp. 84650:151-84650:152.
- 9507140324 Summary of 940124 94-01 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,proposed additions & mods to list of restart issues in restart action plan & expectations for NRC/NYPA mgt meeting.
COWGILL,C.J. Region 1 (Post 820201). 94/03/09. NRC - No Detailed Affiliation Given. 9pp. 84650:153-84650:162.
- 9507140330 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,Indian Point restart insp follow-up tracking list & MOV program status at Indian Point plant.
COWGILL,C.J. Region 1 (Post 820201). 94/04/04. NRC - No Detailed Affiliation Given. 14pp. 84650:163-84650:176.
- 9507140342 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,review of INPO corporate evaluation of NYPA conducted in Dec 1993 & current insp program expectations at plants.
COWGILL,C.J. Region 1 (Post 820201). 94/05/03. NRC - No Detailed Affiliation Given. 9pp. 84650:177-84650:184.
- 9507140348 Forwards INPO comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC insp activity.
WELLING,B.D. Region 1 (Post 820201). 95/07/05. NRC - No Detailed Affiliation Given. 15pp. 84650:185-84650:198.
- 9507140352 Summary of 940524 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,restart action plan items for closure & licensee drawing upgrade program & record retention program.
COWGILL,C.J. Region 1 (Post 820201). 94/06/03. NRC - No Detailed Affiliation Given. 5pp. 84650:199-84650:204.
- 9507140358 Submits agenda for 94-05 NYPA Assessment Panel meeting.
COWGILL,C.J. Region 1 (Post 820201). 95/07/05. NRC - No Detailed Affiliation Given. 2pp. 84650:205-84650:206.
- 9507140363 Summary of 940607 94-05 NYPA Assessment Panel meeting re comments on NYPA mgt meeting of 940526 & results of meeting w/public,New York State Assemblywoman S. Gaier & Cortland Township Supervisor L. Puglisi following mgt meeting.
COWGILL,C.J. Region 1 (Post 820201). 94/07/06. NRC - No Detailed Affiliation Given. 6pp. 84650:207-84650:212.
- 9507140368 Summary of 9407015 94-06 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants & draft NRC ltr to NYPA discussing restart & continuous improvement plan.
COWGILL,C.J. Region 1 (Post 820201). 94/08/02. NRC - No Detailed Affiliation Given. 4pp. 84650:213-84650:216.
- 9507140378 Summary of 940808 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940818,status of FitzPatrick & Indian Point plants,status of DRSS core insp program & open licensing actions at Indian Point plant.
COWGILL,C.J. Region 1 (Post 820201). 94/09/21. NRC - No Detailed Affiliation Given. 7pp. 84650:217-84650:222.
- 9507140383 Summary of 941005 94-08 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,schedule for closure of 59 Indian Point 3 restart action plan items & restart action plan item 2,II.02 for closure.
COWGILL,C.J. Region 1 (Post 820201). 94/10/18. NRC - No Detailed Affiliation Given. 4pp. 84650:223-84650:228.
- 9507140389 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,licensee annual EP partial participation exercise observed by NRC inspectors 941013 & proposed development of PERT chart.
COWGILL,C.J. Region 1 (Post 820201). 94/11/01. NRC - No Detailed Affiliation Given. 5pp. 84650:229-84650:234.
- 9507140393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team insp to begin 950123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list.
COWGILL,C.J. Region 1 (Post 820201). 94/12/12. NRC - No Detailed Affiliation Given. 3pp. 84650:235-84650:236.
- 9507140395 Summary of 941202 94-12 NYPA Assessment Panel meeting re NRC "road map" for Indian Point restart & power ascension, status of FitzPatrick & Indian Point plants & 941117 public meeting w/NYPA.
COWGILL,C.J. Region 1 (Post 820201). 94/12/16. NRC - No Detailed Affiliation Given. 4pp. 84650:237-84650:240.
- 9507140397 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,RATI insp plan, restart items for closure & status of licensing issues at Indian Point plant.
COWGILL,C.J. Region 1 (Post 820201). 95/01/09. NRC - No Detailed Affiliation Given. 4pp. 84650:241-84650:244.
- 9507140398 Summary of 950322 NYPA 95-05 Assessment Panel meeting re current plant status & NRC observation of station blackout test.
COWGILL,C.J. Region 1 (Post 820201). 95/03/31. NRC - No Detailed Affiliation Given. 4pp. 84650:265-84650:268.
- 9507140403 Summary of 950110 94-14 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,conclusion from T. Martin tour of Indian Point plant on 95/04-05,status of restart activities & licensing issues for Indian Point plant.
COWGILL,C.J. Region 1 (Post 820201). 95/01/20. NRC - No Detailed Affiliation Given. 5pp. 84650:245-84650:250.
- 9507140404 Summary of 950413 NYPA 95-06 Assessment Panel meeting re current plant status & problem identified by NRC w/five containment isolation valves in plant TS.
COWGILL,C.J. Region 1 (Post 820201). 95/04/26. NRC - No Detailed Affiliation Given. 4pp. 84650:269-84650:272.
- 9507140407 Summary of 950124 95-01 NYPA Assessment Panel meeting re C. Cowgill visit to Indian Point plant during wk of 950116, review of minutes from NYPA Assessment Panel meeting 94-14 & review of open NYPA Assessment Panel action item list.
COWGILL,C.J. Region 1 (Post 820201). 95/02/02. NRC - No Detailed Affiliation Given. 4pp. 84650:251-84650:254.
- 9507140410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team insp exit meeting scheduled for 950427.
COWGILL,C.J. Region 1 (Post 820201). 95/05/03. NRC - No Detailed Affiliation Given. 2pp. 84650:273-84650:274.
- 9507140412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure,status of RATI & Indian Point IPE.
COWGILL,C.J. Region 1 (Post 820201). 95/02/17. NRC - No Detailed Affiliation Given. 4pp. 84650:255-84650:256.
- 9507140414 Summary of 950516 NYPA 95-08 Assessment Panel meeting to discuss recent allegation received by plant & status of actions to address; transcript from public meeting held on 950427.
COWGILL,C.J. Region 1 (Post 820201). 95/06/01. NRC - No Detailed Affiliation Given. 9pp. 84650:275-84650:283.
- 9507140419 Summary of 950223 95-03 NYPA Assessment Panel meeting re importance of tracking remaining restart action plan technical items,status of FitzPatrick & Indian Point plants & status of two remaining open restart issues.
COWGILL,C.J. Region 1 (Post 820201). 95/03/07. NRC - No Detailed Affiliation Given. 4pp. 84650:267-84650:260.
- 9507140424 Summary of 950309 95-04 NYPA Assessment Panel meeting re enforcement panel discussion concerning auxiliary safety injection component cooling water pumps & status of FitzPatrick & Indian Point plants.
COWGILL,C.J. Region 1 (Post 820201). 95/03/20. NRC - No Detailed Affiliation Given. 1pp. 84650:261-84650:264.
- 9507110240 Discusses self assessment during plant startup,Description of self-assessment method & summary results provided in Attachment 1.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority) 95/07/06. Document Control Branch (Document Control Desk). 7pp. 84694:353-84694:359.

48 DOCKETED ITEMS

9507120328 Responds to 950308 inquiry re whether or not staff exceeded authority by assuming operation control of recovery actions for plant events on 901004 & 940405. Concludes that potential safety significance of events warranted staff actions. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/10. COLVIN, J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 84631:274-84631:277.

9507310178 Forwards application for amend to License DPR-64, replacing title-specific list members on PORC w/more general statement of membership requirements & changes title "Resident Manager" to "Site Executive Officer." CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84882:335-84882:361.

9507310180 Application for amend to License DPR-64, replacing title-specific list of members on PORC w/more general statement of membership requirements & changing title "Resident Manager" to "Site Executive Officer." CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/07/21. 1p. 84882:337-84882:337.

9507310181 Proposed tech specs re PORC membership & mgt position title. Power Authority of the State of New York (New York Power Authority). 95/07/21. 24pp. 84882:338-84882:361.

Q. Inspection reports, IE Bulletins & correspondence

9507030012 Ack receipt of 950610 ltr informing NRC of steps taken to correct violations noted in insp rept 50-266/95-04. COWGILL, C.J. Region 1 (Post 820201). 95/06/23. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 4pp. 84488:107-84488:116.

9507050081 Forwards insp rept 50-286/95-05 on 950418-0529. No violations noted. COWGILL, C.J. Region 1 (Post 820201). 95/06/26. HILL, L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 84507:059-84507:089.

9507050084 Insp rept 50-286/95-05 on 950418-0529. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support & safety assessment & quality verification. COWGILL, C.J. Region 1 (Post 820201). 95/06/26. 28pp. 84507:062-84507:089.

9507140083 Forwards NYPA Assessment Panel charters & meeting minutes, from 1993, 1994, 1995 to present, to be made public per guidelines in MC 0350. LANNING, W.D. Region 1 (Post 820201). 95/07/05. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 84650:001-84650:283.

9507140234 Summary of 930415 93-06 NYPA Assessment Panel meeting re special team insp at plant to be conducted between 930426 & 930507, status of FitzPatrick plant, status of Indian Point plant & development of restart issues list. ESELGROTH, P. Region 1 (Post 820201). 93/04/18. NRC - No Detailed Affiliation Given. 6pp. 84650:048-84650:052.

9507140272 Summary of 930520 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant, preliminary findings of special team insp, changes to draft restart issues list & insp support at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 93/06/07. NRC - No Detailed Affiliation Given. 6pp. 84650:085-84650:09C.

9507140278 Summary of 930608 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes, status & insp status planning for FitzPatrick & Indian Point plants. COWGILL, C.J. Region 1 (Post 820201). 93/06/18. NRC - No Detailed Affiliation Given. 12pp. 84650:091-84650:102.

9507140307 Summary of 930902 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI planned for FitzPatrick plant, Indian Point restart issue checklist item IV.6 & how NRC should best assess this area. COWGILL, C.J. Region 1 (Post 820201). 93/09/29. NRC - No Detailed Affiliation Given. 8pp. 84650:117-84650:124.

9507140311 Summary of 931109 93-13 NYPA Assessment Panel meeting re status at FitzPatrick & Indian Point plants, OSTI at FitzPatrick plant, proposed several ongoing issues for addition to restart issue list & views on PIP & SIT causes. COWGILL, C.J. Region 1 (Post 820201). 93/11/23. NRC - No Detailed Affiliation Given. 16pp. 84650:125-84650:140.

9507140319 Summary of 931123 93-14 NYPA Assessment Panel meeting re insp plan at FitzPatrick for followup of items identified in IP3 SIT rept, status of FitzPatrick plant, insp plans/timelines for selected PIP items & NRC restart items. COWGILL, C.J. Region 1 (Post 820201). 93/12/16. NRC - No Detailed Affiliation Given. 10pp. 84650:141-84650:150.

9507140330 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart insp follow-up tracking list & MOV program status at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/04/04. NRC - No Detailed Affiliation Given. 14pp. 84650:163-84650:176.

9507140342 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of INPO corporate evaluation of NYPA conducted in Dec 1993 & current insp program expectations at plants. COWGILL, C.J. Region 1 (Post 820201). 94/05/03. NRC - No Detailed Affiliation Given. 9pp. 84650:177-84650:184.

9507140348 Forwards INPO comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC insp activity. WELLING, B.D. Region 1 (Post 820201). 95/07/05. NRC - No Detailed Affiliation Given. 15pp. 84650:185-84650:198.

9507140352 Summary of 940524 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing upgrade program & record retention program. COWGILL, C.J. Region 1 (Post 820201). 94/06/03. NRC - No Detailed Affiliation Given. 5pp. 84650:199-84650:204.

9507140378 Summary of 940906 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940818, status of FitzPatrick & Indian Point plants, status of DRSS core insp program & open licensing actions at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/09/21. NRC - No Detailed Affiliation Given. 7pp. 84650:217-84650:222.

9507140389 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP partial participation exercise observed by NRC inspectors 941013 & proposed development of PERT chart. COWGILL, C.J. Region 1 (Post 820201). 94/11/01. NRC - No Detailed Affiliation Given. 5pp. 84650:229-84650:234.

9507140393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team insp to begin 95/123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list. COWGILL, C.J. Region 1 (Post 820201). 94/12/12. NRC - No Detailed Affiliation Given. 3pp. 84650:235-84650:236.

9507140397 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI insp plan, restart items, closure & status of licensing issues at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 95/01/09. NRC - No Detailed Affiliation Given. 4pp. 84650:241-84650:244.

9507140410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team insp exit meeting scheduled for 950427. COWGILL, C.J. Region 1 (Post 820201). 95/05/03. NRC - No Detailed Affiliation Given. 2pp. 84650:273-84650:274.

9507140412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure, status of RATI & Indian Point IPE. COWGILL, C.J. Region 1 (Post 820201). 95/02/17. NRC - No Detailed Affiliation Given. 4pp. 84650:255-84650:256.

9507200167 Forwards plant readiness assessment team insp rept & NRC ltr dtd 950619, modifying plant CAL & articulating basis for supporting conclusion that plant ready to restart, per 950526 response ltr re resolution to permanently close plant. CONICELLA, N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/14. HEDGES, B. Rockland County, NY. 3pp. 84752:022-84752:180.

9507240253 Forwards NRC Readiness Assessment Team insp rept & 950619 NRC ltr which modified plant CAL & articulated NRC basis for supporting conclusion that plant ready to restart, as followup to response ltr. CONICELLA, N.F. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/14. GRUSKIN, D. New York. State of. 2pp. 84764:194-84764:351.

9507260140 Forwards corrected NOV which replaces NOV that was issued on 950721 w/o being appropriately dtd. CALLAN, L.J. Region 4 (Post 820201). 95/07/24. HOSHINO, R.S. Ebasco Services, Inc. 4pp. 84842:187-84842:191.

9507260143 Notice of violation from insp. Violation noted: licensee discriminated against N Artrip by not recommending Artrip for employment as set forth in Secretary of Labor 950331 Decision & Order of remand. * Region 4 (Post 820201). 95/07/21. 1p. 84842:191-84842:191.

R. Periodic operating reports & related correspondence

9507190325 Monthly operating rept for June 1995 for Indian Point 3 Nuclear Power Plant. W/950710 ltr. ORLANDO, T., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/06/30. 6pp. 84762:322-84762:327.

S. Reportable occurrences, LERs & related correspondence

9507030067 LER 95-011-00 on 950525, overtemperature delta T RT setpoint was exceeded due to inadequate test procedure for calibr of time constants that was prohibited by TS. Assessed surveillance test during current outage. W/950624 ltr. GUMBLE, F., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/06/24. 7pp. 84559:077-84559:083.

9507170026 LER 95-005-01 on 950203, main boiler feed pump discharge isolation valves determined to have failed performance test criteria. Caused by degraded valve & actuator components. Design changes initiated re actuator. W/950710 ltr. ESLINGER, K., HILL, L.M. Power Authority of the State of New York (New York Power Authority). 95/07/10. 11pp. 84739:013-84739:023.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p). Encl withheld. TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84622:343-84622:344.

9507170008 Rev 95-05 to Vol B, "Oconee Nuclear Site EIPs." W/950711 ltr. FOSTER, R.W., HAMPTON, J.W. Duke Power Co. 95/07/11. 35pp. 84755:320-84755:355.

K. Utility Final Safety Analysis Report (FSAR) & amends

950706061 "Oconee Nuclear Station FSAR 1994 Update." W/950630 ltr.
HAMPTON,J.W. Duke Power Co. 94/12/31. 1,078pp. 84590:001-84592:350.

P. Operating license stage documents & correspondence

9507030106 Informs that addl audit not necessary to accept util use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW,H.N. 95/06/19. TUCKMAN,M.S. Duke Power Co. 4pp. 84511:261-84511:284.

9507030258 Commits to complete fatigue analyses for RCS attached piping out to first isolation valve by 990831. Schedule for completion of fatigue analyses will be developed by 960301.
HAMPTON,J.W. Duke Power Co. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84561:185-84561:186.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN,M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:128.

9507120028 Discusses 950620 meeting w/representatives from Oconee Engineering Dept in Atlanta re overview of engineering activities at site. W/list of attendees & handout.
CASTO,C.A. Region 2 (Post 820201). 95/06/28. HAMPTON,J.W. Duke Power Co. 27pp. 84574:221-84574:247.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110086 Advises NRC that review of Oconee Nuclear Station mods indicates that LPSW flow instrumentation mods have been completed.
HAMPTON,J.W. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84695:136-84695:137.

9507240112 Application for amends to licenses DPR-36,DPR-47,DPR-55, NPF-9,NPF-17,NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
TUCKMAN,M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84796:287-84796:352.

--9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
* Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

--9507240123 "DPC TR QA Program."
* Duke Power Co. 95/06/29. 58pp. 84796:297-84796:352.

9507140447 Forwards "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co." Vols 1-3.
HAMPTON,J.W. Duke Power Co. 95/07/08. Document Control Branch (Document Control Desk). 2pp. 84740:001-84745:342.

--9507140448 "Oconee Nuclear Station Keowee Reliability Analysis Duke Power Co." Vols 1-3.
* Duke Power Co. 95/06/30. 2,160pp. 84740:003-84745:342.

9507140072 Informs that staff agrees that completion of analyses by 990831, commensurate w/safety benefits gained & acceptable. Schedule for performance of fatigue analyses to be developed by 960301.
WIENS,L.A. 95/07/10. HAMPTON,J.W. Duke Power Co. 4pp. 84662:145-84662:148.

9507170064 Provides suppl response to plant QA-1 licensing basis & GL 83-28, Section 2.2.1 subpart 1.
HAMPTON,J.W. Duke Power Co. 95/07/10. Document Control Branch (Document Control Desk). 6pp. 84755:213-84755:218.

9507170136 Modifies commitment made in 950404 suppl response 4 to GL 89-13.
HAMPTON,J.W. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84755:120-84755:121.

9507240031 Discusses util intention to perform mod to reroute LPSW discharge line & consequent effluent monitoring requirement.
HAMPTON,J.W. Duke Power Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84819:347-84819:349.

9507240451 Notification of 950815 meeting w/util in Rockville, MD to discuss proposed methodology for re-analysis of FSAR Chapter 15 non-LOCA accidents & status of MK B11 fuel assembly development program and status of Duke TR Agenda encl.
WIENS,L.A. 95/07/19. BERKOW,H.N. 5pp. 84815:238-84815:242.

G. Inspection reports, IE Bulletins & correspondence

9507120071 Forwards insp repts 50-269/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527 & notice of deviation.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/21. HAMPTON,J.W. Duke Power Co. 3pp. 84575:194-84575:219.

--9507120077 Notice of deviation from insp on 950430-0527. Deviation noted: since initial operation, Channel "A" & "B" solenoid valves which operated MSSVs were not safety-related.
* Region 2 (Post 820201). 95/06/21. 1p. 84575:197-84575:197.

--9507120082 Insp repts 50-269/95-09, 50-270/95-09 & 50-287/95-09 on 950430-0527. Deviations noted. Major areas inspected: plant operations, surveillance testing, maint activities, onsite engineering & technical assistance & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/06/21. 22pp. 84575:198-84575:219.

9507140316 Ack receipt of 950623 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/95-06, 50-270/95-06 & 50-287/95-06.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/29. HAMPTON,J.W. Duke Power Co. 3pp. 84761:152-84761:154.

9507120205 Responds to ltr of 950614, accepting delay in implementation schedule for plant until EOC-16 outage (start Nov 1996) re IE Bulletin 80-04.
WIENS,L.A. 95/06/30. HAMPTON,J.W. Duke Power Co. 3pp. 84631:276-84631:280.

9507120132 Forwards relief request 95-03 & supporting technical info re delay for one outage in performing code-required RV nozzle exams.
HAMPTON,J.W. Duke Power Co. 95/07/05. Document Control Branch (Document Control Desk). 11pp. 84681:311-84681:321.

9507120322 Forwards safety evaluation authorizing proposed alternative to use exam techniques specified in section XI, 1992 edition of ASME Code, per 950406 ltr.
BERKOW,H.N. 95/07/06. TUCKMAN,M.S. Duke Power Co. 3pp. 84625:344-84625:350.

--9507120324 Safety evaluation authorizing util 950406 proposed alternative to use exam techniques specified in section XI, 1992 Edition of ASME Code.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 4pp. 84625:347-84625:350.

9507120279 Responds to concern re question of whether NRC resident inspector exceeded regulatory authority following 940810 reactor trip & concludes that authority not exceeded. Other alleged inappropriate staff actions to be addressed by NEI.
TAYLOR,J.M. Dir. of the Executive Director for Operations. 95/07/10. FATE,Z.T. Institute of Nuclear Power Operations. 9pp. 84631:281-84631:289.

9507200027 Forwards insp repts 50-269/95-11, 50-270/95-11 & 50-287/95-11 on 950528-0624 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/07/12. HAMPTON,J.W. Duke Power Co. 3pp. 84800:309-84800:330.

--9507200031 Notice of violation from insp on 950528-0624. Violation noted: on 950523, licensee identified problem requiring operability evaluation for three HPI sys containment isolation valves, but did not initiate PIP for problem.
* Region 2 (Post 820201). 95/07/12. 2pp. 84800:312-84800:313.

--9507200034 Insp repts 50-287/95-11, 50-270/95-11 & 50-287/95-11 on 950528-0624. Violations noted. Major areas inspected: plant operations, maint & surveillance testing, onsite engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/07/12. 17pp. 84800:314-84800:330.

9507200207 Ack receipt of 950315 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/94-31, 50-270/94-31 & 50-287/94-31. Advises that NRC will reclassify violation 2 as non-cited. Addl comments listed.
GIBSON,A.F. Region 2 (Post 820201). 95/07/12. HAMPTON,J.W. Duke Power Co. 2pp. 84800:358-84800:359.

9507240380 Forwards insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 on 950605-16. No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/07/14. HAMPTON,J.W. Duke Power Co. 3pp. 84824:086-84824:104.

--9507240382 Insp repts 50-269/95-10, 50-270/95-10 & 50-287/95-10 on 950605-16. No violations noted. Major areas inspected: electrical design.
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 95/07/12. 16pp. 84824:089-84824:104.

9507260120 Forwards insp repts 50-269/95-13, 50-270/95-13 & 50-287/95-13 on 950619-23. No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/07/14. HAMPTON,J.W. Duke Power Co. 3pp. 84793:315-84793:324.

--9507260123 Insp repts 50-269/95-13, 50-270/95-13 & 50-287/95-13 on 950619-23. No violations or deviations noted. Major areas inspected: secondary water chemistry, control room emergency ventilation sys & audits.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/07/11. 6pp. 84793:318-84793:324.

9507250106 Responds to NRC 950621 ltr re deviations noted in insp repts 50-270/95-09 & 50-287/95-09. Corrective actions: schedule for completion of fatigue analyses for RCS will be developed by 960301.
HAMPTON,J.W. Duke Power Co. 95/07/21. Document Control Branch (Document Control Desk). 10pp. 84828:289-84828:298.

9507310190 Discusses 950628 conference call w/B&W & util to discuss util 950612 ltr to NRC re topical rept BAW-2228.
GRUNDY,L.L. 95/07/21. MARCUS,G.H. 4pp. 84879:347-84879:350.

R. Periodic operating reports & related correspondence

9507060154 Forwards facility changes for 1994.
HAMPTON,J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 65pp. 84573:265-84573:329.

9507110101 Informs that no 10CFR50.46 annual rept required, since no minor changes made to B&W ECCS model & no significant errors reported for period from Jan-Dec 1994.
HAMPTON,J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84695:007-84695:008.

9507200044 Monthly operating repts for June 1995 for Oconee Nuclear Station Units 1,2 & 3. W/950714 ltr.
WILLIAMS,R.A., WEBER,R.L. Duke Power Co. 95/06/30. 18pp. 84795:339-84795:356.

50 DOCKETED ITEMS

5. Reportable occurrences, LERs & related correspondence

- 9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.
- 9507260133 PNO-II-95-043 on 950718, facility declared NOUE due to reactor coolant leakage rate of approx 36 gpm. Unit presently in cold shutdown & plans to make repairs underway.
CARROLL, R.E. Region 2 (Post 820201). 95/07/18. 1p. 84793:343-84793:343.

Y. Dry Cask Independent Spent Fuel Storage Installations

- 9507120029 Forwards cover page of 1994 update to FSAR for Oconee ISFSI.
HAMPTON, J.W. Duke Power Co. 95/06/30. Office of Nuclear Material Safety & Safeguards. 3pp. 84681:300-84681:302.
- 9507200004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded canisters & transfer casks used w/ISFSI.
WIENS, L.A. 95/07/13. HAMPTON, J.W. Duke Power Co. 3pp. 84739:347-84739:352.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9507050438 Forwards revised pages to rev 32 of amended physical security plan & Rev 13 of training & qualification plan. Revised pages withheld.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84589:109-84589:109.
- 9507130149 Rev 16 to EPIP-TMI-03, "Emergency Notification & Call Outs."
BEAVER, J., NELSON, M.A. General Public Utilities Corp. - GPU Service Corp. 95/06/28. 39pp. 84676:195-84676:233.
- 9507130020 Forwards response to 950526 response to followup to RAI re GL 92-06 concerning Thermo-Lag fire barrier issues.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/07. Document Control Branch (Document Control Desk). 9pp. 84684:346-84684:354.

P. Operating license stage documents & correspondence

- 9507050382 Forwards EA & FONSI re exemption from 10CFR50.44, 10CFR50.46 & 10CFR50. App K for demonstration fuel assemblies.
HERRAN, R.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/26. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84530:223-84530:230.
- 9507050393 Environ assessment & finding of no significant impact re issuance of exemption from provisions of 10CFR50.44, 10CFR50.46 & App K to 10CFR50 to licensee.
HERRAN, R.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/26. 5pp. 84530:226-84530:230.
- 9507050087 Notification of significant meeting 95-60 w/util on 950725 in King of Prussia, PA to discuss licensee details of upcoming outage plans.
ROGGE, J. Region 1 (Post 820201). 95/06/27. Region 1 (Post 820201). 2pp. 84507:071-84507:092.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507130020 Forwards response to 950526 response to followup to RAI re GL 92-08 concerning Thermo-Lag fire barrier issues.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/07. Document Control Branch (Document Control Desk). 9pp. 84684:346-84684:354.
- 9507310064 Forwards Rev 2 to TR 099, "TMI-1 Cycle 10 COLR." Rev incorporates Table 3, "BWST, BAST & RBAST Min Boron Requirements for Cold Shutdown."
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/20. Document Control Branch (Document Control Desk). 1p. 84894:315-84894:359.
- 9507310073 Rev 2 to "TMI-1 Cycle 10 COLR."
* General Public Utilities Corp. - GPU Service Corp. TR 099 R02. 95/06/28. 44pp. 84894:316-84894:359.
- 9507310088 Forwards rev to LAR 250 to License DPR-50, clarifying Section III, "SE Justifying Change" for source-range nuclear instrumentation SRs.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/24. Document Control Branch (Document Control Desk). 1p. 84903:276-84903:280.
- 9507310090 Rev to LAR 250 to License DPR-50, clarifying Section III, "SE Justifying Change" for source-range nuclear instrumentation SRs.
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/07/24. 4pp. 84903:277-84903:280.
- 9507310241 Forwards amend 194 to license DPR-50 & SE. Amend revises plant TS allowing use of two Zr-based advanced fuel rod cladding matls mfg by B&W.
HERRAN, R.W. 95/07/24. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84883:317-84883:327.
- 9507310246 Amend 194 to license DPR-50, revising plant TS to allow use of two Zr-based advanced fuel rod cladding matls mfg by B&W.
MCKEE, P.F. 95/07/24. 4pp. 84883:320-84883:323.
- 9507310267 Safety evaluation supporting amend 194 to license DPR-50.
* 95/07/24. 4pp. 84883:324-84883:327.

Q. Inspection reports, IE Bulletins & correspondence

- 9507100002 Forwards schedule & bases for NRC insp of facility planned for next yr.
COOPER, R.W. Region 1 (Post 820201). 95/06/29. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 84538:347-84538:350.
- 9507180410 Responds to 950630 ltr from PS Walsh re suspension of participation in re-qualification program of K Coughlin, holder of license SOP-11095.
MEYER, G.W. Region 1 (Post 820201). 95/07/14. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 2pp. 84786:074-84786:075.

R. Periodic operating reports & related correspondence

- 9507130146 Monthly operating rept for June 1995 for TMI Unit 1. W/950707 ltr.
HEYSEK, W.G., BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/30. 7pp. 84696:157-84696:163.

S. Reportable occurrences, LERs & related correspondence

- 9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

H. General correspondence

- 9507050078 Comment supporting proposed rule 10CFR73 re NRC initiative to eliminate requirement to post security at primary containment entrance during refueling & major maint periods.
BOULETTE, E.T. Boston Edison Co. 95/06/14. Docketing & Services Branch. 1p. 84507:054-84507:054.
- 9507210107 Responds to 950601 ltr to D Rathbun requesting that info be provided re failure to maintain primary containment integrity & failure to control special nuclear matl.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/21. KERRY, J.F. Senate. 4pp. 84809:280-84809:301.
- 9507210114 Forwards copy of ltr from MC Ott & DM Muirhead for Citizens Urging for Responsible Energy, group of Duxbury, MA re Pilgrim Nuclear Power Station.
KERRY, J.F. Senate. 95/06/01. RATHBUN, D. Office of Congressional Affairs (Post 911117). 3pp. 84809:298-84809:301.

K. Utility Final Safety Analysis Report (FSAR) & amends

- 9507120263 Rev 17 to "Final Safety Analysis Rept For Pilgrim Nuclear Power Station," for 1994 W/950629 ltr W/113 oversize drawings.
OLIVIER, L.J. Boston Edison Co. 95/06/30. 255pp. 84674:001-84674:255.

P. Operating license stage documents & correspondence

- 9507030272 Responds to 950601 ltr requesting that NRC provide info re two recent issues associated w/activities at plant operated by Boston Edison Co.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/21. KERRY, J.F. Massachusetts, Commonwealth of. 3pp. 84512:227-84512:247.
- 9507030077 Forwards corrected TS pages of amend to DPR-35 for Pilgrim Nuclear Power Station.
EATON, R.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/22. BOULETTE, E.T. Boston Edison Co. 3pp. 84512:351-84512:357.
- 9507030087 Corrected TS pages of amend 164 to license DPR-35 for plant.
* Project Directorate I-1 (PD1-1) (Post 941001). 95/06/22. 3pp. 84512:354-84512:356.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507100161 Approves use of tolytriazole at dosage rate requested in 950522 ltr.
MCSWEENEY, E.K. Environmental Protection Agency. 95/06/30. BOULETTE, E.T. Boston Edison Co. 2pp. 84649:359-84649:360.
- 9507170172 Notification of significant licensee meeting 95-65 w/util on 950719 to discuss results of Pilgrim SWS self-assessment.
CONTE, R.J. Region 1 (Post 820201). 95/06/30. Region 1 (Post 820201). 3pp. 84755:288-84755:290.
- 9507170375 Forwards Rev 11A & 11B to "Pilgrim Nuclear Power Station COLR."
BOULETTE, E.T. Boston Edison Co. 95/07/13. Document Control Branch (Document Control Desk). 1p. 84772:290-84772:340.
- 9507170379 Rev 11A to "Pilgrim Nuclear Power Station PNPS COLR."
* Boston Edison Co. 95/04/19. 25pp. 84772:291-84772:315.
- 9507170382 Rev 11B, "Pilgrim Nuclear Power Station PNPS COLR."
* Boston Edison Co. 95/06/06. 25pp. 84772:316-84772:340.
- 9507200074 Application for amend to license DPR-35, reflecting use of advanced GE-11 fuel design in cycle 11.
BOULETTE, E.T. Boston Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 6pp. 84800:086-84800:108.

--9507200078 Proposed tech specs re Section 2.1,Bases:Safety Limits; Section 3.3.C.scream insertion times & Section 4.11.C. minimum critical power ratio to reflect use of advanced GE-11 fuel design in cycle 11
* Boston Edison Co. 95/07/14. 17pp. 84800:092-84800:108.

9507280072 Forwards proprietary "Stress Corrosion Cracking Evaluation of XM-19 in BWR Environ." per commitment in 950509 ltr Encl justifi s selection of air cooled XM-19 matl for shroud stabilizer tie rods at plant Encl withheld.
BOULETTE,E.T. Boston Edison Co. 95/07/24. Document Control Branch (Document Control Desk). 6pp. 84874:328-84874:333.

Q. Inspection reports, IE Bulletins & correspondence

9507140014 Summarizes 950511 meeting w/public in Plymouth,MA to discuss plant outage insp results & startup readiness.
COOPER,R.W. Region 1 (Post 820201). 95/07/05. BOULETTE,E.T. Boston Edison Co. 12pp. 84625:089-84625:100.

9507240270 Forwards insp rept 50-293/95-14 on 950619-23 & notice of violation.
KELLY,E.M. Region 1 (Post 820201). 95/07/17. BOULETTE,E.T. Boston Edison Co. 4pp. 84795:148-84795:163.

--9507240274 Notice of violation from insp on 950619-23 Violation noted: licensee identified roof leakage into EDG bldg near safety-related electrical equipment.
* Region 1 (Post 820201). 95/07/17. 2pp. 84795:152-84795:153.

--9507240276 Insp rept 50-293/95-14 on 950619-23 Violations noted:Major areas inspected:plant design changes & temporary mods.
TRAPP,J.M., KELLY,E.M. Region 1 (Post 820201). 95/07/14. 10pp. 84795:154-84795:163.

9507270203 Forwards response to NRC ltr re violations noted in insp rept 50-293/95-09 on 950404-0518.Corrective actions: recovered all mispiced detectors & integrity was verified to be intact.
BOULETTE,E.T. Boston Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84851:285-84851:292.

R. Periodic operating reports & related correspondence

9507060248 Repts changes,tests & experiments at plant for period of Jan-Dec 1994.
ROTHERT,W.C. Boston Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84682:301-84682:306.

9507190323 Monthly operating rept for June 1995 for Pilgrim Nuclear Power Plant.W/ 950713 ltr.
CANNON,R.L., OLIVIER,L.J. Boston Edison Co. 95/06/30. 7pp. 84789:328-84789:334.

9507260050 "Discharge Monitoring Rept For Pilgrim Nuclear Power Station." for June 1995 W/950718 ltr.
ROTHERT,W.C. Boston Edison Co. 95/06/30. 10pp. 84839:347-84839:356.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependant on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507190052 LER 95-006-00:on 950614,RCIC sys made inoperable for troubleshooting problem w/turbine steam supply valve.Caused by either loosened wire-connector or failed auxiliary seal- in relay.Relay replaced & wires checked.W/950713 ltr.
CALFA,J., BOULETTE,E.T. Boston Edison Co. 95/07/13. 6pp. 84786:121-84786:126.

9507190045 LER 95-005-00:on 950605,drywell-to-torus portion of primary containment vacuum relief sys actuated.Caused by non- established drywell-to-torus atmosphere differential pressure.Addl nitrogen delivered W/950714 ltr.
ELLIS,D.W., BOULETTE,E.T. Boston Edison Co. 95/07/14. 8pp. 84786:113-84786:120.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK,M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507070289 Forwards Amend 3 to "Zion Station Fire Protection Rept." Safe shutdown rept.Vol 1 updated to reflect changes implemented to meet App R commitments & fire hazards analysis.Vol 2 updated to reflect changes through 941231.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 23pp. 84663:001-84664:202.

--9507070290 Amend 3 to "Zion Station Fire Protection Rept."
* Commonwealth Edison Co. 95/07/31. 543pp. 84663:024-84664:202.

9507110057 Ack receipt of 950505 FEMA ltr transmitting FEMA evaluation rept for 930728 & 940601 emergency preparedness exercise at plant.
CREED,J.R. Region 3 (Post 820201). 95/07/05. TUETKEN,R. Commonwealth Edison Co. 2pp. 84557:099-84557:189.

--9506020126 Forwards final rept for 930728 & 940601 plume exposure pathway exercise at offsite radiological emergency response plans site-specific to station.No deficiencies noted.
HEPLER,O.M. Federal Emergency Management Agency. 95/05/05. SPESSARD,R.L. 2pp. 84557:101-84557:102.

--9506020126 "Radiological Emergency Preparedness Exercise Evaluation Rept." exercise date 930728 & 940601.draft rept date 950118.
* Federal Emergency Management Agency. 95/04/17. 87p. 84557:103-84557:189.

9507250111 Forwards util revised EP EALs.
VONK,M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

G. Adjudicatory correspondence

9507100142 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DC-95-09 in listed docket has expired.Decision became final agency action on 950620.W/Certificate of Svc.Served on 950630.
HOYLE,J.C. Office of the Secretary of the Commission. #395 18864. 95/06/29. RUTHERFORD,R.K. Affiliation Not Assigned. 2pp. 84538:341-84538:342.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507260244 Revised updated FSAR for Zion Nuclear Station Units 1 & 2. W/950621 ltr.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/21. 321pp. 84858:207-84859:169.

P. Operating license stage documents & correspondence

9507140108 Forwards notice of consideration of issuance of amend to license DPR-39 & proposed NSHC determination & opportunity for hearing re request to allow SG tubes that exceed repair criteria,remain in svc for remainder of unit 1 cycle.
SHIRAKI,C.Y. . 95/05/19. FARRAR,D.L. NRC - No Detailed Affiliation Given. 2pp. 84710:324-84710:334.

--9507140114 Notice of consideration of issuance of amend to license DPR-39 & proposed NSHC determination & opportunity for hearing.Amend to allow 154 SG tubes that exceed repair criteria remain in svc for remainder of unit 1 cycle.
RECKLELY,W.D. . 95/05/19. 9pp. 84710:326-84710:334.

9507050416 Forwards for info copy of environ assessment & finding of no significant impact re util 950512 request for one-time only exemption from schedular requirements of 10CFR50,App J.
SHIRAKI,C.Y. . 95/06/26. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84530:250-84530:255.

--9507050424 Environ assessment & finding of no significant impact re one-time only exemption from schedular requirements of 10CFR50,App J.
SHIRAKI,C.Y. . 95/06/26. 4pp. 84530:252-84530:255.

9507030273 Provides util response to GL 95-03. "Circumferential Cracking of SG Tubes."
VONK,M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84560:190-84560:202.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. . 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507060347 Informs that delay in submittal date for info described in util 950328 ltr & 950622 telcon re IPE submittal - internal events & status of IPE SER response from 950630 to 0831 necessary,because of addl scope of work.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84596:359-84598:360.

9507070089 Application for amends to licenses DPR-39 & DPR-48, revising TS for EDG hot sequence loading test relaxation,per Reg Guide 1.108,Rev 1.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84622:271-84622:296.

--9507070091 Proposed tech specs for EDG hot sequence loading test relaxation.
* Commonwealth Edison Co. 95/06/30. 13pp. 84622:284-84622:296.

9507100277 Forwards amends 165 & 153 to licenses DPR-39 & DPR-48, respectively & SE.Amends add statement to recognize performing containment leakage rate testing in accordance w/10CFR50,app J & approved exemptions.
SHIRAKI,C.Y. . 95/06/30. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84587:007-84587:018.

--9507100291 Amends 165 & 153 to licenses DPR-39 & DPR-48, respectively, adding statement to recognize performing containment leakage rate testing in accordance w/ 10CFR50,app J & approved exemptions.
SHIRAKI,C.Y. . 95/06/30. 8pp. 84587:009-84587:016.

--9507100298 Safety evaluation supporting amends 165 & 153 to licenses DPR-39 & DPR-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 2pp. 84587:017-84587:018.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507180435 Informs that one-time schedular exemption from requirements of 10CFR50,App J, to delay performance of type A test for period of approximately 18 months granted.Exemption encl.
SHIRAKI,C.Y. . 95/07/12. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84726:233-84726:242.

--9507180438 Exemption from requirements of 10CFR50,App J, to delay performance of type A for period of approximately 18 months.
ROE,J.W. . 95/07/12. Commonwealth Edison Co. 8pp. 84726:235-84726:242.

52 DOCKETED ITEMS

9507240014 Ack receipt of 950605 ltr in response to NRC 950505 ltr requesting info re number of radiation protection concerns at plant.
CANIANO,R.J. Region 3 (Post 820201). 95/07/14. TUETKEN,R. Commonwealth Edison Co. 2pp. 84751:039-84751:040.

9507210187 Forwards amends 166 & 154 to licenses DPR-39 & DPR-48 & safety evaluation. Amends revise requirement to perform EDG automatic hot start & sequence loading test immediately following 25 h EDG endurance test.
SHIRAKI,C.Y. 95/07/18. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84764:025-84764:036.

-9507210191 Amends 166 & 154 to licenses DPR-39 & DPR-48, respectively, revising requirement to perform EDG automatic hot start & sequence loading test immediately following 24 h EDG endurance test.
SHIRAKI,C.Y. 95/07/18. 7pp. 84764:027-84764:033.

-9507210194 Safety evaluation supporting amends 166 & 154 to licenses DPR-39 & DPR-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84764:034-84764:038.

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date.
GRIMES,C.I. 95/07/18. BUSH,L. Westinghouse Operating Plants Owners Group. SZABO,C. Babcock & Wilcox Operating Plants Owners Group. MANN,B. C-E Operating Plants Owners Group. 36pp. 84832:321-84832:357.

9507240452 Provides plan to disposition Alloy 699 TT plugs at Zion Station.
SIMPKIN,T.W. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84819:354-84819:355.

9507290279 Forwards amend 167 to license DPR-19 & safety evaluation. Amend allows limited number of SG tubes w/roll transition indications to remain in svc until Sept 1995 refueling outage.
SHIRAKI,C.Y. 95/07/26. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84856:251-84856:275.

-9507280284 Amend 167 to license DPR-39 allowing limited number of SG tubes w/roll transition indications to remain in svc until Sept 1995 refueling outage.
SHIRAKI,C.Y. 95/07/26. 5pp. 84856:254-84856:257.

-9507280286 Safety evaluation supporting amend 167 to license DPR-39.
* 95/07/26. 17pp. 84856:258-84856:275.

Q. Inspection reports, IE Bulletins & Correspondence

9507030052 Forwards response to NRC 940426 RAI re plant 930903 proposed ISI program.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 34pp. 84588:287-84588:320.

9507050039 Forwards revised semi-annual insp plan for plant dtd 950607.
MILLER,L.F. Region 3 (Post 820201). 95/06/27. TUETKEN,R. Commonwealth Edison Co. 2pp. 84508:060-84508:061.

9507100025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507070001 Confirms plans as discussed between L Miller & M Lesniak to hold meeting on 950719 in Lisle, IL to discuss events surrounding apparent failures to comply w/TS requirements re SG operability. Policy statement encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/30. TUETKEN,R. Commonwealth Edison Co. 5pp. 84530:001-84530:005.

9507104006 Documents commitment in response to request for addl info re SG tube insps.
SIMPKIN,T.W. Commonwealth Edison Co. 95/07/12. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84776:260-84776:260.

9507190019 Forwards insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted.
RING,M.A. Region 3 (Post 820201). 95/07/14. TUETKEN,R. Commonwealth Edison Co. 2pp. 84711:030-84711:039.

-9507190025 Insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted. Major areas inspected: licensed operator requalification program, including administrative training procedures, requalification training records & exam matl.
BAILEY,M., BURDICK,T. Region 3 (Post 820201). 95/07/14. 8pp. 84711:032-84711:039.

R. Periodic operating reports & related correspondence

9507190348 Monthly operating repts for June 1995 for Zion Generating Station Units 1 & 2 W/950714 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/30. 39pp. 84790:154-84790:192.

S. Reportable occurrences, LERs & related correspondence

9507120041 LER 95-006-00 on 950607 determined that prior to shutdown in Fall 1993 plant not in compliance w/TS SR 4.5.1.a.3 re CWR pressure. Caused by mgt deficiency SW design basis document & surveillance procedures reviewed. W/950706 ltr.
DAHLEN,D., SCHWARTZ,G.K. Commonwealth Edison Co. 95/07/06. 6pp. 84676:263-84676:268.

9507170085 Forwards LER 95-007 re noncompliance w/EDG TSs.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84739:035-84739:042.

-9507170101 LER 95-007-00 on 950612. EDG TS was in compliance due to personnel error. Performed testing on five plant EDGs which deviated from requirement of RG 1.108 & has been verified to meet equivalent test requirement.
FANNING,G. Commonwealth Edison Co. 95/07/11. 6pp. 84739:036-84739:042.

9507240030 LER 88-014-01 on 880707, failed to adequately test power operated RV per TS 4.3.1.F.1 due to procedural deficiency. Reviewed TS SR as applied to pressure PORV to ensure complete compliance w/950719 ltr.
MIKA,S.L., SCHWARTZ,G.K. Commonwealth Edison Co. 95/07/19. 4pp. 84821:081-84821:084.

V. Operator Examinations

9507190019 Forwards insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted.
RING,M.A. Region 3 (Post 820201). 95/07/14. TUETKEN,R. Commonwealth Edison Co. 2pp. 84711:030-84711:039.

-9507190025 Insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted. Major areas inspected: licensed operator requalification program, including administrative training procedures, requalification training records & exam matl.
BAILEY,M., BURDICK,T. Region 3 (Post 820201). 95/07/14. 8pp. 84711:032-84711:039.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507120189 Forwards insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84576:064-84576:074.

-9507120193 Insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insp associated w/Unit 3 restart activities.
GOODEN,A. Region 2 (Post 820201). 95/06/23. 7pp. 84576:068-84576:074.

9507120045 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN.
JAUDON,J.P. 95/06/27. MEDFORD,M. Tennessee Valley Authority. 6pp. 84575:057-84575:062.

9507070284 Revised EPIPs, including index. Rev 15 to EPIP-2, Rev 18 to EPIP-3, Rev 17 to EPIP-4, Rev 19 to EPIP-5, Rev 15 to EPIP-6 & Rev 14 to EPIP-7. W/950629 ltr.
SALAS,P. Tennessee Valley Authority. 95/06/29. 101pp. 84579:160-84579:260.

9507250297 Forwards trip rept of 950514-16 visit to Browns Ferry Nuclear Plant.
NEBUDA,D.T. Army, Dept. of, Corps of Engineers. 95/06/29. YOUNG,F. NRC - No Detailed Affiliation Given. 1p. 84835:253-84835:260.

-9507250301 Trip rept of 950514-16 visit to Browns Ferry Nuclear Power Stations re blast evaluation & subsequent vehicle barrier location.
NEBUDA,D.T. Army, Dept. of, Corps of Engineers. 95/06/06. Army, Dept. of, Corps of Engineers. 7pp. 84835:254-84835:260.

9507170017 Ack receipt of 950517 ltr forwarding detailed scenario for plant radiological emergency plan exercise. Submittal meet requirement for full participation exercise scheduled for wk of 950724.
BARR,K.P. Region 2 (Post 820201). 95/07/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84850:335-84850:337.

9507210002 Revised EPIPs, including rev 19 to EPIP-1, rev 12 to EPIP-6, rev 14 to EPIP-7, rev 12 to EPIP-8, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 8 to EPIP-17, rev 6 to EPIP-18, rev 9 to EPIP-22 & rev 6 to EPIP-23. W/950712 ltr.
CARRIER,P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210.

9507260004 Comment on proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER,P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

9507250114 Revised Central Emergency Control Ctr (CECC) EPIPs, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5. W/950720 ltr.
CARRIER,P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828:001-84828:046.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501.
CARRIER,P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

P. Operating license stage documents & correspondence

- 9507050300** Discusses 950606-07 NRC senior managers meeting to evaluate nuclear performance of operating reactors, fuel facilities & other matts licensees. Recovery of unit 3 progressing accordingly. Disposition of unit 1 indeterminate.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84516.258-84516.261.
- 9507120026** Confirms conversation between P Saias & NRC on 950622, concerning meeting which has been scheduled for 950720 to discuss status & schedule for unit 3 restart activities.
LESSER, M.S. Region 2 (Post 820201). 95/06/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84574.215-84574.217.
- 9506280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.266.
- 9507070314** Provides suppl info requested by NRC for review of proposed TS 359 submitted on 950511 to reflect interim addition of scram pilot air header low pressure trip function on BFN Unit 3. Revised Units 2 & 3 TS bases page encl.
SALAS, P. Tennessee Valley Authority. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84579.305-84579.321.
- 9507070319** Proposed tech specs bases pages for TS 359, incorporating info re scram pilot air header low pressure trip function.
* Tennessee Valley Authority. 95/06/30. 14pp. 84579.308-84579.321.
- 9507170006** Discusses NRC 950612 ltr announcing NRC meeting w/ util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at util facilities.
JAUDON, J.P. Region 2 (Post 820201). 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 84650.296-84650.301.
- 9507110329** Requests that encl JM Taylor 950705 memo to chairman be classified as publicly available.
TAM, P.S. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84587.147-84587.193.
- 9507110334** Forwards draft rept re licensing status of Watts Bar, Unit 1 & restart of Browns Ferry, Unit 3.
TAYLOR, J. Ofc of the Executive Director for Operations. 95/07/05. THE CHAIRMAN, JACKSON, S.A., ROGERS Commissioners (Post 750119). 46pp. 84587.148-84587.193.
- 9507170085** Application for amends to licenses DPR-33, DPR-52 & DPR-68 revising TS base section 3.7.A/4.7.A to clarify method of determining operability of drywell to suppression chamber vacuum breakers.
SALAS, P. Tennessee Valley Authority. 95/07/10. Document Control Branch (Document Control Desk). 3pp. 84755.201-84755.212.
- 9507170082** Proposed tech specs clarifying method of determining operability of drywell to suppression chamber vacuum breakers.
* Tennessee Valley Authority. 95/07/10. 9pp. 84755.204-84755.212.
- 9507210022** Confirms conversation between S Wetzel & NRC staff on 950712 concerning meeting requested by util, which has been scheduled for 950720 to discuss results of svc water sys operational performance assessment.
LESSER, M.S. Region 2 (Post 820201). 95/07/12. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84738.048-84738.050.
- 9507210178** Provides suppl info verbally requested by NRC in 950629 teleconference for review of proposed TS 349.
SALAS, P. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 10pp. 84807.337-84807.346.
- 9507240193** Forwards Amends 222,237 & 196 to Licenses DPR-33, DPR-52 & DPR-68, respectively & safety evaluation. Amends implement analog transmitter/trip sys on plant, revise reactor vessel water level safety limit.
WILLIAMS, J.F. 95/07/17. KINGSLEY, O.D. Tennessee Valley Authority. 1p. 84821.265-84821.363.
- 9507240214** Amends 222,237 & 196 to Licenses DPR-33, DPR-52 & DPR-68, respectively, implementing analog transmitter/trip sys on plant, revise reactor vessel water level safety limit & limiting safety sys setting for Units 1,2 & 3.
HEBDON, F.J. 95/07/17. 9pp. 84821.266-84821.352.
- 9507240222** Safety evaluation supporting amends 222,237 & 196 to Licenses DPR-33, DPR-52 & DPR-68, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 11pp. 84821.353-84821.363.
- 9507240324** Submits RAI re TVA organization topical repl, rev 6. Requests response by 950818.
HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778.350-84778.353.
- 9507270305** Staff requirements memo re 950712 briefing in Rockville, MD on status of Watts Bar & Browns Ferry, Unit 3.
HOYLE, J.C. Office of the Secretary of the Commission. 95/07/24. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 84844.045-84844.045.
- 9507280058** Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875.148-84875.156.
- 9507310281** Summary of 950601 meeting w/ NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTI, D. 95/07/26. QUAY, T.R. 46pp. 84886.143-84886.188.

Q. Inspection reports, IE Bulletins & correspondence

- 9507120189** Forwards insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations or deviations noted.
BARR, K.P. Region 2 (Post 820201). 95/06/23. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84576.064-84576.074.

-9507120193 Insp repts 50-259/95-30, 50-260/95-30 & 50-296/95-30 on 950530-0602. No violations noted. Major areas inspected: operational readiness of emergency preparedness program for in-depth insp associated w/ Unit 3 restart activities.
GOODEN, A., BARR, K. Region 2 (Post 820201). 95/06/23. 7pp. 84576.066-84576.074.

9507120009 Forwards insp repts 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-16. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/06/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84574.124-84574.133.

-9507120010 Insp repts 50-259/95-34, 50-260/95-34 & 50-296/95-34 on 950612-16. No violations noted. Major areas inspected: status of licensee actions for Unit 3 compliance w/ Station Blackout Rule addressed in 10CFR 50.63 & loss of all ac power.
SALGADO, N., SHYLOCK, M. Region 2 (Post 820201). 95/06/27. 7pp. 84574.127-84574.133.

9507120146 Confirms conversation of 950622 between S Austin & G Wiseman re working level meeting scheduled for 950710 to discuss upcoming unit 3 app R, insp.
LESSER, M.S. Region 2 (Post 820201). 95/06/27. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84576.039-84576.041.

9507120012 Forwards insp repts 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950514-0610 & notice of violation.
LESSER, M.S. Region 2 (Post 820201). 95/06/28. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84574.136-84574.169.

-9507120024 Insp repts 50-259/95-31, 50-260/95-31 & 50-296/95-31 on 950514-0610. No violations noted. Major areas inspected: operations, surveillance testing & maint activities.
WERT, L.D., LESSER, M.S. Region 2 (Post 820201). 95/06/28. 27pp. 84574.142-84574.169.

9507100409 Responds to NRC 950606 ltr re violation noted in insp repts 50-259/95-26, 50-260/95-26 & 50-296/95-26. Corrective actions: Abnormal Operating Instruction (AOI) 0-AOI-100-7 revised to provide SOS w/ latitude to evaluate weather conditions.
MACHON, R.D. Tennessee Valley Authority. 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84692.331-84692.335.

9507140261 Forwards insp repts 50-259/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09 & notice of violation.
BARR, K.P. Region 2 (Post 820201). 95/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84728.333-84728.360.

-9507140294 Notice of violation from insp on 950605-09. Violation noted: on 950605 only one out of seven individuals preparing to enter RCA to perform work on Unit 2 RHRSW sys observed to thoroughly read RWP 95-2-0-01301.
* Region 2 (Post 820201). 95/07/06. 2pp. 84728.337-84728.338.

-9507140301 Insp repts 50-259/95-33, 50-260/95-33 & 50-296/95-33 on 950605-09. Violation noted. Major areas inspected: radiation monitoring sys operations & radiation protection program activities.
KUZO, G.B., LOO, W.T., RANKIN, W.H. Region 2 (Post 820201). 95/07/06. 22pp. 84728.339-84728.360.

9507170002 Forwards insp repts 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/07/07. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84650.284-84650.295.

-9507170005 Insp repts 50-259/95-36, 50-260/95-36 & 50-296/95-36 on 950605-09. No violations noted. Major areas inspected: engineering/technical support, design changes, mods & resolution of drawing control related issues.
WISEMAN, G., SHYLOCK, M.B. Region 2 (Post 820201). 95/07/06. 9pp. 84650.287-84650.295.

9507200258 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-15, 50-260/95-15 & 50-296/95-15.
GIBSON, A.F. Region 2 (Post 820201). 95/07/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84811.356-84811.358.

9507180167 Forwards "SWS Operational Performance Insp (SWSOPI) Browns Ferry Nuclear Plant." TVA plans to meet w/ NRC Region II to discuss encl rept & to provide NRC w/ status of corrective actions for weaknesses noted in SWSOPI self-assessment rept.
MACHON, R.D. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84785.001-84785.180.

-9507180173 "SWS Operational Performance Insp (SWSOPI) Browns Ferry Nuclear Plant."
KOBYLARZ, S.F. Ogden Environmental & Energy Services Co. (formerly ERC Environmental & Energy S. 95/06/23. 150pp. 84785.003-84785.180.

R. Periodic operating reports & related correspondence

- 9507210035** Revised Table 9 to Browns Ferry Nuclear Plant Annual Radiological Effluent Release Rept for Jan-Dec 1994. W/950717 ltr.
SALAS, P. Tennessee Valley Authority. 94/12/31. 4pp. 84811.341-84811.344.
- 9507250052** Monthly operating repts for June 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3. W/950714 ltr.
SMITH, T.R., SALAS, P. Tennessee Valley Authority. 95/06/30. 13pp. 84828.106-84828.118.

S. Reportable occurrences, LERs & related correspondence

- 9507170024** LER 95-001-00 on 950615, under-voltage condition occurred on shutdown boards, automatically starting EDGs. Caused by loss of Athens 161 kV line. EDGs placed in standby & power restored to buses W/950711 ltr.
WALLACE, J.E., MACHON, R.D. Tennessee Valley Authority. 95/07/11. 7pp. 84739.006-84739.012.

54 DOCKETED ITEMS

T. Hearing transcripts on non-antitrust matters

9507260220 Transcript of 950712 public meeting in Rockville, MD re briefing on status of Watts Bar & Browns Ferry Unit 3. Pp 1-56. Supporting documentation encl.
* Commissioners (Post 750119). 95/07/12. 73pp. 84844:256-84844:327.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9507110252 Responds to ltr of 950426, accepting revised commitments re testing CREFS at plant as interim measures until sys mod can be implemented & new testing criteria established.
HALL, J.R. 95/07/05. HORN, G.R. Nebraska Public Power District. 4pp. 84616:329-84616:332.

9507100294 Revised EIPs, including Rev 21 to 5.7.1, "Emergency Classification" & Rev 15 to 5.7.27, "Alert & Notification Sys." W/950707 ltr.
KRUMLAND, K.M., HOUSTON, B.L., HORN, G.R. Nebraska Public Power District. 95/07/07. 101pp. 84668:041-84668:143.

9507310035 Forwards insp rept 50-298/95-08 on 950416-0527 & notice of violation. Violation indication that add mgt attention required in order to establish & maintain environment & safety-related activities will be performed IAW procedures.
DYER, J.E. Region 4 (Post 820201). 95/07/25. HORN, G.R. Nebraska Public Power District. 5pp. 84843:098-84843:128.

-9507310037 Notice of violation from insp on 950416-0527. Violation noted: Emergency Procedure 5.2.5.1, "Loss of All AC," did not provide instructions for securing high pressure coolant sys after 10 minutes into station blackout scenario.
* Region 4 (Post 820201). 95/07/25. 2pp. 84843:101-84843:102.

P. Operating license stage documents & correspondence

9507050277 Informs that, based on 950606-07 meeting, corrective actions re plant performance, including hardware & personnel performance acceptable.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/20. GANGEL, R.L. Nebraska Public Power District. 5pp. 84516:253-84516:257.

9507050138 Forwards safety evaluation addressing BWROG 900402 response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs' Per 10CFR50.54(f)."
HALL, J.R. 95/06/21. HORN, G.R. Nebraska Public Power District. 4pp. 84516:189-84516:194.

-9507050157 Safety evaluation re response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPP' Per 10CFR50.54(f)." Stated upgrade unwarranted.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 2pp. 84516:193-84516:194.

9507070066 Discusses complaints filed by Midwest Power Sys Inc & Lincoln Electric Sys initiating litigation w/ licensee for recovery of expenses incurred as result of extended outage at plant.
BECKNER, W.D. 95/06/21. HORN, G.R. Nebraska Public Power District. 3pp. 84559:200-84559:202.

9507060060 Application for amend to license DPR-46. Amend would increase RPV boron concentration & mod surveillance frequency for SLC pump operability testing.
HORN, G.R. Nebraska Public Power District. 95/06/26. Document Control Branch (Document Control Desk). 11pp. 84579:060-84579:096.

-9507060063 Proposed tech specs re increasing required RPV boron concentration & modifying surveillance frequency for SLC pump operability testing.
* Nebraska Public Power District. 95/06/28. 26pp. 84579:071-84579:096.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:266.

9507050259 Provides update on util commitment for an improved STSs conversion assessment for Cooper Nuclear Station re feasibility & practicality of conversion.
MUELLER, J.H. Nebraska Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84567:357-84567:358.

9507060217 Certifies that minimum requirement has been deposited in external trust fund for purposes of decommissioning CNS.
MUELLER, J.H. Nebraska Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 6pp. 84617:296-84617:303.

9507060246 Submits update on commitment for new training tracking sys. Commitment corrective steps in response to violations occurred due to inadequate overview.
MUELLER, J.H. Nebraska Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84589:357-84589:360.

9507120389 Forwards Environ Assessment & FONSI re 941227 application for exemption from requirements of app J to 10CFR50, allowing Type B testing of drywell head & manport primary containment penetrations to be deferred from current due date of 950717.
HALL, J.R. 95/07/10. HORN, G.R. Nebraska Public Power District. 3pp. 84625:352-84625:359.

-9507120390 Environ assessment & finding of no significant impact re exemption from 10CFR50, App J for plant, allowing type B testing of drywell head & manport primary containment penetrations to be deferred from current date of 950717.
HALL, J.R. 95/07/10. 5pp. 84625:355-84625:359.

9507180330 Forwards amend 170 to license DPR-46 & safety evaluation. Amend revises surveillance requirement 4.7.A.2.1.1 to allow one-time extension for performance of type B local leak rate testing of drywell head & manport from 950717 until 951013.
HALL, J.R. 95/07/11. HORN, G.R. Nebraska Public Power District. 3pp. 84696:176-84696:185.

-9507180341 Amend 170 to license DPR-46, revising surveillance requirement 4.7.A.2.1.1 to allow one-time extension for performance of type B local leak rate testing of drywell head & manport.
HALL, J.R. 95/07/11. 4pp. 84696:179-84696:182.

-9507180346 Safety evaluation supporting amend 170 to license DPR-46.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 3pp. 84696:183-84696:185.

9507180254 Forwards Rev 7 to "CNS Second Ten Yr Interval IST Program," in response to concerns noted in util 930607, 1112 & 950126 ltrs re CNS-status of issues related to unit startup, insp rept 50-298/93-17 & LER 94-032, respectively.
MUELLER, J.H. Nebraska Public Power District. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84784:001-84784:216.

-9507180259 Rev 7 to "CNS Second Ten Yr Interval IST Program."
* Nebraska Public Power District. 95/07/14. 212pp. 84784:005-84784:216.

9507200142 Forwards rev to proposed change to plant TSs re DG enhancements. Rev moves TS in more conservative direction.
HORN, G.R. Nebraska Public Power District. 95/07/14. Document Control Branch (Document Control Desk). 3pp. 84779:185-84779:194.

-9507200146 Revised proposed tech specs re DG enhancements reflecting more conservative approach to enhancing DGs.
* Nebraska Public Power District. 95/07/14. 7pp. 84779:188-84779:194.

9507190257 Forwards exemption from 10CFR50, App J re drywell head & manport Cooper Nuclear Station. Safety evaluation encl.
HALL, J.R. 95/07/17. HORN, G.R. Nebraska Public Power District. 3pp. 84768:342-84768:353.

-9507190262 Notice of exemption, authorizing operation of Cooper Nuclear Station at power levels not in excess of megawatts thermal.
ROE, J.W. 95/07/13. 7pp. 84768:345-84768:351.

-9507190263 Safety evaluation re exemption from 10CFR50, App J Section III.D.2(A) for drywell head & manport.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 2pp. 84768:352-84768:353.

9507280217 Requests relief from requirements of Paragraphs IWA-7110 & IWA-7210 of Section III of ASME Code. Relief specific for weld located between 24 inch HPCI turbine exhaust line & 10 inch branch line.
MUELLER, J.H. Nebraska Public Power District. 95/07/21. Document Control Branch (Document Control Desk). 6pp. 84875:317-84875:322.

G. Inspection reports, IE Bulletins & correspondence

9507060245 Forwards new & revised relief requests for CNS second ten-yr ISI program, in response to deficiencies noted in insp rept 50-298/93-17.
MUELLER, J.H. Nebraska Public Power District. 95/06/21. Document Control Branch (Document Control Desk). 36pp. 84600:315-84600:350.

9507060246 Submits update on commitment for new training tracking sys. Commitment corrective steps in response to violations occurred due to inadequate overview.
MUELLER, J.H. Nebraska Public Power District. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84589:357-84589:360.

9507110009 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-04. Ack position that example 1 of citation did not meet threshold for implementing condition reporting procedure.
BEACH, A.B. Region 4 (Post 820201). 95/06/30. HORN, G.R. Nebraska Public Power District. 3pp. 84557:024-84557:031.

9507150254 Forwards Rev 7 to "CNS Second Ten Yr Interval IST Program," in response to concerns noted in util 930607, 1112 & 950126 ltrs re CNS-status of issues related to unit startup, insp rept 50-298/93-17 & LER 94-032, respectively.
MUELLER, J.H. Nebraska Public Power District. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84784:001-84784:216.

9507180263 Forwards Rev 4 to "CNS Second Ten Yr Interval ISI Program for ASME Class 1, 2 & 3 Components," per commitments stated in ref documents.
MUELLER, J.H. Nebraska Public Power District. 95/07/14. Document Control Branch (Document Control Desk). 3pp. 84782:001-84782:021.

-9507180265 Rev 4 to "CNS Second Ten Yr Interval ISI Program for ASME Class 1, 2 & 3 Components."
* Nebraska Public Power District. 95/06/30. 381pp. 84782:004-84782:021.

9507190112 Forwards util plan for insp of plant core shroud per GL 94-03. Util plans to perform weld insps during Oct 1995 refueling outage, w/one oversize drawing.
HORN, G.R. Nebraska Public Power District. 95/07/14. Document Control Branch (Document Control Desk). 7pp. 84897:352-84897:358.

9507310035 Forwards insp rept 50-298/95-08 on 950416-0527 & notice of violation. Violation indication that add mgt attention required in order to establish & maintain environment & safety-related activities will be performed IAW procedures.
DYER, J.E. Region 4 (Post 820201). 95/07/25. HORN, G.R. Nebraska Public Power District. 5pp. 84843:096-84843:128.

-9507310037 Notice of violation from insp on 950416-0527. Violation noted: Emergency Procedure 5.2.5.1, "Loss of All AC," did not provide instructions for securing high pressure coolant sys after 10 minutes into station blackout scenario.
* Region 4 (Post 820201). 95/07/25. 2pp. 84843:101-84843:102.

-9507310041 Insp rept 50-298/95-08 on 950416-0527. Violations noted: Major areas inspected: onsite response to event, operational safety verification, plant support activities, maint & surveillance observations & onsite engineering.
HARRELL, P.H. Region 4 (Post 820201). 95/07/24. 26pp. 84843:103-84843:128.

R. Periodic operating reports & related correspondence

- 9507140164** Forwards monthly operating rept for June 1995 for Cooper Nuclear Station & corrected operating status for months of Feb-May 1995.
HERRON,J.T. Nebraska Public Power District. 95/07/10. Document Control Branch (Document Control Desk). 1p. 84760:344-84760:352.
- 9507140184** Monthly operating rept for June 1995 for Cooper Nuclear Station.
BALLINGER,P.L. Nebraska Public Power District. 95/06/30. 4pp. 84760:345-84760:348.
- 9507140195** Corrected copy of monthly operating rept for Feb 1995 for Cooper Nuclear Station.
* Nebraska Public Power District. 95/02/28. 1p. 84760:349-84760:349.
- 9507140203** Corrected copy of monthly operating rept for Mar 1995 for Cooper Nuclear Station.
* Nebraska Public Power District. 95/03/31. 1p. 84760:350-84760:350.
- 9507140207** Corrected copy of monthly operating rept for Apr 1995 for Cooper Nuclear Station.
* Nebraska Public Power District. 95/04/30. 1p. 84760:351-84760:351.
- 9507140211** Corrected copy of monthly operating rept for May 1995 for Cooper Nuclear Station.
* Nebraska Public Power District. 95/05/31. 1p. 84760:352-84760:352.

S. Reportable occurrences, LERs & related correspondence

- 9507210322** Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:192.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

- 9507050383** Forwards public & central files versions of revised EIPs. Central files version of revised EIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84569:089-84569:135.
- 9507050387** Public version of revised EIPs,including Rev 30 to EPIP index,Rev 27 to EPIP 1.1,Rev 28 to EPIP 1.2 & Rev 4 to EPIP 12.1.
* Wisconsin Electric Power Co. 95/06/02. 45pp. 84569:090-84569:135.
- 9507050397** Forwards public & central files versions of revised EIPs. Central files version of revised EIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 84569:001-84569:087.
- 9507050407** Public version of revised EIPs,including Rev 31 to EPIP index,Rev 26 to EPIP form index,Rev 11 to EPIP 6.1,EPIP-6.6c dtd 950629,Rev 17 to EPIP-22,Rev 16 to EPIP-23,Rev 15 to EPIP-25 & Rev 14 to EPIP-26.
* Wisconsin Electric Power Co. 95/06/29. 84pp. 84569:002-84569:087.
- 9507050409** Forwards Rev 0 to "Point Beach Nuclear Plant Emergency Action Level Technical Basis Document."
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/29. Document Control Branch (Document Control Desk). 6pp. 84561:191-84561:310.
- 9507050417** Rev 0 to "Point Beach Nuclear Plant Emergency Action Technical Basis Document."
* Wisconsin Electric Power Co. 95/06/02. 112pp. 84561:199-84561:310.

- 9507110175** Forwards EA & finding of no significant impact re application dtd 940804.Exemption allows three new cable trays,installed as part of DG addition project,to remain in place in auxiliary FW pump fire area.
HANSEN,A.G. . 95/07/03. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84616:333-84616:340.
- 9507110184** Environmental assessment & finding of no significant impact re allowance of three new cable trays,installed as part of DG addition project,to remain in place in auxiliary FW pump fire area.
PICKETT,D.V. . 95/07/03. 5pp. 84616:336-84616:340.

- 9507250004** Comment on proposed 10CFR50.54(p) re process for changes to security plans w/o prior NRC approval.Supports proposed clarification of language in 10CFR50.54(p).
KRIESER,G.M. Wisconsin Electric Power Co. 95/07/11. NRC - No Detailed Affiliation Given. 2pp. 84787:005-84787:006.

- 9507190214** Forwards exemption from requirements of Section III.G.2.b of App R to 10CFR50,allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
HANSEN,A.G. . 95/07/18. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84768:330-84768:341.

- 9507190226** Exemption from requirements of Section III.G.2.b of App R to 10CFR50,allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
ROE,J.W. . 95/07/18. Wisconsin Electric Power Co. 9pp. 84768:333-84768:341.

K. Utility Final Safety Analysis Report (FSAR) & amends

- 9507120021** Updated FSAR for Point Beach Units 1 & 2.W/950630 tr.
KRIESER,G.M. Wisconsin Electric Power Co. 95/06/30. 330pp. 84669:001-84669:330.

P. Operating license stage documents & correspondence

- 9506280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. . 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

- 9507050428** Forwards "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities," per GL 88-20,Suppl 4 & NUREG-1407.
LINK,B. Wisconsin Electric Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84562:001-84563:126.

- 9507050431** "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities."
* Wisconsin Electric Power Co. 95/06/30. 488pp. 84562:003-84563:126.

- 9507110175** Forwards EA & finding of no significant impact re application dtd 940804.Exemption allows three new cable trays,installed as part of DG addition project,to remain in place in auxiliary FW pump fire area.
HANSEN,A.G. . 95/07/03. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84616:333-84616:340.

- 9507110184** Environmental assessment & finding of no significant impact re allowance of three new cable trays,installed as part of DG addition project,to remain in place in auxiliary FW pump fire area.
PICKETT,D.V. . 95/07/03. 5pp. 84616:336-84616:340.

- 9507120126** Forwards amends 162 & 166 to licenses DPR-24 & DPR-27, respectively & safety evaluation.Amends modify TS Section 15.6.5, "Review & Audit" & Section 15.7.8, "Administrative Controls."
HANSEN,A.G. . 95/07/05. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84612:336-84612:356.

- 9507120131** Amends 162 & 166 to licenses DPR-24 & DPR-27, respectively, modifying TS Section 15.6.5, "Review & Audit" & TS Section 15.7.8, "Administrative Controls."
HANSEN,A.G. . 95/07/05. 15pp. 84612:339-84612:353.

- 9507120138** Safety evaluation supporting amends 162 & 166 to licenses DPR-24 & DPR-27, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 3pp. 84612:354-84612:356.

- 9507190214** Forwards exemption from requirements of Section III.G.2.b of App R to 10CFR50,allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
HANSEN,A.G. . 95/07/18. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84768:330-84768:341.

- 9507190220** Exemption from requirements of Section III.G.2.b of App R to 10CFR50,allowing intervening combustibles in form of cable fill in three cable trays to remain installed in AFW pump fire area.
ROE,J.W. . 95/07/18. Wisconsin Electric Power Co. 9pp. 84768:333-84768:341.

- 9507240285** Forwards requests for relief associated w/third ASME Section XI pressure test program.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 5pp. 84824:310-84824:314.

- 9507250112** Forwards "Four-YR Performance Test Rept."
KRIESER,G.M. Wisconsin Electric Power Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 84828:275-84828:288.

- 9507250171** "Four-YR Performance Test Rept."
* Wisconsin Electric Power Co. 95/07/19. 13pp. 84828:276-84828:288.

Q. Inspection reports, IE Bulletins & correspondence

- 9507140041** Confirms requalification program insp at plant during wk of 950911,per telcon w/F Cerovac & J Hansen.Requests operating tests by 950828,per 10CFR55.59(c).
RING,M.A. Region 3 (Post 820201). 95/07/07. LINK,R. Wisconsin Electric Power Co. 2pp. 84625:195-84625:196.

- 9507180073** Forwards insp repts 50-266/95-06 & 50-301/95-06 on 950505-0616.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/07/10. LINK,R. Wisconsin Electric Power Co. 2pp. 84780:344-84780:357.

- 9507180074** Insp repts 50-266/95-06 & 50-301/95-06 on 950505-0616.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
FARBER,M.J. Region 3 (Post 820201). 95/07/10. 12pp. 84780:346-84780:357.

- 9507180010** Responds to NRC 950613 ltr re violations noted in insp repts 50-266/95-04 & 50-301/95-04 on 950311-0505.Corrective actions:LOV protection declared inoperable & TS 15.3.0 entered & load decrease commenced.
LINK,B. Wisconsin Electric Power Co. 95/07/12. Document Control Branch (Document Control Desk). 5pp. 84785:201-84785:205.

- 9507190010** Forwards insp repts 50-266/95-07 & 50-301/95-07 on 950619-23.No violations noted.
JACOBSON,J.M. Region 3 (Post 820201). 95/07/13. LINK,R. Wisconsin Electric Power Co. 2pp. 84711:008-84711:018.

- 9507190015** Insp repts 50-266/95-07 & 50-301/95-07 on 950619-23.No violations noted.Major areas inspected:licensee response to GL 89-10, "Safety-Related MOV Testing & Surveillance," & licensee self-assessment in this area.
BURGESS,S.D., GUZMAN,J.G., PEGG,W.D. Region 3 (Post 820201). 95/07/13. 9pp. 84711:010-84711:018.

56 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9507120054 Monthly operating repts for June 1995 for Point Beach Units 1 & 2.W/ 950705 ltr. KOUDDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/30. 9pp. 84681.263-84681.271.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507140041 Confirms requalification program insp at plant during wk of 950911.per telcon w/F Cerovac & J Hansen.Requests operating tests by 950828.per 10CFR55.59(c). RING,M.A. Region 3 (Post 820201). 95/07/07. LINK,R. Wisconsin Electric Power Co. 2pp. 84625:195-84625:196.

9507310005 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003 RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200134 Informs that NRC continues to believe that requirement applicable for licensee that proposes to store spent nuclear fuel in ISFSI under license issued in Subpart K of 10CFR72. HANSEN,A.G. 95/07/14. LINK,R.E. Wisconsin Electric Power Co. 4pp. 84752:330-84752:333.

9507280125 Discusses ISFSI preoperational testing & forwards summary of results of load testing of MSB transfer cask. LINK,B. Wisconsin Electric Power Co. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84875:173-84875:175.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9507030314 Submits comments on Thermo-Lag related ampacity derating test program for plant,Unit 3. RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. BEARD,P.M. Florida Power Corp. 4pp. 84509:348-84509:351.

9507070471 Rev 7 to EPIP EM-103. "Operation & Staffing of CR-3 Control Room During Emergency Classifications." STEPHENSON,J.D. Florida Power Corp. 95/06/27. 9pp. 84619:349-84619:357.

9507060281 Responds to NRC 940714 ltr re open concern noted w/Rev 7 to training & qualification plan. BEARD,P.M. Florida Power Corp. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84617:360-84617:360.

9507060392 Notification of 950711 meeting w/util in Rockville,MD to discuss revs to plants emergency plans. BUCKLEY,B.C., ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/30. MATHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 3pp. 84540:058-84540:060.

9507100410 Rev 7 to EPIP EM-217. "Duties of Sampling Team." STEPHENSON,J.D. Florida Power Corp. 95/06/30. 7pp. 84692:035-84692:041.

9507170269 Forwards Revs 6-8 to physical security plan.Revs withheld, per 10CFR73.21. BEARD,P.M. Florida Power Corp. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84747:247-84747:247.

9507120118 Forwards answers to NRC questions on previous responses re GL 92-08. "Thermo-Lag 330-1 Fire Barriers," including proprietary addl info on derivation & use of EPRI TC tools. Proprietary info withheld per 10CFR2.790. BEARD,P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 24pp. 84728:298-84728:321.

9507120154 Forwards "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Mecatiss Over Thermo-Lag (Overlay Upgrade) & Mecatiss (Stand Alone)." BEARD,P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84695:294-84695:342.

-9507120157 "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Mecatiss Over Thermo-Lag (Overlay Upgrade) & Mecatiss (Stand Alone)." * Florida Power Corp. 95/06/30. 47pp. 84695:296-84695:342.

9507140170 Rev 7 to EPIP EM-220. "Violent Weather." STEPHENSON,J.D. Florida Power Corp. 95/07/07. 52pp. 84738:298-84738:349.

9507250059 Revised EPIPs,including rev 49 to EM-202 & rev 71 to EM-206. STEPHENSON,J.D. Florida Power Corp. 95/07/17. 72pp. 84826:244-84826:315.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507120128 Rev 22 to "Crystal River Unit 3,FSAR." W/950705 ltr. BOLDT,G.L. Florida Power Corp. 95/07/05. 72pp. 84674:256-84674:326.

P. Operating license stage documents & correspondence

9507030314 Submits comments on Thermo-Lag related ampacity derating test program for plant,Unit 3. RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. BEARD,P.M. Florida Power Corp. 4pp. 84509:348-84509:351.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507120118 Forwards answers to NRC questions on previous responses re GL 92-08. "Thermo-Lag 330-1 Fire Barriers," including proprietary addl info on derivation & use of EPRI TC tools. Proprietary info withheld per 10CFR2.790. BEARD,P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 24pp. 84728:298-84728:321.

9507120154 Forwards "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Mecatiss Over Thermo-Lag (Overlay Upgrade) & Mecatiss (Stand Alone)." BEARD,P.M. Florida Power Corp. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84695:294-84695:342.

-9507120157 "FPC Crystal River Unit 3 Fire Endurance Test Program Plan for Mecatiss Over Thermo-Lag (Overlay Upgrade) & Mecatiss (Stand Alone)." * Florida Power Corp. 95/06/30. 47pp. 84695:296-84695:342.

9507210040 Confirms 950712 telcon re 950718 meeting,now rescheduled to 950828 to discuss status of progress on corrective action plan. LANDIS,K.D. Region 2 (Post 820201). 95/07/13. BEARD,P.M. Florida Power Corp. 4pp. 84738:111-84738:114.

Q. Inspection reports, IE Bulletins & correspondence

9507180025 Ltr contract,definitizing task order 73. "Follow-Up to SWSOPI - Crystal River." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/06/12. LOFY,R.A. PARAMETER, Inc. 2pp. 84696:350-84696:351.

9507050114 Informs that responses required by 940426 CAL re once-through-steam-generator tube insp during refuel 9 complete. RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/21. BEARD,P.M. Florida Power Corp. 2pp. 84516:164-84516:165.

9507110014 Comment on "Review of NRC Insp Rept Content,Format & Style." Insp repts frequently not appropriately focused on safety issues. WILSON,K.R. Florida Power Corp. 95/06/29. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 84557:045-84557:049.

9507210053 Confirms 950707 telcon between K Wilson & R Butcher re 950725 predecisional enforcement conference. LANDIS,K.D. Region 2 (Post 820201). 95/07/13. BEARD,P.M. Florida Power Corp. 4pp. 84738:184-84738:187.

9507260080 Confirms 950707 conversation between R Hendricks & T Peebles re predecisional enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation regarding 940905 event involving pressure control of RCS makeup tank. LANDIS,K.D. Region 2 (Post 820201). 95/07/17. FIELDS,D.A. Affiliation Not Assigned. 3pp. 84794:337-84794:339.

9507260099 Confirms 950714 conversation between B Morris & C Evans re enforcement conference scheduled for 950721 in Atlanta,GA. Purpose of conference to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank. LANDIS,K.D. Region 2 (Post 820201). 95/07/17. STEWART,J.D. Affiliation Not Assigned. 3pp. 84793:244-84793:246.

9507260124 Confirms conversation between B Morris & C Evans concerning predecisional enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank. LANDIS,K.D. Region 2 (Post 820201). 95/07/17. VAN SICKLEN,M. Affiliation Not Assigned. 3pp. 84793:325-84793:327.

9507260126 Confirms 950707 conversation between R Hendricks & T Peebles re requested predecisional enforcement conference which has been scheduled for 950721.Purpose of conference to discuss violation re coolant sys makeup tank. LANDIS,K.D. Region 2 (Post 820201). 95/07/17. WEISS,R.P. Affiliation N.I. Assigned. 3pp. 84794:348-84794:350.

9507260130 Confirms conversation between B Morris & C Evans re predecisional enforcement conference requested by NRC scheduled for 950721 to discuss apparent violation re 940905 event involving pressure control of RCS tank. LANDIS,K.D. Region 2 (Post 820201). 95/07/17. SMITH,M. Affiliation Not Assigned. 3pp. 84793:331-84793:333.

R. Periodic operating reports & related correspondence

9507250065 Monthly operating rept for June 1995 for Crystal River Unit 3.W/950712 ltr. DAO,T.V., KELLEY,L.C. Florida Power Corp. 95/06/30. 5pp. 84851:073-84851:077.

S. Reportable occurrences, LERs & related correspondence

9507070119 LER 95-009-00: on 950602,toxic gas monitor actuated resulting in CREV actuation due to minimal release during sulfur dioxide delivery.Evaluation being conducted to determine feasibility of moving sulfur dioxide tank.W/950630 ltr. FRUJOUF,J.A., HICKLE,B.J. Florida Power Corp. 95/06/30. 8pp. 84578:311-84578:318.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507250069 LER 95-010-00 on 950620, inadequate procedure caused low CW flow to makeup pump that resulted in operation outside design basis. Rebalanced sys flows & revised applicable procedure W/950720 ltr.
FRUJOUF, J.A., HICKLE, B.J. Florida Power & Light Co. 95/07/20. 6pp. 84832:061-84832:068.

T. Hearing transcripts on non-antitrust matters

9507190136 Forwards transcripts of interviews w/ licensed operators at Crystal River Unit 3 facility, as requested by 950713 ltr.
GRAY, J.R. Ofc of Enforcement (Post 870413). 95/07/14. MCGARRY, J.M. Winston & Strawn. 2pp. 84763:178-84763:266.

9507190143 Transcript of 941201 interview w/ JT Atkinson in Crystal River, FL. Pp 1-14.
* Ofc of Investigations (Post 880201). 94/12/01. 14pp. 84763:180-84763:193.

9507190146 Transcript of 941201 interview w/ JD Stewart in Crystal River, FL. Pp 1-16.
* Ofc of Investigations (Post 880201). 94/12/01. 16pp. 84763:194-84763:209.

9507190150 Transcript of 941214 interview w/ C Smith in Crystal River, FL. Pp 1-10.
* Ofc of Investigations (Post 880201). 94/12/14. 10pp. 84763:210-84763:219.

9507190151 Transcript of 941214 interview w/ M van Sicken in Crystal River, FL. Pp 1-47.
* Ofc of Investigations (Post 880201). 94/12/14. 47pp. 84763:220-84763:266.

V. Operator Examinations

9507260086 Confirms 950707 conversation between R Hendricks & T Peebles re pre-decisional enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation regarding 940905 event involving pressure control of RCS makeup tank.
LANDIS, K.D. Region 2 (Post 820201). 95/07/17. FIELDS, D.A. Affiliation Not Assigned. 3pp. 84794:337-84794:339.

9507260099 Confirms 950714 conversation between B Morris & C Evans re enforcement conference scheduled for 950721 in Atlanta, GA. Purpose of conference to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank.
LANDIS, K.D. Region 2 (Post 820201). 95/07/17. STEWART, J.D. Affiliation Not Assigned. 3pp. 84793:244-84793:246.

9507260124 Confirms conversation between B Morris & C Evans concerning pre-decisional enforcement conference requested by NRC, scheduled for 950721 to discuss apparent violation re 940905 event involving pressure control of RCS makeup tank.
LANDIS, K.D. Region 2 (Post 820201). 95/07/17. VAN SICKLEN, M. Affiliation Not Assigned. 3pp. 84793:325-84793:327.

9507260126 Confirms 950707 conversation between R Hendricks & T Peebles re requested pre-decisional enforcement conference which has been scheduled for 950721. Purpose of conference to discuss violation re coolant sys makeup tank.
LANDIS, K.D. Region 2 (Post 820201). 95/07/17. WEISS, R.P. Affiliation Not Assigned. 3pp. 84794:348-84794:350.

9507260130 Confirms conversation between B Morris & C Evans re pre-decisional enforcement conference requested by NRC scheduled for 950721. Purpose of conference to discuss apparent violation re 940905 event involving RCS tank.
LANDIS, K.D. Region 2 (Post 820201). 95/07/17. SMITH, C.M. Affiliation Not Assigned. 3pp. 84793:331-84793:333.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507070289 Forwards Amend 3 to "Zion Station Fire Protection Rept." Safe shutdown rept, Vol 1 updated to reflect changes implemented to meet App R commitments & fire hazards analysis, Vol 2 updated to reflect changes through 941231.
SIMPKIN, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 23pp. 84663:001-84664:202.

9507070290 Amend 3 to "Zion Station Fire Protection Rept."
* Commonwealth Edison Co. 95/07/31. 54pp. 84663:024-84664:202.

9507110057 Ack receipt of 950505 FEMA ltr transmitting FEMA evaluation rept for 930728 & 940601 emergency preparedness exercise at plant.
CREECH, J.R. Region 3 (Post 820201). 95/07/05. TUETKEN, R. Commonwealth Edison Co. 2pp. 84557:099-84557:188.

9506020120 Forwards final rept for 930728 & 940601, plume exposure pathway exercise at offsite radiological emergency response plans site-specific to station. No deficiencies noted.
HEPLER, C.M. Federal Emergency Management Agency. 95/05/05. SPESSARD, R.L. 2pp. 84557:101-84557:102.

9506020126 "Radiological Emergency Preparedness Exercise Evaluation Rept." exercise date 930728 & 940601, draft rept date 950118.
* Federal Emergency Management Agency. 95/04/17. 87pp. 84557:103-84557:189.

9507250111 Forwards the util revised EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

G. Adjudicatory correspondence

9507100142 informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-09 in listed docket has expired. Decision became final agency action on 950620 W/Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 16864. 95/06/29. RUTHERFORD, R.K. Affiliation Not Assigned. 2pp. 84538:341-84538:342.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507260244 Revised updated FSAR for Zion Nuclear Station Units 1 & 2. W/950621 ltr.
SIMPKIN, T.W. Commonwealth Edison Co. 95/06/21. 321pp. 84858:207-84858:169.

P. Operating license stage documents & correspondence

9507030273 Provides util response to GL 95-03, "Circumferential Cracking of SG Tubes."
VONK, M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84560:190-84560:202.

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060347 Informs that delay in submittal date for info described in util 950328 ltr & 950622 telcon re IPE submittal - internal events & status of IPE SER response from 950630 to 0631 necessary, because of add'l scope of work.
SIMPKIN, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84596:359-84596:360.

9507070089 Application for amends to licenses DPR-39 & DPR-48, revising TS for EDG hot sequence loading test relaxation, per Reg Guide 1.108, Rev 1.
SIMPKIN, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84622:271-84622:296.

9507070091 Proposed tech specs for EDG hot sequence loading test relaxation.
* Commonwealth Edison Co. 95/06/30. 13pp. 84622:284-84622:296.

9507100277 Forwards amends 165 & 153 to licenses DPR-39 & DPR-48, respectively & SE Amends add statement to recognize performing containment leakage rate testing in accordance w/ 10CFR50, app J & approved exemptions.
SHIRAKI, C.Y. 95/06/30. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84587:007-84587:018.

9507100291 Amends 165 & 153 to licenses DPR-39 & DPR-48, respectively, adding statement to recognize performing containment leakage rate testing in accordance w/ 10CFR50, app J & approved exemptions.
SHIRAKI, C.Y. 95/06/30. 8pp. 84587:009-84587:016.

9507100298 Safety evaluation supporting amends 165 & 153 to licenses DPR-39 & DPR-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 2pp. 84587:017-84587:018.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507240014 Ack receipt of 950605 ltr in response to NRC 95C505 ltr requesting info re number of radiation protection concerns at plant.
CANIANO, R.J. Region 3 (Post 820201). 95/07/14. TUETKEN, R. Commonwealth Edison Co. 2pp. 84751:039-84751:040.

9507210187 Forwards amends 166 & 154 to licenses DPR-39 & DPR-48 & safety evaluation. Amends revise requirement to perform EDG automatic hot start & sequence loading test immediately following 25 h EDG endurance test.
SHIRAKI, C.Y. 95/07/18. FARRAR, D.L. Commonwealth Edison Co. 2pp. 84764:025-84764:038.

9507210191 Amends 166 & 154 to licenses DPR-39 & DPR-48, respectively, revising requirement to perform EDG automatic hot start & sequence loading test immediately following 24 h EDG endurance test.
SHIRAKI, C.Y. 95/07/18. 7pp. 84764:027-84764:033.

9507210194 Safety evaluation supporting amends 166 & 154 to licenses DPR-39 & DPR-48, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84764:034-84764:038.

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/ appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date.
GRIMES, C.I. 95/07/18. BUSH, L. Westinghouse Operating Plants Owners Group. SZABO, C. Babcock & Wilcox Operating Plants Owners Group. MANN, B. C-E Operating Plants Owners Group. 36pp. 84832:321-84832:357.

9507240452 Provides plan to disposition Alloy 699 TT plugs at Zion Station.
SIMPKIN, T.W. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84819:354-84819:355.

58 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

9507030052 Forwards response to NRC 940426 RAI re plant 930803 proposed ISI program.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 34pp. 84588:287-84588:320.

9507050039 Forwards revised semi-annual insp plan for plant dtd 950607.
MILLER,L.F. Region 3 (Post 820201). 95/06/27. TUETKEN,R. Commonwealth Edison Co. 2pp. 84508:060-84508:061.

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507070001 Confirms plans as discussed between L. Miller & M. Lesniak to hold meeting on 950719 in Lisle, IL to discuss events surrounding apparent failures to comply w/TS requirements re SG operability Policy statement encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/30. TUETKEN,R. Commonwealth Edison Co. 5pp. 84530:001-84530:005.

9507190019 Forwards insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted.
RING,M.A. Region 3 (Post 820201). 95/07/14. TUETKEN,R. Commonwealth Edison Co. 2pp. 84711:030-84711:039.

-9507190025 Insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted. Major areas inspected: licensed operator requalification program, including administrative training procedures, requalification training records & exam matl.
BAILEY,M. BURDICK,T. Region 3 (Post 820201). 95/07/14. 8pp. 84711:032-84711:039.

R. Periodic operating reports & related correspondence

9507190348 Monthly operating repts for June 1995 for Zion Generating Station Units 1 & 2. W/950714 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/30. 39pp. 84790:154-84790:192.

V. Operator Examinations

9507190019 Forwards insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted.
RING,M.A. Region 3 (Post 820201). 95/07/14. TUETKEN,R. Commonwealth Edison Co. 2pp. 84711:030-84711:039.

-9507190025 Insp repts 50-295/95-13 & 50-304/95-13 on 950626-30. No violations noted. Major areas inspected: licensed operator requalification program, including administrative training procedures, requalification training records & exam matl.
BAILEY,M. Region 3 (Post 820201). 95/07/14. 8pp. 84711:032-84711:039.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9507110230 Revised radiological emergency response plan implementing procedures indexes. W/950707 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 95/07/07. 11pp. 84693:346-84693:356.

9507190029 Forwards FEMA correspondence dtd 950530 & FEMA evaluation rept for 931118, emergency preparedness exercise at Kewaunee Nuclear Power Plant.
CREED,J.R. Region 3 (Post 820201). 95/07/10. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 84711:120-84711:125.

-9507050298 Forwards final rept for 931116 full-participation plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/05/30. SPASSARD,R.L. 2pp. 84711:122-84711:123.

-9507060164 "Radiological Emergency Preparedness Exercise Evaluation Rept."
Federal Emergency Management Agency. 95/04/17. 102pp. 84711:124-84711:225.

P. Operating license stage documents & correspondence

9507030148 Forwards plant response to request for info per GL 95-03, "Circumferential Cracking of SG Tubes."
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/06/27. Document Control Branch (Document Control Desk). 9pp. 84555:340-84555:348.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507240397 Provides documentation of 950713 telcon request for enforcement discretion to permit deferring TS required testing of turbine first stage pressure & pressurizer level instrumentation for 10 days beyond required date.
MARCHI,M.L. Wisconsin Public Service Corp. 95/07/17. Document Control Branch (Document Control Desk). 8pp. 84824:108-84824:115.

9507270214 Confirms denial of 950717 request for NRC to exercise enforcement discretion in enforcing compliance w/actions required in TS.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg, Regional Operations & Research (Post 890205). 95/07/21. STEINHARDT,C.R. Wisconsin Public Service Corp. 2pp. 84851:349-84851:350.

Q. Inspection reports, IE Bulletins & correspondence

9507050361 Discusses SW operational performance insp rept 50-305/94-03.
MARCHI,M.L. Wisconsin Public Service Corp. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84567:359-84567:360.

9507110186 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees per SALP ratings. Commends util for achieving high level of performance.
TAYLOR,J. Ofc of the Executive Director for Operations. 95/07/06. STEINHARDT,C.R. Wisconsin Public Service Corp. 2pp. 84617:041-84617:044.

R. Periodic operating reports & related correspondence

9507210145 Monthly operating rept for June 1995 for Kewaunee NPP. W/ 950711 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 95/06/30. 5pp. 84807:356-84807:360.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. WALLACE,B.J. Commonwealth Edison Co. SAWATZKE,B.J. Northern States Power Co. 3pp. 84919:021-84919:023.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507030135 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. GUNTER,P.V. Nuclear Information & Resource Service. 31pp. 84518:269-84518:322.

-9507030138 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed.
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84518:300-84518:304.

-9507030162 Submits "Petition for Emergency Enforcement Action per 10CFR2.206, Concerning Primary Pressure Boundary Exams, Retrieval of Irradiated (spent) Fuel & Retrieval of Reactor Core at Plant."
GUNTER,P.V. Nuclear Information & Resource Service. 95/06/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 18pp. 84518:305-84518:322.

9507060373 Forwards response to 941117 RAI re Thermo-Lag related ampacity derating issues. Most Kacwool-wrapped cables discussed in NRC RAI will either no longer require fire wrap or ampacities will be recalculated using encl methodologies.
WADLEY,M.D. Northern States Power Co. 95/06/30. Document Control Branch (Document Control Desk). 13pp. 84617:159-84617:171.

9507240050 Forwards details re activities at Prairie Island NPP. Encl withheld (ref 10CFR2.790).
CREED,J.R. Region 3 (Post 820201). 95/07/10. BAILEY,L.L. Federal Emergency Management Agency. 1p. 84751:135-84751:135.

9507180199 Provides comments re proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Util endorses NEI comments & believes process described would provide proper screening criteria re proposed security plan.
ANDERSON,R.O. Northern States Power Co. 95/07/13. Rules & Directives Review Branch (Post 920323). 1p. 84780:339-84780:339.

G. Adjudicatory correspondence

9507030135 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified.
RUSSELL,W.T., BJORALT,S.H. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. GUNTER,P.V. Nuclear Information & Resource Service. 31pp. 84518:269-84518:322.

-9507030138 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Requests immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed.
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84518:300-84518:304.

-9507030162 Submits "Petition for Emergency Enforcement Action per 10CFR2.206, Concerning Primary Pressure Boundary Exams, Retrieval of Irradiated (spent) Fuel & Retrieval of Reactor Core at Plant."
GUNTER,P.V., BJORALT,S.J. Nuclear Information & Resource Service. 95/06/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 18pp. 84518:305-84518:322.

9507200347 Responds to 950521 ltr re concerns raised w/respect to NRC resp. use to 10CFR2.206 petition, requesting certain actions including immediate suspension of plant Units 1 & 2 operating licenses held by NSP.
HANNON,J.N. 95/07/12. BJORALT,S.J. Affiliation Not Assigned. 5pp. 84752:181-84752:208.

-9507200355 Requests immediate action & response re issues raised by Prairie Island Coalition Against Nuclear Storage & NIRS in 950605 ltr. Petition filing under 10CFR2.206.
BJORALT,S.J. 95/06/21. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84752:186-84752:208.

P. Operating license stage documents & correspondence

9507950384 Forwards SE authorizing licensee 950418 request to utilize ASME Boiler & Pressure Vessel Code Case N-416-1 during third 10-yr inservice insp interval. CARPENTER, C.A. 95/06/24. ANDERSON, R.O. Northern States Power Co. 3pp. 84530.231-84530.237.

-9507950399 Safety evaluation authorizing licensee to utilize ASME B&PV Code Case N-416-1 as alternative to required hydrostatic pressure test. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/24. 4pp. 84530.233-84530.237.

9507930319 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes." ANDERSON, R.O. Northern States Power Co. 95/06/27. Document Control Branch (Document Control Desk). 8pp. 84561.120-84561.127.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507060373 Forwards response to 941117 RAI re Thermo-Lag related ampacity derating issues. Most Kawool-wrapped cables discussed in NRC RAI will either no longer require fire wrap or ampacities will be recalculated using encl methodologies. WADLEY, M.D. Northern States Power Co. 95/06/30. Document Control Branch (Document Control Desk). 13pp. 84617.159-84617.171.

9507110272 Forwards amends 119 & 112 to licenses DPR-42 & DPR-60 & SE. Amends revise TSs to allow containment airlock doors to remain open during core alterations provided certain conditions met. WETZEL, J.L. 95/07/03. ANDERSON, R.O. Northern States Power Co. 3pp. 84587.035-84587.063.

-9507110274 Amends 119 & 112 to licenses DPR-42 & DPR-60, respectively, revising TSs to allow containment airlock doors to remain open during core alterations provided certain conditions met. WETZEL, B.A. 95/07/03. 18pp. 84587.038-84587.055.

-9507110276 Safety evaluation supporting amends 119 & 112 to licenses DPR-42 & DPR-62, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 8pp. 84587.056-84587.063.

9507190082 Discusses evacuation adequacy re activities at plant. Requests results of review & disposition within 30 days of 950707 ltr. Stated encl details of matter withheld (ref 10CFR2.790). CREED, J.R. Region 3 (Post 820201). 95/07/07. WATZLE, E. Northern States Power Co. 2pp. 84711.284-84711.285.

9507170411 Forwards signed computer access & operating agreement between NSP & NRC. BERSON, B.A. Region 3 (Post 820201). 95/07/12. WADLEY, M. Northern States Power Co. 3pp. 84776.277-84776.279.

9507250185 Application for amends to licenses DPR-42 & DPR-60, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431 std TS, Westinghouse plants, Rev 1 & GL 89-01. WADLEY, M.D. Northern States Power Co. 95/07/17. Document Control Branch (Document Control Desk). 17pp. 84825.201-84825.340.

-9507250190 Proposed tech specs, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431 std TS, Westinghouse plants, Rev 1 & GL 89-01. * Northern States Power Co. 95/07/17. 122pp. 84825.218-84825.340.

G. Inspection reports, IE Bulletins & correspondence

9507050285 Requests confirmation in writing that 940126 proposed notice of violation issued against Burns Intl Security Svcs withdrawn, per Secretary of Labor Final Decision & Order issued under date of 950524. THOMAS, G.D. Burns International Security Services, Inc. 95/06/21. Ofc of Enforcement (Post 870413). 2pp. 84570.269-84570.270.

9507070010 Forwards insp repts 50-282/95-06.50-306/95-06 & 72-0010/95-06 on 950328-0515. Noncited violation noted. KROPP, W.J. Region 3 (Post 820201). 95/06/27. WATZLE, E. Northern States Power Co. 5pp. 84530.010-84530.039.

-9507070029 Insp repts 50-282/95-06.50-306/95-06 & 72-0010/95-06 on 950328-0515. Noncited violation noted. Major areas inspected: licensee followup on previously identified items, operational safety verification & ESFS. KROPP, W.J. Region 3 (Post 820201). 95/06/27. 25pp. 84530.015-84530.039.

9507180156 Forwards insp repts 50-282/95-02.50-306/95-02 & 72-0010/95-02 on 950124-0511 & NOV. GREENMAN, E.G. Region 3 (Post 820201). 95/06/30. WATZLE, E. Northern States Power Co. 7pp. 84783.267-84783.305.

-9507180161 Notice of violation from insp on 950124-0511. Violation noted: cask handling, loading & unloading activities not prescribed by approved procedures of type appropriate to circumstances as evidence. * Region 3 (Post 820201). 95/06/30. 2pp. 84783.274-84783.275.

-9507180166 Insp repts 50-282/95-02.50-306/95-02 & 72-0010/95-02 on 950124-0511. Violations noted. Major areas inspected: cask handling sys loading, unloading, maint & surveillance procedures. KROPP, W.J. Region 3 (Post 820201). 95/06/30. 30pp. 84783.276-84783.305.

9507190083 Forwards responses to NRC 950530 RAI on third 10-yr ISI exam plan for PINGP Unit 2, submitted on 941115. Sys code drawings for PINGP Units 1 & 2 also encl. ANDERSON, R.O. Northern States Power Co. 95/07/13. Document Control Branch (Document Control Desk). 100pp. 84803.236-84803.337.

R. Periodic operating reports & related correspondence

9507110326 Monthly operating repts for June 1995 for Prairie Island Nuclear Generating Plant W/950705 ltr. DUGSTAD, D. ANDERSON, R.O. Northern States Power Co. 95/06/30. 9pp. 84695.012-84695.020.

S. Reportable occurrences, LERs & related correspondence

9507170138 Special rept on 950610.122 diesel fire pump started 2 psig below acceptable pressure range allowed by procedure. ANDERSON, R.O. Northern States Power Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84747.183-84747.184.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815.169-84815.196.

9507250092 Forwards LER 95-002 re RT while subcritical caused by personnel error. ANDERSON, R.O. Northern States Power Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 84832.069-84832.072.

-9507250102 LER 95-002-00 on 950621.RT occurred while subcritical due to personnel error. Reviewed event w/personnel involved. W/950719 ltr. HUNSTAD, A.A. Northern States Power Co. 95/07/19. 3pp. 84832.070-84832.072.

V. Operator Examinations

9507110029 Ack 950621 conversation between NRC & D Reynolds re four applicants seeking SOR license. Informs that applicants had not completed required on job training prior to administration of NRC exam during wk of 950515. GRANT, G.E. Region 3 (Post 820201). 95/07/05. WATZLE, E. Northern States Power Co. 2pp. 84557.079-84557.080.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84919.021-84919.023.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507060374 Responds to 950601 ltr stating you were not invited to 950605 meeting held at NRC headquarters w/uti. Summary of discussions at meeting encl. SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. WURST, J. Minnesota, State of. 2pp. 84540.062-84540.063.

9507060386 Summary of 950605 meeting w/uti in Rockville, MD re util progress in selecting site for second ISFSI needed to be built. SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 84540.055-84540.057.

9507180305 Responds to Prairie Island Coalition Against Nuclear Storage analysis which expresses concern that dry cask storage facility at Prairie Island site vulnerable to man-transportable anti-tank ground warfare weapons. HANNON, J.N. 95/07/13. CROCKER, G. 2pp. 84696.240-84696.241.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9507170054 Revised EIPs, including Rev 5 to 2-50-9, "EOF Operation" & Rev 7 to 2-50-22, "Administrative Support." * Maine Yankee Atomic Power Co. 95/06/29. 33pp. 84755.221-84755.253.

9507180218 Change 95-01 to emergency plan. W/950712 ltr. HEBERT, J.R. Maine Yankee Atomic Power Co. 95/07/06. 27pp. 84784.262-84784.288.

9507250260 Rev 14 to EIP 2-50-0, "Emergency Classification," & revised 2.50 Series Index. * Maine Yankee Atomic Power Co. 95/07/18. 3pp. 84835.241-84835.243.

9507250135 Responds to NRC 950602 ltr re concerns noted in insp rept 50-309/95-09. Corrective actions: Electrical Maint Procedure 61-210-5 revised & procedure 0-18-3 being revised to require fire protection engineer review of work packages. LEITCH, G.M. Maine Yankee Atomic Power Co. 95/07/20. Document Control Branch (Document Control Desk). 14pp. 84828.211-84828.224.

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559.127-84559.139.

-9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. 2pp. 84559.135-84559.136.

60 DOCKETED ITEMS

-9507060365 Request for shut down & SG tube insp for listed plants, CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents.
DOHERTY, J.F. Affiliation Not Assigned. 95/05/02. Commissioners (Post 750119). 3pp. 84559-137-84559-139.

H. General correspondence

9507260272 Responds to 950508 ltr in which ltr from FC Angier encl re safety & economic concerns related to defective SG tubes in Maine Yankee Atomic Power Co.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/21. COHEN, W.S. Senate. 4pp. 84831:189-84831:203.

-9507260278 Forwards F Angier 950501 ltr re concerns about Maine Yankee nuclear power plant in Wiscasset, Maine.
GARVEY, C.G. Senate. 95/05/06. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 11pp. 84831:193-84831:203.

P. Operating license stage documents & correspondence

9507030064 Discusses info requested re ref GL 95-03 concerning circumferential cracking of SG tubes.
WHITTIER, G.D. Maine Yankee Atomic Power Co. 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84537:357-84537:360.

9507060104 Discusses 950511 meeting w/utli re issues associated w/SG, including assessment of SG insp & repair plans. informs that last known equivalent plug ratio, 26.7-1, based on some revised sleeve dimensions.
SHERON, B.W. 95/06/27. THADANI, A.C. 2pp. 84536:213-84536:214.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507260075 Forwards "Maine Yankee Atomic Power Co Simulator Certification Test Plan 1995-1999."
LEITCH, G.M. Maine Yankee Atomic Power Co. 95/07/20. Document Control Branch (Document Control Desk). 1p. 84837:280-84837:284.

-9507260075 "MYAP Simulator Certification Test Plan."
EVINGHAM, M.D., SHEAN, A.R., LEITCH, G.M. Maine Yankee Atomic Power Co. 95/07/17. 4pp. 84837:281-84837:284.

9507270320 Forwards amend 151 to license DPR-36 & safety evaluation. Amend adds exception to TS 3.6.A & 3.6.C. Exception permits reduced component cooling water flow for short periods of time.
TROTTER, E.H. 95/07/24. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 84873:092-84873:103.

-9507270325 Amend 151 to license DPR-36, adds exception to TS 3.6.A & 3.6.C. Exception permits reduced component cooling water flow for short periods of time.
MCKEE, P.F. 95/07/24. 5pp. 84873:095-84873:100.

-9507270328 Safety evaluation supporting amend 151 to license DPR-36.
* 95/07/24. 3pp. 84873:101-84873:103.

9507310195 TS Change 192 to License DPR-36, modifying TS 3.12.B by adding exception to permit once per cycle 10 day remedial action time for maint purposes consistent w/CE NPSD-996. TS change is proposed.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/07/24. Document Control Branch (Document Control Desk). 5pp. 84903:035-84903:043.

-9507310197 Proposed TS Pages 3.12-1.3, 12-2 & 3.12-3 re station svc power.
* Maine Yankee Atomic Power Co. 95/07/24. 4pp. 84903:040-84903:043.

9507310203 Proposed TS Change 191 to License DPR-36, modifying remedial actions requirements of TS 3.6.C re emergency core cooling & containment spray sys.
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 95/07/24. Document Control Branch (Document Control Desk). 8pp. 84903:023-84903:034.

-9507310204 Proposed TS Pages 3.6-2, 3.6-3 & 3.6-4 re emergency core cooling & containment spray sys.
* Maine Yankee Atomic Power Co. 95/07/24. 4pp. 84903:031-84903:034.

G. Inspection reports, IE Bulletins & correspondence

9507140004 Forwards insp rept 50-309/95-10 on 950416-0603 & notice of violation.
LINVILLE, J.C. Region 1 (Post 820201). 95/07/07. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 84625:053-84625:068.

-9507140006 Notice of violation from insp on 950416-0603. Violation noted: utli failed to identify that disk inside secondary component cooling water sys valve had been installed backwards.
* Region 1 (Post 820201). 95/07/07. 1p. 84625:056-84625:056.

-9507140007 Insp rept 50-309/95-10 on 950416-0603. Violations noted. Major areas inspected: operations, maint, engineering & overall plant support.
LAZARUS, W.J. Region 1 (Post 820201). 95/07/07. 12pp. 84625:057-84625:068.

9507180011 Responds to NRC 950601 ltr re violations noted in insp rept 50-309/95-06. Corrective actions: resurvey of work area, securing of radiological hazard, restricting workers involved from further radiation exposure & processing doasimetry.
LEITCH, G.M. Maine Yankee Atomic Power Co. 95/07/13. Document Control Branch (Document Control Desk). 8pp. 84785:193-84785:200.

9507280007 Forwards insp rept 50-309/95-12 on 950501-05. Mods technically sound, sys drawings found to be representative of as-built configuration & matl condition acceptable.
KELLY, E.M. Region 1 (Post 820201). 95/07/18. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 84831:003-84831:013.

-9507280009 Insp rept 50-309/95-12 on 950501-05. No violations noted. Major areas inspected: plant procedures, surveillance testing, design change documentation, associated temporary mod & walkdowns of control room ventilation sys.
BUCKLEY, M.J., KELLY, E.M. Region 1 (Post 820201). 95/07/12. 9pp. 84831:005-84831:013.

9507250135 Responds to NRC 950602 ltr re concerns noted in insp rept 50-309/95-09. Corrective actions: Electrical Maint Procedure 61-210-5 revised & procedure 0-16-3 being revised to require fire protection engineer review of work packages.
LEITCH, G.M. Maine Yankee Atomic Power Co. 95/07/20. Document Control Branch (Document Control Desk). 14pp. 84828:211-84828:224.

9507240290 Forwards response to violations noted in Insp Rept 50-309/95-08. Corrective actions: plant engineering dept developed written plan to investigate & repair demineralized water storage tank leak.
HEBERT, J.R. Maine Yankee Atomic Power Co. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84822:356-84822:358.

R. Periodic operating reports & related correspondence

9507190343 Monthly operating rept for June 1995 for Maine Yankee W/ 950713 ltr.
BAILEY, S.J., HEBERT, J.R. Maine Yankee Atomic Power Co. 95/06/30. 6pp. 84789:355-84789:360.

S. Reportable occurrences, LERs & related correspondence

9507060178 LER 95-009-00: on 950301, inappropriate TS ventilation filter test was conducted due to results from 1992 had indicated that bypass flow had been measured but no action was taken. Installed add'l test connections in bypass. W/950630 ltr.
KNOBELLM, M., HEBERT, J.R. Maine Yankee Atomic Power Co. 95/06/30. 5pp. 84578:260-84578:265.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507210210 Revised EPIPs, including Rev 53 to table of contents, Rev 14 to EPIP 2025, "Operations Support Ctr (OSC) Activation & Operations" & Rev 30 to EPIP 2045, "Emergency Response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 95/07/12. 82pp. 84809:001-84809:082.

9507210201 Revised EPIPs, including Rev 49 to table contents, Rev 16 to EPIP 1006, Rev 14 to EPIP 1007 & Rev 31 to EPIP 1013.
* Public Service Electric & Gas Co. of New Jersey. 95/07/13. 108pp. 84811:040-84811:148.

9507210047 Forwards insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623 & NOV.
COOPER, R.W. Region 1 (Post 820201). 95/07/14. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 84738:131-84738:159.

-9507210061 Insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623. No violations noted. Major areas inspected: operations, radiological controls, maint, surveillances, security, engineering, technical support, safety assessment & QV.
WHITE, J.R. Region 1 (Post 820201). 95/07/13. 21pp. 84738:139-84738:159.

9507190124 Revised EPIPs, including Rev 42 to table of contents forms, Rev 16 to unusual event, Rev 24 to Attachment 6, Rev 23 to Attachment 7, Rev 15 to Attachment 8, Rev 22 to Attachment 9 & Rev 4 to Attachment 23.
* Public Service Electric & Gas Co. of New Jersey. 95/07/16. 71pp. 84789:176-84789:246.

9507280012 Forwards 950504 ltr from JE Lamb, which transmits FEMA Region III final rept for 941025 radiological emergency preparedness exercise.
JOYNER, J.H. Region 1 (Post 820201). 95/07/19. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84830:218-84830:303.

-9507280017 Forwards final rept for plant 941025 emergency preparedness exercise.
LAMB, J.E. Federal Emergency Management Agency. 95/05/04. SILK, D. Region 1 (Post 820201). 1p. 84830:222-84830:222.

-9505220275 "Radiological Emergency Preparedness Exercise Evaluation Rept," on 941025.
* Federal Emergency Management Agency. 95/03/28. 81pp. 84830:223-84830:303.

9507250081 Revised EPIPs, including rev 3 to EPIP 403, rev 4 to EPIP 501, rev 8 to EPIP 601, rev 15 to EPIP 602, rev 12 to EPIP 603, rev 3 to EPIP 604, rev 6 to EPIP 701 & rev 27 to EPIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 147pp. 84826:001-84826:147.

9507250087 Revised EPIPs, including rev 13 to EPIP 901, rev 13 to EPIP 902, rev 9 to EPIP 903 & rev 19 to EPIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 59pp. 84828:047-84828:105.

9507250091 Revised EPIPs, including rev 4 to EPIP 806, rev 5 to EPIP 807 & rev 14 to EPIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 26pp. 84827:325-84827:350.

P. Operating license stage documents & correspondence

9507200323 Forwards amends 170 & 152 to licenses DPR-70 & DPR-75, respectively & SE Amends increase TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84753.011-84753.031.

-9507200327 Amends 170 & 152 to licenses DPR-70 & DPR-75, respectively, increasing TS min volume of emergency diesel fuel oil contained in Diesel Fuel Storage Tanks at both units of Salem station.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/20. 14pp. 84753.014-84753.027.

-9507200331 Safety evaluation supporting amends 170 & 152 to licenses DPR-70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/20. 4pp. 84753.028-84753.031.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507170261 Submits charter for formation of Salem assessment panel to assist in coordination of NRC resources for performance monitoring & assessment of Salem Nuclear Generating Station.
MARTIN,T.T. Region 1 (Post 820201). 95/07/06. LINVILLE,J.C. Region 1 (Post 820201). 3pp. 84747.350-84747.352.

9507140057 Informs of formation of Salem Assessment Panel(SAP),which will coordinate resources for performance monitoring & assessment of plant & util nuclear business unit.Lists panel responsibilities & names of panel members.
LANNING,W.D. Region 1 (Post 820201). 95/07/07. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84625.218-84625.220.

9507170377 Informs that util requires addl 30 days to complete review & root cause evaluations of findings of independent technical issue investigation performed for util by Synergy Consulting Svcs Corp.Response will be submitted by 950804.
THOMSON,F.X. Public Service Electric & Gas Co. of New Jersey. 95/07/11. WHITE,J. Region 1 (Post 820201). 2pp. 84776.267-84776.268.

9507190009 Forwards plant response to GL 95-03 re circumferential cracking of SG tubes evaluations & plans developed.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/17. Document Control Branch (Document Control Desk). 13pp. 84786.299-84786.311.

9507240262 Comments on util 950418 submittal of license change request 94-28 re containment pressure/vacuum relief valves.
TOSCH,K.W. New Jersey, State of. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84824.300-84824.301.

9507260137 Notifies that util eliminated mgt observation group commitment per 940513 ltr.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/22. MARTIN,T.T. Region 1 (Post 820201). 2pp. 84836.350-84836.351.

G. Inspection reports, IE Bulletins & correspondence

9507190126 Provides info requested re Bulletin 88-08 response.Test used to verify flow meter indication,encl.
ONORATO,H. Public Service Electric & Gas Co. of New Jersey. 95/01/26. OLSHAN,L. NRC - No Detailed Affiliation Given. 4pp. 84728.122-84728.125.

9507030002 Rev II to notification of significant licensee meeting 95-42 on 950728 w/util at Region I ofc to discuss NRC findings re apparent violations of 10CFR50,App B.
WHITE,J.R. Region 1 (Post 820201). 95/06/22. Region 1 (Post 820201). 2pp. 84488.006-84488.007.

9507030057 Forwards response to NRC 950524 ltr re violations noted in insp repts 50-272/95-07 & 50-311/95-07.Corrective actions: personnel involved in blocking second radiation monitoring channel have been appropriately disciplined.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 28pp. 84560.203-84560.230.

9507210047 Forwards insp repts 50-272/95-10 & 50-311/95-10 on 950507-0623 & NCV.
COOPER,R.W. Region 1 (Post 820201). 95/07/14. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 6pp. 84738.131-84738.159.

-9507210057 Notice of violation from insp on 950507-0623.Violation noted:technician failed to unlatch cylinder fuel pump rack after obtaining compression pressure for cylinder 4R on 1C emergency DG.
* Region 1 (Post 820201). 95/07/14. 2pp. 84738.137-84738.138.

-9507210061 Insp repts 50-272/95-10 & 50-311/95-10 on 9507-07-0623.No violations noted.Major areas inspected:operations, radiological controls,maint,surveillances,security, engineering,technical support,safety assessment & QV.
WHITE,J.R. Region 1 (Post 820201). 95/07/13. 21pp. 84738.139-84738.159.

9507360105 Forwards insp repts 50-272/95-12 & 50-311/95-12 on 950515-0806 & notice of violation.Violation of concern because significant number of circuit breaker failures have occurred due to same cause dirt in operating mechanism.
RULAND,W.H. Region 1 (Post 820201). 95/07/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84793.248-84793.262.

-9507260109 Notice of violation from insp on 950515-0606.Violation noted:corrective actions not taken to prevent repetitive failure that occurred between 931204-950329 re hardened grease & dirt in breaker operating mechanism.
* Region 1 (Post 820201). 95/07/19. 2pp. 84793.251-84793.252.

-9507260112 Insp repts 50-272/95-12 & 50-311/95-12 on 950515-0608. Violations noted.Major areas inspected:review of maint procedures,breaker reliability & corrective actions.
SCHOLL,L., RULAND,W.H. Region 1 (Post 820201). 95/07/18. 11pp. 84793.253-84793.262.

R. Periodic operating reports & related correspondence

9507190337 Monthly operating rept for June 1995 for Salem Nuclear Generating Station Unit 2 W/950714 ltr.
PHILLIPS,R., HELLER,R., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/30. 8pp. 84776.343-84776.351.

S. Reportable occurrences, LERs & related correspondence

9507110207 Forwards LER 95-004 re ESF actuation during unit 2 controlled shutdown per TS 3.0.3.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84668.328-84668.340.

-9507110212 LER 95-004-00 on 950607,ESFA RT occurred during Unit 2 controlled shutdown per TS 3.0.3.Caused by RHR sys inoperability.Replaced all SBF-1 failed protection relays on 500 kv breakers.
HALL,W. Pennsylvania Power & Light Co. 95/07/07. 11pp. 84668.329-84668.340.

9507310269 Notification of nonroutine event on 950702,one dead logger- head sea turtle recovered from trash rack of CWS intake. Cause of death appeared to be severe propeller cut on remaining carapace.Turtle disposed of in landfill.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84903.296-84903.300.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9507140340 Forwards amend 0 to physical protection plan & rev 0 to training & qualification plan for Rancho Seco ISFSI,Encis withheld per 10CFR73.21.
REDEKER,S.J. Sacramento Municipal Utility District. 95/05/08. WEISS,S. Document Control Branch (Document Control Desk). 3pp. 84760.034-84760.036.

Q. Inspection reports, IE Bulletins & correspondence

9507110345 Forwards proprietary response to violations noted in Insp Rept 50-312/95-02.Response withheld (ref 10CFR2.790).
REDEKER,S.J. Sacramento Municipal Utility District. 95/06/29. WEISS,S. Document Control Branch (Document Control Desk). 1p. 84728.332-84728.332.

9507240001 Ack receipt of 950629 ltr informing NRC of steps taken to correct violations noted in insp rept 50-312/95-02 on 950606.
SCARANO,R.A. Region 4 (Post 820201). 95/07/18. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 84751.001-84751.006.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limtorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limtorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815.169-84815.196.

W. Decommissioning Stage Documents & Correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.266.

9507200150 Requests addl info to complete review re proposed license amend 191,RAI,encl.
DUDLEY,R.F. 95/07/12. REDEKER,S.J. Sacramento Municipal Utility District. 4pp. 84750.345-84750.348.

9507240338 Forwards amend 122 to license DPR-54 & SE.Amend relocates QAA frequency provisions contained in plant permanently defueled TSs to plant quality manual & changes reporting frequency of radioactive effluent release rept to annual.
DUDLEY,R.F. 95/07/19. Sacramento Municipal Utility District. 2pp. 84786.190-84786.201.

-9507240346 Amend 122 to license DPR-54,relocating QAA frequency provisions contained in plant permanently defueled TSs to plant quality manual & changes reporting frequency of radioactive effluent release rept to annual.
WEISS,S.H. 95/07/19. 8pp. 84786.192-84786.199.

-9507240348 Safety evaluation supporting amend 122 to license DPR-54.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/19. 2pp. 84786.200-84786.201.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507140340 Forwards amend 0 to physical protection plan & rev 0 to training & qualification plan for Rancho Seco ISFSI,Encis withheld per 10CFR73.21.
REDEKER,S.J. Sacramento Municipal Utility District. 95/05/08. WEISS,S. Document Control Branch (Document Control Desk). 3pp. 84760.034-84760.036.

9507170073 Forwards proposed "Rancho Seco ISFSI Decommissioning Plan." Plan outlines util strategy for decommissioning ISFSI & expands upon Section 9.6 of ISFSI SAR.
REDEKER,S. Sacramento Municipal Utility District. 95/06/27. Document Control Branch (Document Control Desk). 1p. 84747.079-84747.156.

-9507170078 Proposed "Rancho Seco ISFSI Decommissioning Plan."
* Sacramento Municipal Utility District. 95/06/27. 77pp. 84747.080-84747.156.

62 DOCKETED ITEMS

DOCKET 50-713 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050350 Rev 9 to procedure/work plan 1903.067, "Emergency Response Facility - EOF."
* Entergy Operations, Inc. 95/07/05. 89pp. 84589:020-84589:108.

9507120038 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & forwards notice of violation.
CALLAN,L.J. Region 4 (Post 820201). 95/07/06. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84574:312-84574:318.

-9507120046 Notice of violation from insp on 950419-20. Violation noted: unauthorized individual, terminated for cause & who had not had unescorted access revoked, gained unescorted access to protected area.
* Region 4 (Post 820201). 95/07/06. 2pp. 84574:317-84574:318.

9507130171 Informs that licensee failed to promptly revoke employee unescorted access following for-cause termination due to manager failure to inform security of termination. Submits notification in order to prevent occurrence in NRC ofcs.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/07/11. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84596:355-84596:356.

9507200054 Rev 16 to EPIP OP-1903.004, "Administration & Maint..EP & Implementing Procedures."
* Entergy Operations, Inc. 95/07/14. 17pp. 84800:034-84800:050.

9507250284 Comment on proposed generic ltr re 10CFR50.54 "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees w/ proposed clarification of language & w/ provided screening criteria in notice.
DEVYEA,B.E.J.G. Entergy Operations, Inc. 95/07/14. NRC - No Detailed Affiliation Given. 2pp. 84788:204-84788:205.

9507280001 Forwards Rev 33 to ANO Industrial Security Plan, Encl withheld per 10CFR73.21.
MIMS,D.C. Entergy Operations, Inc. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84871:341-84871:342.

P. Operating license stage documents & correspondence

9507070120 Provides suppl to TS change request re ANO Units 1 & 2 on control room ventilation. Typographical error was introduced on ANO-1 page 59a.
MIMS,D.C. Entergy Operations, Inc. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84579:349-84579:358.

-9507070129 Proposed tech specs re control room ventilation, correcting typographical error.
* Entergy Operations, Inc. 95/06/22. 7pp. 84579:352-84579:358.

9507050434 Forwards response to GI 95-03, "Circumferential Cracking of SG Tubes."
MIMS,D.C. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 15pp. 84563:313-84563:327.

9508280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:266.

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/ appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date.
GRIMES,C.I. 95/07/18. BUSH,L. Westinghouse Operating Plants Owners Group. SZABO,C. Babcock & Wilcox Operating Plants Owners Group. MANN,B. C-E Operating Plants Owners Group. 36pp. 84832:321-84832:357.

9507270128 Discusses info re TS change request, dated 950519, re open containment airlocks during core alterations.
MIMS,D.C. Entergy Operations, Inc. 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84843:353-84843:354.

9507310291 Forwards summary of items that require rev or will no longer be implemented due to alternate controls. Submittal contains no new commitments.
MIMS,D.C. Entergy Operations, Inc. 95/07/28. Document Control Branch (Document Control Desk). 9pp. 84903:301-84903:309.

Q. Inspection reports, IE Bulletins & correspondence

9507030011 Forwards insp repts 50-313/95-19 & 50-368/95-19 on 950612-16. No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/28. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84488:088-84488:106.

-9507030014 Insp. repts 50-313/95-19 & 50-368/95-19 on 950612-19. No violations noted. Major areas inspected: performance review of licensee disposition of stored transmitters, transmitter calibration process & trending process.
POWERS,D.A. Region 4 (Post 820201). 95/06/26. 15pp. 84488:092-84488:106.

9507050359 Forwards "ISI Summary Rept ANO, Unit 1, Outage 1R12." Outage completed on 950401.
MIMS,D.C. Entergy Operations, Inc. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84563:127-84563:295.

-9507050363 "ISI Summary Rept ANO, Unit 1, Outage 1R12."
* Entergy Operations, Inc. 95/06/29. 167pp. 84563:129-84563:295.

9507060161 Confirms that requested actions of NRC Bulletin 90-001, Suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount" completed for ANO Unit 1, in accordance w/ reporting requirement 2c.
MIMS,D.C. Entergy Operations, Inc. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84617:057-84617:059.

9507110028 Comments on proposed rule re. "Review of NRC Insp Rept Content, Format & Style."
* Entergy Operations, Inc. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 5pp. 84557:074-84557:078.

9507110021 Ack receipt of 950602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-03 & 50-368/95-03 on 950505.
BEACH,A.B. Region 4 (Post 820201). 95/06/30. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84557:054-84557:062.

9507120038 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & forwards notice of violation.
CALLAN,L.J. Region 4 (Post 820201). 95/07/06. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84574:312-84574:318.

-9507120046 Notice of violation from insp on 950419-20. Violation noted: unauthorized individual, terminated for cause & who had not had unescorted access revoked, gained unescorted access to protected area.
* Region 4 (Post 820201). 95/07/06. 2pp. 84574:317-84574:318.

9507140064 Forwards insp repts 50-313/95-05 & 50-368/95-05 on 950514-0624 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/07/07. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84625:250-84625:274.

-9507140067 Notice of violation from insp on 950514-0624. Violation noted: procedure 1403.008 was not appropriate to circumstance that did not specify proper orientation of thrust bearing for reactor bldg fan cooler monitor.
* Region 4 (Post 820201). 95/07/07. 2pp. 84625:255-84625:256.

-9507140071 Insp repts 50-313/95-05 & 50-368/95-05 on 950514-0624. Violations noted. Major areas inspected: event, operational safety verification, maint & surveillance observations, onsite engineering, plant support activities & followup-engineering.
HARRELL,P. Region 4 (Post 820201). 95/07/05. 19pp. 84625:257-84625:274.

9507130171 Informs that licensee failed to promptly revoke employee unescorted access following for-cause termination due to manager failure to inform security of termination. Submits notification in order to prevent occurrence in NRC ofcs.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/07/11. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84596:355-84596:356.

9507170149 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial requalification exam.
GWYNN,T.P. Region 4 (Post 820201). 95/07/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84747:196-84747:209.

-9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. Major areas inspected: licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/07/11. 9pp. 84747:201-84747:209.

9507240417 Responds to NRC ltr re violations noted in insp rept 50-313/95-04 & 50-368/95-04. Corrective actions: initiated job orders & revised procedures.
MIMS,D.C. Entergy Operations, Inc. 95/07/20. Document Control Branch (Document Control Desk). 5pp. 84824:217-84824:221.

R. Periodic operating reports & related correspondence

9507190317 Monthly operating rept for June 1995 for ANO Unit 1. W/950714 ltr.
WHITT,D.C., MIMS,D.C. Entergy Operations, Inc. 95/06/30. 7pp. 84788:337-84788:343.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBO-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507190013 Special rept on 950608, electric fire pump P-6A declared inoperable. Cause of degraded performance indeterminate at time but believed to be result of normal wear. Temp fire pump for backup fire suppression water supply installed.
MIMS,D.C. Entergy Operations, Inc. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84788:355-84788:356.

V. Operator Examinations

9507170149 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial requalification exam.
GWYNN,T.P. Region 4 (Post 820201). 95/07/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84747:196-84747:209.

-9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. Major areas inspected: licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/07/11. 9pp. 84747:201-84747:209.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507110037 Ack receipt of 950605 FEMA ltr transmitting two deficiencies to State of MI re 950509 emergency preparedness exercise at plant.
CREED,J.R. Region 3 (Post 820201). 95/07/05. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 4pp. 84557:084-84557:087.

9507310147 Requests for exemption from 10CFR73.55 to eliminate from security plan requirement to continuously staff duplicate alarm station. Description of proposed physical security plan changes & other supporting info encl. Encls withheld. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84903:267-84903:269.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507270211 "1995 FSAR update for DC Cook Nuclear Plant Units 1 & 2." W. 950719
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/19. 808pp. 84840:001-84842:080.

P. Operating license stage documents & correspondence

9507030124 Advises that safety review of proposed cancellation of commitment re blocked alarms concluded that cancellation would be beneficial & prudent & therefore justified. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84561:168-84561:170.

9507090219 Response to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes." FITZPATRICK, E. Indiana Michigan Power Co. 95/06/27. Document Control Branch (Document Control Desk). 16pp. 84589:334-84589:349.

9506290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070175 Application for amends to Licenses DPR-58 & DPR-74, changing TS Section 5.3.1 to allow fuel reconstitution, per GL 90-02, Suppl 1. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84622:329-84622:333.

9507070181 Proposed tech specs re fuel reconstitution, per GL 90-02. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/30. 2pp. 84622:332-84622:333.

9507120386 Forwards amend 196 to license DPR-58 & safety evaluation. Amend adds footnote to TS 4.6.1.2.a to provide one-time extension of required test interval for overall integrated containment leak rate tests. HICKMAN, J.B. 95/07/06. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK, E. American Electric Power Service Corp. 2pp. 84631:335-84631:344.

9507120388 Amend 196 to license DPR-58, adding footnote to TS 4.6.1.2.a to provide one-time extension of required test interval for overall integrated containment leak rate tests. HICKMAN, J.B. 95/07/06. 4pp. 84631:337-84631:340.

9507120391 Safety evaluation supporting amend 196 to license DPR-58. Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 4pp. 84631:341-84631:344.

9507140143 Forwards exemption from requirements of 10CFR50, App J Section 111.D.1(a), delaying performance of type A test until 1997 refueling outage granted. HICKMAN, J.B. 95/07/06. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84710:341-84710:349.

9507140144 Grants exemption from requirements of 10CFR50, App J Section 111.D.1(a) delaying performance of type A test until 1997 refueling outage granted. CAPRA, R.A. 95/07/06. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 6pp. 84710:343-84710:349.

9507180442 Forwards amends 197 & 182 to licenses DPR-58 & DPR-74, respectively & SE. Amends revise TS section 3.9.4 to allow, under certain conditions, both containment personnel airlocks to be open during core alterations. HICKMAN, J.B. 95/07/12. FITZPATRICK, E. Indiana Michigan Power Co. FITZPATRICK, E. American Electric Power Service Corp. 3pp. 84725:330-84725:346.

9507180451 Amends 197 & 182 to licenses DPR-58 & DPR-74, respectively, revising TS 3.9.4 to allow, under certain conditions, both containment personnel airlocks to be open during core alterations. HICKMAN, J.B. 95/07/12. 10pp. 84725:333-84725:342.

9507180456 Safety evaluation supporting amends 197 & 182 to licenses DPR-58 & DPR-74, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 4pp. 84725:343-84725:346.

Q. Inspection reports, IE Bulletins & correspondence

9507120394 Notifies that NRC issued NOV to Hydro Nuclear Svcs, Inc (Hydro), contractor at plant in 1989 when Hydro denied employment to ST Doyle for refusing to sign application that included what Doyle believed was waiver of rights under ERA. AXELSON, W.L. Region 3 (Post 820201). 95/06/28. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 6pp. 84675:326-84675:334.

9507120119 Forwards SE which authorizes util alternative re relief from util inservice program. Compliance w/requirements of Section XI would result in hardship or unusual difficulty w/o compensatory increase in level of safety & quality. CARPENTER, C.A. 95/07/05. FITZPATRICK, E. Illinois Power Co. FITZPATRICK, E. American Electric Power Service Corp. 2pp. 84631:317-84631:322.

9507120122 SER authorizing alternative for hydrostatic testing contained in licensee insp proposal per 10CFR50.55a(2)(i) for Class 1, 2 & 3 sys as compliance w/specified hydrostatic testing requirements would result in hardship. Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 4pp. 84631:319-84631:322.

9507180130 Forwards addl info requested following 950511 meeting w/NRC re unresolved items from util 1993 sys based I&C insp repts 50-315/93-12 & 50-316/93-12. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84765:001-84765:259.

9507180137 "Qualitative Functional Diversity Assessment of UFSAR of Common Mode Failure of Digital Equipment Software." American Electric Power Service Corp. QA-92-18. 92/12/04. 84pp. 84765:003-84765:066.

9507180140 Requests that proprietary WCAP-13801, "Westinghouse Setpoint Methodology for Protection Sys, DC Cook Unit 2" be withheld from public disclosure per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. 95/05/26. RUSSELL, W. Document Control Branch (Document Control Desk). 19pp. 84765:067-84765:085.

9507180151 "RPS Diversity in Westinghouse PWRs." BURNETT, T.W., DORRYCOTT, J.W., FISHER, D.H. Westinghouse Electric Corp. WCAP-7306. 69/04/30. 100pp. 84765:086-84765:259.

9507180082 Forwards insp repts 50-315/95-08 & 50-316/95-08 on 950516-0619. No violations noted. KROPP, W.J. Region 3 (Post 820201). 95/07/11. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 84781:338-84781:359.

9507180084 insp repts 50-315/95-08 & 50-316/95-08 on 950516-0619. No violations noted. Major areas inspected: action of previous insp items, operational safety verification, onsite event followup & current mail conditions. KROPP, W.J. Region 3 (Post 820201). 95/07/11. 18pp. 84781:342-84781:359.

9507240342 Appreciates advance notification of planned NRC Regional Initiative insp activities provided in 950607 ltr. Also, requests that start date of insp plan 37550 be kept flexible to confirmation in late Oct/early Nov time frame. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/19. AXELSON, W.L. Region 3 (Post 820201). 2pp. 84824:267-84824:268.

9507260024 Forwards exam rept 50-315/OL-95-01 on 950612-19. No violations noted. BURDICK, T.M. Region 3 (Post 820201). 95/07/21. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84794:017-84794:224.

9507260031 Exam rept 50-315/OL-95-01 on 950612-20. Exam results: two SRO & seven RO candidates passed exams. One RO passed operational exam & failed written exam. HANSEN, J., BURDICK, T.M. Region 3 (Post 820201). 95/07/21. 206pp. 84794:019-84794:224.

R. Periodic operating reports & related correspondence

9507140142 Monthly operating rept for June 1995 for Donald C Cook Nuclear Plant Unit 1. W/950706 ltr. TURNER, J., BUSSONE, G.F., BLIND, A.A. Indiana Michigan Power Co. 95/06/30. 5pp. 84729:322-84729:326.

S. Reportable occurrences, LERs & related correspondence

9507100183 Forwards notification of small spill of ethylene to ground. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84692:319-84692:322.

9507100189 NPDES noncompliance notification: on 950530, spill of ethylene glycol occurred when contracted svc technician troubleshooting portable welding machine. Ethylene glycol coolant replaced w/propylene glycol coolant. CARLSON, J.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/08. 2pp. 84692:321-84692:322.

9507280064 Part 21 rept re high failure rates of dc/dc converter added to std N-2A0-V2H analog output converter module. Caused by abnormal power draw by converter. Replacement converter being designed. KEIPER, J.T. Foxboro Corp. 95/07/07. NRC - No Detailed Affiliation Given. 3pp. 84855:001-84855:003.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507310172 LER 95-002-00: on 950620, 21, 22 & 23, nine MSSVs lift settings found to exceed TS limit. Caused by mild galling between disc & nozzle components. Eight of MSSVs w/initial high lift setpoint had subsequent lifts within TS limit. W/950724 ltr. WEBER, G.A., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/24. 4pp. 84956:257-84956:260.

V. Operator Examinations

9507140043 Forwards individual exam results for applicants who took June 1995 initial license exams. Info considered proprietary IAW 10CFR2.790. W/o encls. RING, M.A. Region 3 (Post 820201). 95/07/07. CARTEAUX, P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84625:199-84625:200.

9507260024 Forwards exam rept 50-315/OL-95-01 on 950612-19. No violations noted. BURDICK, T.M. Region 3 (Post 820201). 95/07/21. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84794:017-84794:224.

9507260031 Exam rept 50-315/OL-95-01 on 950612-20. Exam results: two SRO & seven RO candidates passed exams. One RO passed operational exam & failed written exam. HANSEN, J., BURDICK, T.M. Region 3 (Post 820201). 95/07/21. 206pp. 84794:019-84794:224.

64 DOCKETED ITEMS

950710006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SIMPKINS,R.A. Centenor Energy. 3pp. 84919:021-84919:023.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507110037 Ack receipt of 950605 FEMA ltr transmitting two deficiencies to State of MI re 950509 emergency preparedness exercise at plant.
CREED,J.R. Region 3 (Post 820201). 95/07/05. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 84557:084-84557:087.

9507310147 Requests for exemption from 10CFR79.55 to eliminate from security plan requirement to continuously staff duplicate alarm station. Description of proposed physical security plan changes & other supporting info encl. Encls withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84903:267-84903:269.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507270211 "1995 FSAR update for DC Cook Nuclear Plant Units 1 & 2." W/ 950719 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/19. 808pp. 84840:001-84842:080.

P. Operating license stage documents & correspondence

9507030124 Advises that safety review of proposed cancellation of commitment re blocked alarms concluded that cancellation would be beneficial & prudent & therefore justified.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84561:168-84561:170.

9507060219 Response to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes."
FITZPATRICK,E. Indiana Michigan Power Co. 95/06/27. Document Control Branch (Document Control Desk). 16pp. 84589:334-84589:349.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060110 Provides addl info re review of submittal to delete plant TS 3/4.3.4 that concerns turbine overspeed protection requirements.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84617:208-84617:211.

9507070175 Application for amends to Licenses DPR-58 & DPR-74, changing TS Section 5.3.1 to allow fuel reconstitution, per GL 90-02, Suppl 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84622:329-84622:333.

-9507070181 Proposed tech specs re fuel reconstitution, per GL 90-02.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/30. 2pp. 84622:332-84622:333.

9507180442 Forwards amends 197 & 182 to licenses DPR-58 & DPR-74, respectively & SE. Amends revise TS section 3.9.4 to allow, under certain conditions, both containment personnel airlocks to be open during core alterations.
HICKMAN,J.B. 95/07/12. FITZPATRICK,E. Indiana Michigan Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 84725:330-84725:345.

-9507180451 Amends 197 & 182 to licenses DPR-58 & DPR-74, respectively, revising TS 3.9.4 to allow, under certain conditions, both containment personnel airlocks to be open during core alterations.
HICKMAN,J.B. 95/07/12. 10pp. 84725:333-84725:342.

-9507180496 Safety evaluation supporting amends 197 & 182 to licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/12. 4pp. 84725:343-84725:346.

G. Inspection reports, IE Bulletins & correspondence

9507120394 Notifies that NRC issued NOV to Hydro Nuclear Svcs, Inc (Hydro) contractor at plant in 1988 when Hydro denied employment to ST Doyle for refusing to sign application that included what Doyle believed was waiver of rights under ERA.
AXELSON,W.L. Region 3 (Post 820201). 95/06/28. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 6pp. 84675:326-84675:334.

9507120118 Forwards SE which authorizes util alternative re relief from util inservice insp program. Compliance w/requirements of Section XI would result in hardship or unusual difficulty w/o compensating increase in level of safety & quality.
CARPENTER,C.A. 95/07/05. FITZPATRICK,E. Illinois Power Co. FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84631:317-84631:322.

-9507120122 SER authorizing alternative for hydrostatic testing contained in licensee proposal per 10CFR50.55a(3)(ii) for Class 1, 2 & 3 sys as compliance w/ specified hydrostatic testing requirements would result in hardship.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 4pp. 84631:319-84631:322.

9507180130 Forwards addl info requested following 950511 meeting w/NRC re unresolved items from util 1993 sys based I&C insp repts 50-315/93-12 & 50-316/93-12.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84765:001-84765:259.

-9507180137 "Qualitative Functional Diversity Assessment of UFSAR of Common Mode Failure of Digital Equipment Software."
* American Electric Power Service Corp. QA-92-18. 92/12/04. 64pp. 84765:003-84765:066.

-9507180140 Requests that proprietary WCAP-13801, "Westinghouse Setpoint Methodology for Protection Sys, DC Cook Unit 2" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/26. RUSSELL,W. Document Control Branch (Document Control Desk). 19pp. 84765:067-84765:085.

9507180082 Forwards insp repts 50-315/95-08 & 50-316/95-08 on 950516-0619. No violations noted.
KROPP,W.J. Region 3 (Post 820201). 95/07/11. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 84781:338-84781:359.

-9507180084 Insp repts 50-315/95-08 & 50-316/95-08 on 950516-0619. No violations noted. Major areas inspected: action of previous insp items, operational safety verification, onsite event followup & current mail conditions.
KROPP,W.J. Region 3 (Post 820201). 95/07/11. 18pp. 84781:342-84781:359.

9507240342 Appreciates advance notification of planned NRC Regional Initiative insp activities provided in 950607 ltr. Also, requests that start date of insp plan 37550 be kept flexible to confirmation in late Oct/early Nov time frame.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/19. AXELSON,W.L. Region 3 (Post 820201). 2pp. 84824:287-84824:288.

9507260024 Forwards exam rept 50-315/OL-95-01 on 950612-19. No violations noted.
BURDICK,T.M. Region 3 (Post 820201). 95/07/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84794:017-84794:224.

-9507260031 Exam rept 50-315/OL-95-01 on 950612-20. Exam results: two SRO & seven RO candidates passed exams. One RO passed operational exam & failed written exam.
HANSEN,J. Region 3 (Post 820201). 95/07/21. 206pp. 84794:019-84794:224.

R. Periodic operating reports & related correspondence

9507140138 Monthly operating repts for June 1995 for Donald C Cook Nuclear Unit 2, W/950706 ltr.
TURNER,J., BUSSONE,G.F., BLIND,A.A. Indiana Michigan Power Co. 95/06/30. 5pp. 84729:327-84729:331.

S. Reportable occurrences, LERs & related correspondence

9507100183 Forwards notification of small spill of ethylene to ground.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84692:319-84692:322.

-9507100189 NPDES noncompliance notification: on 950530, spill of ethylene glycol occurred when contracted svc technician troubleshooting portable welding machine. Ethylene glycol coolant replaced w/propylene glycol coolant.
CARLSON,J.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/08. 2pp. 84692:321-84692:322.

9507280064 Part 21 rept re high failure rates of dc/dc converter added to std N-2A0-V2H analog output converter module. Caused by abnormal power draw by converter. Replacement converter being designed.
KEIPER,J.T. Foxboro Corp. 95/07/07. NRC - No Detailed Affiliation Given. 3pp. 84855:001-84855:003.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507140043 Forwards individual exam results for applicants who took June 1995 initial license exams. Info considered proprietary IAW 10CFR2.790 W/o encls.
RING,M.A. Region 3 (Post 820201). 95/07/07. CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84625:199-84625:200.

9507260024 Forwards exam rept 50-315/OL-95-01 on 950612-19. No violations noted.
BURDICK,T.M. Region 3 (Post 820201). 95/07/21. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 84794:017-84794:224.

-9507260031 Exam rept 50-315/OL-95-01 on 950612-20. Exam results: two SRO & seven RO candidates passed exams. One RO passed operational exam & failed written exam.
HANSEN,J., BURDICK,T.M. Region 3 (Post 820201). 95/07/21. 206pp. 84794:019-84794:224.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SIMPKINS,R.A. Centenor Energy. 3pp. 84919:021-84919:023.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060205 Responds to 930506 ltr re NRC concern re radiological protection afforded by plant control room. Concludes that licensee proposed actions adequate, but acceptance predicated upon submission of final design configuration by 960731. MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/22. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 84540:017-84540:020.

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. MARTIN, T.T. Region 1 (Post 820201). 95/07/10. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 84755:127-84755:141.

-9507170133 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. * Region 1 (Post 820201). 95/07/10. 10pp. 84755:132-84755:141.

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559:127-84559:139.

-9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. 2pp. 84559:135-84559:136.

-9507060365 Request for shut down & SG tube insp for listed plants. CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents. DOHERTY, J.F. Affiliation Not Assigned. 95/05/02. Commissioners (Post 750119). 3pp. 84559:137-84559:139.

P. Operating license stage documents & correspondence

9507030211 Forwards response to NRC GL 95-03, "Circumferential Cracking of SG Tubes." Supporting document prepared by CEOG in response to GL 95-03 also encl. DENTON, R.E. Baltimore Gas & Electric Co. 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84556:325-84556:342.

9506290062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070162 Forwards suppl to license amend request re administrative controls Section 6.0 upgrade. DENTON, R.E. Baltimore Gas & Electric Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84619:314-84619:318.

9507140109 Requests add info to complete review re summary of IPE rept for plant. RA1 related to internal event analyses in IPE, including accident sequence core damage frequency analysis & containment performance improvement program. MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/11. DENTON, R.E. Baltimore Gas & Electric Co. 14pp. 84662:169-84662:182.

9507250150 Application for amends to licenses DPR-53 & DPR-69, revising TS 5.2.1 to allow use of lead fuel assemblies & requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50.44, App K for CCNPP Unit 1. DENTON, R.E. Baltimore Gas & Electric Co. 95/07/13. Document Control Branch (Document Control Desk). 8pp. 84827:265-84827:324.

-9507250156 Proposed TS 5.2.1, "Fuel Assemblies," allowing use of cladding mats other than zircaloy or ZIRLO w/approved temporary exemption to 10CFR50.46, 10CFR50.44 & 10CFR50.44, App K & allowing use of lead fuel assemblies. * Baltimore Gas & Electric Co. 95/07/13. 4pp. 84827:261-84827:284.

-9507250158 Nonproprietary "SER for use of Advanced Zirconium-Based Cladding Mats in Calvert Cliffs, Unit 1 Batch R Lead Fuel Assemblies." * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. CEN 425-P R03-NP. 95/05/31. 40pp. 84827:285-84827:324.

9507300181 Responds to NRC 950516 request for info re vendor replacement equipment. DENTON, R.E. Baltimore Gas & Electric Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84779:179-84779:181.

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date. GRIMES, C.I. 95/07/18. BUSH, L. Westinghouse Operating Plants Owners Group. 36pp. 84832:321-84832:357.

9507310048 Responds to GL 92-01, rev 1, suppl 1, "Reactor Vessel Integrity." DENTON, R.E. Baltimore Gas & Electric Co. 95/07/24. Document Control Branch (Document Control Desk). 7pp. 84903:255-84903:261.

Q. Inspection reports, IE Bulletins & correspondence

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. MARTIN, T.T. Region 1 (Post 820201). 95/07/10. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 84755:127-84755:141.

-9507170133 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. * Region 1 (Post 820201). 95/07/10. 10pp. 84755:132-84755:141.

9507190077 Notification of significant licensee meeting 95-67 w/util on 950726 to discuss NRC SALP results for period 931010-950513. DOERFLEIN, L.T. Region 1 (Post 820201). 95/07/12. Region 1 (Post 820201). 2pp. 84711:282-84711:283.

-9507240187 Forwards insp repts 50-317/95-05 & 50-318/95-05 on 950514-0624. No violations noted. NRC noted util mgt continues to emphasize that operators expected to use good judgement & manually trip unit if conditions arise re safety. COWGILL, C.J. Region 1 (Post 820201). 95/07/17. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 84795:215-84795:233.

-9507240195 Insp repts 50-317/95-05 & 50-318/95-05 on 950514-0624. No violations noted. Major areas inspected: operations, maintenance, engineering & plant support. DOERFLEIN, L.T. Region 1 (Post 820201). 95/07/17. 16pp. 84795:218-84795:233.

R. Periodic operating reports & related correspondence

9507210134 Monthly operating repts for June 1995 for Calvert Cliffs NPP Units 1 & 2 W/950714 ltr. OLSEN, H.O., CRUSE, C.H. Baltimore Gas & Electric Co. 95/06/30. 12pp. 84808:321-84808:332.

S. Reportable occurrences, LERs & related correspondence

9507110254 LER 92-004-02 on 920518, fire damper was inoperable due to conflicting design info. Established fire watches for inoperable dampers. W/950705 ltr. MUTH, D.W., CRUSE, C.H. Baltimore Gas & Electric Co. 95/07/05. 9pp. 84676:245-84676:253.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507200152 LER 95-002-00 on 950616, manual trip occurred due to loss of 12 SG feed pump. Repaired overspeed trip mechanism & restarted Unit 1 W/950714 ltr. MUTH, D.W., CRUSE, C.H. Baltimore Gas & Electric Co. 95/07/14. 6pp. 84786:155-84786:160.

V. Operator Examinations

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. MARTIN, T.T. Region 1 (Post 820201). 95/07/10. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 84755:127-84755:141.

-9507170133 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. * Region 1 (Post 820201). 95/07/10. 10pp. 84755:132-84755:141.

9507210016 Discusses 950710 telcon re arrangements made for administration of licensing exams at plant scheduled for wk of 951113 & operating tests scheduled for wk of 951127.

MEYER, G.W. Region 1 (Post 820201). 95/07/13. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 84738:030-84738:032.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507200269 Forwards CAL issued to VECTRA Technologies, Inc. CAL identifies actions to be taken as result of NRC insp findings during insp. of Raner, fabrication contractor for VECTRA. MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/14. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 84771:329-84771:334.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507060205 Responds to 930506 ltr re NRC concern re radiological protection afforded by plant control room. Concludes that licensee proposed actions adequate, but acceptance predicated upon submission of final design configuration by 960731. MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/22. DENTON, R.E. Baltimore Gas & Electric Co. 4pp. 84540:017-84540:020.

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. MARTIN, T.T. Region 1 (Post 820201). 95/07/10. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 84755:127-84755:141.

-9507170133 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted. * Region 1 (Post 820201). 95/07/10. 10pp. 84755:132-84755:141.

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559:127-84559:139.

-9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. 2pp. 84559:135-84559:136.

66 DOCKETED ITEMS

-9507060365 Request for shut down & SG tube insp for listed plants, CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents.
DOHERTY, J.F. Affiliation Not Assigned. 95/05/02. Commissioners (Post 750119). 3pp. 84559:137-84559:139.

P. Operating license stage documents & correspondence

9507030211 Forwards response to NRC GL 95-03, "Circumferential Cracking of SG Tubes." Supporting document prepared by CEOG in response to GL 95-03 also encl. DENTON, R.E. Baltimore Gas & Electric Co. 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84556:325-84556:342.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070162 Forwards suppl to license amend request re administrative controls Section 6.0 upgrade
DENTON, R.E. Baltimore Gas & Electric Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84619:314-84619:318.

9507110309 Forwards "CCNPP Unit 2 Cycle 11 Summary of Startup Testing," per TS 6.9.1.1; Unit 2 resumed commercial power operation on 950518.
CRUSE, C.H. Baltimore Gas & Electric Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84694:277-84694:287.

-9507110313 "CCNPP Unit 2 Cycle 11 Summary of Startup Testing."
* Baltimore Gas & Electric Co. 95/07/05. 10pp. 84694:278-84694:287.

9507140109 Requests addl info to complete review re summary of IPE rpt for plant, RAI related to internal event analyses in IPE, including accident sequence core damage frequency analysis & containment performance improvement program.
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/11. DENTON, R.E. Baltimore Gas & Electric Co. 14pp. 84662:169-84662:182.

9507250150 Application for amends to licenses DPR-53 & DPR-69, revising TS 5.2.1 to allow use of lead fuel assemblies & requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50. App K for CCNPP Unit 1.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/13. Document Control Branch (Document Control Desk). 8pp. 84827:265-84827:324.

-9507250156 Proposed TS 5.2.1, "Fuel Assemblies," allowing use of cladding metals other than zircaloy or ZIRLO w/ approved temporary exemption to 10CFR50.46, 10CFR50.44 & 10CFR50. App K & allowing use of lead fuel assemblies.
* Baltimore Gas & Electric Co. 95/07/13. 4pp. 84827:261-84827:264.

9507200181 Responds to NRC 950516 request for info re vendor replacement equipment.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84779:179-84779:181.

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50 App J. Requests meeting w/ appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date.
GRIMES, C.I. 95/07/18. BUSH, L. Westinghouse Operating Plants Owners Group. 36pp. 84832:321-84832:357.

9507240444 Provides unirradiated USE value for CCNPP Unit 2 Weld Seams 2-203-A,B & C in resolution of Open Issue 2 identified in util 940511 response to GL 92-01, "RV Structural Integrity" close-out ltr.
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84824:244-84824:245.

9507310048 Responds to GL 92-01, rev 1, suppl 1, "Reactor Vessel Integrity."
DENTON, R.E. Baltimore Gas & Electric Co. 95/07/24. Document Control Branch (Document Control Desk). 7pp. 84903:255-84903:261.

Q. Inspection reports, IE Bulletins & correspondence

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted.
MARTIN, T.T. Region 1 (Post 820201). 95/07/10. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 84755:127-84755:141.

-9507170133 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted.
* Region 1 (Post 820201). 95/07/10. 10pp. 84755:132-84755:141.

9507190077 Notification of significant licensee meeting 95-67 w/ util on 950726 to discuss NRC SALP results for period 931010-950513.
DOERFLEIN, L.T. Region 1 (Post 820201). 95/07/12. Region 1 (Post 820201). 2pp. 84711:282-84711:283.

9507240187 Forwards insp repts 50-317/95-05 & 50-318/95-05 on 950514-0624. No violations noted. NRC noted util mgt continues to emphasize that operators expected to use good judgement & manually trip unit if conditions arise re safety.
CONVILL, C.J. Region 1 (Post 820201). 95/07/17. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 84795:215-84795:233.

-9507240195 Insp repts 50-317/95-05 & 50-318/95-05 on 950514-0624. No violations noted. Major areas inspected: operations, maintenance, engineering & plant support.
DOERFLEIN, L.T. Region 1 (Post 820201). 95/07/17. 16pp. 84795:218-84795:233.

R. Periodic operating reports & related correspondence

9507210134 Monthly operating repts for June 1995 for Calvert Cliffs NPP Units 1 & 2 w/ 950714 ltr.
OLSEN, H.O., CRUSE, C.H. Baltimore Gas & Electric Co. 95/06/30. 12pp. 84808:321-84808:332.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507170129 Forwards SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted.
MARTIN, T.T. Region 1 (Post 820201). 95/07/10. DENTON, R.E. Baltimore Gas & Electric Co. 5pp. 84755:127-84755:141.

-9507170133 SALP repts 50-317/93-99 & 50-318/93-99 for 931010-950513. Weaknesses noted.
* Region 1 (Post 820201). 95/07/10. 10pp. 84755:132-84755:141.

9507210016 Discusses 950710 telcon re arrangements made for administration of licensing exams at plant scheduled for wk of 951113 & operating tests scheduled for wk of 951127.
MEYER, G.W. Region 1 (Post 820201). 95/07/13. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 84738:030-84738:032.

Y. Dry Cask Independent Spent Fuel Storage installations

9507200269 Forwards CAL issued to VECTRA Technologies, Inc. CAL identifies actions to be taken as result of NRC insp findings during insp of Riser, fabrication contractor for VECTRA.
MCDONALD, D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/14. DENTON, R.E. Baltimore Gas & Electric Co. 2pp. 84771:329-84771:334.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050438 Forwards revised pages to rev 32 of amended physical security plan & Rev 13 of training & qualification plan. Revised pages withheld.
WILSON, J.F. General Public Utilities Corp. - GPU Service Corp. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84589:108-84589:109.

9507130149 Rev 16 to EPIP-TMI-03, "Emergency Notification & Call Outs."
BEAVER, J., NELSON, M.A. General Public Utilities Corp. - GPU Service Corp. 95/06/28. 39pp. 84676:195-84676:233.

H. General correspondence

9507240168 Responds to 950412 public comments opposing draft NU/REG/BR-0199, "Responsiveness to Public."
WEISS, S.H. 95/07/19. MORGAN, K.Z. Affiliation Not Assigned. 2pp. 84778:239-84778:240.

P. Operating license stage documents & correspondence

9507200339 Seventh partial response to FOIA request for records. App J, K & releasable portions of App L records available in PDR. App L documents partially withheld (ref FOIA Exemption 6).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. FIDELLE, R. Affiliation Not Assigned. 5pp. 84761:256-84761:318.

-8912070180 Forwards anonymous ltr & newscipping re util settlement agreements for appropriate handling.
NEWLIN, R.W. Office of Public Affairs (Pre 870413). 89/11/07. HAYES, B. Office of Investigations (Pre 880201). 3pp. 84761:307-84761:309.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060383 Discusses 950326 ltr responding to 941230 request for addl info re use of Thermo-Lag 330-1 at plant.
JABBOUR, K.N. 95/06/29. BECKHAM, J.T. Georgia Power Co. 3pp. 84536:188-84536:190.

9507170020 Ack receipt of 950619 ltr forwarding scenario/controller package for plant 1995 emergency preparedness exercise. Submittals meet requirements for full participation exercise scheduled for 950823.
BARR, K.P. Region 2 (Post 820201). 95/07/10. BECKHAM, J.T. Georgia Power Co. 3pp. 84650:340-84650:342.

9507250256 Comment on proposed generic communication, 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." BECKHAM, J.T. Georgia Power Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84798:200-84788:201.

9507210017 Forwards SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950527 Plant performance remained superior in functional area of engineering. EBNETER, S.D. Region 2 (Post 820201). 95/07/11. BECKHAM, J.T. Georgia Power Co. 5pp. 84738:033-84738:043.

-9507210023 SALP repts 50-321/95-99 & 50-366/95-99 for 931128-950527. * Region 2 (Post 820201). 95/07/11. 6pp. 84738:038-84738:043.

9507270399 Rev 10D to El Hatch Nuclear Plant Units 1 & 2 fire hazards analysis update. * Georgia Power Co. 95/07/31. 39pp. 84881:010-84881:048.

9507240056 Informs that addl info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09. BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84795:300-84795:316.

-9507240060 "El Hatch Nuclear Plant EP 1989 Off-Hours Semi-Annual HP Exercise Summary Rept for 890531." MOTHENA, R.D. Georgia Power Co. 95/06/16. 13pp. 84795:304-84795:316.

9507280041 Revised EPIFs, including rev 11 to 73EP-EIP-073-0S. "Offsite Emergency Notifications." & rev 11 to 73EP-EIP-001-0S. "Emergency Classification & Initial Actions." W/950725 Itr. BECKHAM, J.T. Georgia Power Co. 95/07/25. 76pp. 84875:035-84875:110.

H. General correspondence

9507050174 Comment on "Review of NRC Insp Rept Content, Format & Style." Util feels that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used. BECKHAM, J.T. Georgia Power Co. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84507:316-84507:317.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507270397 Forwards quarterly FSAR & fire hazards analysis revs 13D & 10D, respectively. BECKHAM, J.T. Georgia Power Co. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84880:001-84881:046.

-9507270398 Rev 13D to El Hatch Nuclear Plant Units 1 & 2 FSAR update. * Georgia Power Co. 95/07/31. 36pp. 84880:005-84881:009.

-9507270399 Rev 10D to El Hatch Nuclear Plant Units 1 & 2 fire hazards analysis update. * Georgia Power Co. 95/07/31. 39pp. 84881:010-84881:048.

P. Operating license stage documents & correspondence

9507030062 Forwards response to NRC 950606 RAI re core shroud mod installed at facility to clarify methodology in Suppl A to Rev 1 to GENE-771-34-0794.GE proprietary rept. "Finite Element Analysis." also encl.GE proprietary rept withheld. BECKHAM, J.T. Georgia Power Co. 95/06/21. Document Control Branch (Document Control Desk). 17pp. 84559:331-84559:347.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507060363 Discusses 950328 Itr responding to 941230 request for addl info re use of Thermo-Lag 330-1 at plant. JABBOUR, K.N. 95/06/29. BECKHAM, J.T. Georgia Power Co. 3pp. 84536:188-84536:190.

9507110328 Forwards SE approving code case N-416-1 as alternative to required 10-yr hydrostatic pressure test for class 1, 2 & 3, per 10CFR50.55a(a)(3)(ii). BERKOW, H.N. 95/07/05. BECKHAM, J.T. Georgia Power Co. 3pp. 84616:345-84616:353.

-9507110331 Safety evaluation approving code case N-416-1 as alternative to required 10-yr hydrostatic pressure test for class 1, 2 & 3, per 10CFR50.55a(a)(3)(ii). * Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 5pp. 84616:349-84616:353.

9507270274 Advises that info requested by GE re core shroud mod installed on plant will be withheld from public disclosure, ref 10CFR2.790, per 950518 request. JABBOUR, K.N. 95/07/17. BECKHAM, J.T. Georgia Power Co. 4pp. 84834:319-84834:322.

9507240408 Advises that GE 950621 responses to NRC request for addl info, dtd 950606, re core shroud mod installed on unit 1, will be withheld from public disclosure, ref 10CFR2.790. JABBOUR, K.N. 95/07/18. BECKHAM, J.T. Georgia Power Co. 5pp. 84786:169-84786:173.

9507260198 Forwards SE re IPE on severe accident vulnerabilities. Based on review of IPE, NRC concludes that evaluation meets intent of GL 88-20. JABBOUR, K.N. 95/07/18. BECKHAM, J.T. Georgia Power Co. 3pp. 84832:160-84832:320.

-9507260201 Safety evaluation of plant IPE submittal. Util has met intent of GL 88-20. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 17pp. 84832:163-84832:182.

-9507140441 "Technical Evaluation Rept on Individual Plant Exam Front End Analysis." DARBY, J.L. Science & Engineering Associates, Inc. NRC-04-91-066. SEA 92-553-026-A.4. 95/06/29. NRC - No Detailed Affiliation Given. 57pp. 84832:183-84832:240.

-9507140442 "Technical Evaluation Rept on Individual Plant Exam Back-End Analysis." BUDNITZ, R.J. Science & Engineering Associates, Inc. NRC-05-91-068. SCIE-NRC-228-94. 94/12/31. NRC - No Detailed Affiliation Given. 25pp. 84832:241-84832:264.

-9507140445 "Technical Evaluation Rept on Individual Plant Exam Human Reliability Analysis." HAAS, P.M. Concord Associates, Inc. NRC-04-91-069. CA/TR-94-019-27. 94/11/30. Division of Safety Issue Resolution (880717-941217). 55pp. 84832:265-84832:320.

9507310168 Forwards EA & FONSI re 950113 application for amend involving increase of licensed core thermal power for Hatch, Units 1 & 2. JABBOUR, K.N. 95/07/21. BECKHAM, J.T. Georgia Power Co. 3pp. 84879:331-84879:342.

-9507310173 Environ assessment & finding of no significant impact re increase of licensed core thermal power for Hatch, Units 1 & 2. * 95/07/21. 9pp. 84879:334-84879:342.

9507310205 Clarifies issues re IST program update process & informs that util proceeding w/update as listed. BECKHAM, J.T. Georgia Power Co. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84903:310-84903:311.

Q. Inspection reports, IE Bulletins & correspondence

9507120031 Forwards insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted. MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. WOODARD, J.D. Georgia Power Co. 4pp. 84574:264-84574:276.

-9507120035 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted. Major areas inspected: effectiveness of licensee's quality concerns programs in addressing safety concerns. CRLENJAK, R.V., MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. 9pp. 84574:266-84574:276.

9507120015 Forwards insp repts 50-321/95-08 & 50-366/95-08 on 950416-0527 & notice of violation. CRLENJAK, R.V. Region 2 (Post 820201). 95/06/26. BECKHAM, J.T. Georgia Power Co. 4pp. 84574:172-84574:203.

-9507120019 Notice of violation from insp on 950416-0527. Violation noted: written procedures had not properly been implemented in that on 950411, operator placed jumper across terminals DD-1 to DD-2 in lieu of CCC-2 to CCC-1, resulting in scram. * Region 2 (Post 820201). 95/06/26. 2pp. 84574:176-84574:177.

-9507120023 Insp repts 50-321/95-08 & 50-366/95-08 on 950416-0527. Violations noted: Major areas inspected: plant operations, maint, engineering, plant support activities & insp of open items. HOLBROOK, B.L., CHRISTNOT, E.F., HAAG, R.C. Region 2 (Post 820201). 95/06/23. 26pp. 84574:178-84574:203.

9507110235 Submit response to violations noted in Insp Repts 50-321/95-02 & 50-366/95-02. Corrective actions: Procedure 53IT-TET-002-0s revised to include min thrust margin to account for switch repeatability. BECKHAM, J.T. Georgia Power Co. 95/07/03. Document Control Branch (Document Control Desk). 18pp. 84694:315-84694:332.

9507170013 Confirms arrangements re 950726 mgt meeting at plant. Purpose of meeting to discuss SARP of plant during 931128-950527. HAAG, R. Region 2 (Post 820201). 95/07/05. BECKHAM, J.T. Georgia Power Co. 3pp. 84650:324-84650:326.

9507210017 Forwards SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950527 Plant performance remained superior in functional area of engineering. EBNETER, S.D. Region 2 (Post 820201). 95/07/11. BECKHAM, J.T. Georgia Power Co. 5pp. 84738:033-84738:043.

-9507210023 SALP repts 50-321/95-99 & 50-366/95-99 for 931128-950527. * Region 2 (Post 820201). 95/07/11. 6pp. 84738:038-84738:043.

9507240056 Informs that addl info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09. BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84795:300-84795:316.

-9507240060 "El Hatch Nuclear Plant EP 1989 Off-Hours Semi-Annual HP Exercise Summary Rept for 890531." MOTHENA, R.D. Georgia Power Co. 95/06/16. 13pp. 84795:304-84795:316.

R. Periodic operating reports & related correspondence

9507140149 Monthly operating repts for June 1995 for Edwin I Hatch Nuclear Plant Units 1 & 2 W/930710 Itr. BEARD, R.M., BECKHAM, J.T. Georgia Power Co. 95/06/30. 12pp. 84736:343-84736:354.

S. Reportable occurrences, LERs & related correspondence

9507210046 LER 95-004-00: on 950618, RPS bus "B" power supply tripped. Cause has not been determined. Testing & analysis continuing in attempt to isolate cause. Voltage regulator involved sent to mfg for analysis. W/950717 Itr. TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 95/07/17. 6pp. 84821:036-84821:041.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

68 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
H'LTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

W. Decommissioning Stage Documents & Correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507110096 Rev 18 to EPIP EP R-2. "Release of Airborne Radioactive Matis-Initial Assessment." & revised Table of Contents W/ 950629 ltr.
ANGUS, M.J. Pacific Gas & Electric Co. 95/06/29. 14pp. 84695:123-84695:135.

9507120014 Revised EPIPs, including rev 24 to Group Index EP G-1.W/ 950629 ltr.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. 8pp. 84681:303-84681:310.

9507120076 Forwards Rev 4 of Diablo Canyon Security Force Training & Qualification Plan. Encl withheld per 10CFR2.790(d).
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84689:355-84689:355.

9507130109 Forwards insp repts 50-275/95-09 & 50-323/95-09 on 950612-16 & notice of violation. Violation of concern because represents weakness in CAP.
SCARANO, R.A. Region 4 (Post 820201). 95/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 84596:204-84596:227.

-9507130111 Notice of violation from insp on 950612-16. Violation noted: licensee failed to conduct quarterly fire drills which ensured that all fire brigade team members participated in at least to quarterly fire drills per year.
* Region 4 (Post 820201). 95/07/07. 1p. 84596:210-84596:210.

-9507130115 Insp repts 50-275/95-09 & 50-323/95-09 on 950612-16. Violations noted. Major areas inspected: status of emergency preparedness program including changes to emergency plan & implementing procedures.
DEXTER, T.W. Region 4 (Post 820201). 95/06/28. 17pp. 84596:211-84596:227.

9507250014 Comment supporting NRC generic ltr re process for changes to security plans w/o prior NRC approval.
ANGUS, M.J. Pacific Gas & Electric Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787:024-84787:024.

P. Operating license stage documents & correspondence

9507030098 Forwards Rev 2 to Calculation 335-DC. "10CFR50 App R Emergency Lighting & Communications." & rept re emergency AC & DC lighting at Diablo Canyon plant.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/23. Document Control Branch (Document Control Desk). 8pp. 84556:177-84556:324.

-9507030102 "10CFR50 App R Emergency Lighting & Communications."
* Pacific Gas & Electric Co. 94/11/17. 150pp. 84556:183-84556:324.

9507100319 Forwards amends 105 & 104 to licenses DPR-80 & DPR-82, respectively & SE Amends revise TS for DCPD on EDG surveillance testing starting w/cycle 8, next cycle for both units.
MILLER, M.A. 95/06/26. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 84606:349-84606:383.

-9507100335 Amends 105 & 104 to licenses DPR-80 & DPR-82, respectively, revising TS for DCPD on EDG surveillance testing starting w/cycle 8, next cycle for both units.
MILLER, M.A. 95/06/26. 7pp. 84606:355-84606:361.

-9507100380 Safety evaluation supporting amends 105 & 104 to licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. 2pp. 84606:362-84606:383.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060407 Forwards response to GL 95-03. "Circumferential Cracking of SG Tubes."
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. Document Control Branch (Document Control Desk). 20pp. 84599:332-84599:351.

9507070135 Forwards amend request 95-04, proposing to change TS 3/4.4.2.2 to add mode 1 applicability & to revise LTOP sys enable temp for Mode 4 applicability from 323 degrees F to 270 degrees F.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84582:330-84582:342.

-9507070140 Application for amend to licenses DPR-80 & DPR-82, proposing to change TS 3/4.4.2.2 to add Mode 1 applicability & to revise LTOP sys enable temp for Mode 4 applicability from 323 degrees F to 270 degrees F.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/29. 6pp. 84582:332-84582:337.

-9507070149 Proposed tech specs, proposing to change TS 3/4.4.2.2 to add Mode 1 applicability & to revise LTOP sys enable temp for Mode 4 applicability from 323 degrees F to 270 degrees F.
* Pacific Gas & Electric Co. 95/06/29. 4pp. 84582:339-84582:342.

9507250036 Forwards trip rept of 950517-19 visit to Diablo Canyon Power Plant.
NEBUDA, D.T. Army, Dept. of Corps of Engineers. 95/06/29. YOUNG, F. NRC - No Detailed Affiliation Given. 1p. 84835:230-84835:232.

-9507250310 Trip rept of 950517-19 visit to Diablo Canyon Power Plant re drawings & standoff calculations.
NEBUDA, D.T. Army, Dept. of Corps of Engineers. 95/06/08. Army, Dept. of Corps of Engineers. 2pp. 84835:231-84835:232.

9507110074 Informs NRC that util did not meet 950630 date committed in util ltr DCL 94-174 for installation of enhanced auxiliary saltwater flow instrumentation. Basis for delaying commitment listed.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84695:049-84695:050.

9507120169 Forwards corrected SE page supporting amends 105 & 104 for plant, re 2 h loaded EDG run.
MILLER, M.A. 95/07/06. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 84631:327-84631:330.

-9507120175 Corrected SE page re 2 h loaded run which will be done at load of greater than or equal to 2484 kw rather than at EDG continuous rating of 2600 as incorrectly stated in previous SE.
* 95/07/06 1p. 84631:330-84631:330.

9507120375 Forwards amends 106 & 105 to licenses DPR-80 & DPR-82, respectively & SE Amends revise TS 3/4.7.2.3/4.7.3.3/4.7.8. 3/4.7.11 & 3/4.7.13 IAW Commission final policy statement for relocation of current TS.
MILLER, M.A. 95/07/06. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 84625:286-84625:317.

-9507120381 Amends 106 & 105 to licenses DPR-80 & DPR-82, respectively, revising TS 3/4.7.2.3/4.7.3.3/4.7.8.3/4.7.11 & 3/4.7.13.
MILLER, M.A. 95/07/06. 19pp. 84625:292-84625:311.

-9507120383 Safety evaluation supporting amends 106 & 323 to licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 6pp. 84625:312-84625:317.

9507210203 Forwards SE accepting licensee 940518 request for approval of proposed integrated surveillance program for plant reactor vessel matis to share matis surveillance data from plant.
NERSES, V. 95/07/17. MCMEEKIN, T.C. Duke Power Co. 3pp. 84764:039-84764:046.

-9507210205 Safety evaluation accepting licensee request for approval of proposed integrated surveillance program for plant reactor vessel matis to share surveillance data from plant.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 5pp. 84764:042-84764:046.

9507280113 Notification of 950800 meeting w/util in Rockville, MD to discuss licensee plans for future licensing & site activities. Agenda encl.
MILLER, M.A. 95/07/24. BATEMAN, W.H. 5pp. 84842:295-84842:299.

9507310263 Discusses review of proposed emergency TS change for plant Unit 2. Request schedule submittal within 30 days in order to comply w/10CFR50.46(a)(3)(ii).
MILLER, M.A. 95/07/24. RUEGER, G.M. Pacific Gas & Electric Co. 4pp. 84879:356-84879:359.

G. Inspection reports, IE Bulletins & correspondence

9507120147 Informs that licensee use of requirements of Exam Category B-M-2, Item B12.20 of 1989 Code Edition, approved for first 10-year interval of ISI program plan, per 10CFR50.55a(g)(4)(iv), provided that all requirements met.
BATEMAN, W.H. 95/07/06. RUEGER, G.M. Pacific Gas & Electric Co. 2pp. 84625:282-84625:287.

-9507120151 SER approving use of requirements of Exam Category B-M-2, Item B12.20, of 1989 Code, per 10CFR50.55a(g)(4)(iv).
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 4pp. 84625:284-84625:287.

9507130109 Forwards insp repts 50-275/95-09 & 50-323/95-09 on 950612-16 & notice of violation. Violation of concern because represents weakness in CAP.
SCARANO, R.A. Region 4 (Post 820201). 95/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 6pp. 84596:204-84596:227.

-9507130111 Notice of violation from insp on 950612-16. Violation noted: licensee failed to conduct quarterly fire drills which ensured that all fire brigade team members participated in at least to quarterly fire drills per year.
* Region 4 (Post 820201). 95/07/07. 1p. 84596:210-84596:210.

-9507130115 Insp repts 50-275/95-09 & 50-323/95-09 on 950612-16. Violations noted. Major areas inspected: status of emergency preparedness program including changes to emergency plan & implementing procedures.
DEXTER, T.W. Region 4 (Post 820201). 95/06/28. 17pp. 84596:211-84596:227.

9507250080 Forwards response to NRC 950621 ltr re violations noted in insp repts 50-275/95-09 & 50-323/95-09 on 950402-0513. Corrective actions: removed scaffolding planks that restricted air flow & performed engineering analysis.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/07/21. Document Control Branch (Document Control Desk). 4pp. 84828:299-84828:302.

R. Periodic operating reports & related correspondence

9507250041 "NPDES Second Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950720 ltr.
FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/30. BRIGGS, R.W. California, State of. 100pp. 84826:148-84826:243.

9507250057 Monthly operating repts for June 1995 for Diablo Canyon NPP Units 1 & 2 W/950712 ltr.
EUBANK, T., FUJIMOTO, W.H. Pacific Gas & Electric Co. 95/06/30. 12pp. 84828:119-84828:130.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507060229 Revised EIPs, including rev 51c to OPEP-Appendix A, "Emergency Response Resources," & rev 0 to OPEP-02.6, "Severe Weather." W/950629 ltr. NEWTON, R.R. Carolina Power & Light Co. 95/05/27. 39pp. 84619-055-84619-093.

9507250011 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGAN, R.E. Carolina Power & Light Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787-022-84787-022.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, encl. KELLY, G.B. 95/07/20. 30pp. 84831-217-84831-246.

H. General correspondence

9507140431 Provides updates to NRC service list for NRC correspondence re BSEP Units 1 & 2 due to listed organizational changes. HICKS, G.D. Carolina Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84738-357-84738-360.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268.

9507060388 Forwards "IPE for External Events (IPEEE) Submittal Final Rept.," as committed in 921015 ltr. External events portion of USI A-46, "Shutdown DHR Requirements" subsumed in IPEEE, per GL 88-20 & considered resolved. ANDERSON, R.A. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84593-001-84594-106.

-9507060396 "IPE for External Events Submittal Final Rept."
* Carolina Power & Light Co. 95/06/30. 467pp. 84593-004-84594-106.

9507210003 Forwards rev 2 of "Advance Fuel Shipment Notification," to custody of J Cook, W/o encl. SKIPPER, M. Carolina Power & Light Co. 95/07/06. COOK, J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84738-003-84738-003.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, encl. KELLY, G.B. 95/07/20. 30pp. 84831-217-84831-246.

Q. Inspection reports, IE Bulletins & correspondence

9507270235 FOIA request for documents re allegations from 1993 or 1994 that util nuclear assessment dept lacked sufficient independence in making personnel selections or NRC investigation of NADs independence in personnel selection. CALVERT, M.S. Carolina Power & Light Co. 94/12/22. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84871-129-84871-130.

9507270239 Final response to FOIA request for records. App A records encl & available in PDF. Releasable portions of App B records also encl & available in PDF. App B records partially withheld (ref FOIA Exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. CALVERT, M.S. Carolina Power & Light Co. 4pp. 84871-131-84871-245.

-9507270251 Discusses allegation RI-93-0153 re site VP has power to make personnel selection for nuclear assessment dept. Insp conducted on 931206-15 to assess adequacy of plant nuclear assessment department. Memo partially deleted. CHRISTENSEN, H. Region 2 (Post 820201). 94/04/14. DEMIRANDA, O. Region 2 (Post 820201). 7pp. 84871-135-84871-141.

-9507270254 Discusses 930806 conversation w/R Prevatt expressing concerns re independence of nuclear assessment dept. Excerpt from insp repts 50-325/93-55 & 50-324/93-55 encl. W/o encl. Ltr partially deleted. URYC, B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 2pp. 84871-142-84871-143.

-9507270255 Discusses 930806 conversation w/R Prevatt expressing concern re independence of nuclear assessment dept. Excerpt from Insp Repts 50-325/93-55 & 50-324/93-55 encl. W/o encl. Ltr partially deleted. URYC, B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 3pp. 84871-144-84871-245.

9507120093 Ack receipt of 950622 ltr informing NRC of steps taken to correct violations noted in insp repts 50-325/95-10 & 50-324/95-10 on 950525. VERRELLI, D.M. Region 2 (Post 820201). 95/06/29. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 84575-276-84575-278.

9507140178 Forwards insp rept 50-324/95-13 & 50-325/95-13 on 950429-0602. No violations noted. VERRELLI, D.M. Region 2 (Post 820201). 95/06/29. ANDERSON, R.A. Carolina Power & Light Co. 5pp. 84738-270-84738-297.

-9507140185 Insp repts 50-324/95-13 & 50-325/95-13 on 950429-0602. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & plant support. PATTERSON, C.A., BYRON, P.M., JANUS, M.T. Region 2 (Post 820201). 95/06/29. 2pp. 84738-275-84738-297.

9507260146 Summary of mgmt meeting conducted on 950710 at Brunswick Technical Training Ctr to discuss licensee performance during past SALP cycle. List of attendees & copy of slides encl. VERRELLI, D.M. Region 2 (Post 820201). 95/07/14. ANDERSON, R.A. Carolina Power & Light Co. 13pp. 84793-348-84794-006.

R. Periodic operating reports & related correspondence

9507190350 Forwards MORs for June 1995 for BSEP, units 1 & 2 & corrected May 1995 Unit 1 MOR. CP&L determined that manual scram on 950519 during Unit 1 startup did not contribute to forced outage rate as reported in original May 1995 MOR for Unit 1. LEVIS, W. Carolina Power & Light Co. 95/07/12. Document Control Branch (Document Control Desk). 1p. 84790-193-84790-204.

-9507190352 Corrected monthly operating rept for May 1995 for BSEP Unit 1. HARRISON, F. Carolina Power & Light Co. 95/05/31. 2pp. 84790-194-84790-195.

-9507190353 Monthly operating repts for June 1995 for BSEP, Units 1 & 2. HARRISON, F. Carolina Power & Light Co. 95/06/30. 3pp. 84790-196-84790-204.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MCV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815-169-84815-196.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060229 Revised EIPs, including rev 51c to OPEP-Appendix A, "Emergency Response Resources," & rev 0 to OPEP-02.6, "Severe Weather." W/950629 ltr. NEWTON, R.R. Carolina Power & Light Co. 95/05/27. 39pp. 84619-055-84619-093.

9507250011 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGAN, R.E. Carolina Power & Light Co. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787-022-84787-022.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, encl. KELLY, G.B. 95/07/20. 30pp. 84831-217-84831-246.

H. General correspondence

9507140431 Provides updates to NRC service list for NRC correspondence re BSEP Units 1 & 2 due to listed organizational changes. HICKS, G.D. Carolina Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84738-357-84738-360.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268.

9507060388 Forwards "IPE for External Events (IPEEE) Submittal Final Rept.," as committed in 921015 ltr. External events portion of USI A-46, "Shutdown DHR Requirements" subsumed in IPEEE, per GL 88-20 & considered resolved. ANDERSON, R.A. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84593-001-84594-106.

-9507060396 "IPE for External Events Submittal Final Rept."
* Carolina Power & Light Co. 95/06/30. 467pp. 84593-004-84594-106.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, encl. KELLY, G.B. 95/07/20. 30pp. 84831-217-84831-246.

9507260246 Notification of 950808 meeting w/util in Rockville, MD to discuss results of Brunswick Unit 1, core shroud reinsp conducted during spring 1995 refueling outage & to discuss industry position re future core shroud reinsps. TRIMBLE, D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/21. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 3pp. 84816-331-84816-333.

Q. Inspection reports, IE Bulletins & correspondence

9507270235 FOIA request for documents re allegations from 1993 or 1994 that util nuclear assessment dept lacked sufficient independence in making personnel selections or NRC investigation of NADs independence in personnel selection. CALVERT, M.S. Carolina Power & Light Co. 94/12/22. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84871-129-84871-130.

9507270239 Final response to FOIA request for records. App A records encl & available in PDF. Releasable portions of App B records also encl & available in PDF. App B records partially withheld (ref FOIA Exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. CALVERT, M.S. Carolina Power & Light Co. 4pp. 84871-131-84871-245.

70 DOCKETED ITEMS

-9507270251 Discusses allegation RII-93-0153 re site VP has power to make personnel selection for nuclear assessment dept. Insp conducted on 931206-15 to assess adequacy of plant nuclear assessment department. Memo partially deleted. CHRISTENSEN, H. Region 2 (Post 820201). 94/04/14. DEMIRANDA, O. Region 2 (Post 820201). 7pp. 84871:135-84871:141.

-9507270254 Discusses 930806 conversation w/R Prevatte expressing concerns re independence of nuclear assessment dept. Excerpt from insp repts 50-325/93-55 & 50-324/93-55 encl. W/o encl. Ltr partially deleted. URYC, B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 2pp. 84871:142-84871:143.

-9507270255 Discusses 930806 conversation w/R Prevatte expressing concern re independence of nuclear assessment dept. Excerpt from Insp Repts 50-325/93-55 & 50-324/93-55 encl. W/o encl. Ltr partially deleted. URYC, B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 3pp. 84871:144-84871:145.

9507120093 Ack receipt of 950622 ltr informing NRC of steps taken to correct violations noted in insp repts 50-325/95-10 & 50-324/95-10 on 950525. VERRELLI, D.M. Region 2 (Post 820201). 95/06/29. ANDERSON, R.A. Carolina Power & Light Co. 3pp. 84575:276-84575:278.

9507140178 Forwards insp rept 50-324/95-13 & 50-325/95-13 on 950429-0602. No violations noted. VERRELLI, D.M. Region 2 (Post 820201). 95/06/29. ANDERSON, R.A. Carolina Power & Light Co. 5pp. 84738:270-84738:297.

-9507140185 Insp repts 50-324/95-13 & 50-325/95-13 on 950429-0602. No violations noted. Major areas inspected: operations, maint & surveillance, engineering & plant support. PATTERSON, C.A., BYRON, P.M., JANUS, M.T. Region 2 (Post 820201). 95/06/29. 22pp. 84738:275-84738:297.

9507260146 Summary of mgt meeting conducted on 950710 at Brunswick Technical Training Ctr to discuss licensee performance during past SALF cycle. List of attendees & copy of slides encl. VERRELLI, D.M. Region 2 (Post 820201). 95/07/14. ANDERSON, R.A. Carolina Power & Light Co. 13pp. 84793:348-84794:008.

9507260246 Notification of 950808 meeting w/util in Rockville, MD to discuss results of Brunswick Unit 1, core shroud reinsp conducted during spring 1995 refueling outage & to discuss industry position re future core shroud reinsps. TRIMBLE, D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/21. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 3pp. 84816:331-84816:333.

R. Periodic operating reports & related correspondence

9507190350 Forwards MORs for June 1995 for BSEP, units 1 & 2 & corrected May 1995 Unit 1 MOR. CP&L determined that manual scram on 950519 during Unit 1 startup did not contribute to forced outage rate as reported in original May 1995 MOR for Unit 1. LEVINS, W. Carolina Power & Light Co. 95/07/12. Document Control Branch (Document Control Desk). 1p. 84790:193-84790:204.

-9507190352 Corrected monthly operating rept for May 1995 for BSEP Unit 1. HARRISON, F. Carolina Power & Light Co. 95/05/31. 2pp. 84790:194-84790:195.

-9507190353 Monthly operating repts for June 1995 for BSEP, Units 1 & 2. HARRISON, F. Carolina Power & Light Co. 95/06/30. 9pp. 84790:196-84790:204.

S. Reportable occurrences, LERs & related correspondence

9507030068 Forwards LER 95-001 re two inoperable control rod accumulators result in entry into TS 3.0.3. COWAN, J. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84559:084-84559:089.

-9507030072 LER 95-001-01 on 950106, two inoperable CR accumulators resulted in entry into TS. Replaced C11-111 valves for two HCUs. MCGOWAN, J.F. Carolina Power & Light Co. 95/06/23. 3pp. 84559:088-84559:089.

9507120187 LER 95-013-00 on 950609, HPCI declared inoperable. Caused by ground due to lubrication practices in excess of mfg recommended frequency resulting in debris within commutator area. Debris removed W/950707 ltr. THEARLING, G.M., LEVINS, W. Carolina Power & Light Co. 95/07/07. 4pp. 84676:269-84676:273.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120045 Confirms 950619 telecon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN. JAUDON, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority. 6pp. 84575:057-84575:062.

9507210002 Revised EIPs, including rev 19 to EIP-1, rev 12 to EIP-6, rev 14 to EIP-7, rev 12 to EIP-8, rev 7 to EIP-10, rev 7 to EIP-12, rev 8 to EIP-17, rev 6 to EIP-18, rev 9 to EIP-22 & rev 6 to EIP-23. W/950712 ltr. CARRIER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210.

9507210127 Ack receipt of 950405 ltr forwarding Rev 35 to plant Physical Security Plan. NRC review of changes found most to be consistent w/provisions of 10CFR50.54(p). Encl outlines items needing clarification. Encl withheld per 10CFR73.21. COLLINS, D.M. Region 2 (Post 820201). 95/07/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84811:347-84811:349.

9507250114 Revised Central Emergency Control Ctr (CECC) EIPs, including rev 2 to CECC-EIP-2, rev 17 to CECC-EIP-3, rev 18 to CECC-EIP-4 & rev 20 to CECC-EIP-5. W/950720 ltr. CARRIER, P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828:001-84828:046.

9507260273 Forwards safety evaluation re emergency action plan conversion to NUMARC emergency action levels. LABARGE, D.E. 95/07/26. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 84868:164-84868:171.

-9507280277 Safety evaluation accepting proposed EAL changes for plant Units 1 & 2. 95/07/26. 6pp. 84868:166-84868:171.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501. CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description." Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

P. Operating license stage documents & correspondence

9507050227 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes." SHELL, R.H. Tennessee Valley Authority. 95/06/27. Document Control Branch (Document Control Desk). 36pp. 84568:315-84568:350.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507050369 Application for amend to licenses DPR-77 & DPR-79, consisting of TS Change 94-14 re personnel airlock open during core alterations. SHELL, R.H. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84563:296-84563:312.

-9507050371 Proposed tech specs, allowing containment personnel airlock doors to be open during fuel movement & core alterations. Tennessee Valley Authority. 95/06/29. 15pp. 84563:300-84563:312.

9507060191 Forwards "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events," June 1995. SHELL, R.H. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84571:001-84571:362.

-9507060195 "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events." Tennessee Valley Authority. 95/06/30. 359pp. 84571:004-84571:362.

9507060391 Forward amends 205 & 195 to licenses DPR-77 & DPR-79 & SE. Amend revises action statements to eliminate starting of emergency diesel generators. LABARGE, D.E. 95/06/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84539:280-84539:300.

-9507060385 Amends 205 & 195 to licenses DPR-77 & DPR-79 respectively, revising action statements to eliminate starting of emergency diesel generators. HEBDON, F.J. 95/06/29. 14pp. 84539:283-84539:296.

-9507060397 Safety evaluation supporting amends 205 & 195 to licenses DPR-77 & DPR-79, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 3pp. 84539:297-84539:300.

9507170006 Discusses NRC 950612 ltr announcing NRC meeting w/util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at util facilities. JAUDON, J.P. Region 2 (Post 820201). 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 84650:296-84650:301.

9507240324 Submits RAI re TVA organization topical rept, rev 6. Requests response by 950818. HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept. CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.

Q. Inspection reports, IE Bulletins & correspondence

9507120124 Forwards insp repts 50-327/95-14 & 50-328/95-14 on 950507-0603. Violations noted will not be subj to EA due to fact that licensee efforts in correcting violations meet criteria specified. LESSER, M.S. Region 2 (Post 820201). 95/06/26. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84576:015-84576:035.

-9507120129 Insp repts 50-327/95-14 & 50-328/95-14 on 950507-0603. No violations noted. Major areas inspected: plant operations, maint observations, surveillance observations, onsite engineering, plant support & licensee event rept closeout. SHAEFFER, S.M., LESSER, M.S. Region 2 (Post 820201). 95/06/26. 17pp. 84576:018-84576:035.

9507060135 Forwards response to NRC 950602 ltr re violations noted in insp repts 50-327/95-13 & 50-328/95-13. Corrective actions: mgt has placed addl emphasis on Arrow-Hart condition. ADNEY, R.J. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84600:351-84600:354.

9507060147 Forwards response to NRC 950601 ltr re violations noted in insp repts 50-327/95-12 & 50-328/95-12. Corrective actions: placed permanent placards on T-handies for containment sump isolation valves to prevent manual operation. ADNEY, R.J. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 6pp. 84600:355-84600:360.

9507140253 Ack receipt of 950629 response to violations noted in insp repts 50-327/95-13 & 50-328/95-13. CASTO, C.A. Region 2 (Post 820201). 95/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84737:345-84737:347.

9507240352 Ack receipt of 950629 response to violations noted in insp repts 50-327/95-12 & 50-328/95-12. LESSER, M.S. Region 2 (Post 820201). 95/07/17. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84624:293-84824:295.

R. Periodic operating reports & related correspondence

9507210139 Monthly operating repts for June 1995 for Sequoyah Nuclear Plant Units 1 & 2. W/950714 ltr. HOLLOMON, T.J., SHELL, R.H. Tennessee Valley Authority. 95/06/30. 11pp. 84808:340-84808:350.

9507180293 Forwards 10CFR50.46 annual rept for plant. Rept of 1995 provided to remain on current plant. SHELL, R.H. Tennessee Valley Authority. 95/07/12. Document Control Branch (Document Control Desk). 4pp. 84786:105-84786:108.

S. Reportable occurrences, LERs & related correspondence

9507110134 LER 95-006-00 on 950606, determined that WGA (which monitors hydrogen concentrations) being operated incorrectly. Caused by design limitations. Alarm logic will be reconfigured to ensure TS compliance. W/950705 ltr. GILLEY, S.D., ADNEY, R.J. Tennessee Valley Authority. 95/07/05. 8pp. 84676:237-84676:244.

9507240277 Forwards LER re automatic reactor trip that occurred as result of lo-lo SG level. During process of establishing clearance for maint activity on radiation monitor, assistant unit operator opened wrong breaker. ADNEY, R.J. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84821:094-84821:099.

-9507240283 LER 95-008-00 on 950623, reactor trip occurred as result of lo-lo SG level. Caused by personnel error. Standing order issued to Operations personnel & appropriate disciplinary action taken. PROFFITT, J.W. Tennessee Valley Authority. 95/07/18. 4pp. 84821:096-84821:099.

9507270133 Forwards LER re auxiliary bldg crane interlocks & physical stops defeated to facilitate replacement of spent fuel pool fuel storage racks. ADNEY, R.J. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84867:332-84867:340.

-9507270151 LER 95-007-00 on 941230, auxiliary bldg crane interlocks & physical stops defeated to facilitate replacement of spent fuel pool fuel storage racks. Caused by incorrect site interpretation of scope. Corrected condition by rev of TS SR. SAJRA, SZEWSKI, J. Tennessee Valley Authority. 95/07/18. 7pp. 84867:334-84867:340.

9507280110 Forwards LER 95-09 re rod position indicating sys with more than 12 steps different from demand position indicators for control rods in control banks C & D. ADNEY, R.J. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 2pp. 84874:336-84874:342.

-9507280114 LER 95-009-00 on 950624, rod position indication was out of step w/ demand position indication sys. Caused by gap between actual rod position & RPI response. TS was entered & shift operations supervisor was notified. GILLEY, S.D. Tennessee Valley Authority. 95/07/24. 5pp. 84874:338-84874:342.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120045 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN. JAUDON, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority. 6pp. 84575:057-84575:062.

9507210002 Revised EPIPs, including rev 19 to EPIP-1, rev 12 to EPIP-6, rev 14 to EPIP-7, rev 12 to EPIP-8, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 8 to EPIP-17, rev 6 to EPIP-18, rev 9 to EPIP-22 & rev 6 to EPIP-23. W/950712 ltr. CARRIER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210.

9507210127 Ack receipt of 950405 ltr forwarding Rev 35 to plant Physical Security Plan. NRC review of changes found most to be consistent w/provisions of 10CFR50.54(p). Encl outlines items needing clarification. Encl withheld per 10CFR73.21. COLLINS, D.M. Region 2 (Post 820201). 95/07/13. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84811:347-84811:349.

9507250114 Revised Central Emergency Control Ctr (CECC) EPIPs, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5. W/950720 ltr. CARRIER, P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828:001-84828:046.

950728027 Forwards safety evaluation re emergency action plan conversion to NUMAR / emergency action levels. LABAR, E.D.E. 95/07/26. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 84868:164-84868:171.

-9507280277 Safety evaluation accepting proposed EAL changes for plant Units 1 & 2. 95/07/26. 6pp. 84868:166-84868:171.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A. "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501. CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:256-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description." Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

P. Operating license stage documents & correspondence

9507030339 Informs that NRC intend to exercise discretion not to enforce compliance w/required actions in TS 3.7.2.1, action a, for period of 72 h, per 941108 request. EBNETER, S.D. Region 2 (Post 820201). 94/11/09. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 84512:257-84512:261.

9507050227 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes." SHELL, R.H. Tennessee Valley Authority. 95/06/27. Document Control Branch (Document Control Desk). 36pp. 8456P-15-84568:350.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507050369 Application for amend to licenses DPR 77 & DPR-79, consisting of TS Change 94-14 re personnel airlock open during core operations. SHELL, R.H. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84563:296-84563:312.

-9507050371 Proposed tech specs, allowing containment personnel airlock doors to be open during fuel movement & core alterations. Tennessee Valley Authority. 95/06/29. 15pp. 84563:300-84563:312.

9507060191 Forwards "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events," June 1995. SHELL, R.H. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84571:001-84571:362.

-9507060195 "Sequoyah Nuclear Plant Individual Plant Evaluation Of External Events." Tennessee Valley Authority. 95/06/30. 356pp. 84571:004-84571:362.

9507060391 Forwards amends 205 & 195 to licenses DPR-77 & DPR-79 & SE. Amend revises action statements to eliminate starting of emergency diesel generators. LABARGE, D.E. 95/06/29. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84539:280-84539:300.

-9507060395 Amends 205 & 195 to licenses DPR-77 & DPR-79 respectively, revising action statements to eliminate starting of emergency diesel generators. HEBDON, F.J. 95/06/29. 14pp. 84539:283-84539:296.

-9507060397 Safety evaluation supporting amends 205 & 195 to licenses DPR-77 & DPR-79, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 3pp. 84539:297-84539:300.

9507170006 Discusses NRC 950612 ltr announcing NRC meeting w/util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at util facilities. JAUDON, J.P. Region 2 (Post 820201). 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 84650:296-84650:301.

9507240324 Submits RAI re TVA organization topical rept, rev 6. Requests response by 950818. HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept. CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.

Q. Inspection reports, IE Bulletins & correspondence

9507120124 Forwards insp repts 50-327/95-14 & 50-328/95-14 on 950507-0603. Violations noted will not be subj to EA due to fact that licensee efforts in correcting violations meet criteria specific. LESSER, M.S. Region 2 (Post 820201). 95/06/26. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84576:015-84576:035.

-9507120129 Insp repts 50-327/95-14 & 50-328/95-14 on 950507-0603. No violations noted. Major areas inspected: plant operations, maint observations, surveillance observations, onsite engineering, plant support & licensee event rept closeout. SHAEFFER, S.M., LESSER, M.S. Region 2 (Post 820201). 95/06/26. 17pp. 84576:018-84576:035.

9507060134 Forwards response to NRC 950602 ltr re violations noted in insp repts 50-327/95-13 & 50-328/95-13. Corrective actions: mgt has placed addl emphasis on Arrow-Hart condition. ADNEY, R.J. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84600:351-84600:354.

9507060147 Forwards response to NRC 950601 ltr re violations noted in insp repts 50-327/95-12 & 50-328/95-12. Corrective actions: placed permanent placards on T-handies for containment sump isolation valves to prevent manual operation. ADNEY, R.J. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 6pp. 84600:355-84600:360.

9507140253 Ack receipt of 950629 response to violations noted in insp repts 50-327/95-13 & 50-328/95-13. CASTO, C.A. Region 2 (Post 820201). 95/07/06. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84737:345-84737:347.

72 DOCKETED ITEMS

9507240352 Ack receipt of 950629 response to violations noted in insp repts 50-327/95-12 & 50-326/95-12.
LESSER,M.S. Region 2 (Post 820201). 95/07/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84824:293-84824:295.

R. Periodic operating reports & related correspondence

9507210139 Monthly operating repts for June 1995 for Sequoyah Nuclear Plant Units 1 & 2.W/950714 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 95/06/30. 11pp. 84808:340-84808:350.

9507180293 Forwards 10CFR50.46 annual rept for plant.Rept of 1995 provided to remain on current plant.
SHELL,R.H. Tennessee Valley Authority. 95/07/12. Document Control Branch (Document Control Desk). 4pp. 84786:105-84786:106.

S. Reportable occurrences, LERs & related correspondence

9507070202 Forwards LER 95-003 re automatic turbine & reactor trip resulting from actuation of main generator stator CW failure circuit.Rept submitted per 10CFR50.73(a)(2)(iv) as event that resulted in automatic actuation of ESFs & RPS.
ADNEY,R.J. Tennessee Valley Authority. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84586:255-84586:261.

9507070207 LER 95-003-00: on 950531,turbine tripped followed by reactor trip as result of actuator of main generator stator CW failure circuit.Event will be reviewed w/operations personnel,stressing site operating philosophy.
PROFFITT,J.W. Tennessee Valley Authority. 95/06/30. 5pp. 84586:257-84586:261.

9507110120 LER 95-004-00: on 950525,observed that containment purge air inboard isolation valve may not have sufficient clearance for actuator proper function during LOCA.Caused by personnel error.Clearance deficiency corrected.W/950703 ltr.
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority. 95/07/03. 8pp. 84668:352-84668:359.

9507240329 LER 95-005-00: on 950620,closure of 2A-A SI pumps (SIP) suction valve placed unit in LCO 3.0.3.Labels will be placed on subj valves indicating that closure of valves at power will render trains of ECCS inoperable.W/950720 ltr.
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority. 95/07/20. 8pp. 84832:013-84832:020.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:258-84518:268.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9507120209 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants.
DEMPSEY,K.C. Incident Response Branch. 95/02/27. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84631:332-84631:332.

9507100414 Provides further info re resolution of concern for Thermo- Lag fire barrier matl at DAEC,including integrated Thermo- Lag resolution schedule,in response to GL 92-08.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/30. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 84692:222-84692:227.

9507200166 Revised EPIPs,including Rev 96 to EPIP index,Rev 20 to EPIP 1.2,Rev 12 to EPIP 2.1,Rev 3 to EPIP 2.3,Rev 0 to App 1 to EPIP forms,Rev 58 to CPIP index,Rev 17 to CPIP 1.3,Rev 10 to CPIP-1.4 & Rev 6 to CPIP 2.2.
HENDERSON,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/05. 161pp. 84779:001-84779:161.

9507200158 Forwards Rev 17 to "DAEC Emergency Plan" & proprietary Rev 45 to emergency telephone book.Emergency telephone book withheld.
HENDERSON,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/17. Document Control Branch (Document Control Desk). 2pp. 84835:001-84835:229.

9507200164 Rev 17 to "DAEC Emergency Plan."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/10. 227pp. 84835:003-84835:229.

9507270379 Summary of 950518 meeting w/IES,WPPSS & CP&L in Rockville,MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules,schedules & test details.List of participants,et al,encl.
KELLY,G.B. 95/07/20. 30pp. 84831:217-84831:246.

P. Operating license stage documents & correspondence

9507100196 Forwards DAEC response to request for addl info on IPE.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/26. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84655:001-84655:304.

9507100197 Response to NRC RAI re IPE.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/26. 666pp. 84655:003-84655:304.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507250302 Forwards trip rept of 950523-25 visit to DAEC.
NEBUDA,D.T. Army, Dept. of, Corps of Engineers. 95/06/29. YOUNG,F. NRC - No Detailed Affiliation Given. 1p. 84835:233-84835:235.

9507250305 Trip rept of 950523-25 visit to DAEC re const details & standoff calculations.
NEBUDA,D.T. Army, Dept. of, Corps of Engineers. 95/06/06. Army, Dept. of, Corps of Engineers. 2pp. 84835:234-84835:235.

9507100414 Provides further info re resolution of concern for Thermo- Lag fire barrier matl at DAEC,including integrated Thermo- Lag resolution schedule,in response to GL 92-08.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/30. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 84692:222-84692:227.

9507270379 Summary of 950518 meeting w/IES,WPPSS & CP&L in Rockville,MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules,schedules & test details.List of participants,et al,encl.
KELLY,G.B. 95/07/20. 30pp. 84831:217-84831:246.

9507310288 Application for amend to License DPR-49,consisting of Request for TS Change (RTS-285),eliminating inappropriate condition surveillance in Sections 4.5 & 4.8 & clarifying requirements re spent & new fuel storage in Section 5.5.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84902:304-84902:318.

9507310289 Proposed tech specs,eliminating inappropriate condition surveillance in Sections 4.5 & 4.8,clarifying requirements governing spent & new fuel storage in Section 5.5.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/21. 11pp. 84902:308-84902:318.

Q. Inspection reports, IE Bulletins & correspondence

9507030155 Forwards response to NRC ltr re violations noted in insp rept 50-331/95-05 on 950405-0509.Corrective actions researched all three of maint activities of concern & determined calibrs performed correctly.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/26. Document Control Branch (Document Control Desk). 5pp. 84555:348-84555:353.

9507310023 Forwards insp rept 50-331/95-04 on 950501-26.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 95/07/11. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84843:075-84843:090.

9507310028 Insp rept 50-331/95-04 on 950501-26.No violations noted. Major areas inspected:design change & engineering support activities.
SMITH,J.D., LANGSTAFF,R.A., MENDEZ,R. Region 3 (Post 820201). 95/07/11. 14pp. 84843:077-84843:090.

9507240296 Ack receipt of 950626 ltr informing NRC of steps taken to correct violations noted in insp rept 50-331/95-05.
LANKSURRY,R.D. Region 3 (Post 820201). 95/07/12. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 1p. 84824:318-84824:318.

9507240033 Forwards individual exam results for applicants taking June, 1995 initial license exam.W/o encl.
RING,M.A. Region 3 (Post 820201). 95/07/18. CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84751:100-84751:101.

9507240069 Forwards insp rept 50-331/OL-95-01 on 950626-29.Three applicants passed all portions of exams.One applicant failed written portion of exam.Exam & answer key,facility comments, NRC resolution of comments & simulation facility rept,encl.
RING,M.A. Region 3 (Post 820201). 95/07/18. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84751:192-84751:302.

9507240073 Exam rept 50-331/OL-95-01 on 950626-29.Exam results:three applicants passed all portions of exams.One applicant failed written portion of exam.
DOORNBOSS,R., BURDICK,T. Region 3 (Post 820201). 95/07/17. 105pp. 84751:194-84751:302.

9507280133 Forwards "ASME Section XI Summary Rept for DAEC Refueling Outage 13," addressing exams performed from 931014-950419. Second ten-yr interval extended to 961101 in accordance w/ 10CFR50.55a info re augmented ISIS performed also encl.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/18. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84874:212-84874:327.

9507280136 "ASME Section XI Summary Rept for DAEC Refueling Outage 13."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/23. 114pp. 84874:214-84874:327.

R. Periodic operating reports & related correspondence

- 9507250048 Monthly operating rept for June 1995 for Duane Arnold Energy Ctr.W/ 950714 ltr. WOODWARD,R. VAN MIDDLESWORT IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/30. MILLER,H.J. Region 3 (Post 820201). 6pp. 84827:351-84827:356.
- 9507240315 Forwards correction to annual radioactive matl release rept for 1994 for DAEC,correcting Ar-41 & tritium values for 3rd & 4th calendar quarters (CQ) in table of gaseous effluents by CQ & updating table of gaseous effluents by release point. VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/07/13. MILLER,H.J. Region 3 (Post 820201). 1p. 84824:246-84824:248.
- 9507240317 Revised annual radioactive matl release rept for Jan-Dec 1994 for DAEC. * IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/12/31. 2pp. 84824:247-84824:248.

V. Operator Examinations

- 9507240033 Forwards individual exam results for applicants taking June, 1995 initial license exam W/o encl. RING,M.A. Region 3 (Post 820201). 95/07/18. CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84751:100-84751:101.
- 9507240069 Forwards insp rept 50-331/OL-95-01 on 950626-29.Three applicants passed all portions of exams.One applicant failed written portion of exam.Exam & answer key,facility comments, NRC resolution of comments & simulation facility repl.encl. RING,M.A. Region 3 (Post 820201). 95/07/18. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 84751:192-84751:302.
- 9507240073 Exam rept 50-331/OL-95-01 on 950626-29.Exam results:three applicants passed all portions of exams.One applicant failed written portion of exam. DOORNBOS,R., BURDICK,T. Region 3 (Post 820201). 95/07/17. 105pp. 84751:194-84751:302.
- 9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. EBERHARDT,R.R. Detroit Edison Co. BROWN,J.J. Wisconsin Public Service Corp. 3pp. 84919:021-84919:023.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT**F. Security, medical, emergency & fire protection plans**

- 9507100074 Rev 8 to EPIP SAP-20, "Emergency Plan Assignments." * Power Authority of the State of New York (New York Power Authority). 95/06/29. 11pp. 84681:248-84691:258.
- 9507310286 Forwards insp rept 50-333/95-11 on 950514-0624 & NOV. COWGILL,C.J. Region 1 (Post 820201). 95/07/21. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 84902:319-84902:336.
- 9507310271 Notice of violation from insp on 950514-0624.Violation noted:on 950527,fire protection procedure 3.28,sprinkler nozzle air flow test,Rev 0,Section 8.1,was performed resulting in unanticipated water sprinkler discharge. * Region 1 (Post 820201). 95/07/21. 2pp. 84902:322-84902:323.
- 9507310263 Insp rept 50-333/95-11 on 950514-0624.Violations noted. Major areas inspected:plant operations,maint,engineering, plant support,including emergency preparedness (EP),EP drill & fire protection & QA/safety verification. COWGILL,C.J. Region 1 (Post 820201). 95/07/21. 13pp. 84902:324-84902:336.

K. Utility Final Safety Analysis Report (FSAR) & amendments

- 9507260081 "1995 Annual FSAR Update for JA FitzPatrick Nuclear Power Plant." W/ 950721 ltr. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/07/21. 570pp. 84857:001-84858:206.

P. Operating license stage documents & correspondence

- 9507060254 Forwards amend 225 to license DPR-59 & SE.Amend modifies operability & SRs for RV overflow protection instrumentation that initiates FW pump turbine & main turbine trips on high RV water level. CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/19. CAHILL,W.J. New York, State of. 4pp. 84539:126-84539:144.
- 9507060267 Amend 225 to license DPR-59,modifying operability & SRs for RV overflow protection instrumentation that initiates FW pump turbine & main turbine trips on high RV water level. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/19. 9pp. 84539:130-84539:133.
- 9507060273 Safety evaluation supporting amend 225 to license DPR-59. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 5pp. 84539:140-84539:144.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507050231 Forwards nonproprietary & proprietary versions of licensing topical rept. "Application of Regional Excursion W/Flow-Biased APRM Neutron Flux Scram" Stability Solution (Option I-D) to JA FitzPatrick NPP." Proprietary version withheld. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/29. Document Control Branch (Document Control Desk). 8pp. 84570:001-84570:040.

- 9507050235 Nonproprietary version of "Application of Regional Excursion W/Flow-Biased APRM Neutron Flux Scram" Stability Solution (Option I-D) to JA FitzPatrick NPP." POST,J.S. General Electric Co. GENE-637-044-0295. 95/02/28. 31pp. 84570:010-84570:040.
- 9507070114 Requests that NRC issue TS amend for power uprate on approx 961001 to be effective upon plant startup following refueling outage. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84624:144-84624:146.
- 9507070465 Requests NRC review & concurrence of exception to Reg Guide 1.97 requirements for transversing incore probe isolation valve position indicator. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/29. Document Control Branch (Document Control Desk). 12pp. 84582:343-84582:354.
- 9507140083 Forwards NYPA Assessment Panel charters & meeting minutes, from 1993,1994,1995 to present,to be made public per guidelines in MC 0350. LANNING,W.D. Region 1 (Post 820201). 95/07/05. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 84650:001-84650:283.
- 9507140131 Informs that NYPA Assessment Panel revised charter based on current shutdown status of plant,reflecting development of restart action plan & obtaining restart approval per MC 0350 & Region 1 instruction 1470.1.Lists panel responsibilities. WIGGINS,J.T., MILLER,C.L. Region 1 (Post 820201). 93/05/13. COWGILL,C.J. Region 1 (Post 820201). 2pp. 84650:005-84650:006.
- 9507140147 Informs of expansion of FitzPatrick Assessment Panel to include plant & assume new title of NYPA Assessment Panel. HEHL,C.W. Region 1 (Post 820201). 93/01/11. COWGILL,C.J. Region 1 (Post 820201). 2pp. 84650:007-84650:008.
- 9507140159 Summary of 930119 93-01 NYPA Assessment Panel meeting re NRC charter,expectations for current panel members & future activities. COWGILL,C.J. Region 1 (Post 820201). 93/01/29. NRC - No Detailed Affiliation Given. 15pp. 84650:009-84650:022.
- 9507140166 Summary of 930204 93-02 NYPA Assessment Panel meeting re determination that corporate engineering team insp be redirected to be broad-based assessment of activities at plant. COWGILL,C.J. Region 1 (Post 820201). 93/02/09. NRC - No Detailed Affiliation Given. 2pp. 84650:023-84650:024.
- 9507140179 Summary of 930217 93-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants. COWGILL,C.J. Region 1 (Post 820201). 93/03/01. NRC - No Detailed Affiliation Given. 5pp. 84650:025-84650:030.
- 9507140199 Summary of 930331 93-04 NYPA Assessment Panel meeting re NYPA presentation of FitzPatrick restart self-assessment, review of comment on plant PIP & plant restart process. ESELGROTH,P. Region 1 (Post 820201). 93/04/07. NRC - No Detailed Affiliation Given. 5pp. 84650:031-84650:034.
- 9507140212 Summary of 930408 93-05 NYPA Assessment Panel meeting re FitzPatrick plant status,post startup issues,Indian Point plant status & establishment of sub-committees. ESELGROTH,P. Region 1 (Post 820201). 93/04/14. NRC - No Detailed Affiliation Given. 11pp. 84650:035-84650:046.
- 9507140234 Summary of 930415 93-06 NYPA Assessment Panel meeting re special team insp at plant to be conducted between 930426 & 930507,status of FitzPatrick plant,status of Indian Point plant & development of restart issues list. ESELGROTH,P. Region 1 (Post 820201). 93/04/18. NRC - No Detailed Affiliation Given. 6pp. 84650:048-84650:052.
- 9507140255 Summary of 930514 93-07 NYPA Assessment Panel meeting re status of FitzPatrick plant,status of Indian Point plant & review of NRC draft restart items list. ESELGROTH,P. Region 1 (Post 820201). 93/05/14. NRC - No Detailed Affiliation Given. 32pp. 84650:053-84650:084.
- 9507140272 Summary of 930520 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant,status of Indian Point plant, preliminary findings of special team insp,changes to draft restart issues list & insp support at Indian Point plant. COWGILL,C.J. Region 1 (Post 820201). 93/06/07. NRC - No Detailed Affiliation Given. 6pp. 84650:085-84650:090.
- 9507140278 Summary of 930608 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes,status & insp status planning for FitzPatrick & Indian Point plants. COWGILL,C.J. Region 1 (Post 820201). 93/06/18. NRC - No Detailed Affiliation Given. 12pp. 84650:091-84650:102.
- 9507140284 Summary of 930714 93-10 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,NYPA response to NRC questions & comments concerning PIP items & Indian Point restart action plan status. COWGILL,C.J. Region 1 (Post 820201). 93/07/14. NRC - No Detailed Affiliation Given. 7pp. 84650:103-84650:110.
- 9507140292 Summary of 930804 93-11 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,logic functional deficiencies at FitzPatrick plant & need for review of changes to PIP as result of SIT. COWGILL,C.J. Region 1 (Post 820201). 93/09/02. NRC - No Detailed Affiliation Given. 6pp. 84650:111-84650:116.
- 9507140307 Summary of 930902 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants,OSTI planned for FitzPatrick plant,Indian Point restart issue checklist item IV.8 & how NRC should best assess this area. COWGILL,C.J. Region 1 (Post 820201). 93/09/29. NRC - No Detailed Affiliation Given. 8pp. 84650:117-84650:124.

74 DOCKETED ITEMS

- 9507140311 Summary of 931109 93-13 NYPA Assessment Panel meeting re status at FitzPatrick & Indian Point plants, OSTI at FitzPatrick plant, proposed several ongoing issues for addition to restart issue list & views on PIP & SIT causes. COWGILL, C.J. Region 1 (Post 820201). 93/11/23. NRC - No Detailed Affiliation Given. 16pp. 84650:125-84650:140.
 - 9507140319 Summary of 931123 93-14 NYPA Assessment Panel meeting re insp plan at FitzPatrick for followup of items identified in IP3 SIT rpt, status of FitzPatrick plant, insp plans / timelines for selected PIP items & NRC restart items. COWGILL, C.J. Region 1 (Post 820201). 93/12/16. NRC - No Detailed Affiliation Given. 10pp. 84650:141-84650:150.
 - 9507140321 Summary of 931221 93-15 NYPA Assessment Panel meeting re impressions of results of PIP mgt meeting, noted NYPA appears to be driven excessively by outside parties, conditions at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/03/04. NRC - No Detailed Affiliation Given. 3pp. 84650:151-84650:152.
 - 9507140324 Summary of 940124 94-01 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, proposed additions & mods to list of restart issues in restart action plan & expectations for NRC/NYPA mgt meeting. COWGILL, C.J. Region 1 (Post 820201). 94/03/09. NRC - No Detailed Affiliation Given. 9pp. 84650:153-84650:162.
 - 9507140330 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart insp follow-up tracking list & MOV program status at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/04/04. NRC - No Detailed Affiliation Given. 14pp. 84650:163-84650:176.
 - 9507140332 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of INPO corporate evaluation of NYPA conducted in Dec. 1993 & current insp program expectations at plants. COWGILL, C.J. Region 1 (Post 820201). 94/05/03. NRC - No Detailed Affiliation Given. 8pp. 84650:177-84650:184.
 - 9507140346 Forwards INPO comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC insp activity. WELLING, B.D. Region 1 (Post 820201). 95/07/05. NRC - No Detailed Affiliation Given. 15pp. 84650:185-84650:198.
 - 9507140352 Summary of 940524 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing upgrade program & record retention program. COWGILL, C.J. Region 1 (Post 820201). 94/06/03. NRC - No Detailed Affiliation Given. 5pp. 84650:199-84650:204.
 - 9507140368 Summary of 9407015 94-06 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants & draft NRC ltr to NYPA discussing restart & continuous improvement plan. COWGILL, C.J. Region 1 (Post 820201). 94/08/02. NRC - No Detailed Affiliation Given. 4pp. 84650:213-84650:216.
 - 9507140378 Summary of 940908 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940818, status of FitzPatrick & Indian Point plants, status of DRSS core insp program & open licensing actions at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/09/21. NRC - No Detailed Affiliation Given. 7pp. 84650:217-84650:222.
 - 9507140383 Summary of 941005 94-08 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, schedule for closure of 59 Indian Point 3 restart action plan items & restart action plan item 2.1.02 for closure. COWGILL, C.J. Region 1 (Post 820201). 94/10/18. NRC - No Detailed Affiliation Given. 4pp. 84650:223-84650:228.
 - 9507140389 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP partial participation exercise observed by NRC inspectors 941013 & proposed development of PERT chart. COWGILL, C.J. Region 1 (Post 820201). 94/11/01. NRC - No Detailed Affiliation Given. 5pp. 84650:229-84650:234.
 - 9507140393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team insp to begin 950123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list. COWGILL, C.J. Region 1 (Post 820201). 94/12/12. NRC - No Detailed Affiliation Given. 3pp. 84650:235-84650:236.
 - 9507140395 Summary of 941202 94-12 NYPA Assessment Panel meeting re NRC "road map" for Indian Point restart & power ascension, status of FitzPatrick & Indian Point plants & 941117 public meeting w/NYPA. COWGILL, C.J. Region 1 (Post 820201). 94/12/16. NRC - No Detailed Affiliation Given. 4pp. 84650:237-84650:240.
 - 9507140397 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI insp plan, restart items for closure & status of licensing issues at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 95/01/09. NRC - No Detailed Affiliation Given. 4pp. 84650:241-84650:244.
 - 9507140398 Summary of 950322 NYPA 95-05 Assessment Panel meeting re current plant status & NRC observation of station blackout test. COWGILL, C.J. Region 1 (Post 820201). 95/03/31. NRC - No Detailed Affiliation Given. 4pp. 84650:265-84650:268.
 - 9507140403 Summary of 950110 94-14 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, conclusion from T Martin tour of Indian Point plant on 950104-05, status of restart activities & licensing issues for Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 95/01/20. NRC - No Detailed Affiliation Given. 5pp. 84650:245-84650:250.
 - 9507140404 Summary of 950413 NYPA 95-06 Assessment Panel meeting re current plant status & problem identified by NRC w/five containment isolation valves in plant TS. COWGILL, C.J. Region 1 (Post 820201). 95/04/26. NRC - No Detailed Affiliation Given. 4pp. 84650:269-84650:272.
 - 9507140407 Summary of 950124 95-01 NYPA Assessment Panel meeting re C Cowgill visit to Indian Point plant during wk of 950116, review of minutes from NYPA Assessment Panel meeting 94-14 & review of open NYPA Assessment Panel action item list. COWGILL, C.J. Region 1 (Post 820201). 95/02/02. NRC - No Detailed Affiliation Given. 4pp. 84650:251-84650:254.
 - 9507140410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team insp exit meeting scheduled for 950427. COWGILL, C.J. Region 1 (Post 820201). 95/05/03. NRC - No Detailed Affiliation Given. 2pp. 84650:273-84650:274.
 - 9507140412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure, status of RATI & Indian Point IPE. COWGILL, C.J. Region 1 (Post 820201). 95/02/17. NRC - No Detailed Affiliation Given. 4pp. 84650:255-84650:256.
 - 9507140414 Summary of 950516 NYPA 95-08 Assessment Panel meeting to discuss recent allegation received by plant & status of actions to address transcript from public meeting held on 950427. COWGILL, C.J. Region 1 (Post 820201). 95/06/01. NRC - No Detailed Affiliation Given. 9pp. 84650:275-84650:283.
 - 9507140419 Summary of 950223 95-03 NYPA Assessment Panel meeting re importance of tracking remaining restart action plan technical items, status of FitzPatrick & Indian Point plants & status of two remaining open restart issues. COWGILL, C.J. Region 1 (Post 820201). 95/03/07. NRC - No Detailed Affiliation Given. 4pp. 84650:257-84650:260.
 - 9507140424 Summary of 950309 95-04 NYPA Assessment Panel meeting re enforcement panel discussion concerning auxiliary safety injection component cooling water pumps & status of FitzPatrick & Indian Point plants. COWGILL, C.J. Region 1 (Post 820201). 95/03/20. NRC - No Detailed Affiliation Given. 4pp. 84650:261-84650:264.
 - 9507120336 Forwards corrected amend 225 to license DPR-59. Notices that wrong page included in amend due to administrative error. CARPENTER, C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/07/07. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 84631:290-84631:294.
 - 9507120344 Corrected amend 225 to license DPR-59, including right page to license. MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/08/19. 2pp. 84631:293-84631:294.
 - 9507270081 Forwards application for amend to license DPR-59. Amend would replace title-specific list of members on PORC w/more general statement of membership requirements. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84843:295-84843:328.
 - 9507270084 Application for amend to license DPR-59. Amend would replace title-specific list of members on PORC w/more general statement of membership requirements. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 95/07/21. 20pp. 84843:297-84843:316.
 - 9507270088 Proposed tech specs re replacement of title-specific list of PORC members w/more general statement of membership requirements. Power Authority of the State of New York (New York Power Authority). 95/07/21. 12pp. 84843:317-84843:328.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9507100305 Forwards insp rept 50-333/95-80 on 950501-12. No violations noted. COWGILL, C.J. Region 1 (Post 820201). 95/06/29. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 4pp. 84691:259-84691:279.
 - 9507100309 Insp rept 50-333/95-80 on 950501-12. No violations noted. Major areas inspected: effectiveness of util processes for identifying, resolving & preventing issues that degrade quality of plant operations. COWGILL, C.J. Region 1 (Post 820201). 95/06/29. 17pp. 84691:263-84691:279.
 - 9507140083 Forwards NYPA Assessment Panel charters & meeting minutes, from 1993, 1994, 1995 to present, to be made public per guidelines in MC 0350. LANNING, W.D. Region 1 (Post 820201). 95/07/05. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 84650:001-84650:283.
 - 9507140234 Summary of 930415 93-06 NYPA Assessment Panel meeting re special team insp at plant to be conducted between 930426 & 930507, status of FitzPatrick plant, status of Indian Point plant & development of restart issues list. ESELGROTH, P. Region 1 (Post 820201). 93/04/18. NRC - No Detailed Affiliation Given. 6pp. 84650:048-84650:052.
 - 9507140272 Summary of 930520 93-08 NYPA Assessment Panel meeting re status of FitzPatrick plant, status of Indian Point plant, preliminary findings of special team insp, changes to draft restart issues list & insp support at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 93/06/07. NRC - No Detailed Affiliation Given. 6pp. 84650:085-84650:090.
 - 9507140278 Summary of 930608 93-09 NYPA Assessment Panel meeting re correction to 93-08 meeting minutes, status & insp status planning for FitzPatrick & Indian Point plants. COWGILL, C.J. Region 1 (Post 820201). 93/06/18. NRC - No Detailed Affiliation Given. 12pp. 84650:091-84650:102.
 - 9507140307 Summary of 930902 93-12 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, OSTI planned for FitzPatrick plant, Indian Point restart issue checklist item IV.8 & how NRC should best assess this area. COWGILL, C.J. Region 1 (Post 820201). 93/09/29. NRC - No Detailed Affiliation Given. 8pp. 84650:117-84650:124.

-9507140311 Summary of 931109 93-13 NYPA Assessment Panel meeting re status at FitzPatrick & Indian Point plants, OSTI at FitzPatrick plant, proposed several ongoing issues for addition to restart issue list & views on PIP & SIT causes. COWGILL, C.J. Region 1 (Post 820201). 93/11/23. NRC - No Detailed Affiliation Given. 16pp. 84650:125-84650:140.

-9507140319 Summary of 931123 93-14 NYPA Assessment Panel meeting re insp plan at FitzPatrick for followup of items identified in IP3 SIT repr. status of FitzPatrick plant, insp plans/timelines for selected PIP items & NRC restart items. COWGILL, C.J. Region 1 (Post 820201). 93/12/16. NRC - No Detailed Affiliation Given. 10pp. 84650:141-84650:150.

-9507140330 Summary of 940301 94-02 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, Indian Point restart insp follow-up tracking list & MOV program status at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/04/04. NRC - No Detailed Affiliation Given. 14pp. 84650:163-84650:176.

-9507140342 Summary of 940324 94-03 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, review of INPO corporate evaluation of NYPA conducted in Dec 1993 & current insp program expectations at plants. COWGILL, C.J. Region 1 (Post 820201). 94/05/03. NRC - No Detailed Affiliation Given. 9pp. 84650:177-84650:184.

-9507140348 Forwards INPO comments on review of NYPA corporate support & monitoring of Indian Point & FitzPatrick plants & discusses NRC insp activity. WELLING, B.D. Region 1 (Post 820201). 95/07/05. NRC - No Detailed Affiliation Given. 15pp. 84650:185-84650:198.

-9507140352 Summary of 940524 94-04 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, restart action plan items for closure & licensee drawing upgrade program & record retention program. COWGILL, C.J. Region 1 (Post 820201). 94/06/03. NRC - No Detailed Affiliation Given. 8pp. 84650:199-84650:204.

-9507140378 Summary of 940908 94-07 NYPA Assessment Panel meeting re MOV meeting between NRC & NYPA on 940818, status of FitzPatrick & Indian Point plants, status of DRSS core insp program & open licensing actions at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 94/09/21. NRC - No Detailed Affiliation Given. 7pp. 84650:217-84650:222.

-9507140389 Summary of 941019 94-09 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, licensee annual EP partial participation exercise observed by NRC inspectors 941013 & proposed development of PERT chart. COWGILL, C.J. Region 1 (Post 820201). 94/11/01. NRC - No Detailed Affiliation Given. 5pp. 84650:229-84650:234.

-9507140393 Summary of 941117 94-11 NYPA Assessment Panel meeting re Indian Point plant readiness assessment team insp to begin 950123 & review of minutes from NYPA Assessment Panel meeting 94-10 & open action list. COWGILL, C.J. Region 1 (Post 820201). 94/12/12. NRC - No Detailed Affiliation Given. 3pp. 84650:235-84650:236.

-9507140397 Summary of 941222 94-13 NYPA Assessment Panel meeting re status of FitzPatrick & Indian Point plants, RATI insp plan, restart items for closure & status of licensing issues at Indian Point plant. COWGILL, C.J. Region 1 (Post 820201). 95/01/09. NRC - No Detailed Affiliation Given. 4pp. 84650:241-84650:244.

-9507140410 Summary of 950425 NYPA 95-07 Assessment Panel meeting to discuss restart assessment team insp exit meeting scheduled for 950427. COWGILL, C.J. Region 1 (Post 820201). 95/05/03. NRC - No Detailed Affiliation Given. 2pp. 84650:273-84650:274.

-9507140412 Summary of 950207 95-02 NYPA Assessment Panel meeting re review of minutes from NYPA Assessment Panel meeting 95-01, NRC restart action plan items for closure, status of RATI & Indian Point IPE. COWGILL, C.J. Region 1 (Post 820201). 95/02/17. NRC - No Detailed Affiliation Given. 4pp. 84650:255-84650:256.

9507170121 Discusses facility executive plant performance review (EPPR) performed on 950518, covering period 940621-950512, Areas reviewed & schedule & basis for NRC insps of facility planned for June 1995 - May 1996 encl. COOPER, R.W. Region 1 (Post 820201). 95/07/10. CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). 8pp. 84755:174-84755:181.

9507270192 Responds to insp rept 50-333/95-10 of radiation protection activities. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 95/07/20. COOPER, R.W. Region 1 (Post 820201). 7pp. 84851:293-84851:299.

9507310296 Forwards insp rept 50-333/95-11 on 950514-0624 & NOV. COWGILL, C.J. Region 1 (Post 820201). 95/07/21. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 84902:319-84902:336.

-9507310271 Notice of violation from insp on 950514-0624. Violation noted on 950527, fire protection procedure 28, sprinkler nozzle air flow test, Rev 0, Section 8.1, was performed resulting in unanticipated water sprinkler discharge. * Region 1 (Post 820201). 95/07/21. 2pp. 84902:322-84902:323.

-9507310283 Insp rept 50-333/95-11 on 950514-0624. Violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support, including emergency preparedness (EP), EP drill & fire protection & QA/safety verification. COWGILL, C.J. Region 1 (Post 820201). 95/07/21. 13pp. 84902:324-84902:336.

R. Periodic operating reports & related correspondence

9507190328 Monthly operating rept for June 1995 for JA FitzPatrick Nuclear Power Plant W/950715 ltr. FLAGG, R., SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 95/06/30. 5pp. 84785:355-84785:359.

S. Reportable occurrences, LERs & related correspondence

9507070172 Forwards LER 95-011 re excessive leakage of primary containment isolation valves. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 95/06/26. Document Control Branch (Document Control Desk). 1p. 84578:327-84578:331.

-9507070179 LER 95-011-00 on 950531, leakage of primary containment isolation valves was exceeded. Caused by 02-2AOV-39 & 02-2AOV-40 experiencing repeated difficulty in passing LLRT. Flushed seat on inboard isolation valve. COSTEDIO, J.J. Power Authority of the State of New York (New York Power Authority). 95/06/26. 4pp. 84578:328-84578:331.

9507070187 Forwards LER 95-010 re TS required plant shutdown due to unidentified drywell leakage. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 95/06/28. Document Control Branch (Document Control Desk). 1p. 84578:332-84578:339.

-9507070189 LER 95-010-00 on 950530, TS required plant shutdown due to unidentified leakage into drywell. Repacked valve 02-RWR-525 using current maint practice of re-packing w/non-asbestos graphite. BROWNELL, G. Power Authority of the State of New York (New York Power Authority). 95/06/28. 7pp. 84578:333-84578:339.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120209 Forwards Emergency Response Data Sys implementation documents & Data Point Library updates for plants. DEMPSEY, K.C. Incident Response Branch. 95/02/27. SAUL, K.L. Halliburton NUS Environmental Corp. 1p. 84631:332-84631:332.

9507250021 Comment supporting proposed generic ltr re process for changes to security plans w/o prior NRC approval. THOMAS, G.S. Duquesne Light Co. 95/07/11. NRC - No Detailed Affiliation Given. 1p. 84787:040-84787:040.

9507310186 Advises that 950512 rev to plant Unit 1 & 2 physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. CROSS, J.E. Duquesne Light Co. 4pp. 84879:343-84879:346.

9507310020 Expresses appreciation to licensee for hosting intl attendees to NRC May 1995 US Fire Protection Practices training course. VARGA, S. 95/07/26. THOMAS, G.S. Duquesne Light Co. 3pp. 84868:341-84868:343.

H. General correspondence

9507210032 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial. THOMAS, G.S. Duquesne Light Co. 95/07/11. Docketing & Services Branch. 1p. 84738:058-84738:058.

P. Operating license stage documents & correspondence

9507050284 Forwards amends 188 & 70 to licenses DPR-66 & NPF-73 & SE Amends 188 & 70 revise App A TSs by relocating requirements of RETS & solid radwaste TSs from App A to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301. BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. 95/06/12. CROSS, J.E. Duquesne Light Co. 4pp. 84528:001-84528:118.

-9507050286 Amends 188 & 70 to licenses DPR-66 & NPF-73, respectively, revising App A TSs by relocating requirements of RETS & solid radwaste TSs from App A to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/12. 108pp. 84528:005-84528:112.

-9507050288 Safety evaluation supporting amends 188 & 70 to licenses DPR-66 & NPF-73, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 6pp. 84528:113-84528:118.

9507050226 Provides revised no significant hazards evaluation for proposed TS change requests 212 & 78, revising quadrant power tilt ration requirements. NOONAN, T.P. Duquesne Light Co. 95/06/23. Document Control Branch (Document Control Desk). 6pp. 84570:209-84570:214.

9507050372 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes," including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp. NOONAN, T.P. Duquesne Light Co. 95/06/23. Document Control Branch (Document Control Desk). 13pp. 84570:241-84570:253.

9507180287 Forwards amends 189 & 71 to licenses DPR-66 & NPF-73, respectively & SE Amends revise item 2 of TS 6.9.1.14 for units 1 & 2, to specify use of BASH methodology instead of earlier W methodology. BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. 95/06/27. CROSS, J.E. Duquesne Light Co. 3pp. 84896:251-84896:264.

-9507180295 Amends 189 & 71 to licenses DPR-66 & NPF-73 respectively, revising item 2 of TS 6.9.1.14, "Core Operating Limits Rept." for units 1 & 2, to specify use of BASH methodology instead of earlier W methodology.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/27. 9pp. 84696.254-84696.262.

-9507180298 Safety evaluation supporting amends 189 & 71 to licenses DPR-66 & NPF-73 respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 2pp. 84696.263-84696.264.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507960355 Responds to relief request of 950504, authorizing proposed alternative for repair until next entry into Mode 5, provided proposed temporary repair installed, per 10CFR50.55(a)(3)(ii), for license DPR-66.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. CROSS, J.E. Duquesne Light Co. 4pp. 84536.125-84536.131.

-9507050357 Safety evaluation approving proposed alternative for repair requirements of Section XI of ASME Boiler & Pressure Vessel Code.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 3pp. 84536.129-84536.131.

9507100418 Forwards typed TS pages for issuance of amends in response to util request for TS Changes 199 & 66, Rev 1. Lists non-intent editorial changes incorporated to ensure consistency w/ current format & content.
THOMAS, G.S. Duquesne Light Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84691.308-84691.350.

-9507100421 Proposed tech specs for TS Changes 199 & 66, Rev 1.
* Duquesne Light Co. 95/06/29. 41pp. 84691.310-84691.350.

9507100400 Forwards "Beaver Valley Power Station Unit 1 Probabilistic Risk Assessment IPE of External Events Summary Rept." per GL 88-20, Suppl 4.
THOMAS, G.S. Duquesne Light Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84637.001-84637.284.

-9507100403 Rev 0 to "Beaver Valley Power Station Unit 1 Probabilistic Risk Assessment IPE of External Events Summary Rept."
FREDERICK, K.J., ETZEL, F.W. Duquesne Light Co. FLEMING, K.N. PLG. Inc. (formerly Pickard, Lowe & Garrick, Inc.). 95/06/30. 282pp. 84637.003-84637.284.

9507190031 Application for amend to licenses DPR-66 & NPF-73, modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in Modes 4, 5 & 6.
THOMAS, G.S. Duquesne Light Co. 95/07/10. Document Control Branch (Document Control Desk). 3pp. 84763.052-84763.177.

-9507190033 Proposed tech specs modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in modes 4, 5 & 6.
* Duquesne Light Co. 95/07/10. 123pp. 84763.055-84763.177.

9507170368 Application for amend consisting of license change request 222, modifying RCS vent size required for overpressure protection operation.
THOMAS, G.S. Duquesne Light Co. 95/07/11. Document Control Branch (Document Control Desk). 3pp. 84773.303-84773.328.

-9507170371 Proposed tech specs modifying reactor coolant sys vent size required for overpressure protection operation.
* Duquesne Light Co. 95/07/11. 23pp. 84773.306-84773.328.

9507310177 Application for amends to licenses DPR-66 & NPF-73, consisting of proposed DL license change requests 221 & 90, respectively. Proposed change would modify LCO 3.8.1.1, "AC Sources - Operating" & associated SRs.
NOONAN, T.P. Duquesne Light Co. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84890.287-84890.342.

-9507310182 Proposed tech specs LCO 3.8.1.1, "AC Sources - Operating" & SRs.
* Duquesne Light Co. 95/07/20. 53pp. 84890.290-84890.342.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1485 severe accident source term at operating reactors.
SCALETTI, D. 95/07/26. QUAY, T.R. 48pp. 84888.143-84888.188.

Q. Inspection reports, IE Bulletins & correspondence

9507030028 Forwards insp repts 50-334/95-09 & 50-412/95-09 on 950418-0603 & notice of violation.
LINVILLE, J.C. Region 1 (Post 820201). 95/06/23. CROSS, J.E. Duquesne Light Co. 3pp. 84507.001-84507.046.

-9507030033 Insp repts 50-334/95-09 & 50-412/95-09 on 950418-0603. Violations noted. Major areas inspected: plant operations, maint & surveillance, engineering, plant support & SA/QV.
LAZARUS, W.J. Region 1 (Post 820201). 95/06/21. 41pp. 84507.004-84507.046.

9507050372 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes," including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp.
NOONAN, T.P. Duquesne Light Co. 95/06/23. Document Control Branch (Document Control Desk). 13pp. 84570.241-84570.253.

R. Periodic operating reports & related correspondence

9507030326 "NPDES Discharge Monitoring Rept for May 1995" W/950621 ltr.
NOONAN, T.P. Duquesne Light Co. 95/05/31. 31pp. 84587.263-84587.293.

9507140158 Monthly operating repts for June 1995 for Beaver Valley Power Station Unit 1 & 2 W/950708 ltr.
JONES, D.T., NOONAN, T.P. Duquesne Light Co. 95/06/30. 10pp. 84729.347-84729.356.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815.169-84815.198.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120073 Forwards Rev 17 of St Lucie Guard Training & Qualification Plan. Encl withheld.
SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84689.356-84689.356.

9507120061 Forwards Rev 45 to St Lucie Physical Security Plan. Encl withheld per 10CFR73.21.
SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84696.068-84696.068.

9507180210 Rev 6 to EPIP HP-204, "In-Plant Radiation & Contamination Surveys During Emergencies." W/950712 ltr.
SAGER, D.A. Florida Power & Light Co. 95/07/12. 45pp. 84785.285-84785.329.

9507250006 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
BOHLKE, W.H. Florida Power & Light Co. 95/07/13. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787.009-84787.009.

9507260098 Advises that 950706 rev 45 to physical security plan & rev 17 to training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 95/07/20. Florida Power & Light Co. 3pp. 84637.343-84637.345.

G. Adjudicatory correspondence

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559.127-84559.139.

-9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. 2pp. 84559.135-84559.136.

-9507060365 Request for shut down & SG tube insp for listed plants, CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents.
DOHERTY, J.F. Affiliation Not Assigned. 95/05/02. Commissioners (Post 750119). 3pp. 84559.137-84559.139.

9507100145 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DC-95-07 in listed docket has expired. Decision became final agency action on 950606 W/Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 18862. 95/06/29. SAVORITO, T.J. Saporito, T.J. 2pp. 84538.343-84538.344.

H. General correspondence

9507210031 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
BOHLKE, W.H. Florida Power & Light Co. 95/07/10. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84738.057-84738.057.

P. Operating license stage documents & correspondence

9507030219 Forwards recent change to plant safety policy re use of protective footwear. Plant policies governing safety hat & eye protection usage while on site also encl.
SAGER, D.A. Florida Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 4pp. 84556.357-84556.360.

9507050069 Forwards dune survey rept for beach at St Lucie Plant.
SAGER, D.A. Florida Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84563.354-84563.355.

9507110019 Comment opposing proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits."
BOHLKE, W.H. Florida Power & Light Co. 95/06/27. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557.052-84557.053.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507070057 Forwards amends 138 & 78 to licenses DPR-67 & NPF-16 & safety evaluation. Amends incorporate line-item TS improvements to Spec 3/4.8.1, "Electrical Power Sys-AC Sources," & 4.8.1.2.2, "Electrical Power Sys Shutdown."
NORRIS, J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84555.154-84555.194.

-9507070077 Amends 138 & 78 to licenses DPR-67 & NPF-16, respectively, revising TS 3/4.B.1. "Electrical Power Sys-AC Sources" & 4.B.1.2.2. "Electrical Power Sys-Shut-down," per NUREG-1366 & GLs 93-05 & 94-01. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. 29pp. 84555-156-84555-184.

-9507070080 Safety evaluation supporting amends 138 & 78 to licenses DPR-67 & NPF-16, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 10pp. 84555-185-84555-194.

9507190226 Informs that audit of licensee USI A-46 program will be conducted during wk of 951205 to resolve remaining issues re USI A-46, Suppl 1 to GL 87-02 for facilities. NORRIS, J., CROTEAU, R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84789:219-84789:221.

Q. inspection reports, IE Bulletins & correspondence

9507120108 Forwards insp repts 50-335/95-10 & 50-389/95-10 on 950430-0603. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting violations meet specified criteria. LANDIS, K.D. Region 2 (Post 820201). 95/06/23. GOLDBERG, J. Florida Power & Light Co. 3pp. 84575:312-84575:351.

-9507120115 Insp repts 50-335/95-10 & 50-389/95-10 on 950430-0603. No violations noted. Major areas inspected: operations review, maint observations, surveillance observations, engineering support, plant support & other areas. PREVATTE, R., LANDIS, K. Region 2 (Post 820201). 95/06/23. 35pp. 84575:316-84575:351.

9507110013 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style." BOHLKE, W.H. Florida Power & Light Co. 95/06/27. MEYERS, D. Rules & Directives Review Branch (Post 920323). 6pp. 84557:039-84557:044.

9507120184 Forwards insp repts 50-335/95-11 & 50-389/95-11 on 950530-0602. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/06/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84576:050-84576:063.

-9507120192 Insp repts 50-335/95-11 & 50-389/95-11 on 950530-0602. No violations noted. Major areas inspected: licensee RP program made to review implementation of revised 10CFR20 requirements. PARKER, B.A., RANKER, W.H. Region 2 (Post 820201). 95/06/26. 11pp. 84576:053-84576:063.

9507140230 Acknowledges 950627 response to notice of violation issued 950606, re activities conducted on St Lucie facility. CASTO, C.A. Region 2 (Post 820201). 95/07/07. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84761:126-84761:128.

R. Periodic operating reports & related correspondence

9507190341 Monthly operating repts for June 1995 for St Lucie Units 1 & 2. W/950711 ltr. ROGERS, J.A., SAGER, F.A. Florida Power & Light Co. 95/06/30. 9pp. 84789:340-84789:354.

S. Reportable occurrences, LERs & related correspondence

9507110124 Special rept on 950606.1A EDG automatically tripped on high water jacket temp. Caused by misapplication of calibration test equipment for temp switch. Temp switch replaced. SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 3pp. 84695:120-84695:122.

9507170022 PNO-II-95-039 on 950709. Sport utility vehicle drove through owner controlled area & into discharge canal near beach head wall. Caused by occupants looking for place to surf. No threat to plant safety. SCHIN, R. Region 2 (Post 820201). 95/07/10. 1p. 84650:343-84650:343.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507180230 Revised EIPs, including Rev 155 to EPIP 4000 procedure index Rev 1 to EPIP 4404, "Notification & Communications" & rev 1 to EPIP 4470, "Control Room Data Coordination." * Northeast Nuclear Energy Co. 95/06/29. 43pp. 84784:217-84784:261.

9507140073 Informs NRC that util annual emergency preparedness exercise for plant has been scheduled for 951005. Scope & objectives re exercise encl. OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84760:267-84760:274.

9507140175 Rev 18 to Millstone Emergency Plan. * Northeast Nuclear Energy Co. 95/07/07. 20pp. 84736:245-84736:281.

9507240080 Forwards insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted. DURR, J.P. Region 1 (Post 820201). 95/07/17. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84752:021.

-9507240084 Insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment. NICHOLSON, L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84752:021.

9507310155 Revised EIPs, including change 1 to rev 4 to EPIP form 4400-1 & change 1 to rev 3 to EPIP form 4400-2. * Northeast Nuclear Energy Co. 95/07/20. 9pp. 84907:040-84907:048.

9507180310 Rev 18 to Millstone Nuclear Power Station Emergency Plan. * Northeast Nuclear Energy Co. 95/07/31. 4pp. 84786:076-84786:078.

G. Adjudicatory correspondence

9507060345 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559:127-84559:139.

-9507060354 Notice of receipt of petition for Director's Decision under 10CFR2.206. Discusses JF Doherty 950502 petition requesting that NRC take immediate action to shut down PWR & inspect SG tubes at listed plants using point plus probe sys. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. 2pp. 84559:135-84559:136.

-9507060365 Request for shut down & SG tube insp for listed plants. CE PWRs. Believes that continued operation of plants health & safety hazard to nearby residents. DOHERTY, J.F. Affiliation Not Assigned. 95/05/02. Commissioners (Post 750119). 3pp. 84559:137-84559:139.

9507100088 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-11 in docket has expired. Decision became final on 950626. W/Certificate of Svc. Served on 950630. HOYLE, J.C. Office of the Secretary of the Commission. #395 16666. 95/06/29. GAVENSKY, R. Affiliation Not Assigned. 2pp. 84538:306-84538:307.

9507170405 Submits rebuttal to NNECO response to AJ Ross 10CFR2.206 petition re problems at Millstone Station w/regards to work control, tagging control & procedure compliance. ROSS, A.J. Affiliation Not Assigned. 95/07/11. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 43pp. 84796:006-84796:064.

-9204230091 Informs of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at util. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/04/06. ELLIS, W.B. Northeast Nuclear Energy Co. 10pp. 84796:049-84796:064.

9507240109 Provides update on five 10CFR2.206 petitions submitted, dtd 941230 & 950102, 05, 08 & 17. ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/19. ROSS, A.J. Affiliation Not Assigned. 2pp. 84824:336-84824:337.

H. General correspondence

9507060399 Responds to concerns raised to NRC following 950614 meeting at plant. Purpose of meeting for NRC readiness assessment team insp to present findings re readiness for util to restart plant following refueling outage. MCKEE, P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/29. MARUCCI, M.E. Affiliation Not Assigned. 4pp. 84531:256-84531:294.

9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial. OPEKA, J.F. Northeast Utilities. 95/07/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84738:115-84738:116.

P. Operating license stage documents & correspondence

9507030335 Provides response to GL 95-03, "Circumferential Cracking of SG Tubes." OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/06/27. Document Control Brs.ch (Document Control Desk). 30pp. 84587:294-84587:323.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110216 Provides brief status of util activities re design, evaluation & operation of CREVS at Millstone Unit 2. OPEKA, J.F., SCACE, S.E. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/03. Document Control Branch (Document Control Desk). 4pp. 84695:059-84695:062.

9507110146 Provides info re facility startup readiness as agreed during 950614 meeting w/NRC. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/06. Document Control Branch (Document Control Desk). 34pp. 84693:311-84693:345.

9507140140 Application for amend to license DPR-65. Amend would increase allowable post accident in-leakage rate for CR. OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84737:001-84737:224.

-9507140145 Proposed tech specs re increase in allowable post accident in-leakage rate for CR. * Northeast Nuclear Energy Co. 95/07/07. 12pp. 84737:009-84737:020.

78 DOCKETED ITEMS

- 9507140150 "Millstone II CR Operator Doses from Millstone III LOCA."
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co. M2CRM3-01146-R2 R00. 94/12/11. 68pp. 84737:021-647:1088.
- 9507140154 "MP-2 CR Operator Doses from MP-1 MSLB Accident."
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co. M2CRM5LB-01178-R2 R0. 95/02/27. 41pp. 84737:089-84737:129.
- 9507140157 "Millstone II CR Operator Doses from Millstone II LOCA (Low Wind Speed)."
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co. M2CRM2-01156-R2 R00. 95/02/01. 38pp. 84737:130-84737:157.
- 9507140160 "MP-2 CR Operator Doses from MP-2 LOCA (HWS)."
MILLER,D.W., FLORY,C.A., CRANDALL,R.A. Northeast Utilities Service Co. M2CRM2HW-01164-R2 R0. 95/02/03. 55pp. 84737:168-84737:224.
- 9507180086 Documents 950620 meeting at plant re corrective actions taken concerning plant ESAS.
WIGGINS,J.T. Region 1 (Post 820201). 95/07/10. OPEKA,J.F. Northeast Nuclear Energy Co. 22pp. 84675:161-84675:203.
- 9507210039 Forwards attendance list & slides presented at series of meetings conducted on 950614 at plant.
DURR,J.P. Region 1 (Post 820201). 95/07/14. OPEKA,J.F. Northeast Nuclear Energy Co. 46pp. 84738:065-84738:110.
- 9507226006 Forwards results of NRC assessments re restart of Millstone, Unit 2.NRC agrees w/assessment that plant ready for restart based on extensive corrective actions & review of actions.
MARTIN,T.T. Region 1 (Post 820201). 95/07/20. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84830:304-84830:351.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9507030005 Notification of significant licensee meeting 95-61 w/util on 950628 to discuss plan to perform self-assessment in Sept 1995 as alternative to NRC SWS Operational Performance insp.
NICHOLSON,L. Region 1 (Post 820201). 95/06/22. Region 1 (Post 820201). 2pp. 84488:040-84488:041.
- 9507030168 Forwards response to NRC 950510 ltr re violations noted in insp repts 50-336/95-11 & 50-423/95-11 on 950320-23 & 27-30. Corrective actions returned all UV modules to vendor that implemented mods to correct original fabrication error.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/27. Document Control Branch (Document Control Desk). 5pp. 84559:354-84559:359.
- 9507100059 Forwards response to NRC 950524 ltr re violation & proposed imposition of civil penalty of insp rept 50-336/95-08. Corrective actions:lowered threshold for initiating & evaluating conditions that could be adverse to quality.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/06/27. Document Control Branch (Document Control Desk). 11pp. 84692:228-84692:238.
- 9507110048 Comment on proposed "Review of NRC Insp Rept Content,Format & Style."
OPEKA,J.F. Northeast Utilities Service Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 10pp. 84557:242-84557:251.
- 9507100406 Discusses alternative to svc water sys operational performance insp at Unit 2.Slides from conference held on 950628 at Region 1 ofc encl.
BLOUGH,A.R. Region 1 (Post 820201). 95/06/30. OPEKA,J.F. Northeast Nuclear Energy Co. 31pp. 84690:254-84690:284.
- 9507140078 Responds to NRC 950602 ltr re violations noted in insp rept 50-336/95-19. Corrective actions:based on info & discussion as listed util believes violation as stated to be incorrect.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 7pp. 84760:260-84760:268.
- 9507240080 Forwards insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0636.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/07/17. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84752:021.
- 9507240084 Insp repts 50-245/95-20,50-336/95-20 & 50-423/95-20 on 950426-0636.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84752:021.
- 9507280008 Forwards results of NRC assessments re restart of Millstone, Unit 2.NRC agrees w/assessment that plant ready for restart based on extensive corrective actions & review of actions.
MARTIN,T.T. Region 1 (Post 820201). 95/07/20. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84830:304-84830:351.
- 9507280257 Forwards insp rept 50-336/95-201 on 950508-12 & 0530-0609.No violations noted.
SPESSARD,R.L. 95/07/21. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84856:198-84856:250.
- 9507280260 Insp rept 50-336/95-201 on 950508-12 & 0530-0609.No violations noted.Major areas inspected:restart planning, assessments,readiness reviews,oversight & assessments.
JACOBSON,J.B., NORKIN,D., GALLO,R.M. 95/07/20. 49pp. 84856:202-84856:250.

R. Periodic operating reports & related correspondence

9507200093 Forwards monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3.Revs to Apr & May 1995 repts for Unit 1 also encl.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84763:309-84763:326.

-9507200012 Monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3.
NEUBURGH,G. Northeast Nuclear Energy Co. 95/06/30. 15pp. 84763:310-84763:324.

9507170402 Provides 1994 joint frequency distribution of wind distribution,wind speed & stability for Haddam Neck Plant & Millstone Nuclear Power Station.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/13. TICHLER,J. Brookhaven National Laboratory. 6pp. 84755:028-84755:033.

S. Reportable occurrences, LERs & related correspondence

9507060296 Special rept re fire suppression sys for auxiliary bldg general area at elevation 14'6" inoperable for greater than 14 days due to plant mod not administratively complete.Fire watch established.
MILLER,D.B. Northeast Nuclear Energy Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84617:098-84617:098.

9507060333 LER 95-023-00:0n 950516,degradation of boric acid sys piping & fittings occurred due to periodic boric acid leaks from relief & other valves,initiated repairs & replaced all degraded fittings & pipe within boric acid sys.W/950630 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/06/30. 4pp. 84586:251-84586:254.

9507110144 LER 95-012-01:0n 950313,determined that RPS RCS low flow trip setting may not satisfy assumptions in SA.Caused by excessive component (transmitter) drift & inadequate design review.RCS flow transmitter recalibrated.W/950705 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/07/05. 4pp. 84668:348-84668:351.

9507140218 LER 95-002-01:0n 950125,confirmed assumption for original design basis re containment sump isolation valves non-conservative.Caused by inadequate engineering evaluation. Hole drilled through disc ctr line.W/950707 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/07/07. 5pp. 84739:001-84739:005.

9507200082 LER 95-024-00:0n 950614,surveillance frequency for fire detection instrumentation was incorrect due to personnel error.Revised applicable surveillance procedure that changed frequency to required semi-annual interval.W/950714 ltr.
LUTZI,P.J., BROTHERS,M.H. Northeast Nuclear Energy Co. 95/07/14. 4pp. 84786:141-84786:144.

9507200366 LER 95-025-00:0n 950617,fire watch not established in 45 inch east cable vault for period of 1 h & two minutes due to personnel error.Continuous fire watch established at fire door T-45-23.W/950714 ltr.
LUTZI,P.J., MILLER,D.B., BROTHERS,M.H. Northeast Nuclear Energy Co. 95/07/14. 4pp. 84821:032-84821:035.

9507210180 Forwards LER 94-020-01 re DG fuel oil supply being less than IEEE std.Rept reflects completion of outstanding corrective action.
MILLER,D.B. Northeast Nuclear Energy Co. 95/07/18. Document Control Branch (Document Control Desk). 1p. 84821:042-84821:045.

-9507210182 LER 94-020-01:0n 940722,determined that DG fuel oil supply less than IEEE std.New fuel oil consumption calculation performed which determines length of time DG can be operated at full rated capacity & TS change submitted.
LUTZI,P.J. Northeast Nuclear Energy Co. 95/07/18. 3pp. 84821:043-84821:045.

9507240302 Forwards LER 91-009-03,reflecting completion of outstanding corrective action,per 10CFR50.73(a)(2)(i).
MILLER,D.B. Northeast Nuclear Energy Co. 95/07/18. Document Control Branch (Document Control Desk). 1p. 84821:103-84821:106.

-9507240312 LER 91-009-03:0n 910821,both EDGs declared inoperable.Caused by load swings due to oxidation buildup on relay contacts. Governor controls sys on 12U DG & 13U DG updated w/new electronic governor actuator controls.
LUTZI,P.J. Northeast Nuclear Energy Co. 95/07/18. 3pp. 84821:104-84821:106.

9507240297 LER 95-027-00:0n 950624,identified that fire damper not included in surveillance program due to administrative personnel error.TS surveillance for fire dampers. "Fire Damper Operability..." (2618G-1) revised.W/950719 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/07/19. 3pp. 84821:100-84821:102.

9507240323 LER 95-026-00:0n 950620,discovered missed fire door surveillance due administrative personnel error.Fire door inspected & added to surveillance procedure.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/07/19. 3pp. 84821:107-84821:109.

9507240402 Special rept re fire alarm panel C26E being out of svc for greater than 14 days due to shooting maint required to locate & repair intermittent electrical ground.Electrical ground cleared & associated work completed.
MILLER,D.B. Northeast Nuclear Energy Co. 95/07/19. Document Control Branch (Document Control Desk). 1p. 84824:139-84824:139.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507130049 Revised EIPs,including rev 2 to EPIP-1.06,rev 12 to EPIP-4.17,rev 13 to EPIP-5.03,rev 6 to EPIP-5.04 & rev 11 to EPIP-5.05.W/950706 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/06. 87pp. 84730:203-84730:259.

9507180186 Advises that util still in strong support of PR re revs to emergency planning procedures.Util encourages NRC efforts to solicit industry advice & recommendations in development of PR.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Docketing & Services Branch. 1p. 84765:321-84765:321.

9507210331 Summary of 950711 meeting w/uti re emergency plan staff augmentation. List of attendees & slides encl.
ENGLE, L.B., BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18. Project Directorate II-1 (PD2-1) (Post 941001). 15pp. 84754.074-84754.089.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counterparts meeting.
BUCKLEY, B.C., ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84729.020-84729.025.

9507180190 Advises NRC that uti withdraws 930201 exemption request due to pending issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84765.298-84765.299.

9507270034 Informs that VEPCO has implemented changes to fitness for duty program & herein provides required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84851.332-84851.333.

Q. Inspection reports, IE Bulletins & correspondence

9507030144 Forwards safety assessment & insp plans for Surry & North Anna plants per requirements of GL 95-03.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84555.328-84555.339.

9507110196 Summarizes 650606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors & other matis licensees, per 950131 SALP. Comments uti for achieving high level of safety performance.
TAYLOR, J. Ofc of the Executive Director for Operations. 95/07/06. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84587.096-84587.099.

9507130045 Forwards ISI program relief requests NDE-20, Rev 2 & NDE-26 for North Anna Unit 1.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/10. Document Control Branch (Document Control Desk). 19pp. 84696.015-84696.033.

9507240368 Forwards insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617 & notice of violation.
LANDIS, K.D. Region 2 (Post 820201). 95/07/13. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84824.037-84824.061.

-9507240371 Notice of violation from insp on 950521-0617. Violation noted: operator did not remember that heater for B train safeguards ventilation filter sys was de-energized.
Region 2 (Post 820201). 95/07/13. 2pp. 84824.041-84824.042.

-9507240377 Insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617. Violations noted. Major areas inspected: plant status, plant operations, maint observations, surveillance observations, on-site engineering, plant support & previous insp items.
MCWHORTER, R., BELISLE, G.A. Region 2 (Post 820201). 95/07/13. 19pp. 84824.043-84824.061.

R. Periodic operating reports & related correspondence

9507200101 Forwards monthly operating rept for June 1995 for North Anna Units 1 & 2. Corrected operating data page for May 1995 monthly operating rept for Unit 2 also encl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84777.334-84777.348.

-9507200035 Monthly operating repts for June 1995 for North Anna Power Station Units 1 & 2.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 13pp. 84777.335-84777.347.

-9507200039 Corrected page for monthly operating rept for May 1995 for North Anna Power Station Unit 2.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.). 95/05/31. 1p. 84777.348-84777.348.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507060378 Forwards "Notice of Consideration of Issuance of Materials License for Storage of Spent Fuel & Notice of Opportunity for Hearing."
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/28. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84559.153-84559.160.

-9507060380 Notice of consideration of issuance of material license & proposed NSHC determination & opportunity for hearing. Amend will authorize applicant to store spent fuel in dry storage cask sys.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/28. 6pp. 84559.155-84559.160.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507130049 Revised EIPs, including rev 2 to EIP-1.06, rev 12 to EIP-4.17, rev 13 to EIP-5.03, rev 6 to EIP-5.04 & rev 11 to EIP-5.05. W/950706 ltr.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/06. 78pp. 84730.203-84730.259.

9507180186 Advises that uti still in strong support of PR re revs to emergency planning procedures. Uti encourages NRC efforts to solicit industry advice & recommendations in development of PR.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Docketing & Services Branch. 1p. 84765.321-84765.321.

9507210331 Summary of 950711 meeting w/uti re emergency plan staff augmentation. List of attendees & slides encl.
ENGLE, L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/18. Project Directorate II-1 (PD2-1) (Post 941001). 15pp. 84754.074-84754.089.

P. Operating license stage documents & correspondence

9507050055 Discusses NRC approval of enforcement discretion to extend 72-h TS action statement 3.7.1.2.a by 24 h to complete steam driven auxiliary feedwater pump repair & post maint testing, per 940309 occurrence.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 94/03/11. EBNETER, S.D. Region 2 (Post 820201). 3pp. 84516.161-84516.163.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507190181 Notification of 950725 meeting w/VEPC in Glen Allen, VA to discuss counterparts meeting.
BUCKLEY, B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/11. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 6pp. 84729.020-84729.025.

9507180190 Advises NRC that uti withdraws 930301 exemption request due to pending issuance of rev to App J of 10CFR50.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84765.298-84765.299.

9507270034 Informs that VEPCO has implemented changes to fitness for duty program & herein provides required notification.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84851.332-84851.333.

Q. Inspection reports, IE Bulletins & correspondence

9507030144 Forwards safety assessment & insp plans for Surry & North Anna plants per requirements of GL 95-03.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84555.328-84555.339.

9507140169 Forwards insp rept 50-339/95-10 on 950430-0603. No violations noted.
LANDIS, K.D. Region 2 (Post 820201). 95/06/29. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84760.314-84760.343.

-9507140172 Insp rept 50-339/95-10 on 950430-0603. No violations noted. Major areas inspected: plant status & SG replacement.
TAYLOR, D.R., BELISLE, G.A. Region 2 (Post 820201). 95/06/29. 26pp. 84760.318-84760.343.

9507110196 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors & other matis licensees, per 950131 SALP. Comments uti for achieving high level of safety performance.
TAYLOR, J. Ofc of the Executive Director for Operations. 95/07/06. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84587.096-84587.099.

9507240369 Forwards insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617 & notice of violation.
LANDIS, K.D. Region 2 (Post 820201). 95/07/13. O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84824.037-84824.061.

-9507240371 Notice of violation from insp on 950521-0617. Violation noted: operator did not remember that heater for B train safeguards ventilation filter sys was de-energized.
Region 2 (Post 820201). 95/07/13. 2pp. 84824.041-84824.042.

-9507240377 Insp repts 50-338/95-11 & 50-339/95-11 on 950521-0617. Violations noted. Major areas inspected: plant status, plant operations, maint observations, surveillance observations, on-site engineering, plant support & previous insp items.
MCWHORTER, R., BELISLE, G.A. Region 2 (Post 820201). 95/07/13. 19pp. 84824.043-84824.061.

R. Periodic operating reports & related correspondence

9507200101 Forwards monthly operating rept for June 1995 for North Anna Units 1 & 2. Corrected operating data page for May 1995 monthly operating rept for Unit 2 also encl.
BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84777.334-84777.348.

-9507200035 Monthly operating repts for June 1995 for North Anna Power Station Units 1 & 2.
STALL, J.A. Virginia Power (Virginia Electric & Power Co.). 95/06/30. 13pp. 84777.335-84777.347.

80 DOCKETED ITEMS

-9507200039 Corrected page for monthly operating rept for May 1995 for North Anna Power Station Unit 2.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/05/31. 1p. 84777:348-84777:348.

S. Reportable occurrences, LERs & related correspondence

9507240385 Forwards LER 95-002 re missed surveillance on individual rod position indication.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/07/20. Document Control Branch (Document Control Desk). 1p. 84832:021-84832:025.

-9507240393 LER 95-002-003 on 950709, missed surveillance on individual rod position indication due to personnel error. Returned both computer points D-H2 & D-H8 from callbr mode.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/07/20. 4pp. 84832:022-84832:025.

Y. Dry Cask Independent Spent Fuel Storage Installations

9507060378 Forwards "Notice of Consideration of Issuance of Materials License for Storage of Spent Fuel & Notice of Opportunity for Hearing."
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/26.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84559:153-84559:160.

-9507060380 Notice of consideration of issuance of material license & proposed NSHC determination & opportunity for hearing. Amend will authorize applicant to store spent fuel in dry storage cask sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/26. 6pp. 84559:155-84559:160.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507070464 Forwards response to NRC 950504 ltr re unresolved items & insp follow-up item noted in insp rept 50-341/95-04. Corrective actions: EOP flowchart for hydrogen & oxygen control will be revised.
MCKEON,R. Detroit Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 7pp. 84582:355-84582:361.

9507110317 Rev 28 to RERP Plan Implementing Procedure, "Emergency Notifications."
* Detroit Edison Co. 95/07/03. 21pp. 84694:122-84694:142.

9507200212 Ack receipt of 950602 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/95-04. Comments on concern re severity level of violation re EOPs & characterization of NRC concern re leaking instrument rack.
AXELSON,W.L. Region 3 (Post 820201). 95/07/13. GIPSON,D.R. Detroit Edison Co. 2p. 84777:357-84777:358.

9507180463 Forwards Rev 12 to security personnel training & qualification plan. Rev withheld.
GOODMAN,L.S. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84776:200-84776:200.

9507250018 Comment supporting proposed generic communication re process for changes to security plans w/o prior NRC approval.
GOODMAN,L.S. Detroit Edison Co. 95/07/14. NRC - No Detailed Affiliation Given. 2pp. 84787:031-84787:032.

9507260013 Ack receipt of 950228 ltr forwarding Rev 25 to Fermi 2 Physical Security Plan. Rev to plan withheld from public disclosure per 10CFR73.21.
CREED,J.R. Region 3 (Post 820201). 95/07/20. GIPSON,D.R. Detroit Edison Co. 2pp. 84836:348-84836:349.

H. General correspondence

950710019 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
GOODMAN,L.S. Detroit Edison Co. 95/07/13. Docketing & Services Branch. 2pp. 84738:046-84738:047.

9507170383 Commits to provide notice of transfer to NRC re proposed Corporate restructuring of Detroit Edison Co., as requested by T Colburn.
GIPSON,D.R. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84776:269-84776:270.

P. Operating license stage documents & correspondence

9507210309 FOIA request for listed documents re Fermi 2, including TES Rept 94V70-13, "Metallurgical Analysis of Fermi 2 LP 3 Eight Stage Turbine Bldg."
TRAPP,J. Affiliation Not Assigned. 94/12/02. Division of Freedom of Information & Publications Services (Post 840714). 2pp. 84797:017-84797:018.

9507210312 Partial response to FOIA request for records. App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. TRAPP,J. Affiliation Not Assigned. 2pp. 84797:019-84797:052.

-9507210313 Package consisting of affidavits for withholding info from disclosure per 10CFR2.790.
* Detroit Edison Co. 95/01/31. 32pp. 84797:021-84797:052.

9507310207 Eight partial response to FOIA request for documents. App M record encl & available in PDR. App N records maintained in PDR. App O records withheld in part (ref FOIA Exemption 6). App P records withheld completely (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/03/02. FIDELLE,F. Affiliation Not Assigned. 6pp. 84883:124-84883:139.

-9507310212 Forwards copy of Allegation File R111-86-A-0159-Fermi W/o encl.
FUNK,D.F. Region 3 (Post 820201). 90/01/18. BRADY,R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84883:133-84883:133.

9507050070 Ack receipt of 950505 submittal & informs that review will require more than 60 days to complete.
JORDAN,M.J. Region 3 (Post 820201). 95/06/26. GIPSON,D.R. Detroit Edison Co. 1p. 84508:180-84508:180.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507130137 Ack receipt of 950411 ltr re main steam line radiation monitor setpoint changes for hydrogen chemistry for plant, Unit 2.
ROE,J.W. 95/07/07. GIPSON,D.R. Detroit Edison Co. 4pp. 84631:345-84631:348.

9507170183 Confirms completion of RWL instrumentation ref leg backfill mod at Fermi 2 during fourth refueling outage.
GIPSON,D.R. Detroit Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 3pp. 84755:034-84755:036.

9507210202 Forwards Change 9 to Rev 3 to "IST Program (Plan) for Pumps & Valves for Fermi 2 Power Plant," incorporating changes as result of 950313 response to NOV 95002-03 noted in insp rept 50-341/95-02.
GIPSON,D.R. Detroit Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84810:248-84810:039.

-9507210204 Change 9 to Rev 3 to "IST Program (Plan) for Pumps & Valves for Fermi 2 Power Plant."
WALD,J.J., SHEFFEL,B.J. Detroit Edison Co. 95/07/05. 154pp. 84810:250-84810:039.

Q. Inspection reports, IE Bulletins & correspondence

9507070464 Forwards response to NRC 950504 ltr re unresolved items & insp follow-up item noted in insp rept 50-341/95-04. Corrective actions: EOP flowchart for hydrogen & oxygen control will be revised.
MCKEON,R. Detroit Edison Co. 95/07/03. Document Control Branch (Document Control Desk). 7pp. 84582:355-84582:361.

9507180126 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/95-07.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/07. GIPSON,D.R. Detroit Edison Co. 1p. 84765:314-84765:314.

9507200057 Forwards insp rept 50-341/95-08 on 950418-0623 & NOV.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/12. GIPSON,D.R. Detroit Edison Co. 5pp. 84800:001-84800:033.

-9507200060 Notice of violation from insp on 950418-0623. Violation noted: activity affecting quality was not accomplished in accordance w/ prescribed procedure FIP-ASI-01 in that team leader did not review checklists until Oct 1993.
* Region 2 (Post 820201). 95/07/12. 1p. 84800:006-84800:006.

-9507200062 Insp rept 50-341/95-08 on 950418-0623. No violations noted. Major areas inspected: operations, maint, engineering, plant support & safety assessment.
PHILLIPS,M.P. Region 3 (Post 820201). 95/07/12. 27pp. 84800:007-84800:033.

9507180159 Forwards insp rept 50-341/95-200 on 950522-26. No violations noted.
SPESSARD,R.L. 95/07/13. GIPSON,D. Detroit Edison Co. 5pp. 84725:297-84725:317.

-9507180171 Insp rept 50-341/95-200 on 950522-26. No violations noted. Major areas inspected: ECP procedures & controls, mgt initiatives to support ECP, adequacy of licensee follow-up to reported concerns & self-assessment.
GAUTAM,A.S., GALLO,R.M. 95/07/13. 16pp. 84725:302-84725:317.

9507200212 Ack receipt of 950602 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/95-04. Comments on concern re severity level of violation re EOPs & characterization of NRC concern re leaking instrument rack.
AXELSON,W.L. Region 3 (Post 820201). 95/07/13. GIPSON,D.R. Detroit Edison Co. 2p. 84777:357-84777:358.

9507170360 Forwards revised pump relief requests PR-6, PR-7 & PR-8 for IST program for pumps & valves & new pump relief request PR-11 for EECW pumps as result of util 950407 response to insp follow-up item 95002-01.
GIPSON,D.R. Detroit Edison Co. 95/07/14. Document Control Branch (Document Control Desk). 15pp. 84773:329-84773:343.

9507210077 Forwards corrected insp rept 50-341/95-200 on 950522-26, replacing insp rept sent w/ ltr dtd 950713 due to incorrect app A. No violations noted.
SPESSARD,R.L. 95/07/17. GIPSON,D. Detroit Edison Co. 2pp. 84764:062-84764:081.

-9507210106 Errata to Insp Rept 50-341/95-00 on 950522-26, replacing App A w/ copy of NRC draft policy statement published in FR on 95. 208 entitled, "Freedom of Info In Nuclear Industry to Raise Safety Concerns W/O Fear of Retaliation."
GAUTAM,A.S., GALLO,R.M. 95/07/13. 11pp. 84764:077-84764:081.

9507210202 Forwards Change 9 to Rev 3 to "IST Program (Plan) for Pumps & Valves for Fermi 2 Power Plant," incorporating changes as result of 950313 response to NOV 95002-03 noted in insp rept 50-341/95-02.
GIPSON,D.R. Detroit Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84810:248-84810:039.

R. Periodic operating reports & related correspondence

9507190330 Monthly operating rept for June 1995 for Fermi Unit 2. W/ 950714 ltr.
STONE,B.J., GIPSON,D.R. Detroit Edison Co. 95/06/30. 4pp. 84788:356-84788:359.

S. Reportable occurrences, LERs & related correspondence

- 9507060099 Forwards LER 95-006 re main turbine trip due to false overspeed during mechanical overspeed test. MCKEON, R. Detroit Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84578:237-84578:242.
- 9507090102 LER 95-006-00: on 950602, main turbine trip occurred due to false overspeed during mechanical overspeed test. Revised procedure 27.112.01 to incorporate holding overspeed reset pushbutton depressed at least 15 seconds. PENDERGAST, J.M. Detroit Edison Co. 95/06/30. 5pp. 84578:238-84578:242.

V. Operator Examinations

- 9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. WALLACE, B.J. Commonwealth Edison Co. SAWATZKE, B.J. Northern States Power Co. 3pp. 84919:021-84919:023.

DOCKET 50-344 TROJAN NUCLEAR PLANT**F. Security, medical, emergency & fire protection plans**

- 9507310201 Forwards rev to plant security plan (defueled condition). Encl withheld, per 10CFR73.21. QUENNOZ, S.M. Portland General Electric Co. 95/07/27. Document Control Branch (Document Control Desk). 1p. 84903:322-84903:322.

P. Operating license stage documents & correspondence

- 9507190258 Contract: "Relocation & Storage of TNP Simulator & Westinghouse Dummy Fuel Assembly & Control Rod Cluster Training Aid," awarded to Pulau Electronics Corp. CAMPBELL, D.L. Pulau Electronics Corp. MATTIA, M.J. Division of Contracts (Post 940714). 95/05/30. 71pp. 84728:012-84728:080.

- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

- 9507110301 Forwards response to NRC 950605 RAI re decommissioning plan/ suppl to environ rept. QUENNOZ, S.M. LACKEY, M.B. Portland General Electric Co. 95/07/05. Document Control Branch (Document Control Desk). 19pp. 84694:103-84694:121.

- 9507200144 Requests list of Federally protected species in vicinity of Trojan Nuclear Plant as well as expected habitat, in support of review of Decommissioning Plan & Environmental Rept. MASNIK, M.T. 95/07/12. PETERSON, R. 3pp. 84739:358-84739:360.

Q. Inspection reports, IE Bulletins & correspondence

- 9507110078 Ack receipt of 950608 ltr informing NRC of steps taken to correct violations noted in insp rept 50-344/95-05. SCARANO, R.A. Region 4 (Post 820201). 95/06/30. QUENNOZ, S.M. Pacific Gas & Electric Co. 3pp. 84695:139-84695:145.

- 9507110083 Responds to NRC ltr re violations noted in insp rept 50-344/95-05. Corrective actions: memo issued outlining action to ensure certification for required job tasks current for CY95. QUENNOZ, S.M. Pacific Gas & Electric Co. 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84695:142-84695:145.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9507060200 Revised EIPs, including Rev 0 to RA-EP-02310 & Rev 1 to RA-EP-02410. JORDAN, D.J. Centor Energy. 95/06/16. 37pp. 84617:122-84617:158.

P. Operating license stage documents & correspondence

- 9507030284 Forwards request for addl info re internal event analysis in IPE including accident sequence core damage frequency analysis, human reliability analysis & containment performance improvement program. GUNDRUM, L.L. 95/06/22. STETZ, J.P. Centor Service Co. STETZ, J.P. Toledo Edison Co. 12pp. 84511:348-84511:359.

- 9507030105 Forwards application for amend to license NPF-3, App A re relocation of TSs 3/4.3.3.3, 3/4.3.3.4 & 3/4.4.11. STETZ, J.P. Centor Energy. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84588:259-84588:286.

- 9507030108 Application for amend to license NPF-3. Amend would relocate TSs 3/4.3.3.3, 3/4.3.3.4 & 3/4.4.11. JAIN, S.C. Centor Energy. 95/06/23. 12pp. 84588:262-84588:273.

- 9507030110 Proposed tech specs re relocation of TSs 3/4.3.3.3, 3/4.3.3.4 & 3/4.4.11. Centor Energy. 95/06/23. 13pp. 84588:274-84588:286.

- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

- 9507180460 Informs that Commission issued encl CAL to Vectra Technologies, Inc. GUNDRUM, L.L. 95/07/11. STETZ, J.P. Centor Service Co. STETZ, J.P. Toledo Edison Co. 3pp. 84726:246-84726:251.

- 9507170408 Advises that 950315 changes to QA program description consistent w/provisions of 10CFR50.54(a) & acceptable. JORDAN, M.J. Region 3 (Post 820201). 95/07/12. STETZ, J.P. Centor Energy. 2pp. 84773:360-84773:361.

- 9507240037 Provides "Results Of Water Supply Performance Evaluation Study 36," for laboratory at Davis-Besse Nuclear Power Station. WOOD, J.K. Toledo Edison Co. 95/07/17. MURFF, N. Environmental Protection Agency. 9pp. 84824:338-84824:346.

- 9507240132 Forwards amend 199 to license NPF-3 & SE. Amend revised TS 3/4.4.9.1 pressure-temp limits, RCS, Figures 3.4-2.3.4-3 & 3.4-4, Bases Section 3/4.4.9 & license condition 2.C(3)(d). GUNDRUM, L.L. 95/07/20. STETZ, J.P. Centor Energy. 3pp. 84823:201-84823:216.

- 9507240136 Amend 199 to license NPF-3, revising TS 3/4.4.9.1 pressure-temp limits, RCS, Figures 3.4-2.3.4-3 & 3.4-4, Bases Section 3/4.4.9 & license condition 2.C(3)(d). GUNDRUM, L.L. 95/07/20. 8pp. 84823:204-84823:211.

- 9507240139 Safety evaluation supporting amend 199 to license NPF-3. Office of Nuclear Reactor Regulation (Post 911001). 95/07/20. 5pp. 84823:212-84823:216.

- 9507280071 Responds to 950629 ltr requesting info re liquid radioactive effluent releases by plant. HOYLE, J.C. Office of the Secretary of the Commission. 95/07/24. GANNIS, S. Affiliation Not Assigned. 8pp. 84845:007-84845:015.

- 9507280075 Requests listed info re radioactive liquid waste, per agreement w/B Hill during 950627 telecon. GANNIS, S. Affiliation Not Assigned. 95/06/29. HILL, B. NRC - No Detailed Affiliation Given. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84845:015-84845:015.

Q. Inspection reports, IE Bulletins & correspondence

- 9507250015 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." STETZ, J.P. Centor Energy. 95/06/29. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 84787:025-84787:028.

- 9507110191 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matrix licensees. Commends util for achieving high level of safety performance, per S/ALP ratings. TAYLOR, J. Ofc of the Executive Director for Operations. 95/07/06. STETZ, J.P. Centor Service Co. STETZ, J.P. Toledo Edison Co. 4pp. 84587:092-84587:095.

R. Periodic operating reports & related correspondence

- 9507180079 Wastewater rept for June 1995 for Davis-Besse Nuclear Power Station W/ 950711 ltr. WOOD, J.K. Toledo Edison Co. 95/06/30. 7pp. 84783:340-84783:346.

- 9507190333 Monthly operating rept for June 1995 for Davis-Besse Nuclear Power Station Unit 1 W/ 950714 ltr. WOLF, G.M., WOOD, J.K. Toledo Edison Co. 95/06/30. 5pp. 84790:259-84790:263.

S. Reportable occurrences, LERs & related correspondence

- 9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBC-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

- 9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. WEIDNER, R.C. Commonwealth Edison Co. CANTRELL, J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 84919:021-84919:023.

Y. Dry Cask Independent Spent Fuel Storage Installations

- 9507130153 Provides notification for first storage of spent nuclear fuel, per 10CFR72.212(b)(1)(i). Fuel storage activities currently scheduled to commence on 951002. STETZ, J.P. Centor Energy. 95/06/30. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 84736:098-84736:098.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9507100265 Rev 0 to FNP-0-EIP-8.2. "Plant Personnel Home Telephone Directory." W/ 950707 ltr. HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/07. 105pp. 84665:127-84665:231.

- 9507250268 Comment on proposed generic communication: 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Endorses NEI comments. MOREY, D.N. Southern Nuclear Operating Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84788:202-84788:203.

82 DOCKETED ITEMS

9507310087 Memo dtd 950720, enclosing update of emergency phone list to, Rev 2 of FNP-0-EIP-8.1 W/950724 ltr. VANDERBYE, R.J., HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/24. 66pp. 84888:250-84888:315.

9507310069 Memo dtd 950725 re on-call schedule, to Rev 2 of FNP-0-EIP-8.1 W/950726 ltr. HILL, R.D., HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/26. 16pp. 84903:109-84903:124.

P. Operating license stage documents & correspondence

9507050265 Forwards Rev 31 to GO-M-7, "Southern Nuclear Operating Co. Farley Project Operations QA Policy Manual." BROWN, W. Southern Nuclear Operating Co. 95/06/23. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84558:168-84558:305.

-9507050268 Rev 31 to GO-M-7, "Southern Nuclear Operating Co. Farley Project Operations QA Policy Manual." MCGOWAN, J.W., WOODARD, J.D. Southern Nuclear Operating Co. 91/12/23. 150pp. 84558:169-84558:305.

9507030265 Forward response to GL 95-03, "Circumferential Cracking in SG Tubes," including safety assessment & summary of insp plans for plant. MOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 14pp. 84560:176-84560:189.

9507100023 Forwards Vols 1 & 2 to "IPEEE JM Farley Nuclear Plant Units 1 & 2." MOREY, D. Southern Nuclear Operating Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84638:001-84639:210.

-9507100024 "IPEEE, JM Farley Nuclear Plant Unit 1 & Unit 2." Vols 1 & 2. * Southern Nuclear Operating Co. 95/06/28. 571pp. 84638:004-84639:210.

9507120112 Confirms 950626 telcon w/Verrelli re info meeting scheduled for 950710. Purpose of meeting to discuss issues w/balance of plant equipment. CHRISTENSEN, H. Region 2 (Post 820201). 95/06/28. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 84575:358-84575:360.

9506280052 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507210030 Refers to mgt meeting conducted at Region II Office on 950710 to discuss recent secondary sys problems at plant, including sodium intrusion, condenser tube leaks & feedwater control issues. List of attendees encl. VERRELLI, D.M. Region 2 (Post 820201). 95/07/11. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 84738:055-84738:056.

9507210043 Advises NRC that Util Board of Directors has named CA Martin as Vice President of Southern Nuclear, effective 950612. In addition, WM Stephens named as Assistant Secretary & Assistant Treasurer of Util. MOREY, D. Southern Nuclear Operating Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84811:340-84811:340.

9507240233 Forwards SE addressing concerns re performance testing of safety & relief valves for plant. SIEGEL, B.L. 95/07/18. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 84831:326-84831:334.

-9507240237 Safety evaluation supporting performance testing of safety & relief valves for plant. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84831:330-84831:334.

Q. Inspection reports, IE Bulletins & correspondence

9507030108 Informs of decision to leave whip restraints in place & to revised design documents to indicate that restraints not needed due to LBB analysis on surge line, in response to NRC Bulletin 88-011. MOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84561:187-84561:187.

9507030265 Forwards response to GL 95-03, "Circumferential Cracking in SG Tubes," including safety assessment & summary of insp plans for plant. MOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 14pp. 84560:176-84560:189.

9507060070 Responds to request for addl info re responses to issues re electrical distribution sys functional insp degraded grid voltage unresolved item. MOREY, D. Southern Nuclear Operating Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84617:191-84617:193.

9507250005 Comment on proposed "Review of NRC Insp Rept Content, Formal & Style." Util applauds NRC for undertaking endeavor to make insp rept more effective tool for communicating w/licensees & public. MOREY, D.N. Southern Nuclear Operating Co. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:007-84787:008.

9507240265 Forwards insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618 & NOV. VERRELLI, D.M. Region 2 (Post 820201). 95/07/18. Southern Nuclear Operating Co. 3pp. 84795:164-84795:191.

-9507240272 Notice of violation from insp on 950515-0618. Violation noted: operators failed to record lowest loop tagv from 11:45 a.m. until 12:10 p.m. during startup of Unit 2. * Region 2 (Post 820201). 95/07/18. 2pp. 84795:167-84795:168.

-9507240278 insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618. No violations noted. Major areas inspected: plant operations, safety sys verification, maint & surveillance, engineering & technical & plant support. ROSS, T.M., SCOTT, M.A., BERNHARD, R.R.H. Region 2 (Post 820201). 95/07/18. 23pp. 84795:169-84795:191.

R. Periodic operating reports & related correspondence

9507190327 Monthly operating repts for June 1995 for JM Farley Plant Units 1 & 2. W/950711 ltr. ALLISON, S.M., MOREY, D. Southern Nuclear Operating Co. 95/06/30. 11pp. 84789:335-84789:345.

S. Reportable occurrences, LERs & related correspondence

9507170019 PNO-II-95-040 on 950710, alloyed tester instrument which contained 45 mCi of Fe-55 & 5 mCi of Cd-109 source was lost during shipment. Emery Worldwide Freight & State of OH searched & surveyed & were unable to locate source. JONES, A.R. Region 2 (Post 820201). 95/07/11. 1p. 84650:339-84650:339.

9507170042 LER 95-005-00 on 950611, spurious MSIV closure resulted in reactor trip. Caused by water intrusion from room cooler leakage. Room cooler leak repaired W/950711 ltr. HILL, R.D., MOREY, D. Southern Nuclear Operating Co. 95/07/11. 4pp. 84739:031-84739:034.

9507210322 Part 21 rept re potential defect in Limitorque SMB/58/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507210060 PNO-II-95-040A updates 950710 event re loss of package containing alloyed tester instrument which contained 45 mCi Fe-55 & 5 mCi of Cd-109 package located on 950712 at CA facility. JONES, A.R. Region 2 (Post 820201). 95/07/13. 1p. 84738:211-84738:211.

V. Operator Examinations

9507200249 Confirms arrangements made in 950628 telcon for administration of licensing exams at plant. Exam preparation visit scheduled for 951010. Written exams scheduled for 951023 & operating exams scheduled for 951024-27. PEEBLES, T.A. Region 2 (Post 820201). 95/07/06. MOREY, D.N. Southern Nuclear Operating Co. 6pp. 84779:350-84779:355.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050224 Rev 6 to Emergency Response Procedure (ERP) ERP-101, "Classification of Emergencies." W/950626 ltr. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. 22pp. 84557:330-84557:351.

9507110045 Revised ERIPs, including rev 12 to ERP-500, rev 10 to ERP-600, rev 7 to ERP-650, rev 13 to ERP-800 & revised index. W/950706 ltr. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/06. 54pp. 84693:257-84693:310.

9507180048 Rev 10 to "Nuclear Emergency Plan," for PBAPS Units 2 & 3 & LGS Units 1 & 2. W/950711 ltr. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/11. 39pp. 84785:206-84785:244.

P. Operating license stage documents & correspondence

9507050077 Forwards amends 90 & 54 to licenses NPF-39 & NPF-85, respectively & SE. Amends revise TS 4.7.1.3 requiring stated draining procedures for spray pond network piping. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84516:166-84516:180.

-9507050083 Amends 90 & 54 to licenses NPF-39 & NPF-85, respectively, changing TS 4.7.1.3 requiring stated draining of spray pond network piping. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. 8pp. 84516:170-84516:177.

-9507050086 Safety evaluation supporting amends 90 & 54 to licenses NPF-39 & NPF-85, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 3pp. 84516:175-84516:180.

9507050311 Forwards amends 91 & 55 to licenses NPF-39 & NPF-85 & SE. Amends revise TS to permit operability requirement for feedwater/main turbine sys actuation instrumentation. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84528:291-84528:306.

-9507050321 Amends 91 & 55 to licenses NPF-39 & NPF-85, respectively, revising TS to permit operability requirement for feedwater/main turbine trip sys actuation instrumentation. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. 10pp. 84528:295-84528:304.

-9507050328 Safety evaluation supporting amends 91 & 55 to licenses NPF-39 & NPF-85, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 2pp. 84528:305-84528:306.

9507030025 Forwards amends 92 & 56 to licenses NPF-39 & NPF-85, respectively & SE. Amends remove 125/250 Vdc Class 1E Battery Load Cycle Table from TS. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/19. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84516:127-84516:144.

-950703032 Amends 92 & 56 to licenses NPF-39 & NPF-85, respectively, removing 125/250 Vdc Class E Battery Load Cycle Table from TS.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. 12pp. 84516:131-84516:142.

-950703035 Safety evaluation supporting amends 92 & 56 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 2pp. 84516:143-84516:144.

9507050242 Forwards amends 93 & 57 to licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends relocate requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84516:234-84516:252.

-9507050248 Amends 93 & 57 to licenses NPF-39 & NPF-85, respectively, relocating requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices," to UFSAR & plant procedures.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. 12pp. 84516:237-84516:248.

-9507050251 Safety evaluation supporting amends 93 & 57 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 4pp. 84516:249-84516:252.

9507060117 Forwards amends 95 & 59 to licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends permit operability of Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84536:215-84536:232.

-9507060121 Amends 95 & 59 to licenses NPF-39 & NPF-85, respectively, permitting operability of one Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode during Operational Conditions 4 & 5.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. 10pp. 84536:219-84536:228.

-9507060124 Safety evaluation supporting amends 95 & 59 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 3pp. 84536:229-84536:232.

9507060203 Forwards Suppl 4, "IPEEE for Severe Accident Vulnerabilities."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84566:001-84566:296.

-9507060205 "Limerick Generating Station Units 1 & 2 IPEEE."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. 291pp. 84566:006-84566:296.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110038 Ack receipt of 941121 10CFR50.54(a) submittal transmitting proposed changes to plant QA program description & licensee response to request for addl info did 950406. Determiner: that changes to sub program acceptable.
MODES,M.C. Region 1 (Post 820201). 95/06/29. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 84557:088-84557:089.

9507260236 Requests changes to implementation dates for listed TS change request involving plant.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/03. Document Control Branch (Document Control Desk). 3pp. 84848:357-84848:359.

9507170240 Notification of Significant Licensee Meeting 95-062 w/uti on 950717 to discuss review of sys disturbance on 950221, led to interruption of transmission lines & scram of Limerick Units 1 & 2.
ANDERSON,C.J. Region 1 (Post 820201). 95/07/05. Region 1 (Post 820201). 1p. 84747:353-84747:354.

9507270218 Forwards amends 97 & 61 to licenses NPF-39 & NPF-85 & SE. Amends modify TS Sections 3.4.9.1, 3.4.9.2, 3.9.11.1, 3.9.11.2 & associated Bases Sections 3/4.4.9 & 3/4.4.11 to permit use of "analytical approach" or "demonstrations."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84873:202-84873:226.

-9507270224 Amends 97 & 61 to licenses NPF-39 & NPF-85, respectively, modify TS Sections 3.4.9.1, 3.4.9.2, 3.9.11.1, 3.9.11.2 & associated Bases Sections 3/4.4.9 & 3/4.4.11 to permit use of "analytical approach" or "demonstrations."
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 18pp. 84873:206-84873:223.

-9507270226 Safety evaluation supporting amends 97 & 61 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84873:224-84873:226.

9507270277 Forwards amends 98 & 62 to licenses NPF-39 & NPF-85 & SE. Amends revise TS SR 4.1.3.1.1a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84873:120-84873:133.

-9507270290 Amends 98 & 62 to licenses NPF-39 & NPF-85, respectively, revise TS SR 4.1.3.1.4a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration of less than or equal to 50% rod density.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 9pp. 84873:123-84873:130.

-9507270302 Safety evaluation supporting amends 98 & 62 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84873:131-84873:133.

9507270321 Forwards amends 96 & 60 to licenses NPF-39 & NPF-85 & SE. Amends make changes affecting administrative Controls Sections of TSs.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84873:047-84873:091.

-9507270324 Amend: 96 & 60 to licenses NPF-39 & NPF-85, respectively, make changes affecting Administrative Controls Section of TSs.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 34pp. 84873:051-84873:084.

-9507270327 Safety evaluation supporting amends 96 & 60 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 7pp. 84873:085-84873:091.

9507280013 Forwards amends to licenses NPF-39 & NPF-85 & safety evaluation. Amends 99 & 63 revise TS SR by adding optional scram insertion time test & revising TS SR for CR block & source range monitoring instrumentation.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84875:007-84875:034.

-9507280014 Amends 99 & 63 to licenses NPF-39 & NPF-85, respectively, revising TS SR by adding optional scram insertion time test & TS SR for control rod block & source range monitoring instrumentation.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 20pp. 84875:011-84875:030.

-9507290015 Safety evaluation supporting amends 99 & 63 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 4pp. 84875:031-84875:034.

Q. Inspection reports, IE Bulletins & correspondence

9507180255 Forwards SE authorizing licensee 950504 submittal of relief requests RR-12, RR-22 & RR-16 for plant inservice insp program.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84727:018-84727:030.

-9507180261 Safety evaluation authorizing licensee 940927 submittal of relief requests RR-12, RR-22 & RR-16 for plant inservice insp program.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 9pp. 84727:022-84727:030.

9507110180 Summarizes 950606-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees per SA/LP ratings. Commends utl for achieving high level of safety performance.
TAYLOR,J. Dir of the Executive Director for Operations. 95/07/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84587:088-84587:091.

R. Periodic operating reports & related correspondence

9507170038 Monthly operating repts for June 1995 for Limerick Generating Station Units 1 & 2 W/950713 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 12pp. 84745:343-84745:354.

S. Reportable occurrences, LERs & related correspondence

9507030046 Forwards LER 95-002 re automatic RPS actuations on both units resulted from offsite electrical transmission sys disturbance.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/15. Document Control Branch (Document Control Desk). 1p. 84559:064-84559:071.

-9507030051 LER 95-002-01 on 950221, dual unit scram occurred due to offsite electrical transmission disturbance. Changed ground fault detection relay settings for LGS Units 1 & 2 main transformers to provide better coordination w/sys equipment.
KANTNER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/15. 7pp. 84559:065-84559:071.

9507170003 Special rept on 950507 & 10, loose part detection sys (LPDS) channel sensor found to be not mounted on piping. Cause not yet determined. Sensor reattached to pipe & channel returned to operable status.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84755:358-84755:359.

9507210322 Part 21 rept re potential defect in Limerick SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limerick Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507140240 Advises NRC that listed operator licenses will no longer be necessary due to voluntary separation of operators from PECO.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/10. Document Control Branch (Document Control Desk). 1p. 84761:129-84761:129.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050224 Rev 6 to Emergency Response Procedure (ERP) ERP-101, "Classification of Emergencies." W/950526 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. 22pp. 84557:330-84557:351.

84 DOCKETED ITEMS

9507110045 Revised EPIPs including rev 12 to ERP-500, rev 10 to ERP-600, rev 7 to ERP-650, rev 13 to ERP-800 & revised Index W/950706. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/06. 54pp. 84563.257-84563.310.

9507160048 Rev 10 to "Nuclear Emergency Plan," for PBAPS Units 2 & 3 & LGS Units 1 & 2 W/950711. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/11. 39pp. 84785.206-84785.244.

P. Operating license stage documents & correspondence

9507050077 Forwards amends 90 & 54 to licenses NPF-39 & NPF-85, respectively & SE. Amends revise TS 4.7.1.3 requiring stated draining procedures for spray pond network piping. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/01. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84516.166-84516.180.

-9507050083 Amends 90 & 54 to licenses NPF-39 & NPF-85, respectively, changing TS 4.7.1.3 requiring stated draining of spray pond network piping. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/01. 8pp. 84516.170-84516.171.

-9507050086 Safety evaluation supporting amends 90 & 54 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 3pp. 84516.178-84516.180.

9507050311 Forwards amends 91 & 55 to licenses NPF-39 & NPF-85 & SE. Amends revise TS to permit operability requirement for feedwater/main turbine sys actuation instrumentation. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/13. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84526.291-84526.306.

-9507050321 Amends 91 & 55 to licenses NPF-39 & NPF-85, respectively, revising TS to permit operability requirement for feedwater/main turbine trip sys actuation instrumentation. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/13. 10pp. 84526.295-84526.304.

-9507050328 Safety evaluation supporting amends 91 & 55 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 2pp. 84526.305-84526.306.

9507030025 Forwards amends 92 & 56 to licenses NPF-39 & NPF-85, respectively & SE. Amends remove 125/250 Vdc Class 1E Battery Load Cycle Table from TS. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84516.127-84516.144.

-9507030032 Amends 92 & 56 to licenses NPF-39 & NPF-85, respectively, removing 125/250 Vdc Class E Battery Load Cycle Table from TS. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. 12pp. 84516.131-84516.142.

-9507030035 Safety evaluation supporting amends 92 & 56 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 2pp. 84516.143-84516.144.

9507050242 Forwards amends 93 & 57 to licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends relocate requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices." RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84516.234-84516.252.

-9507050248 Amends 93 & 57 to licenses NPF-39 & NPF-85, respectively, relocating requirements of TS 3/4.8.4.1, "Primary Containment Penetration Conductor Overcurrent Protective Devices," to UFSAR & plant procedures. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. 12pp. 84516.237-84516.248.

-9507050251 Safety evaluation supporting amends 93 & 57 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 4pp. 84516.249-84516.252.

9507060117 Forwards amends 95 & 59 to licenses NPF-39 & NPF-85, respectively & safety evaluation. Amends permit operability of Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Shutdown Cooling Mode. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84536.215-84536.232.

-9507060121 Amends 95 & 59 to licenses NPF-39 & NPF-85, respectively, permitting operability of one Low Pressure Coolant Injection subsystem of RHR while subsystem aligned & operating in Down Cooling Mode during Operational Conditions 4 & 5. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/22. 10pp. 84536.219-84536.228.

-9507060124 Safety evaluation supporting amends 95 & 59 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 3pp. 84536.229-84536.232.

9507030089 Application for amend to license NPF-85, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future insps or maint. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/23. Document Control Branch (Document Control Desk). 36pp. 84560.231-84560.274.

-9507030090 Proposed tech specs, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future insps or maint.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/23. 7pp. 84560.268-84560.274.

9507050203 Forwards Suppl 4, "IPEEE for Severe Accident Vulnerabilities." HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84566.001-84566.296.

-9507050205 "Limerick Generating Station Units 1 & 2 IPEEE."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/26. 291pp. 84566.006-84566.296.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/28. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.

9507110038 Ack receipt of 941121 10CFR50.54(a) submittal transmitting proposed changes to plant QA program description & licensee response to request for addl info dtd 950406. Determines that changes to subj program acceptable. MODES, M.C. Region 1 (Post 820201). 95/06/29. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 84557.088-84557.089.

9507260236 Requests change to implementation dates for listed TS change request involving plant. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/03. Document Control Branch (Document Control Desk). 3pp. 84848.357-84848.359.

9507170240 Notification of Significant Licensee Meeting 95-062 w/utl on 950717 to discuss review of sys disturbance on 950221, led to interruption of transmission lines & scram of Limerick Units 1 & 2. ANDERSON, C.J. Region 1 (Post 820201). 95/07/05. Region 1 (Post 820201). 1p. 84747.353-84747.354.

9507270218 Forwards amends 97 & 61 to licenses NPF-39 & NPF-85 & SE. Amends modify TS Sections 3.4.9.1, 3.4.9.2, 3.9.11.1, 3.9.11.2 & associated Bases Sections 3/4.4.9 & 3/4.4.11 to permit use of "analytical approach" or "demonstrations." RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84873.202-84873.226.

-9507270224 Amends 97 & 61 to licenses NPF-39 & NPF-85, respectively, modify TS Sections 3.4.9.1, 3.4.9.2, 3.9.11.1, 3.9.11.2 & associated Bases Sections 3/4.4.9 & 3/4.4.11 to permit use of "analytical approach" or "demonstrations." STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 18pp. 84873.206-84873.223.

-9507270226 Safety evaluation supporting amends 97 & 61 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84873.224-84873.225.

9507270277 Forwards amends 98 & 62 to licenses NPF-39 & NPF-85 & SE. Amends revise TS SR 4.1.3.1.1a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84873.120-84873.133.

-9507270290 Amends 98 & 62 to licenses NPF-39 & NPF-85, respectively, revise TS SR 4.1.3.1.4a to delete requirement that SDV be determined operable by testing SDV vent & drain valves from configuration of less than or equal to 50% rod density. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 8pp. 84873.123-84873.130.

-9507270302 Safety evaluation supporting amends 98 & 62 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 3pp. 84873.131-84873.133.

9507270321 Forwards amends 96 & 60 to licenses NPF-39 & NPF-85 & SE. Amends make changes affecting administrative Controls Sections of TSs. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84873.047-84873.091.

-9507270324 Amends 96 & 60 to licenses NPF-39 & NPF-85, respectively, make changes affecting administrative Controls Section of TSs. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 34pp. 84873.051-84873.084.

-9507270327 Safety evaluation supporting amends 96 & 60 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 7pp. 84873.085-84873.091.

9507280013 Forwards amends to licenses NPF-39 & NPF-85 & safety evaluation. Amends 99 & 63 revise TS SR by adding optional scram insertion time test & revising TS SR for CR block & source range monitoring instrumentation. RINALDI, F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84875.007-84875.034.

-9507280014 Amends 99 & 63 to licenses NPF-39 & NPF-85, respectively, revising TS SR by adding optional scram insertion time test & TS SR for control rod block & source range monitoring instrumentation. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. 20pp. 84875.011-84875.030.

-9507280015 Safety evaluation supporting amends 99 & 63 to licenses NPF-39 & NPF-85, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 4pp. 84875.031-84875.034.

Q. Inspection reports, IE Bulletins & correspondence

9507030089 Application for amend to license NPF-85, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future insps or maint. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/23. Document Control Branch (Document Control Desk). 36pp. 84560.231-84560.274.

-9507030090 Proposed tech specs, consisting of change request 95-07-2, extending AOT to allow adequate time to install isolation valves & cross-ties on ESW & RHRSW sys to facilitate future insps or maint.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/23. 7pp. 84560:268-84560:274.

9507180255 Forwards SE authorizing licensee 950504 submittal of relief requests RR-12, RR-22 & RR-16 for plant inservice insp program.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84727:016-84727:030.

-9507180261 Safety evaluation authorizing licensee 940927 submittal of relief requests RR-12, RR-22 & RR-16 for plant inservice insp program.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 9pp. 84727:022-84727:030.

9507180270 Summarizes 950806-07 NRC senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matters licensees, per SALP ratings. Comments util for achieving high level of safety performance.
TAYLOR, J. Ofc of the Executive Director for Operations. 95/07/06. SMITH, D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84587:088-84587:091.

R. Periodic operating reports & related correspondence

9507170038 Monthly operating repts for June 1995 for Limerick Generating Station Units 1 & 2. W/950713 ltr.
HENRICKS, D.R., GALLAGHER, M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/30. 12pp. 84745:343-84745:354.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507140240 Advises NRC that listed operator licenses will no longer be necessary due to voluntary separation of operators from PECO.
MACFARLAND, W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/10. Document Control Branch (Document Control Desk). 1p. 84761:129-84761:129.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507100222 Forwards SALP Rept 50-354/93-99 for period 930620-950422.
MARTIN, T.T. Region 1 (Post 820201). 95/06/29. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 84692:164-84692:178.

-9507100233 SALP Rept 50-354/93-99 for period 930620-950422. Operators response to transients excellent particularly in light of challenges imposed by multiple automatic scrams.
* Region 1 (Post 820201). 95/06/29. 9pp. 84692:169-84692:178.

9507100235 Forwards Safety Insp Rept 50-354/95-09 on 950523-26. Violations noted.
KELLY, E.M. Region 1 (Post 820201). 95/06/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84690:332-84690:341.

-9507100236 Insp Rept 50-354/95-09 on 950523-26. Violations noted. Major areas inspected: comprehensive EOPs available to direct initiation & termination of venting.
KORONA, B.E., KELLY, E.M. Region 1 (Post 820201). 95/06/30. 7pp. 84690:335-84690:341.

9507210201 Revised EIPs, including Rev 49 to table contents, Rev 16 to EIP 1006, Rev 14 to EIP 1007 & Rev 31 to EIP 1013.
* Public Service Electric & Gas Co. of New Jersey. 95/07/13. 108pp. 84811:040-84811:148.

9507280012 Forwards 950504 ltr from JE Lamb, which transmits FEMA Region III final rept for 941025 radiological emergency preparedness exercise.
JOYNER, J.H. Region 1 (Post 820201). 95/07/19. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84830:218-84830:303.

-9507280017 Forwards final rept for plant 941025 emergency preparedness exercise.
LAMB, J.E. Federal Emergency Management Agency. 95/05/04. SILK, D. Region 1 (Post 820201). 1p. 84830:222-84830:222.

-9505220275 "Radiological Emergency Preparedness Exercise Evaluation Rept." on 941025.
* Federal Emergency Management Agency. 95/03/28. 81pp. 84830:223-84830:303.

9507140146 Rev 42 to "Hope Creek Generating Station Event Classification Guide."
* Public Service Electric & Gas Co. of New Jersey. 95/07/21. 61pp. 84736:282-84736:342.

9507250081 Revised EIPs, including rev 3 to EIP 403, rev 4 to EIP 501, rev 8 to EIP 601, rev 15 to EIP 602, rev 12 to EIP 603, rev 3 to EIP 604, rev 6 to EIP 701 & rev 27 to EIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 147pp. 84826:001-84826:147.

9507250087 Revised EIPs, including rev 13 to EIP 901, rev 13 to EIP 902, rev 9 to EIP 903 & rev 19 to EIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 59pp. 84828:047-84828:105.

9507250091 Revised EIPs, including rev 4 to EIP 806, rev 5 to EIP 807 & rev 14 to EIP TOC.
* Public Service Electric & Gas Co. of New Jersey. 95/07/26. 26pp. 84827:325-84827:350.

P. Operating license stage documents & correspondence

9507100047 Submits notification of completion of procedure changes & training of GL 94-02, "BWR Thermal Hydraulic Instabilities."
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/06/27. Document Control Branch (Document Control Desk). 3pp. 84892:137-84892:139.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060384 Forwards amend 74 to license NPF-57 & safety evaluation. Amend makes changes to TS 3/4.8.1, "AC Sources."
MORAN, D.H. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84559:140-84559:152.

-9507060390 Amend 74 to license NPF-57, revising TS Section 3/4.8.1, "AC Sources."
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/29. 5pp. 84559:144-84559:148.

-9507060394 Safety evaluation supporting amend 74 to license NPF-57.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 4pp. 84559:149-84559:152.

9507170320 Forwards re-typed TS pages for license change requests 94-08, 94-11 & 94-12.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84772:341-84772:354.

-9507170323 Proposed re-typed TSs for license change requests 94-08, 94-11 & 94-12.
* Public Service Electric & Gas Co. of New Jersey. 95/07/10. 10pp. 84772:345-84772:354.

9507180356 Comments on license change request 94-36, re license NPF-57 which proposed to remove currently specified response time testing for selected instruments & sensors from Hope Creek TS.
TOSCH, K.W. New Jersey, State of. 95/07/11. Document Control Branch (Document Control Desk). 2pp. 84765:354-84765:355.

9507210275 Summarizes 950707 telcon w/members of licensee staff re request for enforcement discretion that would approve extension of allowed outage time for "A" train of CREFS at plant.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84764:160-84764:163.

9507280153 Forwards License Change Request 94-07, consisting of editorial clarifications to Tech Specs as discussed w/NRR Project Manager & as indicated in Attachment 1 of ltr.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 95/07/24. Document Control Branch (Document Control Desk). 3pp. 84875:220-84875:226.

-9507280159 Proposed tech specs re re-typed page affected by change.
* Public Service Electric & Gas Co. of New Jersey. 95/07/24. 4pp. 84875:223-84875:226.

G. Inspection reports, IE Bulletins & correspondence

9507100222 Forwards SALP Rept 50-354/93-99 for period 930620-950422.
MARTIN, T.T. Region 1 (Post 820201). 95/06/29. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 84692:164-84692:178.

-9507100233 SALP Rept 50-354/93-99 for period 930620-950422. Operators response to transients excellent particularly in light of challenges imposed by multiple automatic scrams.
* Region 1 (Post 820201). 95/06/29. 9pp. 84692:169-84692:178.

9507100235 Forwards Safety Insp Rept 50-354/95-09 on 950523-26. Violations noted.
KELLY, E.M. Region 1 (Post 820201). 95/06/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84690:332-84690:341.

-9507100236 Insp Rept 50-354/95-09 on 950523-26. Violations noted. Major areas inspected: comprehensive EOPs available to direct initiation & termination of venting.
KORONA, B.E., KELLY, E.M. Region 1 (Post 820201). 95/06/30. 7pp. 84690:335-84690:341.

9507120378 Discusses OI rept I-94-016 & forwards notice of violation.
MARTIN, T.T. Region 1 (Post 820201). 95/06/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 84675:343-84675:348.

-9507120384 Notice of violation from OI investigation at plant. Violation noted: between 1986 & Jan 1991, WJ Johnson, SRO #, time served dual role of NSS/STA & did not have either Professional Engineers license or bachelor degree in listed disciplines.
* Region 1 (Post 820201). 95/06/30. 1p. 84675:348-84675:348.

9507130056 Discusses NRC OI investigation 1-94-016 of alleged violation involving falsification of NRC form 396, which indicated that SRO had obtained BS in Mechanical Engineering when in fact, SRO had not.
MARTIN, T.T. Region 1 (Post 820201). 95/06/30. JOHNSON, W.J. Affiliation Not Assigned. 5pp. 84596:324-84596:329.

-9507130061 Notice of violation from investigation. Violation noted: on various shifts for extended & indeterminate period of time between 1986 & Jan 1991, served dual role of NSS/STA & did not have Professional Engineers License or degree.
* Region 1 (Post 820201). 95/06/30. 1p. 84596:328-84596:329.

9507170177 Notification of significant licensee meeting 95-58 w/util on 950803 to discuss NRC SALP for Hope Creek Generating Station for period between 930620 & 950422.
WHITE, J.R. Region 1 (Post 820201). 95/07/11. Region 1 (Post 820201). 1p. 84755:286-84755:287.

9507280047 Discusses insp rept 50-354/95-05 on 950406-21 & forwards notice of violation. Violation of concern because after release occurred it was not discovered by facility until approx 14 hours later.
MARTIN, T.T. Region 1 (Post 820201). 95/07/20. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84831:029-84831:036.

9507280061 Notice of violation from insp on 950406-21. Violation noted: written safety evaluations performed to support startup testing were inadequate in that it failed to identify facility nonconformance w/FSAR Sections.
* Region 1 (Post 820201). 95/07/20. 3pp. 84831:034-84831:036.

R. Periodic operating reports & related correspondence

9507060038 Forwards Discharge Monitoring Rept for Hope Creek Generating Station for May 1995.
REDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/06/22. CORPORALE, G. New Jersey, State of. 5pp. 84600:262-84600:264.

9507060040 "NPDES Discharge Monitoring Rept for Hope Creek Generating Station," for May 1995.
LASALA, F.R., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/05/31. 20pp. 84600:267-84600:294.

9507200121 Monthly operating rept for June 1995 for Hope Creek Generating Station Unit 1. W/950711 ltr.
LYONS, D.W., REDDEMANN, M. Public Service Electric & Gas Co. of New Jersey. 95/06/30. 13pp. 84799:267-84799:279.

9507310130 NPDES discharge monitoring rept for June 1995 for Hope Creek Generating Station. W/950721 ltr.
LASALA, P.R., NURK, A., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/06/30. CORPORALE, G. New Jersey, State of. 23pp. 84888:340-84888:361.

S. Reportable occurrences, LERs & related correspondence

9507070127 LER 95-007-00: on 950603, diesel fuel oil storage tank level found below TS min level requirement due to design deficiency. Alarm response procedure revised. W/950703 ltr.
AVERSA, L., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/07/03. 8pp. 84578:319-84578:326.

9507120295 LER 95-008-00: on 950608, reviewer determined procedure rev would render HPCI inoperable during jockey pump test. Caused by personnel error. Lessons learned will be shared w/ appropriate individuals. W/950707 ltr.
AVERSA, L., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/07/07. 6pp. 84676:274-84676:279.

9507190105 LER 95-009-00: on 950613, identified that last squib surveillance performed during refuel outage 3 in 1991 & all 5 squib valve explosive charges past mfg expiration date. Caused by personnel error. Charges replaced. W/950713 ltr.
AVERSA, L., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/07/13. 6pp. 84786:127-84786:132.

9507260059 LER 95-010-00: on 950621, during scheduled HPCI sys IST RCIC turbine & jockey pump tripped due to personnel error. Reviewed event w/all dept personnel re need to review work order to identify proper RWP. W/950721 ltr.
RITZMAN, R., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/07/21. 7pp. 84868:011-84868:017.

9507280166 LER 95-011-00: on 950620, unexpected trip of RCIC pump occurred. Caused by personnel error. Work stds handbook direction in regard to climbing on plant equipment will be revised. W/950724 ltr.
AVERSA, L., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/07/24. 7pp. 84883:170-84883:176.

9507310120 LER 95-012-00: on 950626, discovered that door to exclusion area, steam tunnel on elevation 102 not locked due to previous installation error. Door guarded from time of discovery until lock repaired & locked. W/950726 ltr.
RITZMAN, R., REDDEMANN, M.E. Public Service Electric & Gas Co. of New Jersey. 95/07/26. 5pp. 84883:297-84883:301.

V. Operator Examinations

9507100222 Forwards SALP Rept 50-354/93-99 for period 930620-950422.
MARTIN, T.T. Region 1 (Post 820201). 95/06/29. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 84692:164-84692:178.

9507100233 SALP Rept 50-354/93-99 for period 930620-950422. Operators response to transients excellent particularly in light of challenges imposed by multiple automatic scrams.
* Region 1 (Post 820201). 95/06/29. 9pp. 84692:169-84692:178.

9507100235 Forwards Safety Insp Rept 50-354/95-09 on 950523-26. Violations noted.
KELLY, E.M. Region 1 (Post 820201). 95/06/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84690:332-84690:341.

9507100236 Insp Rept 50-354/95-09 on 950523-26. Violations noted. Major areas inspected: comprehensive EOPs available to direct initiation & termination of venting.
KORONA, B.E., KELLY, E.M. Region 1 (Post 820201). 95/06/30. 7pp. 84690:335-84690:341.

9507110003 Responds to util 950608 ltr which A. Orticelle requested that NRC grant waiver of generic fundamentals exam for one potential applicant for plant SRO license. Waiver granted.
MEYER, G.W. Region 1 (Post 820201). 95/06/30. ELIASON, L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 84557:013-84557:014.

9507130056 Discusses NRC OI investigation 1-94-016 of alleged violation involving falsification of NRC form 398, which indicated that SRO had obtained BS in Mechanical Engineering when in fact, SRO had not.
MARTIN, T.T. Region 1 (Post 820201). 95/06/30. JOHNSON, W.J. Affiliation Not Assigned. 5pp. 84596:324-84596:329.

9507130061 Notice of violation from investigation. Violation noted: on various shifts for extended & indeterminate period of time between 1996 & Jan 1991, served dual role of NRS/STA & did not have Professional Engineers License or degree.
* Region 1 (Post 820201). 95/06/30. 1p. 84596:328-84596:329.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507030342 "City of San Juan Capistrano Emergency Response Plan."
* San Juan Capistrano, CA. 95/05/31. 256pp. 84588:001-84588:258.

9507120097 Revised table of contents for SONGS OERP.
* Southern California Edison Co. 95/07/05. 3pp. 84681:259-84681:261.

9507170188 Rev 3 to EPIP SO123-XXI-1.11.3, "Emergency Plan Training Program Description." W/950706 ltr.
MARSH, W.C. Southern California Edison Co. 95/07/06. 23pp. 84747:315-84747:337.

9507250013 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
MARSH, W.C. Southern California Edison Co. 95/07/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787:023-84787:023.

9507240034 Forwards insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/07/17. RAY, H.B. Southern California Edison Co. 5pp. 84751:102-84751:120.

9507240045 Insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted. Major areas inspected: emergency preparedness program.
DEXTER, T.W. Region 4 (Post 820201). 95/07/12. 14pp. 84751:107-84751:120.

9507270263 Advises that 950512 revs 4 & 5 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies" acceptable.
SCARANO, R.A. Region 4 (Post 820201). 95/07/21. RAY, H.B. Southern California Edison Co. 5pp. 84874:001-84874:006.

9507310132 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection against radiological sabotage, facilitating implementation of biometrics access control sys.
WEBB, M.K., FIELDS, M. 95/07/21. RAY, H.B. Southern California Edison Co. 3pp. 84883:302-84883:316.

9507310141 Exemption from 10CFR73.55 requirements re issuance, storage & retrieval of picture badges for unescorted access persons.
WEISS, S.H. 95/07/21. Southern California Edison Co. 6pp. 84883:305-84883:310.

9508010187 Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR73.55 physical protection.
WEISS, S.H. 95/07/13. 6pp. 84883:311-84883:316.

G. Adjudicatory correspondence

9504130082 Responds to 941123 ltr requesting assistance of FEMA in addressing petition for director's decision under 10CFR2.206 for SONGS. Petition concerns emergency plans & evacuation routes. Draft director's decision encl.
HEPLER, O.M. Federal Emergency Management Agency. 95/03/22. SPASSARD, R.L. 3pp. 84710:311-84710:313.

P. Operating license stage documents & correspondence

9507050245 Forwards notice of filing application in listed proceeding, A 95-05-049 re energy cost adjustment clause application (U 338-E) of SCE, for filing w/CA Public Utilities Commission.
LOHMANN, J.K. Southern California Edison Co. 95/06/22. NG, S. California, State of. 33pp. 84570:082-84570:114.

9507030004 Summarizes 950613 meeting w/util re util plans for upcoming unit 3 refueling outage. List of attendees & presentation slides encl.
BEACH, A.B. Region 4 (Post 820201). 95/06/26. RAY, H.B. Southern California Edison Co. 18pp. 84488:022-84488:039.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507200103 Transmits SONGS Units 2 & 3 annual rept for 1994 required by 10CFR50.46(a)(3)(ii), "Acceptance Criteria for ECCS for Light Water Nuclear Power Reactors." LOCA margin summary also encl.
MARSH, W.C. Southern California Edison Co. 95/07/13. Document Control Branch (Document Control Desk). 5pp. 84803:338-84803:358.

9507240226 Forwards amends 120 & 109 to licenses NPF-10 & NPF-15 & SE. Amends revise TS tables 2.2-1.3.3-1, 3.3-3.3.3-4 & associated Bases.
FIELDS, M.B. 95/07/14. RAY, H.B. Southern California Edison Co. 4pp. 84778:255-84778:292.

9507240230 Amends 120 & 109 to licenses NPF-10 & NPF-15, respectively, revising TS tables 2.2-1.3.3-1, 3.3-3.3.3-4 & associated Bases.
FIELDS, M.B. 95/07/14. 29pp. 84778:259-84778:287.

9507240236 Safety evaluation supporting amends 120 & 109 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/14. 5pp. 84778:288-84778:292.

9507200102 Forwards 12th edition of integrated implementation schedule for SONGS, Units 2 & 3.
MARSH, W.C. Southern California Edison Co. 95/07/17. Document Control Branch (Document Control Desk). 13pp. 84800:331-84800:343.

9507200172 Forwards application for amends to licenses NPF-10 & NPF-15. Amends would revise SR associated w/TS 3/4.3.1 & TS 3/4.3.2, increasing surveillance interval to 120 days.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/17. Document Control Branch (Document Control Desk). 2pp. 84798:001-84799:206.

9507200176 Application for amends to licenses NPF-10 & NPF-15. Amends will revise SRs associated w/TSs 3/4.3.1 & 3/4.3.2.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/17. 18pp. 84798:003-84798:020.

9507200178 Proposed tech specs re extension of surveillance interval re SRs of TSs 3/4.3.1 & 3/4.3.2.
* Southern California Edison Co. 95/07/17. 112pp. 84798:021-84798:132.

9507200190 "RPS/ESFAS Extended Test Interval Evaluation for 120 Days Staggered Testing at SONGS Units 2 & 3."
FINNICUM,D.J., JACQUITH,R.E. ASEA Brown Boveri, Inc. 09/010-AS93-C-002 RD. 93/11/03. 131pp. 84798:133-84798:263.

9507200200 Suppl A, Calculation Change Notice 1 to Rev 0 to J-SBA-001, "Plant Protection Sys Bistable Drift."
BOCKHORST,R.M., QUINN,E.L., CASTELLO,T. Southern California Edison Co. J-SBA-001 R00. 94/02/08. 215pp. 84798:264-04799:115.

9507200204 Calculation J-SEA-012, "Ni Subchannel Amplifier, Analysis of Calibration Data."
BOCKHORST,R.M., QUINN,E.L., CASTELLO,T. Southern California Edison Co. J-SEA-012 R00. 94/02/10. 81pp. 84799:116-84799:206.

9507240357 Forwards amends 121 & 110 to licenses NPF-10 & NPF-15 & SE. Amends revise TS 3/4.5.6 & associated Bases by removing RV matl surveillance capsule withdrawal schedules IAW guidance in GL 91-01.
FIELDS,M.B. 95/07/17. RAY,H.B. Southern California Edison Co. 4pp. 84786:202-84786:227.

9507240362 Amends 121 & 110 to licenses NPF-10 & NPF-15, respectively, revising TS 3/4.4.6 & associated Bases by removing RV matl surveillance capsule withdrawal schedules IAW guidance in GL 91-01.
FIELDS,M.B. 95/07/17. RAY,H.B. Southern California Edison Co. 4pp. 84786:206-84786:223.

9507240366 Safety evaluation supporting amends 121 & 110 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 4pp. 84786:224-84786:227.

9507250307 Forwards amend applications 148 & 132 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change number (PCN)-432. PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84836:184-84836:275.

9507250308 Amend applications 148 & 132 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change number (PCN)-423. PCN-423 revises TS re radiation monitoring sys.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/19. 12pp. 84836:187-84836:198.

9507250309 Proposed tech specs re radiation monitoring sys.
* Southern California Edison Co. 95/07/19. 77pp. 84836:199-84836:275.

9507280191 Discusses NRC Event Assessment Panel review of event at plant involving inadequate controls of switchyard activities while plant was in mid-loop operation. NRC concludes that event remain significant event.
BATEMAN,W.H. 95/07/21. MARSH,W.C. Southern California Edison Co. 3pp. 84868:132-84868:134.

G. Inspection reports, IE Bulletins & correspondence

9507180033 Acks receipt of corrective actions in response to notice of violation dated 950503.
PERKINS,K.E. Region 4 (Post 820201). 95/06/28. RAY,H.B. Southern California Edison Co. 2pp. 84784:357-84784:358.

9507050040 Forwards insp repts 50-361/95-12 & 50-362/95-12 on 950306-10 & 0605-09 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/06/30. RAY,H.B. Southern California Edison Co. 5pp. 84508:062-84508:085.

9507050219 Notice of violation from insp on 950306-10 & 060509. Violation noted: licensee did not initiate nonconformance rpt to investigate generic implications of finding that motor pinion gear of MOV 3HV9300 reversed in orientation.
* Region 4 (Post 820201). 95/06/30. 2pp. 84508:067-84508:068.

9507050045 Insp repts 50-361/95-12 & 50-362/95-12 on 950306-10 & 0605-09. Violations noted. Major areas inspected: engineering issues.
COLLINS,E. Region 4 (Post 820201). 95/06/29. 17pp. 84508:069-84508:085.

9507100278 Forwards insp repts 50-361/95-07 & 50-362/95-07 on 950423-0603 & NOV.
BEACH,A.B. Region 4 (Post 820201). 95/07/03. RAY,H.B. Southern California Edison Co. 5pp. 84668:144-84668:182.

9507100288 Notice of violation from insp on 950423-0603. Violation noted: on 950504 inspector identified that vendor instructions not followed in which plastic shipping plug was installed instead strainer plug being installed.
* Region 4 (Post 820201). 95/07/03. 1p. 84668:149-84668:149.

9507100297 Insp repts 50-361/95-07 & 50-362/95-07 on 950423-0603. Violations noted. Major areas inspected: operational safety verification, maint & surveillance observations, engineering & plant support observations.
WONG,H.J. Region 4 (Post 820201). 95/06/28. 33pp. 84668:150-84668:182.

9507130110 Forwards insp repts 50-361/95-10 & 50-362/95-10 on 950503-12 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/07/06. RAY,H.B. Southern California Edison Co. 5pp. 84596:228-84596:248.

9507130117 Notice of violation from insp on 950503-12. Violation noted: established measures did not assure that design basis was correctly translated into specifications, drawings, procedures & instructions.
* Region 4 (Post 820201). 95/07/06. 5pp. 84596:233-84596:234.

9507130123 Insp repts 50-361/95-10 & 50-362/95-10 on 950503-12. Violations noted. Major areas inspected: followup on unresolved item 361/9501-03 & 362/9501-03.
COLLINS,E.E. Region 4 (Post 820201). 95/06/22. 14pp. 84596:235-84596:248.

9507170301 Responds to NRC 950607 ltr re violations noted in insp repts 50-361/95-04 & 50-362/95-04 on 950312-0422. Corrective actions: personnel involved has been coached & aware of oversight.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 6pp. 84775:355-84775:358.

9507240034 Forwards insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/17. RAY,H.B. Southern California Edison Co. 5pp. 84751:102-84751:120.

9507240045 Insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted. Major areas inspected: emergency preparedness program.
DEXTER,T.W. Region 4 (Post 820201). 95/07/12. 14pp. 84751:107-84751:120.

9507250122 Forwards special rpt re ISI of SG tubes at San Onofre Nuclear Generating Station.
MARSH,W.C. Southern California Edison Co. 95/07/18. Document Control Branch (Document Control Desk). 18pp. 84825:341-84825:358.

9507250036 Responds to NRC 950622 ltr re violations noted in insp repts 50-361/95-11 & 50-362/95-11 on 950522-26. Corrective actions: held mgmt meetings w/site managers.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84826:358-84826:360.

R. Periodic operating reports & related correspondence

9507210192 Monthly operating repts for June 1995 for SONGS, Units 2 & 3. W/950714 ltr.
DARLING,J.L., MARSH,W.C. Southern California Edison Co. 95/06/30. 14pp. 84807:310-84807:323.

S. Reportable occurrences, LERs & related correspondence

9507030189 Forwards LER 95-010 for out of tolerance condition identified during testing of pressurizer safety valve setpoints.
ROSENBLUM,R.M. Southern California Edison Co. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84559:031-84559:032.

9507030246 LER 95-010-00 on 950530, pressurizer safety valve setpoints found to be out of tolerance due to setpoint drift. Util assessing expansion of current TS tolerances to reduce future TS violations caused by setpoint drift.
KRIEGER,R.W. Southern California Edison Co. 95/06/23. 1p. 84559:032-84559:032.

9507110130 LER 95-011-00 on 950605.26 out of 44 drop tested fire dampers failed. Root cause of failures being investigated. Fire watch established for affected areas & dampers being repaired. W/950705 ltr.
KRIEGER,R.W. Southern California Edison Co. 95/07/05. 2pp. 84882:307-84882:308.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507260097 Part 21 rept re MDR relays w/potentially damaged internal contact arms.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84868:029-84868:033.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507030342 "City of San Juan Capistrano Emergency Response Plan."
* San Juan Capistrano, CA. 95/05/31. 256pp. 84588:001-84588:258.

9507120097 Revised table of contents for SONGS OERP.
* Southern California Edison Co. 95/07/05. 3pp. 84681:259-84681:261.

9507170188 Rev 3 to EPIP SO123-XXI-1.11.3, "Emergency Plan Training Program Description." W/950706 ltr.
MARSH,W.C. Southern California Edison Co. 95/07/06. 23pp. 84747:315-84747:337.

9507250013 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
MARSH,W.C. Southern California Edison Co. 95/07/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787:023-84787:023.

9507240034 Forwards insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/17. RAY,H.B. Southern California Edison Co. 5pp. 84751:102-84751:120.

9507240045 Insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted. Major areas inspected: emergency preparedness program.
DEXTER,T.W. Region 4 (Post 820201). 95/07/12. 14pp. 84751:107-84751:120.

9507270263 Advises that 950512 revs 4 & 5 to EPIP SO123-VIII-1, "Recognition & Classification of Emergencies" acceptable.
SCARANO,R.A. Region 4 (Post 820201). 95/07/21. RAY,H.B. Southern California Edison Co. 5pp. 84874:001-84874:006.

88 DOCKETED ITEMS

9507310132 Forwards exemption from requirements of 10CFR73.55, requirements for physical protection against radiological sabotage, facilitating implementation of biometrics access control sys.
WEBB,M.K., FIELDS,M. . 95/07/21. RAY,H.B. Southern California Edison Co. 3pp. 84883:302-84883:316.

-**9507310141** Exemption from 10CFR73.55 requirements re issuance, storage & retrieval of picture badges for unescorted access persons.
WEISS,S. . 95/07/21. Southern California Edison Co. 6pp. 84883:305-84883:310.

-**9508010187** Environ assessment & finding of no significant impact re issuance of exemption from certain requirements of 10CFR73.55 physical protection.
WEISS,S.H. . 95/07/13. 6pp. 84883:311-84883:316.

G. Adjudicatory correspondence

9504130082 Responds to 941123 ltr requesting assistance of FEMA in addressing petition for director's decision under 10CFR2.206 for SONGS. Petition concerns emergency plans & evacuation routes. Draft director's decision encl.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/22. SPSSARD,R.L. . 3pp. 84710:311-84710:313.

P. Operating license stage documents & correspondence

9507050245 Forwards notice of filing application in listed proceeding. A 95-05-049 re energy cost adjustment clause application (U 338-E) of SCE, for filing w/CA Public Utilities Commission.
LOHMANN,J.K. Southern California Edison Co. 95/06/22. NG,S. California, State of. 33pp. 84570:082-84570:114.

9507030004 Summarizes 950613 meeting w/util re util plans for upcoming unit 3 refueling outage. List of attendees & presentation slides encl.
BEACH,A.B. Region 4 (Post 820201). 95/06/26. RAY,H.B. Southern California Edison Co. 18pp. 84488:022-84488:039.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. . 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507190172 Submits Relief Request D-2-01 for NRC approval from requirement to perform immediate repairs, per ASME Section XI IWA 4000. Request made using criteria in GL 90-05 for Class 3 moderate energy piping. Calculation encl.
MARSH,W.C. Southern California Edison Co. 95/07/13. Document Control Branch (Document Control Desk). 20pp. 84763:001-84763:051.

-**9507190183** "Vol Control Tank to 77 to Charging Pump Suction."
CASTELLO,T. Southern California Edison Co. M-1208-007-03A R00. 95/06/25. 26pp. 84763:026-84763:051.

9507200103 Transmits SONGS Units 2 & 3 annual rept for 1994 required by 10CFR50.46(a)(3)(ii). "Acceptance Criteria for ECCS for Light Water Nuclear Power Reactors." LOCA margin summary also encl.
MARSH,W.C. Southern California Edison Co. 95/07/13. Document Control Branch (Document Control Desk). 5pp. 84803:338-84803:358.

9507240226 Forwards amends 120 & 109 to licenses NPF-10 & NPF-15 & SE. Amends revise TS tables 2.2-1.3.3-1.3.3-3.3.3-4 & associated Bases.
FIELDS,M.B. . 95/07/14. RAY,H.B. Southern California Edison Co. 4pp. 84778:255-84778:292.

-**9507240230** Amends 120 & 109 to licenses NPF-10 & NPF-15, respectively, revising TS tables 2.2-1.3.3-1.3.3-3.3.3-4 & associated Bases.
FIELDS,M.B. . 95/07/14. 29pp. 84778:259-84778:287.

-**9507240236** Safety evaluation supporting amends 120 & 109 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/14. 5pp. 84778:288-84778:292.

9507200102 Forwards 12th edition of integrated implementation schedule for SONGS, Units 2 & 3.
MARSH,W.C. Southern California Edison Co. 95/07/17. Document Control Branch (Document Control Desk). 13pp. 84800:331-84800:343.

9507200172 Forwards application for amends to licenses NPF-10 & NPF-15. Amends would revise SR associated w/TS 3/4.3.1 & TS 3/4.3.2, increasing surveillance interval to 120 days.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/17. Document Control Branch (Document Control Desk). 3pp. 84798:001-84798:206.

-**9507200176** Application for amends to licenses NPF-10 & NPF-15. Amends will revise SRs associated w/TSs 3/4.3.1 & 3/4.3.2.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/17. 18pp. 84798:003-84798:020.

-**9507200176** Proposed tech specs re extension of surveillance interval re SRs of TSs 3/4.3.1 & 3/4.3.2.
* Southern California Edison Co. 95/07/17. 112pp. 84798:021-84798:132.

-**9507200190** "RPS/ESFAS Extended Test Interval Evaluation for 120 Days Staggered Testing at SONGS Units 2 & 3."
FINNICUM,D.J., JAQUITH,R.E. ASEA Brown Boveri, Inc. 09/010-AS93-C-002 R0. 93/11/03. 131pp. 84798:133-84798:263.

-**9507200200** Suppl A, Calculation Change Notice 1 to Rev 0 to J-SBA-001, "Plant Protection Sys Bistable Drift."
BOCKHORST,R.M., QUINN,E.L., CASTELLO,T. Southern California Edison Co. J-SBA-001 R00. 94/02/08. 215pp. 84798:264-84798:115.

-**9507200204** Calculation J-SEA-012, "Ni Subchannel Amplifier, Analysis of Calibration Data."
BOCKHORST,R.M., QUINN,E.L., CASTELLO,T. Southern California Edison Co. J-SEA-012 R00. 94/02/10. 91pp. 84799:116-84799:206.

9507240357 Forwards amends 121 & 110 to licenses NPF-10 & NPF-15 & SE. Amends revise TS 3/4.5.8 & associated Bases by removing RV matl surveillance capsule withdrawal schedules IAW guidance in GL 91-01.
FIELDS,M.B. . 95/07/17. RAY,H.B. Southern California Edison Co. 4pp. 84786:202-84786:227.

-**9507240362** Amends 121 & 110 to licenses NPF-10 & NPF-15, respectively, revising TS 3/4.4.8 & associated Bases by removing RV matl surveillance capsule withdrawal schedules IAW guidance in GL 91-01.
FIELDS,M.B. . 95/07/17. RAY,H.B. Southern California Edison Co. 4pp. 84786:206-84786:223.

-**9507240366** Safety evaluation supporting amends 121 & 110 to licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 4pp. 84786:224-84786:227.

9507250307 Forwards amend applications 148 & 132 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change number (PCN)-432. PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 3pp. 84836:184-84836:275.

-**9507250308** Amend applications 148 & 132 to licenses NPF-10 & NPF-15, respectively, consisting of proposed change number (PCN)-423. PCN-432 revises TS re radiation monitoring sys.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/19. 12pp. 84836:187-84836:198.

-**9507250309** Proposed tech specs re radiation monitoring sys.
* Southern California Edison Co. 95/07/19. 77pp. 84836:199-84836:275.

9507280191 Discusses NPC Event Assessment Panel review of event at plant involving inadequate controls of switchyard activities while plant was in mid-loop operation. NRC concludes that event remain significant event.
BATEMAN,W.H. . 95/07/21. MARSH,W.C. Southern California Edison Co. 3pp. 84868:132-84868:134.

Q. Inspection reports, IE Bulletins & correspondence

9507180033 Acks receipt of corrective actions in response to notice of violation dated 950503.
PERKINS,K.E. Region 4 (Post 820201). 95/06/26. RAY,H.B. Southern California Edison Co. 2pp. 84784:357-84784:358.

9507050040 Forwards insp repts 50-361/95-12 & 50-362/95-12 on 950306-10 & 0605-09 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/06/30. RAY,H.B. Southern California Edison Co. 5pp. 84508:062-84508:085.

-**9507050219** Notice of violation from insp on 950306-10 & 060509. Violation noted: licensee did not initiate nonconformance rept to investigate generic implications of finding that motor pinion gear of MOV 3HV9300 reversed in orientation.
* Region 4 (Post 820201). 95/06/30. 2pp. 84508:067-84508:068.

-**9507050045** Insp repts 50-361/95-12 & 50-362/95-12 on 950306-10 & 0605-09. Violations noted. Major areas inspected: engineering issues.
COLLINS,E. Region 4 (Post 820201). 95/06/29. 17pp. 84508:069-84508:085.

9507100278 Forwards insp repts 50-361/95-07 & 50-362/95-07 on 950423-0603 & NOV.
BEACH,A.B. Region 4 (Post 820201). 95/07/03. RAY,H.B. Southern California Edison Co. 5pp. 84668:144-84668:182.

-**9507100297** Insp repts 50-361/95-07 & 50-362/95-07 on 950423-0603. Violations noted. Major areas inspected: operational safety verification, maint & surveillance observations, engineering & plant support observations.
WONG,H.J. Region 4 (Post 820201). 95/06/28. 33pp. 84668:150-84668:182.

9507130110 Forwards insp repts 50-361/95-10 & 50-362/95-10 on 950503-12 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/07/06. RAY,H.B. Southern California Edison Co. 5pp. 84596:228-84596:248.

-**9507130123** Insp repts 50-361/95-10 & 50-362/95-10 on 950503-12. Violations noted. Major areas inspected: followup on unresolved item 361/9501-03 & 362/9501-03.
COLLINS,E.E. Region 4 (Post 820201). 95/06/22. 14pp. 84596:235-84596:248.

9507170301 Responds to NRC 950607 ltr re violations noted in insp repts 50-361/95-04 & 50-362/95-04 on 950312-0422. Corrective actions: personnel involved has been coached & aware of oversight.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 6pp. 84775:353-84775:358.

9507240034 Forwards insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted.
SCARANO,F.A. Region 4 (Post 820201). 95/07/17. RAY,H.B. Southern California Edison Co. 3pp. 84751:102-84751:120.

-**9507240045** Insp repts 50-361/95-09 & 50-362/95-09 on 950626-30. No violations noted. Major areas inspected: emergency preparedness program.
DEXTER,T.W. Region 4 (Post 820201). 95/07/12. 14pp. 84751:107-84751:120.

9507250036 Responds to NRC 950622 ltr re violations noted in insp repts 50-361/95-11 & 50-362/95-11 on 950522-26. Corrective actions: held mgt meetings w/site managers.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84826:358-84826:360.

R. Periodic operating reports & related correspondence

9507210192 Monthly operating repts for June 1995 for SONGS, Units 2 & 3. W/950714 ltr.
DARLING, J.L., MARSH, W.C. Southern California Edison Co. 95/06/30. 14pp. 84807:310-84807:323.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, G.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

9507260097 Part 21 rept re MDR relays w/potentially damaged internal contact arms.
ROSENBLUM, R.M. Southern California Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84868:029-84868:033.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507100265 Rev 0 to FNP-0-EIP-8.2, "Plant Personnel Home Telephone Directory." W/950707 ltr.
HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/07. 105pp. 84665:127-84665:231.

9507250268 Comment on proposed generic communication: 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Endorses NEI comments.
MOREY, D.N. Southern Nuclear Operating Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84788:202-84788:203.

9507310067 Memo dtd 950720, enclosing update of emergency phone list to, Rev 2 of FNP-0-EIP-8.1 W/950724 ltr.
VANDERBYE, R.J., HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/24. 66pp. 84888:250-84888:315.

9507310069 Memo dtd 950726 re on-call schedule, to Rev 2 of FNP-0-EIP-8.1 W/950726 ltr.
HILL, R.D., HUDSPETH, J.B. Southern Nuclear Operating Co. 95/07/26. 16pp. 84903:109-84903:124.

P. Operating license stage documents & correspondence

9507050265 Forwards Rev 31 to GO-M-7, "Southern Nuclear Operating Co. Farley Project Operations QA Policy Manual."
BROWN, W. Southern Nuclear Operating Co. 95/05/23. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84558:166-84558:305.

-9507050268 Rev 31 to GO-M-7, "Southern Nuclear Operating Co. Farley Project Operations QA Policy Manual."
MCGOWAN, J.W., WOODARD, J.D. Southern Nuclear Operating Co. 91/12/23. 150pp. 84558:169-84558:305.

9507030265 Forwards response to GL 95-03, "Circumferential Cracking in SG Tubes," including safety assessment & summary of insp plans for plant.
MOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 14pp. 84560:176-84560:189.

9507100023 Forwards Vols 1 & 2 to "IEEE JM Farley Nuclear Plant Units 1 & 2."
MOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84638:001-84639:210.

-9507100024 "IEEE JM Farley Nuclear Plant Unit 1 & Unit 2," Vols 1 & 2.
* Southern Nuclear Operating Co. 95/06/26. 571pp. 84638:004-84639:210.

9507120112 Confirms 950626 telcon w/Verrelli re info meeting scheduled for 950710. Purpose of meeting to discuss issues w/balance of plant equipment.
CHRISTENSEN, H. Region 2 (Post 820201). 95/06/26. MOREY, D.N. Southern Nuclear Operating Co. 3pp. 84575:358-84575:360.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507210030 Refers to mgt meeting conducted at Region II Office on 9/30/710 to discuss recent secondary sys problems at plant, including sodium intrusion, condenser tube leaks & feedwater control issues. List of attendees encl.
VERRELLI, D.M. Region 2 (Post 820201). 95/07/11. MOREY, D.N. Southern Nuclear Operating Co. 2pp. 84738:055-84738:056.

9507210043 Advises NRC that Util Board of Directors has named CA Martin as Vice President of Southern Nuclear, effective 9/50612. In addition, WM Stephens named as Assistant Secretary & Assistant Treasurer of Util.
MOREY, D. Southern Nuclear Operating Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84811:340-84811:340.

9507240233 Forwards SE addressing concerns re performance testing of safety & relief valves for plant.
SIEGEL, B.L. 95/07/18. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 84831:326-84831:334.

-9507240237 Safety evaluation supporting performance testing of safety & relief valves for plant.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84831:330-84831:334.

Q. Inspection reports, IE Bulletins & correspondence

9507030265 Forwards response to GL 95-03, "Circumferential Cracking in SG Tubes," including safety assessment & summary of insp plans for plant.
MOREY, D. Southern Nuclear Operating Co. 95/06/26. Document Control Branch (Document Control Desk). 14pp. 84560:176-84560:189.

9507060070 Responds to request for add info re responses to issues re electrical distribution sys functional insp degraded grid voltage unresolved item.
MOREY, D. Southern Nuclear Operating Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84617:191-84617:193.

9507250005 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Util applauds NRC for undertaking endeavor to make insp rept more effective tool for communicating w/licensees & public.
MOREY, D.N. Southern Nuclear Operating Co. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:007-84787:008.

9507170182 Provides corrected copy of response to NRC 950608 ltr re violations noted in insp rept 50-364/95-10. Corrective actions: adjusted channel & coached individual involved.
MOREY, D. Southern Nuclear Operating Co. 95/07/07. Document Control Branch (Document Control Desk). 5pp. 84755:037-84755:041.

9507260088 Forwards "ISI Rept Refueling 10, Interval 2, Period 2, Outage 1 JM Farley Unit 2 Nuclear Generating Plant," vols 1 & 2.
MOREY, D. Southern Nuclear Operating Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84848:001-84848:346.

-9507260092 "ISI Rept Refueling 10, Interval 2, Period 2, Outage 1 JM Farley Unit 2 Nuclear Generating Plant," vols 1 & 2.
* Southern Nuclear Operating Co. 95/07/17. 1,073pp. 84848:002-84848:346.

9507240265 Forwards insp repts: 50-348/95-11 & 50-364/95-11 on 950515-0618 & NOV.
VERRELLI, D.M. Region 2 (Post 820201). 95/07/18. Southern Nuclear Operating Co. 3pp. 84795:164-84795:191.

-9507240272 Notice of violation from insp on 950515-0618 Violation noted: operators failed to record lowest loop tagv from 11:45 a.m. until 12:10 p.m. during startup of Unit 2.
* Region 2 (Post 820201). 95/07/18. 2pp. 84795:167-84795:168.

-9507240278 insp repts 50-348/95-11 & 50-364/95-11 on 950515-0618. No violations noted. Major areas inspected: plant operations, safety sys verification, maint & surveillance, engineering & technical & plant support.
ROSS, T.M., SCOTT, M.A., BERNHARD, R.R.H. Region 2 (Post 820201). 95/07/18. 23pp. 84795:169-84795:191.

R. Periodic operating reports & related correspondence

9507190327 Monthly operating repts for June 1995 for JM Farley Plant Units 1 & 2. W/950711 ltr.
ALLISON, S.M., MOREY, D. Southern Nuclear Operating Co. 95/06/30. 11pp. 84789:335-84789:345.

S. Reportable occurrences, LERs & related correspondence

9507060081 LER 95-005-00 on 950601. Loss of electro-hydraulic fluid resulted in manual RTs repaired & selected welds or EH sys of 2A & 2B SGFP W/950629 ltr.
HILL, R.D., MOREY, D. Southern Nuclear Operating Co. 95/06/29. 5pp. 84578:226-84578:230.

9507170019 PNO-II-95-040 on 950710, alloyed tester instrument which contained 45 mCi of Fe-55 & 5 mCi of Co-109 source was lost during shipment. Emery Worldwide freight & State of OH searched & surveyed & were unable to locate source.
JONES, A.R. Region 2 (Post 820201). 95/07/11. 1p. 84650:339-84650:339.

9507170175 LER 95-004-00 on 941205, reactor coolant pump bus undervoltage relays dropout setpoints outside of operability tolerance. Caused by investigation attributed to relay setpoint. Changed test equipment W/950711 ltr.
HILL, R.D., MOREY, D. Southern Nuclear Operating Co. 95/07/11. 5pp. 84754:355-84754:359.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:199.

9507210060 PNO-II-95-040A: updates 950710 event re loss of package containing alloyed tester instrument which contained 45 mCi Fe-55 & 5 mCi of Co-109 package located on 950712 at CA facility.
JONES, A.R. Region 2 (Post 820201). 95/07/13. 1p. 84738:211-84738:211.

9507310216 LER 95-006-00 on 950622, determined that analysis of RCS dose equivalent iodine (DEI) analysis not performed per TS SR 4.4.9 due cognitive personnel error. DEI analysis completed on 950622 & personnel restructured W/950719 ltr.
HILL, R.D., MOREY, D. Southern Nuclear Operating Co. 95/07/19. 4pp. 84902:028-84902:031.

9507310228 LER 95-007-00 on 950625, Unit 2 reactor tripped. Caused by cognitive personnel error. Individuals involved coached concerning incident W/950725 ltr.
HILL, R.D., MOREY, D. Southern Nuclear Operating Co. 95/07/25. 4pp. 84902:032-84902:035.

90 DOCKETED ITEMS

V. Operator Examinations

9507200249 Confirms arrangements made in 950629 telcon for administration of licensing exams at plant. Exam preparation visit scheduled for 951010. Written exams scheduled for 951023 & operating exams scheduled for 951024-27. PEEBLES, T.A. Region 2 (Post 820201). 95/07/06. MOREY, D.N. Southern Nuclear Operating Co. 6pp. 84779:350-84779:355.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507060363 Discusses 950328 ltr responding to 941230 request for addl info re use of Thermo-Lag 330-1 at plant. JABBOUR, K.N. 95/06/29. BECKHAM, J.T. Georgia Power Co. 3pp. 84536:188-84536:190.

9507170020 Ack receipt of 950619 ltr forwarding scenario/controller package for plant 1995 emergency preparedness exercise. Submittals meet requirements for full participation exercise scheduled for 950823. BARR, K.P. Region 2 (Post 820201). 95/07/10. BECKHAM, J.T. Georgia Power Co. 3pp. 84650:340-84650:342.

9507250256 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." BECKHAM, J.T. Georgia Power Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84788:200-84788:201.

9507210017 Forwards NRC repts 50-321/95-99 & 50-366/95-99 on 931128-950527 Plant performance remained superior in functional area of engineering. EBNETER, S.D. Region 2 (Post 820201). 95/07/11. BECKHAM, J.T. Georgia Power Co. 5pp. 84738:033-84738:043.

9507210023 SALP repts 50-321/95-99 & 50-366/95-99 for 931128-950527. * Region 2 (Post 820201). 95/07/11. 6pp. 84738:038-84738:043.

9507270398 Rev 10D to El Hatch Nuclear Plant Units 1 & 2 fire hazards analysis update. * Georgia Power Co. 95/07/31. 39pp. 84881:010-84881:048.

9507240056 Informs that addl info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09. BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84795:300-84795:316.

9507240060 "El Hatch Nuclear Plant EP 1989 Off-Hours Semi-Annual HP Exercise Summary Rept for 890531." MOTHENA, R.D. Georgia Power Co. 95/06/16. 13pp. 84795:304-84795:316.

9507280041 Revised EIPs including rev 11 to 73EP-EIP-073-05. "Offsite Emergency Notifications," & rev 11 to 73EP-EIP-001-05. "Emergency Classification & Initial Actions." W/950725 ltr. BECKHAM, J.T. Georgia Power Co. 95/07/25. 78pp. 84875:035-84875:110.

H. General correspondence

9507050174 Comment on "Review of NRC Insp Rept Content, Format & Style." Util feels that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used. BECKHAM, J.T. Georgia Power Co. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84507:316-84507:317.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507270397 Forwards quarterly FSAR & fire hazards analysis revs 13D & 10D, respectively. BECKHAM, J.T. Georgia Power Co. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84880:001-84881:048.

9507270398 Rev 13D to El Hatch Nuclear Plant Units 1 & 2 FSAR update. * Georgia Power Co. 95/07/31. 369pp. 84880:005-84881:009.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board s/s. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060363 Discusses 950328 ltr responding to 941230 request for addl info re use of Thermo-Lag 330-1 at plant. JABBOUR, K.N. 95/06/29. BECKHAM, J.T. Georgia Power Co. 3pp. 84536:188-84536:190.

9507120262 Forwards core shroud stabilizer design submittal, providing analyses & conclusions supporting implementation of facility shroud repair. GE proprietary info also encl. GE proprietary info withheld per 10CFR2.790. BECKHAM, J.T. Georgia Power Co. 95/07/03. Document Control Branch (Document Control Desk). 42pp. 84728:184-84728:284.

9507120266 Rev 0 to Design Spec 25A5718, "Shroud Repair Hardware." TROVATO, J.L., SCHRAG, M.R., AHMANN, R.J. General Electric Co. 95/05/17. 10pp. 84728:226-84728:235.

9507120268 Rev 1 to Code Design Spec 25A5717, "Shroud Stabilizers." TROVATO, J.L., SCHRAG, M.R., AHMANN, R.J. General Electric Co. 95/06/06. 8pp. 84728:236-84728:243.

9507120272 Rev 0 to "Safety Evaluation for Installation of Stabilizers on El Hatch Nuclear Plant Unit 2 Core Shroud." SCHRAG, M.R., ERBES, J.G., KING, L.W. General Electric Co. GENE-B11-00837-005R0. 95/07/03. 24pp. 84728:244-84728:267.

9507120274 Rev 0 to Fabrication Spec 25A5719, "Fabrication of Shroud Stabilizer." SCHRAG, M.R., TROVATO, J.L., AHMANN, R.J. General Electric Co. 95/06/09. 11pp. 84728:268-84728:275.

9507120288 Rev 0 to Field Disposition Instruction (FDI) HT2-0121-12900. FDI documents design requirements & matl required to install stabilizers for shroud horizontal welds. TROVATO, J. General Electric Co. 95/06/19. 6pp. 84728:279-84728:284.

9507110326 Forwards SE approving code case N-416-1 as alternative to required 10-yr hydrostatic pressure test for class 1,2 & 3, per 10CFR50.55a(a)(3)(ii). BERKOW, H.N. 95/07/05. BECKHAM, J.T. Georgia Power Co. 3pp. 84618:346-84618:353.

9507110331 Safety evaluation approving code case N-416-1 as alternative to required 10-yr hydrostatic pressure test for class 1,2 & 3, per 10CFR50.55a(a)(3)(ii). * Office of Nuclear Reactor Regulation (Post 941001). 95/07/05. 5pp. 84618:349-84618:353.

9507240138 Confirms that util recognizes & agrees w/definition of sensor contained in ANSI/ISA-867.06 1984, "Response Time Testing of Nuclear Safety-Related Instrument Channels in NPPs." BECKHAM, J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84828:359-84828:360.

9507260198 Forwards SE re IPE on severe accident vulnerabilities. Based on review of IPE, NRC concludes that evaluation meets intent of GL 88-20. JABBOUR, K.N. 95/07/18. BECKHAM, J.T. Georgia Power Co. 3pp. 84832:160-84832:162.

9507260201 Safety evaluation of plant IPE submittal. Util has met intent of GL 88-20. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 17pp. 84832:163-84832:182.

9507140441 "Technical Evaluation Rept on Individual Plant Exam Front End Analysis." DARBY, J.L. Science & Engineering Associates, Inc. NRC-04-91-066. SEA 92-553-026-A.4. 95/06/29. NRC - No Detailed Affiliation Given. 57pp. 84832:183-84832:240.

9507140442 "Technical Evaluation Rept on Individual Plant Exam Back-End Analysis." BUDNITZ, R.J. Science & Engineering Associates, Inc. NRC-05-91-068. SCIE-NRC-228-94. 94/12/31. NRC - No Detailed Affiliation Given. 25pp. 84832:241-84832:264.

9507140445 "Technical Evaluation Rept on Individual Plant Exam Human Reliability Analysis." HAAS, P.M. Concord Associates, Inc. NRC-04-91-068. TR-94-019-27. 94/11/30. Division of Safety Issue Resolution (880717-941117). 55 p. 84832:265-84832:320.

9507280175 Forwards util comments in resp to NRC Preliminary Accident Sequence Precursor Analysis of Loss of Shutdown Cooling. BECKHAM, J.T. Georgia Power Co. 95/07/21. Document Control Branch (Document Control Desk). 4pp. 84875:239-84875:242.

9507310168 Forwards EA & FONSI re 950113 application for amend involving increase of licensed core thermal power for Hatch, Units 1 & 2. JABBOUR, K.N. 95/07/21. BECKHAM, J.T. Georgia Power Co. 3pp. 84879:331-84879:342.

9507310173 Environ assessment & finding of no significant impact re increase of licensed core thermal power for Hatch, Units 1 & 2. * 95/07/21. 9pp. 84879:334-84879:342.

9507310205 Clarifies issues re IST program update process & informs that util proceeding w/update as listed. BECKHAM, J.T. Georgia Power Co. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84903:310-84903:311.

Q. Inspection reports, IE Bulletins & correspondence

9507120031 Forwards insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted. MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. WOODARD, J.D. Georgia Power Co. 4pp. 84574:264-84574:278.

9507120035 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted. Major areas inspected: effectiveness of licensee's quality concerns programs in addressing safety concerns. CRLENJAK, R.V. Region 2 (Post 820201). 95/06/22. 9pp. 84574:268-84574:276.

9507120015 Forwards insp repts 50-321/95-08 & 50-366/95-08 on 950416-0527 & notice of violation. CRLENJAK, R.V. Region 2 (Post 820201). 95/06/26. BECKHAM, J.T. Georgia Power Co. 4pp. 84574:172-84574:203.

9507120019 Notice of violation from insp on 950416-0527. Violation noted: written procedures had not previously been implemented in that on 950411, operator placed jumper across terminals DD-1 to DD-2 in lieu of CCC-2 to CCC-1, resulting in scram. * Region 2 (Post 820201). 95/06/26. 2pp. 84574:176-84574:177.

9507120023 Insp repts 50-321/95-08 & 50-366/95-08 on 950416-0527. Violations noted. Major areas inspected: plant operations, maint, engineering, plant support activities & insp of open items. HOLBROOK, B.L., CHRISTNOT, E.F., HAAG, R.C. Region 2 (Post 820201). 95/06/23. 26pp. 84574:178-84574:203.

9507120235 Submits response to violations noted in Insp Repts 50-321/95-02 & 50-366/95-02. Corrective actions: Procedure 53IT-TET-002-0s revised to include min thrust margin to account for switch repeatability. BECKHAM, J.T. Georgia Power Co. 95/07/03. Document Control Branch (Document Control Desk). 18pp. 84694:315-84694:332.

9507170013 Confirms arrangements re 950726 mgf meeting at plant. Purpose of meeting to discuss SALP of plant during 931128-950527. HAAG, R. Region 2 (Post 820201). 95/07/05. BECKHAM, J.T. Georgia Power Co. 3pp. 84650:324-84650:326.

9507210017 Forwards SALP repts 50-321/95-99 & 50-366/95-99 on 931128-950527 Plant performance remained superior in functional area of engineering. EBNETER,S.D. Region 2 (Post 820201). 95/07/11. BECKHAM,J.T. Georgia Power Co. 5pp. 84738:033-84738:043.

-9507210023 SALP repts 50-321/95-99 & 50-366/95-99 for 931128-950527. * Region 2 (Post 820201). 95/07/11. 6pp. 84738:038-84738:043.

9507240056 Informs that addl info has been discovered that shows violation did not occur per insp repts 50-321/95-09 & 50-366/95-09. BECKHAM,J.T. Georgia Power Co. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84795:300-84795:316.

-9507240060 "El Hatch Nuclear Plant EP 1989 Off-Hours Semi-Annual HP Exercise Summary Rept for 890531". MOTHENA,R.D. Georgia Power Co. 95/06/16. 13pp. 84795:304-84795:316.

9507310159 Responds to NRC 950629 ltr re violation noted in insp rept 50-366/95-08. Corrective actions disciplined involved individual & involved individual & supervisor counseled re missed conditional surveillance & consequences. BECKHAM,J.T. Georgia Power Co. 95/07/25. Document Control Branch (Document Control Desk). 3pp. 84903:262-84903:265.

R. Periodic operating reports & related correspondence

9507140149 Monthly operating repts for June 1995 for Edwin I Hatch Nuclear Plant Units 1 & 2. W/950710 ltr. BEARD,R.M., BECKHAM,J.T. Georgia Power Co. 95/06/30. 12pp. 84736:343-84736:354.

S. Reportable occurrences, LERs & related correspondence

9507060057 Forwards preliminary ASP analysis of operational event which occurred at plant on 940317, for review & comment. Comments should be provided within 30 days of receipt of ltr. JABBOUR,K.N. 95/06/23. BECKHAM,J.T. Georgia Power Co. 14pp. 84531:321-84531:342.

DOCKET 50-366 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050350 Rev 9 to procedure/work plan 1903.067, "Emergency Response Facility - EOP". * Entergy Operations, Inc. 95/07/05. 89pp. 84589:020-84589:108.

9507120038 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & forwards notice of violation. CALLAN,L.J. Region 4 (Post 820201). 95/07/06. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84574:312-84574:318.

-9507120046 Notice of violation from insp on 950419-20. Violation noted: unauthorized individual, terminated for cause & had not had unescorted access revoked, gained unescorted access to protected area. * Region 4 (Post 820201). 95/07/06. 2pp. 84574:317-84574:318.

9507200054 Rev 18 to EPIP OP-1903.004, "Administration & Maint...EP & Implementing Procedures". * Entergy Operations, Inc. 95/07/14. 17pp. 84800:034-84800:050.

9507250284 Comment on proposed generic ltr re 10CFR50.54 "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees w/ proposed clarification of language & w/provided screening criteria in notice. DEWEASE,J.G. Entergy Operations, Inc. 95/07/14. NRC - No Detailed Affiliation Given. 2pp. 84788:204-84788:205.

9507260001 Forwards Rev 33 to ANO Industrial Security Plan. Encl withheld per 10CFR73.21. MIMS,D.C. Entergy Operations, Inc. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84871:341-84871:342.

P. Operating license stage documents & correspondence

950707012v Provides suppl to TS change request re ANO Units 1 & 2 on control room ventilation. Typographical error was introduced on ANO-1 page 59a. MIMS,D.C. Entergy Operations, Inc. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84579:349-84579:358.

-9507070129 Proposed tech specs re control room ventilation, correcting typographical error. * Entergy Operations, Inc. 95/06/22. 7pp. 84579:352-84579:358.

9507050434 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes." MIMS,D.C. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 15pp. 84563:313-84563:327.

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507200033 Notification of 950720 meeting w/EQI in Rockville, MD to discuss Alternatives to Disposition of Steam Generator Tubes w/Circumferential Crack Indicators. KALMAN,G. 95/07/14. BECKNER,W.D. 3pp. 84739:340-84739:343.

9507260274 Discusses proposed changes to CL rate testing requirements in 10CFR50. App J. Requests meeting w/appropriate industry representatives to discuss alternative approaches & to develop plan to complete model TS before rule change date. GRIMES,C.I. 95/07/18. BUSH,L. Westinghouse Operating Plants Owners Group. 36pp. 84832:321-84832:357.

9507240326 Application for amend to license NPF-6, reducing CEA exercise frequency from at least once per 31 days to at least once per 92 days. YELVERTON,J.W. Entergy Operations, Inc. 95/07/19. Document Control Branch (Document Control Desk). 9pp. 84824:271-84824:282.

-9507240328 Proposed tech specs, reducing CEA exercise frequency from at least once per 31 days to at least once per 92 days. * Entergy Operations, Inc. 95/07/19. 3pp. 84824:280-84824:282.

9507270128 Discusses info re TS change request, dated 950519, re open containment airlocks during core alterations. MIMS,D.C. Entergy Operations, Inc. 95/07/21. Document Control Branch (Document Control Desk). 2pp. 84843:353-84843:354.

9507310291 Forwards summary of items that require rev or will no longer be implemented due to alternate controls. Submittal contains no new commitments. MIMS,D.C. Entergy Operations, Inc. 95/07/28. Document Control Branch (Document Control Desk). 9pp. 84903:301-84903:309.

Q. Inspection reports, IE Bulletins & correspondence

9507180345 Final response to FOIA request for info. App A & B records encl & available in PCR. POWELL,P.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. CHAPMAN,N. Bechtel Power Corp. 3pp. 84723:336-84723:340.

-9507180350 Informs of intention to implement TS expansion criteria during unscheduled SG tube insps. STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/10/31. SHERON,B.W. Division of Engineering (Post 921004). 2pp. 84723:339-84723:340.

9507030011 Forwards insp repts 50-313/95-19 & 50-368/95-19 on 950612-16. No violations noted. GWYNN,T.P. Region 4 (Post 820201). 95/06/26. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84488:088-84488:106.

-9507030014 Insp repts 50-313/95-19 & 50-368/95-19 on 950612-19. No violations noted. Major areas inspected: performance review of licensee disposition of stored transmitters, transmitter calibration process & trending process. POWERS,D.A. Region 4 (Post 820201). 95/06/26. 15pp. 84488:092-84488:106.

9507110028 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style." * Entergy Operations, Inc. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 5pp. 84557:074-84557:078.

9507110021 Ack receipt of 950602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-313/95-03 & 50-368/95-03 on 950505. BEACH,A.B. Region 4 (Post 820201). 95/06/30. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84557:054-84557:062.

9507120038 Discusses insp repts 50-313/95-16 & 50-368/95-16 on 950419-20 & forwards notice of violation. CALLAN,L.J. Region 4 (Post 820201). 95/07/06. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84574:312-84574:318.

-9507120046 Notice of violation from insp on 950419-20. Violation noted: unauthorized individual, terminated for cause & who had not had unescorted access revoked, gained unescorted access to protected area. * Region 4 (Post 820201). 95/07/06. 2pp. 84574:317-84574:318.

9507140064 Forwards insp repts 50-313/95-05 & 50-368/95-05 on 950514-0624 & notice of violation. DYER,J.E. Region 4 (Post 820201). 95/07/07. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84625:250-84625:274.

-9507140071 Insp repts 50-313/95-05 & 50-368/95-05 on 950514-0624. Violations noted. Major areas inspected: event, operational safety verification, maint & surveillance observations, onsite engineering, plant support activities & followup-engineering. HARRELL,P. Region 4 (Post 820201). 95/07/05. 18pp. 84625:257-84625:274.

9507170148 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial requalification exam. GWYNN,T.P. Region 4 (Post 820201). 95/07/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84747:196-84747:209.

-9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. Major areas inspected: licensed operator requalification program. PELLET,J.L. Region 4 (Post 820201). 95/07/11. 9pp. 84747:201-84747:209.

9507240417 Responds to NRC ltr re violations noted in insp rept 50-313/95-04 & 50-368/95-04. Corrective actions: initiated job orders & revised procedures. MIMS,D.C. Entergy Operations, Inc. 95/07/20. Document Control Branch (Document Control Desk). 5pp. 84824:217-84824:221.

R. Periodic operating reports & related correspondence

9507190320 Monthly operating rept for June 1995 for ANO-Unit 2. W/950714 ltr. WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/06/30. 7pp. 84789:321-84789:327.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

92 DOCKETED ITEMS

9507190013 Special rept on 950606, electric fire pump P-6A declared inoperable. Cause of degraded performance indeterminate at time but believed to be result of normal wear. Temp fire pump for backup fire suppression water supply installed. MIMS, D.C. Entergy Operations, Inc. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84768:355-84768:356.

V. Operator Examinations

9507170149 Forwards insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. One unresolved item identified concerning practice of repeating up to 70 percent of questions from one biennial requalification exam. GWYNN, T.P. Region 4 (Post 820201). 95/07/12. YELVERTON, J.W. Entergy Operations, Inc. 5pp. 84747:196-84747:209.

9507170156 Insp repts 50-313/95-17 & 50-368/95-17 on 950613-16. No violations noted. Major areas inspected: licensed operator requalification program. PELLET, J.L. Region 4 (Post 820201). 95/07/11. 9pp. 84747:201-84747:209.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060328 Forwards plant operational safeguards response evaluation, per 10CFR73.21, to be withheld from public disclosure. W/o encl. SPESSARD, R.L. 95/06/27. MCMEEKIN, T.C. Duke Power Co. 2pp. 84536:277-84536:278.

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p). Encl withheld. TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84622:343-84622:344.

9507210144 Forwards public version of EIPs, RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/B/6200/90 & Index, Pages 1 & 2/W/950719 release ltr. MCMEEKIN, T.C. Duke Power Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84753:032-84753:339.

9507210148 Public version of EIPs, including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/B/6200/90 & Index, Pages 1 & 2. DOLAN, B. Duke Power Co. 95/06/28. 305pp. 84753:035-84753:339.

9507170014 Ack receipt of 950619 ltr forwarding scenario package for plant emergency exercise. Submittals meet requirements for partial participation exercise scheduled for 950809. BARR, K.P. Region 2 (Post 820201). 95/07/10. MCMEEKIN, T.C. Duke Power Co. 3pp. 84650:327-84650:329.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507120066 "1994 McGuire Nuclear Station Final Safety Analysis Rept." W/950706 ltr. MCMEEKIN, T.C. Duke Power Co. 95/01/12. 2,184pp. 84705:001-84710:111.

P. Operating license stage documents & correspondence

9507050140 Submits suppl info re 950203 proposed TS concerning 4 kV loss of voltage & degraded voltage conditions tables 3.3-3, 3.3-4, 3.3.5 & 4.3-2. MCMEEKIN, T.C. Duke Power Co. 95/06/14. Document Control Branch (Document Control Desk). 6pp. 84563:326-84563:341.

9507050153 Proposed tech specs re 4 kV loss of voltage & degraded voltage conditions tables 3.3-3, 3.3-4, 3.3.5 & 4.3-2. * Duke Power Co. 95/06/14. 9pp. 84563:334-84563:341.

9507030106 Informs that addl audit not necessary to accept util use of revised CROW code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology. BERKOW, H.N. 95/06/19. TUCKMAN, M.S. Duke Power Co. 4pp. 84511:281-84511:284.

9507050223 Discusses use of alternative pressure test requirement (Code Case N-416-1) for welded installation of Valve INI-158. MCMEEKIN, T.C. Duke Power Co. 95/06/19. Document Control Branch (Document Control Desk). 3pp. 84569:345-84569:347.

9507060160 Forwards rev 3 to "McGuire Unit 1 Cycle 10 Core Operating Limits Rept." CANADY, K.S. Duke Power Co. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84617:049-84617:056.

9507060166 Rev 3 to "McGuire Unit 1 Cycle 10, Core Operating Limits Rept." June 1995. BORTZ, D.E., RAY, C.L., CLARK, R.H. Duke Power Co. 95/06/26. 8pp. 84617:051-84617:056.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes. TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:126.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507240112 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events. TUCKMAN, M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84796:287-84796:352.

9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events. * Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

9507240123 "DPC TR QA Program." * Duke Power Co. 95/06/29. 58pp. 84795:297-84795:352.

9507060253 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement. TUCKMAN, M.S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84617:089-84617:096.

9507110044 Solicits an interpretation from NRC Office of General Counsel, clarifying Agreement State jurisdiction over onsite "disposal" of low activity sludges at NPP. BROWN, D.H. North Carolina, State of. 95/07/03. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 84557:229-84557:230.

9507110084 Informs NRC of intention to extend current committed date of 950719 for closure of GL 89-10 program to 950930. MCMEEKIN, T.C. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 3pp. 84692:359-84692:361.

9507120325 Requests for addl info re seismic analysis methodology for McGuire Nuclear Station, units 1 & 2 & Catawba Nuclear Station, units 1 & 2. Requests response within 30 days. MARTIN, R.E. 95/07/06. TUCKMAN, M.S. Duke Power Co. 6pp. 84631:305-84631:310.

9507130021 Forwards comments on draft NPDES permit NC0024392 for plant. MCMEEKIN, T.C. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 14pp. 84696:001-84696:014.

9507210013 Confirms telcon between J Snyder & NRC staff on 950707 concerning mgt meeting to be conducted at Region III office to discuss recent emergency diesel generator turbo charger failures at plant. CRLENJAK, R.V. Region 2 (Post 820201). 95/07/11. MCMEEKIN, T.C. Duke Power Co. 3pp. 84738:016-84738:018.

9507310086 Rev 3 to "MNS Selected Licensee Commitments Manual." Rev changes standby shutdown sys testing requirements for standby makeup pump water supply boron concentration (BC) in storage pool min BC specified in COLR. CRANE, K.L. Duke Power Co. 95/07/13. 9pp. 84890:222-84890:230.

9507210203 Forwards SE accepting licensee 940518 request for approval of proposed integrated surveillance program for plant reactor vessel mats to share mat surveillance data from plant. NERSES, V. 95/07/17. MCMEEKIN, T.C. Duke Power Co. 3pp. 84764:039-84764:046.

9507210205 Safety evaluation accepting licensee request for approval of proposed integrated surveillance program for plant reactor vessel mats to share surveillance data from plant. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. 5pp. 84764:042-84764:046.

9507240249 Notification of 950727-28 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed. MARTIN, R.E. 95/07/20. BERKOW, H.N. 4pp. 84824:296-84824:299.

9507310071 Provides addl info re decay heat basis for storage of higher enriched fuel in McGuire Nuclear Station, as discussed during 950717 telcon. Addl info requested on HXs not yet available. TUCKMAN, M.S. Duke Power Co. 95/07/21. Document Control Branch (Document Control Desk). 6pp. 84903:316-84903:321.

9507310034 RA ltr re rev 1 to DPC-NE-3002. "FSAR Chapter 15 Sys Transient Analysis Methodology," for stated plants. MARTIN, R.E. 95/07/25. TUCKMAN, M.S. Duke Power Co. 6pp. 84868:335-84868:340.

Q. inspection reports, IE Bulletins & correspondence

9507030040 Forwards response to NRC 950518 ltr re violations noted in insp repts 50-369/95-10-01 & 50-370/95-10-01. Corrective actions: container was inventoried to account for all documents. MCMEEKIN, T.C. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84559:348-84559:353.

9507120113 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp rept 50-369/95-06 & 50-370/95-06 on 950510. CASTO, C.A. Region 2 (Post 820201). 95/06/21. MCMEEKIN, T.C. Duke Power Co. 2pp. 84576:001-84576:002.

9507140329 Forwards insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603 & notices of violation & deviation. CRLENJAK, R.V. Region 2 (Post 820201). 95/06/30. MCMEEKIN, T.C. Duke Power Co. 3pp. 84760:292-84760:313.

9507140332 Notice of violation from insp on 950430-0603. Violation noted: mod NSM-52286 to CR ventilation/chilled water sys valves did not take into consideration effects of increased SW flows on sys reliability when valves fully open. * Region 2 (Post 820201). 95/06/30. 1p. 84760:295-84760:295.

9507140333 Notice of deviation from insp on 950430-0603. Deviation noted: NRC/FERC dam insp conducted 941114-16 revealed that earthen berm did not extend entire length of dam, terminating approx 20 ft short of north end of dam. * Region 2 (Post 820201). 95/06/30. 1p. 84760:296-84760:296.

9507140335 Insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603. Violation & deviation noted. Major areas inspected: plant operations, maint, engineering & plant support. MAXWELL, G.F., CRLENJAK, R.V. Region 2 (Post 820201). 95/06/30. 17pp. 84760:297-84760:313.

9507170023 Advises licensee of results of plant performance review & more recent reviews completed by NRC staff. Forwards NRC revised insp plans for remainder of SALP period.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/30. MCMEKIN, T.C. Duke Power Co. 5pp. 84650:344-84650:348.

9507170028 Discusses 950628 ltr which requested NRC to exercise discretion not to enforce compliance w/action required in TS actions 3.8.1.1.1 & 3.7.1.2.b for plant.
EBNETER, S.D. Region 2 (Post 820201). 95/06/30. MCMEKIN, T.C. Duke Power Co. 4pp. 84650:349-84650:352.

9507170386 Forwards response to NRC 950510 ltr re violations noted in insp repts 50-369/95-06 & 50-370/95-06. Corrective actions: corrected thrust calculations for 1CA0050 & 2CA0054.
MCMEKIN, T.C. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 3pp. 84776:271-84776:273.

9507310044 Forwards response on NRC 950630 ltr re violation & deviation noted in insp repts 50-369/95-13 & 50-370/95-13. C/A: performed engineering tests & calculations immediately to characterize Train A YC chiller performance.
MCMEKIN, T.C. Duke Power Co. 95/07/19. Document Control Branch (Document Control Desk). 4pp. 84875:358-84875:361.

R. Periodic operating reports & related correspondence

9507200109 Forwards monthly operating rept for June 1995 & revised monthly operating rept for May 1995 for McGuire Nuclear Station.
WEBER, R.L. Duke Power Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84779:317-84779:329.

-9507200112 Monthly operating rept for June 1995 for McGuire Nuclear Station.
WILLIAMS, R.A. Duke Power Co. 95/06/30. 10pp. 84779:319-84779:328.

-9507200184 Revised monthly operating rept for May 1995 for McGuire Nuclear Station.
* Duke Power Co. 95/05/31. 1p. 84779:329-84779:329.

S. Reportable occurrences, LERs & related correspondence

9507120042 PNC-II-95-038 on 950628, all four EDG had been declared inoperable. Caused by installation of inappropriate diffuser plant in EDG turbochargers. State of NC has been notified.
CARROLL, R. Region 2 (Post 820201). 95/06/28. 1p. 84575:056-84575:056.

9507120036 PNC-II-95-038A: update informing that util completed shutdown of Unit 1 IAW TS for inoperable EDG & mods to 2B EDG on 950629. EDG has been declared operable & licensee plans to complete repairs to 2A EDG & return to svc early on 950630.
CARROLL, R. Region 2 (Post 820201). 95/06/29. 1p. 84574:280-84574:280.

9507110099 Part 21 rept re two failures of Model VTR 500 turbochargers supplied by ABB Turbo Systems Ltd. Failure of turbocharger renders associated EDG incapable of providing rated output. Seventeen hole jet assist wall plates replaced.
MCMEKIN, T.C. Duke Power Co. 95/07/03. Document Control Branch (Document Control Desk). 6pp. 84662:047-84662:054.

9507170325 Special rept 95-002 on 950612, turbocharger failed, as detected by excessive noise & vibration. Engine subsequently secured. Damaged components replaced & DG 2A returned to operable status.
MCMEKIN, T.C. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 3pp. 84775:359-84775:361.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:189-84815:196.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507060326 Forwards plant operational safeguards response evaluation, per 10CFR73.21, to be withheld from public disclosure. W/o encl.
SPESSARD, R.L. 95/06/27. MCMEKIN, T.C. Duke Power Co. 2pp. 84536:277-84536:278.

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p). Encl withheld.
TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84622:343-84622:344.

9507210144 Forwards public version of EPIPs, RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/B/6200/90 & Index, Pages 1 & 2. W/950719 release ltr.
MCMEKIN, T.C. Duke Power Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84753:032-84753:039.

-9507210148 Public version of EPIPs, including RP/0/A/5700/01, RP/0/A/5700/02, RP/0/A/5700/03, RP/0/A/5700/04, RP/0/A/5700/10, RP/0/A/5700/14, RP/0/A/5700/15, RP/0/A/5700/16, RP/0/A/5700/18 & OP/0/B/6200/90 & Index, Pages 1 & 2.
DOLAN, B. Duke Power Co. 95/06/28. 305pp. 84753:035-84753:339.

9507170014 Ack receipt of 950619 ltr forwarding scenario package for plant emergency exercise. Submittals meet requirements for partial participation exercise scheduled for 950809.
BARR, K.P. Region 2 (Post 820201). 95/07/10. MCMEKIN, T.C. Duke Power Co. 3pp. 8465:1327-84650:329.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507120066 "1994 McGuire Nuclear Station Final Safety Analysis Rept." W/950706 ltr.
MCMEKIN, T.C. Duke Power Co. 95/01/12. 2.184pp. 84705:001-84710:111.

P. Operating license stage documents & correspondence

9507050140 Submits suppl info re 950203 proposed TS concerning 4 kV loss of voltage & degraded voltage conditions tables 3.3-3, 3.3-4, 3.3.5 & 4.3-2.
MCMEKIN, T.C. Duke Power Co. 95/06/14. Document Control Branch (Document Control Desk). 6pp. 84563:328-84563:341.

-9507050153 Proposed tech specs re 4 kV loss of voltage & degraded voltage conditions tables 3.3-3, 3.3-4, 3.3.5 & 4.3-2.
* Duke Power Co. 95/06/14. 8pp. 84563:334-84563:341.

9507030106 Informs that addl audit not necessary to accept util use of revised CROW code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW, H.N. 95/06/19. TUCKMAN, M.S. Duke Power Co. 4pp. 84511:281-84511:284.

9507050223 Discusses use of alternative pressure test requirement (Code Case N-416-1) for welded installation of Valve 1N1-158.
MCMEKIN, T.C. Duke Power Co. 95/06/19. Document Control Branch (Document Control Desk). 3pp. 84569:345-84569:347.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:128.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060387 Forwards analyses & technical info supporting discretionary enforcement action.
MCMEKIN, T.C. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 7pp. 84599:311-84599:323.

-9507060389 Proposed tech specs re discretionary enforcement for EDG turbocharger failures.
* Duke Power Co. 95/06/29. 6pp. 84599:318-84599:323.

9507240112 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
TUCKMAN, M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84796:287-84796:352.

-9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
* Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

-9507240123 "DPC TR QA Program."
* Duke Power Co. 95/06/29. 58pp. 84796:297-84796:352.

9507060253 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement.
TUCKMAN, M.S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84617:089-84617:096.

9507110044 Solicits an interpretation from NRC Office of General Counsel, clarifying Agreement State jurisdiction over onsite "disposal" of low activity sludges at NPP.
BROWN, D.H. North Carolina, State of 95/07/03. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 84557:229-84557:230.

9507110084 Informs NRC of intention to extend current committed date of 950719 for closure of GL 89-10 program to 950930.
MCMEKIN, T.C. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 3pp. 84692:359-84692:361.

9507120325 Requests for addl info re seismic analysis methodology for McGuire Nuclear Station, units 1 & 2 & Catawba Nuclear Station, units 1 & 2. Requests response within 30 days.
MARTIN, R.E. 95/07/06. TUCKMAN, M.S. Duke Power Co. 6pp. 84631:305-84631:310.

9507130021 Forwards comments on draft NPDES permit NC0024392 for plant.
MCMEKIN, T.C. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 14pp. 84696:001-84696:014.

9507210013 Confirms telcon between J Snyder & NRC staff on 950707 concerning mgt meeting to be conducted at Region III office to discuss recent emergency diesel generator turbo charger failures at plant.
CRILENIAK, Region 2 (Post 820201). 95/07/11. MCMEKIN, T.C. Duke Power Co. 3pp. 84736:016-84736:018.

9507310086 Rev 3 to "MNS Selected Licensee Commitments Manual." Rev changes standby shutdown sys testing requirements for standby makeup pump water supply boron concentration (BC) in storage pool min BC specified in COLR.
CRANE, K.L. Duke Power Co. 95/07/13. 9pp. 84890:222-84890:230.

9507240249 Notification of 950727-28 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed.
MARTIN, R.E. 95/07/20. BERKOW, H.N. 4pp. 84824:296-84824:299.

9507250094 Forwards Rev 4 to MCEI-0400-47, "McGuire Unit 2 Cycle 10 COLR." per TS 6.3.1.9 Rev updates Figure 2 to indicate max fully withdrawn position for control banks 231 SWD.
CANADY, K.S. Duke Power Co. 95/07/20. Document Control Branch (Document Control Desk). 1p. 84828:164-84828:166.

94 DOCKETED ITEMS

9507250096 Rev 4 to "McGuire Unit 2 Cycle 10 COLR." GIBBY,S.K. Duke Power Co. MCEI-0400-47 R04. 95/07/20. 4pp. 84828:165-84828:168

9507310071 Provides addl info re decay heat basis for storage of higher enriched fuel in McGuire Nuclear Station, as discussed during 950717 telecon. Addl info requested on HXs not yet available.

TUCKMAN,M.S. Duke Power Co. 95/07/21. Document Control Branch (Document Control Desk). 6pp. 84903:316-84903:321.

9507310034 RAI re rev 1 to DPC-NE-3002. "FSAR Chapter 15 Sys Transient Analysis Methodology." for stated plants. MARTIN,R.E. 95/07/25. TUCKMAN,M.S. Duke Power Co. 6pp. 84858:335-84858:340.

G. Inspection reports, IE Bulletins & correspondence

9507030040 Forwards response to NRC 950518 ltr re violations noted in insp repts 50-369/95-10-01 & 50-370/95-10-01. Corrective actions: container was inventoried to account for all documents. MCMEKIN,T.C. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84559:348-84559:353.

9507120113 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp rept 50-369/95-06 & 50-370/95-06 on 950510. CASTO,C.A. Region 2 (Post 820201). 95/06/21. MCMEKIN,T.C. Duke Power Co. 2pp. 84576:001-84576:002.

9507120205 Responds to ltr of 950614, accepting delay in implementation schedule for plant until EOC-16 outage (start Nov 1996) re IE Bulletin 80-04. WIENS,L.A. 95/06/30. HAMPTON,J.W. Duke Power Co. 3pp. 84631:278-84631:280.

9507140329 Forwards insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603 & notices of violation & deviation. CRLENJAK,R.V. Region 2 (Post 820201). 95/06/30. MCMEKIN,T.C. Duke Power Co. 3pp. 84760:292-84760:313.

9507140332 Notice of violation from insp on 950430-0603. Violation noted: mod NSM-52288 to CR ventilation/chilled water sys valves did not take into consideration effects of increased SW flows on sys reliability when valves fully open. * Region 2 (Post 820201). 95/06/30. 1p. 84760:295-84760:295.

9507140333 Notice of deviation from insp on 950430-0603. Deviation noted: NRC/FERC dam insp conducted 941114-16 revealed that earthen berm did not extend entire length of dam, terminating approx 20 ft short of north end of dam. * Region 2 (Post 820201). 95/06/30. 1p. 84760:296-84760:296.

9507140335 Insp repts 50-369/95-13 & 50-370/95-13 on 950430-0603. Violation & deviation noted: Major areas inspected: plant operations, maint, engineering & plant support. MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/06/30. 17pp. 84760:297-84760:313.

9507170023 Advises licensee of results of plant performance review & more recent reviews completed by NRC staff. Forwards NRC revised insp plans for remainder of SALP period. MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/30. MCMEKIN,T.C. Duke Power Co. 5pp. 84650:344-84650:348.

9507170028 Discusses 950628 ltr which requested NRC to exercise discretion not to enforce compliance w/ action required in TS actions 3.8.1.1.f & 3.7.1.2.b for plant. EBNETER,S.D. Region 2 (Post 820201). 95/06/30. MCMEKIN,T.C. Duke Power Co. 4pp. 84650:349-84650:352.

9507170386 Forwards response to NRC 950510 ltr re violations noted in insp repts 50-369/95-06 & 50-370/95-06. Corrective actions: corrected thrust calculations for 1CA0050 & 2CA0054. MCMEKIN,T.C. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 3pp. 84778:271-84778:273.

9507310044 Forwards response on NRC 950630 ltr re violation & deviation noted in insp repts 50-369/95-13 & 50-370/95-13. C/A: performed engineering tests & calculations immediately to characterize Train A YC chiller performance. MCMEKIN,T.C. Duke Power Co. 95/07/19. Document Control Branch (Document Control Desk). 4pp. 84875:358-84875:361.

R. Periodic operating reports & related correspondence

9507200109 Forwards monthly operating rept for June 1995 & revised monthly operating rept for May 1995 for McGuire Nuclear Station. WEBER,R.L. Duke Power Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84779:317-84779:329.

9507200112 Monthly operating rept for June 1995 for McGuire Nuclear Station. WILLIAMS,R.A. Duke Power Co. 95/06/30. 10pp. 84779:319-84779:328.

9507200184 Revised monthly operating rept for May 1995 for McGuire Nuclear Station. * Duke Power Co. 95/05/31. 1p. 84779:329-84779:329.

S. Reportable occurrences, LERs & related correspondence

9507120042 PNO-II-05-038: on 950628, all four EDG had been declared inoperable. Caused by installation of inappropriate diffuser plant in EDG turbochargers. State of NC has been notified. CARROLL,R. Region 2 (Post 820201). 95/06/28. 1p. 84575:056-84575:056.

9507120036 PNO-II-95-038A: update informing that util completed shutdown of Unit 1 IAW TS for inoperable EDG & mods to 2B EDG on 950629. EDG has been declared operable & licensee plans to complete repairs to 2A EDG & return to svc early on 950630. CARROLL,R. Region 2 (Post 820201). 95/06/29. 1p. 84574:280-84574:280.

9507110099 Part 21 rept re two failures of Model VTR 500 turbochargers supplied by ABB Turbo Systems Ltd. Failure of turbocharger renders associated EDG incapable of providing rated output. Seventeen hole jet assist wall plates replaced. MCMEKIN,T.C. Duke Power Co. 95/07/03. Document Control Branch (Document Control Desk). 8pp. 84662:047-84662:054.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1 101. VONK,M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507070472 Revised EPIPs, including LZP index & Rev 55 to LZP-1320-1, "Augmentation of Plant Staffing." * Commonwealth Edison Co. 95/06/19. 27pp. 84579:322-84579:348.

9507250111 Forwards util revised EP EALs. VONK,M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.

9507250152 Rev 6 to EPIP LZP-1170-2, "Assembly & Accountability of Personnel," & revised index. * Commonwealth Edison Co. 95/07/19. 18pp. 84828:257-84828:274.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF. JOHNSON,I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR. BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632:315-84632:315.

9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR. BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599:001-84599:257.

9507070341 Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996. BENES,G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.

9507070353 "BWR Transient Analysis Methods." FREEMAN,J.M. Commonwealth Edison Co. NFSR-0111 R00. 95/06/23. 200pp. 84599:003-84599:257.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept. RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507250012 Requests that ref GE ltr rept be considered for Cost Beneficial Licensing Action. Mislocated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased. BENES,G.G. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84828:333-84828:334.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, encl. KELLY,G.B. 95/07/20. 30pp. 84831:217-84831:246.

Q. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Incp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals. FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507180127 Forwards insp rept 50-373/95-04 & 50-374/95-04 on 950325-0511 & forwards notice of violation. CLAYTON,B. Region 3 (Post 820201). 95/06/30. QUEHIO,R.E. Commonwealth Edison Co. 3pp. 84781:295-84781:317.

9507180134 Notice of violation from insp on 950325-0511. Violation noted: operating procedure was not appropriate to circumstances in that it did not fully specify all valves to be tagged out of svc when isolating CRO HCU's. * Region 3 (Post 820201). 95/06/30. 2pp. 84781:298-84781:299.

9507180139 Insp repts 50-373/95-04 & 50-374/95-04 on 950325-0511. Violations noted. Major areas inspected: plant operations, maint, engineering, plant support & licensee actions on previous insp findings.
CLAYTON, B. Region 3 (Post 820201). 95/06/30. 18pp. 84781:300-84781:317.

R. Periodic operating reports & related correspondence

9507070122 "Effluent & Waste Disposal Semi-Annual Rept (1994), from Jan-Jun 1994." W/940829 ltr.
RAY, D.J. Commonwealth Edison Co. 94/06/30. 26pp. 84559:222-84559:247.

9507190349 Monthly operating repts for June 1995 for LaSalle Generating Station Units 1 & 2 W/950712 ltr.
CIALKOWSKI, M., RAY, D.J. Commonwealth Edison Co. 95/06/30. 17pp. 84785:333-84785:349.

S. Reportable occurrences, LERs & related correspondence

9507030176 Special rept on 950602, fire door 300 was inoperable for period greater than seven days.
RAY, D.J. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84561:185-84561:186.

9507070098 LER 95-009-01 on 950315, flood protection features not as described in UFSAR due to const deficiencies. Stationed operators in Unit 1 Division I & Division III CSCS-ECWS pump rooms as flood watches W/950630 ltr.
BUTH, D.J., RAY, D.J. Commonwealth Edison Co. 95/06/30. 8pp. 84578:303-84578:310.

9507100373 Special rept on 950807, Unit 1B DG started for monthly operability run & approx 10 seconds later, tripped due to operator error. Equipment Operator-in-Training counseled & surveillance performed satisfactorily.
RAY, D.J. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84631:355-84631:356.

9507240076 LER 95-011-00 on 950621, noted that firewatch/compensatory measure logs showed that TS hourly fire watches frequently performed at intervals exceeding 1 h. Caused by lack of mgt oversight. Security post orders revised W/950718 ltr.
VICKERS, R., RAY, D.J. Commonwealth Edison Co. 95/07/18. 5pp. 84821:089-84821:093.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G., HICE, D.D. Consumers Power Co. KANDA, W.R. Cleveland Electric Illuminating Co. 3pp. 84919:021-84919:023.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507070472 Revises LER 95-009-01 including LZR index & Rev 55 to LZR-1320-1, "Augmentation of Plant Safety."
Commonwealth Edison Co. 95/06/19. 27pp. 84579:322-84579:348.

9507250111 Forwards revised EP EALs.
VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.

9507250152 Rev 6 to EPIP LZR-1170-2, "Assembly & Accountability of Personnel," & revised index.
Commonwealth Edison Co. 95/07/19. 18pp. 84828:257-84828:274.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RA1 re proposed use of Corporate EOF as interim EOF.
JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 841001). 2pp. 84816:356-84816:357.

F. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060338 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632:315-84632:315.

9507060336 Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES, G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599:001-84599:257.

9507070341 Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to Jun. of 1996.
BENES, G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599:002-84599:002.

9507070353 "BWR Transient Analysis Methods."
FREEMAN, J.M. Commonwealth Edison Co. NFSR-0111 R00. 95/06/23. 200pp. 84599:003-84599:257.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING, M.A. Region 3 (Post 820201). 95/07/11. KOVACH, T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507240114 Concludes that util 950505 submittal of core shroud insp results for LaSalle County Station, Unit 2, sixth refueling outage (L2RO6), adequately fulfills commitment in util initial response to GL 94-03.
RECKLEY, W.D. 95/07/20. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84822:353-84822:355.

9507250012 Requests that ref GE ltr rept be considered for Cost Beneficial Licensing Action. Mislocated fuel bundle event will most likely become most limiting event on upcoming cycles if cycle lengths increased.
BENES, G.G. Commonwealth Edison Co. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84828:333-84828:334.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modular schedules & test details. List of participants, et al, encl.
KELLY, G.B. 95/07/20. 30pp. 84831:217-84831:246.

Q. Inspection reports, IE Bulletins & correspondence

9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR, D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507180127 Forwards insp rept 50-373/95-04 & 50-374/95-04 on 950325-0511 & forwards notice of violation.
CLAYTON, B. Region 3 (Post 820201). 95/06/30. QUERIC, R.E. Commonwealth Edison Co. 3pp. 84781:295-84781:317.

9507180134 Notice of violation from insp on 950325-0511. Violation noted: operating procedure was not appropriate to circumstances in that it did not fully specify all valves to be tagged out of svc when isolating CRD HCU's.
Region 3 (Post 820201). 95/06/30. 2pp. 84781:298-84781:299.

9507180139 Insp repts 50-373/95-04 & 50-374/95-04 on 950325-0511. Violations noted. Major areas inspected: plant operations, maint, engineering, plant support & licensee actions on previous insp findings.
CLAYTON, B. Region 3 (Post 820201). 95/06/30. 18pp. 84781:300-84781:317.

9507240114 Concludes that util 950505 submittal of core shroud insp results for LaSalle County Station, Unit 2, sixth refueling outage (L2RO6), adequately fulfills commitment in util initial response to GL 94-03.
RECKLEY, W.D. 95/07/20. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84822:353-84822:355.

R. Periodic operating reports & related correspondence

9507070122 "Effluent & Waste Disposal Semi-Annual Rept (1994), from Jan-Jun 1994." W/940829 ltr.
RAY, D.J. Commonwealth Edison Co. 94/06/30. 26pp. 84559:222-84559:247.

9507190349 Monthly operating repts for June 1995 for LaSalle Generating Station Units 1 & 2 W/950712 ltr.
CIALKOWSKI, M., RAY, D.J. Commonwealth Edison Co. 95/06/30. 17pp. 84785:333-84785:349.

S. Reportable occurrences, LERs & related correspondence

9507280104 Special rept on 950705, 2B DG tripped on loss of excitation due to fluctuations of VAR loading on grid.
RAY, D.J. Commonwealth Edison Co. 95/07/24. Document Control Branch (Document Control Desk). 1p. 84875:166-84875:166.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G., HICE, D.D. Consumers Power Co. KANDA, W.R. Cleveland Electric Illuminating Co. 3pp. 84919:021-84919:023.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507270395 Revised EPIPs, including rev 8 to EP-003-020, "Emergency Preparedness Drills & Exercises," & rev 14 change 3 to EP-002-050, "Offsite Dose Assessment." W/950721 ltr.
BURSKI, R.F. Entergy Operations, Inc. 95/07/03. 182pp. 84854:160-84854:340.

9507140035 Forwards insp rept 50-382/95-15 on 950613-16. No violations noted. Weakness noted re licensee response to fire, electrical design & maint provided for valves necessary for shutdown cooling. Actions taken re weakness noted in 950624 ltr.
CALLAN, L.J. Region 4 (Post 820201). 95/07/07. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 84625:153-84625:191.

-9507140038 Insp rept 50-382/95-15 on 950613-16.No violations noted. Major areas inspected:procedures & representative records, interviews w/personnel & observations by inspectors.
HUEY,F.R., GWYNN,T.P. Region 4 (Post 820201). 95/07/05. 34pp. 84625:158-84625:191.

P. Operating license stage documents & correspondence

9507060042 Forwards amend 108 to license NPF-38 & safety evaluation. Amend changes App A TSs by increasing allowable maximum enrichment for spent fuel pool & containment temporary storage rack.
PATEL,C.P. 95/06/11. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 84540:004-84540:016.

-9507060049 Amend 108 to license NPF-38,changing App A TSs by increasing allowable maximum enrichment for spent fuel pool & containment temporary storage rack from 4.1 to 4.9 weight percent U-235 when fuel assemblies contain fixed poisons.
PATEL,C.P. 95/06/14. 5pp. 84540:007-84540:011.

-9507060053 Safety evaluation supporting amend 108 to license NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 5pp. 84540:012-84540:016.

9507050386 Forwards HP-CALC-93-004, "Control Room Outside Air Intake Radiation Monitor Setpoint Calculation."
BURSKI,R.F. Entergy Operations, Inc. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84566:334-84566:351.

-9507050396 "Control Room Outside Air Intake Radiation Monitor Setpoint Calculation."
RAMLY,S., SICARD,P.A. Entergy Operations, Inc. HP-CALC-93-004. 93/08/20. 7pp. 84566:336-84566:351.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060235 Forwards "Basement Monitoring Program Rept 6," for May 1995.
BURSKI,R.F. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84617:108-84617:115.

-9507060237 "Basement Monitoring Program Rept 6."
* Entergy Operations, Inc. 95/05/31. 6pp. 84617:110-84617:115.

9507180193 Forwards amend 109 to license NPF-38 & safety evaluation. Amend changes TS by revising Administrative Controls Section of TS for Waterford 3 by removing functions under review & audit from TS & by relocating items in QAPM.
PATEL,C.P. 95/07/06. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 84696:307-84696:329.

-9507180211 Amend 109 to license NPF-38,changing TS by revising Administrative Controls Section of TS for Waterford 3 by removing functions under review & audit from TS & by relocating items in QAPM.
PATEL,C.P. 95/07/06. 15pp. 84696:310-84696:324.

-9507180216 Safety evaluation supporting amend 109 to license NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 5pp. 84696:325-84696:329.

9507140104 Requests addl info needed to complete review re TS change request to use Combustion Engineering welded tube sleeves at station.
PATEL,C.P. 95/07/11. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 84662:256-84662:259.

9507280251 Forwards EA & FONSI related to 931116 application for exemption.Proposed exemption would provide one-time interval extension for type A test from Sept 1995 to 1997 refueling outage.
PATEL,C.P. 95/07/14. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 84868:136-84868:142.

-9507280259 Environ assessment & finding of no significant impact re issuance of exemption from license NPF-38.Proposed action would provide one-time interval extension for type A test from Sept 1995 to 1997 refueling outage.
PATEL,C.P. 95/07/14. 4pp. 84868:139-84868:142.

9507280182 Submits suppl info re TS Change Request NPF-38-150,replacing pages previously provided in Attachment B of TS Change Request NPF-38-150 dtd 940214 to update TS consistent w/ revised regulations of 10CFR20,per conversation w/NRC.
BURSKI,R.F. Entergy Operations, Inc. 95/07/25. Document Control Branch (Document Control Desk). 3pp. 84875:247-84875:255.

-9507280186 Proposed tech specs consistent w/revised regulations of 10CFR20.
* Entergy Operations, Inc. 95/07/25. 6pp. 84875:250-84875:255.

9507280194 Suppl to TS Change Request NPF-38-160 to License NPF-38, revising TS SRs 4.4.2.1,4.4.2.2 & 4.7.1.1 to include as left setting requirement for pressurizer & main steam line code safety valves consistent w/revised C-E STS (NUREG-1432).
BURSKI,R.F. Entergy Operations, Inc. 95/07/25. Document Control Branch (Document Control Desk). 3pp. 84875:256-84875:263.

-9507280195 Proposed TS SRs,incorporating as left setting requirement for pressurizer & main steam line code safety valves.
* Entergy Operations, Inc. 95/07/25. 5pp. 84875:259-84875:263.

9507280199 TS Change Request NPF-38-168 to License NPF-38,modifying TS 3.5.2 to allow up to seven days to restore low pressure safety injection pump operability.
BARKHURST,R.P. Entergy Operations, Inc. 95/07/26. Document Control Branch (Document Control Desk). 8pp. 84875:264-84875:278.

-9507280201 Proposed Tech Specs 3.5.2,allowing up to seven days to restore low pressure safety injection pump operability.
* Entergy Operations, Inc. 95/07/26. 7pp. 84875:272-84875:278.

9507280203 TS Change Request NPF-38-167 to License NPF-38,incorporating provisions into TS 3.9.4,allowing containment PAL & equipment doors in containment bldg to be open under strict administrative controls during core alterations.
BARKHURST,R.P. Entergy Operations, Inc. 95/07/26. Document Control Branch (Document Control Desk). 15pp. 84875:279-84875:300.

-9507280204 Proposed Tech Specs 3.9.4,allowing containment PAL & equipment doors in containment bldg to be open under strict administrative controls during core alterations or movement of irradiated fuel.
* Entergy Operations, Inc. 95/07/26. 7pp. 84875:294-84875:300.

9507280207 TS Change Request NPF-38-169 to License NPF-38,modifying TS 3.8.1.1 & associated bases by extending EDG allowed outage time from 72 h to seven days,w/addl once-per-refueling cycle 10 day AOT for maint purposes.
BARKHURST,R.P. Entergy Operations, Inc. 95/07/26. Document Control Branch (Document Control Desk). 9pp. 84902:101-84902:114.

-9507280209 Proposed Tech Specs 3.8.1.1 & associated bases,extending EDG allowed outage time from 72 h to seven days,w/addl once-per-refueling cycle 10 day AOT for maint purposes.
* Entergy Operations, Inc. 95/07/26. 5pp. 84902:110-84902:114.

9507280233 TS Change Request NPF-38-170 to License NPF-38,modifying TS 3.5.1 to allow up to 24 h to restore safety injection tank (SIT) operability if SIT inoperable due to level &/or pressure outside prescribed limits.
BARKHURST,R.P. Entergy Operations, Inc. 95/07/26. Document Control Branch (Document Control Desk). 9pp. 84902:115-84902:130.

-9507280242 Proposed Tech Specs 3.5.1 re safety injection tank operability.
* Entergy Operations, Inc. 95/07/26. 7pp. 84902:124-84902:130.

9507310153 Application for amend to license NPF-38,requesting changes to Bases 3/4.6.2,depressurization & cooling sys,Bases 3/4.7.1.2,EFWS & Bases 3/4.8,electrical power sys.
BURSKI,R.F. Entergy Operations, Inc. 95/07/26. Document Control Branch (Document Control Desk). 3pp. 84903:163-84903:173.

-9507310154 Proposed tech specs Bases 3/4.6.2,depressurization & cooling sys,Bases 3/4.7.1.2,EFWS & Bases 3/4.8,electrical power sys.
* Entergy Operations, Inc. 95/07/26. 8pp. 84903:166-84903:173.

Q. Inspection reports, IE Bulletins & correspondence

9507120170 Notices of closure of investigation case numbers 4-93-031 & 4-94-16 re concern that QA records had been falsified.
BEACH,A.B. Region 4 (Post 820201). 95/03/13. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84576:045-84576:049.

9507310039 Discusses 950623 Public SALP meeting re results of SALP Cycle 15 assessment of NRC insp rept 50-382/95-99.
DYER,J.L. Region 4 (Post 820201). 95/06/21. BARKHURST,R.P. Entergy Operations, Inc. 36pp. 84843:129-84843:163.

9507110028 Comments on proposed rule re, "Review of NRC Insp Rept Content,Format & Style."
* Entergy Operations, Inc. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 820323). 5pp. 84557:074-84557:078.

9507070296 Submits response to violations noted in Insp Rept 50-382/95-04.Procedure UNT-005-013 will be revised to provide guidance explaining purpose of compensatory measure of recording hourly containment fan cooler intake temps.
BURSKI,R.F. Entergy Operations, Inc. 95/07/05. Document Control Branch (Document Control Desk). 5pp. 84619:333-84619:337.

9507140035 Forwards insp rept 50-382/95-15 on 950613-16.No violations noted.Weakness noted re licensee response to fire,electrical design & maint provided for valves necessary for shutdown cooling.Actions taken re weakness noted in 950624 ltr.
CALLAN,L.J. Region 4 (Post 820201). 95/07/07. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84625:153-84625:191.

-9507140038 Insp rept 50-382/95-15 on 950613-16.No violations noted. Major areas inspected:procedures & representative records, interviews w/personnel & observations by inspectors.
HUEY,F.R., GWYNN,T.P. Region 4 (Post 820201). 95/07/05. 34pp. 84625:158-84625:191.

9507170051 Forwards insp rept 50-382/95-05 on 950430-0610 & NOV. Improper storage of scaffold boards & health physics storage lockers in RAB had potential to prevent remote operation of FP valve & CCW valve.
DYER,J.E. Region 4 (Post 820201). 95/07/10. BARKHURST,R.P. Entergy Operations, Inc. 6pp. 84755:254-84755:285.

-9507170059 Notice of violation from insp on 950430-0610.Violation noted:mechanics failed to sufficiently lubricate motor-to-pump coupling on containment spray pump B.
* Region 4 (Post 820201). 95/07/10. 2pp. 84755:280-84755:281.

-9507170067 Insp rept 50-382/95-05 on 950430-0610.Violation noted:Major areas inspected:plant status,operations,maintenance & surveillance observations,balance of plant,plant support activities,on-site engineering & corrective action followup.
VANDENBURGH,C. Region 4 (Post 820201). 95/07/07. 24pp. 84755:262-84755:285.

9507240005 Responds to 950519 ltr re insp 50-382/95-13 & NOV.Determined that examples 3.4 & 5 of violation 382/9513-03 should not have been included in NOV & informed that review of cor.active actions will be conducted during future ltr.
GWYNN,T.P. Region 4 (Post 820201). 95/07/14. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84751:029-84751:033.

9507210160 Responds to SALP rept for period of 931031-950429.Licensee recognizes effort & resources expended in overall performance assessment process.
BARKHURST,R.P. Entergy Operations, Inc. 95/07/19. CALLAN,L.J. Region 4 (Post 820201). 97pp. 84821:133-84821:229.

R. Periodic operating reports & related correspondence

9507190331 Monthly operating rept for June 1995 for Waterford 3. W/950714 ltr.
FREEMAN,D.S., BURSKI,R.F. Entergy Operations, Inc. 95/06/30. 7pp. 84790:247-84790:253.

5. Reportable occurrences, LERs & related correspondence

- 9507100356** Summary of operating reactor events meeting 95-10 on 950621. List of attendees, significant elements of discussed events & reactor scram statistics encl. CHAFFEE, A.E. 95/06/27. GRIMES, B.K. 25pp. 84586:265-84586:289.
- 9507110123** Special Rept SR-94-001-01 on 940228 & 0302. EDG A experienced nonvalid failures due to worn mechanical governor parts. Mechanical governor & faulty relay replaced & procedure OP-009-02, "EDG" revised. KEUTER, D.R. Entergy Operations, Inc. 95/07/07. Document Control Branch (Document Control Desk). 5pp. 84695:001-84695:005.
- 9507110182** LER 95-002-00 on 950610, C phase lightning arrester on substation transformer & RT occurred due to low departure from nucleate boiling ratio. Extinguished fire & placed plant in safe condition. W/950707 ltr. VINCI, D.W., KEUTER, D.R. Entergy Operations, Inc. 95/07/07. 19pp. 84662:018-84662:037.
- 9507210322** Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.
- 9507270117** PNO-IV-95-033 on 950720, offsite chemical release occurred at Koch Industries facility. Caused by flare extinguished & created airborne chemical health hazard. Resident inspector continues to monitor event. FORD, E., PICK, G. Region 4 (Post 820201). 95/07/20. 2pp. 84814:355-84814:356.
- 9507250127** LER 95-003-00 on 950612, identified that as-found set pressures of valves outside of allowable tolerance. Cause believed to be due to inadequate control of valves in pre-installation process. Procedure revised. W/950721 ltr. HOFFPAJUR, J.G., KEUTER, D.R. Entergy Operations, Inc. 95/07/21. 8pp. 84832:031-84832:039.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9507050247** Advises that 950214 Rev HH to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan. JOYNER, J.H. Region 1 (Post 820201). 95/06/21. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84570:274-84570:276.
- 9507180002** Summarizes 950516 mgt meeting re util upcoming full-participation emergency preparedness exercise, corrective actions taken for siren failures & action plan W/copy of meeting notice encl. JOYNER, J.H. Region 1 (Post 820201). 95/07/07. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 84785:245-84785:249.
- 9507170334** Documents response to verbal questions from NRC on util move of EOF to Northeast Division Headquarters. BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84772:359-84772:360.

K. Utility Final Safety Analysis Report (FSAR) & amendments

- 9507070292** Corrections to Rev 48 to FSAR for Susquehanna SES Units 1 & 2. * Pennsylvania Power & Light Co. 95/06/07. 151pp. 84622:120-84622:270.

P. Operating license stage documents & correspondence

- 9507030044** Forwards amends 147 & 117 to licenses NPF-14 & NPF-22, respectively & SE. Amends delete from TS, surveillance & operability requirements for chlorine detection & associated Bases. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84516:145-84516:160.
- 9507030050** Amends 147 & 117 to licenses NPF-14 & NPF-22, respectively, deleting from TS, surveillance & operability requirements for chlorine detection & associated Bases. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. 10pp. 84516:148-84516:157.
- 9507030053** Safety evaluation supporting amends 147 & 117 to licenses NPF-14 & NPF-22, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 3pp. 84516:158-84516:160.
- 9507070005** Forwards final SE which concludes that sys used to cool spent fuel storage pool, adequate to prevent unacceptable challenges to safety related sys protecting health & safety of public. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 84540:078-84540:190.
- 9507070006** Final safety evaluation concluding that sys used to cool spent fuel storage pool, adequate to prevent unacceptable challenges to safety related sys needed to protect health & safety of public during design basis accidents. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 108pp. 84540:082-84540:190.
- 9506280062** Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507170184** Forwards proprietary details re NDE concerns at SSES for review & follow-up. Encl withheld per 10CFR2.790. COOPER, R.W. Region 1 (Post 820201). 95/07/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84747:359-84747:360.
- 9507170237** Forwards latest approved rev to NPOES Permit PA-0047325. BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 41pp. 84747:248-84747:288.

9507200270 Forwards correction of biweekly notice which corrects plant Unit 2 re listing of three RHR sys valves in Table 3.6.3-1 application dtd 950505. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 84750:349-84750:352.

9507200274 Correction to FR 950705 notice. Notice should read Unit 2, rather than Unit 1. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. 2pp. 84750:351-84750:352.

9507180309 Forwards amends 148 & 118 to licenses NPF-14 & NPF-22, respectively & SE. Amends remove from facility unit 1 & 2 TS, response time limit table 3.3.1-2.3.3.2-3 & 3.3.3-3. POSLUSNY, C. Project Directorate I-2 (PD1-2) Post 941001. 95/07/11. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84696:190-84696:220.

9507180316 Amends 148 & 118 to licenses NPF-14 & NPF-22, respectively, removing from TSs, response time limit tables 3.3.1-2.3.3.2-3 & 3.3.3-3. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/11. 24pp. 84696:193-84696:216.

9507180322 Safety evaluation supporting amends 148 & 118 to licenses NPF-14 & NPF-22, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 4pp. 84696:217-84696:220.

9507210025 Forwards info received by NRC re concerns at plant & requests results of review & disposition of matter W/c encl. COOPER, R.W. Region 1 (Post 820201). 95/07/14. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 84738:051-84738:054.

Q. Inspection reports, IE Bulletins & correspondence

- 9507100396** Forwards Insp Repts 50-387/95-15 & 50-388/95-15 on 950612-15. No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 95/07/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84692:021-84692:034.
- 9507100397** Insp Repts 50-387/95-15 & 50-388/95-15 on 950612-15. No violations noted. Major areas inspected: radiological controls program, including external dose monitoring, control of contamination & temporary shielding criteria. RAGLAND, R.C., BORES, R.J. Region 1 (Post 820201). 95/07/03. 11pp. 84692:024-84692:034.
- 9507280011** Discusses 950606 ltrs in response to NRC 950509 correspondence. Informs that NRC does not concur w/stated disagreement re deliberate nature of recipient conduct & only info concerning personal nature can be withheld re NOV. JOYNER, J.H. Region 1 (Post 820201). 95/07/21. ZDANAVAGE, D.R. Affiliation Not Assigned. 2pp. 84831:014-84831:023.

R. Periodic operating reports & related correspondence

- 9507190342** Monthly operating repts for June 1995 for SSES Units 1 & 2. W/950714 ltr. BALL, R.S., BYRAM, R.G. Pennsylvania Power & Light Co. 95/06/30. 9pp. 84769:259-84769:267.
- 9507250075** "Generator Quarterly Hazardous Waste Rept." for Susquehanna Steam Electric Station Units 1 & 2 for second quarter of 1995. W/950719 ltr. STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co. 95/06/30. 6pp. 84828:303-84828:308.

5. Reportable occurrences, LERs & related correspondence

9507070479 LER 95-009-00 on 950602, B reactor recirculation pump motor-generator set stops exceeded criteria of TS 4.4.1.1.2. Set stops reset below TS limits. W/950703 ltr. KICHLINE, R.D., STANLEY, H.G. Pennsylvania Power & Light Co. 95/07/03. 5pp. 84578:344-84578:348.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

- 9507050247** Advises that 950214 Rev HH to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan. JOYNER, J.H. Region 1 (Post 820201). 95/06/21. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84570:274-84570:276.
- 9507180002** Summarizes 950516 mgt meeting re util upcoming full-participation emergency preparedness exercise, corrective actions taken for siren failures & action plan W/copy of meeting notice encl. JOYNER, J.H. Region 1 (Post 820201). 95/07/07. BYRAM, R.G. Pennsylvania Power & Light Co. 5pp. 84785:245-84785:249.
- 9507170334** Documents response to verbal questions from NRC on util move of EOF to Northeast Division Headquarters. BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 2pp. 84772:359-84772:360.

K. Utility Final Safety Analysis Report (FSAR) & amendments

- 9507070292** Corrections to Rev 48 to FSAR for Susquehanna SES Units 1 & 2. * Pennsylvania Power & Light Co. 95/06/07. 151pp. 84622:120-84622:270.

98 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9507030044 Forwards amends 147 & 117 to licenses NPF-14 & NPF-22, respectively & SE Amends delete from TS surveillance & operability requirements for chlorine detection & associated bases.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84516:145-84516:180.

9507030050 Amends 147 & 117 to licenses NPF-14 & NPF-22, respectively, deleting from TS surveillance & operability requirements for chlorine detection & associated bases.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. 10pp. 84516:148-84516:157.

9507030053 Safety evaluation supporting amends 147 & 117 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 3pp. 84516:158-84516:160.

9507070005 Forwards final SE which concludes that sys used to cool spent fuel storage pool adequate to prevent unacceptable challenges to safety related sys protecting health & safety of public.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/19. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 84540:078-84540:190.

9507070006 Final safety evaluation concluding that sys used to cool spent fuel storage pool adequate to prevent unacceptable challenges to safety related sys needed to protect health & safety of public during design basis accidents.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 108pp. 84540:082-84540:190.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507170184 Forwards proprietary details re NDE concerns at SSES for review & follow-up. Encl withheld per 10CFR2.790.
COOPER, R.W. Region 1 (Post 820201). 95/07/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84747:359-84747:360.

9507170237 Forwards latest approved rev to NPDES Permit PA-0047325.
BYRAM, R.G. Pennsylvania Power & Light Co. 95/07/10. Document Control Branch (Document Control Desk). 41pp. 84747:248-84747:288.

9507200270 Forwards correction of biweekly notice which corrects plant Unit 2 re listing of three RHR sys valves in Table 3.6.3-1 application dtd 950505.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. BYRAM, R.G. Pennsylvania Power & Light Co. 2pp. 84750:349-84750:352.

9507200274 Correction to FR 950705 notice. Notice should read Unit 2, rather than Unit 1.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/10. 2pp. 84750:351-84750:352.

9507180309 Forwards amends 148 & 118 to licenses NPF-14 & NPF-22, respectively & SE Amends removes from facility unit 1 & 2 TS, response time limit table 3.3.1-2, 3.3.2-3 & 3.3.3-3.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/11. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84696:190-84696:220.

9507180316 Amends 148 & 118 to licenses NPF-14 & NPF-22, respectively, removing from TS, response time limit tables 3.3.1-2, 3.3.2-3 & 3.3.3-3.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/07/11. 24pp. 84696:193-84696:216.

9507180322 Safety evaluation supporting amends 148 & 118 to licenses NPF-14 & NPF-22, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 4pp. 84696:217-84696:220.

9507210025 Forwards info received by NRC re concerns at plant & requests results of review & disposition of matter w/o encl.
COOPER, R.W. Region 1 (Post 820201). 95/07/14. BYRAM, R.G. Pennsylvania Power & Light Co. 4pp. 84738:051-84738:054.

Q. Inspection reports, IE Bulletins & correspondence

9507100396 Forwards Insp Repts 50-387/95-15 & 50-388/95-15 on 950612-15. No safety concerns or violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/03. BYRAM, R.G. Pennsylvania Power & Light Co. 3pp. 84692:021-84692:034.

9507100397 Insp Repts 50-387/95-15 & 50-388/95-15 on 950612-15. No violations noted. Major areas inspected: radiological controls program, including external dose monitoring, control of contamination & temporary shielding criteria.
RAGLAND, R.C., BORES, R.J. Region 1 (Post 820201). 95/07/03. 11pp. 84692:024-84692:034.

9507280011 Discusses 950606 ltrs in response to NRC 950509 correspondence. Informs that NRC does not concur w/ stated disagreement re deliberate nature of recipient conduct & only info concerning personal nature can be withheld re NOV.
JOYNER, J.H. Region 1 (Post 820201). 95/07/21. ZDANAVAGE, D.R. Affiliation Not Assigned. 2pp. 84831:014-84831:023.

R. Periodic operating reports & related correspondence

9507190342 Monthly operating repts for June 1995 for SSES Units 1 & 2. W/950714 ltr.
BALL, R.S., BYRAM, R.G. Pennsylvania Power & Light Co. 95/06/30. 9pp. 84769:259-84769:267.

9507250075 "Generator Quarterly Hazardous Waste Rept." for Susquehanna Steam Electric Station Units 1 & 2 for second quarter of 1995 W/950719 ltr.
STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co. 95/06/30. 6pp. 84826:303-84826:308.

S. Reportable occurrences, LERs & related correspondence

9507110198 Forwards LER 95-008 shift average thermal power level for Unit 2 was exceeded by up to 4 MWt during Unit 2 Cycle 7 operation as result of instrumentation problems.
STANLEY, H.G. Pennsylvania Power & Light Co. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84662:012-84662:017.

9507110204 LER 95-008-00 on 950609, shift average licensed core thermal power was exceeded. Caused by failed instrumentation drift. Repaired & recalibrated subject instrumentation.
WEHRY, R.R. Pennsylvania Power & Light Co. 95/07/07. 5pp. 84662:013-84662:017.

9507240334 Forwards LER 94-005-01. Rept suppl LER 94-005-00 per 10CFR50.73(a)(2)(i)(A) in that TS required shutdown completed following failure of instrument line excess flow check valve during surveillance testing.
STANLEY, H.G. Pennsylvania Power & Light Co. 95/07/20. Document Control Branch (Document Control Desk). 1p. 84821:110-84821:113.

9507240345 LER 94-005-01 on 940314, TS required shutdown completed due to failure of excess flow check valve during surveillance testing. Exact cause of failure could not be determined. Defective valve replaced.
WEHRY, R.R. Pennsylvania Power & Light Co. 95/07/20. 3pp. 84821:111-84821:113.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507120073 Forwards Rev 17 of St Lucie Guard Training & Qualification Plan. Encl withheld.
SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84669:056-84669:356.

9507120081 Forwards Rev 45 to St Lucie Physical Security Plan. Encl withheld per 10CFR73.21.
SAGER, D.A. Florida Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84696:068-84696:068.

9507180210 Rev 6 to EPIP HP-204, "In-Plant Radiation & Contamination Surveys During Emergencies." W/950712 ltr.
SAGER, D.A. Florida Power & Light Co. 95/07/12. 45pp. 84785:285-84785:329.

9507250006 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
BOHLKE, W.H. Florida Power & Light Co. 95/07/13. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787:009-84787:009.

9507260098 Advises that 950706 rev 45 to physical security plan & rev 17 to training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS, D.M. Region 2 (Post 820201). 95/07/20. Florida Power & Light Co. 3pp. 84837:343-84837:345.

G. Adjudicatory correspondence

9507100145 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-07 in listed docket has expired. Decision became final agency action on 950606. W/Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 16862. 95/06/29. Saporito, T.J. Saporito, T.J. 2pp. 84538:343-84538:344.

H. General correspondence

9507210031 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
BOHLKE, W.H. Florida Power & Light Co. 95/07/10. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84738:057-84738:057.

M. Antitrust correspondence

9507100104 Informs that time provided by NRC regulation within which Commission may act to review Director's decision DD-95-10 in docket has expired. Decision became final on 950620. W/Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 16865. 95/06/29. JABLON, R.A. Spiegel & McDiarmid. 2pp. 84538:331-84538:332.

P. Operating license stage documents & correspondence

9507030219 Forwards recent change to plant safety policy re use of protective footwear. Plant policies governing safety hat & eye protection usage while on site also encl.
SAGER, D.A. Florida Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 4pp. 84556:357-84556:360.

9507050069 Forwards dune survey rept for beach at St Lucie Plant.
SAGER, D.A. Florida Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84563:354-84563:355.

9507110019 Comment opposing proposed GL "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protection Sys Limits."
BOHLKE, W.H. Florida Power & Light Co. 95/06/27. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:052-84557:053.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070067 Forwards amends 136 & 78 to licenses DPR-67 & NPF-16 & safety evaluation. Amends incorporate line-item TS improvements to Spec 3/4.8.1, "Electrical Power Sys-AC Sources" & 4.8.1.2.2, "Electrical Power Sys Shutdown." NORRIS, J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84555:154-84555:194.

-9507070077 Amends 136 & 78 to licenses DPR-67 & NPF-16, respectively, revising TS 3/4.8.1, "Electrical Power Sys-AC Sources" & 4.8.1.2.2, "Electrical Power Sys-Shutdown." per NUREG-1366 & GLs 93-05 & 94-01. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/29. 29pp. 84555:156-84555:184.

-9507070080 Safety evaluation supporting amends 136 & 78 to licenses DPR-67 & NPF-16, respectively. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/29. 10pp. 84555:185-84555:194.

G. Inspection reports, IE Bulletins & correspondence

9507050101 Forwards SE accepting second 10-yr interval inservice insp program plan 19 re insulated component visual exams. Technical evaluation ltr re INEL assistance also encl. NORRIS, J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/21. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84516:181-84516:188.

-9507050104 Safety evaluation accepting second 10-yr interval inservice insp program plan 19 re visual exam of insulated components. Technical ltr re INEL assistance also encl. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 6pp. 84516:183-84516:188.

9507120108 Forwards insp repts 50-335/95-10 & 50-389/95-10 on 950430-0603. Violations noted will not be subj to EA due to fact that licensee efforts in identifying &/or correcting violations meet specified criteria. LANDIS, K.D. Region 2 (Post 820201). 95/06/23. GOLDBERG, J. Florida Power & Light Co. 3pp. 84575:312-84575:351.

-9507120115 Insp repts 50-335/95-10 & 50-389/95-10 on 950430-0603. No violations noted. Major areas inspected: operations review, maint observations, surveillance observations, engineering support, plant support & other areas. PREVATI, E.R., LANDIS, K. Region 2 (Post 820201). 95/06/23. 35pp. 84575:316-84575:351.

9507060404 Forwards response to violations noted in Insp Rept 50-389/95-05. Corrective actions: electrical maint replaced thermal overload heaters in 2A5 MCC w/Model 123F114C & 2AA battery charger returned to svc on 950428. GOLDBERG, J.H. Florida Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84599:328-84599:331.

9507110013 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style." BOHLKE, W.H. Florida Power & Light Co. 95/06/27. MEYERS, D. Rules & Directives Review Branch (Post 920323). 6pp. 84557:039-84557:044.

9507120184 Forwards insp repts 50-335/95-11 & 50-389/95-11 on 950530-0602. No violations or deviations noted. BARR, K.P. Region 2 (Post 820201). 95/06/27. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84576:050-84576:063.

-9507120192 Insp repts 50-335/95-11 & 50-389/95-11 on 950530-0602. No violations noted. Major areas inspected: licensee RIP program made to review implementation of revised 10CFR20 requirements. PARKER, B.A., RANKER, W.H. Region 2 (Post 820201). 95/06/26. 11pp. 84576:053-84576:063.

9507100383 Forwards info requested by NRC 950609 ltr to support NRC approval of util evaluation of flaw indications & subsequent ISI plans submitted by util 950302 ltr. SAGER, D.A. Florida Power & Light Co. 95/07/07. Document Control Branch (Document Control Desk). 7pp. 84692:215-84692:221.

9507140230 Acks 950627 response to notice of violation issued 950606, re activities conducted on St Lucie facility. CASTO, C.A. Region 2 (Post 820201). 95/07/07. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84761:126-84761:128.

R. Periodic operating reports & related correspondence

9507190341 Monthly operating repts for June 1995 for St Lucie Units 1 & 2. W/950711 ltr. ROGERS, J.A., SAGER, F.A. Florida Power & Light Co. 95/06/30. 9pp. 84789:346-84789:354.

S. Reportable occurrences, LERs & related correspondence

9507170022 PNO-II-95-039 on 950709 report utility vehicle drove through owner controlled area & into discharge canal near beach head wall. Caused by occupants looking for place to surf. No threat to plant safety. SCHIN, R. Reg on 2 (Post 820201). 95/07/10. 1p. 84650:343-84650:343.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/5BD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Lanitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9507180026 Ltr contract, mod 6, task order 9, providing incremental funding in listed amount to, "Technical Assistance for Watts Bar Pre-Operational & Start-Up Test, Test Procedure Review & Evaluation & Closure to Test Deficiencies." WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/05. LOFY, R.A. PARAMETER, Inc. 2pp. 84727:001-84727:002.

9507180132 Ltr contract, Mod 7 to task order 17, providing incremental funding, to "Technical Assistance for Watts Bar Operational Readiness Evaluation." WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/06/05. LOFY, R.A. Paramount Supply Co. 2pp. 84696:345-84696:346.

9507100050 Discusses two issues inadequately addressed in Final Environ Statement, Suppl 1, re operation of Watts Bar NPP. MUELLER, H.J. Environmental Protection Agency. 95/06/15. Rules & Directives Review Branch (Post 920323). 6pp. 84649:353-84649:358.

9507110042 Summarizes 950619 meeting w/util in Atlanta, GA re motor-operated valve program status & work completion plan between hot functional test 2 & fuel loading. List of attendees & slides encl. JAUDON, J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY, O.D. Tennessee Valley Authority. 39pp. 84557:190-84557:228.

9507110100 Summarizes 950615 meeting at Watts Bar site re changes to site corrective action program & plan for change-over from construction program to operations program. JAUDON, J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY, O.D. Tennessee Valley Authority. 10pp. 34557:263-84557:272.

9507050230 Notification of 950629 meeting w/util in Rockville, MD to discuss technical issues re electrical separation requirements at unit 1. TAM, P.S. 95/06/27. HEBDON, F.J. 3pp. 84530:182-84530:184.

9507060201 Requests add info needed to meet proposed fuel loading date of 950924 re P/T limit rept & accompanying Westinghouse Owners Group WCAP-14040. TAM, P.S. 95/06/27. KINGSLEY, O.D. Tennessee Valley Authority. 5pp. 84536:241-84536:245.

9507060239 Provides 60 day response to GL 95-03, "Circumferential Cracking of SG Tubes" for Watts Bar Unit 1. BARON, R.R. Tennessee Valley Authority. 95/06/27. Document Control Branch (Document Control Desk). 15pp. 84617:064-84617:078.

9507060073 Forwards "Reasonable Assurance Assessment Rept." providing results of assessment conducted in late Jan 1995 of plant readiness to load fuel & begin operations, per request. MEDFORD, M.O. Tennessee Valley Authority. 95/06/28. Document Control Branch (Document Control Desk). 5pp. 84626:003-84627:302.

-9507060077 "Reasonable Assurance Assessment Rept." MEDFORD, M.O., BARON, R.R., SCHOFIELD, B.S. Tennessee Valley Authority. 95/06/28. 65pp. 84626:008-84627:302.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507060090 Requests NRC authorization to waive requirements for testing presaturizer safety valves within six months of initial fuel load. ZERINGUE, O.J. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 3pp. 84599:358-84599:360.

9507060128 Summary of 950623 meeting w/util representatives in Rockville, MD to discuss status needed actions & schedule of TS for util unit 1. BUGGS, M. 95/06/29. 5pp. 84536:163-84536:167.

9507170006 Discusses NRC 950612 ltr announcing NRC meeting w/util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at util facilities. JAUDON, J.P. Region 2 (Post 820201). 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 84650:296-84650:301.

9507070052 Summary of 950623 meeting w/TVA in Rockville, MD re Radwaste Management Sys of Watts Bar. List of participants encl. BUGGS, M. 95/07/03. 4pp. 84555:122-84555:125.

9507110253 Ack receipt of 950522 ltr transmitting Fish & Wildlife Svc comments on plant draft EPP. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/07/03. WINFORD, D.B. Interior, Dept. of, Fish & Wildlife Service. 5pp. 84616:276-84616:280.

9507110339 Summary of 950629 meeting w/TVA in Rockville, MD re electrical separation requirements at WBN Unit 1. BUGGS, M. 95/07/06. 6pp. 84587:194-84587:201.

9507110329 Requests that encl JM Taylor 950705 memo to chairman be classified as publicly available. TAM, P.S. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84587:147-84587:193.

-9507110334 Forwards draft rept re licensing status of Watts Bar, Unit 1 & restart of Browns Ferry, Unit 3. TAYLOR, J. Ofc of the Executive Director for Operations. 95/07/05. THE CHAIRMAN, JACKSON, S.A., ROGERS, Commissioners (Post 750119). 46pp. 84587:148-84587:193.

9507120352 Forwards agenda for site audit of structures & civil engineering features, scheduled for 950718-19. Scope of audit limited to category I structures & related areas, such as equipment anchors in concrete & settlement of structures. TAM, P.S. 95/07/10. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84625:336-84625:339.

100 DOCKETED ITEMS

- 9507210116** Informs of NRC plan to perform site structural audit on 950718-19 as part of efforts to assure that physical conditions of plant structures & related civil engineering features acceptable for operating license.
TAM,P.S. 95/07/10. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84754:090-84754:093.
- 9507170290** Notification of 950718-19 meeting w/TVA in Rockville,MD to discuss open issues in final draft of Watts Bar Unit 1 TS.
TAM,P.S. 95/07/11. HEBDON,F.J. 3pp. 84669:331-84669:333.
- 9507180364** Discusses status of plant MOV program developed in accordance w/recommendations & schedule of GL 89-10, "Safety-Related MOV Testing & Surveillance."
SCARBROUGH,T.G. 95/07/12. WESSMAN,R.H. 17pp. 84725:280-84725:296.
- 9507180390** Identifies tests & activities which demonstrated operability of WBN Unit 1 fuel handling & vessel servicing equipment.
BARON,R.R. Tennessee Valley Authority. 95/07/13. Document Control Branch (Document Control Desk). 8pp. 84765:339-84765:345.
- 9507200028** Notification of 950720 meeting w/TVA in Rockville,MD to discuss technical issues concerning Watts Bar Unit 1 P/T limit methodology.
TAM,P.S. 95/07/13. HEBDON,F.J. 3pp. 84739:344-84739:346.
- 9507210068** Supp's info provided in response to 841202 ltr re RHR sys testing during hot functional testing. Encl 2 summarizes new commitment made in submittal.
ZERINGUE,O.J. Tennessee Valley Authority. 95/07/13. Document Control Branch (Document Control Desk). 5pp. 84811:311-84811:314.
- 9507200099** Forwards revised response to TVA 900712 ltr re GL 88-14. Revised response required since util identified addl components that did not have local air sys filters as required by design.
BARON,R.R. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 10pp. 84799:350-84799:359.
- 9507200130** Provides final part of agreed three part response re status of safety issues at Watts Bar Unit 1, including update to summary tables shown in NRC final rept as Tables 4.2.5.2,6.2 & 7.2 & revises status of GSI 70 provided in 950614 ltr.
BARON,R.R. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 28pp. 84779:265-84779:292.
- 9507260117** Summarizes 950707 mgt meeting w/util in Spring City,TN re Watts Bar plant status & associated on-going activities. List of attendees & handout info matl supplied by util encl.
JAUDON,J.P. Region 2 (Post 820201). 95/07/17. KINGSLEY,O.D. Tennessee Valley Authority. 41pp. 84793:274-84793:314.
- 9507250164** Describes changes in loose parts monitoring sys & associated changes to commitments provided in TVA 820225 & 1110 ltrs.
BARON,R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84827:357-84827:360.
- 9507250090** Forwards minor revs to RG 1.97 variables table provided in TVA 950421 ltr to NRC, as discussed in 950608 & 0706 telcons. Draft FSAR revs to Table 7.5-2 also encl. FSAR will be amended to include changes in Amend 90.
BARON,R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 18pp. 84828:146-84828:163.
- 9507250311** Followup to 950714 telcon to discuss apparent discrepancy in SER Suppl 6.
BARON,R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84835:261-84835:262.
- 9507280215** Summary of 950620 meeting w/util re factual content of NRC draft rept on plant QA program. List of attendees encl.
THADANI,M.C. Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. Office of Nuclear Reactor Regulation (Post 941001). 125pp. 84859:175-84859:301.
- 9507210129** Forwards audit rept re issue of modeling of coupled internal concrete structures-nuclear steam supply sys raised by staff in review of Chapter 3 of plant FSAR amend 79.
TAM,P.S. 95/07/19. KINGSLEY,O.D. Tennessee Valley Authority. 13pp. 84764:082-84764:094.
- 9507240324** Submits RAI re TVA organization topical rept, rev 6. Requests response by 950818.
HEBDON,F.J. 95/07/20. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.
- 9507250312** Forwards nonproprietary WCAP-14420 & proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar," in response to NRC 950308 RAI on subj. Proprietary WCAP-14419 withheld per 10CFR2.790.
BARON,R.R. Tennessee Valley Authority. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84851:024-84851:072.
- 9507250313** Nonproprietary "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar."
MOOMAU,W.H., TULEY,C.R. Westinghouse Electric Corp. WCAP-14420. 95/06/30. 36pp. 84851:027-84851:063.
- 9507250314** Requests that proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/06. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 84851:064-84851:072.
- 9507280128** Forwards response to NRC comments discussed in 950623 meeting in Rockville,MD re radwaste mgt sys, FSAR Chapter 11.
BARON,R.R. Tennessee Valley Authority. 95/07/21. Document Control Branch (Document Control Desk). 28pp. 84875:176-84875:203.
- 9507270241** Disagrees that TVA action of not performing reanalysis of estimated PCT changes, as stated in TVA 950508 ltr in compliance w/10CFR50.46 regulation & requests schedule for providing reanalysis or proposal to take other action.
TAM,P.S. 95/07/24. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84874:201-84874:202.
- 9507270253** Summary of 950719 meeting w/TVA in Rockville,MD re open issues in final draft of Watts Bar Nuclear Plant, Unit 1 TS.
BUGG,M.T. 95/07/24. 3pp. 84874:198-84874:200.
- 9507270305** Staff requirements memo re 950712 briefing in Rockville,MD on status of Watts Bar & Browns Ferry, Unit 3.
HOYLE,J.C. Office of the Secretary of the Commission. 95/07/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84844:045-84844:045.
- 9507280058** Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER,P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.
- 9507280172** Submits addl info describing circuit breaker testing requirements at WBN, info intended to resolve NRC issue re electrical separation.
BARON,R.R. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 8pp. 84875:227-84875:234.
- 9507310261** Informs that revised response to GL 88-14, "Instrument Air Sys Problems," has been reviewed & concludes that revised response does not change conclusion stated in 900726 ltr.
TAM,P.S. 95/07/27. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84868:290-84868:291.

D. NRC Draft/Final Environmental Statements, supp's & correspondence

- 9507310025** Ack receipt of 950615 ltr commenting on Watts Bar Nuclear Plant FES supp's; project need & pollution prevention.
CRUTCHFIELD,D. 95/07/24. MUELLER,H.J. Environmental Protection Agency. 3pp. 84868:344-84868:346.

E. NRC Safety Evaluation Report (SER), supp's & correspondence

- 9507C50297** Forwards SER, suppl 15 for plant & related notice of availability for comment.
TAM,P.S. 95/06/22. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84531:001-84531:187.
- 9507050315** Safety evaluation rept re operation of plant.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 185pp. 84531:003-84531:187.
- 9507120275** SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2. Docket Nos. 50-390 And 50-391. (Tennessee Valley Authority)
TAM,P.S. Division of Reactor Projects I/II (DRPE) Post 941001. NUREG-0847 S15. 95/06/30. 189pp. 84634:001-84634:189.

F. Security, medical, emergency & fire protection plans

- 9507120045** Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN.
JAUDON,J.P. 95/06/27. MEDFORD,M. Tennessee Valley Authority. 6pp. 84575:057-84575:062.
- 9507130106** Revised EIPs, including rev 8 to EIP-1, rev 7 to EIP-2, rev 10 to EIP-3, rev 10 to EIP-4, rev 10 to EIP-5, rev 8 to EIP-6, rev 5 to EIP-7, rev 7 to EIP-8, rev 3 to EIP-9, rev 7 to EIP-10 & rev 4 to EIP-11 w/950706 ltr.
PAVLECHKO,F.L., BARON,R.R. Tennessee Valley Authority. 95/07/06. 400pp. 84793:001-84793:037.
- 9507210002** Revised EIPs, including rev 19 to EIP-1, rev 12 to EIP-6, rev 14 to EIP-7, rev 12 to EIP-8, rev 7 to EIP-10, rev 7 to EIP-12, rev 8 to EIP-17, rev 6 to EIP-18, rev 8 to EIP-22 & rev 6 to EIP-23 w/950712 ltr.
CARRIER,P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819:001-84819:210.
- 9507280080** Ltr contract NRC-03-93-036, definitizing task order 52, to "Emergency Operating Procedures Insp for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714) FIN J-2012-5. 95/07/12. COLINA,I. Science & Engineering Associates, Inc. 6pp. 84845:016-84845:021.
- 9507260004** Comment on proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER,P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.
- 9507240255** Forwards insp repts 50-390/95-39 & 50-391/95-39 on 950619-23. No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/07/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84795:192-84795:214.
- 9507240260** Insp repts 50-390/95-39 & 50-391/95-39 on 950619-23. No violations noted. Major areas inspected: operational fire protection program, pre-operational test program, review of 10CFR50.55 rept & action on previous insp findings.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/07/18. 20pp. 84795:195-84795:214.
- 9507240350** Informs that util will conduct full-participation exercise at plant on 931006-07. Util will request exemption from requirement to conduct ingestion pathway portion of exercise.
TAM,P.S. 95/07/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84764:354-84764:355.
- 9507250114** Revised Central Emergency Control Ctr (CECC) EIPs, including rev 2 to CECC-EIP-2, rev 17 to CECC-EIP-3, rev 18 to CECC-EIP-4 & rev 20 to CECC-EIP-5 w/950720 ltr.
CARRIER,P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828:001-84828:046.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501. CARRIER,P.P. Tennessee Valley Authority 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507250066 Provides draft Chapter 12 FSAR pages. BARON,R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 14pp. 84828:131-84828:144.

Q. Inspection reports, IE Bulletins & correspondence

9507120089 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-18 & 50-391/95-18. JAUDON,J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84575:270-84575:272.

9507120120 Forwards insp rept 50-390/95-36 on 950522-26.No violations noted. JAUDON,J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84576:004-84576:013.

-9507120127 Insp rept 50-390/95-36 on 950522-26.No violations noted. Major areas inspected:raw made to DBVP CAP since acceptance by insp 89-12 & status of inspector followup item 84-69-03. GIRARD,E., FREDRICKSON,P. Region 2 (Post 820201). 95/06/19. 5pp. 84576:007-84576:013.

9507120094 Forwards insp rept 50-390/95-30 & 50-391/95-30 on 950508-26 & notice of violation. JAUDON,J.P. Region 2 (Post 820201). 95/06/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84575:279-84575:308.

-9507120100 Notice of violation from insp on 950508-26.Violation noted:inadequate design control & seismic clamp bar restraints not installed,per design.
* Region 2 (Post 820201). 95/06/22. 1p. 84575:283-84575:283.

-9507120106 Insp repts 50-390/95-30 & 50-391/95-30 on 950508-26. Violations noted.Major areas inspected:implementation status of ESQ CAP. MOORE,R., MACDONALD,G., CHOU,R. Region 2 (Post 820201). 95/06/22. 25pp. 84575:284-84575:308.

9507120037 Forwards insp repts 50-390/95-34 & 50-391/95-34 on stated dates.No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/06/23. Tennessee Valley Authority. 4pp. 84574:281-84574:311.

-9507120044 Insp repts 50-390/95-34 & 50-391/95-34 on stated date.No violations noted.Major areas inspected:open items identified in 75% completion insp of RIF Cap. GIBBS,R.D., FREDRICKSON,P. Region 2 (Post 820201). 95/06/21. 27pp. 84574:285-84574:311.

9507050456 Forwards suppl SE accepting licensee 940329 ltr providing addl response to action 3 of bulletin 88-008, "Thermal Stress in RCS Piping," as applicable to plant. TAM,P.S. 95/06/26. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84528:345-84528:350.

-9507050459 Safety evaluation accepting licensee 940329 ltr providing response to action 3 of bulletin 88-008, "Thermal Stress in RCS Piping."
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 4pp. 84528:347-84528:350.

9507120036 Forwards insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610.No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84575:129-84575:145.

-9507120060 Insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610.No violations noted.Major areas inspected:Employee Concerns Special Program CA,Instrument Line CAP,Cable Tray & Supports CAP,Hanger Update CAP & Conduits & Supports CAP. BRADY,J.B., CROWLEY,B.R., FREDRICKSON,P. Region 2 (Post 820201). 95/06/27. 14pp. 84575:132-84575:145.

9507120064 Discusses insp repts 50-390/94-21 & 50-391/94-21 on 940620-24,0705-08 & 0718-20 & notice of violation. JAUDON,J.P. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84575:173-84575:179.

-9507120067 Notice of violation from insp on 940620-24,0705-08 & 0718-20.Violation noted:proper review for suitability for application & verification that purchased matl would meet procurement requirements had not been performed.
* Region 2 (Post 820201). 95/06/28. 3pp. 84575:177-84575:179.

9507120098 Ack receipt of 950616 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-24 & 50-391/95-24 on 950519. JAUDON,J.P. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84575:309-84575:311.

9507060173 Provides response to NRC 950531 ltr re violations noted in insp repts 50-390/95-27 & 50-391/95-27.Corrective actions: reviewed each ref C-DCN & addressed each. ZERINGUE,O.J. Tennessee Valley Authority. 95/06/30. Document Control Branch (Document Control Desk). 6pp. 84617:221-84617:227.

9507140330 Forwards insp repts 50-390/95-37 & 50-391/95-37 on 950514- 0610.No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/07/03. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84737:227-84737:278.

-9507140326 Insp repts 50-390/95-37 & 50-391/95-37 on 950514-0610.No violations or deviations noted.Major areas inspected: preoperational test program implementation verification & preoperational test procedure review. VAN DOORN,P.K., JULIAN,C. Region 2 (Post 820201). 95/07/03. 47pp. 84737:232-84737:278.

9507180358 Forwards response to NRC 950619 ltr re violations noted in insp repts 50-390/95-28-01 & 50-391/95-28-01.Corrective actions:drawings 1-47W610-31-1,Rev 15 & 1-47W611-31-1 Rev 15 have been revised to remove any ref to subject heaters. ZERINGUE,O.J. Tennessee Valley Authority. 95/07/11. Document Control Branch (Document Control Desk). 4pp. 84765:350-84765:353.

9507200156 Forwards insp repts 50-390/95-38 & 50-391/95-38 on 950521- 0617 & NOV. JAUDON,J.P. Region 2 (Post 820201). 95/07/11. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84799:207-84799:266.

-9507200159 Notice of violation from insp on 950521-0617.Violation noted:activities affecting quality not accomplished in accordance w/documentd instructions or procedures in listed examples.
* Region 2 (Post 820201). 95/07/11. 2pp. 84799:211-84799:212.

-9507200163 Insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617. Violations noted.Major areas inspected:containment cooling special program,const work activities,splice replacement program & review of closed design change notices. WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 95/07/06. 52pp. 84799:213-84799:266.

9507280080 Ltr contract NRC-03-93-036,definitizing task order 52,to "Emergency Operating Procedures Insp for Plant." WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/07/12. COLINA,I. Science & Engineering Associates, Inc. 6pp. 84845:016-84845:021.

9507240255 Forwards insp repts 50-390/95-39 & 50-391/95-39 on 950619- 23.No violations noted. JAUDON,J.P. Region 2 (Post 820201). 95/07/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84795:192-84795:214.

-9507240260 Insp repts 50-390/95-39 & 50-391/95-39 on 950619-23.No violations noted.Major areas inspected:operational fire protection program,pre-operational test program,review of 10CFR50.55 rept & action on previous insp findings. MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/07/18. 20pp. 84795:195-84795:214.

9507260085 Ack receipt of 950630 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-27 & 50-391/95-27. JAUDON,J.P. Region 2 (Post 820201). 95/07/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84794:340-84794:342.

9507240476 Forwards Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30.No violations or deviations noted. JAUDON,J.P. Region 2 (Post 820201). 95/07/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84824:192-84824:213.

-9507240482 Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30.No violations or deviations noted.Major areas inspected:review of status of applicant actions for implementation of station blackout rule of 10CFR50.63 at Watts Bar. MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 95/07/18. 19pp. 84824:195-84824:213.

9507280250 Forwards insp rept 50-390/95-22 on 950522-0609.No violations noted.Team noted deficiencies in implementation of maint programs & procedures. GALLO,R.M. 95/07/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84856:160-84856:197.

-9507280252 Insp rept 50-390/95-22 on 950522-26 & 0605-09.No violations noted.Major areas inspected:implementation of maint programs & engineering support to maint & assess adequacy to support plant operations. MALUR,S.K., NORKIN,D.P., GALLO,R.M. 95/07/19. 19pp. 84856:163-84856:197.

9507280111 Responds to NRC 950622 ltr re violation noted in insp rept 50-390/95-30.Corrective actions:will conduct periodic training on proper installation of seismic clamp bars for auxiliary instrument modules. ZERINGUE,O.J. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 5pp. 84875:167-84875:171.

T. Hearing transcripts on non-antitrust matters

9507280220 Transcript of 950712 public meeting in Rockville,MD re briefing on status of Watts Bar & Browns Ferry Unit 3. Pp 1-56.Supporting documentation encl.
* Commissioners (Post 750119). 95/07/12. 73pp. 84844:256-84844:327.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9507180026 Ltr contract,mod 6,task order 9,providing incremental funding in listed amount to, "Technical Assistance for Watts Bar Pre-Operational & Start-Up Test,Test Procedure Rev. & Evaluation & Closure to Test Deficiencies." WIGGINS,E.J. Division of Contracts (Post 940714). 95/06/05. LOFY,R.A. PARAMETER, Inc. 2pp. 84727:001-84727:002.

9507180132 Ltr contract,Mod 7 to task order 17,providing incremental funding,to "Technical Assistance for Watts Bar Operational Readiness Evaluation." WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/06/05. LOFY,R.A. Paramount Supply Co. 2pp. 84696:345-84696:346.

9507100050 Discusses two issues inadequately addressed in Final Environ Statement,Suppl 1,re operation of Watts Bar NPP. MUELLER,H.J. Environmental Protection Agency. 95/06/15. Rules & Directives Review Branch (Post 920323). 6pp. 84649:353-84649:358.

102 DOCKETED ITEMS

- 9507110042 Summarizes 950619 meeting w/util in Atlanta, GA re motor-operated valve program status & work completion plan between hot functional test 2 & fuel loading. List of attendees & slides encl.
JAUDON, J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84557-190-84557-228.
- 9507110100 Summarizes 950615 meeting at Watts Bar site re changes to site corrective action program & plan for change-over from construction program to operations program.
JAUDON, J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY, O.D. Tennessee Valley Authority. 10pp. 84557-263-84557-272.
- 9507060073 Forwards "Reasonable Assurance Assessment Rept." providing results of assessment conducted in late Jan 1995 of plant readiness to load fuel & begin operations, per request.
MEDFORD, M.C. Tennessee Valley Authority. 95/06/28. Document Control Branch (Document Control Desk). 5pp. 84626-003-84627-302.
- 9507060077 "Reasonable Assurance Assessment Rept."
MEDFORD, M.C., BARON, R.R., SCHOFIELD, B.S. Tennessee Valley Authority. 95/06/28. 659pp. 84626-008-84627-302.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518-259-84518-268.
- 9507170006 Discusses NRC 950612 ltr announcing NRC meeting w/util scheduled for 950719 to discuss methods for implementation of problem identification & corrective action programs at utility facilities.
JAUDON, J.P. Region 2 (Post 820201). 95/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 6pp. 84650-296-84650-301.
- 9507110253 Ack receipt of 950522 ltr transmitting Fish & Wildlife Svc comments on plant draft EPP.
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/07/03. WINFORD, D.B. Interior, Dept. of, Fish & Wildlife Service. 5pp. 84616-276-84616-280.
- 9507180390 Identifies tests & activities which demonstrated operability of WBN Unit 1 fuel handling & vessel servicing equipment.
BARON, R.R. Tennessee Valley Authority. 95/07/13. Document Control Branch (Document Control Desk). 8pp. 84765-338-84765-345.
- 9507200099 Forwards revised response to TVA 900712 ltr re Gl. 88-14. Revised response required since util identified addl components that did not have local air sys filters as required by design.
BARON, R.R. Tennessee Valley Authority. 95/07/14. Document Control Branch (Document Control Desk). 10pp. 84799-350-84799-359.
- 9507260117 Summarizes 950707 mgt meeting w/util in Spring City, TN re Watts Bar plant status & associated on-going activities. List of attendees & handout info mail supplied by util encl.
JAUDON, J.P. Region 2 (Post 820201). 95/07/17. KINGSLEY, O.D. Tennessee Valley Authority. 41pp. 84793-274-84793-314.
- 9507250084 Describes changes in loose parts monitoring sys & associated changes to commitments provided in TVA 820225 & 1110 ltrs.
BARON, R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 4pp. 84827-357-84827-360.
- 9507250090 Forwards minor revs to RG 1.97 variables table provided in TVA 950421 ltr to NRC, as discussed in 950608 & 0706 telcons. Draft FSAR revs to Table 7.5-2 also encl. FSAR will be amended to include changes in Amend 90.
BARON, R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 18pp. 84828-146-84828-163.
- 9507250311 Followup to 950714 telcon to discuss apparent discrepancy in SER Suppl 6.
BARON, R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 2pp. 84835-261-84835-262.
- 9507240324 Submits RAI re TVA organization topical rept, rev 6. Requests response by 950818.
HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778-350-84778-353.
- 9507250312 Forwards nonproprietary WCAP-14420 & proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar," in response to NRC 950308 RAI on subj. Proprietary WCAP-14419 withheld per 10CFR2.790.
BARON, R.R. Tennessee Valley Authority. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84851-024-84851-072.
- 9507250313 Nonproprietary "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar."
MOOMAJ, W.H., TULEY, C.R. Westinghouse Electric Corp. WCAP-14420. 95/06/30. 36pp. 84851-027-84851-063.
- 9507250314 Requests that proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" be withheld from public disclosure per 10CFR2.790.
LIPARULO, N.J. Westinghouse Electric Corp. 95/07/06. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 84851-064-84851-072.
- 9507280128 Forwards response to NRC comments discussed in 950623 meeting in Rockville, MD re radwaste mgt sys. FSAR Chapter 11.
BARON, R.R. Tennessee Valley Authority. 95/07/21. Document Control Branch (Document Control Desk). 28pp. 84875-176-84875-203.
- 9507270305 Staff requirements memo re 950712 briefing in Rockville, MD on status of Watts Bar & Browns Ferry, Unit 3.
HOYLE, J.C. Office of the Secretary of the Commission. 95/07/24. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 84844-045-84844-045.
- 9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875-148-84875-156.
- 9507280172 Submits addl info describing circuit breaker testing requirements at WBN, info intended to resolve NRC issue re electrical separation.
BARON, R.R. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 8pp. 84875-227-84875-234.
- 9507310261 Informs that revised response to GL 88-14, "Instrument Air Sys Problems," has been reviewed & concludes that revised response does not change conclusion stated in 900726 ltr.
TAM, P.S. 95/07/27. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 84868-290-84868-291.

D. NRC Draft/Final Environmental Statements, supplis & correspondence

9507310025 Ack receipt of 950615 ltr commenting on Watts Bar Nuclear Plant FES suppl: project need & pollution prevention.
CRUTCHFIELD, D. 95/07/24. MUELLER, H.J. Environmental Protection Agency. 3pp. 84868-344-84868-346.

E. NRC Safety Evaluation Report (SER), supplis & correspondence

9507050297 Forwards SER, suppl 15 for plant & related notice of availability for comment.
TAM, P.S. 95/06/22. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 84531-001-84531-107.

-9507050315 Safety evaluation rept re operation of plant.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 185pp. 84531-003-84531-187.

9507120275 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2. Docket Nos. 50-390 And 50-391. (Tennessee Valley Authority)
TAM, P.S. Division of Reactor Projects I/II (DRPE) Post 941001. NUREG-0847 S15. 95/06/30. 189pp. 84634-001-84634-189.

F. Security, medical, emergency & fire protection plans

9507120045 Confirms 950619 telcon between C Kelley & D Thompson re meeting to discuss three sites new physical security plans, scheduled for 950705-06 in Knoxville, TN.
JAUDON, J.P. 95/06/27. MEDFORD, M. Tennessee Valley Authority. 6pp. 84575-057-84575-062.

9507130106 Revised EPIPs, including rev 8 to EPIP-1, rev 7 to EPIP-2, rev 10 to EPIP-3, rev 10 to EPIP-4, rev 10 to EPIP-5, rev 8 to EPIP-6, rev 5 to EPIP-7, rev 7 to EPIP-8, rev 3 to EPIP-9, rev 7 to EPIP-10 & rev 4 to EPIP-11 w/950706 ltr.
PAVLECHKO, F.L., BARON, R.R. Tennessee Valley Authority. 95/07/06. 400pp. 84733-001-84734-037.

9507210002 Revised EPIPs, including rev 19 to EPIP-1, rev 12 to EPIP-6, rev 14 to EPIP-7, rev 12 to EPIP-8, rev 7 to EPIP-10, rev 7 to EPIP-12, rev 8 to EPIP-17, rev 6 to EPIP-18, rev 9 to EPIP-22 & rev 6 to EPIP-23 w/950712 ltr.
CARRIER, P.P. Tennessee Valley Authority. 95/07/12. 210pp. 84819-001-84819-210.

9507280060 Ltr contract NRC-03-93-036, definitizing task order 52, to "Emergency Operating Procedures Insp for Plant."
WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/07/12. COLINA, Science & Engineering Associates, Inc. 6pp. 84845-016-84845-021.

9507260004 Comment on proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793-046-84793-047.

9507240255 Forwards insp repts 50-390/95-39 & 50-391/95-39 on 950619-23. No violations noted.
JAUDON, J.P. Region 2 (Post 820201). 95/07/18. KINGSLEY, O.D. Tennessee Valley Authority. 3pp. 84795-192-84795-214.

-9507240260 Insp repts 50-390/95-39 & 50-391/95-39 on 950619-23. No violations noted. Major areas inspected: operational fire protection program, pre-operational test program, review of 10CFR50.55 rept & action on previous insp findings.
MILLER, W.H. Region 2 (Post 820201). 95/07/18. 20pp. 84795-195-84795-214.

9507250114 Revised Central Emergency Control Ctr (CECC) EPIPs, including rev 2 to CECC-EPIP-2, rev 17 to CECC-EPIP-3, rev 18 to CECC-EPIP-4 & rev 20 to CECC-EPIP-5 w/950720 ltr.
CARRIER, P.P. Tennessee Valley Authority. 95/07/20. 46pp. 84828-001-84828-046.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501.
CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599-258-84599-310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599-260-84599-310.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507250068 Provides draft Chapter 12 FSAR pages.
BARON, R.R. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 14pp. 84828-131-84828-144.

Q. Inspection reports, IE Bulletins & correspondence

9507120089 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-18 & 50-391/95-18.
JAUDON,J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84575:270-84575:272.

9507120120 Forwards insp rept 50-390/95-36 on 950522-26.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84576:004-84576:013.

9507120127 Insp rept 50-390/95-36 on 950522-26.No violations noted. Major areas inspected:rev made to DBVP CAP since acceptance by insp 89-12 & status of inspector followup item 94-69-03.
GIRARD,E., FREDRICKSON,P. Region 2 (Post 820201). 95/06/19. 5pp. 84576:007-84576:013.

9507120094 Forwards insp rept 50-390/95-30 & 50-391/95-30 on 950508-26 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/06/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84575:279-84575:308.

9507120106 Insp repts 50-390/95-30 & 50-391/95-30 on 950508-26. Violations noted.Major areas inspected:implementation status of ESO CAP.
MOORE,R., MACDONALD,G., CHOU,R. Region 2 (Post 820201). 95/06/22. 25pp. 84575:284-84575:308.

9507120037 Forwards insp repts 50-390/95-34 & 50-391/95-34 on stated dates.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/23. Tennessee Valley Authority. 4pp. 84574:281-84574:311.

9507120044 Insp repts 50-390/95-34 & 50-391/95-34 on stated date.No violations noted.Major areas inspected:open items identified in 75% completion insp of RIP CAP.
GIBBS,R.D., FREDRICKSON,P. Region 2 (Post 820201). 95/06/21. 27pp. 84574:285-84574:311.

9507120056 Forwards insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84575:129-84575:145.

9507120060 Insp repts 50-390/95-35 & 50-391/95-35 on 950515-0610.No violations noted.Major areas inspected:Employee Concerns Special Program CA,Instrument Line CAP,Cable Tray & Supports CAP,Hanger Update CAP & Conduits & Supports CAP.
BRADY,J.B., CROWLEY,B.R., FREDRICKSON,P. Region 2 (Post 820201). 95/06/27. 14pp. 84575:132-84575:145.

9507120064 Discusses insp repts 50-390/94-21 & 50-391/94-21 on 940620-24,0705-08 & 0718-20 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84575:173-84575:179.

9507120098 Ack receipt of 950616 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-24 & 50-391/95-24 on 950519.
JAUDON,J.P. Region 2 (Post 820201). 95/06/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84575:309-84575:311.

9507060173 Provides response to NRC 950531 ltr re violations noted in insp repts 50-390/95-27 & 50-391/95-27.Corrective actions: reviewed each ref Q-DCN & addressed each.
ZERINGUE,O.J. Tennessee Valley Authority. 95/06/30. Document Control Branch (Document Control Desk). 6pp. 84617:221-84617:227.

9507140320 Forwards insp repts 50-390/95-37 & 50-391/95-37 on 950514-0610.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/07/03. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84737:227-84737:278.

9507140326 Insp repts 50-390/95-37 & 50-391/95-37 on 950514-0610.No violations or deviations noted.Major areas inspected: preoperational test program implementation verification & preoperational test procedure review.
VAN DOORN,P.K., JULIAN,C. Region 2 (Post 820201). 95/07/03. 47pp. 84737:232-84737:278.

9507180358 Forwards response to NRC 950619 ltr re violations noted in insp repts 50-390/95-28-01 & 50-391/95-28-01.Corrective actions:drawings 1-47W610-31-1,Rev 15 & 1-47W611-31-1 Rev 15 have been revised to remove any ref to subject heaters.
ZERINGUE,O.J. Tennessee Valley Authority. 95/07/11. Document Control Branch (Document Control Desk). 4pp. 84765:350-84765:353.

9507200156 Forwards insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617 & NOV.
JAUDON,J.P. Region 2 (Post 820201). 95/07/11. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84799:207-84799:266.

9507200159 Notice of violation from insp on 950521-0617.Violation noted:activities affecting quality not accomplished in accordance w/documentated instructions or procedures in listed examples.
* Region 2 (Post 820201). 95/07/11. 2pp. 84799:211-84799:212.

9507200183 Insp repts 50-390/95-38 & 50-391/95-38 on 950521-0617. Violations noted.Major areas inspected:containment cooling special program,control work activities,splice replacement program & review of closed design change notices.
WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 95/07/06. 52pp. 84799:213-84799:266.

9507280080 Ltr contract NRC-03-93-036,definitizing task order 52.to "Emergency Operating Procedures insp for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. 95/07/12. COLUNA,I. Science & Engineering Associates, Inc. 6pp. 84845:016-84845:021.

9507240255 Forwards insp repts 50-390/95-39 & 50-391/95-39 on 950619-23.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/07/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84795:192-84795:214.

9507240260 Insp repts 50-390/95-39 & 50-391/95-39 on 950619-23.No violations noted.Major areas inspected:operational fire protection program,pre-operational test program,review of 10CFR50.55 rept & action on previous insp findings.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/07/18. 20pp. 84795:195-84795:214.

9507260085 Ack receipt of 950630 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-27 & 50-391/95-27.
JAUDON,J.P. Region 2 (Post 820201). 95/07/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84794:340-84794:342.

9507240476 Forwards Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/07/19. KINGSLEY,O.D. Tennessee Valley Authority 3pp. 84824:192-84824:213.

9507240482 Insp Repts 50-390/95-43 & 50-391/95-43 on 950619-30.No violations or deviations noted.Major areas inspected:review of status of applicant actions for implementation of station blackout rule of 10CFR50.63 at Watts Bar.
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 95/07/18. 19pp. 84824:195-84824:213.

T. Hearing transcripts on non-air trust matters

9507280220 Transcript of 950712 public meeting in Rockville,MD re briefing on status of Watts Bar & Browns Ferry Unit 3. Pp 1-56.Supporting documentation encl.
* Commissioners (Post 750119). 95/07/12. 73pp. 84844:256-84844:327.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

9507110109 Responds to 950329 request that actual plant medical emergency be credited as satisfying 1995 annual medical drill requirement.Concludes that w/exception of processing of simulated contaminated victim,plant met requirements.
BARR,K.P. Region 2 (Post 820201). 95/06/22. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 84557:319-84557:320.

9507060035 Advises NRC that plant will install biometric hand reader sys at all entry & exit portals in protected area access facility during fourth quarter of 1995.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/28. Document Control Branch (Document Control Desk). 6pp. 84618:321-84618:326.

9507170016 Ack receipt of 950508 ltr which forwarded copies of scenario package for station radiological emergency exercise to be held on 950713.Submittal meets requirements for biennial exercise involving local govts.
BARR,K.P. Region 2 (Post 820201). 95/07/07. TAYLOR,G.J. Southern California Edison Co. 2pp. 84650:333-84650:334.

H. General correspondence

9507050066 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/13. Docketing & Services Branch. 2pp. 84508:177-84508:178.

K. Utility Final Safety Analysis Report (FSAR) & amends

9507140099 Forwards Amend 95-02 to FSAR for VC Summer Nuclear Station, per telcon w/Berley indicating that previously transmitted FSAR Amend 95-02 destroyed.
FOWLKES,R.M. South Carolina Electric & Gas Co. 95/07/11. DEMBEK,S. Project Directorate II-1 (PD2-1) (Post 941001). 99pp. 84684:001-84684:099.

P. Operating license stage documents & correspondence

9507060033 Provides plant response to GL 95-03 re circumferential cracking of SG tubes.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/27. Document Control Branch (Document Control Desk). 8pp. 84617:178-84617:185.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060405 Forwards SE re relief requests for first ten-year interval inservice insp & Technical Evaluation Ltr Rept.
HEBDON,F.J. 95/06/29. TAYLOR,G.J. South Carolina Electric & Gas Co. 1p. 84539:317-84539:323.

9507060406 Safety evaluation re first ten-year interval inservice insp,which is considered closed.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 6pp. 84539:318-84539:323.

9507060241 Application for amend to license NPF-12,consisting of TS Change TSP 950002,revising TS 3/4.4.4 for pressurized PORVs to follow guidance of GL 90-06,SI 70 & improved Westinghouse standardized TS.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/30. DEMBEK,S. Document Control Branch (Document Control Desk). 3pp. 84619:036-84619:054.

9507060243 Proposed tech specs re PORVs & block valves.
* South Carolina Electric & Gas Co. 95/06/30. 16pp. 84619:039-84619:054.

9507070410 Forwards "VC Summer Nuclear Station IPEEE Rept in Response to GL 88-20,Suppl 4." Vols 1-3.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/30. Document Control Branch (Document Control Desk). 12pp. 84620:001-84622:119.

104 DOCKETED ITEMS

-95070415 "VC Summer Nuclear Station IPEEE Rept in Response to GL 88-20, Suppl 4," Vois 1-3.
* South Carolina Electric & Gas Co. 95/06/30. 835pp. 84620:013-84622:119.

9507170033 Confirms telcon scheduled between R Fowkes & M Verrelli on 950627 re info meeting on 950718 in Atlanta, GA per licensee request.
CHRISTENSEN, H. Region 2 (Post 820201). 95/06/30. TAYLOR, G.J. South Carolina Electric & Gas Co. 3pp. 84650:353-84650:355.

Q. Inspection reports, IE Bulletins & correspondence

9507120079 Forwards insp rept 50-395/95-10 on 950515-26. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/06/21. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 84575:241-84575:256.

-9507120088 Insp rept 50-395/95-10 on 950515-26. No violations noted. Major areas inspected: license operator requalification program; evaluation of how well reactor operators, SROs & crews mastered training objectives.
BALDWIN, R.S., PEEBLES, T.A. Region 2 (Post 820201). 95/06/21. 14pp. 84575:243-84575:256.

9507100415 Forwards Insp Rept 50-395/95-09 on 950501-31 & notice of violation.
CHRISTENSEN, H. Region 2 (Post 820201). 95/06/22. TAYLOR, G.J. South Carolina Electric & Gas Co. 3pp. 84692:042-84692:060.

-9507100419 Notice of violation from insp on 950501-31. Violation noted: vol in containment spray additive tank discovered to be greater than 3,230 gallons.
* Region 2 (Post 820201). 95/06/22. 2pp. 84692:045-84692:046.

-9507100424 Insp Rept 50-395/95-09 on 950501-31. Violations noted. Major areas inspected: operational safety verification, maint observations, surveillance observations, onsite engineering & followup on previous insp findings.
HAAG, R.C., FARRHOLTZ, T.R., CHRISTENSEN, H. Region 2 (Post 820201). 95/06/22. 14pp. 84692:047-84692:060.

9507110041 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
LAVIGNE, D.A. South Carolina Electric & Gas Co. 95/06/26. MEYERS, D. Rules & Directives Review Branch (Post 820201). 8pp. 84557:091-84557:098.

9507060405 Forwards SE re relief requests for first ten-year interval inservice insp & Technical Evaluation Ltr Rept.
HEBDON, F.J. 95/06/29. TAYLOR, G.J. South Carolina Electric & Gas Co. 1p. 84539:317-84539:323.

-9507060406 Safety evaluation re first ten-year interval inservice insp, which is considered closed.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 6pp. 84539:318-84539:323.

9507140214 Ack receipt of 950622 response to violations noted in insp rept 50-395/95-08.
CHRISTENSEN, H. Region 2 (Post 820201). 95/06/30. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 84737:353-84737:354.

R. Periodic operating reports & related correspondence

9507190322 Monthly operating rept for June 1995 for VC Summer Nuclear Station W/ 950713 ltr.
HALTIWANGER, J., TAYLOR, G.J. South Carolina Electric & Gas Co. 95/06/30. 5pp. 84762:356-84762:360.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507120079 Forwards insp rept 50-395/95-10 on 950515-26. No violations noted.
PEEBLES, T.A. Region 2 (Post 820201). 95/06/21. TAYLOR, G.J. South Carolina Electric & Gas Co. 2pp. 84575:241-84575:256.

-9507120088 Insp rept 50-395/95-10 on 950515-26. No violations noted. Major areas inspected: license operator requalification program; evaluation of how well reactor operators, SROs & crews mastered training objectives.
BALDWIN, R.S., PEEBLES, T.A. Region 2 (Post 820201). 95/06/21. 14pp. 84575:243-84575:256.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507030214 Responds to NRC 950518 ltr re violations & proposed imposition of civil penalty noted in insp rept 50-397/94-34. Corrective actions: fire protection program implementation procedure revised to ref barrier impairment procedure.
PARRISH, J.V. Washington Public Power Supply System. 95/06/20. LIEBERMAN, J. Ctr of Enforcement (Post 870413). 14pp. 84556:343-84556:356.

9507060306 Revised EIPs, including rev 0 to EPIP-13.1.1A, rev 21 to EPIP-13.10.9, rev 8 to EPIP-13.13.2, rev 16 to EPIP-13.14.4 & rev 16 to EPIP-13.14.5. W/950628 ltr.
PARRISH, J.V. Washington Public Power Supply System. 95/06/28. 73pp. 84618:242-84618:320.

9507050027 Forwards insp rept 50-397/95-18 on 950515-19 & notice of violation.
GWYNN, T.P. Region 4 (Post 820201). 95/06/29. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84508:026-84508:039.

-9507050228 Notice of violation from insp on 950515-19. Violation noted: licensee used FP water sys to fill spray ponds, non-fire protection activity w/only one water source available.
* Region 4 (Post 820201). 95/06/29. 1p. 84508:031-84508:031.

-9507050028 Insp rept 50-397/95-18 on 950515-19. Violations noted. Major areas inspected: implementation of FP program & followup of previously identified items.
ANG, W.P. Region 4 (Post 820201). 95/06/23. 8pp. 84508:032-84508:039.

9507200206 Forwards EA & FONSI re 950301 application for exemption involving implementation of hand geometry biometric sys to control site access into protected area of WNP-2.
CLIFFORD, J.W. 95/07/03. PARRISH, J.V. Washington Public Power Supply System. 4pp. 84752:334-84752:342.

-9507200312 Environ assessment & finding of no significant impact re implementation of hand geometry biometric sys to control site access into protected area of WNP-2, per 950301 application for exemption.
MCKENNA, E.M. 95/07/03. 5pp. 84752:338-84752:342.

9507120039 Forwards insp rept 50-397/95-15 on 950423-0603 & notice of violation. Violation resulted in personnel not adhering to prevent fires following grinding operations.
BEACH, A.B. Region 4 (Post 820201). 95/07/05. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84574:319-84574:358.

-9507120043 Notice of violation from insp on 950423-0603. Violation noted: work involving ignition sources not performed in controlled manner.
* Region 4 (Post 820201). 95/07/05. 1p. 84574:324-84574:324.

9507200263 Forwards exemption from certain requirements of 10CFR73.55 re issuance, storage & retrieval of badges for personnel granted unescorted access to protected area at facility.
CLIFFORD, J.W. 95/07/17. PARRISH, J.V. Washington Public Power Supply System. 3pp. 84868:144-84868:151.

-9507200265 Exemption from requirements of 10CFR73.55 re issuance, storage & retrieval of badges for personnel granted unescorted access to protected areas at facility.
ROE, J.W. 95/07/17. Washington Public Power Supply System. 5pp. 84868:147-84868:151.

9507260153 Forwards FEMA final drill repts for 950315 Oregon State Lab Drill & 950316, Washington State Lab Drill site-specific to plant. No deficiencies or areas requiring corrective actions identified during drills.
SCARANO, R.A. Region 4 (Post 820201). 95/07/21. PARRISH, J.V. Washington Public Power Supply System. 4pp. 84795:082-84795:125.

-9507050460 Forwards 950609 ltr from M Hepler transmitting FEMA Final Drill Rept. No deficiencies or ARCA's identified during 950315 & 16 drills.
ESSIG, T.H. 95/06/23. MURRAY, B. Region 4 (Post 820201). 2pp. 84795:086-84795:087.

-9507050462 Forwards final repts for 950315, Oregon State Lab Drill & 950316, Washington State Lab Drill. No deficiencies or ARCA's noted.
HEPLER, O.M. Federal Emergency Management Agency. 95/06/09. SPESARD, R.L. 1p. 84795:087-84795:087.

-9507060086 "Oregon State Lab Drill Rept, Drill Date 950315."
* Federal Emergency Management Agency. 95/05/31. 15pp. 84795:086-84795:103.

-9507050463 "Washington State Lab Drill Rept, Drill Date 950316."
* Federal Emergency Management Agency. 95/05/31. 22pp. 84795:104-84795:125.

9507310060 Informs of change to commitment re compensatory posting of vital area access doors, per NRC concern raised in insp rept 50-395/95-33.
PARRISH, J.V. Washington Public Power Supply System. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84903:281-84903:282.

P. Operating license stage documents & correspondence

9507050191 Forwards "WNP-2 IPEEE Main Rept."
PARRISH, J.V. Washington Public Power Supply System. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84568:001-84568:205.

-9507050194 "WNP-2 IPEEE Main Rept."
* Washington Public Power Supply System. 95/06/26. 208pp. 84568:002-84568:205.

9507070432 Forwards amend 139 to license NPF-21 & SE. Amend consists of changes to TS in response to 940712 applicat'n.
CLIFFORD, J.W. 95/06/26. PARRISH, J.V. Washington Public Power Supply System. 4pp. 84559:251-84559:281.

-9507070435 Amend 139 to license NPF-21, consisting of changes to TS in response to 940712 application.
CLIFFORD, J.W. 95/06/26. 23pp. 84559:255-84559:277.

-9507070437 Safety evaluation supporting amend 139 to license NPF-21.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. 4pp. 84559:278-84559:281.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507180424 Requests addl info re facility nuclear power project request for approval to revise tornado design criteria.
CLIFFORD, J.W. 95/07/13. PARRISH, J.V. Washington Public Power Supply System. 3pp. 84726:252-84726:254.

9507270379 Summary of 950518 meeting w/IES, WPPSS & CP&L in Rockville, MD to address proposed util tests of Darmatt fire barriers including test configurations for dummy modules, schedules & test details. List of participants, et al, encl.
KELLY, G.B. 95/07/20. 30pp. 84831:217-84831:246.

Q. Inspection reports, IE Bulletins & correspondence

- 9507030214 Responds to NRC 950518 ltr re violations & proposed imposition of civil penalty noted in insp rept 50-397/94-34. Corrective actions: fire protection program implementation procedure revised to ref barrier impairment procedure. PARRISH, J.V. Washington Public Power Supply System. 95/06/20. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 14pp. 84556.343-84556.356.
- 9507050027 Forwards insp rept 50-397/95-18 on 950515-19 & notice of violation. GWYNN, T.P. Region 4 (Post 820201). 95/06/29. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84506.026-84506.039.
- 9507050228 Notice of violation from insp on 950515-19. Violation noted: licensee used FP water sys to fill spray ponds, non-fire protection activity w/only one water source available.
* Region 4 (Post 820201). 95/06/29. 1p. 84508.031-84508.031.
- 9507050028 insp rept 50-397/95-18 on 950515-19. Violations noted. Major areas inspected: implementation of FP program & followup of previously identified items. ANG, W.P. Region 4 (Post 820201). 95/06/23. 8pp. 84508.032-84508.039.
- 9507129036 Forwards insp rept 50-397/95-15 on 950423-0603 & notice of violation. Violation resulted in personnel not adhering to prevent fires following grinding operations. SEACH, A.B. Region 4 (Post 820201). 95/07/05. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84574.319-84574.358.
- 9507120043 Notice of violation from insp on 950423-0603. Violation noted: work involving ignition sources not performed in controlled manner.
* Region 4 (Post 820201). 95/07/05. 1p. 84574.324-84574.324.
- 9507120048 insp rept 50-397/95-15 on 950423-0603. Violations noted. Major areas inspected: licensee action on previous insp findings, operational safety verification, surveillance program & maint program. CHAMBERLAN, D.D. Region 4 (Post 820201). 95/07/05. 34pp. 84574.325-84574.358.
- 9507250023 Comment on "Review of NRC Insp Rept Content, Format & Style." NRC insp repts should provide balanced perspective, reflecting licensee strengths & positive aspects of programs & activities reviewed. PARRISH, J.V. Washington Public Power Supply System. 95/07/07. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787.043-84787.044.
- 9507240053 Responds to NRC 950616 ltr re violations noted in insp rept 50-397/95-03. Corrective actions: drawing revised to include piping bypass & Procedure extensively revised to correct error re influence adjustment ring setting on relief valve. PARRISH, J.V. Washington Public Power Supply System. 95/07/17. Document Control Branch (Document Control Desk). 10pp. 84824.222-84824.231.
- 9507240003 Notification of significant licensee meeting w/util on 950728 to discuss violations re operations, configuration mgt & operability assessments, per insp rept 50-397/95-07. DYER, J.E. Region 4 (Post 820201). 95/07/19. Region 4 (Post 820201). 4pp. 84751.024-84751.028.
- 9507250017 Forwards insp rept 50-397/95-19 on 950605-20 & notice of violation. NRC concerned w/generally low level of operations performance & lack of established improving trend. GWYNN, T.P. Region 4 (Post 820201). 95/07/20. PARRISH, J.V. Washington Public Power Supply System. 5pp. 84793.073-84793.097.
- 9507260019 Notice of violation from insp on 950605-20. Violation noted: licensee did not maintain Plant Operations Committee approved procedure for shift & relief turnover that included shift & relief turnover checklist.
* Region 4 (Post 820201). 95/07/20. 2pp. 84793.078-84793.079.
- 9507260023 insp rept 50-397/95-19 on 950605-20. Violations noted. Major areas inspected: control room operations during reactor startup. PELLET, J.L. Region 4 (Post 820201). 95/07/20. 18pp. 84793.080-84793.097.
- 9507280123 Responds to NRC ltr re violations noted in insp rept 50-397/95-16 on 950522-25. Corrective actions: documented surveys of dose rates around barrel performed & series of meetings held & mock-up training conducted. PARRISH, J.V. Washington Public Power Supply System. 95/07/20. Document Control Branch (Document Control Desk). 19pp. 84902.082-84902.100.
- 9507310060 Informs of change to commitment re compensatory posting of vital area access doors, per NRC concern raised in insp rept 50-395/85-33. PARRISH, J.V. Washington Public Power Supply System. 95/07/25. Document Control Branch (Document Control Desk). 2pp. 84903.281-84903.282.

R. Periodic operating reports & related correspondence

- 9507140152 Monthly operating rept for June 1995 for WNP-2. W/950710 ltr. EMBREE, D.G., PARRISH, J.V. Washington Public Power Supply System. 95/06/30. 4pp. 84736.355-84736.358.

S. Reportable occurrences, LERs & related correspondence

- 9507140463 LER 95-010-00: on 950609. HPCS DG declared inoperable due to discovery that TS test method incomplete. Caused by inadequate testing procedure. Test procedure for HPCS DG reviewed & special test procedures written. W/950707 ltr. HUGO, B.R., PARRISH, J.V. Washington Public Power Supply System. 95/07/07. 5pp. 84729.125-84729.129.
- 9507140466 LER 95-009-00: on 950607. Inadvertent MSIV closure occurred during surveillance test due to poor communication between test team. Determined that MSIV closure not valid because closure not triggered by plant conditions. W/950707 ltr. FOLEY, C.J., PARRISH, J.V. Washington Public Power Supply System. 95/07/07. 5pp. 84729.130-84729.134.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

- 9507310056 Revised EPIPs, including rev 5 to PEP-001, rev 4 to PEP-100, rev 8/1 to PEP-101, rev 15 to PEP-102, rev 12 to PEP-103, rev 9 to PEP-215, rev 7 to PEP-218, rev 10/2 to PEP-301, rev 4/1 to PEP-362, rev 3 to PEP-370 & rev 6 to PEP-381. W/950724 ltr. ROBINSON, W.R. Carolina Power & Light Co. 95/07/24. 505pp. 84889.001-84890.141.

H. General correspondence

- 9507280073 Informs that TD Wait has assumed position of manager, Regulatory Affairs at plant. ROBINSON, W.R. Carolina Power & Light Co. 95/07/21. Document Control Branch (Document Control Desk). 1p. 84875.165-84875.165.

I. Financial information

- 9507120070 Confirms that \$34,186 was electronically transferred on 950629 for fees for listed invoices. ROGAN, R.E. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84681.262-84681.262.

P. Operating license stage documents & correspondence

- 9507110097 Confirms 950620 telcon between T Wait & DM Verrelli re mgt meeting to be held on 950717 to discuss status of initiatives at plant. VERRELLI, D.M. Region 2 (Post 820201). 95/06/21. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 84557.258-84557.260.
- 9507050064 Forwards plant response to GL 95-03, "Circumferential Cracking of SG Tubes." ROBINSON, W.R. Carolina Power & Light Co. 95/06/27. Document Control Branch (Document Control Desk). 7pp. 84563.347-84563.353.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.
- 9507060075 Forwards plant IPEEE final rept in response to GL 88-20, Suppl 4. ROBINSON, W.R. Carolina Power & Light Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84628.001-84629.073.
- 9507060080 "Shearon Harris NPP IPEEE Final Rept."
* Carolina Power & Light Co. 95/06/30. 435pp. 84628.003-84629.073.
- 9507060403 Notification of 950714 meeting w/util in Rockville, MD to discuss status of licensing activities. LE, N. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/30. MATHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). 3pp. 84540.043-84540.050.
- 9507110027 Withdraws 930820 request to revise TS 3/4.4.5, "SGs" to allow repair of degraded SG tubes by sleeving as alternative to removing tube from svc by plugging. ROBINSON, W.R. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 1p. 84695.006-84695.006.
- 9507130013 Provides suppl info re CP&L 950330 application for amend to license NPF-63, revising EDG SRs to address NRC questions communicated on 950510. ROBINSON, W.R. Carolina Power & Light Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84684.334-84684.337.
- 9507130015 Proposed tech specs 4.8.1.1.2, revising EDG SRs.
* Carolina Power & Light Co. 95/07/06. 2pp. 84684.336-84684.337.
- 9507190186 Forwards notice of 950705 withdrawal of 930820 application for amend to license NPF-63, modifying TS 3/4.4.5, "Steam Generators." LE, N.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/12. ROBINSON, W.R. Carolina Power & Light Co. 2pp. 84729.016-84729.019.
- 9507190190 Notice of 950705 withdrawal of 930820 application for amend to license NPF-63, modifying TS 3/4.4.5, "Steam Generators." LE, N.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/07/12. 2pp. 84729.018-84729.019.
- 9507260210 Forwards technical info re area temp monitoring TS (3/4.7.12), as requested during telcon w/NRC re 941024 request for license amend re relocation of selected TS in accordance w/NUREG-1431. ROBINSON, W.R. Carolina Power & Light Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84875.312-84875.316.

Q. Inspection reports, IE Bulletins & correspondence

- 9507110015 Responds to NRC 950605 ltr re violation noted in insp rept 50-400/95-08. Corrective actions: individual involved in incident cited received one on one training on Plant Administrative Procedure AP-002, Section 5.32.3. ROBINSON, W.R. Carolina Power & Light Co. 95/07/05. Document Control Branch (Document Control Desk). 3pp. 84695.067-84695.069.
- 9507140308 Forwards insp rept 50-400/95-10 on 950507-0610 & notice of violation. VERRELLI, D.M. Region 2 (Post 820201). 95/07/07. ROBINSON, W.R. Carolina Power & Light Co. 4pp. 84737.279-84737.304.
- 9507140312 Notice of violation from insp on 950507-0610. Violation noted: on 950524-25, containment isolation valve 1MS-62 inoperable for approx 30 h w/blown fuse in hydraulic pump controls & actions required by TS 3.6.3 not performed.
* Region 2 (Post 820201). 95/07/07. 2pp. 84737.283-84737.284.

106 DOCKETED ITEMS

-9507140316 Insp rept 50-400/95-10 on 950507-0610. Violations noted. Major areas inspected: operational safety, maint, surveillance, engineering activities & plant support. ELROD, S., ROBERTS, D., VERRELLI, D. Region 2 (Post 820201). 95/07/07. 20pp. 84737.285-84737.304.

9507280114 Ack receipt of 950705 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/95-08 on 950605. VERRELLI, D.M. Region 2 (Post 820201). 95/07/13. ROBINSON, W.R. Carolina Power & Light Co. 3pp. 84794.343-84794.345.

R. Periodic operating reports & related correspondence

9507200032 Monthly operating rept for June 1995 for Shearon Harns NPP. W/950713 ltr. ROGERS, S., ROBINSON, W.R. Carolina Power & Light Co. 95/06/30. 3pp. 84779.182-84779.184.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815.169-84815.198.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9507260219 Forwards initial exam rept 50-407/OL-95-02, facility comments & NRC resolution of comments & exam & answer key re license to operate Univ of Utah reactor w/o encl. RICHARDS, S.A. 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 1p. 84831.186-84831.188.

V. Operator Examinations

9507260202 Forwards results for operator initial exam conducted at Univ of Utah on 950705 W/o encl. RICHARDS, S.A. 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 1p. 84832.360-84832.360.

9507260219 Forwards initial exam rept 50-407/OL-95-02, facility comments & NRC resolution of comments & exam & answer key re license to operate Univ of Utah reactor w/o encl. RICHARDS, S.A. 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 1p. 84831.186-84831.188.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

S. Reportable occurrences, LERs & related correspondence

9507120136 LER 95-002-00 on 950616, containment bldg basement fire hose station operability was lost. Initiated facility change to remove or disable auto-closure function of HPSW CB isolation valve. W/950626 ltr. GREEN, W.R., BERG, W.L. Dairyland Power Cooperative. 95/06/26. 3pp. 84682.309-84682.311.

9507180030 LER 95-003-00 on 950626, CR was left unattended when CR operator was called to attend operations review committee meeting in other bldg. Plant manager met w/ shift supervisor responsible & discussed violation. W/950705 ltr. GREEN, W.R., BERG, W.L. Dairyland Power Cooperative. 95/06/30. 3pp. 84771.303-84771.305.

W. Decommissioning Stage Documents & Correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.266.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507030065 Submits emergency response data sys software changes. TERRY, C.D. Niagara Mohawk Power Corp. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84561.173-84561.174.

9507060175 Rev 5 to EPIP-EPP-08, "Off-Site Dose Assessment & Protective Action Recommendation." W/950626 ltr. ABBOTT, R.B., DAHLBERG, K.A., MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/06/26. 35pp. 84617.228-84617.262.

9507250002 Comment supporting proposed GL 95-XX, "Process for Changes to Security Plans W/O Prior NRC Approval." MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/07/03. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787.002-84787.002.

H. General correspondence

9507210012 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial. MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/06/30. Docketing & Services Branch. 1p. 84738.015-84738.015.

9507200261 Responds to 950428 ltr re concerns on how situation developed in which licensee stored radioactive water in basement room since 1981, NRC enforcement of regulations & industry storage of spent nuclear fuel. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/07/14. EWING, J.S. Affiliation Not Assigned. 4pp. 84771.335-84771.351.

-9507200265 Requests consideration of encl ltr from J. Ewing. MIKULSKI, B.A. Senate. 95/05/19. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 5pp. 84771.347-84771.351.

P. Operating license stage documents & correspondence

9507050456 Concludes that all GL 88-14 IAS improvements, as identified in listed NMP correspondence, completed at facility. TERRY, C.D. Niagara Mohawk Power Corp. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84570.197-84570.198.

9507050400 Transmits SE supporting conclusion that plant can be safely operated for current operating cycle of 17 months w/ two flaw indications present on recirculation sys nozzles. EDISON, G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/26. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84530.238-84530.243.

-9507050404 Safety evaluation supporting conclusion that plant can be safely operated for current operating cycle of 17 months w/ two flaw indications present on recirculation sys nozzles. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/26. 3pp. 84530.241-84530.243.

9507060212 Transmits clarification & corrections to SE which accompanied license amend 86. Revisions minor & do not change conclusions. EDISON, G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/26. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84539.187-84539.211.

-9507070009 Corrected pages for safety evaluation for plant re power uprate for amend 86. * NRC - No Detailed Affiliation Given. 95/06/26. 21pp. 84539.190-84539.211.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.266.

9507060297 Forwards "Nine Mile Point Nuclear Station - Unit 2 IPE for External Events (IPEEE)." per GL 88-20, Suppl 4. TERRY, C.D. Niagara Mohawk Power Corp. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84572.001-84573.025.

-9507060303 "Nine Mile Point Nuclear Station - Unit 2 IPE for External Events (IPEEE)." KIRCHNER, R.F., BRUCE, G.A., CUSHMAN, J.F. Niagara Mohawk Power Corp. SAS-TR-95-001. 95/06/30. 388pp. 84572.002-84573.025.

9507260062 Responds to 950421 request from R. Sylvia, accepting change to QAP for plant re addition of functions of records mgt, document control & QA administrative svcs to QA organization, IAW 10CFR50.54. MODES, M.C. Region 1 (Post 820201). 95/07/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 84793.130-84793.131.

9507240399 Forwards mod of SPDES discharge permit NY-000-1015 for Nine Mile Point Nuclear Station Units 1 & 2. MCCORMICK, M.J. Niagara Mohawk Power Corp. 95/07/18. Document Control Branch (Document Control Desk). 5pp. 84824.116-84824.120.

Q. Inspection reports, IE Bulletins & correspondence

9507060146 Provides results of ultrasonic insp of high pressure core spray nozzle safe-end extension weld during fourth refueling outage. TERRY, C.D. Niagara Mohawk Power Corp. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84600.361-84600.361.

9507050074 Ack receipt of 950615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-10 & 50-410/95-10. JOYNER, J.H. Region 1 (Post 820201). 95/06/26. SYLVIA, B.R. Niagara Mohawk Power Corp. 2pp. 84507.047-84507.052.

9507100314 Forwards insp repts 50-220/95-12 & 50-410/95-12 on 950423-0603. No violations noted. COWGILL, C.J. Region 1 (Post 820201). 95/06/28. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84691.280-84691.293.

-9507100310 Insp repts 50-220/95-12 & 50-410/95-12 on 950423-0603. No violations noted. Major areas inspected: plant operations, maint, engineering, plant support, safety assessment/quality verification & previously open items. DOERFLEIN, L.T. Region 1 (Post 820201). 95/06/27. 11pp. 84691.283-84691.293.

9507100345 Forwards MOV insp repts 50-220/95-11 & 50-410/95-11 on 950530-0609 & notice of violation. BLOUGH, A.R. Region 1 (Post 820201). 95/06/30. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84662.333-84662.360.

-9507100362 Notice of violation from insp on 950530-0609. Violation noted: failed to adequately disposition condition adverse to quality in that two safety-related HPCS valves not properly identified as being susceptible to pressure locking. * Region 1 (Post 820201). 95/06/30. 1p. 84662.336-84662.336.

-9507100377 Insp repts 50-220/95-11 & 50-410/95-11 on 950530-0630. Violations noted. Major areas inspected: MOV items opened during previous insps of GL 89-10 program & issues requiring resolution prior to program closeout. TRAPP, J.M., KELLY, E.M. Region 1 (Post 820201). 95/06/29. 25pp. 84662.337-84662.360.

9507240290 Forwards insp repts 50-220/95-17 & 50-410/95-17 on 950626-29. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/07/14. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84824:302-84824:309.

-9507240286 Insp repts 50-220/95-17 & 50-410/95-17 on 950626-29. No violations noted. Major areas inspected: radiological environ monitoring program & meteorological monitoring program.
PELLUSO, L., BORES, R. Region 1 (Post 820201). 95/07/14. 5pp. 84824:305-84824:309.

9507270250 Ack receipt of 950626 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-03 & 50-410/95-03.
COWGILL, C.J. Region 1 (Post 820201). 95/07/19. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 84843:336-84843:343.

R. Periodic operating reports & related correspondence

9507140182 "Final SPDES Annual Biological Monitoring Rept." dtd June 1995/W/950710 ltr.
DAHLBERG, K.A. Niagara Mohawk Power Corp. 94/12/31. 68pp. 84761:048-84761:116.

9507250069 Monthly operating rept for June 1995 for Nine Mile Point Unit 2 W/950717 ltr.
CAROCCIO, C.J., DAHLBERG, K.A. Niagara Mohawk Power Corp. 95/06/30. 6pp. 84828:317-84828:322.

S. Reportable occurrences, LERs & related correspondence

9507060159 LER 95-006-00: on 950530, TS violation occurred because procedural requirement was not followed. Locked open valve 2RHS*V315 W/950629 ltr.
CONWAY, J.T., DAHLBERG, K.A. Niagara Mohawk Power Corp. 95/06/29. 6pp. 84578:249-84578:254.

9507060167 LER 95-005-00: on 950530, full reactor scram occurred due to turbine bearing vibration beyond allowables in connection w/startup of new low pressure turbine rotors. Placed plant in stable condition.
CONWAY, J.T., DAHLBERG, K.A. Niagara Mohawk Power Corp. 95/06/29. 5pp. 84578:255-84578:259.

9507110106 LER 95-007-00: on 950605, manual scram initiated in anticipation of an automatic scram on high RP resulting from generator runback due to high temp. Caused by human error. Scram recovery actions performed. W/950705 ltr.
DEAN, R., DAHLBERG, K.A. Niagara Mohawk Power Corp. 95/07/05. 6pp. 84630:010-84630:015.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507250021 Comment supporting proposed generic ltr re process for changes to security plans w/o prior NRC approval.
THOMAS, G.S. Duquesne Light Co. 95/07/11. NRC - No Detailed Affiliation Given. 1p. 84787:040-84787:040.

9507310186 Advises that 950512 rev to plant Unit 1 & 2 physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. 95/07/18. CROSS, J.E. Duquesne Light Co. 4pp. 84879:343-84879:346.

9507310020 Expresses appreciation to licensee for hosting intl attendees to NRC May 1995 US Fire Protection Practices training course.
VARGA, S. 95/07/26. THOMAS, G.S. Duquesne Light Co. 3pp. 84868:341-84868:343.

H. General correspondence

9507210032 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
THOMAS, G.S. Duquesne Light Co. 95/07/11. Docketing & Services Branch. 1p. 84738:058-84738:058.

P. Operating license stage documents & correspondence

9507050284 Forwards amends 188 & 70 to licenses DPR-66 & NPF-73 & SE. Amends 188 & 70 revise App A TSs by relocating requirements of RETS & solid radwaste TSs from App A to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301.
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. 95/06/12. CROSS, J.E. Duquesne Light Co. 4pp. 84528:001-84528:118.

-9507050286 Amends 188 & 70 to licenses DPR-66 & NPF-73, respectively, revising App A TSs by relocating requirements of RETS & solid radwaste TSs from App A TSs to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/12. 108pp. 84528:005-84528:112.

-9507050288 Safety evaluation supporting amends 188 & 70 to licenses DPR-66 & NPF-73, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 6pp. 84528:113-84528:118.

9507060226 Provides revised no significant hazards evaluation for proposed TS change requests 212 & 78, revising quadrant power ltr ration requirements.
NOONAN, T.P. Duquesne Light Co. 95/06/23. Document Control Branch (Document Control Desk). 6pp. 84570:209-84570:214.

9507050372 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes," including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp.
NOONAN, T.P. Duquesne Light Co. 95/06/23. Document Control Branch (Document Control Desk). 13pp. 84570:241-84570:253.

9507180287 Forwards amends 189 & 71 to licenses DPR-66 & NPF-73, respectively & SE. Amends revise item 2 of TS 6.9.1.14 for units 1 & 2, to specify use of BASH methodology instead of earlier W methodology.
BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. 95/06/27. CROSS, J.E. Duquesne Light Co. 3pp. 84696:251-84696:264.

-9507180295 Amends 189 & 71 to licenses DPR-66 & NPF-73, respectively, revising item 2 of TS 6.9.1.14, "Core Operating Limits Rept.," for units 1 & 2, to specify use of BASH methodology instead of earlier W methodology.
STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. 95/06/27. 9pp. 84696:254-84696:262.

-9507180298 Safety evaluation supporting amends 189 & 71 to licenses DPR-66 & NPF-73, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 2pp. 84696:263-84696:264.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMEC, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507100416 Forwards typed TS pages for issuance of amends in response to util request for TS Changes 199 & 66, Rev 1. Lists non-intent editorial changes incorporated to ensure consistency w/current format & content.
THOMAS, G.S. Duquesne Light Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84691:308-84691:350.

-9507100421 Proposed tech specs for TS Changes 199 & 66, Rev 1.
* Duquesne Light Co. 95/06/29. 41pp. 84691:310-84691:350.

9507190031 Application for amend to licenses DPR-66 & NPF-73, modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in Modes 4.5 & 6.
THOMAS, G.S. Duquesne Light Co. 95/07/10. Document Control Branch (Document Control Desk). 3pp. 84763:052-84763:177.

-9507190033 Proposed tech specs modifying criteria for boron dilution during isolated loop startup & isolation of primary grade water in modes 4.5 & 6.
* Duquesne Light Co. 95/07/10. 123pp. 84763:055-84763:177.

9507310177 Application for amends to licenses DPR-66 & NPF-73, consisting of proposed OL license change requests 221 & 90, respectively. Proposed change would modify LCO 3.8.1.1, "AC Sources - Operating" & associated SRs.
NOONAN, T.P. Duquesne Light Co. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84890:287-84890:342.

-9507310182 Proposed tech specs LCO 3.8.1.1, "AC Sources - Operating" & SRs.
* Duquesne Light Co. 95/07/20. 53pp. 84890:290-84890:342.

Q. Inspection reports, IE Bulletins & correspondence

9507030028 Forwards insp repts 50-334/95-09 & 50-412/95-09 on 950418-0603 & notice of violation.
LINVILLE, J.C. Region 1 (Post 820201). 95/06/23. CROSS, J.E. Duquesne Light Co. 3pp. 84507:001-84507:046.

-9507030033 Insp repts 50-334/95-09 & 50-412/95-09 on 950418-0603. Violations noted. Major areas inspected: plant operations, maint & surveillance, engineering, plant support & SA/QV.
LAZARUS, W.J. Region 1 (Post 820201). 95/06/21. 41pp. 84507:004-84507:046.

9507050372 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes," including safety assessment justifying continued operation, summary of insp plans developed & schedule for next planned insp.
NOONAN, T.P. Duquesne Light Co. 95/06/23. Document Control Branch (Document Control Desk). 13pp. 84570:241-84570:253.

R. Periodic operating reports & related correspondence

9507030326 "NPOES Discharge Monitoring Rept for May 1995." W/950621 ltr.
NOONAN, T.P. Duquesne Light Co. 95/05/31. 31pp. 84587:263-84587:293.

9507140156 Monthly operating repts for June 1995 for Beaver Valley Power Station Unit 1 & 2 W/950708 ltr.
JONES, D.T., NOONAN, T.P. Duquesne Light Co. 95/06/30. 10pp. 84729:347-84729:356.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

108 DOCKETED ITEMS

9507180234 Forwards public version of revised EPIPs, including Retype 1 to RP/0/A/5000/06A, Retype 1 to RP/0/A/5000/06B, Retype 1 to RP/0/A/5000/06C, Retype 4 to RP/0/A/5000/20 & RP/0/A/5000/24 & Rev 4 to Site Directive 3.0.7. W/950716 release memo.
REHN, D.L. Duke Power Co. 95/05/10. Document Control Branch (Document Control Desk). 2pp. 84683:153-84683:358.

-9507180237 Public version of revised EPIPs, including Retype 1 to RP/0/A/5000/06A, Retype 1 to RP/0/A/5000/06B, Retype 1 to RP/0/A/5000/06C, Retype 4 to RP/0/A/5000/20 & RP/0/A/5000/24 & Rev 4 to Site Directive 3.0.7.
SMITH, B.R. Duke Power Co. 95/05/01. 204pp. 84683:155-84683:358.

9507201165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p). Ercol withheld.
TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84622:343-84622:344.

9507280094 Forwards public version of EPIPs for plant W/950724 release memo.
REHN, D.L. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 3pp. 84844:202-84844:255.

-9507280117 Public version of change 20 to EPIP RP/0/A/5000/02, change 20 to EPIP RP/0/A/5000/03, change 20 to EPIP RP/0/A/5000/04, change 20 to EPIP RP/0/A/5000/05 & change 7 to EPIP RP/0/A/5000/10.
* Duke Power Co. 95/06/15. 49pp. 84844:207-84844:255.

P. Operating license stage documents & correspondence

9507030106 Informs that addl audit not necessary to accept util use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW, H.N. 95/06/18. TUCKMAN, M.S. Duke Power Co. 4pp. 84511:281-84511:284.

9507050060 Provides Unit 1 summary rept re 630 vs 610 Bobbin Probe comparison & analyst error assessment.
REHN, D.L. Duke Power Co. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84563:342-84563:346.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN, M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:128.

9506260062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507240112 Application for amends to licenses DPR-36, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
TUCKMAN, M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84796:287-84796:352.

-9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
* Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

-9507240123 "DPC TR QA Program."
* Duke Power Co. 95/06/29. 58pp. 84796:297-84796:352.

9507060253 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement.
TUCKMAN, M.S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84617:089-84617:096.

9507110022 Advises of intent & need to utilize methodology changes in Rev 2 of TR BAW-10168P-A for upcoming cycle (10) of Catawba Nuclear Station, Unit 1.
TUCKMAN, M.S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84695:009-84695:010.

9507110255 Forwards SE authorizing 931006 ltr requesting relief from ASME Boiler & Pressure Vessel Code, Section XI requirement to perform volumetric exam of reactor vessel nozzle-to-vessel welds.
BERKOW, H.N. 95/07/03. REHN, D.L. Duke Power Co. 3pp. 84616:295-84616:302.

-9507110259 Safety evaluation authorizing licensee request for relief 93-02.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 5pp. 84616:298-84616:302.

9507130077 Forwards revised marked-up TS pages for 930617 proposed TS amend modifying requirements for fuel assemblies in design features section of TS in accordance w/GL 90-02, Suppl 1, per NRC request.
REHN, D.L. Duke Power Co. 95/07/05. Document Control Branch (Document Control Desk). 4pp. 84676:177-84676:183.

-9507130141 Proposed tech specs, modifying requirements for fuel assemblies.
* Duke Power Co. 95/07/05. 3pp. 84676:181-84676:183.

9507120325 Requests for addl info re seismic analysis methodology for McGuire Nuclear Station, units 1 & 2 & Catawba Nuclear Station, units 1 & 2. Requests response within 30 days.
MARTIN, R.E. 95/07/06. TUCKMAN, M.S. Duke Power Co. 8pp. 84631:305-84631:310.

9507130131 Forwards "Catawba Unit 1 1995 Interim Plugging Criteria 90 Day Rept." dtd June 1995. Rept re detailed assessment of 630 vs 610 bobbin probe comparison & analyst error, as committed to in TS amends 130/124.
REHN, D.L. Duke Power Co. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84732:214-84732:309.

-9507130134 "Catawba Unit 1 1995 Interim Plugging Criteria 90 Day Rept."
* Westinghouse Electric Corp. 95/06/30. 92pp. 84732:215-84732:309.

9507250066 Forwards NPDES supplemental info update to NPDES permit application, proposed rewrite of NPDES permit & supplemental info, description of requested permit changes & marked up of existing permit showing changes.
CARTER, J.S. Duke Power Co. 95/07/19. ELEANER, T.M. South Carolina, State of. 86pp. 84827:179-84827:264.

9507260070 Confirms 950718 telcon between Z Taylor & R Freudenberger re mgt meeting to be conducted at plant on 950801. Meeting requested to present self-assessment of plant performance.
CRLENJAK, R.V. Region 2 (Post 820201). 95/07/19. REHN, D.L. Duke Power Co. 4pp. 84794:333-84794:336.

9507240249 Notification of 950727-28 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed.
MARTIN, R.E. 95/07/20. BERKOW, H.N. 4pp. 84824:296-84824:299.

9507270352 Forwards amends 131 & 125 to licenses NPF-35 & NPF-52 & safety evaluation. Amends delete TS 3/4.3.4 & associated bases.
MARTIN, R.E. 95/07/21. REHN, D.L. Duke Power Co. 3pp. 84873:001-84873:017.

-9507270360 Amends 131 & 125 to licenses NPF-35 & NPF-52, respectively, deleting TS 3/4.3.4, "Turbine Overspeed Protection," & associated bases.
BERKOW, H.N. 95/07/21. 9pp. 84873:004-84873:012.

-9507270363 Safety evaluation supporting amends 131 & 125 to licenses NPF-35 & NPF-52, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. 5pp. 84873:013-84873:017.

9507270236 Forwards amends 132 & 126 to licenses NPF-35 & NPF-52 & SE. Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected commitment manual.
MARTIN, R.E. 95/07/24. REHN, D.L. Duke Power Co. 3pp. 84873:227-84873:250.

-9507270244 Amends 132 & 126 to licenses NPF-35 & NPF-52, respectively, relocating requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected licensee manual.
BERKOW, H.N. 95/07/24. 18pp. 84873:230-84873:245.

-9507270246 Safety evaluation supporting amends 132 & 126 to licenses NPF-35 & NPF-52, respectively.
* 95/07/24. 5pp. 84873:246-84873:250.

9507310034 RAI re rev 1 to DPC-NE-3002, "FSAR Chapter 15 Sys Transient Analysis Methodology," for stated plants.
MARTIN, R.E. 95/07/25. TUCKMAN, M.S. Duke Power Co. 6pp. 84868:335-84868:340.

Q. Inspection reports, IE Bulletins & correspondence

9507120090 Ack receipt of 950606 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-10 & 50-414/95-10.
CRLENJAK, R.V. Region 2 (Post 820201). 95/06/20. REHN, D.L. Duke Power Co. 3pp. 84575:273-84575:275.

9507130086 Forwards Rev 0 to "ISI Special Rept for Pressure Testing Unit 1 Catawba 1995 Refueling Outage 8."
REHN, D.L. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 1p. 84736:049-84736:068.

-9507130089 Rev 0 to "ISI Special Rept for Pressure Testing Unit 1 Catawba 1995 Refueling Outage 8."
BOUGHMAN, J. Duke Power Co. 95/06/20. 20pp. 84736:050-84736:068.

9507140204 Forwards request for info re integrated performance assessment process insp rept 50-413/95-14 & 50-414/95-14.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/29. REHN, D.L. Duke Power Co. 6pp. 84761:118-84761:123.

9507170037 Advises licensee of results of plant performance review & subsequent evaluator. Forwards SALP insp plans for next 6 months.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/30. REHN, D.L. Duke Power Co. 7pp. 84650:356-84650:382.

9507140239 Forwards insp repts 50-413/95-13 & 50-414/95-13. Violations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 95/07/06. REHN, D.L. Duke Power Co. 4pp. 84737:320-84737:344.

-9507140249 Insp repts 50-413/95-13 & 50-414/95-13 on 950514-0610. Violations noted. Major areas inspected: plant operations, maintenance, engineering & plant support.
FREUDENBERGER, BALMAIN, P.A., CARROLL, R.E. Region 2 (Post 820201). 95/07/06. 19pp. 84737:324-84737:344.

9507130018 Responds to NRC 950609 ltr re violations noted in insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513. Corrective actions: Maintenance manager counseled re procedure use & adherence expectations.
REHN, D.L. Duke Power Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84684:338-84684:345.

9507200036 Forwards insp repts 50-413/95-17 & 50-414/95-17 on 950626-30. No violations noted.
CASTO, C.A. Region 2 (Post 820201). 95/07/13. REHN, D.L. Duke Power Co. 3pp. 84800:344-84800:353.

-9507200041 Insp repts 50-413/95-17 & 50-414/95-17 on 950626-30. No violations noted. Major areas inspected: conducted to assess licensee actions to address NRC Bulletin 90-001, suppl 1, loss of fill oil in transmitters mfg by Rosemount.
SALGADO, N., SHYMLOCK, M. Region 2 (Post 820201). 95/07/12. 7pp. 84800:347-84800:353.

9507240311 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/95-12 & 50-414/95-12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/07/19. REHN,D.L. Duke Power Co. 3pp. 84819:356-84819:358.

R. Periodic operating reports & related correspondence

9507200113 Forwards monthly operating rept June 1995 & revised monthly operating rept for May 1995 for Catawba Nuclear Station.
WEBER,R.L. Duke Power Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84779:304-84779:316.

--9507200116 Monthly operating rept for June 1995 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/06/30. 10pp. 84779:306-84779:315.

--9507200196 Revised monthly operating rept for May 1995 for Catawba Nuclear Station.
* Duke Power Co. 95/05/31. 1p. 84779:316-84779:316.

S. Reportable occurrences, LERs & related correspondence

9507070213 Special rept on 950523, Unit 1 Train A fuel handling ventilation filter heaters declared inoperable. Evaluation done to determine fault.
REHN,D.L. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84619:358-84619:359.

9507180046 Special rept on 950608, Channel 13 was declared inoperable. Trending of bias voltage & background RMS evaluated to conclude channel was experiencing periodic failures. Corrective maint will be performed during 1ECC9 outage.
REHN,D.L. Duke Power Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84784:352-84784:352.

9507180045 Special rept on 950615, Channel 4 was declared inoperable due to noise uncharacteristic of healthy channel detected via vibration & loose parts monitoring sys. Corrective maint will be performed during 1ECC9 outage.
REHN,D.L. Duke Power Co. 95/07/12. Document Control Branch (Document Control Desk). 1p. 84775:347-84775:347.

9507210322 Part 21 rept re potential defect in Limitorque SM3/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507210066 PNO-II-95-042 on 950713, licensee noticed alteration between two people at employees park. Guards found four individuals (aged 15 to 23) in controlled area. Licensee identified no evidence of damage or sabotage.
WATKINS,R. Region 2 (Post 820201). 95/07/14. 1p. 84738:212-84738:212.

V. Operator Examinations

9507180012 Ltr contract, definitizing task order 19, "Operator Licensing Exam - Catawba."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-019. 95/05/25. VOGEL,A.M. Sonalysts, Inc. 3pp. 84696:357-84696:359.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507180234 Forwards public version of revised EIPs, including Retype 1 to RP/0/A/5000/06A, Retype 1 to RP/0/A/5000/06B, Retype 1 to RP/0/A/5000/06C, Retype 4 to RP/0/A/5000/20 & RP/0/A/5000/24 & Rev 4 to Site Directive 3.0.7.W/950716 release memo.
REHN,D.L. Duke Power Co. 95/05/10. Document Control Branch (Document Control Desk). 2pp. 84683:153-84683:158.

--9507180237 Public version of revised EIPs, including Retype 1 to RP/0/A/5000/06A, Retype 1 to RP/0/A/5000/06B, Retype 1 to RP/0/A/5000/06C, Retype 4 to RP/0/A/5000/20 & RP/0/A/5000/24 & Rev 4 to Site Directive 3.0.7.
SMITH,B.R. Duke Power Co. 95/05/01. 204pp. 84683:155-84683:358.

9507070165 Forwards rev 1 to Duke Power Co Nuclear Security & Contingency Plan, per 10CFR50.54(p). Encl withheld.
TUCKMAN,M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84822:343-84822:344.

9507280094 Forwards public version of EIPs for plant W/950724 release memo.
REHN,D.L. Duke Power Co. 95/07/06. Document Control Branch (Document Control Desk). 3pp. 84844:202-84844:255.

--9507280117 Public version of change 20 to EIP RP/0/A/5000/02, change 20 to EIP RP/0/A/5000/03, change 20 to EIP RP/0/A/5000/04, change 20 to EIP RP/0/A/5000/05 & change 7 to EIP RP/0/A/5000/10.
* Duke Power Co. 95/06/15. 49pp. 84844:207-84844:255.

P. Operating license stage documents & correspondence

9507030106 Informs that addl audit not necessary to accept util use of revised CROV code. Proposed changes to Administrative Controls section of each plant TS must be submitted in order to include util use of revised code as methodology.
BERKOW,H.N. 95/06/19. TUCKMAN,M.S. Duke Power Co. 4pp. 84511:281-84511:284.

9507050204 Forwards util response to GL 95-03 re circumferential cracking of SG tubes.
TUCKMAN,M.S. Duke Power Co. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84570:115-84570:128.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507240112 Application for amends to licenses DPR-38, DPR-47, DPR-55, NPF-9, NPF-17, NPF-35 & NPF-52 re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
TUCKMAN,M.S. Duke Power Co. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84796:267-84796:352.

--9507240118 Proposed tech specs re mgt positions authorized to approve such items as procedures & procedure changes, station mods, TS amends & reportable events.
* Duke Power Co. 95/06/29. 5pp. 84796:292-84796:296.

--9507240123 "DPC TR QA Program."
* Duke Power Co. 95/06/29. 58pp. 84796:297-84796:352.

9507060253 Clarifies use of methodologies needed primarily for reanalysis of main steam lines in conjunction w/steam generator replacement.
TUCKMAN,M.S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84617:089-84617:096.

9507110263 Forwards SE authorizing licensee 950516 ltr which requested relief from ASME Boiler & Pressure Vessel Code, Section XI requirement to perform VT-3 visual exam for one of two RCS pressurizer spray valves.
BERKOW,H.N. 95/06/30. REHN,D.L. Duke Power Co. 3pp. 84616:305-84616:311.

--9507110270 Safety evaluation authorizing relief request 95-02 re valve internal visual exam requirement.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 4pp. 84616:308-84616:311.

9507110255 Forwards SE authorizing 931006 ltr requesting relief from ASME Boiler & Pressure Vessel Code, Section XI requirement to perform volumetric exam of reactor vessel nozzle-to-vessel welds.
BERKOW,H.N. 95/07/03. REHN,D.L. Duke Power Co. 3pp. 84616:295-84616:302.

--9507110259 Safety evaluation authorizing licensee request for relief 93-02.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 5pp. 84616:298-84616:302.

9507130077 Forwards revised marked-up TS pages for 930617 proposed TS amend modifying requirements for fuel assemblies in design features section of TS in accordance w/3L 90-02, Suppl 1, per NRC request.
REHN,D.L. Duke Power Co. 95/07/05. Document Control Branch (Document Control Desk). 4pp. 84676:177-84676:183.

--9507130141 Proposed tech specs, modifying requirements for fuel assemblies.
* Duke Power Co. 95/07/05. 3pp. 84676:181-84676:183.

9507120325 Requests for addl info re seismic analysis methodology for McGuire Nuclear Station, units 1 & 2 & Catawba Nuclear Station, units 1 & 2. Requests response within 30 days.
MARTIN,R.E. 95/07/06. TUCKMAN,M.S. Duke Power Co. 6pp. 84631:305-84631:310.

9507250066 Forwards NPDES supplemental info update to NPDES permit application, proposed rewrite of NPDES permit & supplemental info, description of requested permit changes & marked up of existing permit showing changes.
CARTER,J.S. Duke Power Co. 95/07/19. ELEAZER,T.M. South Carolina, State of. 86pp. 84827:179-84827:264.

9507260070 Confirms 950718 telcon between Z Taylor & R Freudenberger re mgt meeting to be conducted at plant on 950801. Meeting requested to present self-assessment of plant performance.
CRLENJAK,R.V. Region 2 (Post 820201). 95/07/19. REHN,D.L. Duke Power Co. 4pp. 84794:333-84794:336.

9507240249 Notification of 950727-26 w/Duke Power, Catawba & McGuire Nuclear Stations to discuss staff's review of licensee's proposal for use of alternative seismic analysis methodologies developed.
MARTIN,R.E. 95/07/20. BERKOW,H.N. 4pp. 84824:296-84824:299.

9507270352 Forwards amends 131 & 125 to licenses NPF-35 & NPF-52 & safety evaluation. Amends delete TS 3/4.3.4 & associated bases.
MARTIN,R.E. 95/07/21. REHN,D.L. Duke Power Co. 3pp. 84873:001-84873:017.

--9507270360 Amends 131 & 125 to licenses NPF-35 & NPF-52, respectively, deleting TS 3/4.3.4, "Turbine Overspeed Protection," & associated bases.
BERKOW,H.N. 95/07/21. 9pp. 84873:004-84873:012.

--9507270363 Safety evaluation supporting amends 131 & 125 to licenses NPF-35 & NPF-52, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. 5pp. 84873:013-84873:017.

9507270238 Forwards amends 132 & 126 to licenses NPF-35 & NPF-52 & SE. Amends relocate requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected commitment manual.
MARTIN,R.E. 95/07/24. REHN,D.L. Duke Power Co. 3pp. 84873:227-84873:250.

--9507270244 Amends 132 & 126 to licenses NPF-35 & NPF-52, respectively, relocating requirements for seismic instrumentation, meteorological instrumentation & loose-part detection sys & associated bases & SR from TS to selected licensee manual.
BERKOW,H.N. 95/07/24. 18pp. 84873:230-84873:245.

--9507270248 Safety evaluation supporting amends 132 & 126 to licenses NPF-35 & NPF-52, respectively.
* 95/07/24. 5pp. 84873:246-84873:250.

110 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

- 9507120090 Ack receipt of 950606 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-10 & 50-414/95-10. CRLENJAK, R.V. Region 2 (Post 820201). 95/06/20. REHN, D.L. Duke Power Co. 3pp. 84575.273-84575.275.
- 9507140204 Forwards request for info re integrated performance assessment process insp rpt 50-413/95-14 & 50-414/95-14. MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/29. REHN, D.L. Duke Power Co. 6pp. 84761.118-84761.123.
- 9507170037 Advises licensee of results of plant performance review & subsequent evaluations. Forwards SALP insp plans for next 6 months. MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/30. REHN, D.L. Duke Power Co. 7pp. 84650.356-84650.362.
- 9507140239 Forwards insp repts 50-413/95-13 & 50-414/95-13 Violations noted. CRLENJAK, R.V. Region 2 (Post 820201). 95/07/06. REHN, D.L. Duke Power Co. 4pp. 84737.320-84737.344.
- 9507140249 Insp repts 50-413/95-13 & 50-414/95-13 on 950514-0610. Violations noted. Major areas inspected: plant operations, maintenance, engineering & plant support. FREUDENBERGER, BALMAIN, P.A., CARROLL, R.E. Region 2 (Post 820201). 95/07/06. 19pp. 84737.324-84737.344.
- 9507130018 Responds to NRC 950609 ltr re violations noted in insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513. Corrective actions: Maintenance manager counseled re procedure use & adherence expectations. REHN, D.L. Duke Power Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84684.338-84684.345.
- 9507200036 Forwards insp repts 50-413/95-17 & 50-414/95-17 on 950626-30. No violations noted. CASTO, C.A. Region 2 (Post 820201). 95/07/13. REHN, D.L. Duke Power Co. 3pp. 84800.344-84800.353.
- 9507200041 Insp repts 50-413/95-17 & 50-414/95-17 on 950626-30. No violations noted. Major areas inspected: conducted to assess licensee actions to address NRC Bulletin 90-001, suppl 1, loss of fill oil in transmitters mfg by Rosemount. SALGADO, N., SHYMLOCK, M. Region 2 (Post 820201). 95/07/12. 7pp. 84800.347-84800.353.
- 9507240311 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-413/95-12 & 50-414/95-12. CRLENJAK, R.V. Region 2 (Post 820201). 95/07/19. REHN, D.L. Duke Power Co. 3pp. 84819.356-84819.358.

R. Periodic operating reports & related correspondence

- 9507200113 Forwards monthly operating rept June 1995 & revised monthly operating rept for May 1995 for Catawba Nuclear Station. WEBER, R.L. Duke Power Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84779.304-84779.316.
- 9507200116 Monthly operating rept for June 1995 for Catawba Nuclear Station. WILLIAMS, R.A. Duke Power Co. 95/06/30. 10pp. 84779.306-84779.315.
- 9507200196 Revised monthly operating rept for May 1995 for Catawba Nuclear Station. Duke Power Co. 95/05/31. 1p. 84779.316-84779.316.

S. Reportable occurrences, LERs & related correspondence

- 9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815.169-84815.198.
- 9507210066 PNO-II-95-042 on 950713. Licensee noticed altercation between two people at employees park. Guards found four individuals (aged 15 to 23) in controlled area. Licensee identified no evidence of damage or sabotage. WATKINS, R. Region 2 (Post 820201). 95/07/14. 1p. 84736.212-84736.212.

V. Operator Examinations

- 9507180012 Ltr contract, defining task order 19. "Operator Licensing Exam - Catawba." WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-94-019. 95/05/25. VOGEL, A.M. Sonalysts, Inc. 3pp. 84696.357-84696.359.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 9507110245 Revised EIPs, including rev 3 to EPIP-01-S-10-5, "Control Of Emergency Response Equipment & Facilities" & rev 9 to EPIP-10-S-01-20, "Admin Of Thyroid Blocking Agents." W/950630 ltr. HUTCHINSON, C.R. Entergy Operations, Inc. 95/06/13. 27pp. 84694.288-84694.314.
- 9507050342 Corrected ltr forwarding objectives for Sept 1995 emergency preparedness exercise for GGNS. Month of objectives for 1995 emergency preparedness exercise changed from Aug to Sept. W/o encl. HUTCHINSON, C.R. Entergy Operations, Inc. 95/06/14. Document Control Branch (Document Control Desk). 3pp. 84568.354-84568.356.
- 9507110157 Change 28-001-95 to "GGNS Emergency Plan." W/950630 ltr. MORGAN, A.C. HUTCHINSON, C. Entergy Operations, Inc. 95/06/30. 10pp. 84692.346-84692.355.

- 9507110219 Forwards response to GNRI-95-00086 re NRC review of Rev 27 to GGNS emergency plan. Evaluation of Tech Specs criteria completed. HUTCHINSON, C. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84695.092-84695.098.
- 9507170045 Forwards plant emergency preparedness scenario. W/o encl. HUTCHINSON, C.R. Entergy Operations, Inc. 95/07/11. Document Control Branch (Document Control Desk). 2pp. 84755.304-84755.305.
- 9507250284 Comment on proposed generic ltr re 10CFR50.54 "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees w/ proposed clarification of language & w/provided screening criteria in notice. DEWEASE, J.G. Entergy Operations, Inc. 95/07/14. NRC - No Detailed Affiliation Given. 2pp. 84788.204-84788.205.
- 9507260121 Forwards listed documents in accordance w/NRC administrative ltr 94-07 re site-specific & state emergency planning info. HUTCHINSON, C.R. Entergy Operations, Inc. 95/07/21. Incident Response Branch. 3pp. 84837.340-84837.342.

P. Operating license stage documents & correspondence

- 9507120001 Discusses 950621 mgt meeting in Region II office re Grade 1 QA & Engineering Change Process of Grand Gulf. List of attendees & slides, encl. CHRISTENSEN, H. Region 2 (Post 820201). 95/06/21. HUTCHINSON, C.R. Entergy Operations, Inc. 11pp. 84574.001-84574.110.
- 9507060210 Submits notification that util has completed actions necessary to satisfy commitments made re GL 89-10. HUTCHINSON, C.R. Entergy Operations, Inc. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84617.293-84617.295.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518.259-84518.268.
- 9507190260 Notification of meeting w/BWR/6 Owners Group in Rockville, MD to discuss sys required while handling irradiated fuel in containment. O'CONNOR, P.W. 95/07/11. BECKER, W.B. 7pp. 84739.330-84739.336.
- 9507170389 Informs of deletion of reporting requirement for summary startup rept for plant startup & power escalation to NRC. HUTCHINSON, C.R. Entergy Operations, Inc. 95/07/14. Document Control Branch (Document Control Desk). 3pp. 84776.274-84776.276.
- 9507250142 Application for amend to license NPF-29, proposing to recapture approx 2 1/2 yrs of low/no power operation by extending 40-yr operating license term from 220616 to 241101. HUTCHINSON, C.R. Entergy Operations, Inc. 95/07/21. Document Control Branch (Document Control Desk). 19pp. 84828.225-84828.243.
- 9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NJREG-1465 severe accident source term at operating reactors. SCALETTI, D. 95/07/26. QUAY, T.R. 46pp. 84888.143-84888.188.

Q. Inspection reports, IE Bulletins & correspondence

- 9507100301 Forwards insp rept 50-416/95-09 on 950514-0610. No violations or deviations noted. CHRISTENSEN, H. Region 2 (Post 820201). 95/06/21. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 84692.093-84692.110.
- 9507100304 Insp rept 50-416/95-09 on 950514-0610. No violations noted. Major areas inspected: plant operation, review of nonconformance repts, followup on onsite events, plant startup from refueling & maint & surveillance observations. TEDROW, J., HUGHEY, C., CHRISTENSEN, H. Region 2 (Post 820201). 95/06/21. 14pp. 84692.097-84692.110.
- 9507120057 Forwards insp rept 50-416/95-08 on 950522-26. No violations noted. BARR, K.P. Region 2 (Post 820201). 95/06/21. HUTCHINSON, C.R. Entergy Operations, Inc. 4pp. 84575.146-84575.172.
- 9507120062 Insp rept 50-416/95-08 on 950522-26. No violations noted. Major areas inspected: organization of chemistry dept & radwaste shipping unit, plant water chemistry & annual radioactive effluent release repts. CARRION, R.P., DECKER, T.R. Region 2 (Post 820201). 95/06/21. 23pp. 84575.150-84575.172.
- 9507060244 Responds to NRC 950526 ltr re violations noted in insp rept 50-416/95-05. Corrective actions: revised sys operating instructions to address partial isolation of ADHRS following sys flushing. HUTCHINSON, C.R. Entergy Operations, Inc. 95/06/28. Document Control Branch (Document Control Desk). 6pp. 84617.116-84617.121.
- 9507110028 Comments on proposed rule re. "Review of NRC Insp Rept Content, Format & Style." Entergy Operations, Inc. 95/06/29. MEYERS, D. Rules & Directives Review Branch (Post 920323). 5pp. 84557.074-84557.078.
- 9507140318 Ack receipt of 950628 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/95-05. CHRISTENSEN, H. Region 2 (Post 820201). 95/06/30. HUTCHINSON, C.R. Entergy Operations, Inc. 3pp. 84761.155-84761.157.

R. Periodic operating reports & related correspondence

- 9507190346 Monthly operating rept for June 1995 for Grand Gulf Nuclear Station Unit 1. W/950714 ltr. LIN, S.D. HUTCHINSON, C. Entergy Operations, Inc. 95/06/30. 5pp. 84785.350-84785.354.

S. Reportable occurrences, LERs & related correspondence

- 9507110244 RO 95-002: on 950805, invalid failure of Division 13, HPCS EDG occurred. Surveillance procedures used for ECCS testing will be evaluated to provide alternate method for initiating trip signals, thereby eliminating need for finger relays. HUTCHINSON, C.R. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84695:063-84695:064.
- 9507210322 Part 2: rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.
- 9507250942 LER 95-005-00: on 950623, TS violations occurred due to missed surveillance. Analyzed add'l portions of original 950518 sample W/950721 ltr. OWENS, J., HUTCHINSON, C.R. Entergy Operations, Inc. 95/07/21. 4pp. 84632:046-84632:049.

V. Operator Examinations

- 9507240464 Informs that addresses of listed licensed operators at utli have changed. HUTCHINSON, C.R. Entergy Operations, Inc. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84824:190-84824:191.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

- 9507110028 Comments on proposed rule re. "Review of NRC Insp Rept Content, Format & Style."
* Entergy Operations, Inc. 95/06/29. MEYERS, D. Rules & Directives Review Branch (Post 920323). 5pp. 84557:074-84557:078.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

- 9507180230 Revised EIPs, including Rev 165 to EIP 4000 procedure index Rev 1 to EIP 4404, "Notification & Communications" & rev 1 to EIP 4470, "Control Room Data Coordination."
* Northeast Nuclear Energy Co. 95/06/29. 43pp. 84784:217-84784:261.
- 9507140073 Informs NRC that utli annual emergency preparedness exercise for plant has been scheduled for 951005. Scope & objectives re exercise encl.
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 8pp. 84760:267-84760:274.
- 9507140175 Rev 18 to Millstone Emergency Plan.
* Northeast Nuclear Energy Co. 95/07/07. 20pp. 84736:245-84736:281.
- 9507240080 Forwards insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted.
DURR, J.P. Region 1 (Post 820201). 95/07/17. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84752:021.
- 9507240084 Insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment.
NICHOLSON, L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84752:021.
- 9507310155 Revised EIPs, including change 1 to rev 4 to EIP form 4400-1 & change 1 to rev 3 to EIP form 4400-2.
* Northeast Nuclear Energy Co. 95/07/20. 9pp. 84907:040-84907:048.
- 9507180310 Rev 18 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/07/31. 4pp. 84786:076-84786:078.

G. Adjudicatory correspondence

- 9507100088 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision DD-95-11 in docket has expired. Decision became final on 950626. W/Certificate of Svc. Served on 950630.
HOYLE, J.C. Office of the Secretary of the Commission. #395 16866. 95/06/29. GZVENSKY, R. Affiliation Not Assigned. 2pp. 84538:306-84538:307.
- 9507170405 Submits rebuttal to NNECO response to Aj Ross 10CFR2.206 petition re problems at Millstone Station w/ regards to work control, tagging control & procedure compliance.
ROSS, A.J. Affiliation Not Assigned. 95/07/11. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 43pp. 84796:006-84796:064.
- 9204230091 Informs of establishment of special review group to review pertinent written documentation re allegations of harassment & intimidation at utli.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/04/06. ELLIS, W.B. Northeast Nuclear Energy Co. 10pp. 84796:049-84796:064.
- 9507240109 Provides update on five 10CFR2.206 petitions submitted, dtd 841230 & 950102, 05, 08 & 17.
ANDERSEN, J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/19. ROSS, A.J. Affiliation Not Assigned. 2pp. 84824:336-84824:337.

H. General correspondence

- 9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA, J.F. Northeast Utilities. 95/07/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84738:115-84738:116.

P. Operating license stage documents & correspondence

- 9507030171 Application for amend to license NPF-49, relocating TS requirements for containment purge exhaust & supply valves from radiation monitoring instrumentation TS table to ESF actuation sys TS table.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/06/27. Document Control Branch (Document Control Desk). 7pp. 84588:321-84588:355.
- 9507030175 Proposed tech specs, relocating TS requirements for containment purge exhaust & supply valves from radiation monitoring instrumentation TS table to ESF actuation sys TS table.
* Northeast Nuclear Energy Co. 95/06/27. 27pp. 84588:326-84588:355.
- 9507030335 Provides response to GI 95-03, "Circumferential Cracking of SG Tubes."
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/06/27. Document Control Branch (Document Control Desk). 30pp. 84567:294-84567:323.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507060268 Application for amend to license NPF-49, by incorporating changes to TS re 24-month fuel cycle plant sys surveillance extensions.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 95/06/29. Document Control Branch (Document Control Desk). 5pp. 84600:152-84600:206.
- 9507060277 Proposed tech specs re 24 month fuel cycle-plant sys surveillance extensions.
* Northeast Nuclear Energy Co. 95/06/29. 50pp. 84600:157-84600:206.
- 9507140084 Advises NRC that plant Unit 3 has completed design basis reviews, analyses, verifications, tests & insps per GL 89-10, Items a through h.
OPEKA, J.F., DEBARBA, E.A. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84729:359-84729:360.
- 9507170029 Forwards amend 116 to license NPF-49 & safety evaluation. Amend revises TS to delete power range negative flux trip from Tables 2.2-1, 3.3-1, & 4.3-1 & delete associated Bases Section 2.0.
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/11. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84671:345-84671:357.
- 9507170032 Amend 116 to license NPF-49, revising TS to delete power range negative flux trip from Tables 2.2-1, 3.3-1, & 4.3-1 & delete associated Bases Section 2.0.
MCKEE, P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/11. 7pp. 84671:349-84671:355.
- 9507170036 Safety evaluation supporting amend 116 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 2pp. 84671:356-84671:357.
- 9507170041 Forwards amend 117 to license NPF-49 & safety evaluation. Amend revises TS 3.10.5 to allow more than one control bank fully withdrawn from core simultaneously in order to conduct rod drop time response testing.
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/11. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84669:335-84669:348.
- 9507170043 Amend 117 to license NPF-49, revising TS 3.10.5 to allow more than one control bank fully withdrawn from core simultaneously in order to conduct rod drop time response testing.
MCKEE, P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/11. 7pp. 84669:339-84669:345.
- 9507170046 Safety evaluation supporting amend 117 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/11. 3pp. 84669:346-84669:348.
- 9507200363 Forwards corrected TS page 3/4 6-5, to amend 59 to license NPF-49, issued on 910125. TS page did not incorporate change made by amend 57.
ROONEY, V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/12. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84739:353-84739:356.
- 9507200088 Application for amend to license NPF-49 re 24-month fuel cycle surveillance extensions for ECCS.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84800:051-84800:085.
- 9507200097 Proposed tech specs re 24-month fuel cycle surveillance extensions for ECCS.
* Northeast Nuclear Energy Co. 95/07/14. 31pp. 84800:055-84800:085.
- 9507240151 Application for amend to license NPF-49. Amend would support 24-month fuel cycle surveillance extensions for Unit 3.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/17. Document Control Branch (Document Control Desk). 5pp. 84822:248-84822:309.
- 9507240154 Proposed tech specs re support for 24-month fuel cycle surveillance extensions for Unit 3.
* Northeast Nuclear Energy Co. 95/07/17. 57pp. 84822:253-84822:309.
- 9507240131 Application for amend to license NPF-49. Amend would support 24-month fuel cycle surveillance extension for Unit 3.
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities Service Co. 95/07/18. Document Control Branch (Document Control Desk). 5pp. 84822:310-84822:352.

112 DOCKETED ITEMS

9507240133 Proposed tech specs re support for 24-month fuel cycle surveillance extensions for Unit 3.
* Northeast Nuclear Energy Co. 95/07/18. 38pp. 84822:315-84822:352.

9507270212 Forwards proprietary details re recently received info concerning activities at facility for review & follow-up. Encl withheld per 10CFR2.790(a).
COOPER,R.W. Region 1 (Post 820201). 95/07/19. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84843:329-84843:331.

9507270051 Provides correction to proposed rev to TS re containment purge exhaust & supply valves from radiation monitoring instrumentation TS table to ESF actuation sys TS table.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84851:334-84851:339.

9507270057 Proposed tech specs converting from monitoring instrumentation TS table to ESF actuation sys TS table.
* Northeast Nuclear Energy Co. * Northeast Utilities. 95/07/21. 3pp. 84851:337-84851:339.

9507280028 Requests withdrawal for use of alternative to ASME Boiler & Pressure Vessel Code Section III for Millstone Unit 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/07/25. Document Control Branch (Document Control Desk). 3pp. 84874:345-84874:347.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville,MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTI,D. 95/07/26. QUAY,T.R. 46pp. 84888:143-84888:168.

Q. Inspection reports, IE Bulletins & correspondence

9507030016 Forwards insp repts 50-245/95-16 & 50-423/95-16 on 950410-14,24-28 & 0508-12 & notice of violation. Violations involved poor planning of work & workers exceeding planned scope of work w/o correcting work package.
MEYER,G.W. Region 1 (Post 820201). 95/06/23. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84488:120-84488:143.

9507030020 Insp repts 50-245/95-16 & 50-423/95-16 on 950410-14,24-28 & 0508-12. Violations noted. Major areas inspected: maint, engineering & plant support.
KENNY,T.J., MEYER,G.W. Region 1 (Post 820201). 95/06/22. 19pp. 84488:125-84488:143.

9507030169 Forwards response to NRC 950510 ltr re violations noted in insp repts 50-336/95-11 & 50-423/95-11 on 950320-23 & 27-30. Corrective actions: returned all UV modules to vendor that implemented mods to correct original fabrication error.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/27. Document Control Branch (Document Control Desk). 5pp. 84559:354-84559:359.

9507110048 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
OPEKA,J.F. Northeast Utilities Service Co. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 10pp. 84557:242-84557:251.

9507100238 Forwards safety insp rept 50-423/95-23 on 950605-16. No violations or deviations noted.
MODES,M.C. Region 1 (Post 820201). 95/06/30. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84692:179-84692:194.

9507100241 Insp rept 50-423/95-23 on 950605-16. No violations or deviations noted. Major areas inspected: ISI program activities & SG activities.
BEARDSLEE,C.D., MODES,M.C. Region 1 (Post 820201). 95/06/30. 13pp. 84692:182-84692:194.

9507140094 Advises NRC that plant Unit 3 has completed design basis reviews, analyses, verifications, tests & insps per GL 89-10, Items a through h.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84729:359-84729:360.

9507240026 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp rept 50-423/94-31.
DURR,J.P. Region 1 (Post 820201). 95/07/17. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84751:052-84751:057.

9507240080 Forwards insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/07/17. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84751:335-84752:021.

9507240084 Insp repts 50-245/95-20, 50-336/95-20 & 50-423/95-20 on 950426-0606. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security outage activities & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/07/14. 43pp. 84751:339-84752:021.

9507260298 Requests add info for proposed use of Code Case N-508-1 in snubber insp program for Haddam Neck Plant & Millstone NPP Units 1,2 & 3.
MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/07/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 6pp. 84816:343-84816:348.

R. Periodic operating reports & related correspondence

9507200093 Forwards monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3. Revs to Apr & May 1995 repts for Unit 1 also encl.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84763:309-84763:326.

9507200012 Monthly operating repts for June 1995 for Millstone Nuclear Power Station Units 1,2 & 3.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/06/30. 15pp. 84763:310-84763:324.

9507170402 Provides 1994 joint frequency distribution of wind distribution, wind speed & stability for Haddam Neck Plant & Millstone Nuclear Power Station.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/07/13. TICHLER,J. Brookhaven National Laboratory. 6pp. 84755:026-84755:033.

S. Reportable occurrences, LERs & related correspondence

9507050358 LER 95-012-00 on 950602. CR received containment smoke alarm. Caused by flashing of small quantity of RCP lube oil. Performed exam of remaining areas of maint. W/950628 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. 95/06/28. 4pp. 84559:020-84559:023.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507060122 Revised EIPs, including rev 10 to EPIP-91306-C, rev 13 to EPIP-91203-C & rev 10 to EPIP-91401-C. W/950629 ltr.
BRADY,C., BEASLEY,J.B. Georgia Power Co. 95/06/13. 53pp. 84579:106-84579:159.

9507120069 Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/20. MCCOY,C.K. Georgia Power Co. 3pp. 84575:180-84575:193.

9507120075 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. Major areas inspected: radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/06/20. 11pp. 84575:183-84575:193.

9507170354 Forwards EA & FONSI re application for exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of License Activities in Nuclear Power Reactors Against Radiological Sabotage," plant units 1 & 2.
BERKOW,H.N. 95/07/06. MCCOY,C.K. Georgia Power Co. 3pp. 84673:339-84673:346.

9507170367 Environ assessment & finding of no significant impact re proposed action IAW licensee application dtd 950214, for exemption for certain requirements of 10CFR73.55.
BERKOW,H.N. 95/07/06. 5pp. 84673:342-84673:346.

9507250256 Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval."
BECKHAM,J.T. Georgia Power Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84788:200-84788:201.

9507190003 Revised EIPs, including rev 5 to VNS-EP-01, rev 3 to VNS-EP-02, rev 6 to VNS-EP-03, rev 7 to VNS-EP-04, rev 6 to VNS-EP-05, rev 4 to VNS-EP-07, rev 5 to VNS-EP-09, rev 10 to VNS-EP-11, rev 3 to VNS-EP-13 & rev 4 to VNS-EP-14.
GREENE,T. Southern Nuclear Operating Co. 95/07/11. 75pp. 84790:001-84790:076.

9507200311 Forwards exemption from certain requirements of 10CFR73.55 re issuance, storage & retrieval of badges for personnel granted unescorted access to protected & vital areas on site.
BERKOW,H.N. 95/07/12. MCCOY,C.K. Georgia Power Co. 3pp. 84753:001-84753:010.

9507200321 Grants exemption from requirements of 10CFR73.55 re physical protection of licensed activities in nuclear power reactors against radiological sabotage.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) (Post 941001). 95/07/12. Georgia Power Co. 7pp. 84753:004-84753:010.

G. Adjudicatory correspondence

9507100068 Forwards page 14 for insertion in 941104, "Vogtle Coordinating Group Evaluation, Conclusions & Recommendations."
YOUNG,M.A. Office of the General Counsel (Post 860701). #395 16869. 95/06/28. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 84538:130-84538:131.

9507100078 Informs that util will be unable to complete exam of witness in 2 1/2 days of hearing scheduled for 940706-08 in Rockville.
BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #395 16868. 95/06/28. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 84538:151-84538:151.

9507180040 Georgia Power Company supplemental response to intervenor seventh request for interrogatories. W/Certificate of Svc & svc list. Related Correspondence.
JOINER,J.E. Georgia Power Co. JOINER,J.E. Troutman Sanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 16875. 95/06/30. Affiliation Not Assigned. 5pp. 84675:020-84675:024.

9507180071 Intervenor motion to compel production of licensee notes of interview of Ester Dixon. W/Certificate of Svc & svc list.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 16876. 95/06/30. Atomic Safety & Licensing Board Panel. 10pp. 84675:060-84675:070.

9507270060 Intervenor motion to clarify record. Requests Board to clarify record to reflect that on 950517, exhibits identified in list of stipulated exhibits, were received into evidence. W/Certificate of Svc.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 16896. 95/07/10. Atomic Safety & Licensing Board Panel. 4pp. 84813:230-84813:233.

9507270123 Georgia Power Co response to intervenor motion to compel production of licensee notes of interview of Estler Dixon.* Intervenor motion should be denied.W/ Certificate of Svc.
LAMBERSKI,J.E. Georgia Power Co. LAMBERSKI,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore) #395 16899. 95/07/17. Atomic Safety & Licensing Board Panel. 12pp. 84814:069-84814:080.

H. General correspondence

9507090174 Comment on "Review of NRC Insp Rept Content,Format & Style." Util feels that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used.
BECKHAM,J.T. Georgia Power Co. 95/06/28. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84507:316-84507:317.

P. Operating license stage documents & correspondence

9507190312 Second partial response to FOIA request for records.App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. Saporito,T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

9507030316 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes," containing info as delineated in Items 1 & 2 on page 4 of subj GL.
MCCOY,C.K. Georgia Power Co. 95/06/27. Document Control Branch (Document Control Desk). 21pp. 84587:324-84587:344.

9507060065 Requests NRC to issue changed labels on TS Figures 3.4-2A & 3.4-2B as correction to figures in amends 87 & 85.
MCCOY,C.K. Georgia Power Co. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84617:188-84617:190.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507110315 Forwards corrected pages to amends 87 & 85 for licenses NPF-68 & NPF-81. Revised pages, including labeling of two pressure vs temp curves, to replace pages 3/4 4-31 & 3/4 4-31a.
WHEELER,L.L. 95/06/30. MCCOY,C.K. Georgia Power Co. 5pp. 84616:341-84616:345.

9507110275 Forwards amends 88 & 86 to licenses NPF-68 & NPF-81 & safety evaluation. Amends relocate requirements of TS 3/4.3.4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR.
WHEELER,L.L. 95/07/03. MCCOY,C.K. Georgia Power Co. 3pp. 84616:312-84616:327.

-9507110283 Amends 88 & 86 to licenses NPF-68 & NPF-81, respectively, relocating requirements of TS 3/4.3.4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR.
BERKOW,H.N. 95/07/03. 7pp. 84616:315-84616:321.

-9507110284 Safety evaluation supporting amends 88 & 86 to licenses NPF-68 & NPF-81, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 6pp. 84616:322-84616:327.

9507140458 Submits suppl rev to Tech Specs Section 3.8.3.1, pp 3/4 8-15 re footnote & bases expansion.
MCCOY,C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84760:052-84760:055.

-9507140461 Proposed Tech Specs Section 3.8.3.1, Page 3/4 8-15 re footnote & bases & expansion.
* Georgia Power Co. 95/07/06. 2pp. 84760:054-84760:055.

9507140462 Forwards request for addl info re control room radiological parameters used for analysis of fuel handling accident w/ personnel airlock.
MCCOY,C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 4pp. 84760:039-84760:042.

9507140465 Submits response to NRC staff interest, as expressed in 950628 telcon re plans for performance of general containment insp as specified in 10CFR50, App J.
MCCOY,C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84760:037-84760:038.

9507170274 Forwards amends 89 & 87 to licenses NPF-68 & NPF-81, respectively & SE. Amends revise frequency of conducting leak testing of containment purge valves w/ seals made of resilient matl from every 3 months to each refueling outage.
WHEELER,L.L. 95/07/07. MCCOY,C.K. Georgia Power Co. 3pp. 84674:327-84674:340.

-9507170283 Amends 89 & 87 to licenses NPF-68 & NPF-81, respectively, revising frequency of conducting leak testing of containment purge valves w/ seals made of resilient matl from every 3 months to each refueling outage.
BERKOW,H.N. 95/07/07. 8pp. 84674:330-84674:337.

-9507170287 Safety evaluation supporting amends 89 & 87 to licenses NPF-68 & NPF-81, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 3pp. 84674:338-84674:340.

G. Inspection reports, IE Bulletins & correspondence

9507120069 Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/20. MCCOY,C.K. Georgia Power Co. 3pp. 84575:180-84575:193.

-9507120075 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. Major areas inspected: radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/06/20. 11pp. 84575:183-84575:193.

9507120031 Forwards insp repts 50-424/95-14,50-425/95-14,50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/22. WOODARD,J.D. Georgia Power Co. 4pp. 84574:264-84574:276.

-9507120035 Insp repts 50-424/95-14,50-425/95-14,50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted. Major areas inspected: effectiveness of licensee quality concerns programs in addressing safety concerns.
CRLENJAK,R.V., MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/22. 9pp. 84574:268-84574:276.

9507200067 Forwards insp repts 50-424/95-16 & 50-425/95-16 on 950521-0617. No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/07/11. MCCOY,C.K. Georgia Power Co. 3pp. 84795:321-84795:338.

-9507200070 Insp repts 50-424/95-16 & 50-425/95-16 on 950521-0617. No violations noted. Major areas inspected: plant operations, surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment capability.
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/07/06. 15pp. 84795:324-84795:338.

R. Periodic operating reports & related correspondence

9507140161 Monthly operating repts for June 1995 for Vogtle Electric Generating Plant Units 1 & 2.W/950706 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 95/06/30. 12pp. 84729:335-84729:346.

S. Reportable occurrences, LERs & related correspondence

9507180041 Special rept on 950517, operators experienced difficulties w/excitation of generator in form of voltage swings when utilizing each of two voltage regulators.
MCCOY,C.K. Georgia Power Co. 95/06/16. Document Control Branch (Document Control Desk). 2pp. 84784:353-84784:354.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBL-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507240064 Special rept on 950517, operators experienced difficulties w/excitation of generator in form of voltage swings when utilizing each of two voltage regulators.
MCCOY,C.K. Georgia Power Co. 95/07/14. Document Control Branch (Document Control Desk). 2pp. 84819:350-84819:351.

T. Hearing transcripts on non-antitrust matters

9507100063 Transcript of 950708 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,242-8,447. Related documentation.
* Atomic Safety & Licensing Board Panel. 95/07/06. 300pp. 84667:051-84668:040.

9507110030 Transcript of 950707 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,448-8,667. Related documentation.
* Atomic Safety & Licensing Board Panel. 95/07/07. 256pp. 84693:001-84693:256.

9507120084 Transcript of 950708 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,688-8,799.
* Atomic Safety & Licensing Board Panel. 95/07/08. 113pp. 84699:235-84699:350.

9507130001 Transcript of 950711 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,800-8,999.
* Atomic Safety & Licensing Board Panel. 95/07/11. 200pp. 84730:001-84730:202.

9507130241 Transcript of 950712 hearing in matter of GPC Vogtle Electric Generating Plant Units 1 & 2 re license amend (transfer to Southern Nuclear). Pp 9,000-9,189.
* Atomic Safety & Licensing Board Panel. 95/07/12. 189pp. 84732:022-84732:213.

9507170010 Transcript of 950713 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 9,190-9,390. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/07/13. 205pp. 84773:001-84773:205.

9507180221 Transcript of 950714 hearing in Rockville, MD re facility. Pp 9,391-9,584.
* Atomic Safety & Licensing Board Panel. 95/07/14. 193pp. 84776:001-84776:199.

9507190173 Transcript of 950717 hearing in Rockville, MD re GPC, Vogtle Electric Generating Plant Units 1 & 2 license amend (transfer to Southern Nuclear). Pp 9,585-9,773.
* Atomic Safety & Licensing Board Panel. 95/07/17. 204pp. 84768:115-84768:318.

9507200137 Transcript of 950718 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 9,774-9,897. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/07/18. 140pp. 84792:141-84792:280.

9507210009 Transcript of 950719 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 9,898-10,113. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/07/19. 247pp. 84810:001-84810:247.

9507240472 Transcript of 950720 hearing in Rockville, MD re plant. Pp 10,114-10,311.
* Atomic Safety & Licensing Board Panel. 95/07/20. 247pp. 84822:001-84822:247.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

114 DOCKETED ITEMS

F. Security, medical, emergency & fire protection plans

- 9507060122** Revised EIPs, including rev 10 to EIP-91306-C, rev 13 to EIP-91203-C & rev 10 to EIP-91401-C. W/950629 ltr
BRADY, C., BEASLEY, J.B. Georgia Power Co. 95/06/13. 53pp. 84579:106-84579:159.
- 9507120069** Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/06/20. MCCOY, C.K. Georgia Power Co. 3pp. 84575:180-84575:193.
- 9507120075** Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. Major areas inspected: radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation.
JONES, D.W. Region 2 (Post 820201). 95/06/20. 11pp. 84575:183-84575:193.
- 9507170354** Forwards EA & FONSI re application for exemption from certain requirements of 10CFR73.55. "Requirements for Physical Protection of License Activities in Nuclear Power Reactors Against Radiological Sabotage," plant/units 1 & 2.
BERKOW, H.N. 95/07/06. MCCOY, C.K. Georgia Power Co. 3pp. 84673:339-84673:346.
- 9507170367** Environ assessment & finding of no significant impact re proposed action IAW licensee application dtd 950214, for exemption for certain requirements of 10CFR73.55.
BERKOW, H.N. 95/07/06. 5pp. 84673:342-84673:346.
- 9507250256** Comment on proposed generic communication, 10CFR50.54(p), "Process for Changes to Security Plans W/ Prior NRC Approval."
BECKHAM, J.T. Georgia Power Co. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84786:200-84786:201.
- 9507190003** Revised EIPs, including rev 5 to VNS-EP-01, rev 3 to VNS-EP-02, rev 6 to VNS-EP-03, rev 7 to VNS-EP-04, rev 6 to VNS-EP-05, rev 4 to VNS-EP-07, rev 5 to VNS-EP-09, rev 10 to VNS-EP-11, rev 3 to VNS-EP-13 & rev 4 to VNS-EP-14.
GREENE, T. Southern Nuclear Operating Co. 95/07/11. 73pp. 84790:001-84790:076.
- 9507200311** Forwards exemption from certain requirements of 10CFR73.55 re issuance, storage & retrieval of badges for personnel granted unescorted access to protected & vital areas on site.
BERKOW, H.N. 95/07/12. MCCOY, C.K. Georgia Power Co. 3pp. 84753:001-84753:010.
- 9507200321** Grants exemption from requirements of 10CFR73.55 re physical protection of licensed activities in nuclear power reactors against radiological sabotage.
VARGAS, S.A. Division of Reactor Projects I/II (DRPE) Post 941001. 95/07/12. Georgia Power Co. 7pp. 84753:004-84753:010.

G. Adjudicatory correspondence

- 9507100068** Forwards page 14 for insertion in 941104, "Vogtle Coordinating Group Evaluation, Conclusions & Recommendations."
YOUNG, M.A. Office of the General Counsel (Post 860701). #395 16869. 95/06/28. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 2pp. 84538:130-84538:131.
- 9507100078** Inform that util will be unable to complete exam of witness in 2 1/2 days of hearing scheduled for 940706-08 in Rockville.
BLAKE, E.L. Shaw, Pittman, Potts & Trowbridge. #395 16868. 95/06/28. BLOCH, P.B., CARPENTER, J.H., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 1p. 84538:151-84538:151.
- 9507180040** Georgia Power Company supplemental response to intervenor seventh request for interrogatories. * W/Certificate of Svc & svc list. Related Correspondence.
JOINER, J.E. Georgia Power Co. JOINER, J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 16875. 95/06/30. Affiliation Not Assigned. 5pp. 84675:020-84675:024.
- 9507180071** Intervenor motion to compel production of licensee notes of interview of Ester Dixon. * W/Certificate of Svc & svc list.
KOHN, M.D. Affiliation Not Assigned. KOHN, M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 16876. 95/06/30. Atomic Safety & Licensing Board Panel. 10pp. 84675:060-84675:070.
- 9507270060** Intervenor motion to clarify record. * Requests Board to clarify record to reflect that on 950517, exhibits identified in list of stipulated exhibits, were received into evidence. W/Certificate of Svc.
WILMOTH, M.J. Affiliation Not Assigned. WILMOTH, M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #395 16896. 95/07/10. Atomic Safety & Licensing Board Panel. 4pp. 84813:230-84813:233.
- 9507270123** Georgia Power Co response to intervenor motion to compel production of licensee notes of interview of Ester Dixon. * Intervenor motion should be denied. W/Certificate of Svc.
LAMBERSKI, J.E. Georgia Power Co. LAMBERSKI, J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #395 16899. 95/07/17. Atomic Safety & Licensing Board Panel. 12pp. 84814:069-84814:080.

H. General correspondence

- 9507050174** Comment on "Review of NRC Insp Rept Content, Format & Style." Util feels that use of boilerplate phrases seldom appropriate & that less boilerplate wording should be used.
BECKHAM, J.T. Georgia Power Co. 95/06/28. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84507:316-84507:317.

F. Operating license stage documents & correspondence

- 9507190312** Second partial response to FOIA request for records. App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/07/06. SAPORITO, T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

9507030316 Forwards response to GI 95-03, "Circumferential Cracking of SG Tubes," containing info as delineated in items 1 & 2 on page 4 of sub/ GI.
MCCOY, C.K. Georgia Power Co. 95/06/27. Document Control Branch (Document Control Desk). 21pp. 84587:324-84587:344.

9507060065 Requests NRC to issue changed labels on TS Figures 3.4-2A & 3.4-2B as correction to figures in amends 87 & 85.
MCCOY, C.K. Georgia Power Co. 95/06/28. Document Control Branch (Document Control Desk). 3pp. 84617:188-84617:190.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507110315 Forwards corrected pages to amends 87 & 85 for licenses NPF-68 & NPF-81. Revised pages, including labeling of two pressure vs temp curves, to replace pages 3/4 4-31 & 3/4 4-31a.
WHEELER, L.L. 95/06/30. MCCOY, C.K. Georgia Power Co. 5pp. 84616:341-84616:345.

9507110275 Forwards amends 88 & 86 to licenses NPF-68 & NPF-81 & safety evaluation. Amends relocate requirements of TS 3/4.3.4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR.
WHEELER, L.L. 95/07/03. MCCOY, C.K. Georgia Power Co. 3pp. 84616:312-84616:327.

-9507110283 Amends 88 & 86 to licenses NPF-68 & NPF-81, respectively, relocating requirements of TS 3/4.3.4, turbine overspeed protection, to Section 16.3 of Vogtle FSAR.
BERKOW, H.N. 95/07/03. 7pp. 84616:315-84616:321.

-9507110284 Safety evaluation supporting amends 88 & 86 to licenses NPF-68 & NPF-81, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/03. 6pp. 84616:322-84616:327.

9507140458 Submits suppl rev to Tech Specs Section 3.8.3.1, pp 3/4 8-15 re footnote & bases expansion.
MCCOY, C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 2pp. 84760:052-84760:055.

-9507140461 Proposed Tech Specs Section 3.8.3.1, Page 3/4 8-15 re footnote & bases & expansion.
* Georgia Power Co. 95/07/06. 2pp. 84760:054-84760:055.

9507140462 Forwards request for addl info re control room radiological parameters used for analysis of fuel handling accident w/ personnel airlock.
MCCOY, C.K. Georgia Power Co. 95/07/06. Document Control Branch (Document Control Desk). 4pp. 84760:039-84760:042.

9507170274 Forwards amends 89 & 87 to licenses NPF-68 & NPF-81, respectively & SE. Amends revise frequency of conducting leak testing of containment purge valves w/seals made of resilient matl from every 3 months to each refueling outage.
WHEELER, L.L. 95/07/07. MCCOY, C.K. Georgia Power Co. 3pp. 84674:327-84674:340.

-9507170283 Amends 89 & 87 to licenses NPF-68 & NPF-81, respectively, revising frequency of conducting leak testing of containment purge valves w/seals made of resilient matl from every 3 months to each refueling outage.
BERKOW, H.N. 95/07/07. 6pp. 84674:330-84674:337.

-9507170287 Safety evaluation supporting amends 89 & 87 to licenses NPF-68 & NPF-81, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 3pp. 84674:338-84674:340.

G. Inspection reports, IE Bulletins & correspondence

9507120069 Forwards insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/06/20. MCCOY, C.K. Georgia Power Co. 3pp. 84575:180-84575:193.

-9507120075 Insp repts 50-424/95-15 & 50-425/95-15 on 950522-26. No violations noted. Major areas inspected: radioactive controls, radiological environmental monitoring & meteorological monitoring instrumentation.
JONES, D.W., DECKER, T.R. Region 2 (Post 820201). 95/06/20. 11pp. 84575:183-84575:193.

9507120031 Forwards insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted.
MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. WOODARD, J.D. Georgia Power Co. 4pp. 84574:264-84574:276.

-9507120035 Insp repts 50-424/95-14, 50-425/95-14, 50-321/95-12 & 50-366/95-12 on 950515-0601. No violations noted. Major areas inspected: effectiveness of licensee's quality concerns programs in addressing safety concerns.
CRLENJAK, R.V., MERSCHOFF, E.W. Region 2 (Post 820201). 95/06/22. 9pp. 84574:268-84574:276.

9507070399 Forwards "Vogtle Electric Generating Plant Unit 2 ISI Final Rept Fourth Maint/Refueling Outage (Period 2/Interval 1)."
MCCOY, C.K. Georgia Power Co. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84623:001-84624:143.

-9507070402 "Vogtle Electric Generating Plant Unit 2 ISI Final Rept Fourth Maint/Refueling Outage (Period 2/Interval 1)."
* Southern Nuclear Operating Co. 95/06/26. 504pp. 84623:004-84624:143.

9507200067 Forwards insp repts 50-424/95-16 & 50-425/95-16 on 95/521-0617. No violations noted.
CRLENJAK, R.V. Region 2 (Post 820201). 95/07/11. MCCOY, C.K. Georgia Power Co. 3pp. 84795:321-84795:338.

-9507200070 Insp repts 50-424/95-16 & 50-425/95-16 on 950521-0617. No violations noted. Major areas inspected: plant operations, surveillance, maint, plant support, onsite engineering & evaluation of licensee self-assessment capability.
BONSER, B.R., HOPKINS, P.C., WIDMANN, M.T. Region 2 (Post 820201). 95/07/06. 15pp. 84795:324-84795:338.

R. Periodic operating reports & related correspondence

9507140161 Monthly operating repts for June 1995 for Vogtle Electric Generating Plant Units 1 & 2. W/950706 ltr.
HOOPER, G.L., MCCOY, C.K. Georgia Power Co. 95/06/30. 12pp. 84729:335-84729:346.

S. Reportable occurrences, LERs & related correspondence

9507060155 Special Rept 2-95-3 on 950607, three non-valid DG2A failures occurred due to malfunctioning automatic min excitation limiter. Malfunctioning automatic min excitation limiter removed from service.
MCCOY, C.K. Georgia Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84573:359-84573:360.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507280059 LER 95-005-00 on 950627, incorrect train identification resulted in missed TS surveillance test. Caused by cognitive personnel error or part of USS. Counselled USS on importance of accuracy in identifying components W/950721 ltr.
SHEIBANI, M., MCCOY, C.K. Georgia Power Co. 95/07/21. 5pp. 84883:157-84883:161.

T. Hearing transcripts on non-antitrust matters

9507100063 Transcript of 950706 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,242-8,447. Related documentation.
* Atomic Safety & Licensing Board Panel. 95/07/06. 300pp. 84667:051-84668:040.

9507110030 Transcript of 950707 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,448-8,687. Related documentation.
* Atomic Safety & Licensing Board Panel. 95/07/07. 256pp. 84693:001-84693:256.

9507120084 Transcript of 950708 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,688-8,799.
* Atomic Safety & Licensing Board Panel. 95/07/08. 113pp. 84699:235-84699:350.

9507130001 Transcript of 950711 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 8,800-8,999.
* Atomic Safety & Licensing Board Panel. 95/07/11. 200pp. 84730:001-84730:202.

9507130241 Transcript of 950712 hearing in matter of GPC Vogtle Electric Generating Plant Units 1 & 2 re license amend (transfer to Southern Nuclear). Pp 9,000-9,189.
* Atomic Safety & Licensing Board Panel. 95/07/12. 189pp. 84732:022-84732:213.

9507170010 Transcript of 950713 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 9,190-9,390. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/07/13. 205pp. 84773:001-84773:205.

9507180221 Transcript of 950714 hearing in Rockville, MD re facility. Pp 9,391-9,584.
* Atomic Safety & Licensing Board Panel. 95/07/14. 193pp. 84776:001-84776:199.

9507190173 Transcript of 950717 hearing in Rockville, MD re GPC, Vogtle Electric Generating Plant Units 1 & 2 license amend (transfer to Southern Nuclear). Pp 9,585-9,773.
* Atomic Safety & Licensing Board Panel. 95/07/17. 204pp. 84768:115-84768:318.

9507200137 Transcript of 950718 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 9,774-9,997. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/07/18. 140pp. 84792:141-84792:280.

9507210009 Transcript of 950719 hearing in Rockville, MD in matter of GA Power Co re license amend (transfer to Southern Nuclear). Pp 9,999-10,113. Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/07/19. 247pp. 84810:001-84810:247.

9507240472 Transcript of 950720 hearing in Rockville, MD re plant. Pp 10,114-10,311.
* Atomic Safety & Licensing Board Panel. 95/07/20. 247pp. 84822:001-84822:247.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9506280262 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9507060393 Provides response to NRC GL 95-03, "Circumferential Cracking of SG Tubes."
KAZANAS, N.C. Tennessee Valley Authority. 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84599:324-84599:327.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507240324 Submits RAI re TVA organization topical rpt, rev 6. Requests response by 950618.
HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.

F. Security, medical, emergency & fire protection plans

9507260004 Comment on proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501.
CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9507060393 Provides response to NRC GL 95-03, "Circumferential Cracking of SG Tubes."
KAZANAS, N.C. Tennessee Valley Authority. 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84599:324-84599:327.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507240324 Submits RAI re TVA organization topical rpt, rev 6. Requests response by 950618.
HEBDON, F.J. 95/07/20. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 84778:350-84778:353.

9507280058 Responds to 950720 ltr requesting addl info on revised nuclear organization topical rept.
CARRIER, P.P. Tennessee Valley Authority. 95/07/24. Document Control Branch (Document Control Desk). 9pp. 84875:148-84875:156.

F. Security, medical, emergency & fire protection plans

9507260004 Comment on proposed GL re 10CFR50.54(p), "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

H. General correspondence

9507060216 Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501.
CARRIER, P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599:258-84599:310.

-9507060222 Rev 6 to "TVA Nuclear Organization Description."
* Tennessee Valley Authority. TVA-NPOD89-A R06. 95/06/29. 50pp. 84599:260-84599:310.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050449 Submits update to response to followup RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 941215.
SHELTON, D.C. Centener Energy. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84570:182-84570:183.

P. Operating license stage documents & correspondence

9507110296 Forwards amend 69 to license NPF-58 & SE. Amend replaces in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-6 TS."
HOPKINS, J.B. 95/06/23. SHELTON, D.C. Centener Service Co. 3pp. 84583:001-84583:238.

-9507110302 Amend 69 to license NPF-58, replacing in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-6 TS."
HOPKINS, J.B. 95/06/23. 3pp. 84583:004-84583:006.

-9507110305 Notice of issuance of amend 69 to license NPF-58. Amend replaces in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-6 TS."
HOPKINS, J.B. 95/06/23. 2pp. 84583:007-84583:008.

116 DOCKETED ITEMS

-9507110310 Safety evaluation supporting amend 69 to license NPF-58.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 1,322pp. 84583:009-84586:238.

9507060291 Forwards amend 70 to license NPF-58 & SE. Amend revises TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27. SHELTON, D.C. Centenor Service Co. 3pp. 84540:068-84540:077.

-9507060298 Amend 70 to license NPF-58, revising TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows an operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27. 5pp. 84540:071-84540:075.

-9507060300 Safety evaluation supporting amend 70 to license NPF-58.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 2pp. 84540:076-84540:077.

9507050449 Submits update to response to followup RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," dtd 941215.
SHELTON, D.C. Centenor Energy. 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84570:182-84570:183.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507070267 Application for amends to Licenses NPF-58, reflecting one time extension of performance intervals for certain TS surveillance requirements.
SHELTON, D.C. Centenor Energy. 95/06/30. Document Control Branch (Document Control Desk). 7pp. 84619:323-84619:332.

-9507070271 Proposed tech specs re surveillance test interval extension request.
* Centenor Energy. 95/06/30. 3pp. 84619:330-84619:332.

9507190250 Notification of meeting w/BWR/6 Owners Group in Rockville, MD to discuss sys required while handling irradiated fuel in containment.
O'CONNOR, P.W. 95/07/11. BECKER, W.B. 7pp. 84739:330-84739:336.

9507240420 Forwards SE accepting application of GE methodology at plant, per 931015 ltr.
HOPKINS, J.B. 95/07/18. SHELTON, D.C. Centenor Energy. 3pp. 84786:161-84786:168.

-9507240424 Safety evaluation accepting application of GE methodology at plant, per 931015 ltr.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84786:164-84786:168.

9507270082 Provides addl info requested during 950705 telcon re essential maint to be performed on Perry Nuclear Power Plant svc water & circulating water sys.
SHELTON, D.C. Centenor Energy. 95/07/21. UNDERWOOD, M. Ohio, State of. 5pp. 84851:300-84851:307.

9507280071 Responds to 950629 ltr requesting info re liquid radioactive effluent releases by plant.
HOYLE, J.C. Office of the Secretary of the Commission. 95/07/24. GANNIS, S. Affiliation Not Assigned. 8pp. 84845:007-84845:015.

-9507280075 Requests listed info re radioactive liquid waste, per agreement w/B Hill during 950627 telcon.
GANNIS, S. Affiliation Not Assigned. 95/06/29. HILL, B. NRC - No Detailed Affiliation Given. HOYLE, J. Office of the Secretary of the Commission. 1p. 84845:015-84845:015.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1485 severe accident source term at operating reactors.
SCALETTI, D. 95/07/26. QUAY, T.R. 46pp. 84888:143-84888:188.

Q. Inspection reports, IE Bulletins & correspondence

9507240284 Forwards insp rept 50-440/95-05 on 950411-0526. No violations noted.
LANKSBURY, R.D. Region 3 (Post 820201). 95/07/12. SHELTON, D.C. Centenor Energy. 3pp. 84795:126-84795:147.

-9507240287 Insp rept 50-440/95-05 on 950411-0526. No violations noted. Major areas inspected: operations, engineering, maint & plant support.
LANKSBURY, R.D. Region 3 (Post 820201). 95/07/14. 20pp. 84795:129-84795:147.

R. Periodic operating reports & related correspondence

9506210049 Forwards quarterly self-monitoring repts for plant sanitary waste sys for months of Mar, Apr & May. Results from quarterly isotope analysis & industrial wastewater questionnaire also encl.
SHELTON, D.C. Centenor Energy. 95/06/15. LONG, G. Lake County, OH. 1p. 84577:001-84577:030.

-9507100267 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Mar 1995.
* Centenor Energy. 95/03/16. 1p. 84577:002-84577:002.

-9507100276 "Industrial Pretreatment Quarterly Self-Monitoring Results" for Apr 1995.
* Centenor Energy. 95/04/18. 1p. 84577:003-84577:003.

-9507100281 "Industrial Pretreatment Quarterly Self-Monitoring Results" for May 1995.
* Centenor Energy. 95/05/18. 1p. 84577:004-84577:004.

-9507100290 Results of analysis for gamma emitting isotopes in one liquid sample collected on 950601.
GROB, B. Tetradyne Isotopes Midwest Laboratory. 95/06/05. 25pp. 84577:005-84577:030.

9507050439 Forwards "PNPP Simulator Four Yr Test Rept," describing performance testing conducted from June 1991 - June 1995, including discussion of uncorrected simulator performance test failures & schedule for correcting failures.
SHELTON, D.C. Centenor Energy. 95/06/28. Document Control Branch (Document Control Desk). 1p. 84570:169-84570:178.

-9507050444 "PNPP Simulator Four Yr Test Rept."
* Centenor Energy. 95/06/30. 8pp. 84570:170-84570:178.

9507200029 Monthly operating rept for June 1995 for Perry NPP W/950714 ltr.
NEUMAN, G.M., SHELTON, D.C. Centenor Energy. 95/06/30. 6pp. 84779:330-84779:335.

V. Operator Examinations

9507060291 Forwards amend 70 to license NPF-58 & SE. Amend revises TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27. SHELTON, D.C. Centenor Service Co. 3pp. 84540:068-84540:077.

-9507060298 Amend 70 to license NPF-58, revising TS 6.3.1 to make consistent w/current requirements of 10CFR55, deletes TS 6.4.1 & allows an operations middle manager to hold plant senior reactor operator license in lieu of OM.
HOPKINS, J.B. 95/06/27. 5pp. 84540:071-84540:075.

-9507060300 Safety evaluation supporting amend 70 to license NPF-58.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 2pp. 84540:076-84540:077.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. 3pp. 84919:021-84919:023.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507270082 Provides addl info requested during 950705 telcon re essential maint to be performed on Perry Nuclear Power Plant svc water & circulating water sys.
SHELTON, D.C. Centenor Energy. 95/07/21. UNDERWOOD, M. Ohio, State of. 5pp. 84851:300-84851:307.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents encl & available in PDR. App C documents partially withheld (ref FOIA Exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. JACKSON, D. Affiliation Not Assigned. 5pp. 84797:116-84797:271.

-9507250125 "Alleged False Statements by Licensee Personnel Made During EP Drill."
WALSH, R.J., WHITE, C.W. Office of Investigations (Pre 880201). 86/08/26. 7pp. 84797:130-84797:136.

9507260004 Comment on proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARIER, P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

H. General correspondence

9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA, J.F. Northeast Utilities. 95/07/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84798:115-84798:116.

P. Operating license stage documents & correspondence

9507250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents encl & available in PDR. App C documents partially withheld (ref FOIA Exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. JACKSON, D. Affiliation Not Assigned. 5pp. 84797:116-84797:271.

-9507250110 Discusses NDE allegations re radiation safety program & practices poor & lead backscatter B not being used for radiography shots.
CERNE, A.C. Region 1 (Post 820201). 82/10/13. Region 1 (Post 820201). 2pp. 84797:121-84797:122.

-9507250113 Discusses allegations of weld deficiencies in reactor coolant loop piping at facility.
CHRISTOPHER, R. Office of Investigations (Pre 880201). 82/09/09. Office of Investigations (Pre 880201). 1p. 84797:123-84797:123.

9507300335 Provides response to GL 95-03. "Circumferential Cracking of SG Tubes."
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 95/06/27. Document Control Branch (Document Control Desk). 30pp. 84587:294-84587:323.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507310052 Forwards LAR 95-03 to license NFF-86 proposing change to TS to relocate Table 3.4-1, "RCS PIVs" from TS 3.4.6.2, "RCS Operational Leakage" to Technical Requirements Manual.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/07/24. Document Control Branch (Document Control Desk). 2pp. 84903:190-84903:205.

9507310055 LAR 95-03 to license NFF-86, relocating Table 3.4-1, "RCS PIVs" from TS 3.4.6.2, "RCS Operational Leakage" to Technical Requirements Manual.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 95/07/24. 4pp. 84903:192-84903:195.

9507310057 Proposed tech specs, relocating Table 3.4-1, "RCS PIVs" from TS 3.4.6.2, "RCS Operational Leakage" to Technical Requirements Manual.
North Atlantic Energy Service Corp. (NAESCO). 95/07/24. 10pp. 84903:196-84903:205.

Q. Inspection reports, IE Bulletins & correspondence

9507250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents encl & available in PDR. App C documents partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. JACKSON,D. Affiliation Not Assigned. 5pp. 84797:116-84797:271.

9507250119 "Alleged Improper Renewal of Welder Qualification; Possible Discrimination by Pullman-Higgins."
NORTON,L.J., WHITE,C.W. Office of Investigations (Pre 880201). 86/05/09. 3pp. 84797:124-84797:126.

9507250121 "Alleged Illegal Weld Repair."
MATAKAS,R.A., WHITE,C.W. Office of Investigations (Pre 880201). 86/05/09. 3pp. 84797:127-84797:129.

9507250125 "Alleged False Statements by Licensee Personnel Made During EP Drill."
WALSH,R.J., WHITE,C.W. Office of Investigations (Pre 880201). 86/08/26. 7pp. 84797:130-84797:136.

9507250128 "Suspected Mat'l False Statement by Licensee Official."
WALSH,R.J. Office of Investigations (Pre 880201). 87/11/04. 5pp. 84797:137-84797:141.

9507250130 "Safety Concerns in Control Room."
WALSH,R.J., WHITE,C.W. Ofc of Investigations (Post 880201). 90/02/12. 3pp. 84797:142-84797:144.

9507250132 Closes Case 1-92-005R re auxiliary operators falsely recording insp & surveillance activities.
LETTIS,B.R. Ofc of investigations (Post 880201). 93/02/26. MARTIN,T.T. Region 1 (Post 820201). 1p. 84797:145-84797:145.

9507250136 Discusses nonspecific allegations re Pullman Higgins QA/QC inspectors at facility.
MATAKAS,R.A. Office of Investigations (Pre 880201). 82/09/27. GALLO,R.M. Region 1 (Post 820201). 2pp. 84797:146-84797:147.

9507250139 "Alleged Falsification of QC Insp Documents."
MATAKAS,R.A., WHITE,C.W., HAYES,B.B. Office of Investigations (Pre 880201). 86/03/19. 38pp. 84797:215-84797:252.

9507250144 "Suspected Mat'l False Statement by Licensee Official."
WALSH,R.J., WHITE,C.W. Ofc of Investigations (Post 880201). 90/04/04. 6pp. 84797:253-84797:271.

9507030003 Forwards insp rept 50-443/95-04 on 950403-0515. Violation identified. Adequacy of licensee evaluation of violation & any subsequent corrective actions identified as unresolved item. Verified steps taken to correct previous violation.
DURR,J.P. Region 1 (Post 820201). 95/06/23. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84488:008-84488:021.

9507030008 Insp rept 50-443/95-04 on 950403-0515. Violations noted. Major areas inspected: plant operations, maint, engineering support, plant support & SA/QV.
ROGGE,J. Region 1 (Post 820201). 95/06/21. 11pp. 84488:011-84488:021.

9507110048 Comment on proposed "Review of NRC Insp Rept Content, Format & Style."
OPEKA,J.F. Northeast Utilities Service Co. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 10pp. 84557:242-84557:251.

R. Periodic operating reports & related correspondence

9507250061 Monthly operating rept for June 1995 for Seabrook Station Unit 1. W/ 950714 ltr.
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 95/06/30. 5pp. 84828:335-84828:339.

S. Reportable occurrences, LERs & related correspondence

9507110228 Forwards LER 95-001 re inadequate overtemperature delta T & overpower delta T channel calibr.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84630:026-84630:030.

9507110232 LER 95-001:00 on 950608, overtemperature Delta T & overpower Delta T channel calibr inadequate. Verified proper overlap & performed continuity checks of above sections of wiring.
PESCHEL,J.M. North Atlantic Energy Service Corp. (NAESCO). 95/07/07. 3pp. 84630:028-84630:030.

9507240021 LER 95-001:00 on 950618, manual reactor trip initiated after power lost to both turbine EHC pumps. Caused by inadequate design for 13.8 kV non-safety related transformer. Trip critical transformers replaced. W/ 950718 ltr.
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 95/07/18. 7pp. 84821:070-84821:076.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9507250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents encl & available in PDR. App C documents partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. JACKSON,D. Affiliation Not Assigned. 5pp. 84797:116-84797:271.

9507250110 Discusses NDE allegations re radiation safety program & practices poor & lead backscatter B not being used for radiography shots.
CERNE,A.C. Region 1 (Post 820201). 82/10/13. Region 1 (Post 820201). 2pp. 84797:121-84797:122.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

F. Security, medical, emergency & fire protection plans

9507260004 Comment on proposed GL re 10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Agrees that proposed clarification of language in 10CFR50.54(p) & provided screening criteria appropriate.
CARRIER,P.P. Tennessee Valley Authority. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84793:046-84793:047.

Q. Inspection reports, IE Bulletins & correspondence

9507250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents encl & available in PDR. App C documents partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. JACKSON,D. Affiliation Not Assigned. 5pp. 84797:116-84797:271.

9507250121 "Alleged Illegal Weld Repair."
MATAKAS,R.A., WHITE,C.W. Office of Investigations (Pre 880201). 86/05/09. 3pp. 84797:127-84797:129.

9507250128 "Suspected Mat'l False Statement by Licensee Official."
WALSH,R.J. Office of Investigations (Pre 880201). 87/11/04. 5pp. 84797:137-84797:141.

9507250144 "Suspected Mat'l False Statement by Licensee Official."
WALSH,R.J., WHITE,C.W. Ofc of Investigations (Post 880201). 90/04/04. 6pp. 84797:253-84797:271.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050252 Rev 22 to Comanche Peak Steam Electric Station Emergency Plan. W/ 950629 ltr.
TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/06/29. 22pp. 84570:277-84570:296.

9507110094 Informs that request for extension to respond to NRC 950517 RAI on uli 950224 response to GL 92-08 re Thermo-Lag fire barrier matl received & installed at facility discussed w/ TJ Polch & granted on 950707.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/11/07. Document Control Branch (Document Control Desk). 3pp. 84695:027-84695:039.

9507120068 Forwards Rev 23 of Comanche Peak Physical Security Plan. Encl withheld.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84695:357-84695:358.

9507250001 Comment supporting proposed GL "Process for Changes to Security Plan Without Prior NRC Approval."
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/07/07. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797:116-84797:001.

9507170295 Revised emergency plan procedures (EPPs), including Revs 222, 223, 224 & 225 to procedure indexes, Rev 12 to EPP-203, rev to EPP-204, Rev 9 to EPP-205, Rev 11 to EPP-206, Rev 9 to EPP-309 & Rev 122 & 123 to form index. W/ 950712 ltr.
BELECKIS,R.A., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/07/12. 29pp. 84773:274-84773:302.

H. General correspondence

9507140250 Advises NRC of address change as listed. Author still remains counsel of record for TU Electric.
EDGAR,G.L. Morgan, Lewis & Bockius. 95/07/07. CHILK,S.J. Office of the Secretary of the Commission. 1p. 84729:332-84729:332.

118 DOCKETED ITEMS

P. Operating license stage documents & correspondence

9507050357 Informs that proposed changes in attachment 3, considered to be withdrawn re 950523 request to revise applicable portions of plant, Units 1 & 2, TS. POLICH, T.J. 95/06/22. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84516:262-84516:264.

9507070136 Forwards Rev 20 to "Technical Requirements Manual." TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/28. Document Control Branch (Document Control Desk). 6pp. 84643:001-84643:102.

-9507070141 Rev 20 to "Technical Requirements Manual." TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/30. 96pp. 84643:007-84643:102.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507110094 Informs that request for extension to respond to NRC 950517 RAI on util 950224 response to GL 92-06 re Thermo-Lag fire barrier mat received & installed at facility discussed w/ TJ Polich & granted on 950707. TERRY, C.L., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 95/07/07. Document Control Branch (Document Control Desk). 3pp. 84695:027-84695:029.

Q. Inspection reports, IE Bulletins & correspondence

9507060113 Responds to NRC 950510 ltr re violations noted in insp repts 50-445/95-08 & 50-446/95-08 on 950410-13. Corrective actions: survey data of SG platform was analyzed & compared to affected individual electronic dosimeter readings. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84592:356-84592:360.

9507310013 Forwards insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. DYER, J.E. Region 4 (Post 820201). 95/07/25. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 84843:045-84843:074.

-9507310017 Insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. Major areas inspected: plant operations, maint & onsite engineering, surveillance observations, plant support, engineering & maint followup. KIRSCH, D.F. Region 4 (Post 820201). 95/07/24. 24pp. 84843:050-84843:074.

R. Periodic operating reports & related correspondence

9507200019 Monthly operating repts for June 1995 for CPSES Units 1 & 2. W/950714 ltr. SIROIS, E., TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/30. 9pp. 84799:333-84799:341.

S. Reportable occurrences, LERs & related correspondence

9507170027 Forwards LER 95-003 re loss of both condensate & both FW pumps due to failure of non-safety related inverter resulting in manual RT. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/07/11. Document Control Branch (Document Control Desk). 1p. 84739:024-84739:030.

-9507170034 LER 95-003-00 on 950611, both condensate & both FW pumps lost due to failed non-safety related inverter resulting in manual RT. Task Team established to investigate event & cause. FLORES, R. Texas Utilities Electric Co. (TU Electric). 95/07/11. 6pp. 84739:025-84739:030.

9507180146 Forwards LER 95-004 re allowed outage time exceeded for turbine driven AFW pump which tripped on overspeed. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/07/14. WOODLAN, D.R. Document Control Branch (Document Control Desk). 2pp. 84764:001-84764:009.

-9507180153 LER 95-004-00 on 950614, allowed outage time was exceeded on turbine driven AFW pump which tripped on overspeed. Caused by governor failure to control turbine speed. Notice of enforcement discretion requested & granted. FLORES, R. Texas Utilities Electric Co. (TU Electric). 95/07/14. 7pp. 84764:003-84764:009.

V. Operator Examinations

9507190001 Responds to 950530 ltr re proposed alternative requalification program for licensed SRC at plant. NRC concurs w/ alternative proposed. List of training areas to be completed prior to returning to licensed duties included. GWYNN, T.P. Region 4 (Post 820201). 95/07/17. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84788:344-84788:347.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050252 Rev 22 to Comanche Peak Steam Electric Station Emergency Plan. W/950629 ltr. TERRY, C.L., MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/06/29. 22pp. 84570:277-84570:296.

9507120068 Forwards Rev 23 of Comanche Peak Physical Security Plan. Encl withheld. TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84669:357-84669:358.

9507250001 Comment supporting proposed GL "Process for Changes to Security Plan Without Prior NRC Approval." MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 95/07/07. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84787:001-84787:001.

9507170285 Revised emergency plan procedures (EPPs), including Revs 222, 223, 224 & 225 to procedure indexes. Rev 12 to EPP-203, rev to EPP-204, Rev 9 to EPP-205, Rev 11 to EPP-206, Rev 9 to EPP-309 & Rev 122 & 123 to form index. W/950712 ltr. BELECKIS, R.A., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/07/12. 29pp. 84773:274-84773:302.

H. General correspondence

9507140250 Advises NRC of address change as listed. Author still remains counsel of record for TU Electric. EDGAR, G.L. Morgan, Lewis & Bockius. 95/07/07. CHILK, S.J. Office of the Secretary of the Commission. 1p. 84729:332-84729:332.

P. Operating license stage documents & correspondence

9507050357 informs that proposed changes in attachment 3, considered to be withdrawn re 950523 request to revise applicable portions of plant, Units 1 & 2, TS. POLICH, T.J. 95/06/22. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84516:262-84516:264.

9507070136 Forwards Rev 20 to "Technical Requirements Manual." TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/28. Document Control Branch (Document Control Desk). 6pp. 84643:001-84643:102.

-9507070141 Rev 20 to "Technical Requirements Manual." TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/30. 96pp. 84643:007-84643:102.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

Q. Inspection reports, IE Bulletins & correspondence

9507060113 Responds to NRC 950510 ltr re violations noted in insp repts 50-445/95-08 & 50-446/95-08 on 950410-13. Corrective actions: survey data of SG platform was analyzed & compared to affected individual electronic dosimeter readings. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 95/06/29. Document Control Branch (Document Control Desk). 4pp. 84592:356-84592:360.

9507310013 Forwards insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. DYER, J.E. Region 4 (Post 820201). 95/07/25. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 84843:045-84843:074.

-9507310017 Insp repts 50-445/95-11 & 50-446/95-11 on 950507-0617. No violations noted. Major areas inspected: plant operations, maint & onsite engineering, surveillance observations, plant support, engineering & maint followup. KIRSCH, D.F. Region 4 (Post 820201). 95/07/24. 24pp. 84843:050-84843:074.

R. Periodic operating reports & related correspondence

9507200019 Monthly operating repts for June 1995 for CPSES Units 1 & 2. W/950714 ltr. SIROIS, E., TERRY, C.L., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 95/06/30. 9pp. 84799:333-84799:341.

V. Operator Examinations

9507190001 Responds to 950530 ltr re proposed alternative requalification program for licensed SRC at plant. NRC concurs w/ alternative proposed. List of training areas to be completed prior to returning to licensed duties included. GWYNN, T.P. Region 4 (Post 820201). 95/07/17. TERRY, C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84788:344-84788:347.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507260175 Revised EPIPs, including rev 41 to BZP 600-A1 & rev 38 to BZP 600-A4. W/EPIP index. * Commonwealth Edison Co. 95/07/05. 22pp. 84837:287-84837:308.

9507210157 Forwards proprietary response to concerns noted in NRC 950629 ltr re change in contract administration for firewatch program from Burns Fire Protection Group to Richardson-Estes, Inc. Encl withheld per 10CFR2.790(a). JOHNSON, I.M. Commonwealth Edison Co. 95/07/10. MILLER, H.J. Region 3 (Post 820201). 1p. 84811:350-84811:350.

9507250111 Forwards util revised EP EALS. VONK, M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF. JOHNSON, I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

P. Operating license stage documents & correspondence

- 9507030250 Forwards request for addl info re pending license amends to revise plants TSs related to SG tube voltage-based repair criteria.
LYNCH,M.D. 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 12pp. 84512:154-84512:185.
- 9507030273 Provides util response to GL 95-03, "Circumferential Cracking of SG Tubes."
VONK,M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84560:190-84560:202.
- 9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507070026 Requests that results of review & disposition of matter re activities at Byron Nuclear Station be provided within ten days of date of ltr.
GRANT,G.E. Region 3 (Post 820201). 95/06/29. GRAESSER,K. Commonwealth Edison Co. 1p. 84530:114-84530:115.
- 9507100132 Forwards response to NRC 950531 RAI re Comm Ed proposed TS amend to increase interim plugging criteria for Byron & Braidwood Unit 1 SGs. Proprietary Westinghouse rept WNEP-9124, "Program TRANFLC..." also encl. Rept withheld.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 52pp. 84644:301-84649:352.
- 9507100174 Extends first 10-yr insp interval for Byron Unit 1 IST program from current end date of 950915 to new end date of 960630.
PONTIUS,H.D. Commonwealth Edison Co. 95/07/05. Document Control Branch (Document Control Desk). 3pp. 84692:161-84692:163.
- 9507110103 Application for amend to licenses NPF-37,NPF-66,NPF-72 & NPF-77, increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt.
PONTIUS,H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 39pp. 84694:001-84694:102.
- 9507110111 Proposed tech specs implementing 3.0 volt bobbin coil probe, voltage based, SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indications at hot-leg TSP intersections.
* Commonwealth Edison Co. 95/07/07. 61pp. 84694:040-84694:102.
- 9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.
- 9507180467 Notification of 950720 meeting w/util in Rockville,MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures.
LYNCH,M.D. 95/07/13. CAPRA,R.A. 4pp. 84725:347-84725:350.
- 9507240023 Provides correct ltr numbers to 950220 correspondence re presentation materials entitled, "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84831:325-84831:325.
- 9507310136 Forwards response to NRC 950622 RAI re proposed revs to TS related to alternate plugging criteria for Byron Unit 1 & Braidwood Unit 1.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 38pp. 84903:125-84903:162.
- 9507310160 Responds to RAI re application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77, increasing interim plugging criteria value for Braidwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894:091-84894:256.
- 9507310162 "Indications Restrained From Burst (IBRs) Summary Leak Test Rept."
* Commonwealth Edison Co. 95/07/31. 139pp. 84894:116-84894:256.

Q. Inspection reports, IE Bulletins & correspondence

- 9507060017 Forwards revised semi-annual insp plan for plant dtd 950607.
MILLER,L.F. Region 3 (Post 820201). 95/06/27. GRAESSER,K. Commonwealth Edison Co. 2pp. 84516:099-84516:100.
- 9507060165 Requests NRC approval to move start date of mid-cycle SG insp outage from no later than 950915 to no later than 951027.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/28. Office of Nuclear Reactor Regulation (Post 941001). 21pp. 84570:334-84570:354.
- 9507110025 Comment on "NRC Insp Repts, Review of Contents, Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.
- 9507100168 Extends first 10-yr insp interval for Byron Unit 1 ISI program from current end date of 950915 to new end date of 960630.
PONTIUS,H.D. Commonwealth Edison Co. 95/07/05. Document Control Branch (Document Control Desk). 2pp. 84692:118-84692:119.
- 9507100174 Extends first 10-yr insp interval for Byron Unit 1 IST program from current end date of 950915 to new end date of 960630.
PONTIUS,H.D. Commonwealth Edison Co. 95/07/05. Document Control Branch (Document Control Desk). 3pp. 84692:161-84692:163.
- 9507240039 Forwards insp repts 50-454/95-06 & 50-455/95-06 on 950619-26. Requalification program effective overall & contains several significant strengths in areas of exam matl & administration.
GRANT,G.E. Region 3 (Post 820201). 95/07/14. GRAESSER,K. Commonwealth Edison Co. 3pp. 84751:122-84751:132.

- 9507240043 Insp repts 50-454/95-06 & 50-455/95-06 on 950619-26. No violations noted. Major areas inspected: licensed operator requalification program.
EHRHADT,F., LENNARTZ,J., BURDICK,T. Region 3 (Post 820201). 95/07/12. 8pp. 84751:125-84751:132.
- 9507280270 Forwards SE accepting licensee 950628 request for delay in scheduled mid-cycle SG tube insp for plant Unit 1.
LYNCH,M.D. 95/07/20. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84868:157-84868:163.
- 9507280282 Safety evaluation accepting licensee 950628 request for delay in scheduled mid-cycle SG tube insp for plant Unit 1.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 4pp. 84868:160-84868:163.

R. Periodic operating reports & related correspondence

- 9507060317 Forwards "Semi-Annual Radiological Effluent Release Rept." for period of Jul-Dec 1994.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/02/24. MARTIN,J.B. Region 3 (Post 820201). 4pp. 84570:305-84570:333.
- 9507070100 "Radioactive Effluent Release Rept." for Jul-Dec 1994 for Byron Nuclear Power Station.
* Commonwealth Edison Co. 94/12/31. 25pp. 84570:309-84570:333.
- 9507060249 Monthly operating rept for Apr 1995 for Byron Nuclear Power Station. W/ 950508 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/04/30. 13pp. 84617:344-84617:357.
- 9507190351 Monthly operating repts for June 1995 for Byron Generating Station Units 1 & 2. W/ 950707 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/06/30. 14pp. 84790:205-84790:218.

V. Operator Examinations

- 9507240039 Forwards insp repts 50-454/95-06 & 50-455/95-06 on 950619-26. Requalification program effective overall & contains several significant strengths in areas of exam matl & administration.
GRANT,G.E. Region 3 (Post 820201). 95/07/14. GRAESSER,K. Commonwealth Edison Co. 3pp. 84751:122-84751:132.
- 9507240043 Insp repts 50-454/95-06 & 50-455/95-06 on 950619-26. No violations noted. Major areas inspected: licensed operator requalification program.
EHRHADT,F., LENNARTZ,J., BURDICK,T. Region 3 (Post 820201). 95/07/12. 8pp. 84751:125-84751:132.
- 9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET STN-50-455 BYRON STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

- 9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK,M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.
- 9507260175 Revised EPIPs, including rev 41 to BZP 600-A1 & rev 38 to BZP 600-A4. W/ EPIP index.
* Commonwealth Edison Co. 95/07/05. 22pp. 84837:287-84837:308.
- 9507210157 Forwards proprietary response to concerns noted in NRC 950629 ltr re change in contract administration for firewatch program from Burns Fire Protection Group to Richardson-Estes, Inc. Encl withheld per 10CFR2.790(a).
JOHNSON,I.M. Commonwealth Edison Co. 95/07/10. MILLER,H.J. Region 3 (Post 820201). 1p. 84811:350-84811:350.
- 9507250111 Forwards util revised EP EALS.
VONK,M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 200pp. 84825:001-84825:200.
- 9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

P. Operating license stage documents & correspondence

- 9507030250 Forwards request for addl info re pending license amends to revise plants TSs related to SG tube voltage-based repair criteria.
LYNCH,M.D. 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 12pp. 84512:154-84512:165.
- 9507030273 Provides util response to GL 95-03, "Circumferential Cracking of SG Tubes."
VONK,M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84560:190-84560:202.
- 9506280082 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

120 DOCKETED ITEMS

9507070026 Requests that results of review & disposition of matter re activities at Byron Nuclear Station be provided within ten days of date of ltr
GRANT,G.E. Region 3 (Post 820201). 95/06/29. GRAESSER,K. Commonwealth Edison Co. 1p. 84530:114-84530:115.

9507110103 Application for amend to licenses NPF-37,NPF-66,NPF-72 & NPF-77,increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt.
PONTIQUIS,H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 39pp. 84614:001-84694:102.

-9507110111 Proposed tech specs,implementing 3.0 volt bobbin coil probe, voltage based,SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indications at hot-leg TSP intersections.
* Commonwealth Edison Co. 95/07/07. 61pp. 84694:040-84694:102.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507180407 Notification of 950720 meeting w/uti in Rockville,MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures.
LYNCH,M.D. 95/07/13. CAPRA,R.A. 4pp. 84725:347-84725:350.

9507240023 Provides correct ltr numbers to 950220 correspondence re presentation materials entitled, "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84831:315-84831:325.

9507310160 Responds to RAI re application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,increasing interim plugging criteria value for Braidwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894:091-84894:256.

Q. Inspection reports, IE Bulletins & correspondence

9507060017 Forwards revised semi-annual insp plan for plant dtd 950607.
MILLER,L.F. Region 3 (Post 820201). 95/06/27. GRAESSER,K. Commonwealth Edison Co. 2pp. 84516:099-84516:100.

9507110025 Comment on "NRC Insp Repts,Review of Contents,Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507240039 Forwards insp repts 50-454/95-06 & 50-455/95-06 on 950619-26.Requalification program effective overall & contains several significant strengths in areas of exam matl & administration.
GRANT,G.E. Region 3 (Post 820201). 95/07/14. GRAESSER,K. Commonwealth Edison Co. 3pp. 84751:122-84751:132.

-9507240043 Insp repts 50-454/95-06 & 50-455/95-06 on 950619-26.No violations noted.Major areas inspected:licensed operator requalification program.
EHRHADT,F., LENNARTZ,J., BURDICK,T. Region 3 (Post 820201). 95/07/12. 8pp. 84751:125-84751:132.

R. Periodic operating reports & related correspondence

9507060317 Forwards "Semi-Annual Radiological Effluent Release Rept." for period of Jul-Dec 1994.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/02/24. MARTIN,J.B. Region 3 (Post 820201). 4pp. 84570:305-84570:333.

-9507070100 "Radioactive Effluent Release Rept." for Jul-Dec 1994 for Byron Nuclear Power Station.
* Commonwealth Edison Co. 94/12/31. 25pp. 84570:309-84570:333.

9507060249 Monthly operating rept for Apr 1995 for Byron Nuclear Power Station.W/ 950508 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/04/30. 13pp. 84617:344-84617:357.

9507190351 Monthly operating repts for June 1995 for Byron Generating Station Units 1 & 2 W/950707 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/06/30. 14pp. 84790:205-84790:218.

V. Operator Examinations

9507240039 Forwards insp repts 50-454/95-06 & 50-455/95-06 on 950619-26.Requalification program effective overall & contains several significant strengths in areas of exam matl & administration.
GRANT,G.E. Region 3 (Post 820201). 95/07/14. GRAESSER,K. Commonwealth Edison Co. 3pp. 84751:122-84751:132.

-9507240043 Insp repts 50-454/95-06 & 50-455/95-06 on 950619-26.No violations noted.Major areas inspected:licensed operator requalification program.
EHRHADT,F. Region 3 (Post 820201). 95/07/12. 8pp. 84751:125-84751:132.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CHASENAY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
VONK,M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507310095 Revised EIPs including rev 0 to BwZP 1000-4A1,rev 1 to BwZP 2000-14,rev 1 to BwZP 2000-14A1,rev 1 to BwZP 2000-14A2,rev 1 to BwZP 2000-14A3,rev 1 to BwZP 2000-20,rev 1 to BwZP 2000-20A1,rev 1 to BwZP 2000-20A2 & rev 1 to BwZP 2000-20A6.
* Commonwealth Edison Co. 95/07/18. 24pp. 84888:316-84888:339.

9507250111 Forwards util revised EP EALS.
VONK,M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825:001-84825:200.

9507240458 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF.
JOHNSON,I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

9507280275 Forwards EA & FONSI related to 950522 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of plant in conjunction w/photograph identification badges.
ASSA,R.R. 95/07/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84868:039-84868:046.

-9507280285 EA & FONSI re issuance of exemption from requirements of regulations to licenses NPF-72 & NPF-77.Requested exemptions would allow implementation of hand geometry biometric sys of site access control in conjunction w/identification badges.
ASSA,R.R. 95/07/21. 5pp. 84868:041-84868:046.

P. Operating license stage documents & correspondence

9507030250 Forwards request for addl info re pending license amends to revise plants TSs related to SG tube voltage-based repair criteria.
LYNCH,M.D. 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 12pp. 84512:154-84512:165.

9507030273 Provides util response to GL 95-03, "Circumferential Cracking of SG Tubes."
VONK,M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84560:190-84560:202.

9507060089 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97,rev 2.Forwards supporting SE.
ASSA,R.R. 95/06/27. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84539:331-84539:336.

-9507060100 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97,rev 2.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 3pp. 84539:334-84539:336.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507100132 Forwards response to NRC 950531 RAI re Comm Ed proposed TS amend to increase interim plugging criteria for Byron & Braidwood Unit 1 SGs.Proprietary Westinghouse rept WNEP-9124, "Program TRANFLO..." also encl.Rept withheld.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 52pp. 84649:301-84649:352.

9507110103 Application for amend to licenses NPF-37,NPF-66,NPF-72 & NPF-77,increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt.
PONTIQUIS,H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 39pp. 84614:001-84694:102.

-9507110111 Proposed tech specs,implementing 3.0 volt bobbin coil probe, voltage based,SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indications at hot-leg TSP intersections.
* Commonwealth Edison Co. 95/07/07. 61pp. 84694:040-84694:102.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept.
RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507180094 Forwards errata sheet for proprietary Rev 3 to WCAP-14046 & errata sheet for nonproprietary Rev 3 to WCAP-14047, correcting typos on Page 4-139.Proprietary Rev 3 to WCAP-14046 withheld.
PONTIQUIS,H.D. Commonwealth Edison Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84975:047-84975:049.

-9508100342 Nonproprietary errata to Rev 3 to WCAP-14047, "Braidwood Unit 1 Technical Support for Cycle 5 Steam Generator Interim Plugging Criteria," correcting Page 4-139 figure title.
* Westinghouse Electric Corp. WCAP-14047 R03 ERR. 95/03/31. 1p. 84975:049-84975:049.

9507180192 Informs that Commission has issued encl exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operation," related to 941130 request. ASSA,R.R. . 95/07/13. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84725:318-84725:327.

-9507180200 Exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operation." ROW,J.W. . 95/07/13. Commonwealth Edison Co. 6pp. 84725:322-84725:327.

9507180407 Notification of 950720 meeting w/utl in Rockville,MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures. LYNCH,M.D. . 95/07/13. CAPRA,R.A. . 4pp. 84725:347-84725:350.

9507240023 Provides correct ltr numbers to 950220 correspondence re presentation materials entitled, "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion." LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84831:325-84831:325.

9507310136 Forwards response to NRC 950622 RAI re proposed revs to TS related to alternate plugging criteria for Byron Unit 1 & Braidwood Unit 1. SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 38pp. 84903:125-84903:162.

9507310160 Responds to RAI re application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,increasing interim plugging criteria value for Braidwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts. SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894:091-84894:256.

9507270256 Forwards Amends 64 & 64 to Licenses NPF-72 & NPF-77 & safety evaluation.Amends revises Figure 3.4-4a "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys." ASSA,R.R. . 95/07/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84873:165-84873:179.

-9507270257 Amends 64 & 64 to Licenses NPF-72 & NPF-77, respectively, revising Figure 3.4-4a "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys." ASSA,R.R. . 95/07/24. 7pp. 84873:168-84873:174.

-9507270259 Safety evaluation supporting amends 64 & 64 to Licenses NPF-72 & NPF-77, respectively. ASSA,R.R. . 95/07/24. 5pp. 84873:175-84873:179.

9507310138 Documents info provided to NRC in 950717 telcon re Okonite tape splices. SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/25. Document Control Branch (Document Control Desk). 1p. 84903:266-84903:266.

Q. Inspection reports, IE Bulletins & correspondence

9507190020 Notices of results of insp planning portion of Mar 1995 plant performance review. AXELSON,W.L. Region 3 (Post 820201). 95/06/08. KAUP,K. Commonwealth Edison Co. 4pp. 84711:040-84711:043.

9507070002 Ack receipt of 950602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/95-06 & 50-457/95-06. MILLER,L.F. Region 3 (Post 820201). 95/06/21. KAJP,K. Commonwealth Edison Co. 2pp. 84530:006-84530:007.

9507070011 Forwards insp repts 50-456/95-08 & 50-457/95-08 on 950418-0531.Violations noted but not cited. MILLER,L.F. Region 3 (Post 820201). 95/06/23. KAUP,K. Commonwealth Edison Co. 2pp. 84530:040-84530:060.

-9507070016 Insp repts 50-456/95-08 & 50-457/95-08 on 950418-0531. Violations noted but not cited.Major areas inspected: operations,engineering,maintenance,plant support & safety assessment. MILLER,L.F. Region 3 (Post 820201). 95/06/21. 19pp. 84530:042-84530:060.

9507050047 Forwards revised Insp Plan for plant. MILLER,L.F. Region 3 (Post 820201). 95/06/27. KAUP,K. Commonwealth Edison Co. 2pp. 84508:089-84508:090.

9507110025 Comment on "NRC Insp Repts,Review of Contents,Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals. FARRAR,D.L. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507310126 Forwards safety evaluation related to loss of fill-oil in Rosemount transmitters,NRC Bulletin 90-01, suppl.Utl conformed to requested actions. ASSA,R.R. . 95/07/25. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84879:306-84879:326.

-9507310135 Safety evaluation accepting licensee response to NRC Bulletin 90-01 re loss of fill-oil in Rosemount transmitters. ASSA,R.R. . 95/07/25. 2pp. 84879:308-84879:309.

-9506230367 "Technical Evaluation Rept:Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01,Braidwood-1/2." UDY,A.C. Idaho National Engineering Laboratory, FIN L1695, INEL-95/0268. 95/06/30. NRC - No Detailed Affiliation Given. 17pp. 84879:310-84879:326.

R. Periodic operating reports & related correspondence

9507130156 Monthly operating repts for June 1995 for Braidwood Nuclear Power Station,Units 1 & 2.W/950707 ltr. STANCZAK,P. COLE,T., TULON,T.J. Commonwealth Edison Co. 95/06/30. 9pp. 84696:034-84696:043.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CHERNICK,A.J., LASPISA,L.J. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101. VONK,M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507310095 Revised EIPs including rev 0 to BwZP 1000-4A1,rev 1 to BwZP 2000-14,rev 1 to BwZP 2000-14A1,rev 1 to BwZP 2000-14A2,rev 1 to BwZP 2000-14A3,rev 1 to BwZP 2000-20,rev 1 to BwZP 2000-20A1,rev 1 to BwZP 2000-20A2 & rev 1 to BwZP 2000-20A6. * Commonwealth Edison Co. 95/07/18. 24pp. 84888:316-84888:339.

9507250111 Forwards utl revised EP EALS. VONK,M.J. Commonwealth Edison Co. 95/07/19. Document Control Branch (Document Control Desk). 20pp. 84825:001-84825:200.

9507240456 Submits supplementary response to Comm Ed 950606 response to NRC 950602 RAI re proposed use of Corporate EOF as interim EOF. JOHNSON,I.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84816:356-84816:357.

9507280275 Forwards EA & FONSI related to 950522 request for exemption. Exemption would allow use of hand geometry biometric sys to control unescorted access into protected areas of plant in conjunction w/photograph identification badges. ASSA,R.R. . 95/07/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84868:039-84868:046.

-9507280285 EA & FONSI re issuance of exemption from requirements of regulations to licenses NPF-72 & NPF-77.Requested exemptions would allow implementation of hand geometry biometric sys of site access control in conjunction w/identification badges. ASSA,R.R. . 95/07/21. 5pp. 84868:041-84868:046.

P. Operating license stage documents & correspondence

9507030250 Forwards request for addl info re pending license amends to revise plants TSs related to SG tube voltage-based repair criteria. LYNCH,M.D. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 12pp. 84512:154-84512:165.

9507030273 Provides utl response to GL 95-03, "Circumferential Cracking of SG Tubes." VONK,M.J. Commonwealth Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84560:190-84560:202.

9507060089 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97,rev 2.Forwards supporting SE. ASSA,R.R. . 95/06/27. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84539:331-84539:336.

-9507060100 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97,rev 2. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/27. 3pp. 84539:334-84539:336.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES,B.K. . 95/06/29. Consolidated Edison Co. of New York, inc. 10pp. 84518:259-84518:268.

9507110103 Application for amend to licenses NPF-37,NPF-66,NPF-72 & NPF-77,increasing interim plugging criteria for hot-leg tube intersections w/outside diameter stress corrosion cracking from 1.0 volt to 3.0 volt. PONTIUS,H.D. Commonwealth Edison Co. 95/07/07. Document Control Branch (Document Control Desk). 39pp. 84694:001-84694:102.

-9507110111 Proposed tech specs,implementing 3.0 volt bobbin coil probe, voltage based,SG TSP alternative plugging criteria limit for outside diameter stress corrosion cracking indications at hot-leg TSP intersections. * Commonwealth Edison Co. 95/07/07. 61pp. 84694:040-84694:102.

9507120328 Responds to 950308 inquiry re whether or not staff exceeded authority by assuming operation control of recovery actions for plant events on 901004 & 940405.Concludes that potential safety significance of events warranted staff actions. TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/10. COLVIN,J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 84631:274-84631:277.

9507130266 Ack receipt for 10CFR50.54(a) submittal dtd 950517, incorporating changes in QA program description topical rept. RING,M.A. Region 3 (Post 820201). 95/07/11. KOVACH,T.J. Commonwealth Edison Co. 2pp. 84732:312-84732:313.

9507180407 Notification of 950720 meeting w/utl in Rockville,MD to discuss recent events at foreign nuclear power plants re potential degradation of steam generator internal structures. LYNCH,M.D. . 95/07/13. CAPRA,R.A. . 4pp. 84725:347-84725:350.

122 DOCKETED ITEMS

9507240023 Provides correct ltr numbers to 950220 correspondence re presentation materials entitled, "Steam Generator Tube Alternate Plugging Criteria w/Tube Expansion."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84831:325-84831:325.

9507310160 Responds to RAI re application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,increasing interim plugging criteria value for Braidwood & Byron Station Unit 1 SGs from 1.0 volt to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/21. Office of Nuclear Reactor Regulation (Post 941001). 27pp. 84894:091-84894:256.

9507270256 Forwards Amends 64 & 64 to Licenses NPF-72 & NPF-77 & safety evaluation.Amends revises Figure 3.4-4a "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys."
ASSA,R.R. 95/07/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84873:165-84873:179.

-9507270257 Amends 64 & 64 to Licenses NPF-72 & NPF-77, respectively, revising Figure 3.4-4a "Nominal PORV Pressure Relief Setpoint Versus RCS Temp for Cold Overpressure Protection Sys."
ASSA,R.R. 95/07/24. 7pp. 84873:168-84873:174.

-9507270259 Safety evaluation supporting amends 64 & 64 to Licenses NPF-72 & NPF-77, respectively.
* 95/07/24. 5pp. 84873:175-84873:179.

9507310138 Documents info provided to NRC in 950717 telcon re Okonite tape splices.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/07/25. Document Control Branch (Document Control Desk). 1p. 84903:266-84903:266.

G. Inspection reports, IE Bulletins & correspondence

9507190020 Notices of results of insp planning portion of Mar 1995 plant performance review.
AXELSON,W.L. Region 3 (Post 820201). 95/06/08. KAUP,K. Commonwealth Edison Co. 4pp. 84711:040-84711:043.

9507070002 Ack receipt of 950502 ltr informing NRC of steps taken to correct violations noted in insp repts 50-456/95-06 & 50-457/95-06.
MILLER,L.F. Region 3 (Post 820201). 95/06/21. KAUP,K. Commonwealth Edison Co. 2pp. 84530:006-84530:007.

9507070011 Forwards insp repts 50-456/95-06 & 50-457/95-06 on 950418-0531.Violations noted but not cited.
MILLER,L.F. Region 3 (Post 820201). 95/06/23. KAUP,K. Commonwealth Edison Co. 2pp. 84530:040-84530:060.

-9507070016 Insp repts 50-456/95-06 & 50-457/95-06 on 950418-0531. Violations noted but not cited.Major areas inspected: operations,engineering,maintenance,plant support & safety assessment.
MILLER,L.F. Region 3 (Post 820201). 95/06/21. 19pp. 84530:042-84530:060.

9507050047 Forwards revised Insp Plan for plant.
MILLER,L.F. Region 3 (Post 820201). 95/06/27. KAUP,K. Commonwealth Edison Co. 2pp. 84508:089-84508:090.

9507110025 Comment on "NRC Insp Repts,Review of Contents,Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.

9507310126 Forwards safety evaluation related to loss of fill-oil in Rosemont transmitters,NRC Bulletin 90-01, suppl.Utl conformed to requested actions.
ASSA,R.R. 95/07/25. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84879:306-84879:326.

-9507310135 Safety evaluation accepting licensee response to NRC Bulletin 90-01 re loss of fill-oil in Rosemont transmitters.
* 95/07/25. 2pp. 84879:308-84879:309.

-9506230387 "Technical Evaluation Rept:Evaluation of Utility Response to Suppl 1 to NRC Bulletin 90-01,Braidwood-1/2."
UDY,A.C. Idaho National Engineering Laboratory. FIN L-1695. INEL-95/0268. 95/06/30. NRC - No Detailed Affiliation Given. 17pp. 84879:310-84879:326.

R. Periodic operating reports & related correspondence

9507130156 Monthly operating repts for June 1995 for Braidwood Nuclear Power Station,Units 1 & 2 W/950707 ltr.
STANCZAK,P., COLE,T., TULON,T.J. Commonwealth Edison Co. 95/06/30. 9pp. 84696:034-84696:043.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. CHERNICK,A.J., LASPISA,L.J. Commonwealth Edison Co. 3pp. 84919:021-84919:023.

DOCKET 50-456 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507120400 Informs that pending resolution of 950525 submittal of 10CFR50.90 change,requesting exception to physical security plan,C/A commitment per violation 50-456/9505-01 to modify backup power supply for security sys placed on hold.
FISICARO,J.J. Entergy Operations, Inc. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84675:304-84675:305.

9507200280 Forwards exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for contractors granted unescorted access to protected areas of site.
WIGGINTON,D.L. 95/07/07. MCGAHA,J.R. Entergy Operations, Inc. 3pp. 84752:209-84752:218.

-9507200287 Exemption granted from requirements of 10CFR73.55(d)(5) re returning of picture badges upon exit from protected area of individuals not employed by licensee.
ROE,J.W. 95/07/07. Entergy Operations, Inc. 7pp. 84752:212-84752:218.

9507260132 Forwards partially deleted insp rept 50-458/95-21 on 950710-14.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/07/21. MCGAHA,J.R. Entergy Operations, Inc. 7pp. 84793:334-84793:342.

-9507260137 Partially deleted insp rept 50-458/95-21 on 950710-14 (ref 10CFR73.21).No violations noted.Major areas inspected: security program including VA barriers,detection aids,PA detection aids,alarm stations,records & repts.
DEXTER,T.W. Region 4 (Post 820201). 95/07/17. 2pp. 84793:341-84793:342.

G. Adjudicatory correspondence

9507270086 Joint motion to extend hearing date & amend scheduling order.* Requests that prehearing schedule & hearing schedule be revised.W/Certificate of Svc.
WETTERHAHN,M.J., PEMBROKE,J.D. Gulf States Utilities Co. WETTERHAHN,M.J. Winston & Strawn. #395 16901. 95/07/17. Atomic Safety & Licensing Board Panel. 6pp. 84814:046-84814:051.

I. Financial information

9507120271 Provides info re financial arrangements for River Bend Station.
GALLAHER,F.F. Entergy Operations, Inc. 95/07/07. ADENSAM,E.G. Division of Reactor Projects - III,IV (Post 901216). 12pp. 84698:341-84698:352.

J. insurance & indemnity information

9507060046 Forwards certificate of insurance verifying property policy for protection against financial losses due to nuclear accidents for plant.
FISICARO,J.J. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84618:329-84618:331.

P. Operating license stage documents & correspondence

9507070072 Requests that draft rept, "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station, Unit 1," be placed in docket file & PDR.
WIGGINTON,D.L. 95/06/26. 2pp. 84555:126-84555:153.

-9507070074 Draft, "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station,Unit 1."
CZAJKOWSKI,C.J., BOWERMAN,B.S., ROBERTS,T.C. Brookhaven National Laboratory. 95/05/31. 26pp. 84555:128-84555:153.

9507030324 Informs that util will not conduct core shroud insp during next refueling outage,RF-6,scheduled to begin on 960106,as stated in util 940824 response to GL 94-03,based on listed info.
FISICARO,J.J. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84559:360-84559:361.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507050196 Forwards "IPEEE River Bend Station."
MCGAHA,J.R. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 4pp. 84558:001-84558:167.

-9507050201 "Individual Plant Exam of External Events for River Bend Station."
* Entergy Operations, Inc. 95/06/30. 163pp. 84558:005-84558:167.

9507100016 Application for amend to license NPF-47 Amend will implement TSs based on NUREG-1434, "Improved TSs,Rev 0."
MCGAHA,J.R. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 5pp. 84646:012-84646:112.

-9507100019 Proposed tech specs reflecting implementation of TSs based on NUREG-1434, "Improved TSs,Rev 0."
* Entergy Operations, Inc. 95/06/30. 1,193pp. 84646:017-84646:112.

9507110007 Notification of 950711 meeting w/util to discuss progress of long term performance improvement program.
DYER,J.E. Region 4 (Post 820201). 95/07/05. Region 4 (Post 820201). 5pp. 84557:016-84557:020.

9507140423 Forwards draft rept "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station Unit 1."
WIGGINTON,D.L. 95/07/06. MCGAHA,J.R. Entergy Operations, Inc. 3pp. 84662:105-84662:133.

9507190260 Notification of meeting w/BWR/6 Owners Group in Rockville,MD to discuss sys required while handling irradiated fuel in containment.
O'CONNOR,P.W. 95/07/11. BECKER,W.B. 7pp. 84739:330-84739:336.

9507140095 Informs that change to TS Bases Section 3.6.1.10,acceptable. Changes to amend 80 extend ACTION times of leakage control sys.
WIGGINTON,D.L. 95/07/12. MCGAHA,J.R. Entergy Operations, Inc. 3pp. 84662:140-84662:144.

-9507140098 Corrected tech spec pages B 3/4 6-3 & B 3/4 6-4 extending ACTION times of leakage control sys.
* NRC - No Detailed Affiliation Given. 95/07/12. 2pp. 84662:143-84662:144.

9507210238 Submits info re LAR-93-14 conversion to TS based on NUREG-1434. "Improved TS, rev 0."
FISICARO, J.J. Entergy Operations, Inc. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84804:001-84807:052.

9507210248 Proposed tech specs based on NUREG-1434.
* Entergy Operations, Inc. 95/07/14. 1400pp. 84804:005-84807:052.

9507190274 Acknowledges withdrawal of 950630 LAR-94-10. "Change To TS 3/4.11.2. GASEOUS EFFLUENTS," & completion of effort under TAC M90697.
WIGGINTON, D.L. 95/07/17. MCGAHA, J.R. Entergy Operations, Inc. 3pp. 84786:317-84786:319.

9507240440 Notification of 950721 meeting w/utl in Rockville, MD to discuss Licensing Activities & Actions & Proposed Licensee Positions on Ongoing Reviews.
WIGGINTON, D.L. 95/07/20. BECKNER, W. 4pp. 84786:174-84786:177.

9507260063 Summarizes 950711 meeting w/utl re plant performance since Gulf States Utilities & Entergy merger of 940101 to show extent to which performance margins have been restored & update on progress of plant LTRIP.
DYER, J.E. Region 4 (Post 820201). 95/07/20. MCGAHA, J.R. Entergy Operations, Inc. 98pp. 84793:141-84793:237.

9507310260 Forwards amend 82 to license NPF-47 & safety evaluation. Amend revises Attachment 3 to license NPF-47 to remove certain license conditions pertaining to Division 1 & 2 TDI EDG.
WIGGINTON, D.L. 95/07/25. MCGAHA, J.R. Entergy Operations, Inc. 3pp. 84868:317-84868:327.

9507310264 Amend 82 to license NPF-47, revising attachment 3 to license NPF-47 to remove certain license conditions pertaining to Division 1 & 2 TDI EDG.
WIGGINTON, D.L. 95/07/25. 4pp. 84868:320-84868:323.

9507310270 Safety evaluation supporting amend 82 to license NPF-47.
* 95/07/25. 4pp. 84868:324-84868:327.

G. Inspection reports, IE Bulletins & correspondence

9507030324 Informs that utl will not conduct core shroud insp during next refueling outage, RF-6, scheduled to begin on 950106, as stated in utl 940824 response to GI. 94-03, based on listed info.
FISICARO, J.J. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84559:360-84559:361.

9507050169 Forwards insp rept 50-458/95-20 on 950605-09. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/06/29. MCGAHA, J.R. Entergy Operations, Inc. 12pp. 84507:298-84507:314.

9507050171 Insp rept 50-458/95-20 on 950605-09. No violations noted. Major areas inspected: radiation protection program w/focused view on ALARA program.
MURRAY, B. Region 4 (Post 820201). 95/06/27. 12pp. 84507:303-84507:314.

9507110028 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style."
* Entergy Operations, Inc. 95/06/29. MEYERS, D. Rules & Directives Review Branch (Post 820323). 5pp. 84557:074-84557:078.

9507060044 Responds to NRC ltr re violations noted in insp rept 50-458/95-03 on 950326-0506. Corrective actions: doc returned to an acceptable configuration. Long term corrective actions discussed in LER 95-004-01, dtd 950628.
FISICARO, J.J. Entergy Operations, Inc. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84618:327-84618:328.

9507130076 Forwards insp rept 50-458/95-10 on 950320-0421 & notice of violation.
GWYNN, T.P. Region 4 (Post 820201). 95/07/06. MCGAHA, J.R. Entergy Operations, Inc. 6pp. 84596:055-84596:110.

9507130078 Notice of violation from insp on 950320-0421. Violation noted: established measures did not correctly translate design of RCICs into calculation G13.18.12.4, Rev 2. "SBC Analysis Auxiliary Bldg."
* Region 1 (Post 820201). 95/07/06. 3pp. 84596:061-84596:063.

9507130084 Insp rept 50-458/95-10 on 950320-0421. Violations noted. Major areas inspected: RCIC, emergency diesel generators, control room & inadequate RWCS mod.
COLLINS, E.E., BROCKMAN, K. Region 4 (Post 820201). 95/06/30. 46pp. 84596:064-84596:110.

9507130090 Forwards insp rept 50-458/95-10 on 950605-09. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/07/06. MCGAHA, J.R. Entergy Operations, Inc. 5pp. 84596:144-84596:158.

9507130093 Insp rept 50-458/95-10 on 950605-09. No violations noted. Major areas inspected: radiological environ monitoring program.
MURRAY, B. Region 4 (Post 820201). 95/06/28. 10pp. 84596:149-84596:158.

9507120400 Informs that pending resolution of 950525 submittal of 10CFR 50.90 change, requesting exception to physical security plan, C/A commitment per violation 50-458/9505-01 to modify backup power supply for security sys placed on hold.
FISICARO, J.J. Entergy Operations, Inc. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84675:304-84675:305.

9507140011 Ack receipt of 950630 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/95-03.
DYER, J.E. Region 4 (Post 820201). 95/07/11. MCGAHA, J.R. Entergy Operations, Inc. 5pp. 84730:354-84730:360.

9507170365 Forwards response to NRC ltr re violations noted in insp rept 50-458/95-16 on 950508-12. Corrective actions: contacted each utl background investigation svc providers verbally & in writing on 950510 w/directions.
FISICARO, J.J. Entergy Operations, Inc. 95/07/13. Document Control Branch (Document Control Desk). 7pp. 84776:250-84776:256.

9507240032 Forwards insp rept 50-458/95-04 on 950507-0617 & notice of violation. Violation of NRC concern because operators discovered low pressure core spray sys venting procedure to be inadequate w/o procedure.
DYER, J.E. Region 4 (Post 820201). 95/07/18. MCGAHA, J.R. Entergy Operations, Inc. 6pp. 84751:066-84751:099.

9507240042 Expresses gratitude for doing fine job addressing comments & crafting coverletter message. Concur in rept as written.
PERKINS, K.E. Region 4 (Post 820201). 95/07/17. SMITH, W.F. Region 4 (Post 820201). 1p. 84751:072-84751:072.

9507240044 Notice of violation from insp on 950507-0617. Violation noted on 950525, operators found Procedure SPO-0032, "Low Pressure Core Spray," Rev 10, Section 4.2, inadequate for filling & venting sys.
* Region 4 (Post 820201). 95/07/18. 1p. 84751:073-84751:073.

9507240047 Insp rept 50-458/95-04 on 950507-0617. Violations noted. Major areas inspected: license actions in response to events, plant operations, maint & surveillance activities, onsite engineering, plant support activities & followup.
VANDENBURGH, C. Region 4 (Post 820201). 95/07/12. 26pp. 84751:074-84751:099.

9507260132 Forwards partially deleted insp rept 50-458/95-21 on 950710-14. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/07/21. MCGAHA, J.R. Entergy Operations, Inc. 7pp. 84793:334-84793:342.

9507260137 Partially deleted insp rept 50-458/95-21 on 950710-14 (ref 10CFR 73.21). No violations noted. Major areas inspected: security program including VA barriers, detect'n aids, PA detection aids, alarm stations, records & repts.
DEXTER, T.W. Region 4 (Post 820201). 95/07/17. 2pp. 84793:341-84793:342.

R. Periodic operating reports & related correspondence

9507190339 Monthly operating rept for June 1995 for River Bend Station Unit 1. W/950712 ltr.
BOLKE, T.J., FISICARO, J.J. Entergy Operations, Inc. 95/06/30. 6pp. 84790:241-84790:246.

S. Reportable occurrences, LERs & related correspondence

9507060269 LER 95-004-01 on 950419, auxiliary bldg door was determined inoperable due to failure of latching mechanism. Immediately restored secondary containment door to acceptable configuration W/950628 ltr.
GATES, T.W., FISICARO, J.J. Entergy Operations, Inc. 95/06/28. 5pp. 84598:166-84598:170.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

U. Congressional/Executive Correspondence

9506290433 Responds to 950518 ltr to Chairman Selin that expressed concern over NRC handling of allegations re mistreatment of whistleblowers.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/16. WYDEN, R. House of Rep. 7pp. 84796:070-84796:081.

9507200375 Expresses concern re NRC handling of allegations that whistleblowers being mistreated & questions recent NRC initiatives & repts addressing issues re STP, River Bend Nuclear Station & NRC Region IV.
WYDEN, R. House of Rep. 95/05/18. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 84796:077-84796:081.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

G. Adjudicatory correspondence

9507180103 Submits licensee quarterly status rept re deferred plant project, in accordance w/931014 MOU. Informs of no change to status since 950215 ltr to Licensing Board.
REYNOLDS, N.S. Washington Public Power Supply System. REYNOLDS, N.S. Winston & Strawn. #395 16885. 95/07/06. BLOCH, P.B., SCHINK, D.R. Atomic Safety & Licensing Board Panel. 2pp. 84675:085-84675:088.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507030247 Rev 5 to EPIP RA-15, "Predictive Release Rates."
* Illinois Power Co. 95/05/18. 31p. 84561:057-84561:088.

9507110055 Ack receipt of 950609 ltr & accepts results of investigation conducted re security concern at plant. Requests retention of review documentation for min of one yr from date of ltr.
CREED, J.R. Region 3 (Post 820201). 95/07/03. COOK, J. Illinois Power Co. 2pp. 84557:254-84557:256.

9507110062 Responds to ltr of 950503 re implementation of access authorization program at plant & concludes that concern not substantiated. Forwards investigation summary & requests withholding from public disclosure. W/o encl.
COOK, J.G. Illinois Power Co. 95/06/09. MARTIN, J.B. Region 3 (Post 820201). 1p. 84557:256-84557:256.

124 DOCKETED ITEMS

9507240429 Forwards insp rept 50-461/95-09 on 950516-0624 & NOV. CLAYTON, B. Region 3 (Post 820201). 95/07/14. COOK, J. Illinois Power Co. 3pp. 84824:146-84824:166.

--9507240432 Notice of violation from insp on 950516-0624. Violation noted: did not perform required functional testing of safe shutdown path emergency lighting. * Region 3 (Post 820201). 95/07/14. 2pp. 84824:149-84824:150.

I. Financial information

9507050049 "Illinois Corp 1994 Annual Rept." W/950623 ltr. PHARES, R.F. Illinois Power Co. 94/12/31. 28pp. 84806:305-84806:348.

P. Operating license stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

9507190260 Notification of meeting w/BWR/6 Owners Group in Rockville, MD to discuss sys required while handling irradiated fuel in containment. O'CONNOR, P.W. 95/07/11. BECKER, W.B. 7pp. 84739:330-84739:336.

9507240202 Provides addl info re IPE of Clinton Power Station. PICKETT, D.V. 95/07/21. PHARES, R.F. Illinois Power Co. 14pp. 84823:187-84823:200.

Q. Inspection reports, IE Bulletins & correspondence

9507070024 Forwards insp rept 50-461/95-08 on 950404-0515. Non-cited violation re rod mispositioning event noted. CLAYTON, B. Region 3 (Post 820201). 95/06/22. COOK, J. Illinois Power Co. 2pp. 84530:093-84530:113.

--9507070034 Insp rept 50-461/95-08 on 950404-0515. Non-cited violation noted. Major areas inspected: licensee actions on previous insp findings, operations, maint, engineering & plant support. CLAYTON, B. Region 3 (Post 820201). 95/06/22. 19pp. 84530:095-84530:113.

9507140162 Forwards ISI rept for activities performed at plant from 931210 to 950429, including fifth refueling outage. PHARES, R.F. Illinois Power Co. 95/07/10. Document Control Branch (Document Control Desk). 1p. 84746:001-84746:133.

--9507140167 "ISI Summary Rept." for Clinton Power Station, dtd 950621. KORNEMAN, D.E., WEISS, R.A. Illinois Power Co. 95/06/21. 132pp. 84746:002-84746:133.

9507190101 Responds to NRC ltr re violations noted in insp rept 50-461/95-03. Corrective actions: HPCS DG shaft & bearing repaired & inboard & outboard HPCS DG sightglasses clearly marked to show normal standby oil level band. COOK, J.G. Illinois Power Co. 95/07/13. Document Control Branch (Document Control Desk). 10pp. 84769:283-84769:292.

9507240429 Forwards insp rept 50-461/95-09 on 950516-0624 & NOV. CLAYTON, B. Region 3 (Post 820201). 95/07/14. COOK, J. Illinois Power Co. 3pp. 84824:146-84824:166.

--9507240432 Notice of violation from insp on 950516-0624. Violation noted: did not perform required functional testing of safe shutdown path emergency lighting. * Region 3 (Post 820201). 95/07/14. 2pp. 84824:149-84824:150.

--9507240437 Insp rept 50-461/95-09 on 950516-0624. Violations noted. Major areas inspected: previous insp findings, operations, maint, engineering & plant support. CLAYTON, B. Region 3 (Post 820201). 95/07/14. 18pp. 84824:151-84824:166.

R. Periodic operating reports & related correspondence

9507190345 Forwards monthly operating rept for June 1995 for Clinton Power Station, Unit 1. Lists corrections made to Apr & May 1995 gross thermal energy generated numbers due to calculation error. PHARES, R.F. Illinois Power Co. 95/07/13. Document Control Branch (Document Control Desk). 1p. 84790:264-84790:266.

--9507190347 Monthly operating rept for June 1995 for Clinton Power Station, Unit 1. HOLLON, M.C. Illinois Power Co. 95/06/30. 4pp. 84790:265-84790:268.

S. Reportable occurrences, LERs & related correspondence

9507170390 Follow-up to 10CFR21 Interim Rept 21-95-010 re Elgar Inverter PWM drive logic card (J4) failure. Elgar performed addl testing of cards at CPS & developing schedule for evaluating test results. Update will be provided by 950927. COOK, J.G. Illinois Power Co. 95/07/12. Document Control Branch (Document Control Desk). 1p. 84764:024-84764:024.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs. HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507190156 Forwards LER 90-003-01 re 13 Rosemount transmitters being inoperable due to loose housing covers & broken neck seal. LER revised to update info provided, including licensee contact, C/A & maint work document numbers. COOK, J.G. Illinois Power Co. 95/07/13. Document Control Branch (Document Control Desk). 1p. 84786:133-84786:140.

--9507190160 LER 90-003-01 on 900212, 13 Rosemount transmitters determined to be inoperable due to loose covers & broken neck seal. Completed two performances of PM task to verify housing cover torque & neck seal integrity. SOLANO, J.R. Illinois Power Co. 95/07/13. 7pp. 84786:134-84786:140.

V. Operator Examinations

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003. RING, M.A. Region 3 (Post 820201). 95/07/24. LACROIX, D.G. Consumers Power Co. DAMPF, J.F. Union Electric Co. THOMPSON, D.P. Illinois Power Co. 3pp. 84919:021-84919:023.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9507030329 Forwards suppl response to NRC 941229 follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & rept from NUCON int'l, inc. "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples." HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/06/27. Document Control Branch (Document Control Desk). 8pp. 84556:107-84556:176.

--9507030332 "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.S. Nucon, Inc. 95/05/03. 61pp. 84556:115-84556:176.

9507250010 Comment supporting proposed generic ltr re process for changes to security plans w/o prior NRC approval. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 95/07/13. NRC - No Detailed Affiliation Given. 1p. 84787:021-84787:021.

9507200215 Forwards Rev 25 to plant Physical Security Plan, Safeguards Contingency Plan & Security Training & Qualification Plan. Encl withheld. MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/07/17. Document Control Branch (Document Control Desk). 2pp. 84914:344-84914:345.

9507310149 Forwards Page 3-30 of Rev 25 to physical security plan, transmitted by 950707 ltr Page 3-30 inadvertently omitted. W/o encl. MAYNARD, O.L. Wolf Creek Nuclear Operating Corp. 95/07/21. Document Control Branch (Document Control Desk). 1p. 84903:270-84903:270.

P. Operating license stage documents & correspondence

9507030329 Forwards suppl response to NRC 941229 follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & rept from NUCON int'l, inc. "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples." HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/06/27. Document Control Branch (Document Control Desk). 8pp. 84556:107-84556:176.

--9507030332 "Pyrolysis Gas Chromatography Analysis of 5 Thermo-Lag Fire Barrier Samples." FREEMAN, W.P., KELLER, T.S. Nucon, Inc. 95/05/03. 61pp. 84556:115-84556:176.

9507050334 Forwards final response to GL 88-20, suppl 4, entitled "Wolf Creek Generating Station IPEEE." HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/06/27. Document Control Branch (Document Control Desk). 2pp. 84564:001-84564:009.

--9507050340 "Wolf Creek Generating Station IPEEE." * Wolf Creek Nuclear Operating Corp. 95/06/30. 371pp. 84564:003-84564:009.

9507060224 Submits proposed change to operational QA program for review & approval. Change provides alternative method for complying w/requirement to review procedures biennially. HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/06/28. Document Control Branch (Document Control Desk). 7pp. 84617:101-84617:107.

9507070084 Forwards request for addl info re util submittal of individual plant exam pertaining to internal event analysis & human reliability analysis. Response requested within 60 days of ltr receipt. STONE, J.C. 95/06/28. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 16pp. 84559:206-84559:221.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507120052 Informs that proposed change to util operational QA program submitted by ltr WM 95-0073 on 950427 reviewed. Advises that program be withdrawn due to remaining question & other considerations. GWYNN, T.P. Region 4 (Post 820201). 95/07/05. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84575:094-84575:098.

9507140089 Informs NRC that plant withdrawing proposed change to operational QA program re method & content of housekeeping insps. JOHANNES, R.N. Wolf Creek Nuclear Operating Corp. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761:040-84761:040.

9507170407 Forwards correction to request for rev to Tech Specs to implement Cycle B nuclear & core thermal-hydraulic design methodologies. HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/07/13. Document Control Branch (Document Control Desk). 5pp. 84776:261-84776:265.

9507310047 Ack receipt of 950519 ltr in response to 950322 ltr requesting addl info re motor-operated valve testing. Informs that NRC closing review of GL 88-10 program because revised testing successfully implements intent of testing. GWYNN, T.P. Region 4 (Post 820201). 95/07/21. CARNES, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84843:164-84843:173.

9507310036 Application for amend to license NPF-42, revising TS 4.0.5, "SRs for ISI & Testing Program" to allow implementation of relief request w/o prior NRC approval, upon finding ASME Code requirement impractical because of prohibitive cost rates. HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/07/25. Document Control Branch (Document Control Desk). 12pp. 84875:344-84875:357.

-9507310038 Proposed TS 4.0.5a & associated bases section 3/4.4.10, allowing implementation of relief request w/o prior NRC approval, upon finding ASME Code requirement impractical because of prohibitive dose rates or limitations in design.
* Wolf Creek Nuclear Operating Corp. 95/07/25. 2pp. 84875:356-84875:357.

G. Inspection reports, IE Bulletins & correspondence

9507050110 Responds to NRC ltr re violations noted in insp rept 50-482/95-01. Corrective actions started "B" condenser vacuum pump & evaluated tripping of "C" condenser vacuum pump.
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 95/06/21. Document Control Branch (Document Control Desk). 6pp. 84563:356-84563:361.

9507050002 Forwards insp rept 50-482/95-11 on 950423-0603. No violations noted.
BEACH, A.B. Region 4 (Post 820201). 95/06/27. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84507:340-84507:360.

-9507050004 Insp rept 50-482/95-11 on 950423-0603. No violations noted. Major areas inspected: plant status, operational safety verification, maint & surveillance observations, onsite engineering & plant support.
KIRSCH, D.F. Region 4 (Post 820201). 95/06/16. 15pp. 84507:345-84507:360.

9507050073 Announces integrated assessment team insp at plant scheduled for periods 950828-0901 & 11-15. Requests that util provide info listed on attachment to ltr to Region IV c/o by 950814.
GWYNN, T.P. Region 4 (Post 820201). 95/06/29. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84508:188-84508:193.

9507050051 Forwards insp rept 50-482/95-07 on 950424-28 & 0508-12 & notice of violation.
GWYNN, T.P. Region 4 (Post 820201). 95/06/30. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 6pp. 84509:001-84509:070.

-9507050056 Notice of violation from insp on 950424-28 & 0508-12. Violation noted: SE for change in operation of fuel oil transfer sys for EDG did not address agitation of fuel oil storage tank by continuous recirculation of fuel oil.
* Region 4 (Post 820201). 95/06/30. 2pp. 84509:007-84509:008.

-9507050063 Insp rept 50-482/95-07 on 950424-28 & 0508-12. Violations noted. Major areas inspected: sys reviews & engineering, design engineering, ability to identify, evaluate & resolve problems & safety evaluations.
KIRSCH, D.F., COLLINS, E.E. Region 4 (Post 820201). 95/06/16. 62pp. 84509:009-84509:070.

9507110002 Ack receipt of 950621 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-05.
BEACH, A.B. Region 4 (Post 820201). 95/06/30. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 84557:003-84557:012.

9507110046 Ack receipt of 950614 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-06 on 950519.
GWYNN, T.P. Region 4 (Post 820201). 95/07/03. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 3pp. 84557:231-84557:241.

9507140089 Informs NRC that plant withdrawing proposed change to operational QA program re method & content of housekeeping insps.
JOHANNES, R.N. Wolf Creek Nuclear Operating Corp. 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761:040-84761:040.

9507240002 Forwards insp rept 50-482/95-15 on 950626-30. No violations noted.
SCARANO, R.A. Region 4 (Post 820201). 95/07/18. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 4pp. 84751:007-84751:023.

-9507240006 Insp rept 50-482/95-15 on 950626-30. No violations noted. Major areas inspected: licensee implementation of revised 10CFR20 in accordance w/ temporary instruction 2515/123.
MURRAY, B. Region 4 (Post 820201). 95/07/18. 13pp. 84751:011-84751:023.

9507260015 Forwards insp rept 50-482/95-14 on 950626-30. No violations noted.
GWYNN, T.P. Region 4 (Post 820201). 95/07/20. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84793:054-84793:072.

-9507260016 Insp rept 50-482/95-14 on 950626-30. No violations noted. Major areas inspected: actions on previous insp findings & licensee event rept.
POWERS, D.A. Region 4 (Post 820201). 95/07/20. 14pp. 84793:059-84793:072.

9507310036 Application for amend to license NPF-42, revising TS 4.0.5, "SRs for ISI & Testing Program" to allow implementation of relief request w/o prior NRC approval, upon finding ASME Code requirement impractical because of prohibitive dose rates.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/07/25. Document Control Branch (Document Control Desk). 12pp. 84875:344-84875:357.

R. Periodic operating reports & related correspondence

9507210151 Monthly operating rept for June 1995 for Wolf Creek Station. W/950711 ltr.
MAYNARD, C.L. Wolf Creek Nuclear Operating Corp. 95/06/30. 7pp. 84808:333-84808:339.

9507240048 Forwards plant semi-annual FFD program performance data rept for 950101-0630.
JOHANNES, R.N. Wolf Creek Nuclear Operating Corp. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84824:347-84824:350.

S. Reportable occurrences, LERs & related correspondence

9507030301 Forwards review & comment of preliminary ASP analysis of operational event, occurred at Wolf Creek on 940917.
STONE, J. 95/06/20. CARNS, N.S. Wolf Creek Nuclear Operating Corp. 12pp. 84509:322-84509:347.

9507060118 Special rept 95-001 on 950531, output breaker for "B" EDG tripped during performance of routine monthly testing. EGA replaced & EDG B was evaluated & determined to be operable.
HAGAN, R.C. Wolf Creek Nuclear Operating Corp. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84570:355-84570:357.

9507310104 Forwards comments on NRC preliminary accident sequence precursor analysis of drain down event at WCGS on 940917. "Human Interactions Evaluation Failure to Isolate Incorrect Valve Alignment During Shutdown" rept by NUS also encl.
CARNS, N.S. Wolf Creek Nuclear Operating Corp. 95/07/26. Document Control Branch (Document Control Desk). 4pp. 84903:079-84903:108.

-9507310105 "Human Interactions Evaluation Failure to Isolate Incorrect Valve Alignment During Shutdown."
QUILICI, M.D. NUS Corp. 95/07/31. 26pp. 84903:083-84903:108.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507050423 Revised EIPs, including Rev 12 to EIP-ZZ-C0010, Rev 10 to EIP-ZZ-PRO20, Rev 18 to EIP-ZZ-00101, Rev 13 to EIP-ZZ-00102, Rev 1 to EIP-ZZ-00200, Rev 22 to EIP-ZZ-00201, Rev 8 to EIP-ZZ-00220 & Rev 17 to EIP-ZZ-00230.
NEVELS, G.L., SUDNAK, P., CRAWFORD, S.J. Union Electric Co. 95/06/22. 265pp. 84567:092-84567:356.

9507070142 Submits follow-up response re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SCHNELLD, F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 10pp. 84622:309-84622:318.

9507060196 Revised EIPs, including Rev 13 to EIP-ZZ-00212 & Rev 17 to EIP-ZZ-01211.
SUDNAK, P.J. Union Electric Co. 95/06/30. 27pp. 84589:307-84589:333.

9507070364 Forwards Rev 19 to "Radiological Emergency Response Plan (RERP)," in addition to minor editing, rev includes changes to call out EOF organization at alert classification & to reflect remodeling TSC.
SCHNELLD, F. Union Electric Co. 95/07/05. Document Control Branch (Document Control Desk). 3pp. 84618:001-84618:240.

-9507070370 Rev 19 to "Radiological Emergency Response Plan (RERP)."
* Union Electric Co. 95/06/30. 237pp. 84618:004-84618:240.

9507120102 Temporary change notice 95-0656 to EIP-ZZ-00213, Rev 11, "Technical Assessment."
* Union Electric Co. 95/07/05. 3pp. 84681:256-84681:258.

9507210056 Revised EIPs, including rev 11 to EIP-ZZ-00211 & rev 13 to EIP-ZZ-00223.
SUDNAK, P. Union Electric Co. 95/07/17. 66pp. 84811:245-84811:310.

9507250149 Forwards details of NRC concern to be addressed by util re security issue at plant Unit 1. Encl withheld per 10CFR2.790.
CREED, J.R. Region 3 (Post 820201). 95/07/20. SCHNELLD, F. Union Electric Co. 2pp. 84828:246-84828:247.

P. Operating license stage documents & correspondence

9507050215 Notification of 950712 meeting w/util in Rockville, MD to review licensing status for plant w/NRR projects & technical staff.
WHARTON, L.R. 95/06/22. MARCUS, G.H. 4pp. 84528:351-84528:354.

9507030129 Application for amend to license NPF-30. Amend would revise TSs to implement recommendations of GL 93-05 re reduction of SRs for testing during power operation.
SCHNELLD, F. Union Electric Co. 95/06/23. Document Control Branch (Document Control Desk). 5pp. 84555:284-84555:327.

-9507030141 Proposed tech specs re implementation of recommendations of GL 93-05.
* Union Electric Co. 95/06/23. 39pp. 84555:289-84555:327.

9507060082 Application for amend to license NPF-30 removing list of containment isolation valves, revising allowed outage time for component CW motor operated containment penetration check valves as isolation devices.
SCHNELLD, F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84579:015-84579:058.

-9507060087 Proposed rev to TS 3/4.6 to remove list of containment isolation valves, revising allowed outage time for CCW motor operated containment isolation valves & allowing use of containment penetration check valves as isolation devices.
* Union Electric Co. 95/06/26. 40pp. 84579:018-84579:058.

9507070142 Submits follow-up response re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SCHNELLD, F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 10pp. 84622:309-84622:318.

9507060193 Provides response to NRC GL 95-03, "Circumferential Cracking of SG Tubes."
SCHNELLD, F. Union Electric Co. 95/06/27. Document Control Branch (Document Control Desk). 9pp. 84617:284-84617:292.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060240 Forwards addl info supporting changes to TS 2.2.1 re optimization of over-power delta-T reactor trip, requested by util 950417 ltr.
SCHNELLD, F. Union Electric Co. 95/06/30. Document Control Branch (Document Control Desk). 10pp. 84617:079-84617:088.

9507060250 Forwards "Callaway Plant IPEEE," in response to GL 88-20, Suppl 4. Exam did not identify any plant-specific vulnerabilities.
SCHNELLD, F. Union Electric Co. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84581:139-84581:167.

126 DOCKETED ITEMS

--9507060252 "Callaway Plant IPEEE"

* Union Electric Co. 95/06/30. 390pp. 84581:142-84582:167.

9507130165 Forwards amend 100 to license NPF-30 & safety evaluation. Amend revises TS 3/4.8.1.2 to address min required storage vols of emergency fuel oil storage & day tanks.
WHARTON,L.R. 95/07/06. SCHNELL,D.F. Union Electric Co. 3pp. 84632:179-84632:189.

--9507130175 Amend 100 to license NPF-30, revising TS 3/4.8.1.1 & TS 3/4.8.1.2, to address min required storage vols of emergency fuel oil storage & day tanks.
WHARTON,L.R. 95/07/06. 5pp. 84632:182-84632:186.

--9507130177 Safety evaluation supporting amend 100 to license NPF-30.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 3pp. 84632:187-84632:189.

9507210220 Responds to GL 88-20, submitted for NRC review, Callaway individual plant exam & associated documentation.
WHARTON,L.R. 95/07/18. SCHNELL,D.F. Union Electric Co. 12pp. 84764:047-84764:058.

9507240411 Forwards amend 101 to license NPF-30 & safety evaluation. Amend revises TS 4.2.2.2.4.2.2.4 & 6.9.19, informs that changes incorporate penalty in COLR to account for heat flux increases greater than 2% between measurements.
WHARTON,L.R. 95/07/20. SCHNELL,D.F. Union Electric Co. 3pp. 84823:174-84823:186.

--9507240414 Amend 101 to license NPF-30, revising TS 4.2.2.2.4.2.2.4 & 6.9.19, informs that changes incorporate penalty in COLR to account for heat flux increases greater than 2% between measurements.
WHARTON,L.R. 95/07/20. 6pp. 84823:177-84823:182.

--9507240418 Safety evaluation supporting amend 101 to license NPF-30.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 4pp. 84823:183-84823:186.

Q. Inspection reports, IE Bulletins & correspondence

9507030059 Forwards response to NRC 950530 ltr re violations noted in insp rept 50-483/95-06 on 950312-0429. Corrective actions: crane operator supervisor made each operator aware of current plant conditions prior to next containment entry.
SCHNELL,D.F. Union Electric Co. 95/06/26. Document Control Branch (Document Control Desk). 5pp. 84537:352-84537:316.

9507060007 Forwards insp rept 50-483/95-09 on 950605-09. No violations noted.
RING,M.A. Region 3 (Post 820201). 95/06/29. SCHNELL,D.F. Union Electric Co. 2pp. 84516:011-84516:018.

--9507060008 Insp rept 50-483/95-09 on 950605-09. No violations noted. Major areas inspected: licensed operator requalification program to include review of training administrative procedures & exam matl.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/06/28. 7pp. 84516:013-84516:019.

9507190027 Ack receipt of 950626 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/95-06.
FARBER,M.J. Region 3 (Post 820201). 95/07/11. SCHNELL,D.F. Union Electric Co. 2pp. 84711:049-84711:050.

R. Periodic operating reports & related correspondence

9507110214 Monthly operating rept for June 1995 for Callaway Plant Unit 1.W/950706 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 95/06/30. 6pp. 84695:100-84695:105.

S. Reportable occurrences, LERs & related correspondence

9507030117 LER 95-004-00 on 950608 reactor trip automatically initiated due to low flow of RCS & subsequent trips of pumps. Caused by tree limb on one set of transmission lines. Limb removed.W/950623 ltr.
BONO,H.D. Union Electric Co. AFFOLTER,R.D. Northeast Nuclear Energy Co. 95/06/23. 5pp. 84559:099-84559:103.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

V. Operator Examinations

9507060007 Forwards insp rept 50-483/95-09 on 950605-09. No violations noted.
RING,M.A. Region 3 (Post 820201). 95/06/29. SCHNELL,D.F. Union Electric Co. 2pp. 84516:011-84516:019.

--9507060006 Insp rept 50-483/95-09 on 950605-09. No violations noted. Major areas inspected: licensed operator requalification program to include review of training administrative procedures & exam matl.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/06/28. 7pp. 84516:013-84516:019.

9507310006 Informs that NRC plans to administer generic fundamentals exam section of written operator licensing exam on 951003.
RING,M.A. Region 3 (Post 820201). 95/07/24. LACROIX,D.G. Consumers Power Co. DAMPF,J.F. Union Electric Co. THOMPSON,D.P. Illinois Power Co. 3pp. 84919:021-84919:023.

DOCKET STN-50-496 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9507190312 Second partial response to FOIA request for records. App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAVORITO,T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

--9508040203 Informs of util position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in subj case consistent w/prior util access authorization decisions. W/unsanitized attachments.
HALL,D.P. Houston Lighting & Power Co. 92/08/14. Document Control Branch (Document Control Desk). 16pp. 84918:293-84918:324.

9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being. Documents being placed in PDR. Apps BBB & CCC being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84872:038-84872:116.

--9507310251 Discusses alleged termination for reporting security concerns to security mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/01/20. MILHOAN,J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106.

9507070157 Submits list of changes & Rev 2A of util physical security plan. Encl withheld.
GROTH,J.F. Houston Lighting & Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84622:341-84622:342.

9507310148 Revised EIPs, including rev 3 to EIP 0ERP01-ZV-EF10, rev 2 to EIP 0ERP01-ZV-EF23 & field change 95-0193 to rev 1 to EIP 0ERP01-ZV-EF25.W/950724 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 95/07/24. 45pp. 84882:290-84882:334.

H. General correspondence

9507200003 Discusses NRC request under FOIA for copies of 930929 Demands for info issued to recipient & Houston Lighting & Power Co & for copies of responses.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/07/17. BALCOM,R. Affiliation Not Assigned. 4pp. 84729:006-84729:009.

P. Operating license stage documents & correspondence

9507240337 FOIA request for documents re matters involving Houston Lighting & Power & plant Units 1 & 2.
LARI,R.G. Affiliation Not Assigned. 94/11/22. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84833:001-84833:001.

9507240365 Final response to FOIA request for documents. Forwards records listed in App A already available in PDR & records listed in App B being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. LARI,R.G. Affiliation Not Assigned. 3pp. 84833:002-84833:009.

9507240430 Twenty second response to FOIA request for documents. Forwards App YY records being partially withheld & App ZZ records being completely withheld (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 9pp. 84833:010-84833:230.

--9507270171 Partially deleted ltr which transmits documents requested by NRC 920601 ltr & D Tecum 920610 subpoena issued to util by NRC Inspector General.
HALL,D.P. Houston Lighting & Power Co. 92/06/18. NORTON,L.J. Office of the Inspector General (Post 890417). 202pp. 84833:022-84833:230.

9507190312 Second partial response to FOIA request for records. App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAVORITO,T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

--8208310122 Responds to concerns raised in NRC 920604 ltr re alleged discrimination against former contract employee. Effective programs, such as SPEAKOUT & station problem rept process, facilitate resolution of safety concerns.
HALL,D.P. Houston Lighting & Power Co. 92/06/21. MILHOAN,J.L. Region 4 (Post 820201). 4pp. 84918:294-84918:297.

--9507190314 Informs that Region IV will consider all T Saporito allegations in accordance w/Manual Chapter 0517, "Mgt of Allegations," including allegations raised in 2,206 petition re STP.
MARTIN,R.D. Region 4 (Post 820201). 92/03/09. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84918:290-84918:293.

--9507190318 Discusses status of upgrades to STP employee concerns program.
COTTLE,W.T. Houston Lighting & Power Co. 94/02/11. CALLAN,L.J. Region 4 (Post 820201). 5pp. 84918:325-84918:329.

9507250044 Twenty-first partial response to FOIA request for records. App UU & VV documents available in PDR. App WW documents partially withheld (ref FOIA Exemption 6). App XX documents completely withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 6pp. 84833:231-84833:253.

--9507250047 Requests review of transcript of interview of alleged re potential safety concerns.
WISE,R. Region 4 (Post 820201). 93/05/11. JOHNSON,B. Region 4 (Post 820201). 3pp. 84633:240-84633:242.

- 9507250051 Informs of review of transcript taken in Bay City on 9/3/12. No nuclear safety or technical issues identified.
JOHNSON, W.D. Region 4 (Post 820201). 9/3/05/12. WISE, R. Region 4 (Post 820201). 1p. 84833:243-84833:243.
- 9507250055 Advises of review of transcript of interview of contract employee. No nuclear safety or technical concerns identified.
WISE, R. Region 4 (Post 820201). 9/3/05/19. WILLIAMSON, E.L. Ofc of Investigations (Post 880201). 1p. 84833:243-84833:244.
- 9507250062 Requests investigation of DD Driskill actions re STP.
* Affiliation Not Assigned. 9/3/06/21. WILLIAMS, D. Office of the Inspector General (Post 890417). 1p. 84833:245-84833:245.
- 9507250064 Forwards allegation of safety issues re STP for review.
NORTON, L.J. Office of the Inspector General (Post 890417). 9/3/06/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 84833:246-84833:248.
- 9507250067 Advises of allegation re asbestos abatement work that was occurring at STP.
BEACH, A.B. Region 4 (Post 820201). 9/3/05/30. BATY, G.A. Labor, Dept. of Occupational Safety & Health Admin. App. 84835:250-84833:253.
- 9507280127 Twenty-fourth partial response to FOIA request for records. Releasable portions of App DDD records encl & available in PDR. App DDD records partially withheld & App EEE records completely withheld (ref FOIA Exemptions 4.5 & 6).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 9/5/02/05. LAWRENCE, J.W. Affiliation Not Assigned. App. 84871:330-84871:335.
- 9507280131 Advises of complaints of deficiencies at plant for inquiry.
* Commissioners (Post 750119). 86/10/28. Commissioners (Post 750119). 1p. 84871:334-84871:334.
- 9507280135 Requests monitoring info re reported errors at plant. Response ltr from EG Adensam shows misunderstanding of concerns.
* Affiliation Not Assigned. 9/3/06/16. THE CHAIRMAN Commissioners (Post 750119). 1p. 84871:335-84871:335.
- 9507303118 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
CLONINGER, T.H. Houston Lighting & Power Co. 9/5/06/27. Document Control Branch (Document Control Desk). 13pp. 84561:107-84561:119.
- 9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. 9/5/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.
- 9507050057 Forwards Unit 1 summary rept of test results taken during startup & power ascension.
CLONINGER, T.H. Houston Lighting & Power Co. 9/5/06/29. Document Control Branch (Document Control Desk). 7pp. 84561:346-84561:353.
- 9507120130 Notification of 950718 meeting w/util in Rockville, MD to update staff on licensee probabilistic safety assessment.
ALEXION, T.W. 9/5/07/06. BECKNER, W.D. 4pp. 84612:357-84612:360.
- 9507120133 Notification of 950718 meeting w/util in Rockville, MD to update staff on licensee initiative for conversion to improved standard TS.
ALEXION, T.W. 9/5/07/06. BECKNER, W.D. 4pp. 84631:323-84631:326.
- 9507120360 Forwards amends 76 & 65 to licenses NPF-76 & NPF-80, respectively & SE. Amends modify TSs 3/4.8.4.1 & 3/4.3.3.7 by relocation to technical requirements manual.
ALEXION, T.W. 9/5/07/06. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84625:318-84625:335.
- 9507120386 Amends 76 & 65 to licenses NPF-76 & NPF-80, respectively, modifying (by relocation to TS Requirements Manual) TS 3/4.3.3.7 & TS 3/4.8.4.1.
ALEXION, T.W. 9/5/07/06. 9pp. 84625:321-84625:331.
- 9507120371 Safety evaluation supporting amends 76 & 65 to licenses NPF-76 & NPF-80, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 9/5/07/06. 4pp. 84625:332-84625:335.
- 9507280266 Forwards SE accepting licensee 950301 revised position addressing compliance of STP w/10CFR50.63, "Loss of All Alternating Current Power."
ALEXION, T.W. 9/5/07/24. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84856:276-84856:292.
- 9507280271 Safety evaluation accepting licensee revised position addressing compliance of STP w/10CFR50.63, "Loss of All Alternating Current Power."
* 9/5/07/24. 14pp. 84856:279-84856:292.
- 9507310272 Forwards amends 77 & 66 to licenses NPF-76 & NPF-80 & safety evaluation. Amends revise tables associated w/TS 3/4.3.3.5, remote shutdown sys, to eliminate requirements for core exit thermocouples.
ALEXION, T.W. 9/5/07/24. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84868:296-84868:316.
- 9507310275 Amends 77 & 66 to licenses NPF-76 & NPF-80, respectively, revising tables associated w/TS 3/4.3.3.5, remote shutdown sys, to eliminate requirement for core exit thermocouples.
ALEXION, T.W. 9/5/07/24. 15pp. 84868:299-84868:313.
- 9507310277 Safety evaluation supporting amends 77 & 66 to licenses NPF-76 & NPF-80, respectively.
* 9/5/07/24. 3pp. 84868:314-84868:316.
- 9507280274 Forwards amends 76 & 67 to licenses NPF-76 & NPF-80, respectively & safety evaluation. Amends revise TSs 3.4.2.2 & 3.7.1.1 by relaxing lift setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXION, T.W. 9/5/07/25. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84868:347-84868:362.
- 9507280278 Amends 76 & 67 to licenses NPF-76 & NPF-80, respectively, revising TSs 3.4.2.2 & 3.7.1.1 by relaxing lift setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXION, T.W. 9/5/07/25. 9pp. 84868:350-84868:358.
- 9507280280 Safety evaluation supporting amends 76 & 67 to licenses NPF-76 & NPF-80, respectively.
* 9/5/07/25. 4pp. 84868:359-84868:362.
- 9507310004 Discusses closure of two investigations conducted by NRC Ofc re activities at plant. Lists case numbers 4-94-002 & 4-94-052, included in investigations.
CALLAN, L.J. Region 4 (Post 820201). 9/5/07/25. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 84843:027-84843:030.

G. Inspection reports, IE Bulletins & correspondence

- 9507190312 Second partial response to FOIA request for records. App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 9/5/02/06. Saporito, T.J. Saporito, T.J. 2pp. 84918:279-84918:329.
- 9508040203 Informs of util position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in sub case consistent w/prior util access authorization decisions. W/unsanitized attachments.
HALL, D.P. Houston Lighting & Power Co. 9/2/08/14. Document Control Branch (Document Control Desk). 16pp. 84918:298-84918:324.
- 9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being Documents being placed in PDR. Apps BBB & CCC being released in part (ref FOIA exemption 7C).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 9/5/02/10. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84872:038-84872:116.
- 9507310243 Requests Commission approval to issue encl order re administrative subpoena issued by staff.
FITZGERALD, J.A. Assistant General Counsel for Adjudications & Opinions. SECY-90-025. 9/01/23. 67pp. 84872:046-84872:104.
- 9507310251 Discusses alleged termination for reporting security concerns to security mgt.
WILLIAMSON, E.L. Ofc of investigations (Post 880201). 9/3/01/20. MILHOAN, J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106.
- 9507310274 Partially withheld memo re review of allegation involving plant.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9/3/12/16. WILLIAMS, D.L. Office of the Inspector General (Post 890417). 10pp. 84872:107-84872:116.
- 9507030095 Forwards insp repts 50-498/95-11 & 50-499/95-11 on 950522-25. No violations noted.
GWYNN, T.P. Region 4 (Post 820201). 9/5/06/28. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 84488:241-84488:255.
- 9507030099 Insp repts 50-498/95-11 & 50-499/95-11 on 950522-25. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support, mgt overview, plant status & safety evaluation program.
COLLINS, E.E. Region 4 (Post 820201). 9/5/06/22. 10pp. 84488:246-84488:255.
- 9507030021 Responds to certain questions raised in 950615 & 20 ltrs re enforcement conference applicability in determining whether violations occurred. Advises that Enforcement Manual (NUREG/BR-0195), Section 5.3 clarifies matter.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 9/5/06/29. GARTH, S.T. Affiliation Not Assigned. 2pp. 84488:166-84488:167.
- 9507050108 Discusses 950616 meeting w/util in Arlington, TX re apparent violations of 10CFR50.7 concerning Recommended Decision & Order issued by administrative law judge in Dept of Labor proceeding. W/encl.
CALLAN, L.J. Region 4 (Post 820201). 9/5/06/30. COTTLE, W.T. Houston Lighting & Power Co. 47pp. 84507:154-84507:200.
- 9507100239 Forwards Insp Repts 50-498/95-15 & 50-499/95-15 on 950605-09. Violations noted.
GWYNN, T.P. Region 4 (Post 820201). 9/5/07/06. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 84690:342-84690:361.
- 9507100242 Insp Repts 50-498/95-15 & 50-499/95-15 on 950605-09. Violations noted. Major areas inspected: licensee surveillance procedures & records.
POWERS, D.A. Region 4 (Post 820201). 9/5/07/01. 15pp. 84690:347-84690:361.
- 9507140065 Forwards ISI Summary Rept for South TX Project Unit 1 fifth refueling outage re welds, SG tubing & component supports.
CLONINGER, T.H. Houston Lighting & Power Co. 9/5/07/11. Document Control Branch (Document Control Desk). 2pp. 84746:134-84747:018.
- 9507140069 "IRE05 ISI Summary Rept for Welds, SG Tubes & Component Supports of South TX Project Electric Generating Station Unit 1."
BEVERLY, R.L., HANING, J.L., TIMMARAJU, S. Houston Lighting & Power Co. 9/5/07/06. 247pp. 84746:136-84747:018.
- 9507170312 Forwards Unit 1 fifth refueling outage ISI summary rept for sys pressure tests.
CLONINGER, T.H. Houston Lighting & Power Co. 9/5/07/11. Document Control Branch (Document Control Desk). 3pp. 84776:233-84776:249.
- 9507170317 "IRE05 ISI Summary Rept for Sys Pressure Tests (Class 1 & 2)."
PATHAK, A.P., TIMMARAJU, S., THOMAS, S.E. Houston Lighting & Power Co. 9/5/07/29. 14pp. 84776:236-84776:249.
- 9507200002 Responds to request from FOIA for copies of 930929, demands for info & responses re decision NRC made on enforcement action of cases. NRC intend to respond to FOIA request & release documents, 10 days from ltr date.
GRAY, J.R. Ofc of Enforcement (Post 870413). 9/5/07/17. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 84729:002-84729:005.
- 9507270206 Submits comments on statements made by representatives of NRC & Houston Lighting & Power Co at enforcement conference on 950616.
GUTTERMAN, A.H. Morgan, Lewis & Bockius. 9/5/07/21. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 105pp. 84872:117-84872:221.

128 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

9507190340 Monthly operating reports for June 1995 for STP Electric Generating Station Units 1 & 2 w/950712 ltr.
HILL,R.L., BERGENDAHL,D.M., GROTH,J.F. Houston Lighting & Power Co. 95/06/30. 14pp. 84769:245-84769:258.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 report re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensee's internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

U. Congressional/Executive Correspondence

9506290433 Responds to 950518 ltr to Chairman Selin that expressed concern over NRC handling of allegations re mistreatment of whistleblowers.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/16. WYDEN,R. House of Rep. 7pp. 84796:070-84796:081.

9507200375 Expresses concern re NRC handling of allegations that whistleblowers being mistreated & questions recent NRC initiatives & reports addressing issues re STP River Bend Nuclear Station & NRC Region IV.
WYDEN,R. House of Rep. 95/05/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 84796:077-84796:081.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9507190312 Second partial response to FOIA request for records. App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAPORITO,T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

9508040203 Informs of util position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in subj case consistent w/prior util access authorization decisions. W/unsanitized attachments.
HALL,D.P. Houston Lighting & Power Co. 92/08/14. Document Control Branch (Document Control Desk). 16pp. 84918:298-84918:324.

9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being. Documents being placed in PDR. Apps BBB & CCC being released in part (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84872:035-84872:116.

9507310251 Discusses alleged termination for reporting security concerns to security mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/01/20. MILHOAN,J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106.

9507070157 Submits list of changes & Rev 2A of util physical security plan. Encl withheld.
GROTH,J.F. Houston Lighting & Power Co. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84622:341-84622:342.

9507310146 Revised EIPs, including rev 3 to EIP OERP01-ZV-EF10, rev 2 to EIP OERP01-ZV-EF23 & field change 95-0193 to rev 1 to EIP OERP01-ZV-EF25. W/950724 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 95/07/24. 45pp. 84982:290-84882:334.

H. General correspondence

9507200003 Discusses NRC request, under FOIA, for copies of 930929 Demands for Info issued to recipient & Houston Lighting & Power Co & for copies of responses.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/07/17. BALCOM,R. Affiliation Not Assigned. 4pp. 84729:006-84729:009.

P. Operating license stage documents & correspondence

9507240337 FOIA request for documents re matters involving Houston Lighting & Power & plant Units 1 & 2.
LARI,R.G. Affiliation Not Assigned. 94/11/22. KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84833:001-84833:001.

9507240365 Final response to FOIA request for documents. Forwards records listed in App A already available in PDR & records listed in App B being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. LARI,R.G. Affiliation Not Assigned. 3pp. 84833:002-84833:009.

9507240430 Twenty second response to FOIA request for documents. Forwards App YY records being partially withheld & App ZZ records being completely withheld (ref FOIA Exemptions 4 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 9pp. 84833:010-84833:230.

9507270171 Partially deleted ltr which transmits documents requested by NRC 920601 ltr & D Tecum 920610 subpoena issued to util by NRC Inspector General.
HALL,D.P. Houston Lighting & Power Co. 92/06/18. NORTON,L.J. Office of the Inspector General (Post 890417). 202pp. 84833:022-84833:230.

9507190312 Second partial response to FOIA request for records. App C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAPORITO,T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

9507250044 Responds to concerns raised in NRC 920804 ltr re alleged discrimination against former contract employee. Effective programs, such as SPEAKOUT & station problem report process, facilitate resolution of safety concerns.
HALL,D.P. Houston Lighting & Power Co. 92/06/21. MILHOAN,J.L. Region 4 (Post 820201). 4pp. 84918:294-84918:297.

9507190314 Informs that Region IV will consider all T Saporito allegations in accordance w/Manual Chapter 0517, "Mgt of Allegations," including allegations raised in 2.206 petition re STP.
MARTIN,R.D. Region 4 (Post 820201). 92/03/09. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84918:290-84918:293.

9507190318 Discusses status of upgrades to STP employee concerns program.
COTTLE,W.T. Houston Lighting & Power Co. 94/02/11. CALLAN,L.J. Region 4 (Post 820201). 5pp. 84918:325-84918:329.

9507250044 Twenty-first partial response to FOIA request for records. App UU & VV documents available in PDR. App WW documents partially withheld (ref FOIA Exemption 6). App XX documents completely withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 6pp. 84833:231-84833:233.

9507250047 Requests review of transcript of interview of alleged re potential safety concerns.
WISE,R. Region 4 (Post 820201). 93/05/11. JOHNSON,B. Region 4 (Post 820201). 3pp. 84833:240-84833:242.

9507250051 Informs of review of transcript taken in Bay City on 930412. No nuclear safety or technical issues identified.
JOHNSON,W.D. Region 4 (Post 820201). 93/05/12. WISE,R. Region 4 (Post 820201). 1p. 84833:243-84833:243.

9507250055 Advises of review of transcript of interview of contract employee. No nuclear safety or technical concerns identified.
WISE,R. Region 4 (Post 820201). 93/05/19. WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 1p. 84833:244-84833:244.

9507250062 Requests investigation of DD Driskill actions re STP.
* Affiliation Not Assigned. 93/08/21. WILLIAMS,D. Office of the Inspector General (Post 890417). 1p. 84833:245-84833:245.

9507250064 Forwards allegation of safety issues re STP for review.
NORTON,L.J. Office of the Inspector General (Post 890417). 93/09/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 84833:246-84833:249.

9507250067 Advises of allegation re asbestos abatement work that was occurring at STP.
BEACH,A.B. Region 4 (Post 820201). 93/06/30. BATY,G.A. Labor, Dept. of, Occupational Safety & Health Admin. 4pp. 84833:250-84833:253.

9507280127 Twenty-fourth partial response to FOIA request for records. Releasable portions of App DDD records encl & available in PDR. App DDD records partially withheld & App EEE records completely withheld (ref FOIA Exemptions 4.5 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. LAWRENCE,J.W. Affiliation Not Assigned. 4pp. 84871:330-84871:335.

9507270131 Advises of complaints of deficiencies at plant for inquiry.
* Commissioners (Post 750119). 86/10/28. Commissioners (Post 750119). 1p. 84871:334-84871:334.

9507280135 Requests monitoring info re reported errors at plant. Response ltr from EG Adensam shows misunderstanding of concerns.
* Affiliation Not Assigned. 93/08/16. THE CHAIRMAN Commissioners (Post 750119). 1p. 84871:335-84871:335.

9507030318 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
CLONINGER,T.H. Houston Lighting & Power Co. 95/06/27. Document Control Branch (Document Control Desk). 13pp. 84561:107-84561:119.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507120130 Notification of 950717 meeting w/util in Rockville, MD to update staff on licensee probabilistic safety assessment.
ALEXION,T.W. 95/07/06. BECKNER,W.D. 4pp. 84612:357-84612:360.

9507120133 Notification of 950718 meeting w/util in Rockville, MD to update staff on licensee initiative for conversion to improved standard TS.
ALEXION,T.W. 95/07/06. BECKNER,W.D. 4pp. 84631:323-84631:326.

9507120360 Forwards amends 76 & 65 to licenses NPF-76 & NPF-80, respectively & SE. Amends modify TSs 3/4.8.4.1 & 3/4.3.3.7 by relocation to technical requirements manual.
ALEXION,T.W. 95/07/06. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84625:318-84625:335.

9507120366 Amends 76 & 65 to licenses NPF-76 & NPF-80, respectively, modifying (by relocation to TS Requirements Manual) TS 3/4.3.3.7 & TS 3/4.8.4.1.
ALEXION,T.W. 95/07/06. 9pp. 84625:321-84625:331.

9507120371 Safety evaluation supporting amends 76 & 65 to licenses NPF-76 & NPF-80, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 4pp. 84625:332-84625:335.

9507280266 Forwards SE accepting licensee 950301 revised position addressing compliance of STP w/10CFR50.63, "Loss of All Alternating Current Power."
ALEXION,T.W. 95/07/24. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84856:276-84856:292.

9507310272 Forwards amends 77 & 66 to licenses NPF-76 & NPF-80 & safety evaluation. Amends revise tables associated w/TS 3/4.3.3.5, remote shutdown sys. to eliminate requirements for core exit thermocouples.
ALEXION, T.W. 95/07/24. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84868:296-84868:316.

-9507310275 Amends 77 & 66 to licenses NPF-76 & NPF-80, respectively, revising tables associated w/TS 3/4.3.3.5, remote shutdown sys. to eliminate requirement for core exit thermocouples.
ALEXION, T.W. 95/07/24. 15pp. 84868:299-84868:313.

-9507310277 Safety evaluation supporting amends 77 & 66 to licenses NPF-76 & NPF-80, respectively.
95/07/24. 3pp. 84868:314-84868:316.

9507280274 Forwards amends 76 & 67 to licenses NPF-76 & NPF-80, respectively & safety evaluation. Amends revise TSs 3.4.2.2 & 3.7.1.1 by relaxing lift setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXION, T.W. 95/07/25. COTTLE, W.T. Houston Lighting & Power Co. 3pp. 84868:047-84868:062.

-9507280278 Amends 76 & 67 to licenses NPF-76 & NPF-80, respectively, revising TSs 3.4.2.2 & 3.7.1.1 by relaxing lift setting tolerances of pressurizer safety valves from plus or minus 1% to plus or minus 2%.
ALEXION, T.W. 95/07/25. 9pp. 84868:050-84868:058.

-9507280280 Safety evaluation supporting amends 76 & 67 to licenses NPF-76 & NPF-80, respectively.
95/07/25. 4pp. 84868:059-84868:062.

9507310004 Discusses closure of two investigations conducted by NRC OI re activities at plant. Lists case numbers 4-94-002 & 4-94-052, included in investigations.
CALLAN, L.J. Region 4 (Post 820201). 95/07/25. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 84843:027-84843:030.

G. Inspection reports, IE Bulletins & correspondence

9507190312 Second partial response to FOIA request for records. App C records encl & available in POR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAPORITO, T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

-9506040203 Informs of util position re circumstances surrounding revocation of individual unescorted access to plant. Review confirms that decision in subj case consistent w/prior util access authorization decisions w/unsanitized attachments.
HALL, D.P. Houston Lighting & Power Co. 92/08/14. Document Control Branch (Document Control Desk). 18pp. 84918:298-84918:324.

9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being. Documents being placed in PDR. Apps BBB & CCC being released in part (ref FOIA exemption 7C).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84872:036-84872:116.

-9507310243 Requests Commission approval to issue encl order re administrative subpoena issued by staff.
FITZGERALD, J.A. Assistant General Counsel for Adjudications & Opinions. SECY-90-025. 90/01/23. 67pp. 84872:046-84872:104.

-9507310251 Discusses alleged termination for reporting security concerns to security mgmt.
WILLIAMSON, E.L. Otc of Investigations (Post 880201). 93/01/20. MILHOAN, J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106.

-9507310274 Partially withheld memo re review of allegation involving plant.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/12/16. WILLIAMS, D.L. Office of the Inspector General (Post 890417). 10pp. 84872:107-84872:116.

9507300095 Forwards insp repts 50-498/95-11 & 50-499/95-11 on 950522-25. No violations noted.
GWYNN, T.P. Region 4 (Post 820201). 95/06/28. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 84488:241-84488:255.

-9507300099 Insp repts 50-498/95-11 & 50-499/95-11 on 950522-25. No violations noted. Major areas inspected: plant operations, maintenance, engineering, plant support, mgmt overview, plant status & safety evaluation program.
COLLINS, E.E. Region 4 (Post 820201). 95/06/22. 10pp. 84488:246-84488:255.

9507300021 Responds to certain questions raised in 950615 & 20 ltr re enforcement conference applicability in determining whether violations occurred. Advises that Enforcement Manual (NUREG/BR-0195), Section 5.3 clarifies matter.
LIEBERMAN, J. Otc of Enforcement (Post 870413). 95/06/29. GARTH, S.T. Affiliation Not Assigned. 2pp. 84488:166-84488:167.

9507950106 Discusses 950616 meeting w/util in Arlington, TX re apparent violations of 10CFR50.7 concerning Recommended Decision & Order issued by administrative law judge in Dept of Labor proceeding. W/encl.
CALLAN, L.J. Region 4 (Post 820201). 95/06/30. COTTLE, W.T. Houston Lighting & Power Co. 47pp. 84507:154-84507:200.

9507100239 Forwards Insp Repts 50-498/95-15 & 50-499/95-15 on 950605-09. Violations noted.
GWYNN, T.P. Region 4 (Post 820201). 95/07/06. COTTLE, W.T. Houston Lighting & Power Co. 5pp. 84690:342-84690:361.

-9507100242 Insp Repts 50-498/95-15 & 50-499/95-15 on 950605-09. Violations noted. Major areas inspected: licensee surveillance procedures & records.
POWERS, D.A. Region 4 (Post 820201). 95/07/01. 15pp. 84690:347-84690:361.

9507200002 Responds to request from FOIA for copies of 930929, demands for info & responses re decision NRC made on enforcement action of cases. NRC intend to respond to FOIA request & release documents, 10 days from its date.
GRAY, J.R. Otc of Enforcement (Post 870413). 95/07/17. COTTLE, W.T. Houston Lighting & Power Co. 4pp. 84729:002-84729:005.

9507270206 Submits comments on statements made by representatives of NRC & Houston Lighting & Power Co at enforcement conference on 950616.
GUTTERMAN, A.H. Morgan, Lewis & Bockius. 95/07/21. LIEBERMAN, J. Otc of Enforcement (Post 870413). 105pp. 84872:117-84872:221.

R. Periodic operating reports & related correspondence

9507190340 Monthly operating repts for June 1995 for STP Electric Generating Station Units 1 & 2 W/950712 ltr.
HILL, R.L., BERGENDAHL, D.M., GROTH, J.F. Houston Lighting & Power Co. 95/06/30. 14pp. 84769:245-84769:258.

S. Reportable occurrences, LERs & related correspondence

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators. Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON, C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:198.

9507280200 Forwards for review & comment, copy of preliminary ASP analysis of operational condition that was discovered at plant. NRC request complete review & to provide comments within 30 days of 950717 ltr.
ALEXION, T.W. 95/07/17. COTTLE, W.T. Houston Lighting & Power Co. 14pp. 84859:346-84859:361.

9507240479 Forwards suppl 1 to Rev to LER 94-005 re inadvertent test-mode starts of standby DGs attributed to electronic noise, including results of fiber optic board failure analysis performed by util & outside experts.
MYERS, L.W. Houston Lighting & Power Co. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84832:033-84832:012.

-9507240481 LER 94-005-04 on 940607, inadvertent test-mode starts of standby DGs occurred. Noise suppression devices installed to reduce susceptibility of inadvertent starts due to electronic noise & fiber optic boards replaced.
HEAD, S. Houston Lighting & Power Co. 95/07/19. 8pp. 84832:005-84832:012.

U. Congressional/Executive Correspondence

9506290433 Responds to 950518 ltr to Chairman Selin that expressed concern over NRC handling of allegations re mistreatment of whistleblowers.
TAYLOR, J.M. Otc of the Executive Director for Operations. 95/06/16. WYDEN, R. House of Rep. 7pp. 84796:070-84796:081.

-9507200375 Expresses concern re NRC handling of allegations that whistleblowers being mistreated & questions recent NRC initiatives & repts addressing issues re STP River Bend Nuclear Station & NRC Region IV.
WYDEN, R. House of Rep. 95/05/18. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 84796:077-84796:081.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES, B.K. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:266.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9507130091 Forwards "1995 Emergency Preparedness Exercise" tentatively scheduled for 950412.
BIELING, H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/02/09. CALLAN, J. Region 4 (Post 820201). 1p. 84731:001-84732:021.

-9507130124 "1995 Emergency Preparedness Exercise"
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/12. 384pp. 84731:002-84732:021.

9507030334 Rev 16 to PVNGS emergency plan. W/950623 ltr.
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/23. 106pp. 84556:001-84556:106.

9507060126 Forwards rev 11 to security training & qualification plan, per 10CFR50.54(p)(2). Encl withheld.
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 1p. 84598:355-84598:355.

9507070059 Informs of changes incorporated into physical security plan to include administrative controls previously described in Section 6.0 of PVNGS TS. Encl withheld.
SIMPSON, B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84622:339-84622:340.

9507280101 Forwards public version of revised EPIPs, including Rev 19 to EPIP-3, Rev 20 to EPIP-4, Rev 16 to EPIP-13, Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
KRAINIK, A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84844:073-84844:201.

-9507280109 Informs that encl documents may be made publicly available.
KAMMERER, C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. Office of Information Resources Management (Post 890205). 1p. 84844:074-84844:074.

130 DOCKETED ITEMS

-9507280121 Public version of revised EPIPs, including Rev 19 to EPIP-3, Rev 20 to EPIP-4, Rev 16 to EPIP-13, Rev 9 to EPIP-15 & Rev 8 to EPIP-33. PLOGGIA, M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/20. 12pp. 84844-075-84844-201.

M. Antitrust correspondence

9507140266 Forwards notice of revocation of plan by Centri Southwest Corp filed by US Bankruptcy Court for Western District of TX, Austin D. PS, for AZPS & on behalf of PVNGS participants, notifying of termination of merger agreement. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84761:144-84761:148.

P. Operating license stage documents & correspondence

9507030049 Confirms participation as member of headquarters response organization for exercise w/plant on 950412 & submits team training schedule in preparation for exercise. BROCKMAN, K.E. Incident Response Branch. 95/04/06. NRC - No Detailed Affiliation Given. 4pp. 84512:347-84512:350.

9507030313 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes." STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84589:001-84589:018.

9507030075 Informs that review of proposed changes to facility quality assurance program description has been completed. QA program description as changed by 950410 submittal continues to meet requirements of 10CFR50, app B & acceptable. GWYNN, T.P. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84488:232-84488:236.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. o. New York, Inc. 10pp. 84518:259-84518:268.

9507060228 Forwards "PVNGS IPEEE," for NRC GL 88-20, Suppl 4. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84589:110-84589:306.

-9507060231 "PVNGS IPEEE." Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 194pp. 84589:113-84589:306.

9507140102 Advises NRC that plant has completed actions re safety-related MOV testing & surveillance for Unit 1 per GL 89-10. Actions that remain to be addressed listed. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/02. Document Control Branch (Document Control Desk). 2pp. 84729:357-84729:358.

9507140188 Application for amends to licenses NPF-41, NPF-51 & NPF-74. Amends would provide temp method to respond to sustained degraded switchyard voltage. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. Document Control Branch (Document Control Desk). 16pp. 84761:001-84761:022.

-9507140191 Proposed tech specs re temp method to respond to sustained degraded switchyard voltage. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. 6pp. 84761:0:7-84761:022.

9507140201 Provides addl info for ref requested amend to TS Section 3/4.7.1.3. Original uncertainty for condensate storage tank indicated level did not address all of uncertainties & error terms. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/05. Document Control Branch (Document Control Desk). 1p. 84761:117-84761:117.

9507180306 Forwards amends 94.82 & 85 to licenses NPF-41, NPF-51 & NPF-74, respectively, changing min CST indicated level from 25 feet to 29.5 feet & change TS 3.7.1.3 from "with a level" to "with an indicated level." THOMAS, C.R. 95/07/06. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84696:221-84696:239.

-9507180321 Amends 94.82 & 85 to licenses NPF-41, NPF-51 & NPF-74, respectively, changing min CST indicated level from 25 feet to 29.5 feet & changing TS 3.7.1.3 from "with a level" to "with an indicated level." THOMAS, C.R. 95/07/06. 12pp. 84696:225-84696:236.

-9507180327 Safety evaluation supporting amends 94.82 & 85 to licenses NPF-41, NPF-51 & NPF-74, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 3pp. 84696:237-84696:239.

9507210315 Forwards amends 95.83 & 86 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE. Amends implement recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls." THOMAS, C.R. 95/07/07. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84754:001-84754:073.

-9507210320 Amends 95.83 & 86 to licenses NPF-41, NPF-51 & NPF-74, respectively, implementing recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls." THOMAS, C.R. 95/07/07. 63pp. 84754:005-84754:067.

-9507210324 Safety evaluation supporting amends 95.83 & 86 to licenses NPF-41, NPF-51 & NPF-74, respectively. Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 6pp. 84754:068-84754:073.

9507310233 Forwards SE accepting util 940329 ltr re technical justification for containment high-range radiation monitor calibr methodology. HOLIAN, B.E. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84879:351-84879:355.

-9507310238 Safety evaluation accepting util 940329 ltr re technical justification for containment high-range radiation monitor calibr methodology. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 2pp. 84879:354-84879:355.

9507280170 Responds to proposals conveyed in 950406 ltr concerning facility graded quality assurance initiative of commercial grade items. Staff was unable to make judgement on ranking factors but will arrange meetings re risk ranking process. HOLIAN, B.E. 95/07/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 84868:114-84868:121.

Q. Inspection reports, IE Bulletins & correspondence

9507030007 Forwards insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 & notice of violation. Violation of concern since licensee had opportunities to identify degraded condition of valve through trending of motor operator diagnostic testing data. BEACH, A.B. Region 4 (Post 820201). 95/06/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84488:051-84488:087.

-9507030009 Notice of violation from insp on 950409-0520. Violation noted: Unit 2 reactor coolant sys boronmeter used to determine RCS boron concentration for compliance w/TS & not properly calibr. Region 4 (Post 820201). 95/06/27. 2pp. 84488:056-84488:057.

-9507030010 Insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 on 950409-0520. Violations noted. Major areas inspected: response to plant events, operational safety, maint & surveillance activities, onsite engineering & Employee Concerns Program. WONG, H. Region 4 (Post 820201). 95/06/16. 31pp. 84488:058-84488:087.

9507110001 Comment on proposed "Review of NRC insp Rept Content, Format & Style." Insp detail should be brief & ref previous rept by section or at min IR number. GHABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:001-84557:002.

9507180459 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-06, 50-529/95-06 & 50-530/95-06. PERKINS, K.E. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 84765:283-84765:284.

9507030006 Ack receipt of 950601 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04. SCARANO, R.A. Region 4 (Post 820201). 95/06/29. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84488:042-84488:050.

9507140094 Requests 30 day extension of time for plant to respond to NOV re NRC insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761:041-84761:041.

9507170155 Responds to 950509 Decision & Order of Remand issued by Secretary of Labor re alleged discrimination complaint received by DOL Wage & Hour Div in Phoenix, AZ on 921022 from employee of AZPS PVNGS. Subj Decision & Order of Remand encl. CALLAN, L.J. Region 4 (Post 820201). 95/07/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 20pp. 84747:210-84747:229.

9507260149 Forwards Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted. GWYNN, T.P. Region 4 (Post 820201). 95/07/21. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84842:151-84842:160.

-9507260152 Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted. Major areas inspected: matl condition & followup on previous insp findings. COLLINS, E.E. Region 4 (Post 820201). 95/07/12. 5pp. 84842:156-84842:160.

R. Periodic operating reports & related correspondence

9507190335 Forwards monthly operating repts for June 1995 for PVNGS Units 1, 2 & 3 & revised page 6 to monthly operating rept for May 1995 for PVNGS Unit 2, correcting gross electrical energy generated (MWH) to read 984,600. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84763:267-84763:265.

-9507190336 Monthly operating repts for June 1995 for PVNGS Unit 1, 2 & 3. FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 16pp. 84763:268-84763:283.

-9507190338 Revised page 6 to monthly operating rept for May 1995 for PVNGS Unit 2. FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/31. 2pp. 84763:284-84763:285.

S. Reportable occurrences, LERs & related correspondence

9507050375 Forwards LER 95-008 re RT on low SG water level following degradation of MFV flow. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. Document Control Branch (Document Control Desk). 1p. 84559:024-84559:030.

-9507050377 LER 95-008-00 on 950530,RT following degradation MFW flow occurred due to isolation valve 1J5GBUVD137 closed.Landed wire on terminal block for solenoid & verified that all wire connections on terminal board secure.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. 5pp. 84559:325-84559:030.

9507100205 Forwards listed LER suppl repts for Palo Verde Units 1 & 2.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. Document Control Branch (Document Control Desk). 1p. 84656:305-84656:361.

-9507100215 LER 94-005-02 on 940619,determined that CPC channel D,Delta-T power signal could no longer be adjusted per TS requirements.Caused by loop 2 hot leg temp RTD fluctuations. Channel calibrated & declared operable.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 8pp. 84656:306-84656:313.

-9507100218 LER 94-006-01 on 941021,identified that actual flow rate on spray pond pumps may be exceeding design flow rates.Caused by oversized orifices in spray pond return lines. Administrative controls established to counter condition.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 8pp. 84656:314-84656:322.

-9507100221 LER 94-007-01 on 941103,identified that thermal overload protection for CP refusing isolation valves not being tested per TS SR 4.8.4.2.1.Caused by inadequate procedures. Post maintenance test procedure revised.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 5pp. 84656:323-84656:327.

-9507100223 LER 94-009-01 on 941118,determined that letdown isolation valve could not satisfy 10CFR50,App R related requirement. Caused by personnel error.Procedure changes implemented which eliminate reliance on isolation valve during shutdown.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 8pp. 84656:328-84656:335.

-9507100226 LER 94-010-01 on 930409,identified that close torque switch contact bar for shutdown cooling suction isolation valve misaligned.Caused by torque loads experienced by operator during unseating of valve disk.Compression springs replaced.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 8pp. 84656:336-84656:343.

-9507100227 LER 94-004-02 on 941006,Train A declared inoperable due to projection of test results indicated battery banks did not meet 90% criteria of TS SR 4.8.2.1 e.Caused by loss of positive active matl.Proposed TS amend submitted.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 12pp. 84656:344-84656:355.

-9507100229 LER 94-008-01 on 940929,identified that preventive maintenance task for calibrating boronmeter overdue.Caused by personnel error.Procedure revised to address condition.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 6pp. 84656:356-84656:361.

V. Operator Examinations

9507170130 Discusses NRC requirements of licensee for NRC to perform scheduled licensed operator exams during week of 951023 at plant.
GWYNN,T.P. Region 4 (Post 820201). 95/07/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84755:122-84755:126.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9507130091 Forwards "1995 Emergency Preparedness Exercise" tentatively scheduled for 950412.
BIELING,H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/02/09. CALLAN,J. Region 4 (Post 820201). 1p. 84731:001-84732:021.

-9507130124 "1995 Emergency Preparedness Exercise."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/12. 384pp. 84731:002-84732:021.

9507030334 Rev 16 to PVNGS emergency plan.W/950623 ltr.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/23. 106pp. 84558:001-84558:106.

9507060126 Forwards rev 11 to security training & qualification plan, per 10CFR50.54(p)(2).Encl withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 1p. 84598:355-84598:355.

9507070059 Informs of changes incorporated into physical security plan to include administrative controls previously described in Section 6.0 of PVNGS TS.Encl withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84622:339-84622:340.

9507280101 Forwards public version of revised EPIPs,including Rev 19 to EPIP-3,Rev 20 to EPIP-4,Rev 16 to EPIP-13,Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
KRAJINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84844:073-84844:201.

-9507280109 Informs that encl documents may be made publicly available.
KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. Office of Information Resources Management (Post 890205). 1p. 84844:074-84844:074.

-9507280121 Public version of revised EPIPs,including Rev 19 to EPIP-3, Rev 20 to EPIP-4,Rev 16 to EPIP-13,Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
PLOGGIA,M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/20. 127pp. 84844:075-84844:201.

M. Antitrust correspondence

9507140268 Forwards notice of revocation of plan by Central & Southwest Com filed by US Bankruptcy Court for Western District of TX,Austin Div.AZPS,for AZPS & on behalf of PVNGS participants,notifying of termination of merger agreement.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84761:144-84761:148.

P. Operating license stage documents & correspondence

9507030049 Confirms participation as member of headquarters response organization for exercise w/plant on 950412 & submits team training schedule in preparation for exercise.
BROCKMAN,K.E. Incident Response Branch. 95/04/06. NRC - No Detailed Affiliation Given. 4pp. 84512:347-84512:350.

9507030313 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84589:001-84589:018.

9507030375 Informs that review of proposed changes to facility quality assurance program description has been completed.QA program description as changed by 950410 submittal continues to meet requirements of 10CFR50,app B & acceptable.
GWYNN,T.P. Region 4 (Post 820201). 95/06/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84488:232-84488:236.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys.
GRIMES,B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060226 Forwards "PVNGS IPEEE" for NRC GL 88-20,Suppl 4.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84589:110-84589:306.

-9507060231 "PVNGS IPEEE"
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 194pp. 84589:113-84589:306.

9507140188 Application for amends to licenses NPF-41,NPF-51 & NPF-74. Amends would provide temp method to respond to sustained degraded switchyard voltage.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. Document Control Branch (Document Control Desk). 16pp. 84761:001-84761:022.

-9507140191 Proposed tech specs re temp method to respond to sustained degraded switchyard voltage.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. 6pp. 84761:017-84761:022.

9507140121 Forwards "Palo Verde Nuclear Generating Station Unit 2 SG Eddy Current Exam U2M5 2nd Midcycle Outage Sept 1994."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/05. Document Control Branch (Document Control Desk). 1p. 84760:075-84760:259.

-9507140128 "PVNGS Unit 2 SG Eddy Current Exam U2M5 2nd Midcycle Outage, Sept 1994."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/24. 184pp. 84760:076-84760:259.

9507140201 Provides addl info for ref requested amend to TS Section 3/4.7.1.3.Original uncertainty for condensate storage tank indicated level did not address all of uncertainties & error terms.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/05. Document Control Branch (Document Control Desk). 1p. 84761:117-84761:117.

9507180308 Forwards amends 94.82 & 85 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amend change min CST indicated level from 25 feet to 29.5 feet & change TS 3.7.1.3 from "with a level" to "with an indicated level."
THOMAS,C.R. 95/07/06. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84696:221-84696:239.

-9507180321 Amends 94.82 & 85 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing min CST indicated level from 25 feet to 29.5 feet & changing TS 3.7.1.3 from "with a level" to "with an indicated level."
THOMAS,C.R. 95/07/06. 12pp. 84696:225-84696:236.

-9507180327 Safety evaluation supporting amends 94.82 & 85 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 3pp. 84696:237-84696:239.

9507210315 Forwards amends 95.83 & 86 to licenses NPF-41,NPF-51 & NPF-74, respectively & SE.Amend implement recommendations of GL 93-07 to revise TS section 6.0. "Administrative Controls."
THOMAS,C.R. 95/07/07. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84754:001-84754:073.

-9507210320 Amends 95.83 & 86 to licenses NPF-41,NPF-51 & NPF-74, respectively,implementing recommendations of GL 93-07 to revise TS section 6.0. "Administrative Controls."
THOMAS,C.R. 95/07/07. 63pp. 84754:005-84754:067.

-9507210324 Safety evaluation supporting amends 95.83 & 86 to licenses NPF-41,NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 6pp. 84754:068-84754:073.

132 DOCKETED ITEMS

9507310233 Forwards SE accepting util 940329 ltr re technical justification for containment high-range radiation monitor calibr methodology.
HOLIAN,B.E. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84879:351-84879:355.

-9507310238 Safety evaluation accepting util 940329 ltr re technical justification for containment high-range radiation monitor calibr methodology.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 2pp. 84879:354-84879:355.

9507280170 Responds to proposals conveyed in 950406 ltr concerning facility graded quality assurance initiative of commercial grade items. Staff was unable to make judgement on ranking factors but will arrange meetings re risk ranking process.
HOLIAN,B.E. 95/07/24. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 84868:114-84868:121.

Q. Inspection reports, IE Bulletins & correspondence

9507030007 Forwards insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 & notice of violation Violation of concern since licensee had opportunities to identify degraded condition of valve through trending of motor operator diagnostic testing data.
BEACH,A.B. Region 4 (Post 820201). 95/06/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84488:051-84488:087.

-9507030009 Notice of violation from insp on 950409-0520. Violation noted: Unit 2 reactor coolant sys boronmeter used to determine RCS boron concentration for compliance w/TS & not properly calibr.
* Region 4 (Post 820201). 95/06/27. 2pp. 84488:056-84488:057.

-9507030010 Insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 on 950409-0520. Violations noted. Major areas inspected: response to plant events, operational safety, maint & surveillance activities, onsite engineering & Employee Concerns Program.
WONG,H. Region 4 (Post 820201). 95/06/16. 31pp. 84488:058-84488:087.

9507110001 Comment on proposed "Review of NRC Insp Rept Content, Format & Style" insp detail should be brief & ref previous rept by section or at min IR number.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:001-84557:002.

9507050160 Forwards "Palo Verde Nuclear Generating Station Unit 2 ISI Rept Fifth Refueling Outage."
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. Document Control Branch (Document Control Desk). 2pp. 84565:257-84565:312.

-9507050165 "PVNGS Unit 2 ISI Rept Fifth Refueling Outage."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. 53pp. 84565:259-84565:312.

9507180459 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-06, 50-529/95-06 & 50-530/95-06.
PERKINS,K.E. Region 4 (Post 820201). 95/06/28. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 84785:283-84785:284.

9507030006 Ack receipt of 950601 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04.
SCARANO,R.A. Region 4 (Post 820201). 95/06/29. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84488:042-84488:050.

9507180142 Ack receipt of 950524 ltr informing NRC of steps taken to correct violations noted in insp rept 50-529/95-06.
PERKINS,K.E. Region 4 (Post 820201). 95/06/29. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84785:259-84785:261.

9507140094 Requests 30 day extension of time for plant to respond to NOV re NRC insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761:041-84761:041.

9507170155 Responds to 950509 Decision & Order of Remand issued by Secretary of Labor re alleged discrimination complaint received by DOL Wage & Hour Div in Phoenix,AZ on 921022 from employee of AZPS PVNGS. Subj Decision & Order of Remand encl.
CALLAN,L.J. Region 4 (Post 820201). 95/07/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 20pp. 84747:210-84747:229.

9507260149 Forwards Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/07/21. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84842:151-84842:160.

-9507260152 Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted. Major areas inspected: matl condition & followup on previous insp findings.
COLLINS,E.E. Region 4 (Post 820201). 95/07/12. 5pp. 84842:156-84842:160.

R. Periodic operating reports & related correspondence

9507190335 Forwards monthly operating repts for June 1995 for PVNGS Units 1,2 & 3 & revised page 6 to monthly operating rept for May 1995 for PVNGS Unit 2, correcting gross electrical energy generated (MWH) to read 984,600.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84763:267-84763:285.

-9507190336 Monthly operating repts for June 1995 for PVNGS Unit 1,2 & 3.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 18pp. 84763:268-84763:283.

-9507190336 Revised page 6 to monthly operating rept for May 1995 for PVNGS Unit 2.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/31. 2pp. 84763:284-84763:285.

S. Reportable occurrences, LERs & related correspondence

9507100205 Forwards listed LER suppl repts for Palo Verde Units 1 & 2.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. Document Control Branch (Document Control Desk). 1p. 84656:305-84656:361.

-9507100227 LER 94-004-02 on 941006. Train A declared inoperable due to projection of test results indicated battery banks did not meet 90% criteria of TS SR 4.8.2.1.e. Caused by loss of positive active matl. Proposed TS amend r submitted.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 12pp. 84656:344-84656:355.

-9507100229 LER 94-004-02 on 940929. Identified that preventive maintenance task for calibrating chronometer overdue. Caused by personnel error. Procedure revised to address condition.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/28. 6pp. 84656:356-84656:361.

9507110110 LER 95-003-00 on 950613. TS LCO 3.0.3 entered following loss of both trains of essential CW sys & both hydrogen recombiners. Caused by spurious actuations due to broken EDG speed probe connector. Connector replaced. W/950706 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/06. 7pp. 84630:003-84630:009.

V. Operator Examinations

9507170130 Discusses NRC requirements of licensee for NRC to perform scheduled licensed operator exams during week of 951023 at plant.
GWYNN,T.P. Region 4 (Post 820201). 95/07/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84755:122-84755:126.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9507130091 Forwards "1995 Emergency Preparedness Exercise" tentatively scheduled for 950412.
BIEJING,H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/02/09. CALLAN,J. Region 4 (Post 820201). 1p. 84731:001-84732:021.

-9507130124 "1995 Emergency Preparedness Exercise"
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/12. 384pp. 84731:002-84732:021.

9507030334 Rev 16 to PVNGS emergency plan. W/950623 ltr.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/23. 106pp. 84556:001-84556:106.

9507060126 Forwards rev 11 to security training & qualification plan, per 10CFR50.54(p)(2). Encl withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 1p. 84598:355-84598:355.

9507070059 Informs of changes incorporated into physical security plan to include administrative controls previously described in Section 6.0 of PVNGS TS. Encl withheld.
SIMPSON,B.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84622:339-84622:340.

9507280101 Forwards public version of revised EPIPs, including Rev 19 to EPIP-3, Rev 20 to EPIP-4, Rev 18 to EPIP-13, Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84844:073-84844:201.

-9507280109 Informs that encl documents may be made publicly available.
KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/07/24. Office of Information Resources Management (Post 890205). 1p. 84844:074-84844:074.

-9507280121 Public version of revised EPIPs, including Rev 19 to EPIP-3, Rev 20 to EPIP-4, Rev 18 to EPIP-13, Rev 9 to EPIP-15 & Rev 8 to EPIP-33.
PLOGGIA,M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/20. 127pp. 84844:075-84844:201.

M. Antitrust correspondence

9507140268 Forwards notice of revocation of plan by Central & Southwest Corp filed by US Bankruptcy Court for Western District of TX, Austin Div, AZPS, for AZPS & on behalf of PVNGS participants, notifying of termination of merger agreement.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/06. Document Control Branch (Document Control Desk). 5pp. 84761:144-84761:148.

P. Operating license stage documents & correspondence

9507030049 Confirms participation as member of headquarters response organization for exercise w/ plant on 950412 & submits team training schedule in preparation for exercise.
BROCKMAN,K.E. Incident Response Branch. 95/04/06. NRC - No Detailed Affiliation Given. 4pp. 84512:347-84512:350.

9507030313 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. Document Control Branch (Document Control Desk). 18pp. 84589:001-84589:018.

9507030075 Informs that review of proposed changes to facility quality assurance program description has been completed. QA program description as changed by 950410 submittal continues to meet requirements of 10CFR50, app B & acceptable. GWYNN, T.P. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84488:232-84488:236.

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

9507060228 Forwards "PVNGS IPEEE," for NRC GL 88-20, Suppl 4. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84589:110-84589:306.

-9507060231 "PVNGS IPEEE"
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 194pp. 84589:113-84589:306.

9507140198 Application for amends to licenses NPF-41, NPF-51 & NPF-74. Amends would provide temp method to respond to sustained degraded switchyard voltage. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. Document Control Branch (Document Control Desk). 16pp. 84761:001-84761:022.

-9507140191 Proposed tech specs re temp method to respond to sustained degraded switchyard voltage.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/03. 6pp. 84761:017-84761:022.

9507140201 Provides addl info for ref requested amend to TS Section 3/4.7.1.3. Original uncertainty for condensate storage tank indicated level did not address all of uncertainties & error terms. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/05. Document Control Branch (Document Control Desk). 1p. 84761:117-84761:117.

9507180306 Forwards amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE. Amends change min CST indicated level from 25 feet to 29.5 feet & change TS 3.7.1.3 from "with a level" to "with an indicated level." THOMAS, C.R. 95/07/06. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84696:221-84696:239.

-9507180321 Amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively, changing min CST indicated level from 25 feet to 29.5 feet & changing TS 3.7.1.3 from "with a level" to "with an indicated level." THOMAS, C.R. 95/07/06. 12pp. 84696:225-84696:236.

-9507180327 Safety evaluation supporting amends 94.82 & 65 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/06. 3pp. 84696:237-84696:239.

9507210315 Forwards amends 95.83 & 66 to licenses NPF-41, NPF-51 & NPF-74, respectively & SE. Amends implement recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls." THOMAS, C.R. 95/07/07. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84754:001-84754:073.

-9507210320 Amends 95.83 & 66 to licenses NPF-41, NPF-51 & NPF-74, respectively, implementing recommendations of GL 93-07 to revise TS section 6.0, "Administrative Controls." THOMAS, C.R. 95/07/07. 63pp. 84754:005-84754:067.

-9507210324 Safety evaluation supporting amends 95.83 & 66 to licenses NPF-41, NPF-51 & NPF-74, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. 6pp. 84754:068-84754:073.

9507310233 Forwards SE accepting util 940329 ltr re technical justification for containment high-range radiation monitor calibr methodology. HOLIAN, B.E. Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84879:351-84879:355.

-9507310238 Safety evaluation accepting util 940329 ltr re technical justification for containment high-range radiation monitor calibr methodology.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/20. 2pp. 84879:354-84879:355.

9507280170 Responds to proposals conveyed in 950406 ltr concerning facility graded quality assurance initiative of commercial grade items. Staff was unable to make judgement on ranking factors but will arrange meetings re risk ranking process. HOLIAN, B.E. 95/07/24. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 8pp. 84868:114-84868:121.

Q. Inspection reports, IE Bulletins & correspondence

9507030007 Forwards insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 & notice of violation. Violation of concern since licensee had opportunities to identify degraded condition of valve through trending of motor operator diagnostic testing data. BEACH, A.B. Region 4 (Post 820201). 95/06/27. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84488:051-84488:067.

-9507030010 Insp repts 50-528/95-10, 50-529/95-10 & 50-530/95-10 on 950409-0520. Violations noted. Major areas inspected: response to plant events, operational safety, maint & surveillance activities, onsite engineering & Employee Concerns Program. WONG, H. Region 4 (Post 820201). 95/06/16. 31pp. 84488:058-84488:067.

9507110001 Comment on proposed "Review of NRC Insp Rept Content, Format & Style." Insp detail should be brief & ref previous rpt by section or at min IR number. GRABO, B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/27. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:001-84557:002.

9507180459 Ack receipt of 950609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04. PERKINS, K.E. Region 4 (Post 820201). 95/06/28. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 84765:283-84765:284.

9507030006 Ack receipt of 950601 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-04, 50-529/95-04 & 50-530/95-04. SCARANO, R.A. Region 4 (Post 820201). 95/06/29. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84488:042-84488:050.

9507140094 Requests 30 day extension of time for plant to respond to NOV re NRC insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/07. Document Control Branch (Document Control Desk). 1p. 84761:041-84761:041.

9507170155 Responds to 950509 Decision & Order of Remand issued by Secretary of Labor re alleged discrimination complaint received by DOL Wage & Hour Div in Phoenix, AZ on 921022 from employee of AZPS PVNGS. Subj Decision & Order of Remand encl. CALLAN, L.J. Region 4 (Post 820201). 95/07/11. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 20pp. 84747:210-84747:229.

9507260149 Forwards Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23 Violations noted. GWYNN, T.P. Region 4 (Post 820201). 95/07/21. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84842:151-84842:160.

-9507260152 Insp Repts 50-528/95-13, 50-529/95-13 & 50-530/95-13 on 950619-23. Violations noted. Major areas inspected: matl condition & followup on previous insp findings. COLLINS, E.E. Region 4 (Post 820201). 95/07/12. 5pp. 84842:156-84842:160.

R. Periodic operating reports & related correspondence

9507190335 Forwards monthly operating repts for June 1995 for PVNGS Units 1, 2 & 3 & revised page 6 to monthly operating rpt for May 1995 for PVNGS Unit 2, correcting gross electrical energy generated (MWH) to read 964,600. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/07/13. Document Control Branch (Document Control Desk). 1p. 84763:267-84763:265.

-9507190336 Monthly operating repts for June 1995 for PVNGS Unit 1, 2 & 3. FULTON, J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/30. 16pp. 84763:268-84763:283.

V. Operator Examinations

9507170130 Discusses NRC requirements of licensee for NRC to perform scheduled licensed operator exams during week of 951023 at plant. GWYNN, T.P. Region 4 (Post 820201). 95/07/12. STEWART, W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 84755:122-84755:126.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9506280062 Rev 1 to NRC Administrative Ltr 94-13 to all NRC licensees re access to NRC bulletin board sys. GRIMES, B.K. 95/06/29. Consolidated Edison Co. of New York, Inc. 10pp. 84518:259-84518:268.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9507180372 Summary of 950627 meeting re response to questions on proposed design certification rules for ABWR & Sys 80+ designs. WILSON, J.N. Standardization Project Directorate (PDST) (Post 941001). 95/07/13. QUAY, T.R. Standardization Project Directorate (PDST) (Post 941001). 8pp. 84727:010-84727:017.

9507170139 Informs of changes to svc list, per request of JN Fox. NEGUS, P.T. General Electric Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84755:118-84755:119.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9507100381 Advises that Sys 80+ design control document (DCD) recorded on compact disk & forwarded to S Magruder. All DCD updates issued through 950324 contained in subj electronic copy. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN, C.B. ASEA Brown Bover, Inc. 95/07/06. Document Control Branch (Document Control Desk). 1p. 84668:320-84668:320.

9507180372 Summary of 950627 meeting re response to questions on proposed design certification rules for ABWR & Sys 80+ designs. WILSON, J.N. Standardization Project Directorate (PDST) (Post 941001). 95/07/13. QUAY, T.R. Standardization Project Directorate (PDST) (Post 941001). 8pp. 84727:010-84727:017.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9507070294 Forwards proprietary Vols I-IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept." Rept withheld from public disclosure per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. 95/06/13. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 84728:001-84728:011.

134 DOCKETED ITEMS

- 9507070295 Requests that proprietary Vols I-IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/13. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84728:005-84728:011.
- 9507130172 Forwards W rept WCAP-14383, "W GOTHIC Code Description & Validation," (nonproprietary) & W rept WCAP-14382, "W GOTHIC Code Description & Validation," (proprietary). Proprietary W rept WCAP-14382 withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/20. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84735:059-84736:048.
- 9507130176 Requests that W rept WCAP-14382, "W GOTHIC Code Description & Validation," be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/20. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84735:063-84735:069.
- 9507130182 W nonproprietary rept WCAP-14383, "W GOTHIC Code Description & Validation," dtd May 1995.
KENNEDY,M., OFSTUN,R., SPENCER,D. Westinghouse Electric Corp. WCAP-14383 R00. 95/05/31. 343pp. 84735:070-84736:048.
- 9507050225 Summary of 950510 meeting w/representatives of W in Monroeville,PA to address issues re AP600 reactor vessel internals.List of attendees & table of specific issues discussed encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/22. Standardization Project Directorate (PDST) (Post 941001). 48pp. 84530:134-84530:181.
- 9507050367 Forwards info requested on LBB bounding analysis curve for 4 inch diameter ADS line.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/26. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. 84570:299-84570:304.
- 9507050276 Forwards proprietary Rev 0 to PXS-GSR-100, "AP600 LOFTRAN-AP & LOFTTR 2-AP Final Verification & Validation Rept," for June 1995.Rept withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/27. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84569:316-84569:327.
- 9507050279 Requests proprietary Rev 0 to PXS-GSR-100, "AP600 LOFTRAN-AP & LOFTTR 2-AP Final Verification & Validation Rept," for June 1995,be withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/27. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84569:321-84569:327.
- 9507060280 Forwards list of questions provided to Westinghouse to support 950622 telcon.Questions related to defining & assessing risk important tasks for AP600 human factors engineering program.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/28. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84536:120-84536:124.
- 9507060220 Summary of 950113 meeting w/utl in Rockville,MD to discuss regulatory treatment of nonsafety RHRS for utl AP600 design.
ARCHITZEL,R.E. Standardization Project Directorate (PDST) (Post 941001). 95/06/29. Standardization Project Directorate (PDST) (Post 941001). 33pp. 84559:161-84559:199.
- 9507070418 Forwards comments on results of completion of task 4 of AP600 passive sys thermal hydraulic uncertainty evaluation. Requests comments within 2 wks of receipt of ltr.
FRANOVICH,M.X. Standardization Project Directorate (PDST) (Post 941001). 95/06/29. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84559:284-84559:290.
- 9507050453 Forwards proposed draft/markups of SSAR Section 18.4 & Subsection 18.9.9.Encl 1 submitted as proposed response to listed AP600 draft safety evaluation rept Chapter 18 open items.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30. QUAY,T.R. Document Control Branch (Document Control Desk). 37pp. 84566:297-84566:333.
- 9507100154 Forwards proprietary draft Rev 0, "OR State Univ Test Analysis Rept," for June 1995.Proprietary draft rept withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 84689:346-84689:356.
- 9507190165 Requests for proprietary draft Rev 0 to "OR State Univ Test Analysis Rept," to be withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30. QUAY,T.R. Document Control Branch (Document Control Desk). 9pp. 84689:348-84689:356.
- 9507190186 Forwards Rev 4 of AP600 SSAR,closing many DSER open items. Itemization of items closed by transmittal will be provided by separate cover.SSAR contains proprietary info.Proprietary info withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84790:219-84790:240.
- 9507190194 Requests that proprietary portion of Rev 4 of SSAR be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/30. QUAY,T.R. Document Control Branch (Document Control Desk). 8pp. 84790:223-84790:230.
- 9507190197 Nonproprietary portion of Rev 4 of SSAR.
* Westinghouse Electric Corp. 95/06/30. 10pp. 84790:231-84790:240.
- 9507200191 Informs of proposed resolutions & where appropriate staff positions on key technical issues pertaining to Westinghouse AP600 standardized passive reactor design certification.
TAYLOR,J.M. Oic of the Executive Director for Operations. SECY-95-172. 95/06/30. 33pp. 84796:115-84796:147.
- 9507120204 Forwards proprietary "Notrump Preliminary Validation Rept For SPES-2 Tests."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/07. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84728:287-84728:297.
- 9507120212 Requests that "AP600 Notrump Preliminary Validation Rept For SPES-2 Tests," be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/07. Document Control Branch (Document Control Desk). 7pp. 84728:291-84728:297.
- 9507170309 Notification of 950710-11 meeting w/Westinghouse in Monroeville,PA to discuss status of AP600 InterSystem LOCA analyses,Adverse Sys Interactions analyses,& reactor sys branch DSER open items.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/07/07. RUSSEL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 4pp. 84669:349-84669:352.
- 9507170345 Submits understanding of agreements discussed during 950214-17 meeting & 950523 telcon.
QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 95/07/07. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 84673:347-84673:351.
- 9507130078 Forwards proprietary preliminary marked up sections of SSAR Chapter 15 (Accident Analyses).Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/10. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84732:346-84732:356.
- 9507130083 Requests that preliminary marked up sections of SSAR Chapter 15 (Accident Analyses) be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/10. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84732:350-84732:356.
- 9507130058 Forwards proprietary "NOTRUMP Preliminary Validation Rept for OSU Tests." Encl rept withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/11. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84736:099-84736:109.
- 9507130060 Requests that proprietary "NOTRUMP Preliminary Validation Rept for OSU Tests" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/10. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84736:103-84736:109.
- 9507180222 Forwards proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria," per discussions held at 950327,0425 & 0710 meetings w/NRC.Rept withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/13. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84765:260-84765:270.
- 9507180224 Requests that proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/13. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84765:264-84765:270.
- 9507190240 Notification of 950713 meeting w/Westinghouse in Rockville, MD to perform followup audit of AP600 design re pipe break & leak before break.Agencl encl. JACKSON,D.T. Standardization Project Directorate (PDST) (Post 941001). 95/07/13. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84728:152-84728:155.
- 9507180105 Forwards Rev 4 to "AP600 PRA." Encl contains PRA sensitivity & importance analyses,RTNSS focused PRA sensitivity study, low power & shutdown PRA,winds,floods & other external events evaluation & updated results chapter.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/14. Document Control Branch (Document Control Desk). 6pp. 84774:001-84775:248.
- 9507180113 Rev 4 to Vol 3,Chapter 42 & Vol 4,Chapters 50,52,54,58 & 59 of "AP600 PRA."
* Westinghouse Electric Corp. 95/06/30. 600pp. 84774:007-84775:248.
- 9507210183 Forwards rept reviewed by contractor of reliability of important valves in GE & W advance passive LWR designs. Requests that licensee review & identify by ltr any proprietary info contained in rept by 950831 W/o encl.
JACKSON,D.T. Standardization Project Directorate (PDST) (Post 941001). 95/07/14. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84764:097-84764:099.
- 9507240428 Notification of 950727 meeting w/Westinghouse in Rockville, MD to review general methodology & basis for demonstrating AP600 thermal-hydraulic reliability,computer code applicability & specific staff issues.Agencl encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/07/19. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84778:358-84778:361.
- 9507250043 Forwards nonproprietary WCAP-14308, "AP500 LOFTRAN-AP & LOFTTR2-AP Final Verification & Validation Rept."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/19. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 84827:001-84827:178.
- 9507250050 Nonproprietary "AP600 LOFTRAN-AP & LOFTTR2-AP Final Verification & Validation Rept."
* Westinghouse Electric Corp. WCAP-14308 R00. 95/07/31. 180pp. 84827:002-84827:178.
- 9507270022 Provides results of AP600 LBLOCA calculations using WCOBRA/TRAC computer code.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/20. QUAY,T.R. Document Control Branch (Document Control Desk). 75pp. 84843:174-84843:249.
- 9507260055 Forwards Rev 5 to "Simplified Passive Advanced Light Water Reactor Plant Program,AP600 Probabilistic Risk Assessment."
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/21. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 84837:001-84837:209.
- 9507260063 "Simplified Passive Advanced Light Water Reactor Plant Program,AP600 Probabilistic Risk Assessment."
* Westinghouse Electric Corp. 95/07/21. 204pp. 84837:006-84837:209.
- 9507270368 Forwards proprietary errata & revised pages for "Final Data Rept for ADS Phase B1 Tests" (WCAP-14324),transmitted via 950413 ltr.Revised electronic copy of test data included in WCAP-14324 also encl.Encls withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/24. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84871:345-84871:355.
- 9507270371 Requests that proprietary errata & amended pages to "Final Data Rept for ADS Phase B1 Tests" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/07/24. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84871:349-84871:355.

9507310053 Informs that listed materials contain no info considered to be proprietary. LIPARULO,N.J. Westinghouse Electric Corp. 95/07/24. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 84803:314-84903:315.

9507270234 Submits notice of 950727 meeting w/Westinghouse in Rockville,MD to review proposed licensee path to closure for issues associated w/passive CCS program approach. COYNE,K.A. 95/07/25. QUAY,T.R. 4pp. 84843:332-84843:335.

9507280143 Summary of 950412-13 meeting w/Westinghouse re status of open issues re internally-generated missiles,missiles generated by natural phenomena,externally-generated missiles,pipe breaks outside of containment,et al. NINH,S.Q. 95/07/25. 44pp. 84842:300-84842:343.

9507280268 Discusses status of AP600 draft safety evaluation rept open items re element 7 of human factors engineering program review model. HUFFMAN,W.C. 95/07/25. LIPARULO,N.J. Westinghouse Electric Corp. 18pp. 84845:034-84845:051.

9507280289 Discusses completion of commitments made during 950629 senior mgt meeting on AP600. QUAY,T.R. 95/07/25. LIPARULO,N.J. Westinghouse Electric Corp. 8pp. 84856:354-84856:361.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9507030213 Submits GE perspective on 950619 mgt video conference w/GE & EPRI at GE facility in San Jose,CA & NRC & DOE & DOE facility in Germantown,MD. Visual aids used at San Jose facility encl. QUINN,J.E. General Electric Co. 95/06/20. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 15pp. 84561:035-84561:056.

9507030275 Responds to 950511 ltr re revised schedule for review of SBWR Technology Program. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/21. QUINN,J.E. General Electric Co. 3pp. 84509:354-84509:356.

9507030310 Provides authorization for Energy Research Foundation to release PANDA RELAP5/MOD3 deck to NRC. QUINN,J.E. General Electric Co. 95/06/28. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 1p. 84561:181-84561:181.

950703054 Responds to ltr of 950421,denying request that document, "Audit Rept ARP 95-3 Quality Assurance Audit of SBWR Panthers Test Program by Svc & Projects Quality 950206-08," be withheld from public disclosure per 10CFR2.790. SCALETTI,D. Standardization Project Directorate (PDST) (Post 941001). 95/06/29. QUINN,J.E. General Electric Co. 3pp. 84559:328-84559:330.

9507100034 Forwards pre-test analysis for PANTHERS-IC tests. QUINN,J.E. General Electric Co. 95/07/05. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 1p. 84649:277-84649:299.

-9507100038 "Pre-Test Analysis for PANTHERS-IC Tests."
* General Electric Co. 95/07/05. 22pp. 84649:278-84649:299.

9507100040 Forwards proprietary analysis rept re PANTHERS-PCC. QUINN,J.E. General Electric Co. 95/07/06. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 7pp. 84692:130-84692:136.

9507130062 Forwards responses to open items noted in NRC 950328 ltr re summary of 950308 & 09 meetings,covering GIRAFFE/helium test conditions & basis,GIRAFFE facility characterization tests & GIRAFFE-non-condensable gas measurements. QUINN,J.E. General Electric Co. 95/07/11. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 17pp. 84678:160-84678:176.

9507180148 Forwards revised response to request for addl info re SBWR design - sys integral testing at GIRAFFE test facility. QUINN,J.E. General Electric Co. 95/07/13. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 3pp. 84783:351-84783:353.

9507180163 Forwards Rev 1 to 25A5677, "GIRAFFE Helium Test Spec Legend or Description of Groups." QUINN,J.E. General Electric Co. 95/07/14. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 1p. 84783:306-84783:337.

-9507180170 Rev 1, to 25A5677, "GIRAFFE Helium Test Specification Legend or Description of Group." FORTINA, WERZOG,M., AHMANN,R. General Electric Co. 95/05/10. 32pp. 84783:307-84783:337.

9507180245 Forwards proprietary Rev 0 to TOGE110-T07, "GIRAFFE Heat Removal Performance Tests,Test Plan & Procedures." Proprietary encl withheld (ref 10CFR2.790). QUINN,J.E. General Electric Co. 95/07/14. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 6pp. 84765:271-84765:276.

9507190002 Ack receipt of 950627 ltr responding to NRC request for clarification of charges for two jobs on invoice XM1863-95. NRC would like to receive copy of draft of SBWR ITAACs developed by LLNL. QUINN,J.E. General Electric Co. FIN L-1867 95/07/14. TREMPER,L. License Fee & Debt Collection Branch (Post 890827). 1p. 84768:354-84768:354.

9507210277 Provides changes to thermal-hydraulic data rept of Panthers- PCC Tests. QUINN,J.E. General Electric Co. 95/07/18. Document Control Branch (Document Control Desk). QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 5pp. 84821:231-84821:235.

9507240269 Forwards NUREG/CR-6186, "Valve Reliability for Passive ALWR" which is review by contractor of reliability of important valves in GE & Westinghouse ALWR. Requests rept be reviewed by 950831 W/o encl. JACKSON,D.T. Standardization Project Directorate (PDST) (Post 941001). 95/07/18. QUINN,J.E. General Electric Co. 2pp. 84764:352-84764:353.

9507260071 Advises that GE reviewing encl to ref ltr to determine any addl proprietary submittals that GE has made to support design certification for SBWR. Preliminary list of GE proprietary submittals for 1995 encl. QUINN,J.E. General Electric Co. 95/07/19. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 2pp. 84836:352-84836:353.

9507210272 Informs of withdrawal of GE PANDA audit rept & associated affidavit. QUINN,J.E. General Electric Co. 95/07/20. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 1p. 84821:230-84821:230.

9507210276 Forwards proprietary document ALPHA-509, "PANDA Steady-State Tests S1 Through S6 PCC Performance Apparent Test Results," satisfying item 8 of attachment to GE 950510 ltr. Document withheld per 10CFR2.790. QUINN,J.E. General Electric Co. 95/07/20. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 5pp. 84797:339-84797:343.

9507210280 Informs of withdrawal of GE GIRAFFE Audit Rept & associated affidavit. QUINN,J.E. General Electric Co. 95/07/20. Document Control Branch (Document Control Desk). QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 1p. 84821:238-84821:238.

9507210282 Informs of withdrawal of GE presentation charts from 950109 meeting w/ NRC staff. QUINN,J.E. General Electric Co. 95/07/20. Document Control Branch (Document Control Desk). QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 1p. 84821:239-84821:239.

9507210317 Informs of withdrawal of GE PANTHERS Audit Rept & Associated affidavit. QUINN,J.E. General Electric Co. 95/07/20. Document Control Branch (Document Control Desk). QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 1p. 84821:240-84821:240.

9507280178 Forwards updated status of test documentation submittals. QUINN,J.E. General Electric Co. 95/07/24. QUAY,T.E. Document Control Branch (Document Control Desk). 4pp. 84875:243-84875:246.

9507280174 Forwards updated status of TRACG analysis deliverables. QUINN,J.E. General Electric Co. 95/07/25. QUAY,T.E. Document Control Branch (Document Control Desk). 2pp. 84875:237-84875:238.

9507180006 Confirms that NRC insp re SBWR testing activities at PANTHERS test facility in Piacenza,Italy will be conducted on 950719-21. Insp will review QA program & controls implemented during design,procurement & const & testing. WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/07/11. QUINN,J.E. General Electric Co. 4pp. 84726:354-84726:357.

DOCKET DOCKET UNKNOWN

9507050206 Requests addl info re AEC terminated licenses SNM-825 & 31-00072-02. Facilities identified as having used licensed matl but show no record of final radiological survey. KINNEMAN,J.D. Region 1 (Post 820201). 95/06/26. RYAN,R. Rensselaer Polytechnic Institute, Troy, NY. 16pp. 84507:323-84507:338.

9507270104 Requests info re timing & circumstances of sale of Fort Street site to FIC by BP relevant to NRC determination of what actions should be taken re site. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. ELLMAN,W. 4pp. 84851:308-84851:311.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9507210246 Forwards application for renewal of license SNM-0042. OLSEN,A.F. Babcock & Wilcox Co. 95/07/14. PIERSON,R.C. Licensing Branch. 4pp. 84817:001-84818:080.

-9507210251 Application for renewal of license SNM-0042.
* Babcock & Wilcox Co. 95/07/12. 440pp. 84817:005-84818:080.

9507200086 Discusses actions being pursued in response to violation of nuclear criticality safety mass limit in low level dissolver associated w/U recovery operation. Formal root cause/incident investigation sys should be implemented by 941107. OLSEN,A.F. Babcock & Wilcox Co. 94/11/01. EBNETER,S.D. Region 2 (Post 820201). 2pp. 84816:315-84816:316.

9507200014 Forwards thirteenth & final quarterly update of response to NRC ltr re violations noted in insp rept 70-0027/90-19. Corrective actions: B&W intends to eliminate all sources of contamination from licensed matls into recycled water sys. LEE,T.D. Babcock & Wilcox Co. 94/12/06. STOHR,J.P. Document Control Branch (Document Control Desk). 17pp. 84816:256-84816:274.

9507200080 Discusses addl corrective actions listed in ref ltr in reply to NOV. Target date of 941201 not met due to delay of restarting recovery operations. Item completed on 941212. OLSEN,A.F. Babcock & Wilcox Co. 94/12/12. Region 2 (Post 820201). 1p. 84777:349-84777:349.

9507210008 Forwards comments re NRC Window request/notification of shipment to MA Institute of Technology. FOSTER,P.L. Babcock & Wilcox Co. 95/06/06. BENNINGTON,G. Transportation Branch (Post 930207). MASNYKE,O. NRC - No Detailed Affiliation Given. 2pp. 84738:010-84738:011.

9507100365 Informs that completion of procedure,incorporating list of info contained in decommissioning files re safe & effective decommissioning of facility,as well as requirement to review & update list every two yrs,occurred on 950602. OLSEN,A.F. Babcock & Wilcox Co. 95/06/16. Region 2 (Post 820201). 1p. 84668:321-84668:322.

136 DOCKETED ITEMS

9507050220 Forwards response to NRC ltr re violations noted in insp rept 70-0027/95-12. Corrective actions amended PFD practices to assure that review of presumptive positive drug test results performed by medical review officer.
CONNER, J.A. Babcock & Wilcox Co. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84570:203-84570:206.

9507120047 Forwards insp rept 70-0027/95-11 on 950506-12. One violation noted. NOV had been issued on 950620.
COLLINS, D.M. Region 2 (Post 820201). 95/06/26. CONNER, J.A. Babcock & Wilcox Co. 2pp. 84575:063-84575:066.

-9507120053 Insp rept 70-0027/95-11 on 950506-12. Violation noted. Major areas inspected: portion of licensee nuclear criticality safety program re U recovery area.
ELLIOTT, M.P., HARMON, C., JONES, T. Region 2 (Post 820201). 95/06/26. 22pp. 84575:065-84575:088.

9507060194 Forwards amend 71 to license SNM-42 & SER. Amend authorizes organizational changes.
PIERS, J.N.R.C. Licensing Branch. 95/06/27. OLSEN, A.F. Babcock & Wilcox Co. 1p. 84615:333-84618:345.

-9507060095 Amend 71 to license SNM-42, authorizing organizational changes.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/27. 1pp. 84618:334-84618:344.

-9507060097 SER supporting amend 71 to license SNM-42.
* NRC - No Detailed Affiliation Given. 95/06/27. 1p. 84618:345-84618:345.

9507120104 Confirms 950606 telcon between DC Ward & DM Collins re meeting to discuss plans & schedules for processing matl under Project Sapphire & insp activities for project. Meeting scheduled for 950720.
COLLINS, D.M. Region 2 (Post 820201). 95/06/27. CONNER, J.A. Babcock & Wilcox Co. 2pp. 84575:356-84575:357.

9507190044 Informs that handouts provided to NRC at 950511 meeting on B&W Nuclear Technologies SG tube repair method, will be withheld from public disclosure, per 10CFR2.790(b)(5), Section 103(b) of Atomic Energy Act & 950523 request.
DEMBEK, S. 95/06/30. TAYLOR, J.H. Babcock & Wilcox Co. 4pp. 84728:180-84728:183.

9507120376 Informs that on 950703 JP Stohr retired from govt svc. BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. CONNER, J.A. Babcock & Wilcox Co. 1p. 84675:358-84675:358.

9507130243 Ack receipt of 950626 ltr in response to violations noted in insp rept 70-0027/95-12.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. CONNER, J.A. Babcock & Wilcox Co. 2pp. 84732:310-84732:311.

9507170011 Confirms telcon setting listed 1996 windows for shipment of new fuel from B&W in Lynchburg, VA, to Univ of Missouri research reactor in Columbia, MO.
HULTSCH, R.A. Missouri, Univ. of, Columbia, MO. 95/07/11. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84650:322-84650:323.

9507200046 Forwards insp rept 70-0027/95-13 on 950612-16. No violations noted.
BARR, K.P. Region 2 (Post 820201). 95/07/12. CONNER, J.A. Babcock & Wilcox Co. 2pp. 84815:261-84815:294.

-9507200048 Insp rept 70-0027/95-13 on 950612-16. No violations noted. Major areas inspected: IP evaluation of coordination of emergency planning w/offsite support agencies & emergency plan & implementing procedures.
KREH, J.L., BARR, K.P. Region 2 (Post 820201). 95/07/10. 8pp. 84815:283-84815:290.

-9507200050 Provides info date, time & scope of Mt Athos Site Emergency Plan.
HUGHES, J.H. Babcock & Wilcox Co. 95/03/15. Region 2 (Post 820201). 4pp. 84815:291-84815:294.

9507200106 Forwards response to NRC questions/comments dtd 950612. Revised re-allow application incorporating changes will be sent to NRC by end of wk.
OLSEN, A.F. Babcock & Wilcox Co. 95/07/12. FLACK, E.D. Licensing Branch. 23pp. 84763:266-84763:306.

9507240409 Responds to violation noted in insp rept 70-0027/95-10. Corrective actions: change control sys revised, all originators & safety evaluators trained in revs & drawing control procedure w/plant-wide applicability implemented.
CONNER, J.A. Babcock & Wilcox Co. 95/07/20. Document Control Branch (Document Control Desk). 6pp. 84824:140-84824:145.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9507250291 Forwards insp rept 70-0036/95-201 on 950612-16 & notice of violation.
TING, P. Operations Branch. 95/07/12. JUNKRANS, S.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84836:329-84836:345.

-9507250294 Insp rept 70-0036/95-201 on 950612-16. Violations noted. Major areas inspected: chemical process safety related to handling of licensed matl, including exam of hazard identification & assessment, process safety info & operating procedures.
STOUT, D.E., SMITH, G.A., TROSKOSKI, W.M. Operations Branch. 95/07/11. 13pp. 84836:331-84836:343.

-9507250295 Notice of violation from insp on 950612-16. Violation noted: operability of R-2 steam line shutoff valves & caliber of R-1, R-2 & R-3 inlet pressure switches not conducted at least every six months.
* Operations Branch. 95/07/12. 2pp. 84836:344-84836:345.

9507190138 Provides addl info re Hematite burial site well.
MICHELSEN, M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN, M.A. ABB Atom, Inc. (formerly ASEA Atom, Inc.). 95/07/14. PIERSON, R.C. Licensing Branch. 3pp. 84769:325-84769:327.

DOCKET 70-0113 PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA

9507100004 Forwards insp repts 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted.
JOYNER, J.H. Region 1 (Post 820201). 95/06/28. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 84538:351-84538:359.

-9507100010 Insp repts 50-005/95-01 & 70-0113/95-01 on 950409-14. No violations noted. Major areas inspected: reactor operations, health physics program, emergency preparedness, mgt oversight, & use of special nuclear matl.
DRAGOUN, T. Region 1 (Post 820201). 95/06/28. 7pp. 84538:353-84538:359.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

9507310169 Partial response to FOIA requests for documents. App A records already available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/21. MORANO, D. Affiliation Not Assigned. 2pp. 84872:012-84872:013.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9507060367 Requests that NRC formally release for unrestricted use at earliest possible date, Apollo Ofc Bldg grounds.
SGARLATA, D.K. Babcock & Wilcox Co. 95/06/26. PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 84617:359-84617:359.

9507240367 Requests technical assistance in reviewing B&W 950626 request for release of Apollo Ofc Bldg grounds for unrestricted use.
PIERSON, R. Licensing Branch. 95/07/10. WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84824:033-84824:034.

9507280151 Responds to 950628 ltr, expressing concern re incompleteness of NRC characterization of sludge ash lagoon at facility contaminated w/enriched U.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/14. KOSSAK, R.N. 3pp. 84875:217-84875:219.

9507240052 Notification of licensee meeting 95-69 w/utli on 950803 to review findings of latest NRC insp of decommissioning of former B&W facility in Apollo & operations at Parks Township facility.
RAGLAND, R., BORES, R. Region 1 (Post 820201). 95/07/17. Region 1 (Post 820201). 2pp. 84824:354-84824:354.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9507240318 "NPDES Discharge Monitoring Rept for June 1994." W/940714 ltr.
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/06/30. CROWNOVER, S. Tennessee, State of. 6pp. 84824:249-84824:260.

9507240435 "NPDES Discharge Monitoring Rept for Sept 1994." W/941013 ltr.
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/09/30. CROWNOVER, S. Tennessee, State of. 12pp. 84824:232-84824:243.

9507240448 "Storm Water Monitoring Rept for Yr 931001-940930." W/941031 ltr.
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/09/30. CROWNOVER, S. Tennessee, State of. 6pp. 84824:169-84824:174.

9507240321 "NPDES Discharge Monitoring Rept for Oct 1994." W/941115 ltr.
MAXIN, A.M. Nuclear Fuel Services, Inc. 94/10/31. CROWNOVER, S. Tennessee, State of. 8pp. 84824:261-84824:270.

9507270271 Forwards pages from L. Petrie re fix of Cl xs' in Sept 1993 & pages of SCALE-PC output title, which per L. Petrie indicates corrected library.
WEBB, H. Nuclear Fuel Services, Inc. 95/03/17. JONES, T. Office of Nuclear Material Safety & Safeguards. 10pp. 84873:134-84873:143.

9507120202 Forwards corrected 950524 ltr ack receipt of 950510 response to NOV. Ltr listed rept number as 70-0027/95-02 instead of 70-0143/95-02.
COLLINS, D.M. Region 2 (Post 820201). 95/06/19. FERGUSON, D. Nuclear Fuel Services, Inc. 2pp. 84576:075-84576:077.

9507060138 Informs that licensee may suspend annual audit of Health & Human Svcs certified labs in response to 950524 ltr requesting clarification of 10CFR26 requirement.
PIERSON, R.C. Licensing Branch. 95/06/22. MAXIN, A.M. Nuclear Fuel Services, Inc. 1p. 84618:352-84618:352.

9507060132 Summary of 950606 meeting w/NFS in Erwin, TN re new emergency plan.
COX, T.H. Licensing Branch. 95/06/26. PIERSON, R.C. Licensing Branch. 6pp. 84618:346-84618:351.

9507060142 Forwards summary of 950606 meeting w/NFS in Erwin, TN re new emergency plan.
PIERSON, R.C. Licensing Branch. 95/06/26. MAXIN, A.M. Nuclear Fuel Services, Inc. 1p. 84618:353-84618:359.

9507250096 Quarterly "RFI & Interim Measures (IM) Progress Rept." W/ 950707 ltr.
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/06/30. FARMER, G.A. Environmental Protection Agency. TIESLER, T. Tennessee, State of. 32pp. 84828:169-84828:200.

9507120179 Revised response to violations noted in insp Rept 70-0143/95-02. Corrective actions: all involved personnel complied & safety deficiency rpt written to Foremen of individuals.
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/07/06. Document Control Branch (Document Control Desk). 4pp. 84681:228-84681:231.

9507120357 Informs that on 950703, JP Stohr retired from govt svc. BS Mallett appointed to position of Director, Div of Radiation Safety & Safeguards.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. FERGUSON, D. Nuclear Fuel Services, Inc. 1p. 84675:359-84675:359.

9507130070 Forwards quarterly RFI & interim measures progress rept. Next quarterly RFI/interim measures progress rept will be submitted by 951006.
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/07/07. FARMER, G.A. Environmental Protection Agency. TIESLER, T. Tennessee, State of. 32pp. 84681:331-84681:362.

9507120398 Forwards revised pages as 1995 annual update to Part II of license SNM-124, per condition S-57, revising chapters 9, 10, 12, 14 & 15.
MAXIN, A.M. Nuclear Fuel Services, Inc. 95/07/09. PIERSON, R.C. Licensing Branch. 180pp. 84670:149-84670:326.

9507210250 Informs that since NFS currently possesses no category 1A matl,NFS not subject to 10CFR25.71 requirements to submit FFD performance rept for period ending 950630.No random screenings performed during period.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/07/17. PIERSON,R.C. Licensing Branch. 1p. 84807:331-84807:331.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9507070232 Forwards director's decision under 10CFR2.206 re sections (Q & X) of recipients petition dtd 940105 & FR notice.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/26.
AMENO,P.J. Citizens Action for Safe Environment. BOLOGNA,J. Kiski Valley Coalition to Save Our Children. 2pp. 84619:273-84619:313.

-9507070248 Director's Decision DD-95-12 under 10CFR2.206,advising that no further action warranted re sections (Q & X) of Citizen for Safe Environ & Kiski Valley Coalition to Save Our Children petition dtd 940105.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/26. 11pp. 84619:275-84619:283.

-9507070258 FR notice of director's decision under 10CFR2.206 re (Sections Q & X) referred to EDO by ASLB in initial director's decision dtd 950103.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/26. 4pp. 84619:284-84619:289.

-9507070275 Forwards ASLB initial decision dtd 950103,referring concerns raised by Citizens Action for Safe Environ & Kiski Valley Coalition to Save Our Children to EDO for consideration as requests for action under 10CFR2.206.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 95/01/31.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 24pp. 84619:290-84619:313.

9507110322 Provides response to comments re B&W Parks facility characterization plan.
YOUNG,D.B. Babcock & Wilcox Co. 95/06/29. BALDASSARE,F. Pennsylvania, Commonwealth of. 3pp. 84695:024-84695:026.

9507110319 Responds to 950530 ltr providing comments on Shallow Land disposal area remediation proposal & other supporting documents.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/06/30. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84695:057-84695:057.

9507270369 Notification of licensee meeting w/B&W on 950725 to discuss NRC comments & addl info request on licensee remediation proposal,characterization rept & work licensee & ARCO plan to perform in summer to meet info requests.
* Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 63pp. 84872:285-84872:347.

9507200226 Responds to 950413 ltr,requesting release of soil pile F under Option 2 release criteria of 1981 BTP,disposal or on-site storage of thorium or U from past operations.
PIERSON,R.C. Licensing Branch. 95/07/17. SGARLATA,D.K. Babcock & Wilcox Co. 1p. 84615:352-84615:352.

9507240052 Notification of licensee meeting 95-69 w/utl on 950803 to review findings of latest NRC insp of decommissioning of former B&W facility in Apollo & operations at Parks Township facility.
RAGLAND,R., BORES,R. Region 1 (Post 820201). 95/07/17. Region 1 (Post 820201). 2pp. 84824:354-84824:354.

9507280120 Forwards copies of Repts from B&W,ARCO & ORAU,w/o encl.
ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/18. ENSMINGER,T. Oak Ridge Associated Universities. 1p. 84875:172-84875:172.

9507250259 Responds to 950413 ltr re Parks SLDA financial assurance.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/07/20. LAMASTRA,M.A. Licensing Branch. 3pp. 84835:238-84835:240.

9507270177 Forwards NUREC-1966 by Congressman Murtha Ofc.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 95/07/25.
AMENO,P.J. Citizens Association for Sound Energy. 1p. 84872:222-84872:284.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9507180306 Forwards supplementary info requested in NRC 950608 ltr re licensee proposed method for developing bedrock release criteria,including proposed bedrock sampling plan.
MCGOVERN,J.J. Cintichem, Inc. 95/07/12. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 9pp. 34786:088-84786:096.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9507120188 Forwards "GA Hot Cell Facility Decommissioning Plan."
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/07/06. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 84670:001-84670:148.

-9507120194 "GA Hot Cell Facility Decommissioning Plan."
SILLS,J.M., NICOLAYEFF,V., BRAMBLETT,G.C. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). PC-000423 R01. 95/06/23. 146pp. 84670:003-84670:148.

9507260006 Forwards "Confirmatory Survey for Phase II of SVA Decommissioning Project for General Atomics in San Diego, CA."
ADAMS,W.C. Oak Ridge Associated Universities. 95/06/28. CHANEY,D. Walnut Creek Field Ofc, R4 (Post 940404). 1p. 84842:104-84842:149.

-9507260008 "Confirmatory Survey for Phase II of SVA Decommissioning Project,General Atomics,San Diego,CA." dtd June 1995.
ADAMS,W.C., ABELQUIST,E.W., LAUDEMAN,M.J. Oak Ridge Associated I. 95/06/28. 48pp. 84842:105-84842:149.

9507130074 Forwards insp rept 70-0734/95-03 on 950612-16.No violations or deviations noted.Matters re installation of gaseous effluent sampling sys demonstrate need for diligence in technical design & installation of effluent sampling sys.
SCARANO,R. Region 4 (Post 820201). 95/07/05. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 84596:043-84596:054.

-9507130084 insp rept 70-0734/95-03 on 950612-16 & 21.No violations noted.Major areas inspected:radioactive waste mgmt, environmental protection,low-level radioactive waste storage & disposal & transportation of radioactive matl.
WENSLAWSKI,F.A. Region 4 (Post 820201). 95/07/05. 9pp. 84596:046-84596:054.

9507120168 Forwards GA hot cell facility decommissioning plan for approval,per 950626 telcon for approval W/o encl.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/07/06. KAPEL,B. California, State of. 2pp. 84681:329-84681:330.

9507210212 Forwards amend 31 to license SNM-696 & SER.Amend deletes Group 6 Labs as authorized places of use.
PIERSON,R.C. Licensing Branch. 95/07/18. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 84809:083-84809:279.

-9507210213 Amend 31 to license SNM-696 for General Atomics,releasing Group 6 Labs for unrestricted use.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/18. 16pp. 84809:085-84809:100.

-9507210214 SER supporting amend 31 to license SNM-696.
* NRC - No Detailed Affiliation Given. 95/07/18. 21pp. 84809:101-84809:235.

-9507030220 Informs that ORAU results indicate that licensee has satisfactorily decommissioned Building 2,Group 6 laboratories.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/16. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 84809:236-84809:279.

9507280056 Requests technical assistance in reviewing listed project re General Atomics Hot Cell facility decommissioning plan.
PIERSON,R.C. Licensing Branch. 95/07/25. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84875:147-84875:147.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9507140018 Submits advance notification of listed import shipment,per requirements of Annex 1 to convention on physical protection of nuclear matl.
KIRKLAND,M.W. General Electric Co. 95/06/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625:117-84625:118.

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323.Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees...for Decommissioning."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER,W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 70-0882 COLUMBIA UNIV., NEW YORK, NY

9507190280 Second partial response to FOIA request for records.Apps B & C records encl & available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. STANTON,M. Affiliation Not Assigned. 3pp. 84739:178-84739:232.

-9409280057 Responds to 940902 ltr from N. Wotherspoon to AG Hevesi re potential wrongdoing by NY officials & concerns per 940520 tritium spill at Columbia Univ.No tritium contamination has been found in two homes.
MARTIN,T.T. Region 1 (Post 820201). 94/09/20. MARTINEZ,C.L. New York, NY. 14pp. 84739:219-84739:232.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9507260157 Authorizes backfill of South Yard area,based on listed submittals from licensee & Oak Ridge Inst for Science & Education.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/07. LARSON,J. Cimarron Corp. 2pp. 84837:251-84837:252.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9507100103 Responds to 950404 submittal,including update on remaining action items from 950309 ltr>Action items owed to C-E Windsor by DOE FUSRAP listed.
KOPOTIC,J.D. Energy, Dept. of. 95/06/16. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT,J.F. ASEA Brown Boveri, Inc. 3pp. 84689:357-84689:359.

9507250263 Responds to 950525 ltr requesting acceleration of cleanup of C-E site in Windsor,CT.Site characterization planned to begin in FY97 subj to availability of appropriate funds.
GRUMBLY,T.P. Energy, Dept. of. 95/06/22. DODD,C.J., LIEBERMAN,J. Senate. 4pp. 84835:244-84835:247.

9507070153 Application for amend to License SNM-1067,changing complete listing of effective pages.
MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN,M.A. ASEA Brown Boveri, Inc. 95/06/30. PIERSON,R.C. Licensing Branch. 10pp. 84622:319-84622:328.

9507100136 Forwards revised application for renewal of license SNM-1067.
MICHELSEN,M.A. ASEA Brown Boveri, Inc. MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/06/30. PIERSON,R.C. Licensing Branch. 2pp. 84692:336-84692:345.

-9507100139 Revised application for renewal of license SNM-1067 for Windsor Lab.
* ASEA Brown Boveri, Inc. 95/06/30. 8pp. 84692:338-84692:345.

138 DOCKETED ITEMS

- 9507170117 Forwards insp rept 70-1100/95-02 on 950523-0602.No violation noted.Licensee staff continued to maintain effective control of access to & activities within facility to protect workers.
JOYNER,J.H. Region 1 (Post 820201). 95/07/07. CONANT,J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 84747-230-84747-246.
- 9507170120 Insp rept 70-1100/95-02 on 950523-0602.No violations noted. Major areas inspected:activities associated w/ decontamination & decommissioning of former nuclear fuel mfg facility & actions taken re U contamination in sewer sys.
NOGGLE,J., BORES,R. Region 1 (Post 820201). 95/07/07. 11pp. 84747-233-84747-243.
- 9507170124 Responds to NRC request re discrepant info re 931116 Combustion Engineering ltr & verbal info re sewage digester waste from former on-site sewage treatment facility.
MICHELSEN,M.A. ASEA Brown Boveri, Inc. 95/03/10. JOYNER,J. Region 1 (Post 820201). 3pp. 84747-244-84747-246.
- 9507260108 Responds to 950403 ltr re jurisdiction issues concerning special nuclear matl from former AEC contracts & concludes that all matl on Windsor site subj to NRC licensing & regulatory jurisdiction,except matl in GO-CO activity.
HEHL,C.W. Region 1 (Post 820201). 95/07/17. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 84793-285-84793-287.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

- 9507180284 "Semi-Annual Effluent Rept." for Jan-June 1994 W/940823 ltr.
WINSLOW,T.P. General Electric Co. 94/06/30. 2pp. 84786-109-84786-110.
- 9507180312 Semiannual effluent rept for Jul-Dec 1994 W/950221 ltr.
KLAPPROTH,J.F. General Electric Co. 94/12/31. EBNETER,S.D. Region 2 (Post 820201). 2pp. 84765-359-84765-360.
- 9507120085 Forwards insp rept 70-1113/95-05 on 950522-26.No violations or deviations identified.
COLLINS,D.M. Region 2 (Post 820201). 95/06/20. KIPP,C.P. General Electric Co. 2pp. 84575-257-84575-264.
- 9507120137 Insp rept 70-1113/95-05 on 950522-26.No violations noted. Major areas inspected:review of HP activities including radiation protection training,audits & appraisals,external & internal controls.
PHARR,E.B., MCALPINE,E.J. Region 2 (Post 820201). 95/06/20. 6pp. 84575-259-84575-264.
- 9507030306 Forwards three proprietary oversize drawings,in response to NRC 950615 request for info.Drawings withheld per 10CFR2.790(d).
KLAPPROTH,J.F. General Electric Co. 95/06/23. MCDANIEL,K.K. Licensing Branch. 2pp. 84626-001-84626-002.
- 9507060127 Summary of 950614 meeting w/GE re plans to excavate & relocate approx 70,000 cubic ft of CaF2 matl from seven trenches located at site northwest storage area to onsite, above ground,covered storage facility.
MCDANIEL,K. Licensing Branch. 95/06/26. PIERSON,R.C. Licensing Branch. 19pp. 84619-001-84619-019.
- 9507060221 Trip rept of 950615-16 visit to GE,Wilmington,NC to discuss status of dry conversion process & license renewal application.GE attendees encl.
EMEIGH,C.W. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/30. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 84619-031-84619-032.
- 9507200216 Forwards RAI re GE 950504 ltr re final status survey & release plan for Northwest CaF2 storage area.
MCDANIEL,K. Licensing Branch. 95/07/06. KLAPPROTH,J.F. General Electric Co. 4pp. 84816-230-84816-233.
- 9507120382 Informs that on 950703 JP Stohr retired from govt svc. BS Mallett appointed to position of Director,Div of Radiation Safety & Safeguards.
COLLINS,D.M. Region 2 (Post 820201). 95/07/07. KIPP,C.P. General Electric Co. 1p. 84675-357-84675-357.
- 9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323.Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guarantees, for Decommissioning."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER,W.H. General Electric Co. 1p. 84736-090-84736-090.
- 9507210346 Forwards revised physical inventory summary rept for period 930816-940704,reflecting change to SEID limit recommended by NRC during insp 70-1113/95-201. Encl withheld per 10CFR2.790(d).
KLAPPROTH,J.F. General Electric Co. 95/07/12. PIERSON,R. Licensing Branch. 1p. 84796-357-84796-357.
- 9507200136 Submits notification of 950808 meeting w/GE in Rockville,MD to discuss status of GE dry conversion process & license renewal application.
* Licensing Branch. 95/07/17. Licensing Branch. 1p. 84777-356-84777-356.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

- 9507240305 "Gaseous Effluent Discharges from Jan-June 1994." W/940829 ltr.
GOODWIN,W.L. Westinghouse Electric Corp. 94/06/30. 3pp. 84824-320-84824-322.
- 9507180318 Gaseous effluent discharges & liquid effluent discharges monitoring repts for Jul-Dec 1994 W/950213 ltr.
GOODWIN,W.L. General Electric Co. 94/12/31. 3pp. 84765-356-84765-358.
- 9507200111 Requests extension of time to respond to insp rept 70-1151/95-02 until 950505.
GOODWIN,W.L. Westinghouse Electric Corp. 95/04/19. COLLINS,D.M. Region 2 (Post 820201). 2pp. 84816-311-84816-312.
- 9507200108 Ack receipt of 950420 ltr re insp of W facility radiation protection program by B Pharr on 950324.
GOODWIN,W.L. Westinghouse Electric Corp. 95/04/27. COLLINS,D.M. Region 2 (Post 820201). 1p. 84795-317-84795-317.

- 9507100106 Forwards response to questions & comments from NRC review of license application & subsequent telcons.
WILLIAMS,R.A. Westinghouse Electric Corp. 95/06/28. KEEGAN,E. Licensing Branch. 11pp. 84692-281-84692-291.
- 9507060206 Forwards amend 27 to license SNM-1107 & safeguards evaluation rept.Amend incorporates changes to FNMCP.
PIERSON,R.C. Licensing Branch. 95/06/30. WILLIAMS,R.A. Westinghouse Electric Corp. 2pp. 84619-020-84619-030.
- 9507060207 Amend 27 to license SNM-1107 for Westinghouse,incorporating changes to FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/29. 7pp. 84619-022-84619-028.
- 9507060209 Safeguards evaluation rept supporting amend 27 to license SNM-1107.
* NRC - No Detailed Affiliation Given. 95/06/30. 2pp. 84619-029-84619-030.
- 9507100117 Forwards proprietary quarterly changes to FNMCP.Encl withheld per 10CFR2.790(d).
SANDERS,C.F. Westinghouse Electric Corp. 95/06/30. PIERSON,R. Licensing Branch. 1p. 84692-129-84692-129.
- 9507120382 Informs that on 950703,JP Stohr retired from govt svc. BS Mallett appointed to position of Director,Div of Radiation Safety & Safeguards.
COLLINS,D.M. Region 2 (Post 820201). 95/07/07. FICI,J.A. Westinghouse Electric Corp. 1p. 84675-342-84675-342.
- 9507200147 Forwards environ assessment & FONSI prepared to support renewal of matls License SNM-1107.
KEEGAN,E. Licensing Branch. 95/07/12. WILLIAMS,R.A. Westinghouse Electric Corp. 1p. 84816-280-84816-310.
- 9507200153 Finding of no significant impact re renewal of matls license SNM-1107.
PIERSON,R.C. Licensing Branch. 95/07/12. 29pp. 84816-281-84816-310.
- 9507240454 Provides suppli to 950505 response re NRC 950607 ltr concerning violations noted in insp rept 70-1151/95-02. Corrective actions:91-01 reporting criteria will continue to be implemented at Columbia Fuel Fabrication facility.
FICI,J.A. Westinghouse Electric Corp. 95/07/13. COLLINS,D.M. Region 2 (Post 820201). 4pp. 84824-175-84824-179.
- 9507200139 Forwards Amend 28 to License SNM-1107,adding Condition S-5 re site emergency plan.
PIERSON,R.C. Licensing Branch. 95/07/14. WILLIAMS,R.A. Westinghouse Electric Corp. 1p. 84779-195-84779-205.
- 9507200141 Amend 28 to SNM-1151 for Westinghouse,adding condition S-5 re emergency plan.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/14. 7pp. 84779-196-84779-202.
- 9507200149 SER accepting changes & concludes of no decrease in effectiveness of SEP & will have no adverse impact on public health,safety or environ.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/14. 3pp. 84779-203-84779-205.
- 9507240072 Forwards insp rept 70-1151/95-04 on 950626-30.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/07/19. FICI,J.A. Wolverine Power Supply Cooperative, Inc. (formerly Wolverine Electric Cooperativ. 2pp. 84751-312-84751-321.
- 9507240074 Insp rept 70-1151/95-04 on 950626-30.No violations noted. Major areas inspected:radiation protection program involving review of health physics activities.
PHARR,E.B., MCALPINE,E.J. Region 2 (Post 820201). 95/07/19. 2pp. 84751-314-84751-321.
- 9507250134 Forwards insp rept 70-1151/95-04 on 950626-30.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/07/19. FICI,J.A. Westinghouse Electric Corp. 2pp. 84828-201-84828-210.
- 9507280044 Forwards amend 29 to license SNM-1107 & safety evaluation. Amend authorizes use of calcium fluoride (CaF2) in brick-making applications.
PIERSON,R.C. Licensing Branch. 95/07/25. WILLIAMS,R.A. Westinghouse Electric Corp. 1p. 84875-136-84875-146.
- 9507280050 Amend 29 to license SNM-1107 for Westinghouse Electric Corp. Amend authorizes use of calcium fluoride in brick-making applications.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/25. 7pp. 84875-137-84875-143.
- 9507280051 Safety evaluation approving amend 29 to license SNM-1107 re use of calcium fluoride in brick-making applications.
* Office of Nuclear Material Safety & Safeguards. 95/07/25. 3pp. 84875-144-84875-146.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

- 9507180280 "Semi-Annual Gaseous Effluent Rept." for period 940701- 950101/W/950228 ltr.
KNAPP,K.S. B&W Fuel Co. 95/01/01. 2pp. 84786-111-84786-112.
- 9507060371 Submits procedure for requesting revs to fundamental nuclear matl control plan.Future correspondence should be addressed to RC Pierson.
LAMASTRA,M.A. Licensing Branch. 95/06/30. KNAPP,K.S. B&W Fuel Co. 1p. 84618-241-84618-241.
- 9507120343 Informs of change in Region II Div of Radiation Safety & Safeguards.On 950703,JP Stohr retired from govt service. BS Mallett appointed to position of Director,Div of Radiation Safety & Safeguards.
COLLINS,D.M. Region 2 (Post 820201). 95/07/07. CARR,C.W. Babcock & Wilcox Co. 1p. 84675-297-84675-297.

9507170048 Informs of retirement of JP Stohr & appointment of BS Mallett to Director of Region 2, Division of Radiation Safety & Safeguards.
COLLINS, D.M. Region 2 (Post 820201). 95/07/07. CARR, C.W. B&W Fuel Co. 2pp. 84651:001-84651:002.

9507200127 Forwards Amend 22 to license SNM-1168, incorporating operational changes associated w/accepting equipment from all entities of licensee.
PIERSON, R.C. Licensing Branch. 95/07/10. KNAPP, K.S. B&W Fuel Co. 1p. 84800:301-84800:306.

-9507200132 Amend 22 to SNM-1168 for B&W Fuel Co., accepting equipment from all entities of B&W nuclear technology.
PIERSON, R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/07/10. 5pp. 84800:302-84800:306.

-9507200133 SER recommending approval of application.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/10. 2pp. 84800:307-84800:308.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9507060010 Informs of rev 1 to licensee 950504 ltr notifying of shipment of Uranium hexafluoride, fissile from Netherlands to arrive in Richland, WA on 950616.
* Edlow International Co. 95/05/04. BENNINGTON, G. Division of Safeguards & Transportation (870413-930206). 1p. 84516:064-84516:064.

9507060020 Notices of shipment of Uranium hexafluoride, fissile from Moscow, Russia to arrive in Piketon, OH on 950617.
* Edlow International Co. 95/05/24. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84516:109-84516:109.

9507060018 Notices of shipment of Uranium hexafluoride, fissile from Ekaterinburg, Russia to arrive in Piketon, OH on 950622-23.
* Edlow International Co. 95/05/26. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84516:101-84516:101.

9507060011 Notification of upcoming shipment of U hexafluoride, fissile, gross weight 79.934 kgs, enrichment less than 4.10% max UF6 contained in twenty-two 30B cylinders & PSPs from Russia to Piketon, Ohio.
CANDREY, D. Edlow International Co. 95/06/05. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84516:065-84516:065.

9507140028 Submits list of delivery dates which applies to shipments made during second quarter of 1995 in accordance w/requirements of Convention on Physical Protection of Nuclear Matl.
CONDREY, D. Edlow International Co. 95/06/30. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84625:147-84625:147.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9507130160 Discusses shipment of radioactive waste matl sent to commercial LLRW disposal site operated by US Ecology, Inc near Richland, WA. Insp of shipment H-200 revealed listed violation of US Ecology Radioactive Matls License WN-1019-2.
FORDHAM, E.W. Washington, State of. 95/02/22. WEAVER, L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84736:112-84736:113.

9506210077 Responds to 950516 ltr to Chairman Selin re visit to constituents at Siemens Power Corp & expresses concerns about possible rev of 10CFR70.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/05/06. HASTINGS, R. House of Rep. 1p. 84796:089-84796:093.

-9507210119 Discusses 950412 visit w/constituents at Siemens Power Corp. in Richland, WA & expresses concerns re possible rev of 10CFR70.
HASTINGS, D. House of Rep. 95/05/16. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 84796:091-84796:093.

9507070446 Forwards revised pages describing revs to special fuels bldg HVAC existing license & to license renewal application.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/22. PIERSON, R.C. Licensing Branch. 4pp. 84619:228-84619:231.

9507060312 Forwards responses to NRC 950526 RAI re dry conversion expansion fire protection.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/23. PIERSON, R.C. Licensing Branch. 22pp. 84581:107-84581:138.

9507060376 Informs that no deficiencies identified re decommissioning funding plan. Amend 1 to Standby Trust Agreement signed & encl.
PIERSON, R.C. Licensing Branch. 95/06/26. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 84619:033-84619:035.

9507060363 Forwards termination of standby trust agreement w/Siemens Power Corp.
PIERSON, R.C. Licensing Branch. 95/06/30. RADTKE, M. Affiliation Not Assigned. 3pp. 84617:175-84617:177.

9507110076 Responds to NRC 950608 ltr re violation noted in insp rept 70-1257/95-03. Corrective actions: matched inner container lids to specific containers & retraining given to traffic & warehousing personnel on preparation & sign-off of documents.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/07/07. Document Control Branch (Document Control Desk). 4pp. 84695:034-84695:038.

9507200230 Requests technical assistance in reviewing Siemens Power Corp sewage treatment plant sludge analysis.
PIERSON, R.C. Licensing Branch. 95/07/07. COMBS, F. Operations Branch. 2pp. 84815:348-84815:349.

9507240363 Informs that NRC unable to return copies of rev 1 of decommissioning funding plan submitted on 950322 because copies part of public record in docket file. Replacement copies sent in 950421 ltr placed in file w/ltr re change.
ADAMS, M.T. Licensing Branch. 95/07/07. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 84824:032-84824:032.

9507190162 Informs that two pages of "ALARA Rept." for 1992 were proprietary. Therefore, Siemens Power Corp agrees that, if these two pages are removed, document may be put in PDR.
EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/07/12. PIERSON, R.C. Licensing Branch. 1p. 84769:342-84769:342.

9507250040 Ack receipt of 950707 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1257/95-03 on 950608.
WENSLAWSKI, F.A. Walnut Creek Field Ofc. R4 (Post 940404). 95/07/18. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84793:119-84793:123.

9507270236 Discusses NRC concerns re amount of time indicated as necessary to complete accident analyses for Chapter 15 of license re renewal of license. NRC provides encl criticality & safety commitments & remaining info required to renew.
TOKAR, M. Licensing Branch. 95/07/19. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84874:156-84874:157.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9507140037 Submits advance notification for import shipment of nuclear matl from countries that not party to convention on physical protection on nuclear matl.
GEORGE, M. Transnuclear, Inc. 95/05/31. COOK, J. NRC - No Detailed Affiliation Given. 3pp. 84625:192-84625:194.

9507140032 Submits advance notification for export shipment of "heel" cylinders in NCI overpacks as special nuclear matl of low strategic significance.
GEORGE, M. Transnuclear, Inc. 95/06/01. BENNINGTON, G. NRC - No Detailed Affiliation Given. 2pp. 84625:151-84625:152.

DOCKET 70-2872 RS HOLDING, INC., CLEVELAND, OH

9507130155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties...for Decommissioning."
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER, W.H. General Electric Co. 1p. 84736:090-84736:090.

DOCKET 70-2910 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9507250180 Provides response to NRC 950619 ltr re violations noted in insp repts 70-2910/95-01 & 70-2928/95-01. Corrective actions: completed SSP-12.12 attachment for training documentation acquired QA manager approval on 1995 training records.
ZERLINGUE, O.J. Tennessee Valley Authority. 95/07/18. Document Control Branch (Document Control Desk). 5pp. 84628:252-84628:256.

DOCKET 70-3020 NUCLEAR ASSURANCE CORP., NORCROSS, GA

9507140020 Requests approval of spent fuel route between VC Summer Nuclear Generating Station near Jenkinsville, SC & to US/Canadian border at Alexandria Bay, NY. IAW recent telcons & 950513 fax.
SHELTON, T.A. Nuclear Assurance Corp. 95/05/22. BENNINGTON, G. NRC - No Detailed Affiliation Given. 5pp. 84625:119-84625:123.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9507200193 Summary of 950620 meeting w/NRC & US Enrichment Corp to discuss onsite safety, safeguards & quality oversight organization.
* NRC - No Detailed Affiliation Given. 95/06/20. NRC - No Detailed Affiliation Given. 17pp. 84779:162-84779:178.

9507100062 NRC reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, applicant LA Energy Svcs, LP & State of LA re contentions B, J, K & Q. * W/Certificate of Svc.
BACHMANN, R.G., HCLLER, E.J. Office of the General Counsel (Post 860701). #395 16856. 95/06/26. 31pp. 84538:005-84538:035.

9507100066 Applicant reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, NRC & State of LA re contentions B, J, K, L, J, 9, K & Q. * W/Certificate of Svc.
MCGARRY, J.M. Louisiana Energy Services. MCGARRY, J.M. Winston & Strawn. #395 16855. 95/06/26. 66pp. 84538:036-84538:101.

9507100067 Citizens Against Nuclear Trash proposed reply findings of fact & conclusions of law re contention J. 9. * Informs that construction permit/operating license application for Claiborne Enrichment Ctr. denied. W/Certificate of Svc.
CURRAN, D., WALKER, N.M. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 16859. 95/06/26. 28pp. 84538:102-84538:129.

9507100080 Citizens Against Nuclear Trash proposed reply findings of fact & conclusions of law re contention Q, financial qualifications of Louisiana Energy Svcs. * Request for approval of construction permit, denied. W/Certificate of Svc.
WALKER, N.M. Citizens Against Nuclear Trash. WALKER, N.M. Sierra Club Legal Defense Fund, Inc. #395 16858. 95/06/26. 23pp. 84538:152-84538:174.

9507100087 Citizens Against Nuclear Trash reply findings & conclusions of law re contentions J & K, need & no action. * Informs that applicant request for approval of construction permit/operating license application, denied. W/Certificate of Svc.
WALKER, N.M. Citizens Against Nuclear Trash. WALKER, N.M. Sierra Club Legal Defense Fund, Inc. #395 16857. 95/06/26. 18pp. 84538:268-84538:305.

9507100160 Citizens Against Nuclear Trash proposed reply findings of facts & conclusions of law re contentions B & J. 3. W/Certificate of Svc.
CURRAN, D., WALKER, N.M. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 16860. 95/06/26. 29pp. 84539:052-84539:080.

140 DOCKETED ITEMS

9507180062 Informs of incorrect citation on page 2 of Citizens Against Nuclear Trash Proposed Reply Findings of fact & Conclusions of Law re contentions B & J.3.dtd 950626. Correct citation stated. W/Certificate of Svc. CURRAN, D. Citizens Against Nuclear Trash. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #395 18882. 95/07/05. MOORE, T.S., COLE, R.F., SHON, F.J. Atomic Safety & Licensing Board Panel. 2pp. 84675:058-84675:059.

9507200202 Summary of 950706 meeting w/NRC & US Enrichment Corp to discuss areas of apparent agreement & understanding.
* NRC - No Detailed Affiliation Given. 95/07/06. NRC - No Detailed Affiliation Given. 8pp. 84799:342-84799:349.

DOCKET 70-3074 COLUMBIA UNIV., NEW YORK, NY

9507180402 FOIA request for all records & correspondence re 940520 tritium waste spill in engineering terrace bldg on Columbia Univ campus & 940609 review of two apartments in Teaneck, N.J.
STANTON, M. Affiliation Not Assigned. 94/10/03. ABRAHAM, K. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723:341-84723:341.

9507150406 First partial response to FOIA request for records. App A records enclosed & available in PDF.
PUGH, N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. STANTON, M. Affiliation Not Assigned. 2pp. 84723:342-84723:343.

9507190280 Second partial response to FOIA request for records. Apps B & C records encl & available in PDF.
* Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. STANTON, M. Affiliation Not Assigned. 3pp. 84739:178-84739:232.

DOCKET 70-3087 SCIENTIFIC ECOLOGY GROUP, OAK RIDGE, TN

9507070102 Informs that licensee license application to possess SNM should include environ rept containing info described in 10CFR51.45, in response to 950608 ltr requesting categorical determination.
PIERSON, R.C. Licensing Branch. 95/06/28. COLE, L.W. Scientific Ecology Group, Inc. 19pp. 84582:311-84582:329.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9507200193 Summary of 950620 meeting w/NRC & US Enrichment Corp to discuss onsite safety, safeguards & quality oversight organization.
* NRC - No Detailed Affiliation Given. 95/06/20. NRC - No Detailed Affiliation Given. 17pp. 84779:162-84779:178.

9507070475 Submits correction of Page 4.3-25 of Paduch gaseous diffusion plant certification application of 950424.
RIFAKES, G.P. United States Enrichment Corp. (USEC). 95/06/23. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 84619:245-84619:246.

9507030153 Summary of 950622 meeting w/US Enrichment Corp re configuration mgt issues re certification application. List of attendees encl.
* Enrichment Branch. 95/06/28. Enrichment Branch. 4pp. 84561:143-84561:146.

9507030156 Summary of 950622 meeting w/US Enrichment Corp re QA issues related to certification application. List of attendees encl.
* Enrichment Branch. 95/06/28. Enrichment Branch. 4pp. 84561:147-84561:150.

9507030157 Notification of listed meetings w/US Enrichment Corp in listed locations re listed topics.
* NRC - No Detailed Affiliation Given. 95/06/28. NRC - No Detailed Affiliation Given. 2pp. 84560:358-84560:359.

9507030160 Forwards NRC staff position/guidance on each issue re certification application.
HICKEY, J.W. Enrichment Branch. 95/06/28. WOOLLEY, R.L. United States Enrichment Corp. (USEC). 6pp. 84561:153-84561:158.

9507070095 Notification of listed meetings to be held in Rockville, MD to discuss certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
SAWYER, C. Enrichment Branch. GIARRATANA, A. Technology Assessment Branch. 95/06/30. NRC - No Detailed Affiliation Given. 2pp. 84555:196-84555:197.

9507100151 Summary of 950706 meeting w/NRC re application schedule.
* U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 95/07/06. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 8pp. 84692:153-84692:160.

9507100341 Summary of 950615 public meeting w/US Enrichment Corp re certification application.
* NRC - No Detailed Affiliation Given. 95/07/06. NRC - No Detailed Affiliation Given. 1p. 84668:319-84668:319.

9507200202 Summary of 950706 meeting w/NRC & US Enrichment Corp to discuss areas of apparent agreement & understanding.
* NRC - No Detailed Affiliation Given. 95/07/06. NRC - No Detailed Affiliation Given. 8pp. 84799:342-84799:349.

9507120229 Summary of 950627 meeting w/US Enrichment Corp re environ issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/07/10. NRC - No Detailed Affiliation Given. 3pp. 84681:225-84681:227.

9507120283 Submits notification of 950711, 12 & 13 meetings w/USEC in Rockville, MD re resubmission of application for certification of diffusion plants.
* NRC - No Detailed Affiliation Given. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84698:359-84698:360.

9507120210 Summary of 950613 meeting w/DOE in Germantown, MD re shared site issues.
* Enrichment Branch. 95/07/10. Enrichment Branch. 6pp. 84676:321-84676:326.

9507120392 Summary of 950707 meeting w/US Enrichment Corp re matl control & accountability. Proprietary handouts & summary of meeting discussion encl. Handouts & summary of meeting discussion withheld per 10CFR2.790.
PHAM, T.N. NRC - No Detailed Affiliation Given. 95/07/11. NRC - No Detailed Affiliation Given. 2pp. 84728:285-84728:286.

9507180314 Summary of 950714 meeting w/US Enrichment Corp re comments on quality assurance plans. Summary & list of items, encl.
HORN, M. NRC - No Detailed Affiliation Given. 95/07/14. NRC - No Detailed Affiliation Given. 4pp. 84696:186-84696:189.

9507210258 Notification of 950719, 31 & 0801 meetings w/US Enrichment Corp to discuss highly specific technical matters & to respond to specific questions & issues arising from resubmittal process.
* NRC - No Detailed Affiliation Given. 95/07/17. NRC - No Detailed Affiliation Given. 2pp. 84764:157-84764:158.

9507240101 Notification of 950726, 27 & 31 meeting w/US Enrichment Corp in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements. HEU reref & HEU suspension & status review.
* NRC - No Detailed Affiliation Given. 95/07/21. NRC - No Detailed Affiliation Given. 2pp. 84828:351-84828:352.

9507310144 Notification of 950726-27 & 950731 meetings w/USEC in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements & physical security plan follow up.
SAWYER, C., HORN, M. NRC - No Detailed Affiliation Given. 95/07/25. NRC - No Detailed Affiliation Given. 2pp. 84879:329-84879:330.

9507280173 Submits notice of 950726-31 meeting in Rockville, MD re resubmitting application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
* Licensing Branch. 95/07/26. Licensing Branch. 2pp. 84875:235-84875:236.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9507070475 Submits correction of Page 4.3-25 of Paduch gaseous diffusion plant certification application of 950424.
RIFAKES, G.P. United States Enrichment Corp. (USEC). 95/06/23. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 2pp. 84619:245-84619:246.

9507030153 Summary of 950622 meeting w/US Enrichment Corp re configuration mgt issues re certification application. List of attendees encl.
* Enrichment Branch. 95/06/28. Enrichment Branch. 4pp. 84561:143-84561:146.

9507030156 Summary of 950622 meeting w/US Enrichment Corp re QA issues related to certification application. List of attendees encl.
* Enrichment Branch. 95/06/28. Enrichment Branch. 4pp. 84561:147-84561:150.

9507030157 Notification of listed meetings w/US Enrichment Corp in listed locations re listed topics.
* NRC - No Detailed Affiliation Given. 95/06/28. NRC - No Detailed Affiliation Given. 2pp. 84560:358-84560:359.

9507030160 Forwards NRC staff position/guidance on each issue re certification application.
HICKEY, J.W. Enrichment Branch. 95/06/28. WOOLLEY, R.L. United States Enrichment Corp. (USEC). 6pp. 84561:153-84561:158.

9507070095 Notification of listed meetings to be held in Rockville, MD to discuss certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
SAWYER, C. Enrichment Branch. GIARRATANA, A. Technology Assessment Branch. 95/06/30. NRC - No Detailed Affiliation Given. 2pp. 84555:196-84555:197.

9507100151 Summary of 950706 meeting w/NRC re application schedule.
* U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 95/07/06. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 8pp. 84692:153-84692:160.

9507100341 Summary of 950615 public meeting w/US Enrichment Corp re certification application.
* NRC - No Detailed Affiliation Given. 95/07/06. NRC - No Detailed Affiliation Given. 1p. 84668:319-84668:319.

9507190038 Forwards ltr & observation rept 70-7002/95-03 on 950404-950609 SHEAR, G.L. Region 3 (Post 820201). 95/07/06. JACKSON, J.D. Energy, Dept. of. 2pp. 84711:251-84711:267.

--9507190046 Discusses observation rept 70-7002/95-03 on 950404-0895. Improvement noted in identification of nonconformances by plant staff. Some operational occurrences indicative of need for rigorous control over safety significant evolutions.
SHEAR, G.L. Region 3 (Post 820201). 95/07/13. RIFAKES, G. United States Enrichment Corp. (USEC). 2pp. 84711:253-84711:254.

--9507190049 Insp rept 70-7002/95-03 on 950404-0609. No violations noted. Major areas inspected: plant operations, maint/matl condition, engineering, mgt controls & plant support.
COX, C.R., BROWN, F.D., SHEAR, G.L. Region 3 (Post 820201). 95/07/06. 13pp. 84711:255-84711:267.

9507120229 Summary of 950627 meeting w/US Enrichment Corp re environ issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/07/10. NRC - No Detailed Affiliation Given. 3pp. 84681:225-84681:227.

9507120283 Submits notification of 950711, 12 & 13 meetings w/USEC in Rockville, MD re resubmission of application for certification of diffusion plants.
* NRC - No Detailed Affiliation Given. 95/07/10. NRC - No Detailed Affiliation Given. 2pp. 84698:359-84698:360.

9507120310 Summary of 950613 meeting w/DOE in Germantown, MD re shared site issues.
* Enrichment Branch. 95/07/10. Enrichment Branch. 6pp. 84676:321-84676:326.

9507120392 Summary of 950707 meeting w/US Enrichment Corp re matl control & accountability. Proprietary handouts & summary of meeting discussion encl. Handouts & summary of meeting discussion withheld per 10CFR2.790.
PHAM, T.N. NRC - No Detailed Affiliation Given. 95/07/11. NRC - No Detailed Affiliation Given. 2pp. 84728:265-84728:286.

9507180314 Summary of 950714 meeting w/US Enrichment Corp re comments on quality assurance plans. Summary & list of items, encl.
HORN, M. NRC - No Detailed Affiliation Given. 95/07/14. NRC - No Detailed Affiliation Given. 4pp. 84696:186-84696:189.

9507210258 Notification of 950719, 31 & 0801 meetings w/US Enrichment Corp to discuss highly specific technical matters & to respond to specific questions & issues arising from resubmittal process.
* NRC - No Detailed Affiliation Given. 95/07/17. NRC - No Detailed Affiliation Given. 2pp. 84764:157-84764:158.

9507240101 Notification of 950726, 27 & 31 meeting w/US Enrichment Corp in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements, HEU refuel & HEU suspension & status review.
* NRC - No Detailed Affiliation Given. 95/07/21. NRC - No Detailed Affiliation Given. 2pp. 84828:351-84828:352.

9507310144 Notification of 950726-27 & 950731 meetings w/USEC in Rockville, MD to discuss transition from DOE operational safety requirements to NRC technical safety requirements & physical security plan follow up.
SAWYER, C., HORN, M. NRC - No Detailed Affiliation Given. 95/07/25. NRC - No Detailed Affiliation Given. 2pp. 84879:329-84879:330.

9507280173 Submits notice of 950725-31 meeting in Paducah, MD re resubmitting application for certification of gaseous diffusion plants at Paducah, KY & Portsmouth, OH.
* Licensing Branch. 95/07/26. Licensing Branch. 2pp. 84875:235-84875:236.

DOCKET DOCKET UNKNOWN

9537110343 Forwards "QA Program for Packaging Uses in Transport of Radioactive Matl." Fee paid.
WHEELER, P.A. Pensacola Testing Laboratories, Inc. 95/06/06. BEAR, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84694:228-84694:276.

-9507110344 Rev 0 to PTL-TRA-QA-1, "QA Program for Packaging Uses in Transport of Radioactive Matl."
* Pensacola Testing Laboratories, Inc. 95/01/31. 43pp. 84694:229-84694:276.

9507120240 Requests NRC to review encl Japanese package design certificate J/37/AF-85 Rev 1 for NT-IV fuel assembly shipping container.
BOYLE, R. Transportation, Dept. of. 95/06/30. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 400pp. 84812:001-84813:012.

9507120171 Forwards "QA Program for NRC Reciprocity Application in Accordance W/ 10CFR71 QA Program for Industrial Radiography Licensees."
CHAUVIN, L.H. Affiliation Not Assigned. 95/07/06. JANKOVICH, J. NRC - No Detailed Affiliation Given. 1p. 84681:242-84681:245.

-9507120174 "QA Program for NRC Reciprocity Application in Accordance W/ 10CFR71 QA Program for Industrial Radiography Licensees."
* Affiliation Not Assigned. 95/07/06. 3pp. 84681:243-84681:245.

9507130144 Forwards QA program approval for radioactive matl package: 0820, Rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/11. CHAUVIN, L.H. 1p. 84749:358-84749:359.

-9507130147 QA program approval for radioactive matl package: 0820, Rev 0.
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/11. 1p. 84749:359-84749:359.

9507270093 Forwards QA Program for shipment of 239 Plutonium-Beryllium neutron source using Model DOT 6M packaging from Univ to DOE, LANL in Los Alamos, NM.
MANWARING, D. Indiana State Univ., Terre Haute, IN. 95/07/17. BEAR, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84851:312-84851:314.

-9507270099 "10CFR71 QA Program for Shipment of 239 Plutonium-Beryllium Neutron Sources."
MANWARING, D.A. Indiana State Univ., Terre Haute, IN. 95/07/17. 3pp. 84851:313-84851:314.

9507280102 Forwards QA program approval for radioactive matl package: 0822, Rev 0.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/27. MANWARING, D. Indiana State Univ., Terre Haute, IN. 1p. 84874:334-84874:335.

-9507280106 QA program approval for radioactive matl package: 0822, Rev 0.
JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/27. 1p. 84874:335-84874:335.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0016 NORTHWEST AIRLINES, INC.

9507270129 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
REGISTER, J.A. Northwest Airlines, Inc. 95/07/22. Document Control Branch (Document Control Desk). 4pp. 84843:355-84843:358.

DOCKET 71-0093 HUNTINGTON TESTING

9507050335 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
MAY, C.W. Huntington Testing. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84570:152-84570:155.

DOCKET 71-0097 NONDESTRUCTIVE INSPECTION SERVICE

9507130169 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
HAULDREN, E.E. Nondestructive Inspection Service. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84736:080-84736:083.

DOCKET 71-0103 TWIN CITY TESTING CORP.

9507030193 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
FITTERER, D.C. Affiliation Not Assigned. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84561:026-84561:030.

DOCKET 71-0111 MATERIAL TESTING LABORATORY OF VIRGINIA, INC.

9507070231 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
LORSONG, P.H. Materials Testing Laboratory, Inc. 95/06/27. Document Control Branch (Document Control Desk). 3pp. 84622:334-84622:338.

DOCKET 71-0119 INGERSOLL-RAND CO.

9507110221 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
PARSONS, E.J. Ingersoll-Rand Co. 95/07/05. Document Control Branch (Document Control Desk). 4pp. 84695:087-84695:090.

DOCKET 71-0135 BABCOCK & WILCOX CO.

9507250203 Informs that facility address for licensee as shown on QA program approval 0135, Rev 5 has changed.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/21. SGARLATA, D. Babcock & Wilcox Co. 1p. 84835:237-84835:237.

DOCKET 71-0149 MIDWEST INSPECTION SERVICE

9507110218 Advises that QA program approval for radioactive matl package: 0149 expires on 950731. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. PASCHEN, D. Midwest Inspection Services, Inc. 1p. 84695:099-84695:099.

DOCKET 71-0157 FROEHLING & ROBERTSON, INC.

9507050324 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
BRIODY, W.W. Froehling & Robertson, Inc. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84570:237-84570:240.

DOCKET 71-0158 X-R-I TESTING OF MICHIGAN

9507030083 "Encl to NRC Bulletin 95-01, "QA Program for Transportation of Radioactive Matl."
REOHAGE, L. NRC - No Detailed Affiliation Given. 95/06/25. 4pp. 84488:237-84488:240.

DOCKET 71-0172 EMPIRE STEEL CASTINGS, INC.

9507200092 Requests termination of QA program for radioactive matl packages approval 0172, rev 4. Vendor also in process of terminating NRC license 37-02448-01.
GAUMER, G.R. Empire Steel Castings, Inc. 95/07/13. NRC - No Detailed Affiliation Given. 2pp. 84816:313-84816:314.

9507240089 Informs of termination of QA program approval 0172, as requested by 950713 ltr.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/21. GAUMER, G.R. Empire Steel Castings, Inc. 1p. 84828:350-84828:350.

DOCKET 71-0185 FBF, INC.

9507190195 Responds to NRC ltr re violations noted in insp rept. Corrective actions: future orders will be placed only w/vendors & list shall be kept current by qualifying vendors prior to placing orders.
HOLLOMON, D. FBF, Inc. 95/06/29. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84786:354-84786:355.

9507110225 Advises that QA program approval for radioactive matl package: 0185 expires on 950831. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. STRINGFIELD, H. FBF, Inc. 1p. 84695:082-84695:082.

9507200237 Discusses NRC Insp Rept 71-0185/95-201 & notice of violations. Corrective actions taken to address notice of violation acceptable & no addl info required.
BAER, R.L. Source Containment & Devices Branch (Post 911213). 95/07/18. STRINGFIELD, H. FBF, Inc. 1p. 84815:252-84815:252.

9507260226 Requests renewal of QA program approval certificate 0185, which expires 950831.
STRINGFIELD, H. FBF, Inc. 95/07/18. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 84848:356-84848:356.

142 DOCKETED ITEMS

DOCKET 71-0252 DAYTON X-RAY CO.

9507210052 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
SMALL,C.N. Dayton X-Ray Co. 95/07/15. Document Control Branch (Document Control Desk). 4pp. 84808:357-84808:360.

DOCKET 71-0260 ASTROTECH, INC.

9507120172 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
LIND,D.B. Astrotech, Inc. 95/07/07. Document Control Branch (Document Control Desk). 4pp. 84676:333-84676:336.

DOCKET 71-0319 GENERAL TESTING & INSPECTION CO.

9507200129 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
KRUEGEL,R.E. General Testing & Inspection Co. 95/07/10. Document Control Branch (Document Control Desk). 5pp. 84779:293-84779:297.

DOCKET 71-0326 INDUSTRIAL NDT SERVICES DIV. (INDUSTRIAL HEAT TREATING

9507210050 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
THOMPSON,J.M. Industrial NDT Co. 95/06/28. Document Control Branch (Document Control Desk). 4pp. 84811:336-84811:339.

DOCKET 71-0346 PUBLIC SERVICE CO. OF COLORADO

9507250288 Requests that NRC review & approve proposed rev to plant "ISFSI Operational Quality Program" & change to QA program re radioactive matl packages 0346
FISHER,M.J. Public Service Co. of Colorado. 95/07/19. Office of Nuclear Material Safety & Safeguards. 2pp. 84835:331-84835:354.

DOCKET 71-0352 NILES STEEL TANK CO.

9507050331 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
WOOD,R.H. Niles Steel Tank. 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84568:357-84568:360.

DOCKET 71-0378 WISCONSIN ELECTRIC POWER CO.

9507110222 Advises that QA program approval for radioactive matl package:0378 expires on 950731. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. FAY,C.W. Wisconsin Electric Power Co. 1p. 84695:086-84695:086.

DOCKET 71-0401 RELIANCE TESTING CO.

9507200087 Requests that radiographer license 0401 be terminated as soon as possible. Matl license terminated on 941115 & Reliance Testing in bankruptcy.
MANGIONE,J.N. Affiliation Not Assigned. 95/07/03. JOHNOVICH,J. NRC - No Detailed Affiliation Given. 1p. 84815:243-84815:243.

9507240096 Informs of termination of QA program approval 0401, as requested by 950703 ltr.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/21. MANGIONE,J.N. Affiliation Not Assigned. 1p. 84828:353-84828:353.

DOCKET 71-0431 TRUTOM (U.S.), LTD.

9507250285 Requests to cancel QA manual Certificate 0431, immediately.
SORIANO,R. Trutom (U.S.), Ltd. 95/07/12. COSTELLO,F.M. Region 1 (Post 820201). 2pp. 84835:248-84835:252.

9507270144 Advises that QA program approval for radioactive matl package 0431 hereby terminated. Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/24. SORIANO,R. Trutom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-0461 ATLANTIC RESEARCH CORP.

9507190035 Advises licensee that QA program approval 0461 terminated per 950324 request. COC 9029 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. GROVE,M.W. Atlantic Research Corp. 1p. 84788:354-84788:354.

DOCKET 71-0495 SOUTHWEST X-RAY CORP.

9507120167 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
MCINTIRE,M. Southwest X-Ray. 95/07/06. Document Control Branch (Document Control Desk). 4pp. 84681:238-84681:241.

DOCKET 71-0524 RADIATION STERILIZERS, INC.

9507190155 Responds to 950112 ltr re Sterigenics International User fee dispute.
CYR,K.D. Office of the General Counsel (Post 860701). 95/07/10. LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 2pp. 84769:335-84769:341.

-9507190158 Discusses info re Sterigenics International user fee dispute.
TAYLOR,J.T. Ofc of the Executive Director for Operations. 95/07/10. LESSY,R.P. Akin, Gump, Strauss, Hauer & Feld (formerly Akin, Gump, Hauer & Feld). 4pp. 84769:337-84769:341.

9507210181 Forwards QA program approval for radioactive matl package: 0524, Rev 4
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/20. SMITH,M.A. SteriGenics International (formerly Radiation Sterilizers, Inc.). 1p. 84807:335-84807:336.

-9507210186 QA program approval for radioactive matl package: 0524, Rev 4.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/20. 1p. 84807:336-84807:336.

DOCKET 71-0532 WESTERN X-RAY

9507120160 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
PETERS,J. Western X-Ray, Inc. 95/07/05. Document Control Branch (Document Control Desk). 4pp. 84681:246-84681:249.

DOCKET 71-0539 ARROW NDE CO., INC.

9507260136 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
FISHER,R.G. Arrow NDE Co., Inc. 95/01/13. Document Control Branch (Document Control Desk). 4pp. 84839:357-84839:360.

DOCKET 71-0552 OLD DOMINION FABRICATORS

9507130161 Notifies that had staff been aware of licensee matl license termination, staff would have terminated licensee QA program approval at that time, in response to 950626 memo.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/11. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 84676:236-84676:236.

9507190037 Advises licensee that QA program approval 0552 terminated per 941114 request.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. MARTIN,R.M. Old Dominion Fabricators. 1p. 84788:353-84788:353.

DOCKET 71-0579 SENIOR ENGINEERING CO.

9507100359 Forwards completed form re NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
STILES,G.L. Affiliation Not Assigned. 95/07/03. COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 84692:298-84692:303.

9507130127 Forwards completed form mailed on 950317 & certified return receipt, responding to NRC Bulletin 95-001.
STILES,G.L. Senior Engineering Co. (formerly Southwestern Engineering Co.). 95/07/03. COOLD,A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84676:189-84676:194.

DOCKET 71-0583 MINNESOTA VALLEY ENGINEERING, INC.

9507130164 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
MINETTE,R.A. Minnesota Valley Engineering. 95/07/10. Document Control Branch (Document Control Desk). 4pp. 84736:086-84736:089.

DOCKET 71-0600 SHAFER VALVE CO.

9507120282 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
* Shafer Valve Co. 95/01/13. Document Control Branch (Document Control Desk). 4pp. 84698:355-84698:358.

DOCKET 71-0601 CARRIER CORP.

9507310239 Advises that QA Section would have terminated Carrier Corp QA Program. Approval had Section been aware of licensee materials license termination.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/27. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 84903:290-84903:295.

-9507310240 Forwards 950706 ltr from Carrier Corp stating that on 950216 company requested cancellation of NY matl license. Requests response by 950731.
WEISS,D. License Fee & Debt Collection Branch (Post 890827). 95/07/24. JANKOVICH,J. Source Containment & Devices Branch (Post 911213). 1p. 84903:291-84903:291.

-9507310245 Informs NRC that Carrier Corp, Syracuse, NY has discontinued possession of radioactive matls & elected not to renew license 2253-0183.
VENTRESCA,R.D. Carrier Corp. 95/07/06. License Fee & Debt Collection Branch (Post 890827). 4pp. 84903:292-84903:295.

DOCKET 71-0615 ALONSO & CARUS IRON WORKS, INC.

9507110239 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
* Alonso & Carus Iron Works, Inc. 95/06/28. Document Control Branch (Document Control Desk). 4pp. 84695:071-84695:074.

DOCKET 71-0637 WESTERN STRESS, INC.

9507130148 Forwards QA program approval for radioactive matl package: 0637, Rev 2. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/11. HUFFMAN, M.R. Western Stress, Inc. 1p. 84736:092-84736:093.

-9507130150 QA program approval for radioactive matl package: 0637, Rev 2. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/11. 1p. 84736:093-84736:093.

DOCKET 71-0642 RTS TECHNOLOGY, INC.

9507130166 Forwards RAI re 950609 application, requesting amend to QA program approval 0642. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/11. MUNRO, J.J. RTS Technology, Inc. 2pp. 84736:084-84736:085.

9507270019 Responds to 950711 ltr re application for amend to QA program approval for radioactive material package 0642, to authorize design & fabrication of radioactive material packages. MUNRO, J.J. RTS Technology, Inc. 95/07/17. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 4pp. 84874:024-84874:032.

DOCKET 71-0644 PACIFIC COAST TESTING SERVICE, INC.

9507310227 Advises that QA Section would have terminated Pacific Coast Testing Svcs QA Program Approval had Section been aware of licensee materials license termination. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/27. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 1p. 84902:357-84902:360.

-9507310231 Forwards 950707 ltr from Conam Insp, Inc requesting that QA Program Approval 0644 be terminated concurrent w/ Conam acquisition of Pacific Coast Testing Svcs. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 95/07/24. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 1p. 84902:358-84902:358.

-9507310237 Requests that certificate 0644 be terminated & that Conam Insp, Inc be released from liability of fees as indicated in Invoice AMO 6253-95, in response to 950707 conversation. SLACK, R.J. Conam Inspection. 95/07/07. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 2pp. 84902:359-84902:360.

DOCKET 71-0656 PROFESSIONAL WELDING ASSOCIATES, INC.

9507050125 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." MILLER, J. Professional Welding Associates, Inc. 95/06/28. Document Control Branch (Document Control Desk). 4pp. 84565:356-84565:359.

DOCKET 71-0659 TRI STATE ASSOCIATES, INC.

9507050031 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." DUNN, J.A. TRI State Associates, Inc. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84561:358-84561:361.

DOCKET 71-0676 PACTEC, INC.

9507110237 Notifies NRC of licensee new address. * Packaging Technology, Inc. 95/07/11. NRC - No Detailed Affiliation Given. 1p. 84695:075-84695:075.

9507250202 Informs that facility address for licensee as shown on QA program approval 0678, Rev 0 has changed. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/21. BARNES, S. Desert Industrial X-Ray, Inc. 1p. 84835:236-84835:236.

DOCKET 71-0692 T&K INSPECTION

9507110226 Advises that QA program approval for radioactive matl package: 0692 expires on 950831. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. KAIN, K.S. T&K Inspection. 1p. 84695:081-84695:081.

DOCKET 71-0701 NDT SPECIALISTS, INC.

9507060274 Advises that licensee QA program does not meet certain requirements of 10CFR71 Subpart H. Forwards copy of RG 7.10, "Establishing QA Programs for Packaging Used in Transport of Radioactive Matl." w/o encl. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/06/23. SCHNEIDER, L.J. NDT Specialists, Inc. 1p. 84536:249-84536:249.

9507180201 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." SCHNEIDER, L.J. NDT Specialists, Inc. 95/07/05. Document Control Branch (Document Control Desk). 4pp. 84786:001-84786:004.

DOCKET 71-0703 NORDION INTERNATIONAL, INC.

9507110220 Advises that QA program approval for radioactive matl package: 0703 expires on 950731. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. GRAY, P.A. Nordion International, Inc. 1p. 84695:091-84695:091.

9507170329 Forwards QA program approval for radioactive matl packages 0703, Rev 2. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/13. STIRLING, J. Nordion International, Inc. 1p. 84776:303-84776:304.

-9507170331 QA program approval for radioactive matl package: 0703, Rev 2. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/13. 1p. 84776:304-84776:304.

DOCKET 71-0706 S.K. MCBRYDE, INC.

9507110231 Advises that QA program approval for radioactive matl package: 0706 expires on 950831. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/10. BUCHANAN, J.E. S.K. McBryde, Inc. 1p. 84695:080-84695:080.

DOCKET 71-0721 QUALITY SYSTEMS NDE, LTD.

9507030200 Forwards response to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." LANGE, M.J. OSL Inspection, Inc. 95/06/26. COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 84561:031-84561:034.

DOCKET 71-0723 BASIN SERVICES, INC.

9507130154 Notifies that had staff been aware of licensee matls license termination, staff would have terminated licensee QA program approval at that time, in response to 950626 memo. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/11. WEISS, D. License Fee & Debt Collection Branch (Post 890827). 1p. 84736:091-84736:091.

9507190041 Advises licensee that QA program approval 0723 terminated per 921116 termination of matls license. COC numbers 9007, 9036 & 9056 also terminated. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. BOAN, J.W. Basin Services, Inc. 1p. 84788:352-84788:352.

DOCKET 71-0736 VERMONT NONDESTRUCTIVE TESTING, INC.

9507050036 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." Vermont Nondestructive Testing, Inc. 95/06/26. Document Control Branch (Document Control Desk). 4pp. 84561:311-84561:320.

-9507050042 Informs licensee that NRC has not received reply to NRC Bulletin 95-001, mailed to licensee on 950113. COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/21. IRICK, R.F. Vermont Nondestructive Testing, Inc. 3pp. 84561:315-84561:317.

-9507050043 "VT Nondestructive Testing QA Program for Industrial Radiography Source Package Transportation." Vermont Nondestructive Testing, Inc. 95/06/26. 3pp. 84561:318-84561:320.

DOCKET 71-0749 CURTIS INSPECTION SERVICES, INC.

9507050025 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." KELLY, J.F. Curtis Inspection Services, Inc. 95/06/28. Document Control Branch (Document Control Desk). 4pp. 84561:354-84561:357.

DOCKET 71-0770 RUST REMEDIAL SERVICES

9507100077 Forwards QA program approval for radioactive matl packages 0770, Rev 2. JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/05. TREADWAY, S. 1p. 84692:239-84692:240.

-9507100081 QA program approval for radioactive matl package: 0770, Rev 2. JANKOVICH, J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/07/05. 1p. 84692:240-84692:240.

DOCKET 71-0780 WESTERN INDUSTRIAL X-RAY

9507110223 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl." WICKS, L. Western Industrial X-Ray, Inc. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84695:063-84695:065.

DOCKET 71-0783 NORTHWEST INSPECTION & TESTING SERVICES

9507170293 Forwards completed questionnaire on QA program for transportation materials. SHAMEL, W.H. Northwest Inspection & Testing Services, Inc. 95/07/10. COOL, D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84773:344-84773:348.

DOCKET 71-0787 LAFAYETTE TESTING SERVICES

9507260180 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matls." GORNES, J.W. Affiliation Not Assigned. 95/07/19. Document Control Branch (Document Control Desk). 4pp. 84842:181-84842:184.

144 DOCKETED ITEMS

DOCKET 71-0817 MESCALERO ENVIRO, INC.

9507240106 Forwards QA program approval for radioactive material package.0817,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/21.
PESO,F. Mescalero Apache Tribe. 2pp. 84824:333-84824:335.

-9507240108 QA program approval for radioactive matl package.0817,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/21.
1p. 84824:335-84824:335.

DOCKET 71-0819 FAIRFIELD UNIVERSITY

9507170295 Forwards QA program approval for radioactive matl packages 0819,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/13.
NEWTON,V.J. Fairfield Univ., Fairfield, CT. 1p. 84775:351-84775:352.

-9507170297 QA program approval for radioactive matl package.0819,Rev 0.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/
07/13. 1p. 84775:352-84775:352.

DOCKET 71-0821 PENSACOLA TESTING LABS, INC.

9507240082 Forwards QA program approval for radioactive material package 0821,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/20.
WHEELER,P.A. Pensacola Testing Laboratories, Inc. 1p. 84828:342-84828:343.

-9507240083 QA program approval for radioactive matl package.0821,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/20.
1p. 84828:343-84828:343.

DOCKET 71-3027 MODEL: NT-IV TRANSPORTATION, DEPT. OF

9507270107 Ack receipt of messages from prior week.Author apologizes for delay of
response.Author states that proprietary marks went unnoticed but Siemens did notice
& sent encl ltr authorizing release of whatever necessary.
BOYLE,R. Transportation, Dept. of. 95/07/26. WHITE,B. NRC - No Detailed Affiliation
Given. 2pp. 84851:357-84851:358.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9507120257 Application for rev to certificate of compliance 4986 for model RA shipping
package.
KLAPPROTH,J.F. General Electric Co. 95/06/27. HAUJHNEY,C.J. Division of Industrial
& Medical Nuclear Safety (Post 870729). 9pp. 84736:114-84736:244.

-9507120285 "Criticality Safety Analysis for RA-3 Shipping Container w/ Generic 9X9
Fuel Assemblies w/ & w/o Cluster Separators."
* General Electric Co. 95/06/27. 122pp. 84736:123-84736:244.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9507110200 Forwards certificate of compliance 5957,rev 23 for model BMI-1 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/07.
ACHARYA,S. Energy, Dept. of. 1p. 84695:108-84695:119.

-9507110201 Certificate of compliance 5957,rev 23,for model BMI-1.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/07. 11pp.
84695:109-84695:119.

9507110206 Requests addl info re 950418 application,requesting renewal of COC 5957
for model BMI-1 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/07.
ACHARYA,S. Energy, Dept. of. 2pp. 84695:106-84695:107.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9507050190 Requests addl info re 950329 application for amend to COC 6553 for
Model Paducah Tiger package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29.
ACHARYA,S. Energy, Dept. of. 2pp. 84570:166-84570:168.

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9507130099 Requests registration as user of models IR-50,IR-100,6717B,
660,660E,660A,660AE,660B,660BE,660E,680,680E,C-1,SPEC
MATTHEWS,L. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post
911213). 1p. 84684:355-84684:359.

-9507130130 "10CFR71 QA Program for Industrial Radiography Licenses."
* 95/04/28. 4pp. 84684:356-84684:359.

9507190205 Requests registration as user of models 6717-B,AI 500 SU,
650,660,660A,660AE,660B,660BE,660E,680,680E,C-1,SPEC
2-T,20,
20A,50,50A,100,100A,200,200A,IR-50 & SPEC-150.
LANIER,N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material
Safety & Safeguards. 1p. 84785:181-84785:181.

9507190109 Requests registration as user of model 660/660,650,680/680, 6717-B,IR-
100,IR-50,C-1 & 420.
MAGNO,A.C. Glitsch Field Services/NDE, Inc. (formerly Industrial Inspection Indus-
tries, Inc. 95/07/13. BAER,R.L. Source Containment & Devices Branch (Post
911213). 2pp. 84788:349-84788:351.

9507190018 Advises that licensee has been removed as user of COC numbers
6717,9032,9033,9035,9039,9107,9141,9143 & 9147,per 950614 & 0711 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14.
HUFFMAN,M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507190026 Advises that licensee has been registered as user of COC numbers
6717,9033,9156 & 9157 in accordance w/49CFR173.471, per 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14.
MATTHEWS,L. Affiliation Not Assigned. 1p. 84786:331-84786:331.

9507260074 Requests registration as user of COC USA/6717(B/U).
LOGAN,M. Affiliation Not Assigned. 95/07/21. McDONALD,C.E. Transportation
Branch (Post 930207). 1p. 84836:355-84836:355.

DOCKET 71-9001 MODEL: IF-300, NUCLEAR PACKAGING, INC.

9507110241 Requests addl info re 950330 application,requesting renewal & amend of
COC 9001 for Model IF-300 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/07.
TEMUS,C.J. Vectra Technologies, Inc. 2pp. 84694:351-84694:352.

DOCKET 71-9006 MODEL: AI 500 SU, AMERSHAM CORP.

9507110071 Application for renewal of COC 9006 for model 500SU Type B package.
ROUGHAN,C. Amersham Corp. 95/06/28. CHAPPELL,C.R. Office of Nuclear Material
Safety & Safeguards. 1p. 84695:039-84695:039.

9507130092 Requests registration as user of models 680,660,500 SU,650, 771,IR-
100,IR-50 & C-1.
TAYLOR,R. K.O. Steel, Inc. 95/07/06. BAER,R.L. Source Containment & Devices
Branch (Post 911213). 5pp. 84676:184-84676:188.

9507180205 Requests registration as user of models 6717-B,AI 500 SU,
650,660,660A,660AE,660B,660BE,660E,680,680E,C-1,SPEC
2-T,20,
20A,50,50A,100,100A,200,200A,IR-50 & SPEC-150.
LANIER,N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear
Material Safety & Safeguards. 1p. 84785:181-84785:181.

DOCKET 71-9007 MODEL: AI 520, AMERSHAM CORP.

9507190041 Advises licensee that QA program approval 0723 terminated per 921116
termination of matls license.COC numbers 9007, 9036 & 9056 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/14.
BOAN,J.W. Basin Services, Inc. 1p. 84788:352-84788:352.

DOCKET 71-9029 MODEL: 676 & 676E, AMERSHAM CORP.

9507190035 Advises licensee that QA program approval 0461 terminated per 950324
request.COC 9029 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/14.
GROVE,M.W. Atlantic Research Corp. 1p. 84788:354-84788:354.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9507120153 Application for amend to COC 9032 for model 650 source changer.Amend
required due to changes in industrial radiography regulations (10CFR34) requiring
locking mechanism on changers.
ROUGHAN,C. Amersham Corp. 95/06/23. CHAPPELL,C.R. Division of Industrial &
Medical Nuclear Safety (Post 870729). 1p. 84697:256-84697:319.

-9507120159 Rev 3 to "SAR,Amersham Corp,Model 650U/650 Type B(U) Package
USA/9032(B/U)." dtd June 1995.
* Amersham Corp. 95/06/30. 68pp. 84697:259-84697:319.

9507130092 Requests registration as user of models 680,660,500 SU,650, 771,IR-
100,IR-50 & C-1.
TAYLOR,R. K.O. Steel, Inc. 95/07/06. BAER,R.L. Source Containment & Devices
Branch (Post 911213). 5pp. 84676:184-84676:188.

9507210159 Requests registration as user of COCs USA/9032(B/U), USA/9033(B/U) &
USA/9156(B/U) for Amersham 650 package, Amersham 660A package & industrial
Nuclear IR-50 package, respectively.
MINETTE,R. Minnesota Valley Engineering. 95/07/10. Office of Nuclear Material
Safety & Safeguards. 1p. 84811:345-84811:346.

9507210343 Requests registration as user of Amersham Corp Models 650 & 660 "B"
packages USA/9032 B(u) & USA/9033/B (U),shipping container & GAMMA Ray pro-
jector.
ENGLER,S.L. Sun Ray Testing International, Inc. 95/07/12. MACDONALD,C.E. Transportation
Branch (Post 930207). 13pp. 84821:243-84821:264.

9507180205 Requests registration as user of models 6717-B,AI 500 SU,
650,660,660A,660AE,660B,660BE,660E,680,680E,C-1,SPEC
2-T,20,
20A,50,50A,100,100A,200,200A,IR-50 & SPEC-150.
LANIER,N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material
Safety & Safeguards. 1p. 84785:181-84785:181.

9507190109 Requests registration as user of model 660/660,650,680/680, 6717-B,IR-
100,IR-50,C-1 & 420.
MAGNO,A.C. Glitsch Field Services/NDE, Inc. (formerly Industrial Inspection Indus-
tries, Inc. 95/07/13. BAER,R.L. Source Containment & Devices Branch (Post
911213). 2pp. 84788:349-84788:351.

9507190018 Advises that licensee has been removed as user of COC numbers
6717,9032,9033,9035,9039,9107,9141,9143 & 9147,per 950614 & 0711 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14.
HUFFMAN,M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507260062 Requests registration as user of COC USA/9032(B/U) for Amersham
Model 650 & COC USA/9033(B/U) for Amersham Model 660B.
THOMPSON,J.M. Industrial NDT Co. 95/07/17. BAER,R.L. Source Containment / De-
vices Branch (Post 911213). 1p. 84875:157-84875:158.

9507270144 Advises that QA program approval for radioactive matl package 0431 hereby terminated. Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/24.
SORIANO, R. Trutrom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9507130099 Requests registration as user of models IR-50, IR-100, 671B, 660, 660E, 660A, 660AE, 660B & 660BE. QA program encl.
MATTHEWS, L. 95/04/28. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84684:355-84684:359.

-9507130130 "10CFR71 QA Program for Industrial Radiography Licenses"
95/04/28. 4pp. 84694:356-84684:359.

9507110070 Application for renewal of COC 9033 for model 660 Type B device.
ROUGHAN, C. Amersham Corp. 95/06/28. CHAPPELL, C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84695:146-84695:146.

9507130092 Requests registration as user of models 680, 660, 500 SU, 650, 771, IR-100, IR-50 & C-1.
TAYLOR, R. K.O. Steel, Inc. 95/07/06. BAER, R.L. Source Containment & Devices Branch (Post 911213). 5pp. 84676:184-84676:188.

9507210092 Requests registration as user of model TECH OPS 660 gamma radiography exposure device. COC USA/9033/B(U).
GOINT, M.R. Affiliation Not Assigned. 95/07/07. MCDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84796:353-84796:356.

9507210159 Requests registration as user of COCs USA/9032/B(U), USA/9033/B(U) & USA/9156/B(U) for Amersham 650 package, Amersham 660A package & Industrial Nuclear IR-50 package, respectively.
MINETTE, R. Minnesota Valley Engineering. 95/07/10. Office of Nuclear Material Safety & Safeguards. 1p. 84811:345-84811:346.

9507210343 Requests registration as user of Amersham Corp Models 650 & 660 "B" packages USA/9032 B(U) & USA/9033/B (U), shipping container & GAMMA Ray projector.
ENGLER, S.L. Sun Ray Testing International, Inc. 95/07/12. MACDONALD, C.E. Transportation Branch (Post 930207). 13pp. 84821:243-84821:264.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660B, 660BE, 660E, 680, 680E, C-1, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150.
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

9507190109 Requests registration as user of model 660/660, 650, 680/680, 6717-B, IR-100, IR-50, C-1 & 420.
MAGNO, A.C. Gitsch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13. BAER, R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84788:349-84788:351.

9507190018 Advises that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9039, 9107, 9141, 9143 & 9147, per 950614 & 0711 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN, M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507190026 Advises that licensee has been registered as user of COC numbers 6717, 9033, 9156 & 9157 in accordance w/ 49CFR173.471, per 950428 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. MATTHEWS, L. Affiliation Not Assigned. 1p. 84786:331-84786:331.

9507260062 Requests registration as user of COC USA/9032/B(U) for Amersham Model 650 & COC USA/9033/B(U) for Amersham Model 660B.
THOMPSON, J.M. Industrial NDT Co. 95/07/17. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84875:157-84875:158.

9507260269 Forwards ltr stating correct Type B package identification number for packages used by NDE, Inc., per 950720 telcon.
COFER, P. Affiliation Not Assigned. 95/07/20. ZIEGLER, E. NRC - No Detailed Affiliation Given. 1p. 84845:350-84845:352.

-9507260306 Requests registration as user of models 660, 660A, 660AE, 660B, 660BE & 660E.
COFER, P. Affiliation Not Assigned. 95/07/20. ZIEGLER, P. Office of Nuclear Material Safety & Safeguards. 1p. 84845:351-84845:351.

-9507260307 Requests registration as user of Type B packages 4516, B1132 & B 137.
COFER, P. Affiliation Not Assigned. 95/07/12. Office of Nuclear Material Safety & Safeguards. 1p. 84845:352-84845:352.

9507270144 Advises that QA program approval for radioactive matl package 0431 hereby terminated. Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/24.
SORIANO, R. Trutrom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9507130092 Requests registration as user of models 680, 660, 500 SU, 650, 771, IR-100, IR-50 & C-1.
TAYLOR, R. K.O. Steel, Inc. 95/07/06. BAER, R.L. Source Containment & Devices Branch (Post 911213). 5pp. 84676:184-84676:188.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660B, 660BE, 660E, 680, 680E, C-1, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150.
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

9507190109 Requests registration as user of model 660/660, 650, 680/680, 6717-B, IR-100, IR-50, C-1 & 420.
MAGNO, A.C. Gitsch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13. BAER, R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84788:349-84788:351.

9507190018 Advises that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9039, 9107, 9141, 9143 & 9147, per 950614 & 0711 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN, M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507260062 Application for amend to QA program approval for COC 9035 re Amersham models 680, 680E, 680A, 680AE, 680B & 680BE.
BUCHANAN, J.E. S.K. McBryde, Inc. 95/07/17. BAER, R.L. Source Containment & Devices Branch (Post 911213). 1p. 84836:354-84836:354.

9507270144 Advises that QA program approval for radioactive matl package 0431 hereby terminated. Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/24.
SORIANO, R. Trutrom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9507130092 Requests registration as user of models 680, 660, 500 SU, 650, 771, IR-100, IR-50 & C-1.
TAYLOR, R. K.O. Steel, Inc. 95/07/06. BAER, R.L. Source Containment & Devices Branch (Post 911213). 5pp. 84676:184-84676:188.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660B, 660BE, 660E, 680, 680E, C-1, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150.
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

9507190109 Requests registration as user of model 660/660, 650, 680/680, 6717-B, IR-100, IR-50, C-1 & 420.
MAGNO, A.C. Gitsch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13. BAER, R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84788:349-84788:351.

9507190041 Advises licensee that QA program approval 0723 terminated per 921116 termination of matl license. COC numbers 9007, 9036 & 9056 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. BOAN, J.W. Basin Services, Inc. 1p. 84788:352-84788:352.

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9507190018 Advises that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9039, 9107, 9141, 9143 & 9147, per 950614 & 0711 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN, M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660B, 660BE, 660E, 680, 680E, C-1, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150.
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

9507190041 Advises licensee that QA program approval 0723 terminated per 921116 termination of matl license. COC numbers 9007, 9036 & 9056 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/14. BOAN, J.W. Basin Services, Inc. 1p. 84788:352-84788:352.

DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.

9507130092 Requests registration as user of models 680, 660, 500 SU, 650, 771, IR-100, IR-50 & C-1.
TAYLOR, R. K.O. Steel, Inc. 95/07/06. BAER, R.L. Source Containment & Devices Branch (Post 911213). 5pp. 84676:184-84676:188.

9507190018 Advises that licensee has been removed as user of COC numbers 6717, 9032, 9033, 9035, 9039, 9107, 9141, 9143 & 9147, per 950614 & 0711 request.
CHAPPELL, C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN, M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507270144 Advises that QA program approval for radioactive matl package 0431 hereby terminated. Authority to use COCs 9032, 9033, 9035, 9107, 9143 & 9147 under provisions of 10CFR71.12 also terminated.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/07/24.
SORIANO, R. Trutrom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-9126 MODEL: 20, 20A, 50, & 50A, AMERSHAM CORP.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660B, 660BE, 660E, 680, 680E, C-1, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150.
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

DOCKET 71-9127 MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.

9507180205 Requests registration as user of models 6717-B, AI 500 SU, 650, 660, 660A, 660AE, 660B, 660BE, 660E, 680, 680E, C-1, SPEC 2-T, 20, 20A, 50, 50A, 100, 100A, 200, 200A, IR-50 & SPEC-150.
LANIER, N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

146 DOCKETED ITEMS

DOCKET 71-9141 MODEL: 900, AMERSHAM CORP.

9507190018 Advises that licensee has been removed as user of COC numbers 6717,9032,9033,9035,9039,9107,9141,9143 & 9147 per 950614 & 0711 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN,M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

DOCKET 71-9143 MODEL: 920, AMERSHAM CORP.

9507190018 Advises that licensee has been removed as user of COC numbers 6717,9032,9033,9035,9039,9107,9141,9143 & 9147 per 950614 & 0711 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN,M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507270144 Advises that QA program approval for radioactive mail package 0431 hereby terminated. Authority to use COCs 9032, 9033,9035,9107,9143 & 9147 under provisions of 10CFR71.12 also terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/24. SORIANO,R. Trutrom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-9147 MODEL: 850, AMERSHAM CORP.

9507190018 Advises that licensee has been removed as user of COC numbers 6717,9032,9033,9035,9039,9107,9141,9143 & 9147 per 950614 & 0711 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. HUFFMAN,M.R. Western Stress, Inc. 1p. 84788:355-84788:355.

9507270144 Advises that QA program approval for radioactive mail package 0431 hereby terminated. Authority to use COCs 9032, 9033,9035,9107,9143 & 9147 under provisions of 10CFR71.12 also terminated. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/24. SORIANO,R. Trutrom (U.S.), Ltd. 1p. 84874:088-84874:088.

DOCKET 71-9150 MODEL: PAT-2, ENERGY, DEPT. OF

9507110056 Requests registration as user of model PAT-2. Container will be used for importing radioactive mail to DOE. KARSTEN,K.R. Amersham Holdings, Inc. 95/06/21. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84695:147-84695:147.

9507190021 Advises that licensee has been registered as user of COC 9150 in accordance w/ general license provisions of 10CFR71.12 per 950621 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. KARSTEN,K.R. Amersham Holdings, Inc. 1p. 84788:348-84788:348.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9507130099 Requests registration as user of models IR-50,IR-100,6717B, 660,660E,660A,660AE,660B & 660BE. QA program encl. MATTHEWS,L. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84684:355-84684:359.

-9507130130 "10CFR71 QA Program for Industrial Radiography Licenses."
* 95/04/28. 4pp. 84684:356-84684:359.

9507130092 Requests registration as user of models 680,660,500 SU,650, 771,IR-100,IR-50 & C-1. TAYLOR,R. K.O. Steel, Inc. 95/07/06. BAER,R.L. Source Containment & Devices Branch (Post 911213). 5pp. 84676:184-84676:188.

9507210159 Requests registration as user of COCs USA/9032/B(U), USA/9033/B(U) & USA/9155/B(U) for Amersham 650 package, Amersham 660A package & Industrial Nuclear IR-50 package, respectively. MINETTE,R. Minnesota Valley Engineering. 95/07/10. Office of Nuclear Material Safety & Safeguards. 1p. 84811:345-84811:346.

9507180205 Requests registration as user of models 6717-B,Al 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,C-1,SPEC 2-T,20, 20A,50,50A,100,100A,200,200A,IR-50 & SPEC-150. LANIER,N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785:181-84785:181.

9507190109 Requests registration as user of model 650/660,650,680/680, 6717-B,IR-100,IR-50,C-1 & 420. MAGNO,A.C. Giltch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13. BAER,R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84788:349-84788:351.

9507190026 Advises that licensee has been registered as user of COC numbers 6717,9033,9156 & 9157 in accordance w/49CFR173.471, per 950428 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. MATTHEWS,L. Affiliation Not Assigned. 1p. 84786:331-84786:331.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9507130099 Requests registration as user of models IR-50,IR-100,6717B, 660,660E,660A,660AE,660B & 660BE. QA program encl. MATTHEWS,L. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84684:355-84684:359.

-9507130130 "10CFR71 QA Program for Industrial Radiography Licenses."
* 95/04/28. 4pp. 84684:356-84684:359.

9507130092 Requests registration as user of models 680,660,500 SU,650, 771,IR-100,IR-50 & C-1. TAYLOR,R. K.O. Steel, Inc. 95/07/06. BAER,R.L. Source Containment & Devices Branch (Post 911213). 5pp. 84676:184-84676:188.

9507190109 Requests registration as user of model 650/660,650,680/680, 6717-B,IR-100,IR-50,C-1 & 420. MAGNO,A.C. Giltch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13. BAER,R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84788:349-84788:351.

9507190026 Advises that licensee has been registered as user of COC numbers 6717,9033,9156 & 9157 in accordance w/49CFR173.471, per 950428 request. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/14. MATTHEWS,L. Affiliation Not Assigned. 1p. 84786:331-84786:331.

DOCKET 71-9176 MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.

9507200188 Requests registration as user of Chem-Nuclear Sys, Inc. CNSI 14-215H Series A radioactive matrix shipping cask. VANDALE,M.T. Yankee Atomic Electric Co. 95/07/12. CHAPPELL,C.R. Transportation Branch (Post 930207). 1p. 84816:319-84816:319.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9507110236 Requests add info re 941214 application, requesting amend to COC 9228 for model 2000 package. CHAPPELL,C.R. Source Containment & Devices Branch (Post 911213). 95/07/07. CUNNINGHAM,G.E. General Electric Co. 4pp. 84695:076-84695:079.

9507180445 Forwards certificate of compliance 9228, rev 7 for model 2000 package, as requested by 950519 application. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/13. CUNNINGHAM,G.E. General Electric Co. 1p. 84786:066-84786:073.

-9507180449 Certificate of compliance 9228, rev 7, for model 2000. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/07/13. 7pp. 84786:067-84786:073.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9507120211 Forwards test data responding to NRC 941222 questions re tests & evaluations conducted by licensee. ARNOLD,W.M. Nuclear Containers, Inc. 95/06/13. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 145pp. 84695:148-84695:293.

DOCKET 71-9245 MODEL: RTS-420, RTS TECHNOLOGY, INC.

9507190109 Requests registration as user of model 660/660,650,680/680, 6717-B,IR-100,IR-50,C-1 & 420. MAGNO,A.C. Giltch Field Services/NDE, Inc. (formerly Industrial Inspection Industries, Inc. 95/07/13. BAER,R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84788:349-84788:351.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9507120139 Forwards Siemens drawing EMF-309,141, Rev 0 to replace drawing EMF-610,510, sheets 1-3 in 5(b)(2)(iii) during next rev of COC 9248. EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/20. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84684:229-84684:232.

9507050189 Requests add info re 940922 application & suppl, dtd 950315, re amend to COC 9248 for Model SP-1 & SP-2 packages. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/30. EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84570:164-84570:165.

DOCKET 71-9251 MODEL: BW-2901, B&W FUEL CO.

9507240477 Forwards evaluation, performed to determine safety significance of non-conformances noted in insp of 20 different shipping containers. KNAPP,K.S. B&W Fuel Co. 95/06/28. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 84816:356-84816:360.

9507130067 Forwards Rev 4 to application for use of BW-2901 shipping container for transport of radioactive mail. KNAPP,K.S. B&W Fuel Co. 95/07/07. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 9pp. 84696:069-84696:156.

-9507130072 Rev 4 to application for use of BW-2901 shipping container for transport of radioactive mail. KNAPP,K.S., WILKERSON,T.S., FORD,J.T. B&W Fuel Co. 95/07/07. 75pp. 84696:078-84696:156.

DOCKET 71-9259 MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL

9507100092 Forwards COC 9259, Rev 0 for Model Trojan SG package. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29. QUENNOZ,S.M. Pacific Gas & Electric Co. 1p. 84692:140-84692:152.

-9507100096 Certificate of compliance 9259, rev 0, for model Trojan SG package. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29. 3pp. 84692:141-84692:143.

-9507100101 SER accepting Trojan SG package. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29. 9pp. 84692:144-84692:152.

DOCKET 71-9260 MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC

9507100176 Forwards COC 9260, Rev 0 for Model Trojan pressurizer package. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29. QUENNOZ,S.M. Pacific Gas & Electric Co. 1p. 84690:302-84690:313.

-9507100181 Certificate of compliance 9260,rev 0,for model Trojan pressurizer package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/29. 3pp. 84690.303-84690.305.

-9507100278 SER concluding that Trojan Pressurizer package meets requirements of 10CFR71.
* Office of Nuclear Material Safety & Safeguards. 95/06/29. 9pp. 84690.306-84690.313.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9507050273 Forwards nonproprietary & proprietary versions of Rev 2 to rept HI-951251, "10CFR71 SAR for Packaging for...Storage, Transport & Repository Cask Sys..." consisting of updated mail for shielding calculations. Proprietary rept withheld.
SOLER,A.I. Holtec International. 95/06/21. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 13pp. 84570.041-84570.081.

-9507050275 Nonproprietary Rev 2 to "10CFR71 SAR for Packaging for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)."
* Holtec International. HI-951251 R02. 95/06/21. 27pp. 84570.054-84570.081.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9507210103 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
BROOKS,C. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 84796.358-84796.360.

9507180295 Requests registration as user of models 6717-B,AI 500 SU, 650,660,660A,660AE,660B,660BE,660E,680,680E,C-1,SPEC 2-T,20, 20A,50,50A,100,100A,200,200A,IR-50 & SPEC-150.
LANIER,N.P. Technical Welding Laboratories, Inc. 95/07/13. Office of Nuclear Material Safety & Safeguards. 1p. 84785.181-84785.181.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 GENERAL ELECTRIC CO., MORRIS OPERATIONS, 70-1308

9507190155 Informs of review of self-guarantee financial assurance submittal documents dtd 950323. Subj documents found in compliance w/criteria in 10CFR30 App C, "Criteria Re Use of Financial Tests & Self-Guaranties, for Decommissioning."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/10. SCHINDLER,W.H. General Electric Co. 1p. 84736.090-84736.090.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9507060154 Forwards facility changes for 1994
HAMPTON,J.W. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 65pp. 84573.265-84573.329.

9507120029 Forwards cover page of 1994 update to FSAR for Oconee ISFSI.
HAMPTON,J.W. Duke Power Co. 95/06/30. Office of Nuclear Material Safety & Safeguards. 3pp. 84681.300-84681.302.

9507200004 Forwards CAL issued to VECTRA Technologies re standardized NUHOMS-24P dry shielded canisters & transfer casks used w/ISFSI.
WIENS,L.A. 95/07/13. HAMPTON,J.W. Duke Power Co. 3pp. 84739.347-84739.352.

DOCKET 72-0005 ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301

9507180073 Forwards insp repts 50-266/95-06 & 50-301/95-06 on 950505-0616. No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/07/10. LINK,R. Wisconsin Electric Power Co. 2pp. 84780.344-84780.357.

-9507180074 Insp repts 50-266/95-06 & 50-301/95-06 on 950505-0616. No violations noted. Major areas inspected: operations, engineering, maint & plant support.
FARBER,M.J. Region 3 (Post 820201). 95/07/10. 12pp. 84780.346-84780.357.

9507200134 Informs that NRC continues to believe that requirement applicable for licensee that proposes to store spent nuclear fuel in ISFSI under license issued in Subpart K of 10CFR72.
HANSEN,A.G. 95/07/14. LINK,R.E. Wisconsin Electric Power Co. 4pp. 84752.330-84752.333.

9507260125 Discusses ISFSI preoperational testing & forwards summary of results of load testing of MSB transfer cask.
LINK,B. Wisconsin Electric Power Co. 95/07/21. Document Control Branch (Document Control Desk). 3pp. 84875.173-84875.175.

DOCKET 72-0007 ISFSI PALISADES GEN LIC/VSC-24, 50-255

9507180101 Sixth partial response to FOIA request for documents. App H documents encl & placed in PDR. Releasable portions of records identified in App I also encl (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/10. GLITZENSTEIN,E. Affiliation Not Assigned. 5pp. 84723.118-84723.235.

-9507180116 Informs that author attended NMSS prebrief for B Bernero on Palisades dry cask storage pads as result of R Landsman ltr to Chairman Selin. EDO briefing scheduled for 940303. Supporting documentation encl.
HSIA,A.H. Plant Systems Branch. 94/03/01. MARSH,L.B. Division of Radiation Safety & Safeguards (Post 921004). 17pp. 84723.125-84723.141.

-9507180122 Trip rept of 940405 site visit to audit licensee analysis on ISFSI storage pad.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/04/06. MARSH,L.M. Project Directorate III-3. 5pp. 84723.142-84723.146.

-9507180141 Forwards highlight of plant dry cask storage.
BAGCHI,G. Civil Engineering & Geosciences Branch. 94/04/12. HSIA,A.H. Probabilistic Safety Assessment Branch. 2pp. 84723.148-84723.149.

-9507180145 Confirms discussion re ISFSI audit at plant, including response spectrum & slope stability. Licensee currently taking necessary steps to address seismic issues re ISFSI raised by NRC.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/04/13. LANDSMAN,R.B. Region 3 (Post 820201). 1p. 84723.150-84723.150.

-9507180155 Informs that there will be conference call w/plant on 950506 to discuss preliminary conclusions from NRC independent assessment of dry cask storage pad & licensee assessment.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/05/04. BAGCHI,G. Civil Engineering & Geosciences Branch. ZWOLINSKI,J.A. Division of Reactor Projects - I/II (Post 870411). MARSH,L.B. Project Directorate I-1. 1p. 84723.151-84723.151.

-9507180164 Informs that there will be conference call today w/Region III & licensee to discuss preliminary results from ISFSI pad analysis.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/05/06. OLSHAN,L.N. Project Directorate I-2. REAMER,W.C. Office of the General Counsel (Post 860701). BEECHER,W.M. Office of Public Affairs (Pre 870413). 1p. 84723.152-84723.152.

-9507180175 Informs that there will be conference call on 940512 w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/05/09. ZWOLINSKI,J.A. Division of Reactor Projects - I/II (Post 870411). MARSH,L.B. Project Directorate I-1. OLSHAN,L.N. Project Directorate I-2. 2pp. 84723.153-84723.154.

-9507180191 Forwards mails on dry cask storage facility which were sent to util on 940510.
SMEDLEY,D. Sargent & Lundy, Inc. 94/05/12. KROPP,W. Region 3 (Post 820201). 22pp. 84723.155-84723.176.

-9507180197 Forwards pages from App A1 to EA-FC-864-046-A1, Rev 0, "Seismic Evaluation of Dry Cask Storage Facility," which was sent to util on 940509.
SMEDLEY,D. Sargent & Lundy, Inc. 94/05/11. KROPP,W. Region 3 (Post 820201). 53pp. 84723.177-84723.229.

-9507180202 Informs of arrangement made to have bridge number for plant ISFSI public meeting on 940516 in Rockville, MD to discuss plant restart issues. Portions of encl partially deleted.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/05/12. ZWOLINSKI,J.A. Division of Reactor Projects - I/II (Post 870411). MARSH,L.B. Project Directorate I-1. DEAN,W.M. Office of the Executive Director for Operations. 6pp. 84723.230-84723.235.

9507210295 FOIA request for records authored by Dr R Landsman since 1989 re spent fuel or dry cask storage.
WILLIAMS,O.G. JRA Associates. 94/12/14. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797.005-84797.005.

9507210296 Final response to FOIA request for records. App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. WILLIAMS,O.G. JRA Associates. 2pp. 84797.006-84797.016.

-9507210303 Forwards comments on draft info notice re dry cask storage, including short paragraph from Dr R Landsman about dynamic analysis of pad & foundation.
GREENMAN,E.G. Region 3 (Post 820201). 94/12/13. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 84797.010-84797.016.

9507250176 Forwards proprietary Siemens Power Corp (SPC) rept EMF-94-160, "Temp Criteria for Quenching of Fuel in Dry Storage" & ltr from SPC to CPC which resolves various CPC comments on subj rept. Rept withheld per 10CFR2.790(b).
HAAS,K.M. Consumers Power Co. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84828.251-84828.251.

DOCKET 72-0006 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9507200269 Forwards CAL issued to VECTRA Technologies, Inc. CAL identifies actions to be taken as result of NRC insp findings during insp of Raner fabrication contractor for VECTRA.
MCDONALD,D.G. Proj. Directorate I-1 (PD1-1) (Post 941001). 95/07/14. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 84771.329-84771.334.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9507190043 Discusses info re amend to license SNM-2504 for ISFSI which would permit repowering Fort St Vrain site w/natural gas-fired combustion turbines & heat recovery SGs.
FISHER,M.J. Public Service Co. of Colorado. 95/07/12. STURZ,F.C. Source Containment & Devices Branch (Post 911213). 2pp. 84768.359-84768.360.

9507250288 Requests that NRC review & approve proposed rev to plant "ISFSI Operational Quality Program" & change to QA program re radioactive mat packages 0346.
FISHER,M.J. Public Service Co. of Colorado. 95/07/19. Office of Nuclear Material Safety & Safeguards. 2pp. 84835.331-84835.354.

-9507250290 "ISFSI Operational Quality Program."
* Public Service Co. of Colorado. 95/07/13. 21pp. 84835.333-84835.354.

9507310258 Forwards proposed amend to ISFSI TS. Changes involve membership of ISFSI Safety Review Committee & reflect organization util will use for long term operation & maint of ISFSI, as described in util 950719 ltr.
CRAWFORD,A.C. Public Service Co. of Colorado. 95/07/21. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 84919.009-84919.020.

-9507310262 Application for amend to license SNM-2504, revising TS re membership of ISFSI Safety Review Committee, reflecting organization util will use for long term operation & maint of ISFSI & deleting ref to FSU 10CFR50 P.
CRAWFORD,A.C. Public Service Co. of Colorado. 94919.011-84919.013.

148 DOCKETED ITEMS

-9506010152 Proposed tech specs, involving membership of ISFSI Safety Review Committee, reflecting organization util will use for long term operation & maint of ISFSI & deleting ref to FSU 10CFR50 POL.
* Public Service Co. of Colorado, 95/07/21. 7pp. 84919:014-84919:020.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9507030135 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19.
GUNTER, P.V. Nuclear Information & Resource Service. 31pp. 84518:269-84518:322.

-9507030138 Notice of receipt of petition for Director's Decision under 10CFR2.206 submitted on 950605. Request: immediate suspension of plant FOLs until exam of pressure boundary exams & SA of irradiated fuel retrievability plan can be completed.
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84518:300-84518:304.

9507070010 Forwards insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 950328-0515. Noncited violation noted.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. WATZLE, Northern States Power Co. 5pp. 84530:010-84530:039.

-9507070029 Insp repts 50-282/95-06, 50-306/95-06 & 72-0010/95-06 on 950328-0515. Noncited violation noted. Major areas inspected: licensee followup on previously identified items, operational safety verification & ESFS.
KROPP, W.J. Region 3 (Post 820201). 95/06/27. 25pp. 84530:015-84530:039.

9507180156 Forwards insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 950124-0511 & NOV.
GREENMAN, E.G. Region 3 (Post 820201). 95/06/30. WATZLE, Northern States Power Co. 7pp. 84783:267-84783:305.

-9507180161 Notice of violation from insp on 950124-0511 Violation noted: cask unloading, loading & unloading activities not prescribed by approved procedures of type appropriate to circumstances as evidence.
* Region 3 (Post 820201). 95/06/30. 2pp. 84783:274-84783:275.

-9507180166 Insp repts 50-282/95-02, 50-306/95-02 & 72-0010/95-02 on 950124-0511 Violations noted: Major areas inspected: cask handling sys, loading, unloading, maint & surveillance procedures.
KROPP, W.J. Region 3 (Post 820201). 95/06/30. 30pp. 84783:276-84783:305.

9507200347 Responds to 950521 ltr re concerns raised w/respect to NRC response to 10CFR2.206 petition requesting certain actions including immediate suspension of plant Units 1 & 2 operating licenses held by NSP.
HANNON, J.N. 95/07/12. B. ORAL, T.S.J. Affiliation Not Assigned. 5pp. 84752:161-84752:208.

-9507200355 Requests immediate action & response re issues raised by Prairie Island Coalition Against Nuclear Storage & NIRS in 950605 ltr. Petition filing under 10CFR2.206.
BJORAL, T.S.J. 95/06/21. THE CHAIRMAN, SELINI, Commissioners (Post 750119). 3pp. 84752:196-84752:206.

9507180305 Responds to Prairie Island Coalition Against Nuclear Storage analysis which expresses concern that dry cask storage facility at Prairie Island site vulnerable to man-transportable anti-tank ground warfare weapons.
HANNON, J.N. 95/07/13. CROCKER, G. 2pp. 84696:240-84696:241.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9507140340 Forwards amend 0 to physical protection plan & rev 0 to training & qualification plan for Rancho Seco ISFSI. Encls withheld per 10CFR73.21.
REDEKER, S.J. Sacramento Municipal Utility District. 95/05/08. WEISS, S. Document Control Branch (Document Control Desk). 3pp. 84760:034-84760:036.

9507170073 Forwards proposed "Rancho Seco ISFSI Decommissioning Plan." Plan outlines util strategy for decommissioning ISFSI & expands upon Section 9.6 of ISFSI SAR.
REDEKER, S. Sacramento Municipal Utility District. 95/06/27. Document Control Branch (Document Control Desk). 1p. 84747:079-84747:156.

-9507170078 Proposed "Rancho Seco ISFSI Decommissioning Plan."
* Sacramento Municipal Utility District. 95/06/27. 77pp. 84747:080-84747:156.

DOCKET 72-0014 ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346

9507130153 Provides notification for first storage of spent nuclear fuel per 10CFR72.212(b)(1)(i). Fuel storage activities currently scheduled to commence on 951002.
STETZ, J.P. Centennial Energy. 95/06/30. PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 1p. 84736:098-84736:098.

DOCKET 72-0015 ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-319

9507200084 Forwards CAL issued 950707 to VECTRA Technologies, Inc, concerning insp of NUHOMS-24P sys for licensee reference.
DROMERICK, A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/07/14.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 84752:351-84752:357.

DOCKET 72-0016 VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339

9507060378 Forwards "Notice of Consideration of Issuance of Materials License for Storage of Spent Fuel & Notice of Opportunity for Hearing."
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/28.
O'HANLON, J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84559:153-84559:160.

-9507060380 Notice of consideration of issuance of material license & proposed NSHC determination & opportunity for hearing. Amend will authorize applicant to store spent fuel in dry storage cask sys.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/06/28. 6pp. 84559:155-84559:160.

DOCKET 72-0018 PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306

9507060374 Responds to 950601 ltr stating you were not invited to 950605 meeting held at NRC headquarters w/util. Summary of discussions at meeting encl.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21.
WURST, J. Minnesota, State of. 2pp. 84540:062-84540:063.

9507060386 Summary of 950605 meeting w/ still in Rockville, MD re util progress in selecting site for second ISFSI needed to be built.
SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 84540:055-84540:057.

DOCKET 72-1002 MODEL: MAC S/T, NUCLEAR ASSURANCE CORP.

9507070109 Responds to telcon on 950625 re info to facilitate thermal review which focuses on heat flow in cask basket.
STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/26.
TJERSLAND, G. Nuclear Assurance Corp. 1p. 84555:195-84555:195.

DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM

9507070473 Forwards addl info as part of insp of VECTRA/RANOR on 950620-23. Info provided for review as directed by T Matula.
RODGERS, D.E. Vectra Technologies, Inc. 95/06/30. BAER, R. NRC - No Detailed Affiliation Given. 43pp. 84579:262-84579:304.

9507110336 Issues CAL listing actions NRC understand VECTRA Technologies, Inc will take re safety concerns noted in insp of Ranor, Inc on 950620-23.
PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/07/07.
FRANCESCHI, V. Vectra Technologies, Inc. 4pp. 84694:333-84694:336.

9507120200 informs that "SAR for Standardized NUHOMS Horizontal Module Storage Sys for Irradiated Fuel, NUH-003, Rev 3A, Vol II, Proprietary Suppl." will be withheld from public disclosure.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/07/10. AXLINE, J. Vectra Technologies, Inc. 2pp. 84699:351-84699:352.

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9507060385 Forwards questions re SNC VSC-24 cask certificate amend re 950619 NRC telcon w/Sierra Nuclear Corp.
STURZ, F. Office of Nuclear Material Safety & Safeguards. 95/06/28.
THOMPSON, T.C. Sierra Nuclear, Inc. 4pp. 84540:064-84540:067.

DOCKET 72-1008 MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL

9507050253 Forwards nonproprietary & proprietary versions of Rev 2 to "10CFR72 Topical SAR for Holtec Intl Storage, Transport & Repository Cask Sys..." consisting of updated matl for shielding calculations. Proprietary version of rept withheld.
SOLER, A.I. Holtec International. 95/06/21. HAUGHNEY, C. Division of Industrial & Medical Nuclear Safety (Post 870729). 13pp. 84569:270-84569:315.

-9507050257 Nonproprietary Rev 2 "10CFR72 Topical SAR for Holtec Intl Storage, Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)."
* Holtec International. HI-941184 R02. 95/06/21. 33pp. 84569:283-84569:315.

DOCKET 72-1009 DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE

9507070469 Requests pre-application technical exchange meeting be held to discuss proprietary features & design details under consideration for implementation of Multi-Purpose Canister sys design.
HOPPER, J.P. Westinghouse Electric Corp. 95/06/13. TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 11pp. 84619:338-84619:348.

9507100303 Forwards meeting announcement for proprietary MPC presubmittal consultation meeting to be held between NRC, DOE & Westinghouse on 950629.
TRAVERS, W.D. NRC - No Detailed Affiliation Given. 95/06/15. Nevada, State of. 6pp. 84692:111-84692:117.

9507070466 informs that DOE, through contractor TRW Environ Safety Sys, Inc entered into fixed-price contract w/Westinghouse to develop designs for certain components of Multi-Purpose Canister based sys.
WILLIAMS, J.R. Energy, Dept. of. 95/06/16. TRAVERS, W. Office of Nuclear Material Safety & Safeguards. 3pp. 84619:242-84619:244.

9507190130 Forwards minutes from 950608 technical exchange between NRC, LOE & Westinghouse on Multi-Purpose Canister preliminary design.
TRAVERS, W.D. Office of Nuclear Material Safety & Safeguards. 95/07/14.
MILNER, R. Energy, Dept. of. 74pp. 84789:247-84789:320.

DOCKET 72-1012 DOE-MPC-24B FOR BWR FUEL

9507100303 Forwards meeting announcement for proprietary MPC presubmittal consultation meeting to be held between NRC, DOE & Westinghouse on 950629.
TRAVERS, W.D. NRC - No Detailed Affiliation Given. 95/06/15. Nevada, State of. 6pp. 84692:111-84692:117.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

- 9507060034** Staff requirements memo re 950622 affirmation/discussion & vote. HOYLE,J.C. Office of the Secretary of the Commission. M950622A. 95/06/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. STOIBER,C.R. Ofc of International Programs (Post 911117). CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 4pp. 84531:356-84531:359.
- 9507060050** Staff requirements memo re plans to develop guidance on use of expert elicitation in HLW performance assessments. HOYLE,J.C. Office of the Secretary of the Commission. M950621B. 95/06/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84536:154-84536:155.
- 9507060282** Staff requirements memo re SECY-95-153. "Licensing Support Sys Senior Mgt Team Recommendations on Direction of Licensing Support Sys." HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84536:274-84536:274.
- 9507060299** Staff requirements memo re SECY-95-138. "Rept to Congress on Abnormal Occurrences for Jan-Mar 1995." HOYLE,J.C. Office of the Secretary of the Commission. 95/06/20. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84536:275-84536:275.
- 9507060293** Staff requirements memo re SECY-95-139. Staff Requirements COMGD-94-003. "Improving NRC Control Over & Licensees Accountability for Generally & Specifically Licensed Devices." HOYLE,J.C. Office of the Secretary of the Commission. 95/06/20. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84536:276-84536:276.
- 9507060366** Staff requirements memo re results of senior mgt review of operating reactors,fuel facilities & related activities. HOYLE,J.C. Office of the Secretary of the Commission. M950622A. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84540:061-84540:061.
- 9507070423** Staff requirements memo re SECY-95-088. "Pre-Proposal Draft Environ Stds for Mgt,Storage & Disposal of Low-Level Radwaste." HOYLE,J.C. Office of the Secretary of the Commission. FACA. 95/05/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 84559:293-84559:300.
- 9507100224** Staff requirements memo re SECY-95-084. "Assessment of NRC Enforcement Program,Proposed Riv to General Statement of Policy & Procedure for NRC Enforcement Actions & Removal of Policy from 10CFR2,App C." BATES,A.L. Office of the Secretary of the Commission. 95/06/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 84587:001-84587:003.
- 9507100256** Staff requirements memo re SECY-95-114. "Implementation of Redesigned Material Licensing Process." Commission approved subj w/comments. BATES,A.L. Office of the Secretary of the Commission. 95/06/16. TAYLOR,J.W. Ofc of the Executive Director for Operations. 3pp. 84587:019-84587:021.
- 9507120393** Transcript of 950622 public meeting in Rockville,MD re briefing on results of senior management review of operating reactors,fuel facilities,& related activities.Pp 1-73. Supporting documentation encl. * Commissioners (Post 750119). 95/06/22. 93pp. 84612:242-84612:335.
- 9507130118** Staff requirements memo re Commissioners approval of "Final Policy Statement on Adequacy & Compatibility of Agreement State Programs." (SECY-95-112) & final "Statement of Principles & Policy for Agreement State Program...." HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 84834:090-84834:092.
- 9507140103** Transcript of 950622 public meeting in Rockville,MD re Affirmation/Discussion & vote.Pp 1-6. * Commissioners (Post 750119). 95/06/22. 9pp. 84662:245-84662:254.
- 9507140111** Transcript of 950621 public meeting in Rockville,MD re briefing on NRC use of expert elicitation in HLW performance assessments.Pp 1-38.Supporting documentation encl. * Commissioners (Post 750119). 95/06/21. 61pp. 84662:183-84662:244.
- 9507200273** Staff requirements memo re SECY-95-104. "Safeguards for Spent Nuclear Fuel or High-Level Radwaste - 10CFR,Parts 60, 72.73 & 75." Commission (w/Chairman & Commissioners Rogers & Jackson agreeing) approved publication of proposed rule. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84750:353-84750:354.
- 9507200279** Revised staff requirements memo re SECY-95-104. "Safeguards for Spent Nuclear Fuel or High-Level Radioactive Waste,10CFR Parts 60,72.73 & 75." Commission (w/Chairman & Commissioners Rogers & Jackson agreeing) approved publication in FR. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84750:355-84750:356.
- 9507200283** Staff requirements memo re SECY-95-061. "Need for Backfit Rule for Matis Licensees." Commission opposed staff recommendation not to extend generically backfit rule to matis licensees at present time. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84739:357-84739:357.
- 9507200298** Staff requirements memo re SECY-95-083. "Revised Abnormal Occurrence Reporting Criteria." Commission (w/Chairman & Commissioners Rogers & de Planque agreeing) approved publication of proposed rev to policy statement on AO. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 38pp. 84752:292-84752:329.
- 9507210111** Staff requirements memo re SECY-95-135. "Changes to Performance Indicator Program." Commission has directed staff not to proceed w/proposed changes to performance indicator program at time. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84753:358-84753:360.
- 9507210113** Proposes that Commission withhold action on SECY-95-135 until after staff provides briefing that provides detailed discussion of issues,alternatives & schedules. ROGERS,K.C. Commissioners (Post 750119). 95/06/27. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84753:359-84753:359.
- 9507210121** Disapproves staff proposed changes in SECY-95-135. "Changes to Performance Indicator Program." & related internal reallocation of resources.Recommends that search & retrieval capabilities of SCSS be maintained for LER data base. JACKSON,S.A. Commissioners (Post 750119). 95/06/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84753:360-84753:360.
- 9507210126** Staff requirements memo re SECY-95-132. "Policy & Technical Issues Associated w/Regulatory Treatment of Non-Safety Sys (RTNSS) in Passive Plant Designs." Commission has approved recommendations contained in paper. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84754:304-84754:304.
- 9507210130** Staff requirements memo re SECY-95-136. "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." Commission has approved staff recommendation to adopt Option 2. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84754:305-84754:305.
- 9507210156** Staff requirements memo re SECY-95-019. "Clarification of Assessment Requirements for Siting Criteria & Performance Objectives - Final Rulemaking." Commission disapproved issuance of proposed final amends. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84754:314-84754:315.
- 9507210217** Staff requirements memo re SECY-95-028. "Regulatory Analysis Guidelines of NRC." Commission approves issuance of NUREG/BR-0058,rev 2,for staff implementation,w/exception of listed items. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84764:111-84764:112.
- 9507210226** Staff requirements memo re SECY-95-151. "Alternative Approaches for FC Facility Regulation." Commission approves staff recommendation to continue dialogue w/all major interested parties re improvement of FC facility regulation. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84764:113-84764:114.
- 9507210230** Staff requirements memo re SECY-95-047. Staff analysis & recommendations on integration matis performance evaluation program.Commission approves staff proposal to implement program. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84764:115-84764:116.
- 9507210235** Staff requirements memo re SECY-95-149. "Communication & Mgt Resolution of Inappropriate Regulatory Actions by NRC Staff." Advises that Commission has not objected to issuance of policy re communications between NRC & industry. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 84764:149-84764:154.
- 9507210237** Staff requirements memo re SECY-95-152. "Land Ownership Requirements for LLW Sites." Commission approves publication of proposed notice in FR. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84764:117-84764:117.
- 9507210240** Staff requirements memo re SECY-95-140. "Final Rule:10CFR19 & 20 Radiation Protection Requirements Amended Definitions & Criteria." Advises that Commission offers no objection to issuance of subj final rule. HOYLE,J.C. Office of the Secretary of the Commission. 95/06/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 2pp. 84764:155-84764:156.
- 9507240190** Staff requirements memo re SECY-95-126. "Final Policy Statement on Use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities." HOYLE,J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 84778:247-84778:249.
- 9507240200** Staff requirements memo re SECY-95-129. "Proposed Rulemaking for Reporting Equipment Reliability Data." HOYLE,J.C. Office of the Secretary of the Commission. 95/06/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84778:250-84778:251.
- 9507240208** Staff requirements memo re SECY-95-155. "Review of Previously Approved Reclamation Plans." HOYLE,K.J.C. Office of the Secretary of the Commission. 95/06/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84778:254-84778:254.
- 9507270305** Staff requirements memo re 950712 briefing in Rockville,MD on status of Watts Bar & Browns Ferry,Unit 3. HOYLE,J.C. Office of the Secretary of the Commission. M950712. 95/07/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84844:045-84844:045.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

- 9507070458** Discusses regulatory issues in LLW disposal performance assessment. STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/06/26. THE CHAIRMAN, SELINI, Commissioners (Post 750119). 4pp. 84578:352-84578:355.
- 9507120327** "NRC ACNW to Meet 950726-28." * Office of Public Affairs (Post 911117). 95/07/07. 2pp. 84682:312-84682:313.
- 9507210222** Forwards rept from ACNW commenting on regulatory issues re NRC performance assessment program for low-level radwaste. * Office of Public Affairs (Post 911117). 95/07/11. 1p. 84815:219-84815:223.

150 NONDOCKETED ITEMS

9507270098 "ACNW Elects PW Pomeroy, Chairman & BJ Garrick, Vice-President."
* Office of Public Affairs (Post 911117). 95/07/26. 2pp. 84867:240-84867:241.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9508300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON, B. 95/04/06. LARKINS, J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

9507030065 Responds to 950515 ltr re comments of Advisory Committee on proposed final GL 95-XX, "Voltage-Based Repair Criteria for Westinghouse SG Tubes Affected by Outside Diameter Stress Corrosion Cracking."
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/14. KRESS, T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 84512:334-84512:335.

9507180246 Transcript of 950713 423rd meeting of ACRS in Rockville, MD. Pp 1-265. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/07/13. 315pp. 84780:001-84780:315.

9507180248 Transcript of 950714 423rd meeting of ACRS in Rockville, MD. Pp 266-412. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/07/14. 200pp. 84783:022-84783:221.

9507180252 Transcript of 950712 meeting of ACRS Technical Training Subcommittee in Rockville, MD. Pp 1-216. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/07/12. 250pp. 84781:001-84781:269.

9507210243 Revised transcript of ACRS Reactor Fuels Subcommittee meeting in Rockville, MD. Pp 1-186. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/03. 320pp. 84808:001-84808:320.

9507270058 "NRC Names Three Professors in Engineering Programs to ACRS."
* Office of Public Affairs (Post 911117). 95/07/25. 3pp. 84874:112-84874:114.

ADVCOM NRC ADVISORY COMMITTEE

9507070458 Discusses regulatory issues in LLW disposal performance assessment.
STEINDLER, M.J. Advisory Committee on Nuclear Waste. 95/06/28. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 84578:352-84578:355.

9507120327 "NRC ACNW to Meet 950726-28."
* Office of Public Affairs (Post 911117). 95/07/07. 2pp. 84662:312-84662:313.

9507210222 Forwards rept from ACNW commenting on regulatory issues re NRC performance assessment program for low-level radwaste.
* Office of Public Affairs (Post 911117). 95/07/11. 1p. 84815:219-84815:223.

9507270098 "ACNW Elects PW Pomeroy, Chairman & BJ Garrick, Vice-President."
* Office of Public Affairs (Post 911117). 95/07/26. 2pp. 84867:240-84867:241.

COMMISSION NRC COMMISSIONERS

9507050211 Summarizes Selin 950518 meeting w/representatives from Energy Fuels Nuclear, Inc to discuss Omnibus Budget Reconciliation Act of 1990 issues, including NRC new approach to fees.
MCCONNELL, K.I. Commissioners (Post 750119). 95/06/15. Commissioners (Post 750119). 1p. 84516:196-84516:196.

9507050217 Forwards rept on nondisclosure of safeguards info for Jan-Mar 1995, per Atomic Energy Act of 1954, section 147. Rept describes two occasions of withholding safeguards info from public.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/09. GORE, A. President of U.S. & Executive Offices. GINGRICH, N. House of Rep., Speaker of the House. 7pp. 84516:197-84516:203.

9507050238 Informs of concerns re misleading info if SALP rept financial info on util performance used for review by securities corporations.
ROGERS, K.C. Commissioners (Post 750119). 95/06/13. FABERA, A. FABERA, A. 1p. 84516:195-84516:195.

9507050243 Forwards summary rept on regulatory reinvention in response to phase II of Natl Performance Review.
ROGERS, K.C. Commissioners (Post 750119). 95/06/15. President of U.S. & Executive Offices. 21pp. 84516:213-84516:233.

9507050379 Affirmation vote, approving in part & disapproving in part w/ comments, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radwaste.'"
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/05/26. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84530:220-84530:222.

9507050391 Notation vote, approving in part & disapproving in part w/ comments, SECY-95-084, "Assessment of NRC Enforcement Program, Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Actions & Removal Policy."
ROGERS, K.C. Commissioners (Post 750119). 95/04/24. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528:356-84528:356.

9507050402 Affirmation vote, approving in part & disapproving in part w/ comments, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radwaste.'"
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/02. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528:357-84528:357.

9507050410 Submits suggestion to change definition of radioactive mats in HR 961, "Clean Water Amend of 1995." Current definition restricts exemption for AEA matls provided by Federal Water Pollution Control Act to mats at plants licensed by NRC.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 95/06/20. Senate, Environment & Public Works. 2pp. 84528:307-84528:308.

9507050418 Affirmation vote, not participating, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radwaste.'"
JACKSON, S.A. Commissioners (Post 750119). 95/06/07. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528:358-84528:358.

9507050426 Notation vote, approving in part & disapproving in part w/ comments, SECY-95-084, "Assessment of NRC Enforcement Program, Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Actions & Removal of Policy."
JACKSON, S.A. Commissioners (Post 750119). 95/06/12. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84528:359-84528:360.

9507050433 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Mats Licensing Process."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/02. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528:337-84528:337.

9507050436 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Mats Licensing Process."
ROGERS, K.C. Commissioners (Post 750119). 95/05/30. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84528:336-84528:339.

9507050442 Notation vote, approving w/ comments, SECY-95-114, "Implementation of Redesignated Mats Licensing Process."
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/05. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84528:340-84528:342.

9507050446 Affirmation vote, approving, SECY-95-060, "Final Rule Revising 10CFR110, 'Import & Export of Radwaste.'"
ROGERS, K.C. Commissioners (Post 750119). 95/03/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528:343-84528:343.

9507050448 Affirmation vote, approving w/ comments, SECY-95-128, "Final Rulemaking Package for 10CFR50.36, 'TS.'"
JACKSON, S.A. Commissioners (Post 750119). 95/06/15. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84528:344-84528:344.

9507060027 Informs of appointment of MR Knapp as representative of NRC on Interagency Steering Committee on Radiation Stds & CJ Paperello as alternate. Also informs of committee scope expansion re federal radiation protection stds.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/21. GIBBONS, J.H. President of U.S. & Executive Offices. 1p. 84536:133-84536:133.

9507060039 Ack receipt of 950412 ltr & agrees to sign Czech language version of bilateral agreement between NRC & state office for nuclear safety Agreement encl.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/19. STULLER, J. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia). 19pp. 84536:134-84536:153.

--9507060045 Discusses progress made over past four yrs between NRC & Czech offices re Czech nuclear program. Requests signature at end of Czech version of cooperation agreement.
STULLER, J. Czech & Slovak Federal Republic (CSFR) (formerly Czechoslovakia). 95/04/12. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 84536:153-84536:153.

9507060101 Responds to 950525 ltr urging NRC to reassess rule on protection of nuclear power plants against malevolent use of vehicles.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 59FR38889. 95/06/21. LEVENTHAL, P. Nuclear Control Institute. 3pp. 84577:351-84577:355.

--9507060111 Discusses NRC rule on "Protecting Against Malevolent Use of Vehicles at Nuclear Power Plants," and need to reassess key element of that rule in wake of Oklahoma City bombing.
LEVENTHAL, P. Nuclear Control Institute. 95/05/25. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 84577:353-84577:355.

9507060144 Responds to 930609 SRM re reactor vendors sponsoring modular high-temp gas-cooled reactor & power reactor innovative small module advanced reactor designs. DOE may initiate licensing interactions w/ NRC in 1996.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/26. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 84536:168-84536:172.

9507060152 Notation vote approving w/ comments, SECY-95-128, "Final Rulemaking Package for 10CFR50.36."
DE PLANQUE, E.C. Commissioners (Post 750119). 95/06/16. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84536:233-84536:233.

9507060156 Notation vote approving, SECY-95-128, "Final Rulemaking Package for 10CFR50.36."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/09. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84536:234-84536:234.

9507060177 Notation vote approving w/ comments, SECY-95-128, "Final Rulemaking Package for 10CFR50.36."
ROGERS, K.C. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84536:235-84536:235.

9507060288 SECY-95-164 Weekly info rept for wk ending 950616.
BLAHA, J.L. Assistant for Operations (Post 890205). 95/06/22. 25pp. 84539:236-84539:260.

9507060292 SECY-95-168 Weekly info rept for wk ending 950623.
BLAHA, J.L. Assistant for Operations (Post 890205). 95/06/26. 24pp. 84539:212-84539:235.

9507070426 Notation vote approving & disapproving w/ comments, SECY-95-084, "Assessment of NRC Enforcement Program, Proposed Rev to General Statement of Policy & Procedure for NRC EA & Removal of Policy From 10CFR2, App C."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/05/05. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84559:291-84559:292.

9507100225 Notation vote approving w/ comments, SECY-95-114, "Implementation of Redesignated Materials Licensing Process."
JACKSON, S.A. Commissioners (Post 750119). 95/05/16. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84586:357-84586:359.

9507100253 Notation vote approving in part & disapproving in part w/ comments, SECY-95-084, "Assessment of NRC Enforcement Program Proposed Rev to General Statement of Policy & Procedure for NRC Enforcement Action & Removal of Policy from 10CFR2..."
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/08. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 84586:352-84586:356.

9507100361 Notation vote not participating in SECY-95-043, final rule on "Clarification of Decommissioning Funding Assurance Requirements."
JACKSON, S.A. Commissioners (Post 750119). 95/06/21. Office of the Secretary of the Commission. 1p. 84587:004-84587:004.

9507110118 Notation vote approving & disapproving in parts w/comments SECY-95-043, "Final Rule on 'Clarification of Decommissioning Funding Assurance Requirements'"
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/20. HOYLE, J.C. Office of the Secretary of the Commission. 4pp. 84616:354-84616:357.

9507110128 Notation vote approving w/o comments, SECY-95-043, "Final Rule on 'Clarification of Decommissioning Funding Assurance Requirements'"
ROGERS, K.C. Commissioners (Post 750119). 95/03/31. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84616:358-84616:358.

9507110137 Notation vote approving w/o comments, SECY-95-043, "Final Rule on 'Clarification of Decommissioning Funding Assurance Requirements'"
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/03/23. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84616:359-84616:359.

9507110143 Congratulates JB Martin on retirement from federal employment & expresses appreciation for svc to NRC.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/28. MARTIN, J.B. Region 3 (Post 820201). 1p. 84616:360-84616:360.

9507110168 Discusses safety concerns re provisions in 950612 staff draft of S.343 relating Congressional proposals on comprehensive regulatory reform.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/26. DOLE, B. Senate. GRASSLEY, C.E., HATCH, O.G. Senate, Judiciary. 18pp. 84617:011-84617:028.

9507110173 Nominates CR Stoiber & RW Cooper for Senior Executives Association Distinguished Executive Svc Award.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/28. BONOSARO, C.A. Senior Executives Association/Professional Development League. 11pp. 84617:029-84617:040.

-9507110177 Announces tenth annual Executive Excellence Awards Program. Nomination for categories of Executive Achievement & Distinguished Executive Svc should be received by 950703.
BONOSARO, C.A. Senior Executives Association/Professional Development League. 95/03/24. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 84617:040-84617:040.

9507110233 Forwards NRC "Rept to Congress on Abnormal Occurrences" for events at licensed nuclear facilities during fourth quarter of CY94 which addresses four AO at NRC-licensed facilities.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/30. GINGRICH, N. House of Rep., Speaker of the House. GORE, A.J. Senate. 43pp. 84587:207-84587:247.

9507110360 Notation vote disapproving w/comments, SECY-95-133, Proposed Rulemaking, rev to 10CFR20, "Constraining Dose to Individual Members of Public from Air Emissions of NRC Licenses Other Than Power Reactors."
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/15. HOYLE, J.C. Office of the Secretary of the Commission. 36pp. 84587:102-84587:138.

9507120066 Opposes Committee proposed reduction which would cause NRC to close CNWRA, agency Federally-Funded Research & Development Ctr as well as eliminate critical skills within agency Urges restoration of reduction proposed in HR 1905.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/23. LIVINGSTON, R., MYERS, J.T. House of Rep., Appropriations. 6pp. 84631:311-84631:316.

9507120222 Corrects record re one matter mentioned in 950124 ltr re schedule for issuance of patient release rule & regulatory guidance.
MCCONNELL, K. Commissioners (Post 750119). 95/03/17. MARCUS, C.S. California, Univ. of Los Angeles, Medical School. 1p. 84631:333-84631:333.

9507130031 Forwards minutes from CRCPD members w/Chairperson Jackson to introduce Jackson to CRCPD members & discuss mission, objectives & goals.
HARDIN, C. Conference of Radiation Control Program Directors, Inc. 95/07/05. LOHAUS, P. Office of State Programs (Post 911117). 2pp. 84596:357-84596:358.

9507130054 Expresses appreciation for leadership in radiation protection, especially during tenure as Commissioner of NRC.
MCCURNEY, R.E. Conference of Radiation Control Program Directors, Inc. 95/06/29. DE PLANQUE, E.G. Commissioners (Post 750119). 1p. 84606:141-84606:142.

-9507130067 Expresses appreciation for leadership as Chairman of NRC.
HARDIN, C.M. Conference of Radiation Control Program Directors, Inc. 95/06/27. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 84606:142-84606:142.

9507190167 Notation vote approving SECY 95-104, "Safeguards for Spent Fuel or High-Level Radwaste 10CFR60.72.73 & 75." w/listed comments.
JACKSON, S.A. Commissioners (Post 750119). 95/05/19. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84769:352-84769:353.

9507190192 Notation vote re SECY 95-104, "Safeguards for Spent Fuel or High-Level Radwaste 10CFR60.72.73 & 75." Commissioner not participating.
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84769:354-84769:354.

9507190199 Notation vote approving SECY 95-104, "Safeguards for Spent Fuel or High-Level Radwaste 10CFR60.72.73 & 75." w/listed comments.
ROGERS, K.C. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84786:352-84786:353.

9507190202 Notation vote approving SECY 95-104, "Safeguards for Spent Fuel or High-Level Radwaste 10CFR60.72.73 & 75." w/listed comments.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84786:350-84786:351.

9507190205 Notation vote re SECY 95-083, "Revised AO Reporting Criteria." Commissioner not participating.
JACKSON, S.A. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84769:355-84769:355.

9507190221 SECY-95-173 Weekly info rept for wk ending 950630.
BLAHA, J.L. Assistant for Operations (Post 890205). 95/07/06. 17pp. 84739:284-84739:301.

9507190227 Notation vote approving SECY 95-083, "Revised AO Reporting Criteria." w/listed comments.
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 56pp. 84790:077-84790:131.

9507190242 Notation vote approving SECY 95-083, "Revised AO Reporting Criteria." w/listed comments.
ROGERS, K.C. Commissioners (Post 750119). 95/06/26. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84799:222-84799:222.

9507190244 Notation vote approving SECY 95-083, "Revised AO Reporting Criteria." w/listed comment.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/05/31. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84769:223-84769:224.

9507190246 Notation vote approving SECY 95-061, "Need for Backfit Rule for Mats Licenses." w/listed comments.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/04/06. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84786:320-84786:320.

9507190250 Notation vote approving SECY 95-061, "Need for Backfit Rule for Mats Licenses." w/listed comments.
ROGERS, K.C. Commissioners (Post 750119). 95/03/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84786:321-84786:321.

9507190254 Notation vote approving SECY 95-061, "Need for Backfit Rule for Mats Licenses." w/listed comments.
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84786:322-84786:323.

9507190256 Notation vote approving SECY 95-061, "Need for Backfit Rule for Mats Licenses."
JACKSON, S.A. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84786:324-84786:324.

9507200145 Affirmation Vote disapproving SECY-95-019, "Clarification Of Assessment Requirements For Siting Criteria & Performance Objectives-Final Rulemaking." w/ listed comments.
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/05. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84777:354-84777:355.

9507200155 Affirmation Vote disapproving w/comments, SECY-95-019, "Clarification Of Assessment Requirements For Siting Criteria & Performance Objectives-Final Rulemaking."
ROGERS, K.C. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816:324-84816:325.

9507200162 Affirmation Vote disapproving w/comments, "SECY-95-019, Clarification Of Assessment Requirements For Siting Criteria & Performance Objectives-Final Rulemaking."
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/02. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816:322-84816:323.

9507200174 Notation Vote approving w/comments SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data."
JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816:320-84816:321.

9507200197 Notation vote, approving & disapproving w/comments, SECY-95-112, "Final Policy Statement on Adequacy & Compatibility of Agreement State Programs."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84816:243-84816:243.

9507200201 Notation Vote disapproving w/comments SECY-95-129, "Proposed Rulemaking for Reporting Equipment Reliability Data."
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/20. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816:241-84816:242.

9507200205 Notation vote, disapproving w/comments, SECY-95-155, "Review of Previously Approved Reclamation Plans."
JACKSON, S.A. Commissioners (Post 750119). 95/06/26. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84816:239-84816:240.

9507200206 Notation Vote approving w/comments SECY-95-126, "Final Policy Statement on Use of PRA Methods in Nuclear Regulatory Activities."
JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84815:359-84815:360.

9507200209 Notation vote, disapproving w/comments, SECY-95-155, "Review of Previously Approved Reclamation Plans."
DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/23. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 84816:234-84816:236.

9507200217 Notation vote, disapproving w/comments, SECY-95-155, "Review of Previously Approved Reclamation Plans."
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:358-84815:358.

9507200218 Notation vote approving w/comments SECY-95-112, "Final Policy Statement on Adequacy & Compatibility of Agreement State Programs."
JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84815:356-84815:357.

9507200220 Notation vote, disapproving w/comments, SECY-95-155, "Review of Previously Approved Reclamation Plans."
ROGERS, K.C. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:355-84815:355.

152 NONDOCKETED ITEMS

- 9507200221 Notation Vote in part approving & in part disapproving w/comments SECY-95-115, "Final Statement Of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:354-84815:354.
- 9507200225 Notation vote, approving SECY-95-152, "Land Ownership Requirements for LLW Sites." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:353-84815:353.
- 9507200228 Notation vote, approving SECY-95-152, "Land Ownership Requirements for LLW Sites." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:351-84815:351.
- 9507200231 Notation vote, approving SECY-95-152, "Land Ownership Requirements for LLW Sites." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:251-84815:251.
- 9507200233 Notation Vote in part approving & in part disapproving w/comments SECY-95-112, "Final Policy Statement on Adequacy & Compatibility Of Agreement State Programs." ROGERS, K.C. Commissioners (Post 750119). 95/06/26. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84815:331-84815:333.
- 9507200234 Notation vote, approving w/comments, SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84815:295-84815:330.
- 9507200238 Notation Vote in part approving & in part disapproving w/comments SECY-95-115 "Final Statement Of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 4pp. 84815:344-84815:347.
- 9507200240 Notation vote, approving & disapproving w/comments, SECY-95-112, "Final Policy Statement on Adequacy & Compatibility of Agreement State Programs." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/16. HOYLE, J.C. Office of the Secretary of the Commission. 5pp. 84815:337-84815:343.
- 9507200244 Informs that Commission has approved publication of revised draft policy statement w/changes reflected in attachment. HOYLE, J.C. Office of the Secretary of the Commission. 94/06/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 84815:342-84815:343.
- 9507200246 Notation vote response sheet approving SECY-95-152, "Land Ownership Requirements for Low-Level Waste Sites." ROGERS, K.C. Commissioners (Post 750119). 95/06/30. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:250-84815:250.
- 9507200247 Notation Vote approving w/comments SECY-95-115, "Final Statement Of Principles & Policy For Agreement State Program," & "Procedures For Suspension & Termination Of Agreement State Program." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84815:248-84815:249.
- 9507200248 Notation vote, approving w/comments, SECY-95-125, "Final Policy Statement on Use of PRA Methods in Nuclear Regulatory Activities." ROGERS, K.C. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84815:247-84815:247.
- 9507200252 Affirmation Vote not participating re SECY-95-019, "Clarification of Assessment Requirements for Siting Criteria & Performance Objectives - Final Rulemaking." JACKSON, S.A. Commissioners (Post 750119). 95/06/26. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84777:330-84777:330.
- 9507200253 Notation vote response sheet approving w/comments SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/23. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84815:244-84815:246.
- 9507200257 Notation vote response sheet approving w/comments SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." ROGERS, K.C. Commissioners (Post 750119). 95/06/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84790:301-84790:301.
- 9507200260 Notation Vote approving w/comments SECY-95-129, "Proposed Rulemaking For Reporting Equipment Reliability Data." ROGERS, K.C. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84803:359-84803:360.
- 9507200257 Notation Vote approving w/comments SECY-95-126, "Final Policy Statement on Use of PRA Methods in Nuclear Regulatory Activities." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84811:355-84811:355.
- 9507200268 Notation vote response sheet approving w/comments SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." JACKSON, S.A. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84811:353-84811:354.
- 9507200278 Notation Vote approving w/comments, SECY-95-115, "Final Statement Of Principles & Policy For Agreement State Program" & "Procedures For Suspension & Termination Of Agreement State Program." ROGERS, K.C. Commissioners (Post 750119). 95/06/26. Office of the Secretary of the Commission. 5pp. 84816:275-84816:279.
- 9507200360 Notation Vote response sheet approving SECY-95-151, "Alternative Approaches for Fuel Cycle Facility Regulation." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84800:357-84800:357.
- 9507200365 Notation vote response sheet approving SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/02/27. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84792:360-84792:360.
- 9507200369 Notation vote response sheet approving w/comments SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." ROGERS, K.C. Commissioners (Post 750119). 95/06/27. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84792:358-84792:359.
- 9507200371 Notation vote response sheet approving w/comments SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 8pp. 84792:344-84792:351.
- 9507200373 Notation vote response sheet approving w/comment SECY-95-028, "Issuance of Regulatory Analysis Guidelines of US NRC." JACKSON, S.A. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84792:342-84792:343.
- 9507200374 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations in Integrated Mafis Performance Evaluation Program." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84792:341-84792:341.
- 9507200376 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Mafis Performance Evaluation Program." ROGERS, K.C. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84792:340-84792:340.
- 9507200377 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Mafis Performance Evaluation Program." DE PLANQUE, E.G. Office of Nuclear Reactor Regulation, Director (851125-870411). 95/06/14. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84792:337-84792:339.
- 9507200379 Notation vote response sheet approving w/comments SECY-95-047, "Staff Analysis & Recommendations on Integrated Mafis Performance Evaluation Program." JACKSON, S.A. Commissioners (Post 750119). 95/06/12. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84790:302-84790:303.
- 9507210080 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNSS) in Passive Plant Designs." w/o comment. JACKSON, S.A. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:343-84753:343.
- 9507210081 Discusses info re Congressional proposals on comprehensive regulatory reform. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 95/06/26. HATCH, O.G. Senate, Judiciary. DOLE, B. Senate. MURKOWSKI, F. Senate, Energy & Natural Resources. 18pp. 84809:330-84809:348.
- 9507210085 Notation vote approving, SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNSS) in Passive Plant Designs." w/o comments. DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/23. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:344-84753:344.
- 9507210086 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNSS) in Passive Plant Designs." w/o comments. ROGERS, K.C. Commissioners (Post 750119). 95/06/21. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:345-84753:345.
- 9507210091 Notation vote approving SECY-95-132, "Policy & Technical Issues Associated W/Regulatory Treatment of Non-Safety Sys (RTNSS) in Passive Plant Designs." w/o comments. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/19. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84753:346-84753:347.
- 9507210095 Notation vote not participating in SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." w/o comments. JACKSON, S.A. Commissioners (Post 750119). 95/06/30. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:348-84753:348.
- 9507210096 Notation vote approving SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." w/o comment. DE PLANQUE, E.G. Commissioners (Post 750119). 95/06/22. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:342-84753:342.
- 9507210099 Notation vote approving SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." w/o comments. ROGERS, K.C. Commissioners (Post 750119). 95/06/30. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:340-84753:340.
- 9507210105 Notation vote approving SECY-95-136, "Options to Improve & Standardize Evaluation & Approval of Sealed Sources & Devices Mfg in Agreement States." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/29. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84753:341-84753:341.
- 9507210112 Informs that FY96 Energy & Water Development Appropriations Bill (HR 1905) would appropriate \$473.3 million to NRC-- \$52.5 million less than \$525.8 million that was requested in President's Budget. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 95/06/23. LIVINGSTON, B., MYERS, J.T. Senate, Appropriations. 6pp. 84811:322-84811:328.
- 9507210124 Forwards NRC rept on nondisclosure of safeguards info for quarter beginning 950101 & ending 950331. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/09. GINGRICH, N. House of Rep. 6pp. 84811:315-84811:321.
- 9507210175 Submits NRC rept on Nondisclosure of Safeguards info for quarter beginning 950101 & ending 950331. Rept describes two occasions during period when NRC withheld from public disclosure safeguards info re security at power plants. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 95/06/09. GORE, A. Senate. 6pp. 84797:347-84797:353.

9507210332 Informs of Commissioner de Planque term ending as of 950630. Comments on potentially far-reaching research which begun under auspices of Joint Coordinating Committee on Radiation Effects Research.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/07/07. O'TOOLE,T. Energy, Dept. of. 1p. 84771:352-84771:352.

9507240054 Final response to FOIA request for records.App D records encl & available in PDR.App E & F records withheld in entirety (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. FIDELLE,R. Affiliation Not Assigned. 5pp. 84797:053-84797:082.

-9507240071 Forwards H.R. 102-1018,conference rept to accompany H.R. 776, "Energy Policy Act of 1992."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/10/21. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84797:071-84797:073.

-9507240077 Forwards status summaries of major legislative proposals introduced in 102nd Congress which were of interest to NRC.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/12/07. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84797:074-84797:076.

-9507240091 Forwards analysis summarizing whistleblower protections provisions contained in HR 776.
PARLER,W.C. Office of the General Counsel (Post 860701). 92/05/15. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84797:077-84797:079.

-9507240093 Forwards OGC analysis summarizing major provisions of H.R. 776, "Energy Policy Act of 1992."
PARLER,W.C. Office of the General Counsel (Post 860701). 92/10/26. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84797:080-84797:082.

9507240232 SECY-95-178 Weekly info rept for wk ending 950707.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/07/12. 13pp. 84778:293-84778:305.

9507260171 Summarizes activities to date involving implementation of revised severe accident source term at operating reactors.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/21. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84837:277-84837:279.

9507260231 Notation vote approving w/comments SECY-95-126. "Final Policy Statement on use of Probabilistic Risk Assessment Methods in Nuclear Regulatory Activities."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/19. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84845:029-84845:031.

9507260240 SECY-95-186 Weekly info rept for wk ending 950714.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/07/19. 17pp. 84844:328-84844:344.

9507260268 Responds to 950508 ltr re GAO rept. "Nuclear Regulation Slow Progress in Identifying & Cleaning Up Licensee Contaminated Sites." & site decommissioning mgt plan program,which addresses 51 contaminated sites.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/22. GLENN,J. Senate. 11pp. 84845:078-84845:122.

-9507130122 Discusses NRC assistance in Agreement State site decommissioning mgt planning in 29 Agreement States,per 940318 & 0824 memoranda.NRC dialogue w/ Agreement States on problem contaminated site remediation should continue.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/19. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 9pp. 84845:108-84845:119.

-9506080015 Forwards GAO rept entitled, "Nuclear Regulation Slow Progress in Identifying & Cleaning Up Licensees Contaminated Sites."
GLENN,J. Senate. 95/05/08. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84845:120-84845:122.

9507260296 Submits comments on S 946, "Info Technology Mgt Reform Act of 1995." Forwards detailed summary of concerns about prescriptive nature of bill provisions.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/07/18. COHEN,W.S. Senate. 10pp. 84856:333-84856:345.

-9507260299 Requests comments on S.946 Info Technology Mgt Reform Act, addressing problems associated w/procurement & mgt of federal info technology.
COHEN,W.S. Senate. 95/06/29. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84856:344-84856:345.

9507260302 Ack receipt of 950626 ltr commending Chairman I Selin for work in opening nuclear safety dialogue w/India.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/07/13. GOPALAKRISHNAN India. 1p. 84845:123-84845:124.

-9507260306 Expresses appreciation for interest & efforts to initiate relationship between NRC & Government of India.
GOPALAKRISHNAN India. 95/06/26. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84845:124-84845:124.

9507260308 Forwards NRC "Rept to Congress on Abnormal Occurrences," for events at licensed nuclear facilities for first quarter of CY95.Rept addresses one AO at NRC-licensed facility which involved medical brachytherapy misadministration.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/07/19. GORE,A.J. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. 2pp. 84856:307-84856:332.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9507120347 Contract: "Switching Svcs for Walnut Creek Field Ofc" awarded to Pacific Bell Telephone Co.
FRANK,E.E. Pacific Bell. WIGGINS,E.J. NRC - No Detailed Affiliation Given. FIN C-4020. 95/06/05. 56pp. 84682:240-84682:295.

9507120353 Ltr contract NRC-33-93-194,Mod 6 to task order 1,deleting essential personnel currently listed for successful performance of task order & replacing w/S Miller to "Customer Support Desk."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-194. 95/06/09. CASSON,D. Global Management Systems, Inc. 1p. 84662:296-84662:296.

9507120364 Ltr contract NRC-33-93-196,Mod 5 to task order 1,increasing task order ceiling to "AEOD Nonreactor Events Enterprise Database Development" to "Application Development Platforms/ Client-Server Computing."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8285. NRC-33-93-196. 95/05/31. JONES,N. 2pp. 84682:297-84682:298.

9507120374 Mod 12,exercising first option yr of contract,providing addl funding & increasing ceiling amount, & extending period of performance to "Nuclear Document Sys Processing & User Support Svcs."
SHRIVASTAVA,S. Anstec, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/05/31. 2pp. 84682:299-84682:300.

9507120380 Mod 6,leasing fifty addl nationwide pagers to "Airtime & Maint for NRC Owned Pagers/Skypagers to include Direct Intl Airtime."
POWELL,J.E. FirstPage. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1050. 95/06/16. 4pp. 84831:039-84831:043.

9507130017 Mod 7,revising name & address of contractor,to "Airtime & Maint for NRC Owned Pagers/Skypagers to include Direct Intl Airtime."
POWELL,J.E. MATTIA,M.J. Division of Contracts (Post 940714). 95/06/16. 5pp. 84831:044-84831:049.

9507140460 Mod 7,incorporating one addl Safety Aspects of Industrial Radiography Course to be presented three times during FY95, definitizing mod 6,providing addl incremental funding, to "Safety Aspects of Industrial Radiography Course."
PRICE,J.K. Amersham Corp. MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-90-304. 95/05/24. 4pp. 84662:134-84662:137.

9507140484 Mod 1,allowing for addl 197 hours for completion of course manual & all instructional aids to present Health Physics Course & revising Paragraph 4,to task order 14, "Training in Health Physics & Radiation Protection."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-91-292. 95/06/09. HOLBERT,A. International Technology Corp. 2pp. 84662:138-84662:139.

9507170203 Contract: "Foodservice Operator for Two White Flint North Cafeteria," awarded to Aramark Corp.
GLEASON,M. Armark (subs. of Akzona, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-147. 95/06/08. 59pp. 84673:281-84673:338.

9507170205 Contract "Photographic Svcs" awarded to Photocraft,Inc.
ECALONOR, Photocraft Custom Lab, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-151. 95/05/26. 67pp. 84673:213-84673:280.

9507170247 Mod 3,providing contractor new remittance address,to "Upgrade of Hewlett Packard 2580A Laser Printers."
* MATTIA,M.J. Division of Contracts (Post 940714). 95/05/24. 1p. 84669:334-84669:334.

9507170258 Mod 3,obligating FY95 funds in listed amount to "Software Maint & Sys Support for Public Document Room Bibliographic Retrieval Sys."
SULLIVAN,D.E. Zonar Corp. MATTIA,M.J. Division of Contracts (Post 940714). 95/06/08. 2pp. 84671:358-84671:359.

9507170326 Forwards fully executed copy of mod 14 under contract NRC-33-94-185 re proposed engineering change will be handled as separate action under contract based on discussions held on 950615.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-94-185. 95/06/20. CLARY,J.R. Affiliation Not Assigned. 1p. 84673:352-84673:354.

-9507170333 Mod 14,obligating FY95 funds in listed amount to "Replace Electronic Infrastructure Software Hardware & Personal Computer Support (Refresh PCS)."
* Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN J-1009-5. FIN W-6201. 95/06/19. 2pp. 84673:353-84673:354.

9507170346 Mod 1,identifying 950103 as effective date of contract & reflecting actual delivery times/dates for equipment & applicable warranty periods, to "Purchase of Microcomputer-Based Multimedia Training Sys."
WALLACE,D. Small Business Administration. WALLACE,D. Computer Technology Services, Inc. WIGGINS,E. Division of Contracts (Post 940714). 95/05/13. 2pp. 84669:353-84669:354.

9507170373 Contract: "Telephone Operator Support," awarded to SBA & Kevric Co,Inc.
DRISKO,S.C. Small Business Administration. ALLEN,D.W. , MATTIA,M.J. Division of Contracts (Post 940714). 95/06/09. 51pp. 84673:162-84673:212.

9507170388 Contract: "Minicomputer Data Communications & Tele- Communications Analysis Support," awarded to SBA & Pulsar Data Systems,Inc.
ADAMS,O. Small Business Administration. DAVIS,W.W. Pulsar Data Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1430. 95/06/08. 42pp. 84671:303-84671:344.

9507180004 Contract: "Purchase of ALARA Scanner Track for Saft Ultrasonic Sys," awarded to Virginia Corp of Richmond.
PERSINGER,M.M. Virginia Corp. of Richmond. WIGGINS,E.J. Division of Contracts (Post 940714). 95/06/02. 19pp. 84711:335-84711:353.

9507180009 Ltr contract,definitizing task order 22, "Refresher Training at Technical Ctr,Chattanooga,TN."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. 95/05/25. VOGEL,A.M. Sonalysts, Inc. 4pp. 84711:356-84711:359.

9507180012 Ltr contract,definitizing task order 19, "Operator Licensing Exam - Catawba."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-019. 95/05/25. VOGEL,A.M. Sonalysts, Inc. 3pp. 84696:357-84696:359.

9507180016 Mod 05,modifying contract to reflect no-cost termination settlement agreement & to terminate contract,including task order 2, to "Publication Technical Editing & Database Assistance for TS Improvement Program."
* TG Bauer Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/05/30. 3pp. 84696:354-84696:356.

154 NONDOCKETED ITEMS

- 9507180021 Ltr contract, Mod 5 to task order 23, increasing level of effort in task order in accordance w/technical proposal dtd 950503 & statement of work, to "Shut Down Risk Support."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-031. 95/06/09. AFABLE, S. SCIENTECH, Inc. 2pp. 84696:352-84696:353.
- 9507180025 Ltr contract, definitizing task order 73, "Follow-Up to SWSOPI - Crystal River"
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/06/12. LOFY, R.A. PARAMETER, Inc. 2pp. 84696:350-84696:351.
- 9507180026 Ltr contract, mod 6, task order 9, providing incremental funding in listed amount to "Technical Assistance for Watts Bar Pre-Operational & Start-Up Test, Test Procedure Review & Evaluation & Closure to Test Deficiencies."
WIGGINS, E.J. Division of Contracts (Post 940714). FIN J-2061-5. 95/06/05. LOFY, R.A. PARAMETER, Inc. 2pp. 84727:001-84727:002.
- 9507180132 Ltr contract, Mod 7 to task order 17, providing incremental funding, to "Technical Assistance for Watts Bar Operational Readiness Evaluation."
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-93-026. 95/06/05. LOFY, R.A. PARAMOUNT SUPPLY CO. 2pp. 84696:345-84696:346.
- 9507180150 Ltr contract, Mod 4 to task order 6, increasing ceiling & extending period of performance to 960930, to "Independent Assessment of Direct Containment Heating Research."
MACE, M. Division of Contracts (Post 940714). NRC-04-92-046. 95/06/01. KHATIB-RAHBAR Energy Research Group, Inc. 3pp. 84696:342-84696:344.
- 9507180160 Mod 11, changing project officer for contract, to "Improved Irradiation Embrittlement Correlations."
* Modeling & Computer Services. MACE, M. Division of Contracts (Post 940714). 95/06/06. 2pp. 84696:340-84696:341.
- 9507180179 Mod 2, extending period of performance from 951030 to 960331 at no addl cost to govt, to "Phase II FY93 Demonstration of Continuous Vanadium & Vanadic IDN Analysis."
* Omni Tech International, Ltd. MACE, M.H. Division of Contracts (Post 940714). 95/06/12. 3pp. 84696:330-84696:332.
- 9507180189 Forwards mod 2 to grant NRC-G-04-94-057.
MACE, M. Division of Contracts (Post 940714). NRC-G-04-94-057. 95/06/07. NEY, W.R. National Council on Radiation Protection & Measurements. 1p. 84727:031-84727:033.
- 9507190090 Mod 2, providing incremental funds in stated amount to, "Formulation of Recommendations on Radiation Protection & Measurements Re Technology Base Need To Assess Safety of Operations Involving Ionizing Radiation."
MACE, M. Division of Contracts (Post 940714). 95/06/07. 2pp. 84727:032-84727:033.
- 9507180204 Forwards mod 1 to contract NRC-04-95-038.
MACE, M. Division of Contracts (Post 940714). NRC-04-95-038. 95/06/08. NEUMAN, S. Arizona, Univ. of, Tucson, AZ. 1p. 84696:304-84696:306.
- 9507180206 Mod 1, increasing funds in stated amount, "Testing & Evaluation of Groundwater Flow & Transport Models."
* Arizona, Univ. of, Tucson, AZ. MACE, M. Division of Contracts (Post 940714). 95/06/07. 2pp. 84696:305-84696:306.
- 9507180215 Forwards mod 1 to contract NRC-04-95-041.
MACE, M. Division of Contracts (Post 940714). NRC-04-95-041. 95/06/08. BASSETT, R. Arizona, Univ. of, Tucson, AZ. 1p. 84696:301-84696:303.
- 9507180220 Mod 1, increasing funding in stated amount, to "Field Studies At Apache Leap Tuff Site."
* Arizona, Univ. of, Tucson, AZ. MACE, M.H. Division of Contracts (Post 940714). 95/06/08. 2pp. 84696:302-84696:303.
- 9507180225 Grant: "NRC Participation in SMIRT-13 Conference in Brazil in Aug 1995," awarded to SMIRT 13 Conference Secretariat.
RIERA, J.D. Brazil. MACE, M. Division of Contracts (Post 940714). 95/06/02. 2pp. 84727:003-84727:004.
- 9507180236 Grant: "Scientific Basis for Nuclear Waste Mgt" awarded to Southwest Research Institute.
BALLANCE, J.B. Southwest Research Institute. MACE, M. Division of Contracts (Post 940714). 95/05/26. 2pp. 84727:005-84727:006.
- 9507180251 Ltr contract, mod 2, task order 25, deobligating FY95 funds in listed amount to, "ABB/CE CENPD-293, Suppl to LOCA Methods," under contract NRC-03-90-027.
WIGGINS, E.J. Division of Contracts (Post 940714). NRC-03-90-027. FIN L-1318-5. 95/06/12. KOMORIYA, H. International Technical Services, Inc. 3pp. 84726:358-84726:360.
- 9507180302 Contract: "Safeguards Support for Ukraine-Administrative Assistance," awarded to Operations Research Technology, Inc.
DRISKO, C. Small Business Administration. * Operations Research Technology, Inc. MACE, M.H. Division of Contracts (Post 940714). FIN J-5104. 95/06/09. 30pp. 84718:315-84718:344.
- 9507180315 Mod 3, exercising first option year IAW section 1.7, increasing contract ceiling & obligated amount by stated amounts, to "Data Entry/Processing FBI Cards, Criminal History Rule."
* Kenrob & Associates, Inc. WIGGINS, E.J. Division of Contracts (Post 940714). FIN D-2496. 95/05/31. 2pp. 84718:345-84718:346.
- 9507180332 Mod 11, exercising option year, extending period of performance by one addl year & providing incremental funding in stated amount, to "Cooperative Agreement - Maint & Operation of LPDRs."
KILLIAN, R.M. Sacramento, CA. MACE, M. Division of Contracts (Post 940714). FIN D-2416-5. 95/06/13. 3pp. 84726:351-84726:353.
- 9507180338 Mod 3, increasing contract ceiling by listed amount & providing incremental funding in stated amount, to "Implement & Maintain Third Party Payment Sys."
* WIGGINS, E. Division of Contracts (Post 940714). FIN L-1538. 95/06/15. 3pp. 84718:347-84718:349.
- 9507180352 Mod 16, extending period of performance to cover second option quantity of svc & provisions which allow govt to extend contract for addl option period, to "Financial Svcs."
* Small Business Administration. WIGGINS, E.J. Division of Contracts (Post 940714). FIN L-2460. 95/06/08. 5pp. 84725:275-84725:279.
- 9507180363 Contract: "Support of Development of Regulations Reactors & Matl," awarded to ICF Inc.
BAILEY, P.E. ICF, Inc. MACE, M. Division of Contracts (Post 940714). FIN W-6294. FIN W-6295. 95/05/30. 130pp. 84725:148-84725:274.
- 9507180378 Mod 3, revising sections b,c,f,g & h of contract to reflect listed procedural & administrative changes, to "Div of Contract Administrative Support Svcs & Closeout Operation."
* Small Business Administration. BYRD, N.G. WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/05. 96pp. 84726:255-84726:350.
- 9507190089 Final response to FOIA request for info. Nonproprietary version of proposal requested enclosed & available in PDF.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. ROSS, B. Science & Engineering Associates, Inc. 2pp. 84739:048-84739:124.
- 9507190103 Contract: "Elimination of Requirements Marginal to Safety" awarded to Sciencetech, Inc.
KNIGHT, D.A. SCIENTECH, Inc. MACE, M.H. Division of Contracts (Post 940714). 94/09/29. 38pp. 84739:087-84739:124.
- 9507190258 Contract: "Relocation & Storage of TNP Simulator & Wastinghouse Dummy Fuel Assembly & Control Rod Cluster Training Aid," awarded to Puiiau Electronics Corp.
CAMPBELL, D.L. Puiiau Electronics Corp. MATTIA, M.J. Division of Contracts (Post 940714). 95/05/30. 71pp. 84728:012-84728:080.
- 9507190259 Mod 1, changing project officer authorized representative from H Pappas to MJ Kerin, to "Switchboard/Receptionist Svcs for Region 3 Ofc."
* WIGGINS, E.J. Division of Contracts (Post 940714). 95/06/12. 2pp. 84727:358-84727:359.
- 9507190261 Mod 2, changing project officer authorized representative from H Pappas to MJ Kerin, to "Local Telephone Svc for Region 3."
* WIGGINS, E.T. Division of Contracts (Post 940714). 95/06/15. 2pp. 84727:356-84727:357.
- 9507210176 Contract: "Experimental Modal Analysis for Seismic Response Assessment of Underground Facilities," awarded to AAC Intl.
SUN, X. MACE, M.H. Division of Contracts (Post 940714). FIN W-6481. 95/07/06. 20pp. 84754:094-84754:113.
- 9507210184 Ltr contract, Mod 2, to task order 31, increasing level of effort by sixteen senior staff level hrs in order to prepare for board review meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84764:100-84764:101.
- 9507210190 Ltr contract, Mod 2 to task order 26, increasing level of effort by sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84764:102-84764:103.
- 9507210195 Contract: "Advanced Digital Man-Machine Interface Analysis," awarded to Ryan Nuclear, Inc.
RYAN, J.L. MACE, M.H. Division of Contracts (Post 940714). FIN W-6471. 95/06/28. 20pp. 84754:114-84754:133.
- 9507210197 Contract: "Technical Assistance in Resolving Generic Safety Issues," awarded to Science & Engineering Associates, Inc.
ZIGLER, G.L. Science & Engineering Associates, Inc. MACE, M.H. Division of Contracts (Post 940714). FIN W-6325. 95/05/03. 36pp. 84754:134-84754:169.
- 9507210198 Ltr contract, Mod 2 to task order 29, increasing level of effort by sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84764:104-84764:105.
- 9507210207 Ltr contract, Mod 2 to task order 30, increasing level of effort by sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84764:106-84764:107.
- 9507210209 Ltr contract, definitizing task order 4, "Forms Automation Agency Implementation."
MATTIA, M.J. Division of Contracts (Post 940714). NRC-33-93-225. FIN B-8173. 95/06/20. MESLER, C. Adsytech, Inc. 5pp. 84754:170-84754:174.
- 9507210211 Ltr contract, Mod 2 to task order 32, increasing level of effort sixteen senior staff level hrs in order to prepare for review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 2pp. 84764:108-84764:109.
- 9507210215 Ltr contract, definitizing task order 1, "Technical Assistance in Prioritization of Generic Safety Issues."
MACE, M.H. Division of Contracts (Post 940714). NRC-04-95-047. FIN W-6325. 95/06/20. COLINA, I.R. Science & Engineering Associates, Inc. 4pp. 84771:353-84771:356.
- 9507210218 Ltr contract, Mod 2 to task order 33, replacing level of effort & travel needed for one person trip to discuss review findings re IPE review board meetings, to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE, M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS, P. Concord Associates, Inc. 1p. 84764:110-84764:110.

9507210267 Ltr contract NRC-02-95-002,definitizing task order 3,to "Perform Financial Assurance Reviews of U Recovery Licensees."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5054. NRC-02-95-002. 95/07/12. HALL,A.D. ICF, Inc. 4pp. 84764:145-84764:148.

9507210274 Ltr contract NRC-04-91-069,Mod 2 to task order 43,replacing level of effort & travel needed for one,one-person trip to NRC to discuss review findings & conclusions,to "IPE Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764:159-84764:159.

9507210281 Ltr contract NRC-04-91-069,Mod 2 to task order 28,increasing level of effort by 16 senior staff level hours to prepare for review board meetings & improve draft TERS,to "IPE Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. FIN L-1934. 95/07/11. HAAS,P. Concord Associates, Inc. 2pp. 84764:164-84764:165.

9507210289 Ltr contract NRC-03-93-036,Mod 1 to task order 48,increasing number of professional hours by 40 to allow contractor to participate in follow-up insp at site,to "Emergency Operating Procedures Insp at Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2015-5. 95/07/06. COLINA,I. Science & Engineering Associates, Inc. 6pp. 84764:165-84764:171.

9507210294 Ltr contract NRC-04-91-069,Mod 5 to task order 15,increasing level of effort by 16 senior staff level hours in order to prepare for review board meetings & improve draft TERS,to "IPE Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. FIN L-1934. 95/07/11. HAAS,P. Concord Associates, Inc. 2pp. 84764:172-84764:173.

9507210299 Ltr contract:Mod 3 to task order 34,replacing level of effort & travel for one person trip to discuss review findings to NRC,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764:174-84764:174.

9507210311 Ltr contract:Mod 2 to task order 39,replacing level of effort & travel needed for one person trip to NRC to discuss review findings re IPE review board meetings,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764:175-84764:175.

9507210314 Ltr contract NRC-04-91-069,Mod 2 to task order 44,replacing level of effort & travel needed for one,one-person trip to NRC to discuss review findings & conclusions,to "IPE Reviews-Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/12. HAAS,P. Concord Associates, Inc. 1p. 84764:176-84764:176.

9507210318 Ltr contract:Mod 3 to task order 35,replacing level of effort & travel for one person trip to NRC to discuss review findings,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764:177-84764:177.

9507210321 Ltr contract:Mod 3 to task order 40,replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764:178-84764:178.

9507210325 Ltr contract:Mod 2 to task order 45,replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84764:179-84764:179.

9507210326 Ltr contract:Mod 2 to task order 36,replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/10. HAAS,P. Concord Associates, Inc. 1p. 84764:180-84764:180.

9507210330 Ltr contract:Mod 3 to task order 38,replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/10. HAAS,P. Concord Associates, Inc. 1p. 84764:181-84764:181.

9507210336 Ltr contract:Mod 2 to task order 41,replacing level of effort & travel for one person trip to NRC to discuss review findings & conclusions,to "Individual Plant Exam Review - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/10. HAAS,P. Concord Associates, Inc. 1p. 84764:182-84764:182.

9507210340 Ltr contract:Mod 2 to task order 2,extending period of performance,to "Refine Controller Cost Ctr Resource Database Sys,Improve Functionality & Rept of Current Budget Sys."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-09-94-202. 95/06/29. COX,D. Cox & Associates, P.C. 1p. 84764:183-84764:183.

9507210340 Ltr contract:Mod 1 to task order 26,extending period of performance,to "Heat Exchanger Performance Prediction & Nondestructive Exam."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-91-290. 95/07/07. VOGELA, Sonalysts, Inc. 2pp. 84764:184-84764:185.

9507210342 Ltr contract:Mod 1 to task order 23,extending periods of performance,to "Update NRC Inspector CFR Self-Study Quizzes."
MATTIA,J.J. Division of Contracts (Post 940714). NRC-26-91-290. 95/07/07. VOGELA, Sonalysts, Inc. 2pp. 84764:186-84764:187.

9507210344 Ltr contract,task order 4 definitizes,to "Participate in Financial Assurances Workshops."
MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-002. 95/07/10. HALL,A.D. ICF, Inc. 4pp. 84764:188-84764:191.

9507210347 Ltr contract:Mod 2 to task order 37,increasing level of effort by sixteen senior staff level hours,to "Individual Plant Exam Reviews - Internal Events Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/12. HAAS,P. Concord Associates, Inc. 2pp. 84764:192-84764:193.

9507280020 Ltr contract:mod 4 to task order 2,providing incremental funding in listed amount,to "Unix Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-186. 95/06/22. LIN,B. CEEXEC, Inc. 2pp. 84842:344-84842:345.

9507280057 Ltr contract NRC-02-95-002,definitizing task order 6,to "Financial Assurance Rulemaking re Criterion 9 of App A to 10CFR40 U Recovery Facilities."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5054. NRC-02-95-002. 95/07/14. HALL,A.D. ICF, Inc. 4pp. 84844:345-84844:348.

9507280063 Ltr contract NRC-02-95-002,definitizing task order 5,to "Review of Existing Financial Assurance Guidance."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5054. NRC-02-95-002. 95/07/14. HALL,A.D. ICF, Inc. 4pp. 84844:349-84844:352.

9507280067 Ltr contract NRC-02-90-009,mod 6 to task order 19,increasing obligated amount & task order ceiling amount & extending expiration date of sub task order.
MACE,M.H. Division of Contracts (Post 940714). FIN L-2615. NRC-02-90-009. 95/07/17. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 84844:356-84844:357.

9507280070 Ltr contract NRC-03-93-036,definitizing task order 51,to "Technical Approach for Human Factor Into Sys Rept Generation."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2015-5. NRC-03-93-036. 95/07/06. COLINA,I. Science & Engineering Associates, Inc. 6pp. 84845:001-84845:006.

9507280076 Ltr contract NRC-10-95-146,mod 1, revising interagency agreement, to "Optical Character Recognition of Text & Scanning of Images."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-146. 95/07/12. HURST,F. Justice, Dept. of. 2pp. 84844:358-84844:359.

9507280080 Ltr contract NRC-03-93-036,definitizing task order 52,to "Emergency Operating Procedures Insp for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. NRC-03-93-036. 95/07/12. COLINA,I. Science & Engineering Associates, Inc. 6pp. 84845:016-84845:021.

9507280086 Ltr contract NRC-04-91-069,mod 2 to task order 46,replacing level of effort & travel needed for one,one-person trip to NRC Headquarters to present review findings & conclusions,to "IPE Reviews-Internal Events Human Factors."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/07/11. HAAS,P. Concord Associates, Inc. 1p. 84845:022-84845:022.

9507280136 Ltr contract NRC-33-93-196,mod 1 to task order 6,providing addl funding in listed amount,to "NRR Allegations Mgt Sys Re-Engineering Project."
MATTIA,M.J. Division of Contracts (Post 940714). FIN J-22475. NRC-33-93-196. 95/07/20. JONES,N. Affiliation Not Assigned. 2pp. 84868:123-84868:124.

9507280150 Ltr contract NRC-03-94-028,mod 2 to task order 2,increasing ceiling & obligated amounts as result of cost overrun,to "FY95 Regulatory Info Conference Support."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2057-5. NRC-03-94-028. 95/07/19. PERRY,V. Affiliation Not Assigned. 2pp. 84868:125-84868:126.

9507280157 Ltr contract NRC-03-93-036,confirming verbal authorization provided on 950530 to commence work under subj task order w/listed ceiling amount, to "Emergency Operating Procedures Insp for Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2012-5. NRC-03-93-036. 95/07/06. COLINA,I. Science & Engineering Associates, Inc. 6pp. 84845:023-84845:026.

9507280161 Ltr contract NRC-33-93-196,mod 6 to task order 1,providing addl funding in listed amount,to "AEOD Nonreactor Events Enterprise Database Development."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8285. NRC-33-93-196. 95/07/20. JONES,N. Affiliation Not Assigned. 2pp. 84868:127-84868:128.

9507280165 Ltr contract NRC-33-93-196,mod 2 to task order 5,providing addl funds in listed amount,to "Enterprise Client-Server Maint,Database Administration & Operational Support."
MATTIA,M.J. Division of Contracts (Post 940714). FIN B-8166. NRC-33-93-196. 95/07/20. JONES,N. Affiliation Not Assigned. 2pp. 84868:129-84868:130.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9507180101 Sixth partial response to FOIA request for documents.App H documents encl & placed in PDF,Releasable portions of records identified in App I also encl (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/10. GLITZENSTEIN,E. Affiliation Not Assigned. GLITZENSTEIN,E. Don't Waste Michigan. 5pp. 84723:118-84723:235.

-9507180116 informs that author attended NMSS prebrief for B Bernero on Palisades dry cask storage pads as result of R Landsman ltr to Chairman Seim,EDO briefing scheduled for 940303. Supporting documentation encl.
HSIA,A.H. Plant Systems Branch. 94/03/01. MARSH,L.B. Division of Radiation Safety & Safeguards (Post 921004). 17pp. 84723:125-84723:141.

-9507180122 Tnp rept of 940405 site visit to audit licensee analysis on ISFSI storage pad.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/04/06. MARSH,L.M. Project Directorate III-3. 5pp. 84723:142-84723:146.

-9507180133 informs that NRC & consultants waiting for plant soil boring data which will be due on 940415 before proceeding w/ independent analysis.
HSIA,A.H. Probabilistic Safety Assessment Branch. 94/04/12. CRANE,P.G. Office of the General Counsel (Post 860701). BAILEY,H.A. Office for Analysis & Evaluation of Operational Data, Director. LANDSMAN,R.B. Region 3 (Post 820201). 1p. 84723:147-84723:147.

-9507180141 Forwa "s highlight of plant dry cask storage.
BAGCHI,G. Civil Engineering & Geosciences Branch. 94/04/12. HSIA,A.H. Probabilistic Safety Assessment Branch. 2pp. 84723:148-84723:149.

156 NONDOCKETED ITEMS

- 9507180145 Confirms discussion re ISFSI audit at plant, including response spectrum & slope stability. Licensee currently taking necessary steps to address seismic issues re ISFSI raised by NRC.
HSIA, A.H. Probabilistic Safety Assessment Branch. 94/04/13. LANDSMAN, R.B. Region 3 (Post 820201). 1p. 84723:150-84723:150.
- 9507180155 Informs that there will be conference call w/ plant on 950506 to discuss preliminary conclusions from NRC independent assessment of dry cask storage pad & licensee assessment.
HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/04. BAGCHI, G. Civil Engineering & Geosciences Branch. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. 1p. 84723:151-84723:151.
- 9507180164 Informs that there will be conference call today w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis.
HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/06. OLSHAN, L.N. Project Directorate I-2. REAMER, W.C. Office of the General Counsel (Post 860701). BEECHER, W.M. Office of Public Affairs (Pre 870413). 1p. 84723:152-84723:152.
- 9507180175 Informs that there will be conference call on 940512 w/ Region III & licensee to discuss preliminary results from ISFSI pad analysis.
HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/09. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. OLSHAN, L.N. Project Directorate I-2. 2pp. 84723:153-84723:154.
- 9507180191 Forwards mats on dry cask storage facility which were sent to util on 940510.
SMEDLEY, D. Sargent & Lundy, Inc. 94/05/12. KROPP, W. Region 3 (Post 820201). 22pp. 84723:155-84723:176.
- 9507180197 Forwards pages from App A1 to EA-FC-864-046-A1, Rev 0, "Seismic Evaluation of Dry Cask Storage Facility," which was sent to util on 940509.
SMEDLEY, D. Sargent & Lundy, Inc. 94/05/11. KROPP, W. Region 3 (Post 820201). 53pp. 84723:177-84723:229.
- 9507180202 Informs of arrangement made to have bridge number for plant ISFSI public meeting on 940516 in Rockville, MD to discuss plant restart issues. Portions of encl partially deleted.
HSIA, A.H. Probabilistic Safety Assessment Branch. 94/05/12. ZWOLINSKI, J.A. Division of Reactor Projects - I/II (Post 870411). MARSH, L.B. Project Directorate I-1. DEAN, W.M. Ofc of the Executive Director for Operations. 6pp. 84723:230-84723:235.
- 9507180241 Partial response 10 to FOIA request for info. App R records available in PDR. App R records encl.
POOLM, J. Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. FIDELLE, E.R. Affiliation Not Assigned. 2pp. 84723:298-84723:330.
- 8211040338 Suggests editorial changes to 820926 proposed amends to 10CFR21. Areas in question include mgmt procedures to ensure reporting of defects & noncompliance, Commission authority & support for environ impact conclusions. W/o encl.
OLMSTEAD, W.J. Regulations Division. 82/10/14. BERNERO, R.M. Division of Risk Analysis & Operations (840429-860720). 2pp. 84723:290-84723:291.
- 9507180247 Addresses question of Commission authority to take action to remove contractor of licensee from conducting activities authorized by NRC license.
LIEBERMAN, J. Regional Operations & Enforcement Division. 63/09/06. CUNNINGHAM, G. Division of Fuel Cycle & Material Safety (Pre 870413). 6pp. 84723:292-84723:330.
- 9507180253 Second partial response to FOIA request for records re Ft St Vrain. App C records available in PDR.
PUGH, N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. KATZ, D. Citizens Awareness Network. 2pp. 84723:331-84723:334.
- 9507180260 FOIA request for documents re proposed 1975 OSHA std for beryllium levels in workplace & health hazards of beryllium in humans.
HECKBERT, J.G. Affiliation Not Assigned. 94/11/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84725:023-84725:023.
- 9507180264 Final response to FOIA request for documents. App A documents encl & also placed in PDR.
REED, C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. HECKBERT, J.G. Affiliation Not Assigned. 3pp. 84725:024-84725:147.
- 9507180270 Forwards completed application for license, authorizing receipt & installation of beryllium analyzer.
MELICK, E.S. Affiliation Not Assigned. 62/08/24. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:027-84725:027.
- 9507180272 Application for license, authorizing use of 500 mCi Sb-124 in beryllium analyzer model 200.
SCHAFFNER, H.W. Affiliation Not Assigned. 62/08/24. 8pp. 84725:028-84725:036.
- 9507180275 License 34-08761-01 for Brush Beryllium Co. authorizing use of 250 mCi Sb-124 in Boulder Scientific Co Model 200 beryllium analyzer.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 62/09/06. 2pp. 84725:037-84725:038.
- 9507180276 Advises that license 34-08761-01 issued today in response to application received 620827 authorizing possession & use of Sb-123 sealed sources in Boulder Scientific Co beryllium analyzer model 200. License will be forwarded.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 62/09/06. MELICK, E.S. Affiliation Not Assigned. 1p. 84725:039-84725:039.
- 9507180283 Requests eight addl copies of AEC Form 313, three copies of Form 3 & six copies of Form 4 referred to in CFR. Vendor hopes to add names of several persons to list of personnel authorized to operate beryllium analyzer.
MELICK, E.S. Affiliation Not Assigned. 62/09/07. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 2pp. 84725:040-84725:041.
- 9507180285 Forwards application for amend to license 34-08761-01, authorizing addition of addl users to license to operate Model 200 beryllium analyzer.
CATALANO, J.A. Affiliation Not Assigned. 62/11/16. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:042-84725:042.
- 9507180286 Application for renewal of license 34-08761-01, authorizing use of 250 mCi Sb-124 in beryllium analyzer model 200.
SCHAFFNER, H.W. Affiliation Not Assigned. 62/11/16. 6pp. 84725:043-84725:050.
- 9507180289 Amend 1 to license 34-08761-01 for Brush Beryllium Co, revising Condition 12 re authorized users.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 62/11/28. 1p. 84725:051-84725:051.
- 9507180292 Forwards application for amend to license 34-08761-01, increasing number of sealed sources & adding addl users to license.
CATALANO, J.A. Affiliation Not Assigned. 63/07/19. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:052-84725:052.
- 9507180294 Application for amend to license 34-08761-01, authorizing addl individuals to use Sb-124 sealed source analyzer.
SCHAFFNER, H.W. Affiliation Not Assigned. 63/07/19. 8pp. 84725:053-84725:060.
- 9507180297 Forwards Amend 2 to license 34-08761-01 for Brush Beryllium Co, in response to 630719 application.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/08/07. CATALANO, J.A. Affiliation Not Assigned. 1p. 84725:061-84725:061.
- 9507180300 Amend 2 to license 34-08761-01 for Brush Beryllium Co, revising Condition 12 re authorized users.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 63/08/07. 1p. 84725:062-84725:062.
- 9507180303 Application for amend, renewing license 34-08761-01.
SCHAFFNER, H.W. Affiliation Not Assigned. 64/08/31. 5pp. 84725:063-84725:067.
- 9507180304 Amend 3 to license 34-08761-01 for Brush Beryllium Co.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 64/09/11. 2pp. 84725:068-84725:069.
- 9507180307 Application for amend, renewing license 34-08761-01, authorizing use of Sb-124 sealed sources.
SCHAFFNER, H.W. Affiliation Not Assigned. 64/11/02. 7pp. 84725:070-84725:076.
- 9507180311 Application for amend, renewing license 34-08761-01.
SCHAFFNER, H.W. Affiliation Not Assigned. 66/08/29. 9pp. 84725:077-84725:085.
- 9507180313 Forwards application for renewal of license 34-08761-01.
CATALANO, J.A. Affiliation Not Assigned. 66/08/29. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:086-84725:086.
- 9507180320 Amend 5 to license 34-08761-01 for Brush Beryllium Co, authorizing use of Sb-124 in Boulder Scientific Co Model 200 beryllium analyzer.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 66/09/07. 3pp. 84725:087-84725:089.
- 9507180323 Application for license, authorizing use of 750 mCi Cs-137 in Ohmart Model A-2102.
ANUSKIEWICZ, R. Affiliation Not Assigned. 67/04/28. 3pp. 84725:090-84725:092.
- 9507180325 License 34-08761-02 for Brush Beryllium Co, authorizing use of 750 mCi Cs-137 in Ohmart Model HM-8 source holder as liquid level alarm.
* Atomic Energy Commission (Pre 750119). 67/05/17. 3pp. 84725:093-84725:095.
- 9507180326 Application for license, authorizing use of 25 mCi Cs-137 in Industrial Nucleonics Corp Model S-6.
ANUSKIEWICZ, R. Affiliation Not Assigned. 67/11/30. 2pp. 84725:096-84725:097.
- 9507180331 Forwards application for license to use sealed sources of byproduct matl in industrial gauges.
HOPKINS, D.R. Industrial Nucleonics Corp. 67/12/18. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:098-84725:098.
- 9507180333 Amend 1 to license 34-08761-02 for Brush Beryllium Co, authorizing use of 25 mCi Cs-137 in Industrial Nucleonics Corp Model S-6 to determine liquid level in closed vessel.
* Atomic Energy Commission (Pre 750119). 68/01/09. 2pp. 84725:099-84725:100.
- 9507180335 Application for renewal of license 34-08761-01.
SCHAFFNER, H.W. Affiliation Not Assigned. 68/08/20. 2pp. 84725:101-84725:102.
- 9507180337 Forwards application for renewal of license 34-08761-01.
CATALANO, J.A. Affiliation Not Assigned. 68/08/20. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 6pp. 84725:103-84725:108.
- 9507180339 Amend 6 to license 34-08761-01 for Brush Beryllium Co, revising Condition 12 re authorized users.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 68/08/30. 1p. 84725:109-84725:109.
- 9507180340 Application for amend, renewing license 34-08761-02.
SCHAFFNER, H.W. Affiliation Not Assigned. 69/07/07. 3pp. 84725:110-84725:112.
- 9507180342 Amend 2 to license 34-08761-02 for Brush Beryllium Co, authorizing use of 750 mCi Cs-137 in Ohmart Model A-2102 & 25 mCi Cs-137 in Industrial Nucleonics Corp Model S-6.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 69/07/16. 3pp. 84725:113-84725:115.
- 9507180344 Advises that licensee records show that vendor being billed twice for license 34-08761-02.
SWEENEY, R. Affiliation Not Assigned. 71/05/21. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:116-84725:116.
- 9507180347 Forwards application for renewal of license 34-08761-01.
CATALANO, J.A. Affiliation Not Assigned. 73/08/29. CUNNINGHAM, R.E. Atomic Energy Commission (Pre 750119). 1p. 84725:117-84725:117.
- 9507180349 Application for amend, renewing license 34-08761-01.
BLOME, G.S. Affiliation Not Assigned. 73/08/29. 9pp. 84725:118-84725:126.
- 9507180351 Amend 7 to License 34-08761-01 for Brush Wellman, Inc, revising Condition 12 re authorized users.
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 73/09/27. 1p. 84725:127-84725:127.

-9507180353 Certificate of disposition of mats:all mats procured &/or possessed by licensee under license 34-08761-02 have been transferred to Industrial Nucleonics. CATALANO Brush Wellman, Inc. 74/06/13. 1p. 84725:126-84725:126.

-9507180362 Informs that radioisotopes sent to Industrial Nucleonics in Columbus,OH for storage under license 34-08761-02. Certificates of disposition of mats encl. SWEENEY,R.J. Brush Wellman, Inc. 74/10/28. SINGER,B. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 84725:129-84725:130.

-9507180365 Certificate of disposition of mats:no byproduct mats have been procured &/or possessed by licensee. SWEENEY,R. Affiliation Not Assigned. 74/10/28. 1p. 84725:131-84725:131.

-9507180371 Safety insp on 651005 of license 34-08761-01.Insp findings: no items of noncompliance found.Rept compiled sheet & related info encl. * Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 65/10/05. 7pp. 84725:132-84725:136.

-9507180375 Safety insp on 690710 of license 34-08761-01.Insp findings: no items of noncompliance found.Rept of insp encl. SCHULTZ,W.H. Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 69/07/10. 8pp. 84725:139-84725:146.

-9507180377 Undtd Amend 4 to license 34-08761-01 for Brush Beryllium Co. revising Condition 12 re authorized users. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 95/01/20. 1p. 84725:147-84725:147.

9507180343 FOIA request for records re opinion from OGC on applicability of SG TSs for non-TS type insp. CHAPMAN,N.G. Bechtel Power Corp. 94/12/01. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723:335-84723:335.

9507180345 Final response to FOIA request for info.App A & B records encl & available in PDR. POWELL,P.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. CHAPMAN,N. Bechtel Power Corp. 3pp. 84723:336-84723:340.

-9507180360 Informs of intention to implement TS expansion criteria during unscheduled SG tube insp. STROSNIDER,J.R. Materials & Chemical Engineering Branch. 94/10/31. SHERON,B.W. Division of Engineering (Post 921004). 2pp. 84723:339-84723:340.

9507180402 FOIA request for all records & correspondence re 940520 tritium waste spill in engineering terrace bldg on Columbia Univ campus & 940609 review of two apartments in Tearneck,NJ. STANTON,M. Affiliation Not Assigned. 94/10/03. ABRAHAM,K. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723:341-84723:341.

9507180406 First partial response to FOIA request for records.App A records enclosed & available in PDR. PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. STANTON,M. Affiliation Not Assigned. 2pp. 84723:342-84723:343.

9507180416 FOIA request for contract,all attachments & delivery orders identified to #FSI-TEMP0822 awarded to SRA. CAMERON,G. Affiliation Not Assigned. 95/01/05. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84723:344-84723:344.

9507180425 Final response to FOIA request for info.App A documents enclosed & available in PDR. PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. CAMERON,G. Affiliation Not Assigned. 2pp. 84723:345-84723:346.

9507190066 FOIA request for Sciencetech technical proposal submitted in response to RFP RS-RES-94-045 & Contract NRC-04-94-045. ROSS,B. Science & Engineering Associates, Inc. 94/10/27. MANN,R. Division of Contracts & Property Management (890206-940714). 1p. 84739:047-84739:047.

9507190089 Final response to FOIA request for info.Nonproprietary version of proposal requested enclosed & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. ROSS,B. Science & Engineering Associates, Inc. 2pp. 84739:048-84739:124.

-9507190096 "Elimination of Requirements Marginal to Safety," proposal in response to RFP RS-RES-94-045. * SCIENTECH, Inc. RS-RES-94-045. 94/02/14. 28pp. 84739:050-84739:079.

-9507190099 "Elimination of Requirements Marginal to Safety," best & final offer proposal in response to RFP RS-RES-94-045. * SCIENTECH, Inc. RS-RES-94-045. 94/08/18. 5pp. 84739:080-84739:086.

-9507190103 Contract: "Elimination of Requirements Marginal to Safety" awarded to Sciencetech,Inc. KNIGHT,D.A. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 94/09/29. 38pp. 84739:087-84739:124.

9507190108 FOIA request for list of State of NM mill licensees transferred to NRC on 860601. DARKE,J.F. Affiliation Not Assigned. 94/11/23. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84739:125-84739:127.

9507190110 Final response to FOIA request for records.App A records encl & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. DARKE,J.F. Affiliation Not Assigned. 2pp. 84739:128-84739:170.

-9507190114 Advises that United Nuclear uses trucks to move tailings to mine sites for mine fill but in near future plans to replace trucks w/pipeline-sand separation sys.Related documentation encl. DORENFELD,M.H. Ortloff Mineral Services Corp. (subs. of Ortloff Corp.). 80/04/10. KEMP,E. Emmerson Kemp & Associates,Inc. 41pp. 84739:130-84739:170.

9507190260 Second partial response to FOIA request for records.Apps B & C records encl & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. STANTON,M. Affiliation Not Assigned. 3pp. 84739:178-84739:232.

-9409280057 Responds to 940902 ltr from N Wotherspoon to AG Hevesi re potential wrongdoing by NY officials & concerns per 940520 tritium spill at Columbia Univ.No tritium contamination has been found in two homes. MARTIN,T.T. Region 1 (Post 820201). 94/09/20. MARTINEZ,C.L. New York, NY. 14pp. 84739:219-84739:232.

9507190283 FOIA request for listed info re Cardiovascular Associates PC of Kingsport. ROSE,C.H. Affiliation Not Assigned. 94/12/28. Region 2 (Post 820201). 1p. 84739:171-84739:171.

9507190285 Final response to FOIA request for records.App A records encl & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. ROSE,C.H. Affiliation Not Assigned. 2pp. 84739:172-84739:177.

9507190312 Second partial response to FOIA request for records.App C records encl & available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. SAVORITO,T.J. Saporito, T.J. 2pp. 84918:279-84918:329.

-9208310122 Responds to concerns raised in NRC 920804 ltr re alleged discrimination against former contract employee.Effective programs,such as SPEAKOUT & station problem rept process, facilitate resolution of safety concerns. HALL,D.P. Houston Lighting & Power Co. ST-HL-AE-4186. 92/06/21. MILHOAN,J.L. Region 4 (Post 820201). 4pp. 84918:294-84918:297.

-9507190314 Informs that Region IV will consider all T Saporito allegations in accordance w/Manual Chapter 0517, "Mgt of Allegations," including allegations raised in 2,206 petition re STP. MARTIN,R.D. Region 4 (Post 820201). 2,206 92/03/09. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84918:290-84918:293.

-9507190318 Discusses status of upgrades to STP employee concerns program. COTTELE,W.T. Houston Lighting & Power Co. ST-HL-AE-4685. 94/02/11. CALLAN,L.J. Region 4 (Post 820201). 5pp. 84918:325-84918:329.

-9508040203 Informs of util position re circumstances surrounding revocation of individual unescorted access to plant.Review confirms that decision in subj case consistent w/prior util access authorization decisions.W/unsanitized attachments. HALL,D.P. Houston Lighting & Power Co. 92/06/14. Document Control Branch (Document Control Desk). 16pp. 84918:298-84918:324.

9507200122 FOIA request for list of businesses that use or store radiological mats or instruments in Fenton Fire Protection District. ZUNDEL,M. Missouri, State of. 94/12/30. Region 3 (Post 820201). 1p. 84739:043-84739:043.

9507200125 Final response to FOIA request for records.App A records encl & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. ZUNDEL,M. Missouri, State of. 2pp. 84739:044-84739:046.

-9507200125 Package consisting of list of businesses that use or store radiological mats or instruments in Fenton Fire Protection District. * NRC - No Detailed Affiliation Given. 95/01/31. 1p. 84739:046-84739:046.

9507200292 FOIA request for records re application or history of 10CFR2.103(b),including comments. COLKITT,M.L. Affiliation Not Assigned. 95/01/09. BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84761:159-84761:159.

9507200295 Final response to FOIA request for records.App B records encl.Apps A & B records available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. COLKITT,M.L. Affiliation Not Assigned. 3pp. 84761:160-84761:255.

-8808050229 Denies 840306 application for amend to License 29-06760-08, authorizing use of Sr-90 plaque applicators for original research in treatment of malignant skin lesions.Proposed treatment not demonstrated safe & effective. MURLEY,T.E. Region 1 (Post 820201). 103303. 86/07/25. DOENER,G.A. Radiology Ultrasound Nuclear Consultants, P.A., Freehold, N.J. 2pp. 84761:207-84761:208.

-8812110365 Informs that 950314 application for license to distribute Lixscopes & source heads to persons generally licensed under 10CFR31.5 denied for listed reasons,including failure of device to meet requirements of 10CFR31.5(a). KEPPLER,J.G. Region 3 (Post 820201). 85/07/29. SAVINI,R.J. LIXI, Inc. 3pp. 84761:197-84761:199.

-8812120009 Advises that 860121 application for license to use radioactive mats for well logging & tracer studies in oil & gas wells denied due to licensee possession & use of well logging source prior to receipt of NRC license. KEPPLER,J.G. Region 3 (Post 820201). 80567. 86/05/13. SETTLES,A.P. Perf-Master, Inc. 2pp. 84761:203-84761:206.

-8707270341 Denies request for exemption from requirements of 10CFR20.501 re monitoring external surfaces of radioactive mat packages for contamination,per 840822 application for amend to License 19-00296-10. CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 18035. 84/11/28. AUGUSTINE,R.J. Health & Human Services, Dept. of. 2pp. 84761:195-84761:195.

-8806200009 Notifies that 880120 application for license to use sealed sources & devices for industrial radiography denied. Applicant lacks general requirement for issuance of specific license per 10CFR30.33(a)(3). MARTIN,R.D. Region 4 (Post 820201). 86/05/24. SAGER,J.L. Sager X-Ray Co. 4pp. 84761:209-84761:212.

-8901200247 Discusses denial of license application,Insp 30-30158/87-01 on 870720 & investigation conducted during Oct & Nov 1987 to determine whether radioactive mat possessed prior to receiving NRC license.Rept synopsis & 10CFR2 & 30 encl. MARTIN,R.D. Region 4 (Post 820201). EA-88-245. 89/01/10. GAZALSKI,R. Well Logging, Inc. 97pp. 84761:213-84761:218.

158 NONDOCKETED ITEMS

- 8904130327 Denies request to be exempt from requirements of 10CFR35.60(b) re labeling of syringe containing radiopharm or syringe radiation shield. Labeling assures prescribed radiopharm delivered to correct patient. RUSSELL, W.T. Region 1 (Post 820201). 107896. 88/04/22. DRUM, D.E. Brigham & Women's Hosp., Boston, MA. 2pp. 84761:193-84761:194.
- 8908150217 Advises that 860531 application for license to distribute irradiated gemstones to persons exempt from licensing, per 10CFR32.11, denied. Hearing may be requested within 20 days of ltr date to determine whether application properly denied. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 89/06/07. ASHBAUGH, C.E. Nuclear Theory & Technologies. 6pp. 84761:200-84761:202.
- 9010170175 Concurs on encl ltr denying Radiation Safety Svcs request to perform R&D activities at temporary job sites. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 90/10/01. DAVIS, A.B. Region 3 (Post 820201). 3pp. 84761:219-84761:248.
- 9412060197 Concurs in issuance of encl denial & demand for info to be issued to Cotton Houston Svcs, Inc. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/12/05. CALLAN, L.J. Region 4 (Post 820201). 7pp. 84761:255-84761:255.
- 9507290299 Discusses Policy & Guidance Directive FC 83-11, Rev 1, "Deficiency Ltrs & Telephone Calls to Mat'l License Applicants." CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 85/08/02. Region 1 (Post 820201). 3pp. 84761:163-84761:165.
- 9507200305 Discusses Policy & Guidance Directive FC 83-11, "Followup on Telcons & Deficiency Ltrs to Mat'l License Applicants." CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 83/09/26. Region 1 (Post 820201). 15pp. 84761:166-84761:192.
- 9507200324 Notifies of denial of 930801 application for renewal of license 30-23697-01E, authorizing distribution of luminous gunsights or weapons containing luminous gunsights. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/09/23. MOWRY, B. Innovative Weaponry, Inc. 6pp. 84761:249-84761:254.
- 9507200339 Seventh partial response to FOIA request for records. App J, K & releasable portions of App L records available in PDR. App L documents partially withheld (ref FOIA Exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. FIDELLE, R. Affiliation Not Assigned. 5pp. 84761:256-84761:318.
- 8907070150 Advises that agreements do not restrict employees from contacting NRC re potential safety issues, per 890427 request. DIFAZIO, L.T. E.R. Squibb & Sons, Inc. (subs. of Squibb Corp.). 89/06/07. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761:290-84761:290.
- 8907180487 Informs that current & previous agreements examined, per 890427 ltr. No restrictive clauses found. CRENSHAW, J.L. Mallinckrodt, Inc. 89/07/10. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761:292-84761:292.
- 8907240355 Forwards NRR guidance for ltrs received in response to NRC 890427 ltr re settlement agreements. No comments on guidance to be used if util should identify existence of restrictive language in settlement agreements for discrimination matter. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 89/06/22. CRUTCHFIELD, D. Associate Director for Special Projects (890101-900602). 13pp. 84761:263-84761:275.
- 8907280052 Advises that 3M has no employment agreement containing provision which restricts employee right to provide info to NRC, per 890427 ltr. ROWLEY, S.J. Minnesota Lining & Manufacturing Co. (3M Co.). 89/07/17. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761:293-84761:294.
- 8908170145 Forwards responses received in response to V Stallo 890427 ltr re settlement agreements. No firms identified restrictive language or clauses in settlement agreements for discrimination matters. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 89/08/09. CRUTCHFIELD, D. Associate Director for Special Projects (890101-900602). 1p. 84761:276-84761:289.
- 8908170162 Responds to NRC 890427 request for info re vendor policy on notification of NRC of employee potential safety issues. No settlement agreements identified which restrict ability of employees to provide info re safety issues to NRC. DORUFF, M.A. Amersham Corp. 89/07/18. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761:291-84761:291.
- 8908170165 Responds to 890427 ltr re clauses in employee contracts which restrict employee from providing safety info to NRC. Radiation Code & QC Manual contains explicit statement re responsibilities for reporting defects & safety violations. SCHUTZ, D.F. Teledyne Isotopes. 89/07/18. STELLO, V. Ofc of the Executive Director for Operations. 1p. 84761:295-84761:306.
- 8908170169 "Radiation Safety Code & QC Manual." * Teledyne Isotopes. 88/08/31. 3pp. 84761:296-84761:306.
- 8912070180 Forwards anonymous ltr & newsclipping re util settlement agreements, for appropriate handling. NEWLIN, R.W. Office of Public Affairs (Pre 870413). 89/11/07. HAYES, B. Office of Investigations (Pre 880201). 3pp. 84761:307-84761:309.
- 9507200345 Comments on final rule on prohibiting agreements restricting info to Commission. LIEBERMAN, J. NRC - No Detailed Affiliation Given. 89/12/07. KENNEDY, B. NRC - No Detailed Affiliation Given. 3pp. 84761:310-84761:312.
- 9507200350 Advises of review of potentially restrictive language in each agreement which would be unacceptable under proposed rule. CHANDLER, L.J. Deputy General Counsel for Hearings, Enforcement & Administration (Post 890427). 89/08/31. MURPHY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 84761:313-84761:317.
- 9507200353 Discusses safety issues identified by individuals who were parties to restrictive settlement agreements. EBNETER, S.D. Region 2 (Post 820201). 90/06/26. NRC - No Detailed Affiliation Given. 1p. 84761:318-84761:318.
- 9507210224 FOIA request for info re stated byproduct mat'l licensees, including Indiana Univ. license 13-02752-03. CORCORAN, K. Affiliation Not Assigned. 94/07/27. MARTIN, J.B. Region 3 (Post 820201). 2pp. 84869:001-84869:002.
- 9507210227 Final response to FOIA request for info. Forwards App A & B info which will be in PDR. App B info partially withheld (ref FOIA exemption 6). POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/20. CORCORAN, K. Affiliation Not Assigned. 9pp. 84869:003-84871:126.
- 9507210231 Advises of assignment of license 13-02752-01 for use of radioisotopes. Requests visit on 570325. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 57/03/15. SHEA, E.J. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:012-84869:012.
- 9507210232 Forwards IR for license 13-02752-01. No noncompliances noted. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 57/04/22. MANN, M.M. Atomic Energy Commission (Pre 750119). 1p. 84869:013-84869:013.
- 9507210233 Insp rept for license 13-02752-01 on 570325. No noncompliances noted. Major areas inspected: work measurement. * Atomic Energy Commission (Pre 750119). 57/04/22. 2pp. 84869:014-84869:015.
- 9507210234 Advises of reinsp of license 13-02752-01 on 590518-20. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 59/05/07. SHEA, E.J. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:016-84869:016.
- 9507210273 Forwards IR for licenses 13-02752-02 & 03 & license S-5264. Two non-compliances noted re license 13-02752-03. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 59/06/11. PRICE, H.L. Atomic Energy Commission (Pre 750119). 2pp. 84869:017-84869:018.
- 9507210279 Insp rept of licenses 13-02752-02 & 03 & license S-5264 on 590519. Non-compliance noted for license 13-02752-03. Possessed 52 mCi Co-60 in excess of allowable limit & I-131 procured from ORNL not preassayed. CATINEAU, L.W., HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 59/05/28. 9pp. 84869:019-84869:027.
- 9507210285 Advises of noncompliances found during 590519 insp of licenses 13-02752-02 & 03, including possessing 52 mCi Co-60 in excess of allowed limit. MASON, J.R. Atomic Energy Commission (Pre 750119). 59/09/08. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869:028-84869:029.
- 9507210287 Ack receipt of 590923 ltr re corrective actions taken in response to 590908 ltr re insp of licenses 13-02752-02 & 03. MASON, J.R. Atomic Energy Commission (Pre 750119). 59/10/06. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:030-84869:030.
- 9507210290 Responds to 590908 ltr re pharm assay of I-131 & advises of discontinuation of human use of radiiodine obtained from ORNL. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 59/09/23. MASON, J.R. Atomic Energy Commission (Pre 750119). 1p. 84869:031-84869:031.
- 9507210293 Advises of R Jezik visit to facility during wk of 600411 to discuss byproduct mat'l program, per May 1959 insp of program. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 60/04/05. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:032-84869:032.
- 9507210305 Discusses attempted reinsp of licenses 13-02752-03 & 04 on 600413. Facility should be contacted during May to schedule reinsp. JEZIK, R.M. Atomic Energy Commission (Pre 750119). 60/04/22. Atomic Energy Commission (Pre 750119). 1p. 84869:033-84869:033.
- 9507210308 Ack A McCrea rept of radiation levels in vicinity of facility teletherapy unit. Radiation levels acceptable. Rept encl. SMITH, D.A. Atomic Energy Commission (Pre 750119). 60/08/24. CAMPBELL, J.A., LOVE, J. Indiana Univ. Medical Center, Indianapolis, IN. 6pp. 84869:034-84869:039.
- 9507240261 Informs of insp of radioactive mat'l activities scheduled for wk of 600919. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 60/09/12. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:040-84869:040.
- 9507240263 Forwards reinsp rept for licenses 13-02752-03 & 04. One noncompliance noted. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 60/11/29. PRICE, H.L. Atomic Energy Commission (Pre 750119). 1p. 84869:041-84869:041.
- 9507240271 Insp rept of licenses 13-02752-03 & 04 on 600922-23. Noncompliance noted: exceeding possession limit of Co-60 wire by 52 mCi & failing to certify quality & assay of isotopes used in humans. JEZIK, R.M., HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 60/10/14. 10pp. 84869:042-84869:051.
- 9507240275 Discusses rept of leaking Sr-90 eye applicator w/no sign of contamination. Matter will be reviewed during next reinsp. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 61/01/12. WARNER, D.E. Atomic Energy Commission (Pre 750119). 1p. 84869:052-84869:052.
- 9507240279 Forwards 610112 memo reporting leaking Sr-90 eye applicator. Matter will be reviewed during next insp. WARNER, D.E. Atomic Energy Commission (Pre 750119). 61/02/17. ROGERS, L.R. Atomic Energy Commission (Pre 750119). 1p. 84869:053-84869:053.
- 9507240281 Discusses 600922-23 insp of licenses 13-02752-03 & 04. Non-compliances under first license stated, including possession of two Tracerlab applicators. MASON, J.R. Atomic Energy Commission (Pre 750119). 61/03/15. SHEA, E.J. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:054-84869:054.
- 9507240288 Responds to 610322 inquiry re use of stated matls, including I-131. Request for radioisotopes should be submitted as complete research protocol, including listed info. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 61/06/14. CAMPBELL, J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:055-84869:055.

- 9507240291 Forwards insp findings & licensee ack for license 13-02752-06.No non-compliances noted.
SCHULTZ,W.H. Atomic Energy Commission (Pre 750119). 84/06/03. PHILLIPS,R.W. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:056-84869:056.
- 9507240292 Safety insp on 640514 of license 13-02752-06.Insp findings: no noncom-pliances noted.
* Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianap-olis, IN. 64/05/14. 1p. 84869:057-84869:057.
- 9507240299 Forwards safety insp of license 13-02752-03 & 04 & requests corrective steps to be taken for listed noncompliances.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 64/06/05. CAMPBELL,J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:058-84869:058.
- 9507240307 Safety insp on 640402 & 0514 of license 13-02752-03.Insp findings:Sr-90 applicator leak tested by unauthorized individual,waste survey records unmaintained & leak test records unmaintained.
SCHULTZ,W.H. Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 64/06/05. 1p. 84869:059-84869:059.
- 9507240309 Safety insp on 640402 & 0514 of license 13-02752-04.Insp findings:byproduct matl was not used by or under supervision of JD Campbell.
SCHULTZ,W.H. Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 64/06/05. 1p. 84869:060-84869:060.
- 9507240391 Forwards safety insp of license 13-02752-05 & requests corrective ac-tions for noted noncompliances.Insp concerned licenses 03 & 04 as well.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 64/06/05. BONNER,J.F. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869:061-84869:062.
- 9507240396 Safety insp on 640521 of license 13-02752-05.Insp findings: possession & use of Ir-192 & I-125 w/o license authorization.
SCHULTZ,W.H. Atomic Energy Commission (Pre 750119). * Indiana Univ., School of Medicine, Indianapolis, IN. 64/05/21. 28pp. 84869:063-84869:090.
- 9507240404 Ack receipt of stated ltrs informing of corrective actions to noncom- pliances noted in 640605 ltr re licenses 13-02752-03,04 & 05.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 64/07/01. BONNER,J.F. Indiana Univ., School of Medicine, Indianapolis, IN. 2pp. 84869:091-84869:092.
- 9507240410 Responds to 640805 ltr re noncompliances under NRC licenses. Corrective actions:radioisotope committee members counseled & purchase orders to be spot checked.
BONNER,J.F. Indiana Univ. Medical Center, Indianapolis, IN. 64/06/12. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 1p. 84869:093-84869:093.
- 9507240413 Provides addl info re noncompliances discussed in 640605 ltr.Corrective actions:Ir-192 will be held for decay & application to amend license re use of I-125 will be issued.
BONNER,J.F. Indiana Univ. Medical Center, Indianapolis, IN. 64/06/18. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 2pp. 84869:094-84869:095.
- 9507240415 Advises that application to amend license 13-02752-05 has been issued for possession of Ir-192.
BONNER,J.F. Indiana Univ. Medical Center, Indianapolis, IN. 64/06/25. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 1p. 84869:096-84869:096.
- 9507240419 Ack receipt of 640610 ltr informing of corrective actions re noncom- pliances noted in 640605 ltr.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 64/07/01. CAMPBELL,J.A. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:097-84869:097.
- 9507240423 Responds to 640605 ltr re noncompliances.Corrective actions: application to perform leak test mailed 640609 & application adding Million as user mailed after 640514 insp.
CAMPBELL,J.A. Indiana Univ. Medical Center, Indianapolis, IN. 64/06/10. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 1p. 84869:098-84869:098.
- 9507240426 Safety insp on 680808 of license 13-02752-03.Insp findings: no non-compliances noted.
* Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianap-olis, IN. 68/08/08. 9pp. 84869:099-84869:107.
- 9507250189 Advises that application to cover type 362 teletherapy source for unit filed under license 13-02752-04.
CAMPBELL,J.A. Indiana Univ. Medical Center, Indianapolis, IN. 68/08/16. HUETER,L. Atomic Energy Commission (Pre 750119). 1p. 84869:108-84869:108.
- 9507250191 "Regulations & Recommendations for Clinical Use of Radiosotopes at In-diana Univ Medical Ctr,Indianapolis,IN."
REESE,I.C. Indiana Univ. Medical Center, Indianapolis, IN. 67/01/16. 64pp. 84869:109-84869:186.
- 9507250195 Forwards safety insp of noncompliances noted in insp of license 13- 02752-04.Confirms 680816 ltr re submitted application to correct matters.
GRIER,B.H. Atomic Energy Commission (Pre 750119). 68/08/20. SMITH,D. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869:187-84869:188.
- 9507250196 Safety insp on 680806 of license 13-02752-04.Insp findings: teletherapy unit contained unauthorized Co-60 sealed source in type 362 std int teletherapy cap-sule
HUETER,L.J. Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianapolis, IN. 68/08/20. 9pp. 84869:189-84869:197.
- 9507250197 Forwards safety insp of noncompliances noted during insp of license 13- 02752-05.Corrective actions requested,in writing.
GRIER,B.H. Atomic Energy Commission (Pre 750119). 68/08/22. MAHONEY,J. Indiana Univ., School of Medicine, Indianapolis, IN. 2pp. 84869:198-84869:199.
- 9507250198 Safety insp on 680807 of license 13-02752-05.Insp findings: inventory of Rb-86 exceeds authorized limit & matl & animal incineration ash residue not surveyed prior to disposal.
HUETER,L.J. Atomic Energy Commission (Pre 750119). * Indiana Univ., School of Medicine, Indianapolis, IN. 68/08/22. 10pp. 84869:200-84869:209.
- 9507250201 Ack receipt of 680910 ltr informing of steps taken to correct noncom- pliances noted in 680822 ltr re license 13-02752-05.
GRIER,B.H. Atomic Energy Commission (Pre 750119). 68/09/16. MAHONEY,J. Indiana Univ., School of Medicine, Indianapolis, IN. 2pp. 84869:210-84869:211.
- 9507250204 Responds to 680822 ltr re noncompliances of activities under 13-02752- 05.Corrective actions:inventory of Rb-86 reduced to authorized limit & ash residue monitoring process being explored.
MAHONEY,J.J. Indiana Univ. Medical Center, Indianapolis, IN. 68/09/10. GRIER,B.H. Atomic Energy Commission (Pre 750119). 1p. 84869:212-84869:212.
- 9507250215 Forwards safety insp of noncompliances noted during insp of license 13- 02752-07 Corrective actions requested,in writing.
GRIER,B.H. Atomic Energy Commission (Pre 750119). 68/11/29. MUHLER,J. Indiana Univ., School of Dentistry, Indianapolis, IN. 2pp. 84869:213-84869:214.
- 9507250217 Safety insp on 681120 of license 13-02752-07.Insp findings: inventory of Cs-137 exceeds allowable limit.
HUETER,L.J. Atomic Energy Commission (Pre 750119). * Indiana Univ., School of Dentistry, Indianapolis, IN. 68/11/29. 8pp. 84869:215-84869:222.
- 9507250218 Ack receipt of 681217 ltr informing of corrective actions to noncom- pliances noted in 681129 ltr re license 13-02752-07.
GRIER,B.H. Atomic Energy Commission (Pre 750119). 68/12/24. MUHLER,J. Indiana Univ., School of Dentistry, Indianapolis, IN. 2pp. 84869:223-84869:224.
- 9507250222 Responds to 681129 ltr re noncompliances noted under license 13- 02752-07.Corrective actions:Cs-137 limit within acceptable license requirements.
MUHLER,J.C. Indiana Univ., School of Dentistry, Indianapolis, IN. 68/12/27. GRIER,B.H. Atomic Energy Commission (Pre 750119). 1p. 84869:225-84869:225.
- 9507250223 Ack receipt of 700903 ltr & requests that revised procedure should be submitted for evaluation.
LOW,L.D. Atomic Energy Commission (Pre 750119). 70/09/10. IRVIN,G.W. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:264-84869:264.
- 9507250224 Responds to 700807 ltr,advising of preparation of radiation safety proce-dure manuals & internal problems.
PERRY,N. Indiana Univ., School of Medicine, Indianapolis, IN. 70/09/03. LOW,L.D. Atomic Energy Commission (Pre 750119). 1p. 84869:265-84869:265.
- 9507250230 Discusses 700807 ltr from IN Univ Medical Ctr re problems in collecting info to submit license applications.
LOW,D. Atomic Energy Commission (Pre 750119). 70/09/02. ROY,G. Atomic Energy Commission (Pre 750119). 1p. 84869:266-84869:266.
- 9507250235 Advises that application submitted to change procedures noted during 700421-23 insp of license 13-02752-03 has not been received.
LOW,L.D. Atomic Energy Commission (Pre 750119). 70/08/07. IRVIN,G.W. Indiana Univ. Medical Center, Indianapolis, IN. 2pp. 84869:267-84869:268.
- 9507250238 Ack receipt of 700625 ltr informing of corrective actions taken to correct noncompliances noted in 700612 ltr.
GRIER,B.H. Atomic Energy Commission (Pre 750119). 70/07/02. IRVIN,G.W. Indiana Univ. Medical Center, Indianapolis, IN. 1p. 84869:269-84869:269.
- 9507250255 Responds to 700612 ltr re noncompliances noted in insp of license 13- 02752-03 on 700421-23.Corrective actions:work area survey records will be main-tained & approved users maintaining current records.
IRVIN,G.W. Indiana Univ. Medical Center, Indianapolis, IN. 70/06/25. GRIER,B.H. Atomic Energy Commission (Pre 750119). 3pp. 84869:270-84869:272.
- 9507250257 Safety insp on 700421-23 of license 13-02752-03.Insp findings:work area survey records not maintained & radioactive matl incineration disposal records not maintained.
* Atomic Energy Commission (Pre 750119). * Indiana Univ. Medical Center, Indianap-olis, IN. 70/06/12. 30pp. 84869:273-84869:302.
- 9507250261 "Radiation Safety Manual (Non-Human Use of Radioisotopes)."
PERRY,N., REESE,I. Indiana Univ., School of Medicine, Indianapolis, IN. 70/10/13. 75pp. 84869:303-84869:315.
- 9507250267 License 13-00694-01 for Veterans Admin Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/06/25. 1p. 84870:019-84870:019.
- 9507250271 Amend 1 to license 13-00694-03 for Veterans Admin Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/07/22. 1p. 84870:020-84870:020.
- 9507250272 Amend 2 to license 13-00694-03 for Veterans Admin Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/09/10. 1p. 84870:021-84870:021.
- 9507250276 Informs that Condition 14 of license 13-00694-03 incorrect. License suc-ceeds 13-00694-02.
ORTENDAHL,D.A. Atomic Energy Commission (Pre 750119). 58/12/18. BLAHIA,M.D. Atomic Energy Commission (Pre 750119). 1p. 84870:022-84870:022.
- 9507250277 Amend 3 to license 13-00694-03 for Veterans Admin Hosp.
* Atomic Energy Commission (Pre 750119). 59/01/06. 1p. 84870:023-84870:023.
- 9507260230 Amend 4 to license 13-00694-03 for Veterans Admin Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/07/07. 1p. 84870:024-84870:024.
- 9507260247 Amend 5 to license 13-00694-03 for Veterans Admin Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/08/07. 1p. 84870:025-84870:025.
- 9507260252 Informs of insp of licenses 13-00694-03 & 04,to be scheduled during wx of 600411.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 60/04/05. OLINER,L. Affil-iation Not Assigned. 2pp. 84870:026-84870:027.

160 NONDOCKETED ITEMS

- 9507260254 Amend 6 to license 13-00694-03 for Veterans Admn Hosp. MASON,J.R. Atomic Energy Commission (Pre 750119). 60/05/27. 3pp. 84870-028-84870-030.
- 9507260258 Forwards insp rept of licenses 13-00694-03 & 04. Two noncompliances noted re maintenance of records & matl incineration. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 60/06/02. PRICE,H.L. Atomic Energy Commission (Pre 750119). 2pp. 84870-031-84870-032.
- 9507260264 Insp rept of licenses 13-00694-03 & 04 on 600413. Noncompliances noted. Major areas inspected: byproduct matl program. HAGEMAN,R.C., JEZIK,R.M. Atomic Energy Commission (Pre 750119). 60/05/01. 10pp. 84870-033-84870-042.
- 9507260268 Discusses insp of licenses 13-00694-03 & 04 on 600413 & requests corrective actions to listed noncompliances re matl incineration & record maint. MASON,J.R. Atomic Energy Commission (Pre 750119). 60/06/26. MANDELLE,E. Affiliation Not Assigned. 2pp. 84870-043-84870-044.
- 9507260270 Amend 7 to license 13-00694-03 for Veterans Admn Hosp. MASON,J.R. Atomic Energy Commission (Pre 750119). 60/11/10. 1p. 84870-045-84870-045.
- 9507260273 Requests supply of listed AEC forms 3-5. OLINER,L. Affiliation Not Assigned. 5226/172. 60/11/25. Atomic Energy Commission (Pre 750119). 1p. 84870-046-84870-046.
- 9507260275 Amend 8 to license 13-00694-03 for Veterans Admn Hosp. MASON,J.R. Atomic Energy Commission (Pre 750119). 61/04/17. 2pp. 84870-047-84870-048.
- 9507260280 Responds to 510216 memo re licensee disposal of non-detectable quantities of byproduct matl via normal refuse collections. ROGERS,L.R. Atomic Energy Commission (Pre 750119). 61/03/31. LOW,L.D. Atomic Energy Commission (Pre 750119). 2pp. 84870-049-84870-050.
- 9507260283 Responds to 600826 ltr re 600413 insp of licenses 13-00694-03 & 04. Corrective actions: decayed matl will not be disposed until procedure initiated & incinerator mod being investigated. HARVEY,V.K. Affiliation Not Assigned. 60/09/26. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 84870-051-84870-051.
- 9507270272 Ack receipt of 610808 application requesting amend to license 13-00694-03 to include Co-57. Application unnecessary. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 61/08/16. OLINER,L. Affiliation Not Assigned. 1p. 84870-052-84870-052.
- 9507270276 Amend 9 to license 13-00694-03 for Veterans Admn Hosp. MASON,J.R. Atomic Energy Commission (Pre 750119). 61/12/12. 1p. 84870-053-84870-053.
- 9507270278 Amend 10 to license 13-00694-03 for Veterans Admn Hosp. MASON,J.R. Atomic Energy Commission (Pre 750119). 62/01/02. 2pp. 84870-054-84870-055.
- 9507270279 Amend 11 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/02/18. 1p. 84870-056-84870-056.
- 9507270282 Amend 12 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/09/03. 1p. 84870-057-84870-057.
- 9507270283 Amend 13 to license 13-00694-03 for Veterans Admn Hosp. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 63/09/20. 1p. 84870-058-84870-058.
- 9507270284 Forwards insp findings & licensee ack for license 13-00694-03. No non-compliances noted. SCHULTZ,W.H. Atomic Energy Commission (Pre 750119). 64/01/30. OLINER,L. Affiliation Not Assigned. 1p. 84870-059-84870-059.
- 9507270287 Safety insp on 640121 of license 13-00694-03. Insp findings: no non-compliances noted. Atomic Energy Commission (Pre 750119). * Affiliation Not Assigned. 64/01/21. 9pp. 84870-060-84870-068.
- 9507270293 Responds to 640122 ltr re disposal by incineration of solid wastes coming in contact w/radioactive matls. If survey fails to reveal licensed matl presence & survey results maintained, compliance established. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/02/20. OLINER,L. Affiliation Not Assigned. 1p. 84870-069-84870-069.
- 9507270337 Discusses 640908 rept of fire in lab at license 13-00694-03 facility involving Cs-137 & Rb-86. No personnel contamination reported; investigation scheduled for 640909. ROY,G.W. Atomic Energy Commission (Pre 750119). 64/09/08. Atomic Energy Commission (Pre 750119). 1p. 84870-070-84870-070.
- 9507270343 Discusses rept of 640908 fire at license 13-00694-03 facility involving Cs-137 & Rb-86. No personnel contamination reported. ALLAN,J.M. Atomic Energy Commission (Pre 750119). 64/09/08. Atomic Energy Commission (Pre 750119). 1p. 84870-071-84870-071.
- 9507270346 Informs of 640908 fire at licensee facility involving Cs-137 & Rb-86. Contamination limited to room where fire started. COUPLA,J.J. Affiliation Not Assigned. 64/09/08. Atomic Energy Commission (Pre 750119). 2pp. 84870-072-84870-073.
- 9507270348 Forwards telegram informing of 640908 fire at license 13-00694-03 facility. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/09/18. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 84870-074-84870-074.
- 9507270351 Forwards rept of investigation re fire at license 13-00694-03 facility. No personnel exposures or noncompliances noted. HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 64/09/21. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 84870-075-84870-075.
- 9507270354 Investigation rept of license 13-00694-03 on 640908-09. Major areas investigated: fire involving less than 30 mCi Cs-137 resulting in loss of facilities for more than one day. ROY,G., MORETTI,E.J. Atomic Energy Commission (Pre 750119). 64/09/22. 7pp. 84870-076-84870-082.
- 9507310014 Informs that no EA appropriate due to no noncompliances noted during 640908-09 investigation of fire in lab concerning Cs-137. HANDLER,R. Atomic Energy Commission (Pre 750119). 64/09/25. Atomic Energy Commission (Pre 750119). 1p. 84870-083-84870-083.
- 9507310019 Ack receipt of 641006 ltr informing of fire at facility & exposure of employees to radioactive matl. Names of exposed employees deleted from ltr before included as public record. PRICE, Atomic Energy Commission (Pre 750119). 64/10/23. ROWAN,J.R. Affiliation Not Assigned. 1p. 84870-084-84870-084.
- 9507310021 Amend 14 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/07/06. 4pp. 84870-085-84870-088.
- 9507310024 Amend 15 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/07/09. 1p. 84870-089-84870-089.
- 9507310030 Discusses telcon w/L Oliner, authorized user on license 13-00694-03, re incineration of licensed matls. ROY,G.W. Atomic Energy Commission (Pre 750119). 65/11/03. Atomic Energy Commission (Pre 750119). 2pp. 84870-090-84870-091.
- 9507310032 Amend 16 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/11/15. 1p. 84870-092-84870-092.
- 9507310046 Amend 17 to license 13-00694-03 for Veterans Admn Hosp. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 66/03/30. 56pp. 84870-093-84870-148.
- 9507310050 Amend 18 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/06/30. 1p. 84870-149-84870-149.
- 9507310054 Application for amend to license 13-00694-03, authorizing use of Tc-99m to be obtained as molybdenum-technetium generator. DRATZ,H.M. Affiliation Not Assigned. 583/111E. 68/06/20. Atomic Energy Commission (Pre 750119). 2pp. 84870-150-84870-151.
- 9507310062 Amend 19 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/07/02. 1p. 84870-152-84870-152.
- 9507310065 Discusses telcon w/L Oliner, user on license 13-00694-03, re scheduling reinsp 2 of license. Reinsp will be scheduled for Sept or later. HUETER,L.J. Atomic Energy Commission (Pre 750119). 68/07/31. Atomic Energy Commission (Pre 750119). 1p. 84870-153-84870-153.
- 9507310067 "Manual on Procedures for Research & Educ Program." * Affiliation Not Assigned. 68/10/31. 41pp. 84870-154-84870-198.
- 9507310072 Application for amend to license 13-00694-03, authorizing use of Cr-51 labelled red cells in spleen scanning. DRATZ,H.M. Affiliation Not Assigned. 583/111E. 68/11/22. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 84870-199-84870-199.
- 9507310075 Forwards safety insp of license 13-00694-03. Noncompliances noted. GRIER,B. Atomic Energy Commission (Pre 750119). 68/12/06. DRATZ,H. Affiliation Not Assigned. 3pp. 84870-200-84870-202.
- 9507310078 Safety insp on 681121 of license 13-00694-03. Insp findings: Cr-51 used for purpose of spleen scans although license condition limits use as stated. * Atomic Energy Commission (Pre 750119). * 68/11/21. 14pp. 84870-203-84870-216.
- 9507310080 Amend 20 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/12/11. 1p. 84870-217-84870-217.
- 9507310083 Application for amend to license 13-00694-03, authorizing L. Oliner & F. Mishkin to use listed matl. DRATZ,H.M. Affiliation Not Assigned. 69/03/10. 13pp. 84870-218-84870-228.
- 9507310084 Amend 21 to license 13-00694-03 for Veterans Admn Hosp. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/04/01. 1p. 84870-229-84870-229.
- 9507310093 Advises of need for submittal of listed items in order to support application for broad specific byproduct matl license, including QC procedure description. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/04/16. DRATZ,H.M. Affiliation Not Assigned. 2pp. 84870-230-84870-231.
- 9507310099 Forwards addl info in support of application for broad specific byproduct matl license, including info re pathologist & hematologist. DRATZ,H.M. Affiliation Not Assigned. 69/05/09. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 9pp. 84870-232-84870-240.
- 9507310100 Application for amend to license 13-00694-03, deleting L. Oliner & adding F. Mishkin as user. DRATZ,H.M. Affiliation Not Assigned. 69/05/28. Atomic Energy Commission (Pre 750119). 2pp. 84870-241-84870-242.
- 9507310103 Forwards addl info in support of application to amend license 13-00694-03 to allow use of Tc-99m. MISHKIN,F.S. Affiliation Not Assigned. 69/07/07. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 84870-243-84870-244.

- 9507310107 Application for amend to license 13-00694-03, authorizing listed matl for use in medical research diagnosis & therapy.
DRIATZ, H.M. Affiliation Not Assigned. 69/02/11. 47pp. 84870:245-84870:291.
- 9507310111 Amend 22 to license 13-00694-03 for Veterans Admin Hosp.
BOWYER, J.E. Atomic Energy Commission (Pre 750119). 69/08/11. 5pp. 84870:292-84870:296.
- 9507310114 Application for amend to license 13-00694-03, authorizing use of Tc-99m.
HAILE, J.F. Affiliation Not Assigned. 70/07/06. Atomic Energy Commission (Pre 750119). 11pp. 84870:297-84870:307.
- 9507310119 Advises that protocol for use of Tc-99m for lung scans should be supported w/whole body dosage calculations & stated info called for in medical licensing guide.
BOWYER, J.E. Atomic Energy Commission (Pre 750119). 70/07/28. HAILE, J.F. Affiliation Not Assigned. 1p. 84870:308-84870:308.
- 9507310123 Amend 23 to license 13-00694-03 for Veterans Admin Hosp.
BOWYER, J.E. Atomic Energy Commission (Pre 750119). 70/08/17. 1p. 84870:309-84870:309.
- 9507310124 Amend 24 to license 13-00694-03 for Veterans Admin Hosp.
BOWYER, J.E. Atomic Energy Commission (Pre 750119). 70/10/26. 1p. 84870:310-84870:310.
- 9507310126 Partially deleted "Procedures & Regulations for Indiana Univ - Purdue Univ at Indianapolis & Associated Facilities."
* Indiana Univ. - Purdue Univ. at Indianapolis, Indianapolis, IN. 73/06/30. 58pp. 84870:311-84871:008.
- 9507310133 Repts on 640908 fire in facility lab involving tracer quantities of Cs-137. Caused by safety deviations. Preventative steps taken. Info deleted.
ROWAN, J.R. Affiliation Not Assigned. 64/10/06. Atomic Energy Commission (Pre 750119). 4pp. 84871:009-84871:013.
- 9507310139 Repts on 640908 fire in facility lab involving Cs-137. Contamination was limited.
COUPAL, J.J. Affiliation Not Assigned. 64/09/09. Atomic Energy Commission (Pre 750119). 2pp. 84871:014-84871:015.
- 9507310140 Responds to 700728 ltr re whole body dosage calculations. Calculations submitted. Info deleted.
HAILE, J.F. Affiliation Not Assigned. 70/06/05. BOWYER, J.E. Atomic Energy Commission (Pre 750119). 7pp. 84871:016-84871:128.
- 9507210284 FOIA request for documents filed w/NRC re compliance w/any regulations dealing w/safety, safe operations & environ concerns.
STEVENSON, V.L. Affiliation Not Assigned. 95/01/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797:001-84797:001.
- 9507210286 Final response to FOIA request for records. App A records available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. STEVENSON, V.L. Affiliation Not Assigned. 3pp. 84797:002-84797:004.
- 9507210295 FOIA request for records authored by Dr R Landsman since 1989 re spent fuel or dry cask storage.
WILLIAMS, O.G. JRA Associates. 94/12/14. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84797:005-84797:005.
- 9507210298 Final response to FOIA request for records. App A records encl & available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. WILLIAMS, O.G. JRA Associates. 2pp. 84797:006-84797:016.
- 9507210303 Forwards comments on draft info notice re dry cask storage, including short paragraph from Dr R Landsman about dynamic analysis of pad & foundation.
GREENMAN, E.G. Region 3 (Post 820201). 94/12/13. PAPERIELLO, C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 84797:010-84797:016.
- 9507210309 FOIA request for listed documents re Fermi 2, including TES Rpt 94V70-13. "Metallurgical Analysis of Fermi 2 LP 3 Eight Stage Turbine Bldg."
TRAPP, J. Affiliation Not Assigned. 94/12/02. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84797:017-84797:018.
- 9507210312 Partial response to FOIA request for records. App A records encl & available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. TRAPP, J. Affiliation Not Assigned. 2pp. 84797:019-84797:052.
- 9507210313 Package consisting of affidavits for withholding info from disclosure per 10CFR2.790.
* Detroit Edison Co. 95/01/31. 32pp. 84797:021-84797:052.
- 9507240054 Final response to FOIA request for records. App D records encl & available in PDR. App E & F records withheld in entirety (ref FOIA Exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. FIDELL, E.R. Affiliation Not Assigned. 5pp. 84797:053-84797:082.
- 9507240071 Forwards H.R. 102-1018, conference rpt to accompany H.R. 776, "Energy Policy Act of 1992."
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/10/21. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 84797:071-84797:073.
- 9507240077 Forwards status summaries of major legislative proposals introduced in 102nd Congress which were of interest to NRC.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/12/07. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 84797:074-84797:076.
- 9507240081 Forwards analysis summarizing whistleblower protections provisions contained in HR 776.
PARLER, W.C. Office of the General Counsel (Post 860701). 92/05/15. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 84797:077-84797:079.
- 9507240093 Forwards OGC analysis summarizing major provisions of H.R. 776, "Energy Policy Act of 1992."
PARLER, W.C. Office of the General Counsel (Post 860701). 92/10/26. THE CHAIRMAN, SELIN, I., ROGERS, K.C. Commissioners (Post 750119). 3pp. 84797:080-84797:082.
- 9507240337 FOIA request for documents re matters involving Houston Lighting & Power plant Units 1 & 2.
LARI, R.G. Affiliation Not Assigned. 94/11/22. KAMMERER, C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84833:001-84833:001.
- 9507240365 Final response to FOIA request for documents. Forwards records listed in App A already available in PDR & records listed in App B being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. LARI, R.G. Affiliation Not Assigned. 3pp. 84833:002-84833:009.
- 9507240407 FOIA request for documents re Chestnut Hill Hosp.
CROSS, C. Affiliation Not Assigned. 94/07/07. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 84797:083-84797:084.
- 9507240422 Fourth partial response to FOIA request for document. Records in App G encl & being made available for PDR. App H records completely withheld (ref FOIA exemption 5).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. CROSS, C. Affiliation Not Assigned. 8pp. 84797:085-84797:090.
- 9507240431 Extracted page from draft violation T of NOV.
* NRC - No Detailed Affiliation Given. 93/04/29. 2pp. 84797:089-84797:090.
- 9507240430 Twenty second response to FOIA request for documents. Forwards App YY records being partially withheld & App ZZ records being completely withheld (ref FOIA Exemptions 4 & 6).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 9pp. 84833:010-84833:230.
- 9507270171 Partially deleted ltr which transmits documents requested by NRC 920601 ltr & D Tecum 920610 subpoena issued to util by NRC Inspector General.
HALL, D.P. Houston Lighting & Power Co. 92/06/18. NORTON, L.J. Office of the Inspector General (Post 890417). 202pp. 84833:022-84833:230.
- 9507250044 Twenty-first partial response to FOIA request for records. App UU & VV documents available in PDR. App WW documents partially withheld (ref FOIA Exemption 6). App XX documents completely withheld (ref FOIA Exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/06. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 6pp. 84833:231-84833:253.
- 9507250047 Requests review of transcript of interview of aliege re potential safety concerns.
WISE, R. Region 4 (Post 820201). 93/05/11. JOHNSON, B. Region 4 (Post 820201). 3pp. 84833:240-84833:242.
- 9507250051 Informs of review of transcript taken in Bay City on 930412. No nuclear safety or technical issues identified.
JOHNSON, W.D. Region 4 (Post 820201). 93/05/12. WISE, R. Region 4 (Post 820201). 1p. 84833:243-84833:243.
- 9507250055 Advises of review of transcript of interview of contract employee. No nuclear safety or technical concerns identified.
WISE, R. Region 4 (Post 820201). 93/05/19. WILLIAMSON, E.L. Ofc of Investigations (Post 880201). 1p. 84833:244-84833:244.
- 9507250062 Requests investigation of DD Diskill actions re STP.
* Affiliation Not Assigned. 93/08/21. WILLIAMS, D. Office of the Inspector General (Post 890417). 1p. 84833:245-84833:245.
- 9507250064 Forwards allegation of safety issues re STP for review.
NORTON, L.J. Office of the Inspector General (Post 890417). 93/09/03. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 84833:246-84833:249.
- 9507250067 Advises of allegation re asbestos abatement work that was occurring at STP.
BEACH, A.B. Region 4 (Post 820201). 93/06/30. BATY, G.A. Labor, Dept. of, Occupational Safety & Health Admin. 4pp. 84833:250-84833:253.
- 9507250095 FOIA request for encl listed Ofc of Investigations case repts.
JACKSON, D. Affiliation Not Assigned. 94/10/27. POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84797:114-84797:115.
- 9507250099 Final response to FOIA request for records. App A & B & releasable portions of App C documents encl & available in PDR. App C documents partially withheld (ref FOIA Exemption 7).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. JACKSON, D. Affiliation Not Assigned. 5pp. 84797:116-84797:271.
- 9507250110 Discusses NDE allegations re radiation safety program & practices poor & lead backscatter B not being used for radiography shots.
CERNE, A.C. Region 1 (Post 820201). 82/10/13. Region 1 (Post 820201). 2pp. 84797:121-84797:122.
- 9507250113 Discusses allegations of weld deficiencies in reactor coolant loop piping at facility.
CHRISTOPHER, R. Office of Investigations (Pre 880201). 82/09/09. Office of Investigations (Pre 880201). 1p. 84797:123-84797:123.
- 9507250119 "Alleged Improper Renewal of Welder Qualification; Possible Discrimination by Pullman-Higgins."
NORTON, L.J., WHITE, C.W. Office of Investigations (Pre 880201). 86/05/09. 3pp. 84797:124-84797:126.
- 9507250121 "Alleged Illegal Weld Repair."
MATAKAS, R.A., WHITE, C.W. Office of Investigations (Pre 880201). 86/05/09. 3pp. 84797:127-84797:129.

162 NONDOCKETED ITEMS

- 9507250125 "Alleged False Statements by Licensee Personnel Made During EP Drill." WALSH,R.J., WHITE,C.W. Office of Investigations (Pre 880201). 86/08/26. 7pp. 84797:130-84797:136.
- 9507250128 "Suspected Matl False Statement by Licensee Official." WALSH,R.J. Office of Investigations (Pre 880201). 87/11/04. 5pp. 84797:137-84797:141.
- 9507250130 "Safety Concerns in Control Room." WALSH,R.J., WHITE,C.W. Ofc of investigations (Post 880201). 90/02/12. 3pp. 84797:142-84797:144.
- 9507250132 Closes Case 1-92-005R re auxiliary operators falsely recording insp & surveillance activities. LETTS,B.R. Ofc of investigations (Post 880201). 93/02/26. MARTIN,T.T. Region 1 (Post 820201). 1p. 84797:145-84797:145.
- 9507250136 Discusses nonspecific allegations re Pullman Higgins QA/QC inspectors at facility. MATAKAS,R.A. Office of Investigations (Pre 880201). 82/09/27. GALLO,R.M. Region 1 (Post 820201). 2pp. 84797:146-84797:147.
- 9507250139 "Alleged Falsification of QC Insp Documents." MATAKAS,R.A., WHITE,C.W., HAYES,B.B. Office of Investigations (Pre 880201). 86/09/19. 38pp. 84797:215-84797:252.
- 9507250144 "Suspected Matl False Statement by Licensee Official." WALSH,R.J., WHITE,C.W. Ofc of investigations (Post 880201). 90/04/04. 6pp. 84797:253-84797:271.
- 9507260240 Appeals denial of FOIA request for records re Sequoyah Fuels Corp application for amend to license to allow changes in mgt structure. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 94/12/22. TAYLOR,J.M. Ofc of the executive Director for Operations. 2pp. 84833:254-84833:255.
- 9507260248 Responds to appeal of denial of FOIA request for documents cited in e-mail message of 940920 from J Shepherd to M Vasquez. Appeal granted. THOMPSON,H.L. Dir Exec Dir for Nuc Matis Safety,Safeguards & Operations Support (Post 890205). 95/02/08. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 84833:256-84833:266.
- 9507260251 Informs of review of NACE petition & section 4 of IR deal w/mgt issues at SFC in light of amend request. SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 94/09/20. VASQUEZ,G.M. NRC - No Detailed Affiliation Given. 1p. 84833:267-84833:266.
- 9507260261 FOIA request for list of all existing legal support svcs contracts. DUNITHAN,A.L. Affiliation Not Assigned. 95/01/20. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84833:267-84833:267.
- 9507260265 Final response to FOIA request for records.App A record encl & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. DUNITHAN,A.L. Affiliation Not Assigned. 2pp. 84833:268-84833:270.
- 9507260267 Package consisting of list of legal svcs contracts. * NRC - No Detailed Affiliation Given. 95/02/09. 1p. 84833:270-84833:270.
- 9507270235 FOIA request for documents re allegations from 1993 or 1994 that util nuclear assessment dept lacked sufficient independence in making personnel selections or NRC investigation of NADs independence in personnel selection. CALVERT,M.S. Carolina Power & Light Co. 94/12/22. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84871:129-84871:130.
- 9507270239 Final response to FOIA request for records.App A records encl & available in PDR.Releasable portions of App B records also encl & available in PDR.App B records partially withheld (ref FOIA Exemption 6). POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. CALVERT,M.S. Carolina Power & Light Co. 4pp. 84871:131-84871:145.
- 9507270251 Discusses allegation Rll-93-0153 re site VP has power to make personnel selection for nuclear assessment dept.insp conducted on 931206-15 to assess adequacy of plant nuclear assessment department.Memo partially deleted. CHRISTENSEN,H. Region 2 (Post 820201). 94/04/14. DEMIRANDA,O. Region 2 (Post 820201). 7pp. 84871:135-84871:141.
- 9507270254 Discusses 930806 conversation w/R Prevatte expressing concerns re independence of nuclear assessment dept. Excerpt from insp Repts 50-325/93-55 & 50-324/93-55 encl. W/o encl. Ltr partially deleted. URYC,B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 2pp. 84871:142-84871:143.
- 9507270255 Discusses 930806 conversation w/R Prevatte expressing concern re independence of nuclear assessment dept. Excerpt from insp Repts 50-325/93-55 & 50-324/93-55 encl.W/o encl. Ltr partially deleted. URYC,B. Region 2 (Post 820201). 94/07/07. Affiliation Not Assigned. 3pp. 84871:144-84871:145.
- 9507280083 FOIA request for repts about radioactive accidents in research & univ labs & hospa. occurring in US from 1989-1994. ECHEGARAY,P.L. Affiliation Not Assigned. 95/01/10. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84871:246-84871:246.
- 9507280097 Final response to FOIA request for records.App A records encl & available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/21. ECHEGARAY,P. Affiliation Not Assigned. 2pp. 84871:247-84871:324.
- 9507280103 Package consisting of events notifications & list of research & univ lab & hosp events. * NRC - No Detailed Affiliation Given. 95/02/21. 76pp. 84871:249-84871:324.
- 9507280116 Advises that all future correspondence re FOIA 93-642 should be forwarded to listed address. LAWRENCE,J.W. Affiliation Not Assigned. 94/08/18. PAPPAS,C. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84871:325-84871:329.
- 9507280127 Twenty-fourth partial response to FOIA request for records. Releasable portions of App DDD records encl & available in PDR.App DDD records partially withheld & App EEE records completely withheld (ref FOIA Exemptions 4,5 & 6). POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/09. LAWRENCE,J.W. Affiliation Not Assigned. 4pp. 84871:330-84871:335.
- 9507280131 Advises of complaints of deficiencies at plant for inquiry. * Commissioners (Post 750119). 86/10/28. Commissioners (Post 750119). 1p. 84871:334-84871:334.
- 9507280135 Requests monitoring info re reported errors at plant. Response ltr from EG Adensam shows misunderstanding of concerns. * Affiliation Not Assigned. 93/08/16. THE CHAIRMAN Commissioners (Post 750119). 1p. 84871:335-84871:335.
- 9507310118 FOIA request for documents re recent license on file for PP Slawek,MD.license 37-21243-01. MICHAUD,L. Affiliation Not Assigned. 94/12/19. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84872:005-84872:005.
- 9507310127 Final response to FOIA request for documents.Records in App A being made available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/08. MICHAUD,L. Affiliation Not Assigned. 2pp. 84872:001-84872:004.
- 9507310129 Matis licensing package for license 37-21243-01 for PP Slawek,MD. GLENN,J.E. Region 1 (Post 820201). 83/01/28. 2pp. 84872:003-84872:004.
- 9507310152 FOIA request for documents re NRC investigation into building collapse on 830315. PITTS,C.J. Affiliation Not Assigned. 94/11/28. NRC - No Detailed Affiliation Given. 1p. 84911:001-84911:001.
- 9507310157 Final response to FOIA request for documents.Records in App A encl & being made available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/15. PITTS,C.J. Affiliation Not Assigned. 2pp. 84911:002-84911:010.
- 9508020249 Record of telcon w/J Feeney. COURTMANCHE,S. NRC - No Detailed Affiliation Given. 95/03/25. 2pp. 84911:009-84911:010.
- 9507310163 FOIA request for documents re application to NRC ofc from Twin Rivers in Quincy,MA. MARTIN,W. Affiliation Not Assigned. 95/01/02. NRC - No Detailed Affiliation Given. 1p. 84872:006-84872:006.
- 9507310164 FOIA request for documents re NRC files concerning 540 East 105th Street site. MORANO,D.J. Affiliation Not Assigned. 94/10/27. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84872:011-84872:011.
- 9507310166 Final response to FOIA request for documents.Records in App A encl & being made available in PDR. * Division of Freedom of Information & Publications Services (Post 940714). 95/02/17. MARTIN,W.J. Affiliation Not Assigned. 2pp. 84872:007-84872:010.
- 9507310171 Requests that present Procter & Gamble matl license. 20-1110-01,be transferred to Twin Rivers Technologies,Inc at listed address.Purchase of entire facility completed on 941118. ANGELICO,P. 94/11/29. Region 1 (Post 820201). 1p. 84872:009-84872:009.
- 9507310175 Confirms concurrence of request by Twin Rivers Technologies, Inc to transfer present Procter & Gamble matl license 20-11120-01 to organization at listed address.Final sale of entire facility completed on 941118. HOPPER,G. Procter & Gamble Co. 94/11/29. Region 1 (Post 820201). 1p. 84872:010-84872:010.
- 9507310169 Partial response to FOIA requests for documents.App A records already available in PDR. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/21. MORANO,D. Affiliation Not Assigned. 2pp. 84872:012-84872:013.
- 9507310206 FOIA request for documents re CFO 1994 Annual Rept.Agency Inspector General & Independent Public Accountant most recent issued repts & CFO financial statements under contract for audit. FARMER,W.L. Affiliation Not Assigned. 94/12/08. OLIU,W.E. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84868:357-84868:358.
- 9507310207 Eight partial response to FOIA request for documents.App M record encl & available in PDR.App N records maintained in PDR.App O records withheld in part (ref FOIA Exemption 6). App P records withheld completely (ref FOIA Exemption 5). POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/03/02. FIDELLE,E.R. Affiliation Not Assigned. 6pp. 84883:124-84883:139.
- 9507310209 Notifies that due to emergency in assigned attorney family, it is not possible to complete review for OGC analysis of settlement agreements until 890830. CHANDLER,L.J. Deputy General Counsel for Hearings, Enforcement & Administration (Post 890423). 89/08/24. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84883:132-84883:132.
- 9507310212 Forwards copy of Allegation File Rllll-86-A-0159-Fermi.W/o encl. FUNK,D.E. Region 3 (Post 820201). 90/01/18. BRADY,R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 84883:133-84883:133.
- 9507310215 Forwards Recommended Order of Dismissal,Stipulation of Dismissal & Settlement Agreement & Full & Final Release re J Stites DOL case.W/o encl. BROWN,W.L. Region 4 (Post 820201). 90/01/26. CRUTCHFIELD,D. Associate Director for Special Projects (890101-900602). 2pp. 84883:134-84883:135.
- 9507310218 Partially withheld memo forwarding Commission Order.W/o encl. HOEFLING,D. NRC - No Detailed Affiliation Given. 90/02/09. BROWN,B. Region 4 (Post 820201). DICK,G. QUAY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 84883:136-84883:139.

- 9507310206** Final response to FOIA request for documents. Requested records available through listed public distribution programs.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/21. FARMER, W.L. Affiliation Not Assigned. 2pp. 84868:359-84868:360.
- 9507310210** FOIA request for documents re proposal from Dec 1991 award of contract NRC-38-92-288.
WESTER, N. Affiliation Not Assigned. NRC-38-92-288. 94/11/14. POOLE, M.J. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84872:014-84872:014.
- 9507310222** FOIA request for documents re all depositions in possession of NRC taken in diesel generator phase of discovery re licensing amend proceeding.
WILMOTH, M.J. National Whistleblower Center. 95/01/17. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84872:032-84872:034.
- 9507310230** Fourth final response to FOIA request for documents. No addl records subject to request located.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/03/01. STANTON, M. Affiliation Not Assigned. 1p. 84883:122-84883:123.
- 9507310232** Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being Documents being placed in PDR. Apps BBB & CCC being released in part (ref FOIA exemption 7C).
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. LAWRENCE, J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84872:036-84872:116.
- 9507310243** SECY-90-025 Requests Commission approval to issue encl order re administrative subpoena issued by staff.
FITZGERALD, J.A. Assistant General Counsel for Adjudications & Opinions. 90/01/23. 67pp. 84872:046-84872:104.
- 9507310251** Discusses alleged termination for reporting security concerns to security mgt.
WILLIAMSON, E.L. Ofc of Investigations (Post 880201). 93/01/20. MILHOAN, J.L. Region 4 (Post 820201). 2pp. 84872:105-84872:106.
- 9507310274** Partially withheld memo re review of allegation involving plant.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/12/16. WILLIAMS, D.L. Office of the Inspector General (Post 890417). 10pp. 84872:107-84872:116.
- 9507310235** Final response to FOIA request for documents. Nonproprietary version of proposals being made available for public insp.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/22. WESTER, N. Affiliation Not Assigned. 1p. 84872:015-84872:031.
- 9507310248** Partially withheld paper entitled, "NRC Effective Communication: Media Training Workshop, Technical & Mgt Proposal."
* CommCore, Inc. 91/04/30. 8pp. 84872:016-84872:023.
- 9507310255** Expresses appreciation for opportunity to clarify outstanding issues re proposal, "Effective Communication: Media Training Workshop." Ltr partially deleted.
BERG, K.E. CommCore, Inc. 91/11/11. TAYLOR, S. Division of Contracts & Property Management (890206-940714). 8pp. 84872:024-84872:031.
- 9507310242** FOIA request for documents re remediation of sewer sys on or near NPPs.
LENHART, T.E. Northeast Ohio Regional Sewer District. 95/01/27. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84883:140-84883:140.
- 9507310249** Final response to FOIA request for documents. Forwards Apps B & C records. Records being made available in PDR. App A records already available in PDR. W/o stated App C records.
BROWN, N. Division of Freedom of Information & Publications Services (Post 940714). 95/03/06. LENHART, T.E. Northeast Ohio Regional Sewer District. 4pp. 84883:142-84883:152.
- 9507310257** Forwards copy of staff response to J Garza 931201 questions re sewer releases from power reactor licenses.
BLAHA, J. Assistant for Operations (Post 890205). 94/01/21. OLSON, P. General Accounting Office. 7pp. 84883:146-84883:152.
- 9507310252** Fourth partial response to FOIA request for documents. Records in App D & E will be made available in PDR. App F records will be withheld in entirety or in part (ref FOIA Exemption 3).
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. KATZ, D. Citizens Awareness Network. 5pp. 84883:079-84883:121.
- 9507310268** Partially withheld notice of violation & proposed imposition of civil penalty from insp on 890911-15. Violation noted on 890822 drywell & degraded barriers of 4KV switchgear room were not positioned to positively control access to areas.
DAVIS, A.B. Region 3 (Post 820201). EA-89-195. 89/11/29. 31pp. 84883:091-84883:121.
- 9507310259** First partial response to FOIA request for documents. Forwards records listed in App A. App B records already available in PDR. W/o stated records.
POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 95/02/21. WILMOTH, M.J. National Whistleblower Center. 3pp. 84872:035-84872:037.
- 9507310260** FOIA request for documents re NRC response to Exhibit 43 of Ofc of Mgt & Budget Circular A-11 for FY96.
PLEXICO, K.M. 95/02/13. POWELL, R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84883:153-84883:153.
- 9507310264** First final response to FOIA request for documents. Records in App A encl & being made available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/03/07. PLEXICO, K.M. 2pp. 84883:154-84883:156.
- 9508010190** Agency-wide summary rpt on obligations for Info Technology NRC.
* 95/02/06. 1p. 84883:156-84883:156.
- 9508010193** FOIA request for documents re monitoring of radiation &/or detection of radionuclides at publicly owned wastewater treatment plants by nuclear power licenses.
LENHART, T.E. Northeast Ohio Regional Sewer District. 95/01/27. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84883:141-84883:141.

GEN TEC IS GENERIC TECHNICAL ISSUES

- 9410110028** Presents NMSS resolution of issue Number 6 & 64, "Decommissioning of Reactors," of Generic Issue Mgt Control Sys. GSI originally documented as Task 8-64 in NUREG-0471, "Generic Task Problem Descriptions (Categories B.C & D)."
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/09/26. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 84852:299-84852:299.
- 9507030081** Forwards prioritization evaluation of GI 171 & approves RES/DET taking appropriate actions to resolve issue, to be monitored by GIMCS. Also forward to regions, other ofcs, ACRS & PDR for comment. GIMCS info to be received within 6 wks.
MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 95/06/16. SHAO, L.C. Division of Engineering Technology (Post 941217). 11pp. 84512:336-84512:346.
- 9507050138** Forwards safety evaluation addressing BWROG 900402 response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs' Per 10CFR50.54(f)."
HALL, J.R. - GL 89-19. 95/06/21. HORN, G.R. Nebraska Public Power District. 4pp. 84516:189-84516:194.
- 9507050157** Safety evaluation re response to GL 89-19, "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPP' Per 10CFR50.54(f)." Stated upgrade unwarranted.
* Office of Nuclear Reactor Regulation (Post 941001). GL-89-19. 95/06/21. 2pp. 84516:193-84516:194.
- 9507060076** Forwards safety evaluation in response to GL-90-06 which provides resolution of GI-70 "Power Operated Relief Valve & Block Valve Reliability" & GI-94, "Addl Low Temp Overpressure Protection for LWR."
JOHNSON, A.R. Project Directorate I-1 (PD1-1) (Post 941001). TAC M77352. 95/06/21. MECREY, R.C. Rochester Gas & Electric Corp. 3pp. 84540:032-84540:042.
- 9507060241** Application for amend to license NPF-12, consisting of TS Change TSP 950002, revising TS 3/4.4.4 for pressurizer PORVs to follow guidance of GL 90-06, GI 70 & improved Westinghouse standardized TS.
TAYLOR, G.J. South Carolina Electric & Gas Co. RC-95-0167. 95/06/30. DEMBEK, S. Document Control Branch (Document Control Desk). 3pp. 84619:036-84619:054.
- 9507060381** Requests extension of commitment date for submitting USI A-46 seismic evaluation rpt to 960329. Util committed by 920914 ltr in response to Suppl 1 to GL 87-02 to submit rpt by 950930.
BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. C321-95-2155. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84617:099-84617:100.
- 9507060388** Forwards "IPE for External Events (IPEEE) Submittal Final Rept." as committed in 921015 ltr. External events portion of USI A-46, "Shutdown DHR Requirements" subsumed in IPEEE, per GL 88-20 & considered resolved.
ANDERSON, R.A. Carolina Power & Light Co. BSEP 95-0314. 95/06/30. Document Control Branch (Document Control Desk). 3pp. 84593:001-84594:106.
- 9507070154** Forwards "HB Robinson Steam Electric Plant (HBRSEP) Unit 2 IPE for External Events Submittal Final Rept., "HBRSEP Unit 2 USI A-46 Seismic Evaluation Rept Final Rept" & "HBRSEP Unit 2 USI A-46 Relay Evaluation Rept Final Rept." per GI 88-20.
KRICH, R.M. Carolina Power & Light Co. RNP-RA/95-0123. 95/06/30. Document Control Branch (Document Control Desk). 5pp. 84640:001-84642:175.
- 9507070167** 52212-R-002 R00 "HB Robinson Steam Electric Plant Unit 2 USI A-46 Seismic Evaluation Rept Final Rept."
* EQE, Inc. 95/06/22. 168pp. 84641:097-84641:263.
- 9507070174** Rev 0 to "HB Robinson Steam Electric Plant Unit 2 USI A-46 Relay Evaluation Rept Final Rept."
* Carolina Power & Light Co. * EQE, Inc. 95/06/30. 276pp. 84641:264-84642:175.
- 9507190228** Informs that audit of licensee USI A-46 program will be conducted during wk of 951205 to resolve remaining issues re USI A-46, Suppl 1 to GL 87-02 for facilities.
NORRIS, J. Project Directorate II-1 (PD2-1) (Post 941001). TAC M68303. 95/07/17. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 84769:219-84769:221.
- 9507200130** Provides final part of agreed three part response re status of safety issues at Watts Bar Unit 1, including update to summary tables shown in NRC final rpt as Tables 4.2.5.2.6.2 & 7.2 & revises status of GSI 70 provided in 950614 ltr.
BARON, R.R. Tennessee Valley Authority 95/07/14. Document Control Branch (Document Control Desk). 25pp. 84779:265-84779:292.
- 9507280258** Forwards CRGR combined packages for proposed resolution of GI 70 & GI 94 to expedite concurrence. Informs that packages combined at this stage of GI resolution because it was considered desirable to issue single GL to nuclear industry.
SPEIS, T.P. Advanced Reactor & Generic Issues Branch (870413-910629). 88/12/07. GILLESPIE, F.P. Program Management, Policy Development & Analysis Staff (Post 870411). JORDAN, E.L. Committee to Review Generic Requirements. PARLER, W.C. Office of the General Counsel (Post 860701). 3pp. 84852:281-84852:283.
- 9507310287** Suppls previous responses to GL 89-19, requesting action re resolution of USI A-47, "Safety Implication of Control Sys in LWR NPPs."
SALAS, P. Tennessee Valley Authority. GL-89-19. 95/07/26. Document Control Branch (Document Control Desk). 4pp. 84902:353-84902:356.

I&E INSPECTION AND ENFORCEMENT

- 9506300151** Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON, B. 95/04/06. LARKINS, J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

164 NONDOCKETED ITEMS

9507050090 EN-95-044: on 950628, notice of proposed imposition of civil penalty in amount of \$13,000 issued to licensee. Action based on problem involving willful failure by OIS to file for reciprocity while working in Pennsylvania. Non-Agreement. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-046. 95/06/23. 1p. 84507-095-84507-095.

9507050106 EN-95-045: on 950628, notice of violation issued to F Papalia, unlicensed radiographer/field supervisor formerly employed by Quality Insp Svcs, Inc. Action based on finding that individual deliberately provided inaccurate info to NRC. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). IA-95-020. 95/06/23. 1p. 84507-138-84507-138.

9507050127 Comment on proposed GL 95-32 re relocating of pressure temp limit curves & low temp overpressurization protection limits. BOWLING, M.L. Virginia Power (Virginia Electric & Power Co.). 60FR28805 00001. 95/06/21. NRC - No Detailed Affiliation Given. 2pp. 84507-271-84507-272.

9507050130 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Mail." TAYLOR, R. K.O. Steel, Inc. IEB-95-001. 95/06/22. Document Control Branch (Document Control Desk). 6pp. 84585-350-84585-355.

9507050132 EN-95-046: order prohibiting involvement in NRC-licensed activities for 10 yrs & requiring certain notification to NRC issued to MW Zuverink, former employee of Cammenga Assoc in Holland, MI. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). IA-95-022. 95/06/27. 1p. 84507-275-84507-275.

9507050142 EN-95-025A: Commission notified of intent of OE to issue NOV & proposed imposition of civil penalty in amount of \$750 to licensee. Action based on severity level III violation re failure to maintain security over license mail. DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/06/16. 1p. 84507-282-84507-282.

9507050168 EN-95-041: on 950615, notice of proposed imposition of civil penalty in amount of \$5,000 issued to licensee. Action based on violation involving release for unrestricted use of scrap matl from dismantled U mill at Moab, UT, in excess of limits. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-117. 95/06/12. 1p. 84507-297-84507-297.

9507050180 EN-95-042: on 950615, notice of proposed imposition of civil penalty in amount of \$250 issued to licensee. Action based on violation re failure to maintain surveillance of or secure from unauthorized removal two soil moisture/density gauges. BURGESS, B.L., CALDWELL, J. Region 3 (Post 820201). EA-95-092. 95/06/12. 1p. 84507-319-84507-319.

9507050186 EN-95-043: on 950612, confirmatory order & notice of termination of license to be issued to licensee. Action based on finding that licensee, through president, deliberately violated NRC requirements. MAMISH, N., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-94-240. 95/06/12. 1p. 84507-322-84507-322.

9507060001 PNC-IV-95-031: on 950629, Troxier Mode 3411B moisture density gauge, containing Cs-137 & Am-241 sealed sources had been stolen. No equipment has been found & licensee continuing investigation w/assistance from Albuquerque Police Dept. BROWN, R.A., HOWELL, L.L. Region 4 (Post 820201). 95/07/03. 1p. 84516:001-84516:001.

9507110006 PNC-II-95-037: on 950620, A charging pump relief valve lifted while operating at 2% reactor power. Investigation into failure of mechanism underway. NRC notified & licensee issued press release. VERRELLI, D. Region 2 (Post 820201). 95/06/27. 1p. 84557:015-84557:015.

9507110090 PNC-I-95-025: on 950630, incident involving internal contamination of 32 yr old female researcher, 4 months pregnant reported. Detectable radioactivity confirmed, annual limit on intake not exceeded. Incident under investigation. JOHANSEN, J.M., SHANKMAN, S.F. Region 1 (Post 820201). 95/07/03. 2pp. 84557:261-84557:262.

9507120036 PNC-II-95-038A: update informing that utli completed shutdown of Unit 1 IAW TS for inoperable EDG & mods to 2B EDG on 950629. EDG has been declared operable & licensee plans to complete repairs to 2A EDG & return to svc early on 950630. CARROLL, R. Region 2 (Post 820201). 95/06/29. 1p. 84574:290-84574:290.

9507120042 PNC-II-95-038: on 950628, all four EDG had been declared inoperable. Caused by installation of inappropriate diffuser plant in EDG turbochargers. State of NC has been notified. CARROLL, R. Region 2 (Post 820201). 95/06/28. 1p. 84575:056-84575:056.

9507120337 EN-95-047: on 950705, notice of proposed imposition of civil penalty in amount of \$50,000 issued to licensee. Action based on violations indicative of weaknesses in corrective action. BEALL, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-070. 95/06/29. 1p. 84682:314-84682:314.

9507170018 PNC-IV-95-032: on 950711, inadvertent disposal of licensed 250 uCi Cs-137 source. Suspected that compensator installed in electronics associated w/Ohmart model ASR-4 pipe density gauge. Ohmart notified licensee to investigate & make rept. PRANGE, B., WENSLAWSKI, F. Walnut Creek Field Ofc. R4 (Post 940404). 95/07/12. 1p. 84650:338-84650:338.

9507170019 PNC-II-95-040: on 950710, alloyed tester instrument which contained 45 mCi of Fe-55 & 5 mCi of Co-109 source was lost during shipment. Emery Worldwide freight & State of OH searched & surveyed & were unable to locate source. JONES, A.R. Region 2 (Post 820201). 95/07/11. 1p. 84650:339-84650:339.

9507170022 PNC-II-95-039: on 950709, sport utility vehicle drove through owner controlled area & into discharge canal near beach head wall. Caused by occupants looking for place to surf. No threat to plant safety. SCHIN, R. Region 2 (Post 820201). 95/07/10. 1p. 84650:343-84650:343.

9507190011 PNC-III-95-035: on 950703, licensee discovered theft of moisture-density gauge from field site near Columbus, IN. Licensee notified Indiana State Police & State Dept of Health. WIEDEMAN, D., HOLT, B.J. Region 3 (Post 820201). 95/07/03. 1p. 84711:019-84711:019.

9507190022 PNC-III-95-036: on 950705, contractor found contaminated soil & drainage tile during excavation. Licensee intends to remove all contaminated portions of drain tile & all soil w/measurable contamination. MADERA, J., CALDWELL, J. Region 3 (Post 820201). 95/07/07. 1p. 84711:044-84711:044.

9507200219 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling suction strainers by debris in BWRs. SHAPAKER, J.W. 95/07/19. Document Control Branch (Document Control Desk). 19pp. 84791:001-84792:140.

9507210036 PNC-II-95-025A: on 950714, contaminated water cooler identified during licensee investigation of incident involving interant contamination of researcher. All water coolers surveyed & radiation found in reservoir of one cooler. State informed. JOHANSEN, J.M., SHANKMAN, S.F. Region 1 (Post 820201). 95/07/17. 2pp. 84738:061-84738:062.

9507210060 PNC-II-95-040A: updates 950710 event re loss of package containing alloyed tester instrument which contained 45 mCi Fe-55 & 5 mCi of Co-109 package located on 950712 at CA facility. JONES, A.R. Region 2 (Post 820201). 95/07/13. 1p. 84738:211-84738:211.

9507210066 PNC-II-95-042: on 950713, licensee noticed altercation between two people at employees park. Guards found four individuals (aged 15 to 23) in controlled area. Licensee identified no evidence of damage or sabotage. WATKINS, R. Region 2 (Post 820201). 95/07/14. 1p. 84738:212-84738:212.

9507240087 PNC-III-95-037: on 950713, brachytherapy implant, containing two Cs-137 sealed sources, became dislodged during treatment of patient for vaginal cancer. Administering dose to patient thighs in range of 28 to 370 cGy. State of OH notified. WIEDMAN, D.G. Region 3 (Post 820201). 95/07/13. 1p. 84751:328-84751:328.

9507240135 Provides compilation of background matl relevant to proposed Suppl 7 to GL 99-10 re valve mispositioning in pressurized water reactors. KUGLER, A.J., GL-89-10. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84778:228-84778:238.

9507250017 Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval. TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR31326 00013. 95/07/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:029-84787:030.

9507260133 PNC-II-95-043: on 950718, facility declared NOUE due to reactor coolant leakage rate of approx 36 gpm. Unit presently in cold shutdown & plans to make repairs underway. CARROLL, R.E. Region 2 (Post 820201). 95/07/18. 1p. 84793:343-84793:343.

9507270117 PNC-IV-95-033: on 950720, offsite chemical release occurred at Koch Industries facility. Caused by flare extinguished & created airborne chemical hazard. Resident inspector continues to monitor event. FORDE, E., PICK, G. Region 4 (Post 820201). 95/07/20. 2pp. 84814:355-84814:356.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9507030321 Provides status of 2,206 petition re Thermo-Lag. Staff will respond to petition after completion of two actions chemical testing & analysis of Thermo-Lag materials. GAMBERONI, M. NRC - No Detailed Affiliation Given. 2,206. 95/06/16. NRC - No Detailed Affiliation Given. 1p. 84509:321-84509:321.

9507260135 Forwards consolidated list of NRC & industry-related standards for digital hardware & software. RULAND, W.H. Region 1 (Post 820201). GL-95-02. 95/07/19. Document Control Branch (Document Control Desk). 4pp. 84793:344-84793:347.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9410110028 Presents NMSS resolution of Issue Number B-64, "Decommissioning of Reactors," of Generic Issue Mgt Control Sys. GSI originally documented as Task B-64 in NUREG-0471, "Generic Task Problem Descriptions (Categories B.C & D)." BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 94/09/26. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 84852:299-84852:299.

9502170213 SECY-95-028 Requests Commission approval to issue "Regulatory Analysis Guidelines of US NRC," NUREG/BR-0056, Rev 2, for staff implementation. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/02/07. 82pp. 84772:026-84772:107.

9504170295 SECY-95-083 Provides Commission w/rev of draft AO reporting criteria requested in 950221 SRM, on SECY-94-275. TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/04/05. 64pp. 84772:163-84772:233.

9506190287 SECY-95-136 Requests approval of final draft of "Rept to Congress on AOs, Jan-Mar 1995." TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/05/31. 31pp. 84577:291-84577:335.

9507030021 Responds to certain questions raised in 950615 & 20 ltrs re enforcement conference applicability in determining whether violations occurred. Advises that Enforcement Manual (NUREG/BR-0195), Section 5.3 clarifies matter. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 95/06/29. GARTH, S.T. Affiliation Not Assigned. 2pp. 84488:166-84488:167.

9507030081 Forwards prioritization evaluation of GI 171 & approves RES/DET taking appropriate actions to resolve issue to be monitored by GIMCS. Also forward to regions, other ofcs, ACRS & PDR for comment. GIMCS info to be received within 6 wks. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 95/06/16. SHAO, L.C. Division of Engineering Technology (Post 941217). 11pp. 84512:336-84512:346.

9507030135 Responds to petition of 950605, denying request for immediate suspension of plant FOLs because no safety issues warranting action could be identified. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). GL-95-03. 95/06/19. GUNTER, P.V. Nuclear Information & Resource Service. 31pp. 84518-269-84518-322.

9507050030 Comment supporting Draft Rept NUREG-1516, "Mgt of Radioactive Mat Safety Program at Medical Facilities." Forwards suggestions for improving draft. EMDOKIMOFF, V. Boston Univ. Medical Center, Boston, MA. 60FR8259 00002. 95/06/07. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84508-042-84508-048.

9507050138 Forwards safety evaluation addressing BWR0G 900402 response to GL 88-19. "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPPs' Per 10CFR50.54(f)." HALL, J.R. GL-89-19. 95/06/21. HORN, G.R. Nebraska Public Power District. 4pp. 84516-189-84516-194.

-9507050157 Safety evaluation re response to GL 89-19. "Request for Action re Resolution of Unresolved Safety Issue A-47 'Safety Implication of Control Sys in LWR NPP' Per 10CFR50.54(f)." Stated upgrade unwarranted. * Office of Nuclear Reactor Regulation (Post 941001). GL-89-19. 95/06/21. 2pp. 84516-193-84516-194.

9507050284 Forwards amends 188 & 70 to licenses DPR-66 & NPF-73 & SE. Amends 188 & 70 revise App A TSs by relocating requirements of RETS & solid radwaste TSs from App A to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301. BRINKMAN, D.S. Project Directorate I-2 (PD1-2) Post 941001. TAC M86770. 95/06/12. CROSS, J.E. Duquesne Light Co. 4pp. 84528-001-84528-118.

-9507050286 Amends 188 & 70 to licenses DPR-66 & NPF-73, respectively, revising App A TSs by relocating requirements of RETS & solid radwaste TSs from App A TSs to ODCM or to PCP in accordance w/GL 89-01 & NRC rept NUREG-1301. STOLZ, J.F. Project Directorate I-2 (PD1-2) Post 941001. NPF-73 A 070. 95/06/12. 108pp. 84528-005-84528-112.

9507050297 Forwards SER, suppl 15 for plant & related notice of availability for comment. TAM, P.S. TAC M63591. 95/06/22. KINGSLEY, O.D. Tennessee Valley Authority. 2pp. 84531-001-84531-187.

-9507050315 Safety evaluation rept re operation of plant. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 185pp. 84531-003-84531-187.

9507050428 Forwards "Point Beach Nuclear Plant IPE of External Events for Severe Accident Vulnerabilities," per GL 88-20, Suppl 4 & NUREG-1407. LINK, B. Wisconsin Electric Power Co. VNPDP-95-056. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84562-001-84563-126.

9507060088 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97, rev 2. Forwards supporting SE. ASSA, R.R. TAC M64029. 95/06/27. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84539-331-84539-336.

-9507060100 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97, rev 2. * Office of Nuclear Reactor Regulation (Post 941001). GL-82-33. 95/06/27. 3pp. 84539-334-84539-336.

9507060287 NUREG/BR-0207 BASICS FOR THE NRC TRAVELER, 1995 Edition. * Office of the Controller (Post 890205). 95/07/06. 34pp. 84533-272-84533-305.

9507060295 NUREG/CR-6256 V01 ER Errata to "Field Lysimeter Investigations. Low-Level Waste Data Base Development Program Lysimeter Test Results for Fiscal Years 1986-1989," making listed word corrections for Pages 16, 21 & 31. MCCONNELL, J.W., ROGER, R.D., FINDLAY, M.W. Idaho National Engineering Laboratory. FIN A-6876. INEL-95/0073. 95/06/30. Division of Regulatory Applications (Post 941217). 2pp. 84577-356-84577-357.

9507060313 NUREG/CR-6330 RESULTS OF REGULATORY IMPACT SURVEY OF INDUSTRIAL AND MEDICAL MATERIALS LICENSEES OF THE OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS. LACH, D., MELBER, B., BRICHOUX, J. Battelle Human Affairs Research Centers. FIN J-5039. PNL-10548. 95/06/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 100pp. 84533-007-84533-099.

9507060319 Forwards FRN for STS, rev 1, "Availability," for review. GRIMES, C.I. 95/06/27. MEYER, D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84539-355-84539-359.

-9507060322 Notice of availability of five sets of improved STS, Rev 0 that had been issued on 920929. GRIMES, C.I. 95/06/27. 3pp. 84539-357-84539-359.

9507060331 NUREG/CR-6308 AN OVERVIEW OF INSTABILITY AND FINGERING DURING IMMISCIBLE FLUID FLOW IN POROUS AND FRACTURED MEDIA. CHEN, G., TANIGUCHI, M., NEUMAN, S.P. Arizona, Univ. of, Tucson, AZ. FIN L-1283. 95/04/30. Division of Risk Analysis & Operations (840429-860720). 137pp. 84532-043-84532-180.

9507060335 NUREG/CR-5954 EFFECT ON AGING ON PWR CHEMICAL AND VOLUME CONTROL SYSTEM. GROVE, E.J., TRAVIS, R.J. Brookhaven National Laboratory. FIN A-3270. BNL-NUREG-52410. 95/06/30. Division of Engineering Technology (Post 941217). 196pp. 84532-181-84533-006.

9507060341 NUREG-1526 LESSONS LEARNED FROM EARLY IMPLEMENTATION OF THE MAINTENANCE RULE AT NINE NUCLEAR POWER PLANTS. PETRONE, G.D., CORREIA, R.P., BLACK, S.C. Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 44pp. 84532-001-84532-042.

9507060346 Ack receipt of 950502 petition under 10CFR2.206 requesting that pressurized-water reactors at listed plants be immediately shut down. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/28. DOHERTY, J.F. Affiliation Not Assigned. 8pp. 84559-127-84559-139.

9507060350 NUREG-0750 V41 I01 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES January-March 1995. * Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. 34pp. 84533-306-84533-340.

9507060351 NUREG-1478 R01 NON-POWER REACTOR OPERATOR LICENSING EXAMINER STANDARDS. * Office of Nuclear Reactor Regulation (Post 941001). 95/06/30. 172pp. 84533-100-84533-271.

9507070057 Forwards amends 138 & 78 to licenses DPR-67 & NPF-16 & safety evaluation. Amends incorporate line-item TS improvements to Spec 3/4.8.1, "Electrical Power Sys-AC Sources," & 4.8.1.2.2, "Electrical Power Sys Shutdown." NORRIS, J.A. Project Directorate II-1 (PD2-1) (Post 941001). TAC M9206. 95/06/29. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 84555-154-84555-194.

-9507070077 Amends 138 & 78 to licenses DPR-67 & NPF-16, respectively, revising TS 3/4.8.1, "Electrical Power Sys-AC Sources" & 4.8.1.2.2, "Electrical Power Sys-Shutdown," per NUREG-1366 & GLs 93-05 & 94-01. MATTHEWS, D.B. Project Directorate II-1 (PD2-1) (Post 941001). NPF-16 A 078. 95/06/29. 29pp. 84555-156-84555-184.

-9507070080 Safety evaluation supporting amends 138 & 78 to licenses DPR-67 & NPF-16, respectively. * Office of Nuclear Reactor Regulation (Post 941001). GL-93-05. 95/06/29. 10pp. 84555-185-84555-194.

9507100016 Application for amend to license NPF-47. Amend will implement TSs based on NUREG-1434, "Improved TSs, Rev 0." MCGAHA, J.R. Entergy Operations, Inc. RBEXEC-95-112. 95/06/30. Document Control Branch (Document Control Desk). 5pp. 84646-012-84649-112.

-9507100019 Proposed tech specs reflecting implementation of TSs based on NUREG-1434, "Improved TSs, Rev 0." * Entergy Operations, Inc. 95/06/30. 1,193pp. 84646-017-84649-112.

9507100128 Request for OMB review & supporting statement re NRC Form 327, "SNM Physical Inventory Summary Rept" & NUREG/BR-0096, "Instructions & Guidance for Completing Physical Inventory Summary Repts." Estimated respondent burden is 89 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB 3150-0139. 95/06/28. 9pp. 84587-022-84587-030.

9507110233 Forwards NRC "Rept to Congress on Abnormal Occurrences" for events at licensed nuclear facilities during fourth quarter of CY94 which addresses four AO at NRC-licensed facilities. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 95/06/30. GINGRICH, N. House of Rep., Speaker of the House GORE, A.J. Senate. 43pp. 84587-207-84587-247.

9507110296 Forwards amend 69 to license NPF-58 & SE. Amend replaces in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-6 TS." HOPKINS, J.B. TAC M88400. 95/06/23. SHELTON, D.C. Centenor Service Co. 3pp. 84583-001-84586-238.

-9507110302 Amend 69 to license NPF-58, replacing in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-6 TS." HOPKINS, J.B. 95/06/23. 3pp. 84583-004-84583-006.

-9507110305 Notice of issuance of amend 69 to license NPF-58. Amend replaces in its entirety, current TS w/set of TS based on NUREG-1434, "Improved BWR-6 TS." HOPKINS, J.B. 95/06/23. 2pp. 84583-007-84583-008.

9507120246 NUREG/BR-0053 R03 NRC REGULATIONS HANDBOOK. LESAR, M.T. Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. 400pp. 84635-001-84636-048.

9507120251 NUREG/CR-5857 AGING OF TURBINE DRIVES FOR SAFETY-RELATED PUMPS IN NUCLEAR POWER PLANTS. COX, D.F. Oak Ridge National Laboratory. FIN B-0828. ORNL-6713. 95/06/30. Division of Engineering Technology (Post 941217). 64pp. 84634-295-84634-351.

9507120259 NUREG/CR-6307 SUMMARY OF COMMENTS RECEIVED AT WORKSHOP ON USE OF A SITE SPECIFIC ADVISORY BOARD (SSAB) TO FACILITATE PUBLIC PARTICIPATION IN DECOMMISSIONING CASES. CAPLIN, J., PAGE, G., SMITH, D. Advanced Systems Technology, Inc. FIN J-6039. 95/06/30. Division of Regulatory Applications (Post 941217). 115pp. 84634-190-84634-294.

9507120275 NUREG-0847 S15 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2. Docket Nos. 50-390 And 50-391. (Tennessee Valley Authority) TAM, P.S. Division of Reactor Projects I/II (DRPE) Post 941001. 95/06/30. 189pp. 84634-001-84634-189.

9507120287 NUREG/CR-6144 V06 P2 EVALUATION OF POTENTIAL SEVERE ACCIDENTS DURING LOW POWER AND SHUTDOWN OPERATIONS AT SURRY, UNIT 1. Evaluation Of Severe Accident Risk During Mid-Loop Operations. Appendices. JO, J., LIN, C.C., NEYMOTIN, L. Brookhaven National Laboratory. FIN L-1680. BNL-NUREG-52399. 95/05/31. Division of Systems Technology (Post 941217). 275pp. 84633-084-84633-327.

9507120290 NUREG-0750 V41 N04 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR APRIL 1995. Pages 245-319. * Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. 83pp. 84633-001-84633-083.

9507130260 Discusses PVRC meetings in Milwaukee, WI on 950605-07 re cyclic life & environmental effects for NPPs. Meeting agendas & handouts encl. FAIR, J.R. 95/06/27. WESSMAN, R.H. 164pp. 84632-015-84632-178.

9507170001 Discusses Rev B to TS change request 93-16. Request originally submitted to NRC on 940929. Rev reflects incorporation of NRC review comments re plant conversion to improved TSs per NUREG-1433. HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/07. Document Control Branch (Document Control Desk). 3pp. 84775-348-84775-350.

166 NONDOCKETED ITEMS

9507170125 NUREG/CR-6114 V1&3 E Errata to Vols 1 & 3, adding "Auxiliary Analyses in Support of" to titles on covers, title pages & bibliographic data sheets, so that each new title is same as that listed for "New Report Title." Corrections for pages listed for Vol 3.
MEYER, P.D. Battelle Memorial Institute, Pacific Northwest Laboratory, TALBOTT, M.E., GELHAR, M.E. Massachusetts Institute of Technology, Cambridge, MA. FIN L-2466. PNL-8842 95/05/31. Division of Regulatory Applications (870413-941217). 2pp. 84671-301-84671-302.

9507200148 Forwards final EPRI rept. "Inside Surface Ultrasonic Technique Capabilities as Demonstrated for Insp of FW Nozzles," demonstrating ultrasonic exam techniques as replacement to NUREG-0619 liquid penetrant exam.
TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. BVY 95-78. 95/07/14. Document Control Branch (Document Control Desk). 1p. 84779-206-84779-253.

9507200206 NUREG-1266 V09 NRC SAFETY RESEARCH IN SUPPORT OF REGULATION - FY 1994.
* Office of Nuclear Regulatory Research (Post 941217). 95/06/30. 100pp. 84750:001-84750:091.

9507200213 NUREG/CR-6184 SEPARATE EFFECTS TESTING AND ANALYSES TO INVESTIGATE LINER TEARING OF THE 1:16-SCALE REINFORCED CONCRETE CONTAINMENT BUILDING.
SPLETZER, B.L., LAMBERT, L.D., BERGMAN, V.L. Sandia National Laboratories. FIN A-1617. SAND92-1720. 95/05/31. Division of Engineering Technology (Post 941217). 250pp. 84749:001-84749:284.

9507200219 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling section strainers by debris in BWRs.
SHAPAKER, J.W. 95/07/19. Document Control Branch (Document Control Desk). 19pp. 84791:001-84792:140.

-9507200223 Draft rev 2 to reg guide 01.082, "Water Sources for Long-Term Recirculation Cooling Following LOCA." NUREG CR-6224 encl.
* Office of Nuclear Regulatory Research (860720-941217). 95/07/31. 848pp. 84791:020-84792:140.

9507200222 NUREG/CR-6313 V01 ROBUST, ACCURATE, AND NON-CONTACTING VIBRATION MEASUREMENT SYSTEM. Summary of Comparison Measurements Of The Robust Laser Interferometer And Typical Accelerometer Systems.
GOODENOW, T.C., SHIPMAN, R.L., HOLLAND, H.M. Epoch Engineering, Inc. FIN W-6317. 95/06/30. Division of Engineering Technology (Post 941217). 74pp. 84749:285-84749:357.

9507200236 NUREG/CR-6313 V02 ROBUST, ACCURATE, AND NON-CONTACTING VIBRATION MEASUREMENT SYSTEMS. Supplemental Appendices Presenting Comparison Measurements Of The Robust Laser Interferometer And Typical Accelerometer Systems.
GOODENOW, T.C., SHIPMAN, R.L., HOLLAND, H.M. Epoch Engineering, Inc. FIN W-6317. 95/06/30. Division of Engineering Technology (Post 941217). 200pp. 84750:092-84750:280.

9507200368 Forwards "Rept to Congress on AOs" for events at licensed nuclear facilities during fourth quarter of CY94. W/o encl.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/30. SHAEFER, D. House of Rep. FAIRCLOTH, L. Senate, Environment & Public Works. 2pp. 84800:354-84800:356.

9507210016 Discusses 950710 telcon re arrangements made for administration of licensing exams at plant scheduled for wk of 951113 & operating tests scheduled for wk of 951127.
MEYER, G.W. Region 1 (Post 820201). 95/07/13. DENTON, R.E. Baltimore Gas & Electric Co. 3pp. 84738:030-84738:032.

9507210031 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
BOHLKE, W.H. Florida Power & Light Co. L-95-199. 95/07/10. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84738:057-84738:057.

9507210183 Forwards rept reviewed by contractor of reliability of important valves in GE & W advance passive LWR designs. Requests that licensee review & identify by its any proprietary info contained in rept by 950831. W/o encl.
JACKSON, D.T. Standardization Project Directorate (PDST) (Post 941001). 95/07/14. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 84764:097-84764:099.

9507210217 Staff requirements memo re SECY-95-028, "Regulatory Analysis Guidelines of NRC." Commission approves issuance of NUREG/BR-0058, rev 2, for staff implementation, w/exception of listed items.
HOYLE, J.C. Office of the Secretary of the Commission. 95/06/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 84764:111-84764:112.

9507210239 Submits info re LAR-93-14 conversion to TS based on NUREG-1434, "Improved TS, rev 0."
FISCARO, J.J. Entergy Operations, Inc. RBG-41698. 95/07/14. Document Control Branch (Document Control Desk). 4pp. 84804:001-84807:052.

-9507210248 Proposed tech specs based on NUREG-1134.
* Entergy Operations, Inc. 95/07/14. 1400pp. 84804:005-84807:052.

9507240168 Responds to 950412 public comments opposing draft NUREG/BR-0199, "Responsiveness to Public."
WEISS, S.H. 95/07/19. MORGAN, K.Z. Affiliation Not Assigned. 2pp. 84778:239-84778:240.

9507240174 Forwards Nuclear Matters Volume 8, Number 2 of 1993 AEOO Annual Rept which presents review of events & concerns during 1993 associated w/use of licensed matl in nonreactor applications. W/o rept.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/17. THE CHAIRMAN, JACKSON, S.A., ROGERS, K.C. Commissioners (Post 750119). 1p. 84764:359-84764:359.

9507240233 Forwards SE addressing concerns re performance testing of safety & relief valves for plant.
SIEGEL, B.L. TAC M84666. 95/07/18. MOREY, D.N. Southern Nuclear Operating Co. 4pp. 84831:326-84831:334.

-9507240237 Safety evaluation supporting performance testing of safety & relief valves for plant.
* Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 5pp. 84831:330-84831:334.

9507240269 Forwards NUREG/CR-6186, "Valve Reliability for Passive ALWR" which is review by contractor of reliability of important valves in GE & Westinghouse ALWR. Requests rept be reviewed by 950831. W/o encl.
JACKSON, D.T. Standardization Project Directorate (PDST) (Post 941001). 95/07/18. QUINN, J.E. General Electric Co. 2pp. 84764:352-84764:353.

9507250185 Application for amends to licenses DPR-42 & DPR-60, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, std TS, Westinghouse plants. Rev 1 & GL 89-01.
WADLEY, M.D. Northern States Power Co. GL-89-01. 95/07/17. Document Control Branch (Document Control Desk). 17pp. 84825:201-84825:340.

-9507250190 Proposed tech specs, revising plant radiological effluent TS & other sections re radiological controls to conform to NUREG-1431, std TS, Westinghouse plants. Rev 1 & GL 89-01.
* Northern States Power Co. GL-89-01. 95/07/17. 122pp. 84825:218-84825:340.

9507250293 NUREG-0750 V41 N05 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR MAY 1995. Pages 321-380.
* Division of Freedom of Information & Publications Services (Post 940714). 95/07/31. 68pp. 84831:050-84831:117.

9507250296 NUREG-0090 V18 N01 REPORT TO CONGRESS ON ABNORMAL OCCURRENCES. January-March 1995.
* Office for Analysis & Evaluation of Operational Data. Director. 95/07/31. 25pp. 84831:118-84831:141.

9507250299 NUREG-1600 GENERAL STATEMENT OF POLICY AND PROCEDURE FOR NRC ENFORCEMENT ACTIONS. Enforcement Policy.
* Ofc of Enforcement (Post 870413). 95/07/31. 35pp. 84831:142-84831:180.

9507260168 NUREG/BR-0177 N95-1 SEALED SOURCE AND DEVICE NEWSLETTER. Number 95-1.
* NRC - No Detailed Affiliation Given. 95/06/30. 5pp. 84831:181-84831:185.

9507260219 Forwards initial exam rept 50-407/OL-95-02, facility comments & NRC resolution of comments & exam & answer key re license to operate Univ of Utah reactor W/o encl.
RICHARDS, S.A. 95/07/17. SLAUGHTER, D.M. Utah, Univ. of, Salt Lake City, UT. 1p. 84831:188-84831:188.

9507260228 Forwards initial exam rept 50-284/OL-95-01, facility comments & NRC resolution of comments & exam & answer key re license to operate Idaho State Univ reactor W/o encl.
RICHARDS, S.A. 95/07/20. GALLAGHER, M.C. Idaho State Univ., Pocatello, ID. 1p. 84831:187-84831:187.

9507260292 Ack receipt of 950501 ltr providing comments on NUREG/BR-0199. Submits response to comments.
THADANI, M.C. 95/07/24. RUTHERFORD, R.K. Affiliation Not Assigned. 4pp. 84816:334-84816:337.

9507260295 Ack receipt of 950410 ltr re draft rept NUREG/BR-0199. Forwards response to comments.
THADANI, M.C. 95/07/24. HIATT, S.L. Ohio Citizens for Responsible Energy. 5pp. 84816:338-84816:342.

9507280042 Application for amends to licenses DPR-44 & DPR-56, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433. Std TS, GE Plants, BWR/4.
HUNGER, G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. Document Control Branch (Document Control Desk). 8pp. 84875:111-84875:135.

-9507280054 Proposed tech specs, proposing overall conversion of current PBAPS TS to improved TS as contained in NUREG-1433. "Std TS, GE Plants, BWR/4."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/07/21. 25pp. 84875:119-84875:135.

9507280194 Suppl to TS Change Request NPF-38-160 to License NPF-38, revising TS SRs 4.4.2.1, 4.4.2.2 & 4.7.1.1 to include as left setting requirement for pressurizer & main steam line code safety valves consistent w/revised C-E STS (NUREG-1432).
BURSKI, R.F. Entergy Operations, Inc. W3F1-95-0121. 95/07/25. Document Control Branch (Document Control Desk). 3pp. 84875:256-84875:263.

9507280210 Forwards technical info re area temp monitoring TS (3/4.7.12), as requested during telcon w/NRC re 941024 request for license amend re relocation of selected TS in accordance w/NUREG-1431.
ROBINSON, W.R. Carolina Power & Light Co. HNP-95-051. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84875:312-84875:316.

9507280308 Forwards NRC "Rept to Congress on Abnormal Occurrences," for events at licensed nuclear facilities for first quarter of CY95. Rept addresses one AO at NRC-licensed facility which involved medical brachytherapy misadministration.
THE CHAIRMAN, JACKSON, S.A. Commissioners (Post 750119). 95/07/19. GORE, A.J. Senate, President of the Senate. GINGRICH, N. House of Rep., Speaker of the House. 2pp. 84856:307-84856:332.

9507310189 Forwards listed matl re mixed low-level radwaste, including ltrs, low-level rept & NUREG/CR-5938, per request.
CARPENTER, C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/27. GAGNE, C. Affiliation Not Assigned. 25pp. 84868:172-84868:289.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTO, D. 95/07/26. QUAY, T.R. 46pp. 84888:143-84888:188.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9503290186 Summary of 950216-17 meeting of RES contractor & personnel, consultants & industry representatives re methodology & criteria for seismic qualification of equipment in ALWRs by use of experience data.
KENNEALLY,R.M. Structural & Geological Engineering Branch (Post 941217). 95/03/21. MURPHY,A.J. Structural & Geological Engineering Branch (Post 941217). 61pp. 84852:300-84852:360.

9504130092 Responds to 941123 ltr requesting assistance of FEMA in addressing petition for director's decision under 10CFR2.206 for SONGS. Petition concerns emergency plans & evacuation routes. Draft director's decision encl.
HEPLER,O.M. Federal Emergency Management Agency. 2.206. 95/03/22. SPESSARD,R.L. 3pp. 84710:311-84710:313.

9506090198 Trip rept of 950516 & 17 visit to Omega Point Laboratories, San Antonio, TX to witness 1 h fire endurance test conducted for Peak Seals, Inc.
SINGH,A. GL-86-10. 95/05/25. MCCracken,C.E. 5pp. 84710:265-84710:310.

-9507140090 Rev 0 to Test Plan CTP-1199, "One Hour Fire Test 3M Interam Fire Wrap."
BROWN,R. GL-86-10. 95/05/04. 20pp. 84710:291-84710:310.

9507030147 Documents conclusions of staff review of Public Citizen Rept "Roll of Dice - NRC Efforts to Renew Nuclear Reactor Licenses."
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/15. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 5pp. 84511:265-84511:339.

-9507030150 "Roll of Dice: NRC Efforts to Renew Nuclear Reactor Licenses."
RICCIO,J., GRYNBERG,M. Public Citizen's Critical Mass Energy Project. 95/04/30. 44pp. 84511:291-84511:339.

9507030168 Forwards monthly rept, reflecting status of 10CFR2.206 petitions as of end of May 1995. Attachment 1 gives status of petitions before Otrs of Nuclear Malt Safety & Safeguards, NRC & Enforcement. Encl withheld.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 2.206. 95/06/23. TAYLOR,J.M. Otr of the Executive Director for Operations. 22pp. 84537:329-84537:351.

9507030181 Forwards Commission biweekly notice of applications & amends to operating licenses involving NSHC, published in 950523 FR. W/o encl.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. FAIRCLOTH,L. Senate. 2pp. 84512:279-84512:280.

9507030288 Discusses classification of low enriched U as enriched commercial grade U. Suggests that meeting be held to discuss technical matters that must be considered in responding to inquiries & to develop unified position on classification.
OSTEEN,J.K. Transportation, Dept. of. 95/03/31. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84512:254-84512:255.

9507030307 Provides status of 2.206 petition dtd 941026. Upon completion of two actions chemical testing & analysis of Thermo-Lag materials for nuclear industry staff will respond to petition.
GAMBERONI,M. 2.206. 95/06/16. BENJAN,R. Affiliation Not Assigned. 1p. 84512:262-84512:262.

9507030311 Provides status of 2.206 petition dtd 941114. Upon completion of two actions chemical testing & analysis of Thermo-Lag materials, staff will respond to petition.
GAMBERONI,M. 2.206. 95/06/16. DEBOLT,B. Affiliation Not Assigned. 1p. 84509:352-84509:352.

9507050250 Forwards comments on draft rev to technical repair guide for Limitorque model SAMB-00 actuator, in response to 950301 ltr.
SCARBROUGH,T.G. 95/04/17. VARMA,V. 5pp. 84516:208-84516:212.

9507060263 Responds to 950518 ltr re constituent concerns re NRC intent to revise process for licensing operators at nuclear power plants.
TAYLOR,J.M. Otr of the Executive Director for Operations. 95/06/22. CRAIG,L.E. Senate. 2pp. 84540:043-84540:047.

-9507060266 Informs that NRC considering transferring development & administration of exam given to licensed reactor operators & SRC to utilities.
CRAIG,L.E. Senate. 95/06/18. RATHBUN,D. Office of Congressional Affairs (Post 911117). 3pp. 84540:043-84540:047.

9507060319 Forwards FRN for STS, rev 1, "Availability," for review.
GRIMES,C.I. 95/06/27. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84539:355-84539:359.

-9507060322 Notice of availability of five sets of improved STS, Rev 0 that had been issued on 920929.
GRIMES,C.I. 95/06/27. 3pp. 84539:357-84539:359.

9507060408 Responds to 950630 ltr requesting that Prairie Island Coalition Against Nuclear Storage & Nuclear Info & Resources Svc be placed on svc list.
CARPENTER,C.A. 2.206. 95/06/30. BJORAL,T.S.J. Affiliation Not Assigned. 2pp. 84539:324-84539:325.

9507070060 Forwards latest Performance Indicator Rept containing data through Mar 1995.
MAYS,S.E. Division of Safety Programs (Post 870413). 95/06/30. SHELTON,B.J. Information & Records Management Branch (Post 890627). 1p. 84554:001-84554:121.

-9507070065 "Performance Indicators for Operating Commercial Nuclear Power Reactors. Data through Mar 1995." Parts I & II.
* Office for Analysis & Evaluation of Operational Data, Director. 95/06/30. 484pp. 84554:002-84554:121.

9507070075 Ack receipt of 950530 ltr & expresses appreciation of quick response. Lists questions re sub j ltr.
BLANCH,P.M. Affiliation Not Assigned. 95/06/05. ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) (Post 941001). 1p. 84559:301-84559:327.

-9507070086 Discusses events leading up to PM Blanch resignation from Northern Utilities re discovery of undetectable failure of Rosemount pressure transmitters.
BLANCH,P.M. Affiliation Not Assigned. 95/06/05. ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) (Post 941001). 3pp. 84559:302-84559:304.

-9507070090 Forwards brief summary of events which led up to PM Blanch present position & copy of recent resume. Lists most critical facts that were omitted.
BLANCH,P.M. Affiliation Not Assigned. 95/06/05. LIEBERMAN,J.I. Otr of Enforcement (Post 870413). 15pp. 84559:305-84559:319.

-9507070096 Lists questions re D Cooper 950605 ltr.
BLANCH,P.M. Affiliation Not Assigned. 95/06/13. ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) (Post 941001). 7pp. 84559:320-84559:327.

9507070130 Submits name of NRC representative, R Hogan, for annual training on emergency mgt teams.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/28. BLAMA,J.L. Assistant for Operations (Post 890205). 1p. 84559:248-84559:248.

9507100097 Summary of 950522 meeting w/ staff members from Otr of General Counsel & Otr of Enforcement to discuss item 9 from "Action Plan Resulting From Lessons Learned Rept & NMS Review of OIG Rept on Sequoyah Fuels Corp 921117, Accident."
MCDANIEL,K. Licensing Branch. 95/06/30. PIERSON,R.C. Licensing Branch. 3pp. 84585:262-84585:264.

9507100128 Request for OMB review & supporting statement re NRC Form 327, "SNM Physical Inventory Summary Rept" & NUREG/BR-0096, "Instructions & Guidance for Completing Physical Inventory Summary Repts." Estimated respondent burden is 89 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0139. 95/06/28. 9pp. 84587:022-84587:030.

9507100129 Request for OMB review & supporting statement re 10CFR72, "Licensing Requirements for Independent Storage of Spent Nuclear Fuel & High-Level Radioactive Waste." Estimated respondent burden is 21,454 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0132. 95/06/28. 33pp. 84586:290-84586:322.

9507100146 Informs that time provided within which Commission may act to review director's decision DD-95-06 has expired. Decision became final agency action on 950619. W/Certificate of Svc. Served on 950630.
HOYLE,J.C. Office of the Secretary of the Commission. #395 16863. 2.206. 95/06/29. Saporito,T.J. Saporito, T.J. 2pp. 84538:345-84538:346.

9507100206 Forwards response to Hirschy providing info on type of reactor in Cuba & status re 950614 ltr.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/29. FEINSTEIN,D. Senate. 1p. 84796:001-84796:005.

-9507100127 Responds to ltr of 950606 to Senator Feinstein re completion of NPP in Cuba. Informs that US maintains concerns re Juragua plant but cannot monitor or advise Cuban govt on const or operation, due to US laws prohibiting contact w/ Cuba.
STOIBER,C.R. Office of International Programs (Post 911117). CCS. 95/06/23. HIRSCHY,V.L. Affiliation Not Assigned. 1p. 84796:002-84796:002.

-9507200357 Forwards 950606 inquiry from VL Hirschy re nuclear power plant in Cuba for review & consideration.
FEINSTEIN,D. Senate. CCS. 95/06/14. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 84796:003-84796:005.

9507100258 Sunshine FR notice re matters to be considered during open & closed NRC meetings during wks of 950703, 10, 17 & 24 in Rockville, MD.
HILL,W.M. Office of the Secretary of the Commission. 95/06/30. 2pp. 84587:031-84587:032.

9507100356 Summary of operating reactors events meeting 95-10 on 950621. List of attendees, significant elements of discussed events & reactor scram statistics encl.
CHAFFEE,A.E. OREM-95-010. 95/06/27. GRIMES,B.K. 25pp. 84586:265-84586:289.

9507110037 Ack receipt of 950605 FEMA ltr transmitting two deficiencies to State of MI re 950509 emergency preparedness exercise at plant.
CREED,J.R. Region 3 (Post 820201). 95/07/05. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 84557:084-84557:087.

9507110057 Ack receipt of 950505 FEMA ltr transmitting FEMA evaluation rept for 930728 & 940601 emergency preparedness exercise at plant.
CREED,J.R. Region 3 (Post 820201). 95/07/05. TUETKEN,R. Commonwealth Edison Co. 2pp. 84557:099-84557:189.

-9506020120 Forwards final rept for 930728 & 940601, plume exposure pathway exercise at offsite radiological emergency response plans site-specific to station. No deficiencies noted.
HEPLER,O.M. Federal Emergency Management Agency. 95/05/05. SPESSARD,R.L. 2pp. 84557:101-84557:102.

-9506020126 "Radiological Emergency Preparedness Exercise Evaluation Rept." exercise date 930728 & 940601, draft rept date 950118.
* Federal Emergency Management Agency. 95/04/17. 87pp. 84557:103-84557:189.

9507110277 Notification of 950706 meeting w/ NMA in Rockville, MD to discuss final rule, "Timeliness in Decommissioning of Mafis Facilities."
FLIEGEL,M. Division of Waste Management (NMSS 940403). 95/06/29. Division of Waste Management (NMSS 940403). 1p. 84587:142-84587:142.

9507120199 Appoints RJ Barrett & FJ Congel to positions of SIRMC & IT Council Representative w/ K Brockman departure to Region IV.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/07/03. CRANFORD,G.F. Office of Information Resources Management (Post 890205). 1p. 84631:331-84631:331.

9507120311 Forwards ltr from M Gundersen re relocation to Tappahannock, VA as result of A Gundersen being fired from job because of voicing concern over safety issues at work place.
BLANCH,P. Affiliation Not Assigned. 95/07/04. ZWOLINSKI,J. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 84631:295-84631:300.

9507130023 Notifies that stakeholders in Agreement States who wish to contact NRC may direct correspondence to R Bangart at listed address.
VIRGONA,J.E. Energy, Dept. of. 95/06/30. WORK,S.D. Affiliation Not Assigned. 1p. 84606:137-84606:137.

168 NONDOCKETED ITEMS

- 9507140090 Trip rept of 950420 visit to Omega Point Labs, San Antonio, TX re 1-hour fire endurance test for Peak Seals, Inc.
MADDEN, P.M. TAC M82809. 95/05/01. MCCRACKEN, C.E. 5pp. 84662:149-84662:162.
- 9507140066 Rev 0 to Test Plan CTP-1198, "One Hour Fire Endurance Test 3M Interam Fire Wrap."
BROWN, R. GL-86-10. 95/04/04. 9pp. 84962:154-84662:162.
- 9507140247 Responds to 950427 & 0508 ltrs to Chairman I Selin re NRC regulations that require use of automatic securing mechanisms on radioactive exposure devices.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/06/09. LIVINGSTON, R.L. House of Rep. 95/04/27. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 18pp. 84834:101-44834:130.
- 9507210206 Forwards copies of correspondence re NRC regulations that mandate use of source position indicators on radiographic exposure devices.
LIVINGSTON, R.L. House of Rep. 95/04/27. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 18pp. 84834:101-44834:118.
- 9507210264 Requests that I Selin ref to 950427 ltr re NRC regulations that mandate use of automatic locking mechanism on radiographic exposure devices.
LIVINGSTON, R.L. House of Rep. 95/05/06. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 1p. 84834:119-84834:130.
- 9507170219 Expresses appreciation to licensee for hosting international attendees to NRC, May 1995 Fire Protection Practices training course, NRC implementing long-term direct assistance program for nuclear power reactor regulators.
CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/07/07. BERHINIG, R. Affiliation Not Assigned. 3pp. 84673:355-84673:357.
- 9507170241 Responds to 940504 ltr re comments on proposed App J rule. NRC processing comments according to std procedures for response to & resolution of public comments. NRC response included in encl document. "Public Comment Resolution."
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/07/07. REYTBILATT, Z. Affiliation Not Assigned. 35pp. 84670:329-84670:363.
- 9507170250 Summary of 950627 meeting workshop in St Louis, MO on draft result based maint rule insp procedure. Viewgraphs & transcript encl.
CORREIA, R.P. 95/07/10. BLACK, S. 83pp. 84672:001-84672:310.
- 9507170254 Transcript of 950627 maint rule public workshop in St Louis, MO re work order NRC-258. Pp 1-224.
* NRC - No Detailed Affiliation Given. 95/06/27. 224pp. 84672:084-84672:310.
- 9507170370 Forwards documents associated w/proposed suppl 7 to GL-89-10 re valve mispositioning in PWRs.
KUGLER, A.J. Office of Nuclear Reactor Regulation (Post 941001). GL-89-10. 95/07/17. Document Control Branch (Document Control Desk). 11pp. 84773:349-84773:359.
- 9507180007 Forwards list of generic communications under development by NRC staff. List includes bulletins, GLs, INs & administrative ltrs reported through 950630.
CHAFFEE, A.E. 95/07/10. LARHETTE, R.P. Institute of Nuclear Power Operations. 10pp. 84712:001-84712:010.
- 9507180043 Responds to 950615 ltr re constituents concerns about intent to revise process for licensing operators at NPPs. Informants that revised exam process will ensure applicants demonstrate knowledge, skills & abilities to carry out responsibilities.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/05. LIEBERMAN, J.I. Senate. 2pp. 84727:007-84727:009.
- 9507180057 Requests update of NRC action on behalf of constituent, I Kingsley, re transfer of operator licensing exams from NRC to power plants.
LIEBERMAN, J.I. Senate. 95/06/15. TAYLOR, J. Ofc of the Executive Director for Operations. 1p. 84727:009-84727:009.
- 9507180279 Request for OMB review & supporting statement re 10CFR50, "Domestic Licensing of Production & Utilization Facilities." Estimated respondent burden is 6,084,780 h.
CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB 3150-0011. 95/07/10. 17pp. 84696:272-84696:288.
- 9507190029 Forwards FEMA correspondence dtd 950530 & FEMA evaluation rept for 931116 emergency preparedness exercise at Kewaunee Nuclear Power Plant.
CREED, J.R. Region 3 (Post 820201). 95/07/10. MARCHI, M.L. Wisconsin Public Service Corp. 2pp. 84711:120-84711:225.
- 9507050298 Forwards final rept for 931116 full-participation plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER, O.M. Federal Emergency Management Agency. 95/05/30. SPESSARD, R.L. 2pp. 84711:122-84711:123.
- 9507060164 "Radiological Emergency Preparedness Exercise Evaluation Rept."
* Federal Emergency Management Agency. 95/04/17. 102pp. 84711:124-84711:225.
- 9507190058 Responds to 950612 ltr to Chairman Selin re request that NRC respond to recommendation contained in 950506 resolution adopted by CRCPD concerning shipment of radioactive mats by air.
PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/06/30. HARDIN, C.M. Conference of Radiation Control Program Directors, Inc. 2pp. 84739:302-84739:303.
- 9507190115 Responds to concerns expressed in 950518 ltr re status of complaint filed by TM Barriano against employer & licensee for possible safety violations & employee retaliation.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/11. LIEBERMAN, J.I. Senate. 3pp. 84739:306-84739:329.
- 9507200128 Requests status rept surrounding complaint filed by TM Barriano against licensee for possible safety violations & employee retaliation.
LIEBERMAN, J.I. Senate. 95/05/18. TAYLOR, J.M. Ofc of the Executive Director for Operations. 21pp. 84739:309-84739:329.
- 9507190116 Informs that NRC in process of developing for NPRs, "Format & Content for Application for Licensing of NPRs," & "Std Review Plan & Acceptance Criteria for Applications for Licensing of NPRs."
GRIMES, B.K. 95/07/07. Affiliation Not Assigned. 25pp. 84728:093-84728:121.
- 9507200310 Updates 950410 ltr which informed that Bauer was performing unsatisfactorily under contract w/NRC & that cure notice was issued to contractor on 950331.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 95/06/07. MORELLA, C.A. House of Rep. 1p. 84792:335-84792:336.
- 9507200370 Forwards cover sheet to basic mats which describe NRC organization, responsibilities & operations, in response to ltr re establishment of P English district ofc in Hermitage, PA.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/13. ENGLISH, P. House of Rep. 4pp. 84792:352-84792:357.
- 9507200372 Requests any aid & support NRC can supply to newly elected administration of P English PA District 21 ofc established in Jan 1995.
ENGLISH, P. House of Rep. CCS. 95/06/13. NRC - No Detailed Affiliation Given. 1p. 84792:356-84792:357.
- 9507200381 Forwards I Selin responses to questions transmitted in 950523 ltr for record of 950516 Committee hearing re NRC licensing activities w/respect to DOE civilian nuclear waste disposal program.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/21. MURKOWSKI, F.H. Senate, Energy & Natural Resources. 44pp. 84800:235-84800:285.
- 9507200383 Expresses thanks for appearing before Committee on 950516 to give testimony re NRC licensing activities w/regard to DOE civilian nuclear waste disposal program. Questions for record encl.
MURKOWSKI, F.H. Senate, Energy & Natural Resources. CCS. 95/05/23. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 6pp. 84800:279-84800:285.
- 9507210089 Forwards NRC response to 950526 survey on delinquent receivables owed to Federal Govt.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 95/06/06. MALONEY, C.B. House of Rep. 12pp. 84809:302-84809:317.
- 9507210093 Requests NRC participation in survey that CB Maloney conducting to assess total amount of delinquent receivables owed to Govt of US. Also requests answers to listed questions by 950605.
MALONEY, C.B. House of Rep. CCS. 95/05/26. TAYLOR, J.M. NRC - No Detailed Affiliation Given. 3pp. 84809:314-84809:317.
- 9507210170 Forwards NRC rept on nondisclosure of safeguards info for quarter beginning 950101 & ending 950331 required by Section 147 of Atomic Energy Act of 1954.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 95/06/12. FAIRCLOTH, L. Senate, Environment & Public Works. 6pp. 84797:354-84797:360.
- 9507210188 Submits NRC rept on nondisclosure of safeguards info for quarter beginning 950101. Rept describes two occasions during period when NRC withheld from public disclosure safeguards info re security at nuclear power plants.
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/12. SCHAEFER, D. House of Rep., Energy & Commerce. 6pp. 84807:324-84807:330.
- 9507240050 Forwards details re activities at Praine Island NPP. Encl withheld (ref 10CFR2.790).
CREED, J.R. Region 3 (Post 820201). 95/07/10. BAILEY, L.L. Federal Emergency Management Agency. 1p. 84751:135-84751:135.
- 9507240158 Forwards list of CBLA topics to be placed in PDR which includes plant name, description of CBLA topic & date of submittal re 950413 request for access to info in database.
LEEDS, E.J. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/07/18. IMBRO, E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 12pp. 84786:178-84786:189.
- 9507240206 Forwards Commisshn biweekly notice of applications & amends to operating licenses involving NSHC, published in 950621 FR.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/07/17. FAIRCLOTH, L. Senate, Environment & Public Works. 2pp. 84778:252-84778:253.
- 9507260034 Forwards 950327 FEMA correspondence, transmitting findings for offsite EP aspects of plant exercise conducted on 930323. No deficiencies identified.
CREED, J.R. Region 3 (Post 820201). 95/07/14. DONNELLY, P.M. Consumers Power Co. 2pp. 84794:225-84794:310.
- 9504130145 Forwards final exercise rept of 930323 exercise of radiological emergency preparedness. No deficiencies noted. Ten areas requiring CA identified.
HEPLER, O.M. Federal Emergency Management Agency. 95/03/27. SPESSARD, R.L. 2pp. 84794:227-84794:228.
- 9504130149 Final rept, "Radiological Emergency Preparedness Exercise Evaluation Rept." conducted on 930323.
* Federal Emergency Management Agency. 95/03/09. 84pp. 84794:229-84794:310.
- 9507260153 Forwards FEMA final drill repts for 950315 Oregon State Lab Drill & 950316 Washington State Lab Drill site-specific to plant. No deficiencies or areas requiring corrective actions identified during drills.
SCARANO, R.A. Region 4 (Post 820201). 95/07/21. PARRISH, J.V. Washington Public Power Supply System. 4pp. 84795:082-84795:125.
- 9507050460 Forwards 950609 ltr from M Hepler transmitting FEMA Final Drill Rept. No deficiencies or ARCs identified during 950315 & 16 drills.
ESSIG, T.H. 95/06/23. MURRAY, B. Region 4 (Post 820201). 2pp. 84795:086-84795:087.
- 9507050462 Forwards final repts for 950315 Oregon State Lab Drill & 950316 Washington State Lab Drill. No deficiencies or ARCs noted.
HEPLER, O.M. Federal Emergency Management Agency. 95/06/09. SPESSARD, R.L. 1p. 84795:087-84795:087.
- 9507060086 "Oregon State Lab Drill Rept, Drill Date 950315."
* Federal Emergency Management Agency. 95/05/31. 15pp. 84795:088-84795:103.
- 9507050463 "Washington State Lab Drill Rept, Drill Date 950316."
* Federal Emergency Management Agency. 95/05/31. 22pp. 84795:104-84795:125.

9507260178 Trip rept of 950611-13 visit to Tahoe City, CA to attend meeting of Ridge Intl Disciplinary Global Experiments Theoretical Inst re faulting & magmatism at mid-ocean ridges.
MCDUFFIE, S.M. Engineering & Geosciences Branch (NMSS 940403). 95/07/18. BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 84837.285-84837.286.

9507260183 Forwards M Thaggard comments on subtask B rept & requests that encl comments be reflected in final version of subj rept w/o encl.
BYRNE, M.R. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/14. SALE, M. Oak Ridge National Laboratory. 2pp. 84883.048-84883.049.

9507260187 Informs of addition of 950621 request to purchase new automatic TLD reader for NRC Direct Radiation Monitoring Network to NRR FY96 budget suppl request.
RUSSELL, W.T. 95/07/24. MARTIN, T.T. Region 1 (Post 820201). 4pp. 84845.353-84845.360.

-9507260191 Requests NRR funding for purchase of new automatic TLD reader for NRC Direct Radiation Monitoring Network.
MARTIN, T.T. Region 1 (Post 820201). 95/06/21. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84845.357-84845.360.

9507260194 Forwards NRR input for Apr-June 1995, USAID-USNRC IAA quarterly rept. NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (POLR) (Post 941001). 95/07/20. MILHOAN, J.L. Dep Exec Dir for Nuc Reactor Reg. Regional Operations & Research (Post 890205). 8pp. 84845.324-84845.342.

9507270047 Trip rept of 950516-17 DOE third workshop on expert Elicitation for Probabilistic Volcanic Hazard Assessment. List of attendees encl.
TRAPP, J.S. Engineering & Geosciences Branch (NMSS 940403). KOTRA, J.P. Performance Assessment & Hydrology Branch (NMSS 940403). 95/07/19. BELL, M.J. Engineering & Geosciences Branch (NMSS 940403). AUSTIN, J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 8pp. 84854.341-84854.357.

9507270183 Forwards & discusses engineering evaluation, "Operating Events w/inappropriate Bypass or Defeat of ESPs."
ROSSI, C.E. Office for Analysis & Evaluation of Operational Data, Director. AEOO/E95-01. 95/07/19. GRIMES, B.K., HOLAHAN, G.M., BOGER, B.A. 2pp. 84844.001-84844.029.

-9507270202 "Engineering Evaluation, Operating Events w/inappropriate Bypass or Defeat of ESPs, July 1995."
KAUFFMAN, J.V. Office for Analysis & Evaluation of Operational Data, Director. AEOO/E95-01. 95/07/31. 27pp. 84844.003-84844.029.

9507270245 Advises that final confirmatory survey rept being prepared by Oak Ridge Institute for Science & Education (ORISE) re BW Apollo site remediation project. Rept will be forwarded to recipient ofc when completed.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/18. MURTHA, J.P. House of Rep. 8pp. 84872.357-84872.359.

9507270285 Expresses interest in obtaining copy of CATHARE code & further enhance cooperation in area of thermal hydraulics.
MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 95/07/10. LIVOLANT, M. France. 2pp. 84844.030-84844.031.

9507270306 Discusses possibilities for JAERI to run limited number of test of JAERI interest in exchange for use of thermal hydraulic computer codes.
HODGES, M.W. Office of Nuclear Regulatory Research (Post 941217). 95/07/10. MURAO, Y. Japan. 4pp. 84844.046-84844.049.

9507270316 Notifies that for FY95 NRC identified three priority issues that need submit-tal of detailed work plan from Academy of Science for approval.
KING, T.L. Division of Systems Technology (Post 941217). 95/07/13. BOLSHOV, L.A. Russia. 2pp. 84844.050-84844.051.

9507270367 Forwards Ofc of Inspector General rept entitled, "Observations on NRC Document Processing & Local PDR Program."
BARCHI, T.J. Office of the Inspector General (Post 890417). 95/07/07. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 84844.052-84844.067.

-9507270374 OIG/95A-15 Audit Rept OIG/95A-15, "Observations on NRC Document Processing & Local PDR Program."
* Office of the Inspector General (Post 890417). 95/07/07. 17pp. 84844.053-84844.067.

9507270386 Forwards summary of 950706 meeting re final rule on timeliness in decom-missioning of matts facilities.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/24. SWEENEY, K. 3pp. 84874.138-84874.140.

9507280012 Forwards 950504 ltr from JE Lamb, which transmits FEMA Region III final rept for 941025 radiological emergency preparedness exercise.
JOYNER, J.H. Region 1 (Post 820201). 95/07/19. ELIASON, L.R. Public Service Elec-tric & Gas Co. of New Jersey. 3pp. 84830.218-84830.303.

-9507280017 Forwards final rept for plant 941025 emergency preparedness exercise.
LAMB, J.E. Federal Emergency Management Agency. 95/05/04. SILK, D. Region 1 (Post 820201). 1p. 84830.222-84830.222.

-9505220275 "Radiological Emergency Preparedness Exercise Evaluation Rept." on 941025.
* Federal Emergency Management Agency. 95/03/28. 81pp. 84830.223-84830.303.

9507280146 Forwards draft Chapter 16, "Other License Considerations," of F&C & SRP documents to NPR licensees for comments & availability of draft application format & content guidance, review plan & acceptance criteria.
GRIMES, B.K. 95/07/12. Affiliation Not Assigned. 25pp. 84859.324-84859.345.

-9507280155 Notice of availability of draft application format, content guidance, review plan & acceptance criteria for non-power reactors.
WEISS, S.H. 95/07/12. 1p. 84859.345-84859.345.

9507280167 "Approaches to Upgrading Procedures in NPP." final tr rept.
BARNES, V., DONOHOO, D., MOORE, C. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-1827. 94/08/31. Office of Nuclear Regulatory Research (860720-941217). 47pp. 84852.028-84852.074.

9507280232 Forwards Commission biweekly notice of applications & amends to operat-ing licenses involving NSHC, published in FR on 950705.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/07/21. FAIRCLOTH, L. Senate, Environment & Public Works. SCHAEFER, D. House of Rep. 2pp. 84845.032-84845.033.

9507310169 Forwards listed matt re mixed low-level radwaste, including ltrs, low-level rept & NUREG/CR-5938, per request.
CARPENTER, C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/27. GAGNE, C. Affiliation Not Assigned. 25pp. 84868.172-84868.289.

FR PROPOSED RULE

9506090149 Forwards final regulatory analysis & FR notice re revs to final rule nuclear power plant license renewal, 10CFR54.
MATE, J.J. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/24. SCIACCA, F. Science & Engineering Associates, Inc. 1p. 84226.079-84226.140.

9507030027 Forwards revised redacted documents re Regulatory History (AE23-1) for proposed rule to amend 10CFR30 & 35, "Departures from Mfg Instructions; Elimination of Recordkeeping Requirements." Vols 1 & 2.
PICCONE, J.M. Medical, Academic & Commercial Use Safety Branch. AE23-1 004. 95/06/15. LANHAM, D.H. Document Control Branch (Document Control Desk). 1p. 84526.001-84527.163.

-9507030042 Redacted Vols 1 & 2 to "Supporting Data for Proposed Rule to Amend 10CFR30 & 35, 'Departures From Mfg Instructions, Elimination of Recordkeeping Re-quirements.'" * NRC - No Detailed Affiliation Given. AE23-1 005. 95/06/15. 526pp. 84526.002-84527.163.

9507050035 Comment on "Environ Qualification of Electric Equipment." Endorses NEI comments.
BOHLKE, W.H. Florida Power & Light Co. 60FR22010 00003. 95/06/16. Office of Ad-ministration, Director (Post 940714). 1p. 84508.056-84508.056.

9507050044 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control. Endorses NEI comments.
CARRIER, P.P. Tennessee Valley Authority. 60FR24803 00022. 95/06/08. HOYLE, J.C. Office of the Secretary of the Commission. 1p. 84508.087-84508.087.

9507050052 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 60FR24803 00021. 95/06/16. Docketing & Services Branch. 2pp. 84508.161-84508.162.

9507050056 Comment on NRC insp repts. Considers that repts should detail all violations, including non-cited violations & so-called "minor" violations.
RUPERT, C. Affiliation Not Assigned. 60FR28180 00001. 95/06/15. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84508.169-84508.169.

9507050059 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TUCKMAN, M.S. Duke Power Co. 60FR24803 00018. 95/06/09. Docketing & Services Branch. 2pp. 84508.170-84508.171.

9507050065 Comment on content, format & style of NRC insp repts. Insp repts should provide realistic, balanced discussion of licensee performance.
KRIEGER, G. Wisconsin Electric Power Co. 60FR28180 00002. 95/06/22. MEYERS, D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84508.174-84508.176.

9507050066 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TAYLOR, G.J. South Carolina Electric & Gas Co. 60FR24803 00019. 95/06/13. Dock-eting & Services Branch. 2pp. 84508.177-84508.178.

9507050071 Comments on proposed rule 10CFR60 re disposal of HLW in geologic re-positories.
JOHNSRUD, J.H. Environmental Coalition on Nuclear Power. 60FR15180 00008. 95/06/20. Office of the Secretary of the Commission. 5pp. 84508.181-84508.185.

9507050078 Comment supporting proposed rule 10CFR73 re NRC initiative to eliminate requirement to post security at primary containment entrance during refueling & major maint periods.
BOULETTE, E.T. Boston Edison Co. 60FR24803 00020. 95/06/14. Docketing & Ser-vices Branch. 1p. 84507.054-84507.054.

9507050079 Comment on proposed rule 10CFR2 re submission of PRM. Association fully supports NRC proposed changes to rulemaking petition process.
LAWSON, R.L. 60FR15878 00012. 95/06/29. Docketing & Services Branch. 2pp. 84507.055-84507.057.

9507050107 Comment recommending listed environ quality documents to be revised by NRC in connections w/questions re "Environ Qualifications of Electric Equipment."
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR22010 00002. 95/06/16. MEYER, D.L. Office of Administration, Director (Post 940714). 14pp. 84507.139-84507.153.

9507050155 Comment opposing proposed change in State Cooperative Agreement pro-gram re NRC intention to reduce scope of work.
SCHELL, R.J. Maine, State of. 60FR18428 00019. 95/06/16. NRC - No Detailed Affil-iation Given. 2pp. 84507.291-84507.292.

0174 Comment on "Review of NRC Insp Rept Content, Format & Style." Uti that use of boilerplate phrases seemed appropriate & that less boilerplate word-ing would be used.
KHAM, J.T. Georgia Power Co. 60FR28180 00004. 95/06/28. MEYERS, D. Divi-sion of Freedom of Information & Publications Services (Post 940714). 2pp. 84507.316-84507.317.

170 NONDOCKETED ITEMS

- 9507050014 Comment on "Review of NRC Insp Rept Content,Format & Style." Urges rev of writing style & content so rept short as possible.
RAO,P.S. Affiliation Not Assigned. 60FR28180 0004. 95/06/26. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84516:091-84516:093.
- 9507060123 Forwards workpapers in support of final rule scheduled for publication in FR in near future.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 019. 95/06/20. LANHAM,D.H. Document Control Branch (Document Control Desk). 1p. 84534:001-84534:253.
- 9507060129 "Fee Workpapers for 10CFR170 & 171 Final Rule FY95."
* Office of the Controller (Post 890205). 95/06/20. 616pp. 84534:002-84535:253.
- 9507070171 Comment supporting proposed rule 10CFR60 re disposal of high-level radioactive wastes in geologic repositories, design basis events.
KRIESEER,G.M. Wisconsin Electric Power Co. 60FR15180 00009. 95/06/16. Docketing & Services Branch. 1p. 84530:131-84530:131.
- 9507070185 Comment opposing proposed rule 10CFR60 re disposal of high level rad-waste in geological repositories.
LEWIS,M.I. Affiliation Not Assigned. 60FR15180 00010. 95/06/20. Docketing & Services Branch. 2pp. 84530:132-84530:133.
- 9507110001 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." Insp detail should be brief & ref previous rept by section or at min IR number.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 60FR28180 00005. 95/06/27. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:001-84557:002.
- 9507110006 Comments on proposed rule re, "Review of NRC Insp Rept Content,Format & Style."
MASSE,F.X. Affiliation Not Assigned. 60FR28180 00011. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 3pp. 84557:021-84557:023.
- 9507110013 Comments on proposed rule re, "Review of NRC Insp Rept Content,Format & Style."
BOHLKE,W.H. Florida Power & Light Co. 60FR28180 00009. 95/06/27. MEYERS,D. Rules & Directives Review Branch (Post 920323). 6pp. 84557:039-84557:044.
- 9507110014 Comment on "Review of NRC Insp Rept Content,Format & Style." Insp repts frequently not appropriately focused on safety issues.
WILSON,K.R. Florida Power Corp. 60FR28180 00015. 95/06/29. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 84557:045-84557:049.
- 9507110017 Comment on "Review of NRC Insp Rept Content,Format & Style." Insp repts could possibly have more positive tone,especially when licensee completed insp w/no violations,comments & suggestions.
KOSMIDER,M.D. Allied-Signal Corp. 60FR28180 00014. 95/06/26. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84557:050-84557:051.
- 9507110025 Comment on "NRC Insp Repts,Review of Contents,Format & Style." Quality factors should be applied to insps which mirror performance based regulatory goals.
FARRAR,D.L. Commonwealth Edison Co. 60FR28180 00013. 95/06/29. Document Control Branch (Document Control Desk). 11pp. 84557:063-84557:073.
- 9507110028 Comments on proposed rule re, "Review of NRC Insp Rept Content,Format & Style."
* Entergy Operations, Inc. 60FR28180 00008. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 5pp. 84557:074-84557:078.
- 9507110041 Comment on proposed "Review of NRC Insp Rept Content,Format & Style."
LAVIGNE,D.A. South Carolina Electric & Gas Co. 60FR28180 00007. 95/06/28. MEYERS,D. Rules & Directives Review Branch (Post 920323). 8pp. 84557:091-84557:098.
- 9507110048 Comment on proposed "Review of NRC Insp Rept Content,Format & Style."
OPEKA,J.F. Northeast Utilities Service Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 60FR28180 00006. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 10pp. 84557:242-84557:251.
- 9507110117 Forwards regulatory history documents re final rule on "Interim Storage of Spent Fuel in ISFSI; Site-Specific License to Qualified Applicant."
REAMER,C.W. Office of the General Counsel (Post 860701). AE64-2 001. 95/06/30. Document Control Branch (Document Control Desk). 12pp. 84630:031-84630:219.
- 9405120071 Forwards page of updated info on draft final rule concerning number of SF assemblies currently in dry storage.NMSS completed review of final rule & offers no comments.
BLAHA,J.A. Ofc of the Executive Director for Operations. AE64-2 009. 94/04/13. TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 2pp. 84630:186-84630:219.
- 9507110131 Discusses review & disposition of final rule.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AE64-2 003. 95/04/10. REAMER,C.W. Office of the General Counsel (Post 860701). 9pp. 84630:078-84630:185.
- 9405120071 Forwards page of updated info on draft final rule concerning number of SF assemblies currently in dry storage.NMSS completed review of final rule & offers no comments.
BLAHA,J.A. Ofc of the Executive Director for Operations. AE64-2 009. 94/04/13. TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 2pp. 84630:186-84630:219.
- 9507110131 Discusses review & disposition of final rule.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AE64-2 003. 95/04/10. REAMER,C.W. Office of the General Counsel (Post 860701). 9pp. 84630:078-84630:185.
- 9507110127 Comment supporting review of NRC insp rept content,format & style.
HIATT,S.L. Ohio Citizens for Responsible Energy. 60FR28180 00012. 95/06/29. NRC - No Detailed Affiliation Given. 1p. 84557:324-84557:324.
- 9507170244 Forwards double-spaced copy & single-spaced copy of FRN for final rule change to 10CFR50.36. "Tech Specs." Proposed ltrs to Congress for DK Rathbun signature also encl.Double-spaced copy of FRN for final rule change to 10CFR50.36 withheld.
GRIMES,B.K. 59FR48180. 95/07/10. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 27pp. 84755:001-84755:027.
- 9507200115 Forwards regulatory history package re final rev of fee schedules:100% fee recovery.FY95.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 001. 95/07/17. Document Control Branch (Document Control Desk). App. 84766:001-84768:114.
- 9507130019 Informs that EDC signed final rule that would establish fees necessary to recover approximately 100% of NRC FY budget on 950612.Recommends that info be provided to members of staff most likely to come in contact w/licenses.
SCROGGINS,R.M. Office of the Controller (Post 890205). 60FR32218. 95/06/15. BANGART,R.L. Office of State Programs (Post 911117). 5pp. 84768:059-84768:063.
- 9507200135 Requests update of estimate of collection from Part 170 fees by classes of licensees.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 002. 95/05/05. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 84766:004-84766:004.
- 9507200140 Transmits responses to ABB-CE comments on fees for design certification.
CROCKETT,S.F. Office of the General Counsel (Post 860701). AF07-2 003. 95/05/17. HOLLOWAY,C.J. Office of the Controller (Post 890205). App. 84766:005-84766:008.
- 9507200143 Provides estimated collections per 10CFR170 for FY95 in response to 950505 request.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). AF07-2 004. 95/05/18. HOLLOWAY,C.J. Office of the Controller (Post 890205). 2pp. 84766:009-84766:010.
- 9507200160 Discusses resolution of public comments re proposed fee rule for FY 1995.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF07-2 005. 95/05/25. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 30pp. 84766:011-84766:040.
- 9507200171 Forwards,for concurrence,final rule on 100% fee recovery for FY95.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 006. 95/05/26. ROTHSCCHILD,T. Office of the General Counsel (Post 860701). NORRY,P.G. Office of Administration, Director (Post 940714). 193pp. 84766:041-84766:233.
- 9507200185 Responds to request for comment & concurrence on final rule entitled "Revision of Fee Schedules: 100 Percent Fee Recovery.FY95."
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF07-2 007. 95/05/31. LESAR,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84766:234-84766:234.
- 9507200211 Forwards draft announcement of final amendments to Parts 170 & 171 for FY 1995.
INGRAM,F.L. Office of Public Affairs (Post 911117). AF07-2 008. 95/06/01. HOLLOWAY,C.J. Office of the Controller (Post 890205). 2pp. 84766:235-84766:281.
- 9507200224 Concurs,subj to comments provided,on final rule amending licensing,insp & annual fees charged to applicants & licensees.Marked copy of final rule presenting additional editorial comments encl.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). AF07-2 009. 95/06/05. SCROGGINS,R.M. Office of the Controller (Post 890205). 106pp. 84766:282-84767:027.
- 9507200227 Transmits draft, revised PA on changes to licensing,insp & annual fees charged to licensees & applicants,per request.
INGRAM,F.L. Office of Public Affairs (Post 911117). AF07-2 010. 95/06/08. HOLLOWAY,C.J. Office of the Controller (Post 890205). 2pp. 84767:028-84767:029.
- 9507200229 Forwards Final Notice of Rulemaking amending fee regulations to recover 100 percent of FY 1995 budget for signature.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 011. 95/06/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 192pp. 84767:030-84767:221.
- 9507200232 Forwards final notice of rulemaking 100 percent recovery for FY 1995 for action.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 012. 95/06/12. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 180pp. 84767:222-84768:051.
- 9507200243 Forwards final rule re 100 percent fee recovery for FY95 for info & appropriate use.W/o encl.
FUNCHES,J.L. Office of the Controller (Post 890205). AF07-2 013. 95/06/13. BANGART,R.L. Office of State Programs (Post 911117). 1p. 84768:052-84768:052.
- 9507200251 Requests external & internal distribution of FY 1995 final revisions to 10CFR 170 & 171.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 014. 95/06/14. SCHNEIDER,L.L. Office of Administration, Director (Post 940714). 6pp. 84768:053-84768:058.
- 9507200261 Discusses 100 percent fee recovery for FY 1995.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 016. 95/06/15. MYERS,J.T. House of Rep., Appropriations. 1p. 84768:064-84768:064.
- 9507200268 Discusses 100 percent fee recovery for FY 1995.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF07-2 017. 95/06/15. DOMENICI,P.V. Senate, Appropriations. KASICH,J.R., SCHAEFER,D. House of Rep. 5pp. 84768:065-84768:069.
- 9507200294 Discusses final revisions to 10CFR170 & 171 re license,insp & annual fees for FY 1995.FRN encl.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 018. 95/06/19. 39pp. 84768:070-84768:109.

- 9507200302 Discusses items to be corrected in Federal Register Notice re final rule on 100% fee recovery
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 020. 95/06/22. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84768:110-84768:111.
- 9507200306 Discusses final rule re 100 percent fee recovery FY 1995.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 021. 95/06/26. MCCOSCAR,J.J. Region 1 (Post 820201). BENOIT,G.G. Region 2 (Post 820201). LITTLE,I.P. Region 3 (Post 820201). 1p. 84768:112-84768:112.
- 9507200313 Discusses regulatory history procedures for revision of fee schedules 100 percent fee recovery FY 1995.
GOLDEN,B. Division of Freedom of Information & Publications Services (Post 940714). AF07-2 022. 95/07/12. HOLLOWAY,J. Office of the Controller (Post 890205). 2pp. 84768:113-84768:114.
- 9507200135 Requests update of estimate of collection from Part 170 fees by classes of licensees.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 002. 95/05/05. DANDOS,D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 84766:004-84766:004.
- 9507200140 Transmits responses to ABB-CE comments on fees for design certification.
CROCKETT,S.F. Office of the General Counsel (Post 860701). AF07-2 003. 95/05/17. HOLLOWAY,C.J. Office of the Controller (Post 890205). 4pp. 84766:005-84766:008.
- 9507200143 Provides estimated collections per 10CFR170 for FY95 in response to 950505 request.
DANDOS,D.B. License Fee & Debt Collection Branch (Post 890827). AF07-2 004. 95/05/18. HOLLOWAY,C.J. Office of the Controller (Post 890205). 2pp. 84766:009-84766:010.
- 9507200160 Discusses resolution of public comments re proposed fee rule for FY 1995.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF07-2 005. 95/05/25. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 30pp. 84766:011-84766:040.
- 9507200171 Forwards, for concurrence, final rule on 100% fee recovery for FY95.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 006. 95/05/26. ROTHSCHILD,T. Office of the General Counsel (Post 860701). NORRY,P.G. Office of Administration, Director (Post 940714). 193pp. 84766:041-84766:233.
- 9507200185 Responds to request for comment & concurrence on final rule entitled "Revision of Fee Schedules: 100 Percent Fee Recovery, FY95."
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF07-2 007. 95/05/31. LESAR,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84766:234-84766:234.
- 9507200211 Forwards draft announcement of final amendments to Parts 170 & 171 for FY 1995.
INGRAM,F.L. Office of Public Affairs (Post 911117). AF07-2 008. 95/06/01. HOLLOWAY,C.J. Office of the Controller (Post 890205). 2pp. 84766:235-84766:281.
- 9507200224 Concurr. subj to comments provided on final rule amending licensing, insp & annual fees charged to applicants & licensees. Marked copy of final rule presenting additional editorial comments encl.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). AF07-2 009. 95/06/05. SCROGGINS,R.M. Office of the Controller (Post 890205). 106pp. 84766:282-84767:027.
- 9507200227 Transmits draft, revised PA on changes to licensing, insp & annual fees charged to licensees & applicants, per request.
INGRAM,F.L. Office of Public Affairs (Post 911117). AF07-2 010. 95/06/08. HOLLOWAY,C.J. Office of the Controller (Post 890205). 2pp. 84767:028-84767:029.
- 9507200229 Forwards Final Notice of Rulemaking amending fee regulations to recover 100 percent of FY 1995 budget for signature.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 011. 95/06/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 192pp. 84767:030-84767:221.
- 9507200232 Forwards final notice of rulemaking 100 percent recovery for FY 1995 for action.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 012. 95/06/12. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 190pp. 84767:222-84768:051.
- 9507200243 Forwards final rule re 100 percent fee recovery for FY95 for info & appropriate use w/o encl.
FUNCHES,J.L. Office of the Controller (Post 890205). AF07-2 013. 95/06/13. BANGART,R.L. Office of State Programs (Post 911117). 1p. 84768:052-84768:052.
- 9507200251 Requests external & internal distribution of FY 1995 final revisions to 10CFR 170 & 171.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 014. 95/06/14. SCHNEIDER,L.L. Office of Administration, Director (Post 940714). 6pp. 84768:053-84768:058.
- 9507200261 Discusses 100 percent fee recovery for FY 1995.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 016. 95/06/15. MYERS,J.T. House of Rep., Appropriations. 1p. 84768:064-84768:064.
- 9507200266 Discusses 100 percent fee recovery for FY 1995.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). AF07-2 017. 95/06/15. DOMENICI,P.V. Senate, Appropriations. KASICH,J.R., SCHAEFER,D. House of Rep. 5pp. 84768:065-84768:069.
- 9507200264 Discusses final revisions to 10CFR170 & 171 re license, insp & annual fees for FY 1995. FRN encl.
SCROGGINS,R.M. Office of the Controller (Post 890205). AF07-2 018. 95/06/19. 39pp. 84768:070-84768:109.

- 9507200302 Discusses items to be corrected in Federal Register Notice re final rule on 100% fee recovery
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 020. 95/06/22. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84768:110-84768:111.
- 9507200308 Discusses final rule re 100 percent fee recovery FY 1995.
HOLLOWAY,C.J. Office of the Controller (Post 890205). AF07-2 021. 95/06/26. MCCOSCAR,J.J. Region 1 (Post 820201). BENOIT,G.G. Region 2 (Post 820201). LITTLE,I.P. Region 3 (Post 820201). 1p. 84768:112-84768:112.
- 9507200313 Discusses regulatory history procedures for revision of fee schedules 100 percent fee recovery FY 1995.
GOLDEN,B. Division of Freedom of Information & Publications Services (Post 940714). AF07-2 022. 95/07/12. HOLLOWAY,J. Office of the Controller (Post 890205). 2pp. 84768:113-84768:114.
- 9507200290 Forwards policy statement 10CFR2, "Policy & Procedure for Enforcement Actions: Removal."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/27. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. Energy & Commerce. 4pp. 84800:100-84800:234.
- 9507200300 Policy statement 10CFR2, "Policy & Procedure for Enforcement Actions: Removal."
HOYLE,J.C. Office of the Secretary of the Commission. CCS. 95/06/23. 5pp. 84800:113-84800:117.
- 9507200309 Policy statement, "Rev of NRC Enforcement Policy."
HOYLE,J.C. Office of the Secretary of the Commission. CCS. 95/06/23. 116pp. 84800:118-84800:234.
- 9507200378 Forwards final rule 10CFR72, "Emergency Planning Licensing Requirements for Independent Spent Fuel Storage Facilities (ISFSI) & Monitored Retrievable Storage Facilities (MRS)."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/20. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84790:304-84790:360.
- 9507200380 Final Rule 10CFR72, "Emergency Planning Licensing Requirements for Independent Spent Fuel Storage Facilities (ISFSI) & Monitored Retrievable Storage Facilities (MRS)."
BATES,A.L. Office of the Secretary of the Commission. CCS. 95/06/16. 54pp. 84790:306-84790:360.
- 9507210001 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
Entergy Operations, Inc. 60FR19002 00016. 95/07/14. Docketing & Services Branch. 2pp. 84738:001-84738:002.
- 9507210006 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
MARSHALL,S. Texas Utilities Electric Co. (TU Electric). 60FR19002 00008. 95/06/29. Docketing & Services Branch. 2pp. 84738:006-84738:009.
- 9507210012 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 60FR19002 00009. 95/06/30. Docketing & Services Branch. 1p. 84738:015-84738:015.
- 9507210018 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR19002 00010. 95/07/10. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84738:044-84738:045.
- 9507210019 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
GOODMAN,L.S. Detroit Edison Co. 60FR19002 00015. 95/07/13. Docketing & Services Branch. 2pp. 84738:046-84738:047.
- 9507210031 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
BOHLKE,W.H. Florida Power & Light Co. 60FR19002 00011. 95/07/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84738:057-84738:057.
- 9507210032 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
THOMAS,G.S. Duquesne Light Co. 60FR19002 00013. 95/07/11. Docketing & Services Branch. 1p. 84738:058-84738:058.
- 9507210037 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
WYNNE,C.F. Pennsylvania Commonwealth of. 60FR19002 00014. 95/07/12. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84738:063-84738:064.
- 9507210041 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
OPEKA,J.F. Northeast Utilities. 60FR19002 00012. 95/07/14. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84738:115-84738:116.
- 9507210045 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
TUCKMAN,M.S. Duke Power Co. 60FR19002 00007. 95/06/27. Docketing & Services Branch. 1p. 84738:130-84738:130.
- 9507210262 Forwards final rules 10CFR170 & 171, "Rev of Fee Schedules; 100% Fee Recovery, FY95."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/06/15. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. DOMENICI,P.V. Senate, Appropriations. 185pp. 84807:053-84807:237.
- 9507240216 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
SPELL,W.H. Louisiana, State of. 59FR9429 00086. 95/06/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84751:329-84751:330.

172 NONDOCKETED ITEMS

9507240228 Comment supporting proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. DORAN,H.V. Non Destructive Testing Corp. 59FR9429 00088. 95/06/15. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84751:331-84751:332.

9507240235 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. HADEN,J.R. North Carolina. State of. 59FR9429 00087. 95/06/23. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84751:333-84751:334.

9507250003 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." Insp rept should be formatted to reduce technical detail for normal operations & produce concise rept that more clearly identifies issues & strengths. KLAPPROTH,J.F. General Electric Co. 60FR28180 00018. 95/07/07. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:003-84787:004.

9507250005 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." Util appiauds NRC for undertaking endeavor to make insp rept more effective tool for communicating w/licenseses & public. MOREY,D.N. Southern Nuclear Operating Co. 60FR28180 00017. 95/06/28. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:007-84787:008.

9507250007 Comment on "Review of NRC Insp Rept Content,Format & Style." Supports NRC repts that clearly communicate to licensee & public balanced assessment of licensee radiation protection performance. SMITH,L.R. 60FR28180 00016. 95/06/29. MYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84787:010-84787:017.

9507250008 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." STENGER,D.F. Winston & Strawn. 60FR28180 00021. 95/07/06. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84787:018-84787:020.

9507250011 Comment on proposed generic communication,10CFR50.54(p). "Process for Changes to Security Plans W/o Prior NRC Approval." Supports proposed clarification & endorses NEI comments. ROGAN,R.E. Carolina Power & Light Co. 60FR31326 00016. 95/07/14. NRC - No Detailed Affiliation Given. 1p. 84787:022-84787:022.

9507250015 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." STETZ,J.P. Centenor Energy. 60FR28180 00020. 95/06/29. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 84787:025-84787:028.

9507250019 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 60FR28180 00019. 95/06/29. MEYERS,D.L. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84787:033-84787:039.

9507250023 Comment on "Review of NRC Insp Rept Content,Format & Style." NRC insp repts should provide balanced perspective, reflecting licensee strengths & positive aspects of programs & activities reviewed. FARRISH,J.V. Washington Public Power Supply System. 60FR28180 00024. 95/07/07. MEYERS,D. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:043-84787:044.

9507250037 Comment on proposed "Review of NRC Insp Rept Content,Format & Style." Util believes that rept writers should be required to clearly articulate safety significance of each finding. THAYER,J. Yankee Atomic Electric Co. 60FR28180 00022. 95/07/13. MEYERS,D. NRC - No Detailed Affiliation Given. 10pp. 84787:140-84787:149.

9507280119 Summary of 950705 meeting to discuss rulemaking pertaining to shutdown operation of Nuclear Power Plants.Slides encl. LYON,W.C. TAC M7770. 95/07/19. JONES,R.C. 5pp. 84842:290-84842:294.

PRESS PRESS RELEASES

9507070071 "NRC Revises Enforcement Policy & Removes it From Code of Federal Regulations." * Office of Public Affairs (Post 911117). 95/07/05. 2pp. 84598:178-84598:179.

9507100204 "NRC Staff Proposes to Fine Vermont Yankee Nuclear Power Corp \$50,000 for Alleged Violation of NRC Requirements." * Office of Public Affairs (Post 911117). 95/07/06. 2pp. 84630:001-84630:002.

9507120327 "NRC ACNW to Meet 950726-28." * Office of Public Affairs (Post 911117). 95/07/07. 2pp. 84682:312-84682:313.

9507190121 "NRC Withdraws Advance Notice of Rulemaking on Private Ownership of Land for Waste Disposal." * Office of Public Affairs (Post 911117). 95/07/18. 2pp. 84790:269-84790:270.

9507210222 Forwards rept from ACNW commenting on regulatory issues re NRC performance assessment program for low-level radwaste. * Office of Public Affairs (Post 911117). 95/07/11. 1p. 84815:219-84815:223.

9507210223 "NRC Imposes New Requirements on Exports & Imports of Radwastes." * Office of Public Affairs (Post 911117). 95/07/20. 2pp. 84815:224-84815:225.

9507280190 "NRC Proposes Revs to General Requirements for Decommissioning Nuclear Power Plants." * Office of Public Affairs (Post 911117). 95/07/21. 4pp. 84848:347-84848:350.

9507290668 "NRC Names Three Professors in Engineering Programs to ACRS." * Office of Public Affairs (Post 911117). 95/07/25. 3pp. 84874:112-84874:114.

9507290659 "NRC Appoints New Assistant to Director of Public Affairs & Other PA Officers." * Office of Public Affairs (Post 911117). 95/07/26. 1p. 84874:115-84874:115.

9507290661 "NRC Amends Regulations on Decommissioning Funding for Nuclear Mats Licensees." * Office of Public Affairs (Post 911117). 95/07/26. 2pp. 84871:359-84871:360.

9507270098 "ACNW Elects PW Pomeroy,Chairman & BJ Garrick, Vice-President." * Office of Public Affairs (Post 911117). 95/07/26. 2pp. 84867:240-84867:241.

PRM PETITION FOR RULEMAKING

9507050033 Comment on petition for rulemaking PRM-50-61 re amending existing fire protection requirements. * Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR29784 00001. 95/06/20. Docketing & Services Branch. 1p. 84508:051-84508:051.

PROJ PROJECTS - PREDOCKET LICENSING

9507050182 Summary of 950615 meeting w/representatives of WOG LCM/LR Working Group in Rockville,MD to discuss status of WOG LCM/LR program.List of attendees & presentation matl discussed at meeting encl. HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/23. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 23pp. 84528:313-84528:335.

9507050187 Notification of 950713 pre-application exchange between NRC, DOE & W in Rockville,MD to discuss CA for multi-purpose canister program. EASTON,E.P. Office of Nuclear Material Safety & Safeguards. 95/06/29. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 4pp. 84570:160-84570:163.

9507050212 Forwards responses to NRC comments transmitted on 950628. Responses also transmitted to M Scheaffer of LLNL,as w/ previous submittals. TJERSLAND,G.T. Nuclear Assurance Corp. 95/06/29. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 109pp. 84568:206-84568:314.

9507060385 Forwards questions re SNC VSC-24 cask certificate amend re 950619 NRC telcon w/Sierra Nuclear Corp. STURZ,F. Office of Nuclear Material Safety & Safeguards. 95/06/28. THOMPSON,T.C. Sierra Nuclear, Inc. 4pp. 84540:064-84540:067.

9507070109 Responds to telcon on 950625 re info to facilitate thermal review which focuses on heat flow in cask basket. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/28. TJERSLAND,G. Nuclear Assurance Corp. 1p. 84555:195-84555:195.

9507070473 Forwards addl info as part of insp of VECTRA/RANOR on 950620-23. Info provided for review as directed by T Matula. RODGERS,D.E. Vectra Technologies, Inc. DER-95-084. 95/06/30. BAER,R. NRC - No Detailed Affiliation Given. 43pp. 84579:262-84579:304.

9507100122 Forwards Rev 2 to Facility Description WVNS-FD-001, "High- Level Waste Solidification Facilities." ROWLAND,T.J. Energy, Dept. of. 95/06/27. COMFORT,G.C. NRC - No Detailed Affiliation Given. 1p. 84664:203-84665:034.

-9507100125 WVNS-FD-001 R02 Rev 2 to facility description, "High-Level Waste Solidification Facilities." SKILLERN,C.G., DAMEROW,F.W., DEMPSTER,D.L. West Valley Nuclear Services Co., Inc. 95/04/24. 100pp. 84664:204-84665:034.

9507110336 Issues CAL listing actions NRC understand VECTRA Technologies,Inc will take re safety concerns noted in insp of Ranor,Inc on 950620-23. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. CAL. 95/07/07. FRANCESCHI,V. Vectra Technologies, Inc. 4pp. 84694:333-84694:336.

9507120294 Provides rev to responses to info re B&W Owners Group GL Renewal license program demonstration of mgt of aging effects for reactor coolant sys piping TR BAW-2243. CRONEBERGER,D.K. Babcock & Wilcox Operating Plants Owners Group. OG-1526. 95/07/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 69pp. 84710:214-84710:283.

9507180119 Forwards supplemental responses to NRC open items dtd 950628 re topical SAR,Rev 3 for NAC storage transport cask for use at ISFSI. TJERSLAND,G.T. Nuclear Assurance Corp. 95/07/06. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 10pp. 84781:287-84781:294.

9507180186 Clarifies nature of recent NRC/industry technical interactions w/respect to industry intent to petition for ALWR EP rulemaking. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/23. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84785:300-84785:301.

9507180372 Summary of 950627 meeting re response to questions on proposed design certification rules for ABWR & Sys 80 + designs. WILSON,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/07/13. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 8pp. 84727:010-84727:017.

9507190122 Expresses apologies for incorrect conversion of peak clad temp in degrees centigrade.Attached replaces previous facsimile. TJERSLAND,G. Nuclear Assurance Corp. 95/07/14. STURZ,F. NRC - No Detailed Affiliation Given. 1p. 84786:357-84786:360.

-9507190127 Advises NRC that NAC has completed & filed in listed values on table re surface emissivity for mats utilized in thermal analysis. TJERSLAND,G.T. Nuclear Assurance Corp. 95/07/14. STURZ,F. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84786:358-84786:360.

9507190130 Forwards minutes from 950608 technical exchange between NRC, DOE & Westinghouse on Multi-Purpose Canister preliminary design. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/07/14. MILNER,R. Energy, Dept. of. 74pp. 84789:247-84789:320.

9507190146 Forwards West Valley Demonstration Project weekly activities rept dtd 950711. ROWLAND,T.J. Energy, Dept. of. 95/07/11. MCINTOSH,T.W. Energy, Dept. of. 7pp. 84789:328-84789:334.

9507190174 Forwards West Valley Demonstration Project response to NRC request for addl on waste form qualification program for solidification of THOREX wash liquid w/ Type V portland cement.
ROWLAND,T.J. Energy, Dept. of. 95/06/30. COMFORT,G.C. NRC - No Detailed Affiliation Given. 8pp. 84769:344-84769:351.

9507190196 Forwards annual long term test repts for sludge wash cement- waste forms,including test results on requested addl cores.
ROWLAND,T.J. Energy, Dept. of. 95/07/13. COMFORT,G.C. NRC - No Detailed Affiliation Given. 74pp. 84786:228-84786:298.

9507190208 WVNS-SAR-003 R02 Rev 2 of "SAR for Vitrification Sys Operations & HLW Intern Storage."
CAMERON,F.W., LAWRENCE,R.E., HUMPHREY,R.A. West Valley Nuclear Services Co., Inc. 95/06/26. 963pp. 84801:001-84803:235.

9507190212 Forwards Rev 5 to WVNS-PCP-005, "Process Control Plan for Cement Solidification of Decontaminated Thorex Wash Liquid Using Portland Type V Cement" & Rev 0 to WVNS-TR-70-025, "Waste Form Qualification Rept:WVDP."
ROWLAND,T.J. Energy, Dept. of. 95/07/12. COMFORT,G.C. NRC - No Detailed Affiliation Given. 1p. 84769:102-84769:218.

-9507190222 "Process Control Plan for Cement Solidification of Decontaminated Thorex Wash Liquid Using Portland Type V Cement."
LEWANDOWSKI,R., FUSSNER,R.J., MEISS,D.C. West Valley Nuclear Services Co., Inc. 95/06/30. 44pp. 84769:103-84769:145.

-9507190231 WVNS-TR-70-025 R00 "Waste Form Qualification Rept:WVDP Stabilized Thorex Wash Cement-Waste."
KELLY,S., MEISS,D.C., FUSSNER,R.J. West Valley Nuclear Services Co., Inc. 95/06/30. 73pp. 84769:146-84769:218.

9507210011 Advises that DOE review of NRC Preapproval SER indicates no info that DOE wishes to continue to protect as Applied Technology.
FRANKS,S. Energy, Dept. of. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84811:335-84811:335.

9507230045 Forwards DOE rept summarizing environ protection program at West Valley Demonstration Project for CY94.
ROWLAND,T.J. Energy, Dept. of. 94/12/31. NRC - No Detailed Affiliation Given. 1p. 84820:001-84821:031.

-9507250053 "West Valley Demonstration Project Site Environ Rept for CY94."
Energy, Dept. of. 94/12/31. 394pp. 84820:002-84821:031.

9507260199 Forwards West Valley Nuclear Svcs response to first RAI,as well as revs to qualification rept & PCP, re cement stabilization of decontaminated THOREX wash liquid.
LEWIS,R.J. Engineering & Geosciences Branch (NMSS 940403). FIN A-3175. 95/07/19. BOWERMAN,B. Brookhaven National Laboratory. 1p. 84854:033-84854:158.

9507260222 Forwards SE on "Topical Safety Analysis Rept for NAC Storable Transport Cask for Use at Independent Spent Fuel Storage Installation," rev 3.NRC concludes that rept invalid.NAC needs to revise & resubmit.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/07/17. TJERSLAND,G. Nuclear Assurance Corp. 2pp. 84832:073-84832:159.

-9507260239 "Spent Fuel Storage Safety Evaluation Rept re Topical Safety Analysis Rept of Nuclear Assurance Corp Storable Transport Cask,(NAC-STC)."
95/07/31. 85pp. 84832:075-84832:159.

9507270190 Submits responses to comments on environ assessment for const & operation of contaminated soil consolidation area at West Valley Demonstration Project.
PROVENCHER,R. Energy, Dept. of. 95/07/21. NRC - No Detailed Affiliation Given. 15pp. 84883:056-84883:072.

9507310279 Summary of 950714 meeting w/Nuclear Energy Inst in Rockville,MD to discuss schedule for licensee development of industry guideline for implementing license renewal rule.
HOFFMAN,S.T. 95/07/25. 14pp. 84883:326-84883:341.

9507310281 Summary of 950601 meeting w/NEI & six plant representatives in Rockville,MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTI,D. 95/07/26. QUAY,T.R. 46pp. 84888:143-84888:188.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9507303139 Part 21 rept re several incidents of instrument drift in excess of specified limits for Rosemount pressure transmitter Model 1154SH9.Other licensees advised to be alert to differences in pressure indication.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95-318. 95/06/27. Document Control Branch (Document Control Desk). 4pp. 84555:354-84555:357.

9507305075 Part 21 rept re discovery that rept used to determine svc life of various Agastat GP series relays erroneous.Caused by utilization of electrical characteristics of relay bobbin matl.Relay replaced & use of rept discontinued.
TERRY,C.D. Niagara Mohawk Power Corp. NMP1L 0955. 95/06/23. Document Control Branch (Document Control Desk). 3pp. 84559:015-84559:017.

9507307477 Part 21 rept re potential defect on Class 1E type CVE-1 relay style 1326D67A01 & 1326D67A02.Defect consists of incorrectly rated telcon relay used as V1 & V2.Design changed to volts rated telcon relay.
DAHLE,C.A., GIERBOLINI,J. ASEA Brown Boveri, Inc. 95/06/28. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84579:359-84579:359.

9507110099 Part 21 rept re two failures of Model VTR 500 turbochargers supplied by ABB Turbo Systems Ltd.Failure of turbocharger renders associated EDG incapable of providing rated output. Seventeen hole jet assist wail plates replaced.
MCMEEKIN,T.C. Duke Power Co. 95/07/03. Document Control Branch (Document Control Desk). 8pp. 84662:047-84662:054.

9507120216 Part 21 rept,consisting of ANSYS Class3 error repts 95-37 through 95-42 & GTICES Program Rept Form 95.14.Listed former customers not notified because of unknown current addresses. Error notices sent to other former customers.
ANDREWS,S.J. Boeing Computer Services Co. (div. of Boeing Co.). 95/07/05. Document Control Branch (Document Control Desk). 12pp. 84676:289-84676:300.

9507170122 Part 21 rept re potential defect in SMB/SB/SBD-00 motor operated valve actuators.
HYLTON,C. Limitorque Corp. 95/07/13. NRC - No Detailed Affiliation Given. 1p. 84944:268-84944:283.

9507170396 Follow-up to 10CFR21 Interim Rept 21-95-010 re Elgar inverter PWM drive logic card (J4) failure.Elgar performed addl testing of cards at CPS & developing schedule for evaluating test results.Update will be provided by 950927.
COOK,J.G. Illinois Power Co. U-602466. 95/07/12. Document Control Branch (Document Control Desk). 1p. 84764:024-84764:024.

9507180213 Forwards error notices that Boeing received from former software suppliers.Listed former customers not notified due to unknown addresses.Error notices sent to other former customers.
ANDREWS,S.J. Boeing Co. G-1151-SJA-95-2. 95/07/11. Document Control Branch (Document Control Desk). 34pp. 84784:289-84784:322.

9507180326 Part 21 rept re malfunction of 957 automatic exposure controller & 680 projector.Amersham determined that 957 controller malfunction due to improperly grounded component. Corrective action nor Part 21 reporting applicable.
HOLLANDER,W.D. Harison Steel Castings Co. 95/06/28. HOLT,B.J. Region 3 (Post 820201). 4pp. 84771:306-84771:309.

9507190252 Potential Part 21 rept re model 899 drive cable that pulled off drive cable.Based on results of testing,no substantial safety hazard exists w/equipment & therefore not reportable under 10CFR21.21.
ROUGHAN,C. Amersham Corp. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84790:271-84790:272.

9507200264 Part 21 rept re 14 inch air-operated butterfly valve,used as SW outlet valve AOV-4561 supplied by Fisher Controls Co.On 950418,found that valve actuated opposite from required configuration.Actuator lever reinstalled.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/07/14. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 4pp. 84815:158-84815:161.

9507200385 Part 21 rept re Oct 1992 rev to Instruction Manual 4235 in which incorrect process O-ring for use w/1152 high differential pressure transmitters (Model 1152HP) inadvertently specified.Placed instruction manual on hold.
VAN SLOUN,M.L. Rosemount, Inc. 95/07/12. NRC - No Detailed Affiliation Given. 4pp. 84815:165-84815:168.

9507210322 Part 21 rept re potential defect in Limitorque SMB/SB/SBD-00 actuators.Condition dependent on individual licensees internal operating practices used when declaring MOV operable for safety related svcs.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 30pp. 84815:169-84815:196.

9507210326 Part 21 rept re Limitorque Corp discovering possibility of outside clutch tripper,wedged against actuator housing. Condition could potentially be reportable depending on operating practices of licensee.
HYLTON,C.L. Limitorque Corp. 95/07/12. Document Control Branch (Document Control Desk). 14pp. 84815:202-84815:215.

9507260097 Part 21 rept re MDR relays w/potentially damaged internal contact arms.
ROSENBLUM,R.M. Southern California Edison Co. 95/07/21. Document Control Branch (Document Control Desk). 5pp. 84868:029-84868:033.

9507260064 Part 21 rept re high failure rates of dc/dc converter added to std N-2A0-V2H analog output converter module.Caused by abnormal power draw by converter.Replacement converter being designed.
KEIPER,J.T. Foxboro Corp. 95/07/07. NRC - No Detailed Affiliation Given. 3pp. 84855:001-84855:003.

QA999 QUALITY ASSURANCE INSPECTIONS

9507110282 Notification of 950914 meeting w/Rosemount,Inc in Eden Prairie,MN to discuss recent info on Rosemount Transmitter performance & staff closure of loss of fill oil issue.
WERMIEL,J.S. 95/06/29. BOGER,B.A. 3pp. 84587:143-84587:146.

9507130098 Informs that NRC reviewed licensee 950222 response to notice of nonconformance transmitted by 950131 ltr w/NRC insp rept 99900764/94-01.
GALLO,R.M. 95/07/07. BOWLES,K.C. Sandvik Special Metals Corp. 1p. 84596:001-84596:001.

9507130102 Forwards insp rept 99900271/95-02 on 950405-07 & notice of nonconformance.
GALLO,R.M. 95/07/05. SLOUN,M.V. Rosemount, Inc. 2pp. 84596:159-84596:184.

-9507130105 Notice of nonconformance from insp on 950405-07. Nonconformance noted:measures established by Rosemount to control certain nonconforming matl did not prevent inadvertent use.
95/07/05. 1p. 84596:161-84596:161.

-9507130114 Insp rept 99900271/95-02 on 950405-07.Noncompliance noted. Major areas inspected:summary of insp findings,violations,nonconformances,status of previous insp findings & background.
ALEXANDER,S.D., ATHAVALE,S.V., CWALINA,G.C. 95/07/05. 23pp. 84596:162-84596:184.

9507130113 Forwards Director's Decision DD-95-13 under 10CFR21.206, denying 951121 petition requesting that Rosemount Nuclear Instrument,Inc immediately inform users of safety-related transmitters,per 10CFR21.01 of shelf-life limitations.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). DD-95-13. 25/07/05. BLANCH,P.M. Affiliation Not Assigned. 2pp. 84597:317-84597:333.

-9507130126 Director's Decision DD-95-13 under 10CFR21.206 re Rosemount Nuclear Instruments,Inc immediately informing users of safety-related transmitters,per 10CFR21.01 shelf-life limitation.Request denied.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). DD-95-13. 95/07/05. 8pp. 84597:319-84597:326.

174 NONDOCKETED ITEMS

-9507130128 Notice of issuance of Director's Decision DD-95-13 under 10CFR2.206 re Rosemount Nuclear Instruments, Inc immediately informing all users of safety-related transmitters per 10CFR21.01 of shelf-life limitations. Request denied.
RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). DD-95-13. 95/07/05. 2pp. 84597-327-84597-333.

9507130132 Ack receipt of 950530 ltr re NRC reply to licensee response to notice of nonconformance for insp rept 999001076/94-01 on 950130. Requests telcon w/ licensee on 950706 to further discuss concerns identified in ltr.
AKERS, S. GL-95-02. 95/06/29. SPESSARD, R.L. Cardinal Industrial Products Corp. 3pp. 84596:352-84596:354.

9507140034 Forwards insp rept 99900403/95-01 on 950117-19. No violations noted.
GALLO, R.M. 95/07/07. SPECKER, S.R. General Electric Co. 2pp. 84730:345-84730:353.

-9507140040 Insp rept 99900403/95-01 on 950117-19. No violations or deviations/non-compliance noted. Major areas inspected: policy, procedure & practice re QA, Quality Control & supervisory review of test data records & other documents re quality.
ALEXANDER, S.D., CWALINA, G.C., GALLO, R.M. 95/07/07. 7pp. # 84730:347-84730:353.

9507140047 Forwards insp rept 99901117/95-01 on 950208-09 & NOV. Inspector found no instances in which other practices or records not in accordance w/10CFR21.
GALLO, R.M. 95/07/07. FISHER, S.K. DIVESCO, Inc. 2pp. 84760:278-84760:291.

-9507140052 Notice of violation from insp on 950208-09. Violation noted: effective rev of licensee QA manual, Procedure 10, Rev 00, dtd 870625, would not ensure evaluation & reporting in accordance w/10CFR21.21.
* 95/07/07. 2pp. 84760:280-84760:281.

-9507140056 Insp rept 99901117/95-01 on 950208-09. Violation noted. Major areas inspected: licensee records & sys of record keeping & review of QA manual.
ALEXANDER, S.D., CWALINA, G.C., GALLO, R.M. 95/07/07. 10pp. 84760:282-84760:291.

9507170096 Forwards insp rept 99900113/95-01 on 950612-15. No violations or non-conformances noted.
GALLO, R.M. 95/07/10. PERRY, C.L. ITT Barton. 1p. 84747:338-84747:346.

-9507170102 Insp rept 99900113/95-01 on 950612-15. No violations or nonconformances noted. Major areas inspected: implementation of selected portions of ITT Barton QA program for supplying safety-grade components.
WILSON, R.C., CWALINA, G.C., GALLO, R.M. 95/07/10. 8pp. 84747:339-84747:346.

9507200061 Confirms telcon w/G Cwalina re vendor request for extension of time to respond to notice of violation & demand for info re insp rept 99900362/90-01. Vendor must respond by 950821.
FLEMISTER Affiliation Not Assigned. 95/07/12. SPESSARD, R.L. 1p. 84777:329-84777:329.

9507200235 Resubmits 950531 response to NRC 950505 ltr re nonconformance noted in insp rept 99901164/95-01 per NRC 950714 telcon request.
WILLIAMS, J.A. Whittier Industries, Ltd. dba Whittier Steel Strip (formerly Whittaker Corp.). 95/07/14. Document Control Branch (Document Control Desk). 1p. 84795:357-84795:359.

9507260002 Ack receipt of 950531 response to Notice of Nonconformance forwarded w/NRC Insp Rept 99901164/95-01. Concludes that licensee planned actions appear responsive to concerns expressed in NRC notice.
CWALINA, G.C. 95/07/19. DEISENROTH, C.W. Affiliation Not Assigned. 1p. 84793:041-84793:041.

9507260007 Confirms upcoming NRC insp on 950918-22 as discussed during 950628 telcon between H McCullough & D Brewer. Insp to review selected criteria of 10CFR50. App B, QA program for procurement, mfg & supply of nuclear safety related items.
CWALINA, G.C. 95/07/18. CARLSON, J.C. Affiliation Not Assigned. 1p. 84793:048-84793:048.

9507260009 Ack receipt of 950425 response to NRC 950322 ltr & Notice of nonconformance resulted from NRC insp in Feb of 1995 at licensee facilities in Rock Hill, South Carolina. Finds response partially responsive to NRC concerns.
GALLO, R.M. 95/07/19. BLACKWELL, W. Affiliation Not Assigned. 2pp. 84793:049-84793:050.

9507260022 Discusses Nov 1989-Aug 1992 OI investigation of Energy Steel & Supply Co & forwards notice of violation.
SPESSARD, R.L. EA-93-074. 95/07/18. MITCHELL, M.R. Energy Steel & Supply Co. 2pp. 84794:013-84794:016.

-9507260038 Notice of violation from investigation on Nov 1989-Aug 1992. Violations noted: Energy Steel & Supply Co failed to perform deviation or inform licensees or purchasers who could cause evaluation to be performed.
* EA-93-074. 95/07/19. 2pp. 84794:015-84794:016.

9507260067 Ack receipt of 950522 ltr that requested addl info re 940331 response to Notice of Nonconformance resulting from NRC insp.
GALLO, R.M. 95/07/19. GEORGE, E.A. 1p. 84793:132-84793:132.

9507260165 Submits results of inquiries into handling & disposition of surplus matl from cancelled Black Fox project belonging to consignee to Divesco of portion of matl that American Heavy Trading purchased from Public Svc of OK.
GALLO, R.M. 95/07/19. HANCOCK, D. Affiliation Not Assigned. LANDIS, A.H. Affiliation Not Assigned. 2pp. 84837:253-84837:276.

REG CERT REGISTRY CERTIFICATE

8806070205 Informs that device Model SHR-14 & SHR-15 acceptable per info in 850820 & 1113 submittals. Amends SHR-14 per request & not SHR-9 but rather issued three new catalog sheets. Informs that new source model designation of Am-244 is AMC.D3.
BAGGETT, S. NRC - No Detailed Affiliation Given. NR-285-D-111-G. 85/11/25. HOLT, D. File Corp. 1p. 84892:356-84892:360.

REGD REGULATORY GUIDES

9507030100 Ack receipt of 941114 ltr & submits responses & suggestions concerning safety-related setpoints for NPPs.
BROWN, B. Affiliation Not Assigned. 95/06/07. CHIRAMALM. 5pp. 84509:297-84509:301.

9507050304 Submits modification to methodology for determining emergency action levels for effluent release conditions. Methodology submitted per process developed during phone calls & Reg Guide 1.101.
YONK, M.J. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 20pp. 84558:336-84558:355.

9507060048 Forwards safety evaluation re plant conformance to Reg Guide RG-1.97 for condensate storage tank water level monitoring instrumentation which identified subsequent to 871020 SER.
GAMBERONI, M. TAC M91113. 95/06/21. HAAS, K.M. Consumers Power Co. 2pp. 84539:326-84539:330.

9507060039 Concludes that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97, rev 2. Forwards supporting SE.
ASSA, R.R. GL-82-33. 95/06/27. FARRAR, D.L. Commonwealth Edison Co. 3pp. 84539:331-84539:336.

-9507060100 Safety evaluation supporting conclusion that containment cooling status can be determined through alternative means to direct reading of containment sump water temp for licenses NPF-72 & NPF-77 re implementation of RG 1.97, rev 2.
* Office of Nuclear Reactor Regulation (Post 941001). GL-82-33. 95/06/27. 3pp. 84539:334-84539:336.

9507060274 Advises that licensee QA program does not meet certain requirements of 10CFR71 Subpart H. Forwards copy of RG 7.10, "Establishing QA Programs for Packaging User's in Transport of Radioactive Matl." w/o encl.
JANKOVICH, J.P. Source Containment & Devices Branch (Post 911213). 95/06/23. SCHNEIDER, L.J. NDT Specialists, Inc. 1p. 84536:249-84536:249.

9507070089 Application for amends to licenses DPR-39 & DPR-48, revising TS for EDG hot sequence loading test relaxation per Reg Guide 1.108, Rev 1.
SIMPKIN, T.W. Commonwealth Edison Co. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84622:271-84622:296.

9507070465 Requests NRC review & concurrence of exception to Reg Guide 1.97 requirements for transversing incore probe isolation valve position indication.
CAHILL, W.J. Power Authority of the State of New York (New York Power Authority). JPN-95-033. 95/06/29. Document Control Branch (Document Control Desk). 12pp. 84582:343-84582:354.

9507100184 "For comment" issue of draft reg guide, task DG-1040, "Time Response Design Criteria for Safety-Related Operator Actions."
* Office of Nuclear Regulatory Research (Post 941217). 95/06/30. 14pp. 84586:323-84586:337.

9507140088 Forwards SE that authorizes licensee to use code Case N-522 until code Case N-522 published in future rev of RG 1.147.
MARSH, L.B. Project Directorate I-1 (PD1-1) (Post 941001). TAC M91158. 95/07/07. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 84710:335-84710:340.

9507170085 Forwards LER 95-007 re noncompliance w/EDG TSs.
SCHWARTZ, G.K. Commonwealth Edison Co. 95/07/11. Document Control Branch (Document Control Desk). 1p. 84739:035-84739:042.

-9507170101 LER 95-007-00 on 950612. EDG TS was in compliance due to personnel error. Performed testing on five plant EDGs which deviated from requirement of RG 1.108 & has been verified to meet equivalent test requirement.
FANNING, G. Commonwealth Edison Co. 95/07/11. 6pp. 84739:036-84739:042.

9507190201 Informs that NRC releasing draft reg guide DG-1043, which proposes Rev 2 to reg guide 1.149, "NPP Simulation Facilities for Use in Operator License Exams." w/o reg guide.
COLLINS, F. 95/07/13. 2pp. 84728:178-84728:179.

9507200219 Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling suction strainers by debris in BWRs.
SHAPAKER, J.W. 95/07/19. Document Control Branch (Document Control Desk). 19pp. 84791:001-84791:140.

-9507200223 Draft rev 2 to reg guide 01.082, "Water Sources for Long-Term Recirculation Cooling Following LOCA." NUREG CR-6224 encl.
* Office of Nuclear Regulatory Research (860720-941217). 95/07/31. 848pp. 84791:020-84791:140.

9507200315 Reg guide 01.161, "Evaluation of Reactor Pressure Vessels W/Charpy Upper-Shell Energy Less Than 50 Ft-Lb."
* Office of Nuclear Regulatory Research (Post 941217). 95/06/30. 37pp. 84752:242-84752:291.

9507200346 "For comment" issue of draft rev 2 to reg guide 01.149, "Nuclear Power Plant Simulation Facilities For Use in Operator License Exams."
* Office of Nuclear Regulatory Research (860720-941217). 95/06/30. 8pp. 84752:343-84752:350.

9507250090 Forwards minor revs to RG 1.97 variables table provided in TVA 950421 ltr to NRC, as discussed in 950608 & 0706 telcons. Draft FSAR revs to Table 7.5-2 also encl. FSAR will be amended to include changes in Amend 90.
BARON, R.R. Tennessee Valley Authority. TAC M77550. 95/07/18. Document Control Branch (Document Control Desk). 18pp. 84828:146-84828:163.

9507280202 "For comment" issue of draft rev 2 to reg guide 01-082, "Water Sources for Long-Term Recirculation Cooling Following Loss-of-Coolant Accident."
* Office of Nuclear Regulatory Research (860720-941217). 95/07/31. 43pp. 84868:063-84868:102.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

- 9507030187** Notices of 950705 shutdown rule meeting w/Nuclear Energy inst in Rockville, MD to discuss shutdown rulemaking.
KALMAN, G. 95/06/20. BECKNER, W.D. 3pp. 84512:129-84512:131.
- 9507050033** Comment on petition for rulemaking PRM-90-61 re amending existing fire protection requirements.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR29784 00001. 95/06/20. Docketing & Services Branch. 1p. 84508:051-84508:051.
- 9507050107** Comment recommending listed environ quality documents to be revised by NRC in connections w/questions re "Environ Qualifications of Electric Equipment."
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR22010 00002. 95/06/16. MEYER, D.L. Office of Administration, Director (Post 940714). 14pp. 84507:139-84507:153.
- 9507060064** Forwards slides being used for NRC presentation at NEI industry workshop on implementation of main rule.
THADANIA, A. 95/06/22. TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 84536:156-84536:159.
- 9507060115** Discusses 950605 ltr which highlighted several topics of discussion from 950323 meeting on SG rule.
SHERON, B. 95/06/16. MARION, A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. 84536:160-84536:162.
- 9507060156** Responds to 950615 ltr requesting clarification of allowable variance that should be applied to cable barrier sys centerline cable grouping & cable spacing.
CUNNINGHAM, L.J. 95/06/22. MOEEN, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 84539:353-84539:354.
- 9507060232** Forwards suggested changes re finality provisions in proposed design certification rules.
BISHOP, R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/05/11. MALISC, M.G. Office of the General Counsel (Post 860701). 42pp. 84539:145-84539:186.
- 9507060271** Summarizes participation in NEI Emergency Planning Info Forum held on 950607-09 in Bethesda, MD. Summary of questions from participants & slides encl.
ESSIG, T.H. 95/06/26. MILLER, C.L. 16pp. 84539:301-84539:316.
- 9507060379** Notification of 950717 meeting w/EPRI/NEI/industry to discuss status of current efforts involving steam generator integrity. Meeting originally scheduled for 950718.
REED, T.A. 95/06/12. STROSNIDER, J. 4pp. 84540:051-84540:054.
- 9507100192** Notification of 950627 CRGR meeting 275 in Rockville, MD. Agenda listed.
JORDAN, E.L. Committee to Review Generic Requirements. 95/06/19. MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). MURPHY, J.A. Office of Nuclear Regulatory Research (860720-941217). MERSCHOFF, E.W. Region 2 (Post 820201). 2pp. 84692:323-84692:324.
- 9507100264** Correction to notification of 950627 CRGR meeting 275.
JORDAN, E.L. Committee to Review Generic Requirements. 95/06/19. MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). MURPHY, J.A. Office of Nuclear Regulatory Research (860720-941217). MERSCHOFF, E.W. Region 2 (Post 820201). 2pp. 84587:033-84587:034.
- 9507100263** Forwards draft table of contents for industry guideline for implementing 10CFR54 license renewal rule & list of potential implementation guideline issues, as agreed during 950622 meeting w/NRC.
WALTERS, D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/06. NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 4pp. 84692:089-84692:092.
- 9507110115** Documents EL Jordan participation in 950607-09 NEI emergency planning forum.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/29. TAYLOR, J.M. Ofc of the Executive Director for Operations. 9pp. 84617:001-84617:009.
- 9507110121** Comment supporting proposed rule "Relocation of Pressure Temp Limit Curves & Low Temp Overpressure Protec" on Sys Limits."
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR28805 00005. 95/07/03. HOYLE, J.C. Office of the Secretary of the Commission. 3pp. 84557:321-84557:323.
- 9507110217** Notification of 950714 meeting w/NEI in Rockville, MD to discuss major activities & schedule for staff review of NEI guideline for implementing 10CFR54.
HOFFMAN, S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/30. NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 2pp. 84587:203-84587:204.
- 9507110226** Notification of 950720 meeting w/NEI in Rockville, MD to discuss major activities & schedule for staff review of NEI guideline for implementing 10CFR54.
HOFFMAN, S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/30. NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 2pp. 84587:205-84587:206.
- 9507110243** Notification of 950714 meeting w/NEI in Rockville, MD to discuss issues associated w/steam generator rulemaking. Meeting rescheduled.
REED, T.A. 95/06/22. STROSNIDER, J. 2pp. 84587:250-84587:251.
- 9507120328** Responds to 950306 inquiry re whether or not staff exceeded authority by assuming operation control of recovery actions for plant events on 901004 & 940405. Concludes that potential safety significance of events warranted staff actions.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/10. COLVIN, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 84631:274-84631:277.
- 9507120358** Responds to 950614 memo which requested CRGR to endorse w/o formal review, Suppl 5 to GL 88-20, "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
JORDAN, E.L. Committee to Review Generic Requirements. GL 88-20. 95/06/29. MORRISON, D.L. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84625:351-84625:351.
- 9507130271** Summary of 950622 meeting w/NEI in Rockville, MD to discuss NEI proposed implementation guideline for license renewal rule. Attendees list, presentation mats, draft RG table of contents & preliminary list of topics encl.
HOFFMAN, S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/29. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 14pp. 84632:001-84632:014.
- 9507180188** Clarifies nature of recent NRC/industry technical interactions w/respect to industry intent to petition for ALWR EP rulemaking.
RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/23. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84765:300-84765:301.
- 9507180446** Notification of 950711 meeting w/NSSS Owners Groups & NEI in Rockville, MD to discuss STS improvements & related issues.
GRIMES, C.I. 95/07/06. GRIMES, B.K. 3pp. 84726:243-84726:245.
- 9507190133** Expresses appreciation for 950622 meeting to discuss status of industry guideline for implementing requirements of 10CFR54 license renewal rule.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/11. RUSSELL, W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84785:356-84785:356.
- 9507200219** Forwards documents associated w/proposed bulletin & draft reg guide re potential plugging of emergency core cooling suction strainers by debris in BWRs.
SHAPAKER, J.W. 95/07/19. Document Control Branch (Document Control Desk). 19pp. 84791:001-84792:140.
- 9507200223** Draft rev 2 to reg guide 01.082. "Water Sources for Long-Term Recirculation Cooling Following LOCA." NUREG CR-6224 encl.
* Office of Nuclear Regulatory Research (860720-941217). 95/07/31. 848pp. 84791:020-84792:140.
- 9507210015** Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
SCHMITT, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR19002 00010. 95/07/10. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84738:044-84738:045.
- 9507210339** Notification of CRGR Meeting 276 on 950627 in Rockville, MD to discuss GL 89-10, Suppl 7, "Consideration of Valve Mispositioning in PWRs" & proposed GL on pressure locking & thermal binding of gate valves.
JORDAN, E.L. Committee to Review Generic Requirements. GL 89-10. 95/07/13. MIRAGLIA, F.J. Office of Nuclear Reactor Regulation (Post 941001). MURPHY, J.A. Office of Nuclear Regulatory Research (Post 941217). RUTBERG, J. Office of the General Counsel (Post 860701). 2pp. 84821:241-84821:242.
- 9507240097** Forwards comments on EPRI TR-103226, "EPRI MOV Performance Prediction Program-Methods to Address Rate-of-Loading in Torque Switch Controlled MOVs," for response. Staff intends to prepare SECER to address Topical Rept by Dec 1995.
WESSMAN, R.H. 95/07/17. CALLAWAY, R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. 84764:356-84764:356.
- 9507240135** Provides compilation of background mat relevant to proposed Suppl 7 to GL 89-10 re valve mispositioning in pressurized water reactors.
KUGLER, A.J. GL 89-10. 95/07/17. Document Control Branch (Document Control Desk). 1p. 84778:228-84778:238.
- 9507240188** Provides results & conclusions from evaluation of insp findings using TI 2515/126, "Evaluation of On-Line Maint."
THADANIA, A. 95/07/14. TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 3pp. 84778:243-84778:246.
- 9507240240** Notification of 950720 meeting w/NEI in Rockville, MD to discuss major activities & schedule for staff review of NEI guideline for implementing license renewal rule 10CFR54. Notification reissued to change time & room location.
HOFFMAN, S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/30. NEWBERRY, S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 1p. 84778:309-84778:309.
- 9507240245** Summary of 950613 meeting w/NEI in Rockville, MD re proposed rev to industry guidance NUMARC 93-01. List of attendees encl.
CORREIA, R. 95/07/17. BLACK, S.C. 15pp. 84778:310-84778:324.
- 9507250017** Comment supporting proposed generic communication 10CFR50.54 re process for changes to security plans w/o prior NRC approval.
TIPTON, T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR31326 00013. 95/07/14. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84787:029-84787:030.
- 9507260174** Responds to 950629 ltr re merits of using Sys 21 fastener thread gaging equipment vs using Sys 22 equipment to measure fastener thread gaging parameters.
THADANIA, A.C. 95/07/19. RASIN, W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 84837:309-84837:310.
- 9507260216** Notification of 950803 forthcoming technical meeting w/NEI & industry to discuss issues assoc w/SG rule reg guide.
REED, T.A. 95/07/25. STROSNIDER, J. 2pp. 84848:354-84848:355.
- 9507260271** Discusses 950607 ltr proposing discussions of voluntary approach to provide industry reliability & availability data to NRC using revised INPO SSP1.
TAYLOR, J.M. Ofc of the Executive Director for Operations. 95/07/12. COLVIN, J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 84832:358-84832:359.
- 9507270385** Summary of 950518 meeting w/NEI in Rockville, MD re industry concerns on accident mgt described in 950412 ltr from NEI & staff perspective on matters. List of attendees encl.
PALLA, R.L. 95/07/20. HOLAHAN, G.M. 5pp. 84844:068-84844:072.
- 9507270394** Forwards summary notes from 950613 meeting w/Nuclear Energy Inst (NEI), Fuel Cycle Facilities Forum (FCFF), NRC & EPA in Rockville, MD on decommissioning issues. Encl summary notes revised to respond to comments by NEI & FCFF.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/30. MILLAR, F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 18pp. 84874:120-84874:137.

176 NONDOCKETED ITEMS

- 9507280230** Notification of 950728 meeting w/NEI to discuss proposed changes to industry guidelines for implementation of main rule 10CFR50.56.
CORREIA,R.P. 95/07/17. BLACK,S.C. 1p. 84868:122-84868:122.
- 9507280258** Forwards CRGR combined packages for proposed resolution of GI 70 & GI 94 to expedite concurrence. Informs that packages combined at this stage of GI resolution because it was considered desirable to issue single GI to nuclear industry.
SPEIS,T.P. Advanced Reactor & Generic Issues Branch (870413-910629). 88/12/07. GILLESPIE,F.P. Program Management, Policy Development & Analysis Staff (Post 870411). JORDAN,E.L. Committee to Review Generic Requirements. PARLER,W.C. Office of the General Counsel (Post 860701). 3pp. 84852:281-84852:283.
- 9507280262** Requests 30-day extension to due date for public comments re generic Itr addressing testing of safety-related logic circuits.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/06. GARG,H.C. 1p. 84868:143-84868:143.
- 9507280273** Forwards safety evaluation re emergency action plan conversion to NUMARC emergency action levels.
LABARGE,D.E. TAC M90776. 95/07/26. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84868:154-84868:171.
- 9507280305** Provides follow-up on 950623 telcon re use of electronic sys, specifically RULENET pilot project, as means of early discussion on fire protection petition for rule-making.
THADANI,A.C. 95/07/26. TIPTON,T. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 5pp. 84868:103-84868:107.
- 9507310131** Notification of 950817 meeting w/NEI in Rockville, MD to discuss industry-related activities associated w/PRA Implementation Plan & coordination between industry & NRC on PRA Implementation Plan activities.
HILTZ,T.G. 95/07/26. BUTCHER,E.J. 2pp. 84879:327-84879:328.
- 9507310276** Notification of 950801 meeting w/NEI in Bethesda, MD re proposed shut-down operation rule.
LYON,W.C. 95/07/26. JONES,R.C. 2pp. 84879:360-84879:361.
- 9507310279** Summary of 950714 meeting w/Nuclear Energy Inst in Rockville, MD to discuss schedule for licensee development of industry guideline for implementing license renewal rule.
HOFFMAN,S.T. 95/07/25. 14pp. 84883:328-84883:341.
- 9507310281** Summary of 950601 meeting w/NEI & six plant representatives in Rockville, MD re NEI proposed approach to feasibility of using NUREG-1465 severe accident source term at operating reactors.
SCALETTI,D. 95/07/26. QUAY,T.R. 46pp. 84888:143-84888:188.
- SECY POSITION PAPERS BEFORE THE COMMISSION**
- 9502150158** SECY-95-019 Requests Commission approval to publish amends to 10CFR60 re clarification of assessment requirements of siting criteria for high level waste repository.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/27. 63pp. 84772:108-84772:164.
- 9502170213** SECY-95-026 Requests Commission approval to issue "Regulatory Analysis Guidelines of US NRC." NUREG/BR-0058, Rev 2, for staff implementation.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/02/07. 82pp. 84772:026-84772:107.
- 9503270225** SECY-95-060 Requests Commission approval of notice of final RM to amend import & export regulations in 10CFR110 re radwaste.
STOIBER,C.R. Office of International Programs (Post 911117). 95/03/13. 62pp. 84578:001-84578:082.
- 9503270308** SECY-95-061 Requests that Commission perform review of pros & cons of developing backfit rule for mats licensees & to provide recommendation re matter.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/14. 4pp. 84772:165-84772:168.
- 9504140226** SECY-95-084 Provides Commission w/staff action plan to address recommendations of assessment of NRC Enforcement Program & to obtain Commission approval to revise NRC Enforcement policy.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/06. 410pp. 84630:220-84631:273.
- 9504170295** SECY-95-083 Provides Commission w/rev of draft: AO reporting criteria requested in 950221 SRM, on SECY-94-275.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/05. 64pp. 84772:169-84772:233.
- 9505150004** SECY-95-104 Requests Commission approval to publish amends to 10CFR60, 72.73 & 75 for public comment.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/28. 56pp. 84772:234-84772:299.
- 9505150105** SECY-95-114 Requests Commission approval of policy changes resulting from staff plan to prototype, test & implement new mats licensing process.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/05. 35pp. 84577:144-84577:177.
- 9506020112** SECY-95-128 Requests Commission approval to publish final rule change to 10CFR50.36, "TS."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/19. 84pp. 84577:211-84577:290.
- 9506020132** SECY-95-129 Requests Commission approval for publication of FR notice of proposed rulemaking re reporting equipment reliability data.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/19. 99pp. 84796:148-84796:247.
- 9506020152** SECY-95-126 Requests Commission approval to publish final policy statement on use of probabilistic risk assessment methods in nuclear regulatory activities.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/18. 44pp. 84796:248-84796:286.
- 9506130003** SECY-95-139 Responds to SRM-COMGD-94-003 of 941018 re improvement of NRC control over & licensee's accountability for generally & specifically licensed devices used under 10CFR31.5.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/31. 11pp. 84577:200-84577:210.
- 9506130091** SECY-95-136 Requests Commission approval of recommended option to improve & standardize evaluation & approval of sealed source & device designs manufactured in Agreement States.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/30. 22pp. 84772:001-84772:022.
- 9506190287** SECY-95-138 Requests approval of final draft of "Rept to Congress on AOs, Jan-Mar 1995."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/31. 31pp. 84577:291-84577:335.
- 9506190294** SECY-95-140 Informs Commission of intent to issue final rule amending 10CFR19 & 20 by revising criteria for radiation protection training, revising definitions of "Member of public," "Occupational dose," & "Public dose."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/01. 49pp. 84772:001-84772:049.
- 9506190305** SECY-95-135 Provides Commission w/info on anticipated changes in performance indicator program & related internal reallocation of resources.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/26. 3pp. 84772:023-84772:025.
- 9506280630** SECY-95-149 Informs Commission of intention to issue NRC policy on communications between NRC & licensees & to implement procedure for managing resolution of concerns re perceived inappropriate regulatory action by NRC.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/08. 12pp. 84778:050-84778:061.
- 9506280635** SECY-95-151 Requests Commission consent for revised approach to upgrading regulation of fuel cycle facilities.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/12. 21pp. 84796:094-84796:114.
- 9506280648** SECY-95-152 Provides NRC recommendations on whether to proceed w/ generic rule change to modify 10CFR61 to allow private land ownership of LLW disposal site.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/13. 39pp. 84778:062-84778:096.
- 9506280652** SECY-95-153 Informs Commission of status of LSS to respond to staff requirements memo dtd 950505 & to provide LSS Senior Mgt Team recommendations on future direction of LSS.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. 28pp. 84577:336-84577:350.
- 9507060183** SECY-95-160 Informs Commission of status of final 10CFR51 rulemaking. "Environ Review for Renewal of NPP OL" & to provide draft FR notice, including proposed final regulatory language & statement of consideration.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/19. 120pp. 84578:063-84578:174.
- 9507060225** SECY-95-162 Informs Commission of staff plans for proposed rulemaking to address issues related to disposal of radioactive matl into sanitary sewers & potential for reconcentration of that matl once released.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/20. 22pp. 84577:178-84577:199.
- 9507060279** SECY-95-150 Informs Commission of status of Convention on Nuclear Safety & potential obligations & commitments that may be incurred by NRC following signature ratification.
TAYLOR,J.M., STOIBER,C.R. Ofc of the Executive Director for Operations. 95/06/06. 24pp. 84536:250-84536:273.
- 9507060288** SECY-95-164 Weekly info rept for wk ending 950616.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/22. 25pp. 84539:236-84539:260.
- 9507060292** SECY-95-168 Weekly info rept for wk ending 950623.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/28. 24pp. 84539:212-84539:235.
- 9507190221** SECY-95-173 Weekly info rept for wk ending 950630.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/07/06. 17pp. 84739:284-84739:301.
- 9507200180** SECY-95-171 Submits Litigation Rept - 1995 - 5.
CORDES,J.F. Solicitor (Post 860701). 95/06/30. 62pp. 84834:028-84834:089.
- 9507200191** SECY-95-172 Informs of proposed resolution, & where appropriate staff positions on key technical issues pertaining to Westinghouse AP600 standardized passive reactor design certification.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/30. 33pp. 84796:115-84796:147.
- 9507210249** SECY-95-155 Request Commission approval of staff plan to review certain previously approved U mill tailings reclamation plans for major design deficiencies.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. 27pp. 84764:118-84764:144.
- 9507240232** SECY-95-178 Weekly info rept for wk ending 950707.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/07/12. 13pp. 84778:293-84778:305.
- 9507280240** SECY-95-186 Weekly info rept for wk ending 950714.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/07/19. 17pp. 84844:328-84844:344.

9507310232 Twenty-third partial response to FOIA request for documents. Forwards documents listed in App AAA being Documents being placed in PDR Apps 198 & CCC being released in part (ref FOIA exemption 7C).
 POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/02/10. LAWRENCE,J.W. Shaw, Pittman, Fotts & Trowbridge. 5pp. 84872:038-84872:116.

-9507310243 SECY-90-025 Requests Commission approval to issue encl order re administrative suit poena issued by staff.
 FITZGERALD,J.A. Assistant General Counsel for Adjudications & Opinions. 90/01/23. 67pp. 84872:046-84872:104.

STATE PROG STATE PROGRAMS

9506200171 Expresses deep concern over recent reciprocity licensing action taken by Region IV. Requests that NRC retract reciprocity licensing or provide Division w/documents confirming exclusive federal jurisdiction for project.
 SINCLAIR,W. Utah, State of. 95/06/05. CALLAN,L.J. Region 4 (Post 820201). 2pp. 84509:202-84509:203.

9506200180 Forwards copies of documents from files re Grover site decontamination, decommissioning & reclamation.
 WEAVER,K.L. Colorado, State of. 87/01/22. GARCIA,P. Uranium Recovery Field Ofc. R4. 1p. 84376:001-84377:223.

9507030061 Informs that technical exchange scheduled for 950731 to engage in further discussions about characterization of pneumatic pathways at Yucca Mountain.
 GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 95/06/23. LOUX,R.R. Nevada, State of. 5pp. 84559:072-84559:076.

9507030163 Submits deficiencies & comments as result of review & discussions during 950614 meeting re B Koh & Associates 950428 response to State of OH 950320 notice of deficiency ltr on licensee 941205 request to implement closure plan.
 PARKER,J.L. Ohio, State of. 95/06/20. KOH,B. B. Koh & Associates, Inc. 16pp. 84560:305-84560:320.

9507030272 Responds to 950601 ltr requesting that NRC provide info re two recent issues associated w/activities at plant operated by Boston Edison Co.
 TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/21. KERRY,J.F. Massachusetts, Commonwealth of. 3pp. 84512:227-84512:247.

9507030325 Forwards comments on draft BTP on disposition of Cs-137 contaminated emission control dust & other incident-related matl.
 NOSENCHUCK,N.H. New York, State of. 95/06/22. LAHS,W. Division of Waste Management (NMSS 940403). 5pp. 84561:128-84561:132.

9507050090 EN-95-044 on 950628 notice of proposed imposition of civil penalty in amount of \$13,000 issued to licensee. Action based on problem involving willful failure by OIS to file for reciprocity while working in Pennsylvania, Non-Agreement.
 MAMISH,N. LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-046. 95/06/23. 1p. 84507:095-84507:095.

9507050155 Comment opposing proposed change in State Cooperative Agreement program re NRC intention to reduce scope of work.
 SCHELL,R.J. Maine, State of. 60FR18428 00019. 95/06/16. NRC - No Detailed Affiliation Given. 2pp. 84507:291-84507:292.

9507050237 Provides copy of minutes from 950612 meetings re groundwater quality issues at Atlas Minerals U mill tailings facility near Moab, UT.
 SINCLAIR,W.J. Utah, State of. 95/06/26. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 12pp. 84570:215-84570:226.

9507050305 Extends invitation to share info concerning remediation of Sequoyah Fuels facility located near Gore, OK.
 WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/21. SCOTT,C. Oklahoma, State of. 5pp. 84570:227-84570:230.

9507060038 Forwards Discharge Monitoring Rept for Hope Creek Generating Station for May 1995.
 REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/06/22. CORPORAL,E.G. New Jersey, State of. 5pp. 84600:262-84600:264.

9507060085 Responds to NRC 950614 ltr re violations noted in insp rept 15000038/95-02. Corrective actions: radiographers assistant audited upon due date of next quarterly audit & log containing names of radiographers & assistants compiled.
 MCCANN,F.L. Affiliation Not Assigned. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84617:172-84617:174.

9507060230 Informs that Sequoyah Fuels Corp in Gore, OK produced ammonium nitrate solution that has been applied as N fertilizer to lands used for production of forage crops.
 HEBERT,M.A. Environmental Protection Agency. 95/06/21. CURRY,B. Oklahoma, State of. 1p. 84617:063-84617:063.

9507060254 Forwards amend 225 to license DPR-59 & SE. Amend modifies operability & SRTs for RV overfill protection instrumentation that initiates FW pump turbine & main turbine trips on high RV water level.
 CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). TAC M91679. 95/06/19. CAHILL,W.J. New York, State of. 4pp. 84539:126-84539:144.

-9507060267 Amend 225 to license DPR-59, modifying operability & SRTs for RV overfill protection instrumentation that initiates FW pump turbine & main turbine trips on high RV water level.
 MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/19. 9pp. 84539:130-84539:139.

9507060364 Accepts proposal made in 950607 ltr re accident notifications. Advises that Div of Planning & Analysis will be working w/licensee in order to implement agreement.
 PEPPER,A.J. Illinois, State of. 95/06/22. KOSMIDER,M.D. Allied-Signal Corp. 1p. 84617:358-84617:358.

9507060374 Responds to 950601 ltr stating you were not invited to 950605 meeting held at NRC headquarters w/util Summary of discussions at meeting encl.
 SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 95/06/21. WURST,J. Minnesota, State of. 2pp. 84540:062-84540:063.

9507070422 Ack receipt of encl ltr dtd 950519 forwarding B Marcyniuk & Z Marcyniuk 950508 ltr expressing concerns re storage of radioactive matl at Shieldalloy Metallurgical Corp.
 GIME,LO,R.J. New Jersey, State of. 95/06/27. ANDREWS,R.E. House of Rep. 3pp. 84619:225-84619:227.

9507100062 NRC reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, applicant LA Energy Svcs, LP & State of LA re contentions B.J.K & O.* W/Certificate of Svc.
 BACHMANN,R.G., HOLLER,E.J. Office of the General Counsel (Post 860701). #395 16856. ML. 95/06/26. 31pp. 84538:005-84538:035.

9507100066 Applicant reply to proposed findings of fact & conclusions of law filed by intervenor Citizens Against Nuclear Trash, NRC & State of LA re contentions B.J.K & O.* W/Certificate of Svc.
 MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #395 16855. ML. 95/06/26. 66pp. 84538:036-84538:101.

9507100303 Forwards meeting announcement for proprietary MPC presubmittal consultation meeting to be held between NRC, DOE & Westinghouse on 950629.
 TRAVERS,W.D. NRC - No Detailed Affiliation Given. 95/06/15. Nevada, State of. 6pp. 84692:111-84692:117.

9507110012 Comments on proposed rule re, "Review of NRC Insp Rept Content, Format & Style".
 ORTCIGER,T.W. Illinois, State of. 60FR26180 00010. 95/06/29. MEYERS,D. Rules & Directives Review Branch (Post 920323). 7pp. 84557:032-84557:038.

9507110044 Solicits an interpretation from NRC Office of General Counsel, clarifying Agreement State jurisdiction over onsite "disposal" of low activity sludges at NPP.
 BROWN,D.H. North Carolina, State of. 95/07/03. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84557:229-84557:230.

9507110085 Forwards Vols I, II, III & IV of draft "Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge, OH." w/four oversize.
 SHIELDS,W.J. PTI Services, Inc. 95/06/29. ACKMAN,O. Ohio, State of. 2pp. 84700:001-84704:329.

9507110265 Responds to memo of 950414 re requesting ERDS training for state personnel. Informs of plans to offer training to "States" that have the old ERDS & the upgraded ERDS. Plans to provide in depth training in early 1996.
 JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/07/05. MARTIN,T.T. Region 1 (Post 820201). 1p. 84617:045-84617:045.

9507110322 Provides response to comments re B&W Parks facility characterization plan.
 YOUNG,D.B. Babcock & Wilcox Co. 95/06/29. BALDASSARE,F. Pennsylvania, Commonwealth of. 3pp. 84695:024-84695:026.

9507110336 Forwards OH EPA comments on draft work plan for remedial investigation & feasibility study at Shieldalloy Metallurgical Corp site in Cambridge, OH, dtd 950218.
 BLAIR,B.J. Ohio, State of. 95/03/16. EVES,C.S. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 13pp. 84694:209-84694:227.

9507120006 Forwards copies of only active G-distribution licenses in State of ME in response to All Agreement States ltr (SP-95-095).
 SEELEY,S.W. Maine, State of. SP-95-095. 95/07/05. LOHAUS,P. Office of State Programs (Post 911117). 5pp. 84574:116-84574:120.

9507120034 Advises of departmental reorganization in Ohio, effective 950701. Bureau of Radiation Protection table of organization encl.
 SUPPES,R.L. Ohio, State of. 95/06/30. BANGART,R. Office of State Programs (Post 911117). 3pp. 84574:277-84574:279.

9507120040 Discusses investigation rept 2-92-027R performed by OI in April 1995 concluding that, between June 1990 & Nov 1994, licensee performed radiographic svcs in Virginia & deliberately withheld notification from NRC.
 STOHR,J.P. Region 2 (Post 820201). EA-95-101. 95/06/27. SHELTON,J.L. 54pp. 84575:001-84575:055.

9507120141 Expresses appreciation for recent invitation to travel to Washington to meet w/United Nuclear personnel & consultants.
 TRUJILLO,D.M. New Mexico, State of. 95/06/29. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84681:251-84681:252.

9507120149 Informs that MJ Sykes no longer employed by Columbia County. B Hugo replacing MJ Sykes.
 MOYLAN,C. Oregon, State of. 95/06/28. NRC - No Detailed Affiliation Given. 1p. 84681:250-84681:250.

9507120164 Forwards workplan outlining field work to be performed in vicinity of Church Rock Superfund site to determine if nitrate naturally occurring in alluvial soils at Church Rock Superfund site, McKinley County, NM.
 TRUJILLO,D.M. New Mexico, State of. 95/07/06. GHOSE,S. Environmental Protection Agency. 6pp. 84684:233-84684:238.

9507120168 Forwards GA hot cell facility decommissioning plan for approval, per 950626 telcon for approval w/o encl.
 ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). CAL-2426. 95/07/06. KAPEL,B. California, State of. 2pp. 84681:328-84681:330.

9507120221 Forwards copies of two active G-distribution licenses in Florida.
 PASSETTI,W. Florida, State of. 95/07/06. LOHAUS,P.H. Document Control Branch (Document Control Desk). 15pp. 84576:148-84576:162.

9507120237 Forwards "North Carolina Regulations for Protection Against Radiation, Adopted by NC Radiation Protection Commission," per 940418-22 NRC review.
 BROWN,D.H. North Carolina, State of. 95/07/07. BANGART,R.L. Document Control Branch (Document Control Desk). 1p. 84576:163-84576:216.

-9507120242 "North Carolina Regulations for Protection Against Radiation." Suppl 1 to 930731 regulations.
 * North Carolina, State of. 95/05/01. 54pp. 84576:164-84576:216.

178 NONDOCKETED ITEMS

- 9507120399** Nominates listed candidates to attend one-week course entitled, "Medical Use of Radionuclides for State Regulatory Personnel" on 950814-18. Applications for listed candidates encl.
EASTVOLD, P.D. Illinois, State of. 95/06/29. BOLLING, L. Office of State Programs (Post 911117). 7pp. 84595:306-84675:312.
- 9507130003** Forwards State Agreements Program info including change of address & procedures for incoming mail.
BANGART, R.L. Office of State Programs (Post 911117). SP-95-105. 95/06/27. General. 3pp. 84595:317-84595:320.
- 9507130004** Expresses appreciation for comments on forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance, upon receipt of 950613 ltr.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/26. BELSHE, S.K. California, State of. 4pp. 84595:321-84595:327.
- 9507130005** Submits actions taken by Oics of State Programs & Analysis & Evaluation of Operational Data, in response to recommendations issued by General Accounting Ofc re event reporting in Agreement States Program.
BANGART, R.L. Office of State Programs (Post 911117). 95/07/05. THOMPSON, H.L. Dep Exec Dir for Nuc Matis Safety, Safeguards & Operations Support (Post 890205). 8pp. 84595:328-84595:335.
- 9507130006** Informs that 1995 All Agreement States meeting will be held on 951030-1101 in Chicago, IL. Requests that specific topics & persons from staff to participate in panel discussions or presentations be identified.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 3pp. 84595:336-84595:339.
- 9507130008** Confirms invitation to attend meeting on 950711 at Rockville, MD to discuss plan of upcoming sealed source & device workshop.
LOHAUS, P.H. Office of State Programs (Post 911117). 95/06/30. HAMITER, F. Texas, State of. 4pp. 84597:334-84597:337.
- 9507130010** Forwards addendum to State of NY re: on release of H-3 at Columbia Univ on 940520. Addendum addresses discrepancy identified on radwaste disposal forms provided as appendices to rept.
COLLINS, K. New York, State of. 95/06/30. BANGART, R. Office of State Programs (Post 911117). 4pp. 84595:339-84595:342.
- 9507130011** Forwards amended regulation, "Emergency Planning Licensing Requirements for ISFSI & MRS Facilities." Final rule to become effective 950920.
BANGART, R.L. Office of State Programs (Post 911117). SP-95-111. 95/06/26. General. 15pp. 84595:343-84595:357.
- 9507130022** Forwards State Agreements Program info including list of students selected to attend August "Safety Aspects of Industrial Radiography Course" to be held 950807-11, student instructions & course registration form.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-106. 95/06/23. General. 7pp. 84596:249-84596:255.
- 9507130023** Notifies that stakeholders in Agreement States who wish to contact NRC may direct correspondence to R Bangart at listed address.
VIRGONA, J.E. Energy, Dept. of. 95/06/30. WORK, S.D. Affiliation Not Assigned. 1p. 84606:137-84606:137.
- 9507130026** Notifies of State of OH intent to send RR Goodwin to attend SSD Evaluation Workshop on 950911-13 at NRC Headquarters in Rockville, MD.
HOWARD, M. Ohio, State of. 95/06/26. LOHAUS, P.H. Office of State Programs (Post 911117). 1p. 84606:138-84606:138.
- 9507130027** Responds to 950518 ltr containing results of NRC review & evaluation of State of FL radiation control program.
HUNTER, R.G. Florida, State of. 95/06/26. BANGART, R.L. Office of State Programs (Post 911117). 2pp. 84596:256-84596:257.
- 9507130028** Forwards State Agreements Program info including one copy each of listed SSD sys indices W/o encl.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-102. 95/06/23. General. 3pp. 84596:312-84596:314.
- 9507130030** Forwards technical info, including sealed source & device registry certificates for addition into catalogues.
LOHAUS, P.H. Office of State Programs (Post 911117). TX-634-D-152-B. 95/06/23. General. 4pp. 84596:258-84596:296.
- 9507130035** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 101A. Certificate: MD-105-D-101-G.
* Maryland, State of. MD-105-D-101-G. 95/06/06. 7pp. 84596:262-84596:268.
- 9507130037** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for calibration & gauging gamma source. Certificate: CA-406-S-122-S.
WESLEY, D., KAPEL, B.R. California, State of. CA-406-S-122-S. 95/05/31. 12pp. 84596:269-84596:280.
- 9507130039** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model 5030. Certificate: TX-634-D-152-B.
* Texas, State of. TX-634-D-152-B. 95/06/01. 7pp. 84596:281-84596:287.
- 9507130040** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Radioactive Device for model MAP-3 Series. Certificate: WA-653-D-102-S.
* Washington, State of. WA-653-D-102-S. 95/06/01. 6pp. 84596:288-84596:296.
- 9507130031** Forwards minutes from CRCPD members w/Chairperson Jackson to introduce Jackson to CRCPD members & discuss mission, objectives & goals.
HARDIN, C. Conference of Radiation Control Program Directors, Inc. 95/07/05. LOHAUS, P. Office of State Programs (Post 911117). 2pp. 84596:357-84596:358.
- 9507130033** Discusses proposed interim guidelines for disposition of Cs-137 contaminated furnace dust.
RIMAWI, K. New York, State of. 95/06/21. LOHAUS, P.H. Office of State Programs (Post 911117). 1p. 84944:301-84944:301.
- 9507130036** Transmits replacement pages to "Positions, Resolution & Recommendations - Dynamic Document."
HARDIN, C.M. Conference of Radiation Control Program Directors, Inc. 95/06/30. Conference of Radiation Control Program Directors, Inc. 5pp. 84597:281-84597:285.
- 9507130038** Forwards potential questions re license application for proposed LLW disposal facility in Hudspeith County re waste stream issues.
FREDERICK, D. Henry, Kelly & Lowerre (formerly Henry, Kelly, Bunch & Hess & Henry & Kelly). 95/07/03. ROGERS, A. Texas, State of. 9pp. 84597:286-84597:294.
- 9507130041** Expresses appreciation for opportunity to comment on subject application & participate in review of request, AEOD programmatic interest & expertise limited to regulations associated w/event reporting analysis.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/26. BANGART, R.L. Office of State Programs (Post 911117). 1p. 84606:139-84606:140.
- 9507130046** Discusses review of regulations in support of Massachusetts application for agreement under section 274b as requested in 950614 memo.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/26. BANGART, R. Office of State Programs (Post 911117). 1p. 84606:140-84606:140.
- 9507130042** Provides response to 940408 ltr which requested legal opinion re New York obligation to perform sealed source & device evaluations & to provide certificates for inclusion in nationwide registry.
BANGART, R.L. Office of State Programs (Post 911117). 95/07/06. HARRIMAN, W.A. New York, State of. 8pp. 84597:295-84597:304.
- 9507130043** Forwards Agreement State licensee wrongdoing awareness workshop agenda to be held on 950718-19 & directions to Omni International Hotel & RB Russell Federal Building.
BANGART, R.L. Office of State Programs (Post 911117). SP-95-110. 95/06/26. General. 15pp. 84596:297-84596:311.
- 9507130047** Forwards Sealed Source & Device Registry Certificates for addition to catalogues.
LOHAUS, P.H. Office of State Programs (Post 911117). CA-406-S-155-S. 95/07/03. General. 3pp. 84625:001-84625:043.
- 9507130218** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for model LeadStar I. Certificate: CA-173-D-101-S.
WESLEY, D. California, State of. CA-173-D-101-S. 95/06/08. 11pp. 84625:004-84625:014.
- 9507130225** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models 3311-1 & 3311-2. Certificate: CA-406-S-155-S.
* California, State of. CA-406-S-155-S. 89/12/15. 6pp. 84625:015-84625:020.
- 9507130244** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model BFI-85 Certificate: CA-406-S-168-S.
* California, State of. CA-406-S-168-S. 95/06/06. 5pp. 84625:021-84625:025.
- 9507130250** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models NES-296, NES-297 & NES-298. Certificate: MA-476-S-191-S.
SAVASTANO, A. Massachusetts, Commonwealth of. MA-476-S-191-S. 95/05/16. 10pp. 84625:026-84625:035.
- 9507130253** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Device for models 105, 106 & 107. Certificate: CA-471-D-101-B.
* California, State of. CA-471-D-101-B. 87/03/23. 5pp. 84625:036-84625:042.
- 9507130257** Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models NES-290 & NES-293. Certificate: MA-476-S-865-S.
* Massachusetts, Commonwealth of. MA-476-S-865-S. 95/06/02. 1p. 84625:043-84625:043.
- 9507130048** Ack receipt of 950516 ltr re forthcoming changes in policy funding of Agreement State training, travel & technical assistance. Staff assessing impacts of cost-reimbursement decision & plans to present views to Commission.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. KUCHARSKI, W.A. Louisiana, State of. 6pp. 84597:305-84597:310.
- 9507130052** Ack receipt of 950518 ltr re forthcoming changes to policy on funding Agreement State training, travel & technical assistance. Staff is assessing impacts of cost-reimbursement decision on program & plans to present views to Commission.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. STRONG, T.R. Washington, State of. 4pp. 84597:311-84597:316.
- 9507130064** Submits comments re forthcoming change in policy concerning fees for Agreement State training, travel & technical support. Expresses concern that decision made without consulting Agreement State partners.
STRONG, T.R. Washington, State of. 95/05/18. THOMPSON, H. Dep Exec Dir for Nuc Matis Safety, Safeguards & Operations Support (Post 890205). 2pp. 84597:315-84597:316.
- 9507130054** Expresses appreciation for leadership in radiation protection, especially during tenure as Commissioner of NRC.
MCBURNIE, R.E. Conference of Radiation Control Program Directors, Inc. 95/06/29. DE PLANQUE, E.G. Commissioners (Post 750119). 1p. 84606:141-84606:142.
- 9507130055** Informs that plans approved for listed individuals to meet w/SA Jackson for introduction to CRCPD, per 950612 telcon. Resumes of listed individual encl.
HARDIN, C. Conference of Radiation Control Program Directors, Inc. 95/06/26. SHOEMAKER, J. Conference of Radiation Control Program Directors, Inc. 7pp. 84596:315-84596:323.
- 9507130066** Forwards draft licensing module on gamma stereotactic radiosurgery, for review & comment.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-113. 95/06/29. General. 30pp. 84596:002-84596:031.
- 9507130069** Forwards request for contact within NRC to facilitate parallel process for rulemaking between NRC & CRCPD Working Group.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. MORRISON, D.L. NRC - No Detailed Affiliation Given. 4pp. 84606:149-84606:154.
- 9507130070** Forwards quarterly RFI & interim measures progress rept. Next quarterly RFI/interim measures progress rept will be submitted by 951006.
MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-95-0093. 95/07/07. FARMER, G.A. Environmental Protection Agency. TIESLER, T. Tennessee, State of. 32pp. 84661:331-84661:362.

9507130073 Informs of 941205-09 review visit w/lows Dept of Public Health personnel in Des Moines, IA & exit meeting on 941209 w/listed attendees. Selected program elements & indicators reviewed during visit.
LYNCH, J. Region 3 (Post 820201). 95/01/27. LOHAUS, P. Office of State Programs (Post 911117). 11pp. 84596:032-84596:042.

9507130080 Informs of routine review visit of Div of Radiation Control & Emergency Mgt. Arkansas Dept of Health, conducted in Little Rock ofc. Subjs discussed included reorganization of matts program & operation.
BLANTON, R.L. Office of State Programs (Post 911117). 94/04/14. LOHAUS, P.H. Office of State Programs (Post 911117). 26pp. 84596:111-84596:143.

-9507130087 Forwards requested info on Arkansas Agreement State Programs annual statistical update for period of 930101-1231.
KELLEY, R. Arkansas, State of. SP-92-038. 94/02/01. SCHWARTZ, S.A. Office of State Programs (Post 911117). 7pp. 84596:137-84596:143.

9507130081 Transmits of State Agreements Program info SP-95-094 re announcement for 940814-18 course entitled "Medical Use of Radionuclides for State Regulatory Personnel."
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-094. 95/06/07. General. 14pp. 84596:330-84596:343.

9507130095 Announces that annual All Agreement States meeting will be held 951030-1101 in Chicago, IL. Solicits suggestions for topics & speakers.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-098. 95/06/16. General. 2pp. 84595:358-84595:359.

9507130096 Forwards ltr re 950725 joint NRC/NMA U recovery meeting. Registration form for person to attend meeting should be returned no later than 950710.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-100. 95/07/03. General. 8pp. 84606:155-84606:168.

9507130097 Confirms receipt of SSD transmittal SP-95-096 & informs that items 22-43, MA-0476-S-843-S through MA-0476-S-864-S, missing. References 950623 telecon between L. Bolling & K. Allen, informing K. Allen of missing certificates in SP-95-107.
ALLEN, K. Illinois, State of. SP-95-096. 95/06/20. BOLLING, L. Office of State Programs (Post 911117). 1p. 84595:360-84595:360.

9507130100 Ack receipt of 950501 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. NIELSON, D.R. Utah, State of. 3pp. 84606:169-84606:175.

9507130101 Notifies of 950911-13 Sealed Source & Device evaluation workshop to be held in Rockville, MD.
LOHAUS, P.H. Office of State Programs (Post 911117). SP-95-097. 95/06/19. General. 3pp. 84606:176-84606:178.

9507130108 Ack receipt of 950418 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. SWEENEY, J.E. New York, State of. 3pp. 84596:194-84596:203.

9507130112 Ack receipt of 950519 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. HOFFMAN, R.J. Utah, State of. 3pp. 84596:344-84596:351.

-9507130116 Notifies of position of Utah Radiation Control Board re state training, travel & technical assistance.
HOFFMAN, R.J. Utah, State of. 95/05/19. BANGART, R.L. Office of State Programs (Post 911117). 1p. 84596:347-84596:351.

9507130120 Ack receipt of 950525 ltr to RL Bangart re forthcoming changes in NRC policy on funding of Agreement State training, travel & technical assistance.
BANGART, R.L. Office of State Programs (Post 911117). 95/06/19. HILL, T.E. Georgia, State of. 3pp. 84606:179-84606:186.

-9507130125 Responds to H Reheis ltr re forthcoming changes in NRC policy on funding of Agreement State program training & technical assistance.
HILL, T.E. Georgia, State of. 95/05/25. BANGART, R.L. Office of State Programs (Post 911117). 3pp. 84606:182-84606:186.

9507130133 Forwards draft minutes, final rept & draft ltr transmitting final results which needed to complete pilot program for Integrated Matt Performance Evaluation Program for participating Agreement States.
SCHNEIDER, K.N. Office of State Programs (Post 911117). 95/07/03. THOMPSON, H. NRC - No Detailed Affiliation Given. BANGART, R. Office of State Programs (Post 911117). PAPERIELLO, C. Office of Nuclear Material Safety & Safeguards. 7pp. 84597:001-84597:280.

-9507130135 "Integrated Matts Performance Evaluation Program Review of UT Agreement State Program," on 950613-14.
* Office of State Programs (Post 911117). 94/06/13. 111pp. 84597:009-84597:113.

-9507130136 "Integrated Matts Performance Evaluation Program Review of IL Agreement State Program," on 940718-22.
* Office of State Programs (Post 911117). 94/07/18. 78pp. 84597:120-84597:197.

-9507130139 "Integrated Matts Performance Evaluation Program Review of NH Agreement State Program," on 940815-19.
* Office of State Programs (Post 911117). 94/08/15. 83pp. 84597:198-84597:280.

9507130160 Discusses shipment of radioactive waste mat sent to commercial LLRW disposal site operated by US Ecology, Inc near Richland, WA. Insp of shipment H-200 revealed listed violation of US Ecology Radioactive Matts License WN-019-2.
FORDHAM, E.W. Washington, State of. 95/02/22. WEAVER, L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84736:112-84736:113.

9507140174 Requests asbestos evaluation of Anne Arundel County property adjacent to DLA. Suspected asbestos contamination from transit panels which were broken off in ground w/ portions remaining both above & below grade.
WELLS, P.K. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/07/07. MCQUADE, J.E. Maryland, State of. 2pp. 84738:350-84738:351.

9507170018 PNC-IV-95-032 on 950711, inadvertent disposal of licensed 250 uCi Cs-137 source. Suspected that compensator installed in electronics associated w/Ohmart model ASR-4 pipe density gauge. Ohmart notified licensee to investigate & make rept.
FRANGE, B., WENSLAWSKI, F. Walnut Creek Field Ofc. R4 (Post 940404). 95/07/12. 1p. 84650:339-84650:338.

9507180049 Georgia Institute of Technology clarification of response to Commissioner order issuing housekeeping stay. * Georgia Tech agrees to remove nuclear fuel to off-site location. W/Certificate of Svc.
DUNN, D.R., GUILDAY, P. Georgia Institute of Technology, Atlanta, GA. DUNN, D.R. Georgia, State of. #395 16890. REN. 95/07/12. 5pp. 84675:036-84675:040.

9507180356 Comments on license change request 94-36, re license NPF-57 which proposed to remove currently specified response time testing for selected instruments & sensors from Hope Creek TS.
TOSCH, K.W. New Jersey, State of. 95/07/11. Document Control Branch (Document Control Desk). 2pp. 84765:354-84765:355.

9507190078 Discusses insp rept 150-00026/95-01 on 950217-0517 & forwards notice of violation.
SCARANO, R.A. Region 4 (Post 820201). 95/07/17. JOHNSON, L. Affiliation Not Assigned. 6pp. 84768:320-84768:329.

-9507190085 Notice of violation from insp on 950217 & 0517. Violation noted: failed to rept activities conducted using byproduct material in Douglas, WY on 19 occasions between 950630-1215.
* Region 4 (Post 820201). 95/07/17. 4pp. 84768:326-84768:329.

9507190182 "Comprehensive Annual Financial Rept." for year ended 941231.
* Greeley, CO. 94/12/31. NRC - No Detailed Affiliation Given. 234pp. 84727:034-84727:267.

9507200115 Forwards regulatory history package re final rev of fee schedules: 100% fee recovery, FY95.
HOLLOWAY, C.J. Office of the Controller (Post 890205). AF07-2 001. 95/07/17. Document Control Branch (Document Control Desk). 4pp. 84766:001-84766:114.

-9507200243 Forwards final rule re 100 percent fee recovery for FY95 for info & appropriate use. W/o encl.
FUNCHES, J.L. Office of the Controller (Post 890205). AF07-2 013. 95/06/13. BANGART, R.L. Office of State Programs (Post 911117). 1p. 84768:052-84768:052.

9507200122 FOIA request for list of businesses that use or store radiological matts or instruments in Fenton Fire Protection District.
ZUNDELL, M. Missouri, State of. 94/12/30. Region 3 (Post 820201). 1p. 84739:043-84739:043.

9507200125 Final response to FOIA request for records. App A records encl & available in PDR.
POWELL, R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/31. ZUNDELL, M. Missouri, State of. 2pp. 84739:044-84739:046.

9507200214 Discusses issues raised in meeting w/util & Dept of Environ Quality on 931217 re wastewater land application permit 603. Details what PRI needs to do to remedy concerns noted.
CHANCELLOR, R.A. Wyoming, State of. 94/01/18. KEARNEY, B. Power Resources Corp. 4pp. 84866:263-84866:266.

9507200241 Outlines approach on listed key issues, as follow-up to discussions in 950619-21 meeting w/NRC in Casper, WY re American Nuclear Gas Hills project.
CHANCELLOR, R.A. Wyoming, State of. 95/07/10. HOLONICH, J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84777:331-84777:333.

9507200307 Informs that Power Resources, Inc permit rev to incorporate satellite 2. Wastewater Land Application Facility into Operations Plan for permit 603 has been reviewed by LQD & WOD staffs.
SHAFFER, R. Wyoming, State of. 94/03/11. KEARNEY, B. Uranium Recovery Field Ofc. R4. 3pp. 84866:257-84866:259.

9507200317 Responds to 950519 ltr written on behalf of constituent H Witter of Insp Specialists, Inc re fee charged for NRC insp.
TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 95/06/27. BREAUX, J. Senate. 1p. 84792:261-84792:334.

-9507200336 Responds to 950503 ltr addressed to I Selin re Invoice MM0574-95 assessed for 931228 insp of licensed activities conducted at Federal facilities within FLOH & CA 10CFR15, 19.30 & 150 encl.
SCROGGINS, R.M. Office of the Controller (Post 890205). CCS. 95/06/19. WITTER, H.W. Inspection Specialists, Inc. 45pp. 84792:282-84792:326.

-9507200340 Expresses concerns re insp conducted at constituent H Witter of Insp Specialist, inc facility in Marrero, LA. Requests that NRC investigate encl info sent to J Breaux & provide rept.
BREAUX, J. Senate. CCS. 95/05/19. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 2pp. 84792:327-84792:328.

-9507200342 Protests actions of NRC re insp on 931228.
WITTER, H. Inspection Specialists, Inc. CCS. 95/05/03. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 4pp. 84792:329-84792:334.

9507200318 Responds to 940228 request to hold meeting on outstanding issues of 940118 ltr from R Chancellor & 940216 ltr to S Morzenti. No meeting will be scheduled.
SHAFFER, R. Wyoming, State of. 94/03/11. KEARNEY, B. Uranium Recovery Field Ofc. R4. 2pp. 84866:310-84866:311.

9507200382 Forwards responses to audit observer inquires submitted by State of NV prior to June Audit YM-ARP-95-12 of US Geological Survey.
HORTON, D.G. Energy, Dept. of. HLWR. 95/07/11. LOUX, R.R. Nevada, State of. 2pp. 84815:162-84815:164.

9507210005 Ack receipt of 950626 ltr informing NRC of steps taken to correct violations noted in insp rept 15000038/95-002 on 950614.
PASCIAK, W.J. Region 1 (Post 820201). 95/07/13. MCCANN, F.L. Rhode Island, State of. 1p. 84738:004-84738:007.

180 NONDOCKETED ITEMS

- 9507210014 Responds to NRC 950614 ltr re violations noted in insp rept 15000036/95-002 on 950614. Corrective actions: radiographer assistant audited upon due date of next quarterly audit to bring util into full compliance. MCCAFFEY, F.L. Rhode Island, State of. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84738:005-84738:007.
- 9507210034 Confirms #50710 telcon re predecisional enforcement conference scheduled on 950719 to discuss results of investigation of facility licensed activities. COLLINS, D.M. Region 2 (Post 820201). EA-95-101. 95/07/11. SHELTON, J.L. Testco, Inc. 2pp. 84738:059-84738:060.
- 9507210037 Comment supporting PR 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial. WYNN, C.F. Pennsylvania, Commonwealth of. 60FR19002 00014. 95/07/12. HOYLE, J.C. Office of the Secretary of the Commission. 2pp. 84738:063-84738:064.
- 9507210078 Forwards requested site characterization study 8.3.1.17.4.3 re Yucca Mountain site quaternary faulting. BROCOUM, S.J. Energy, Dept. of. HLWR. 95/07/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84834:131-84834:286.
- 9507250025 "Preliminary Evaluation of Bare Mountain Fault Zone, Tarantula Canyon, Nye County, NV." ANDERSON, L.W., KLINGER, R.E. Colorado, State of. 95/07/18. 28pp. 84834:133-84834:165.
- 9507250029 "Late Quaternary Slip Rate Estimates for Death Valley & Furnace Creek Faults, Death Valley, CA." KLINGER, R.E., PIETY, L.A. Colorado, State of. 95/07/18. 45pp. 84834:166-84834:286.
- 9507210102 Responds to 940131 ltr concerning required mechanical integrity tests conducted in A/B-Wellfields. Requests that wells I-24 & I-50, which did not pass testing be plugged & abandoned as soon as possible. MEINING, J. Wyoming, State of. 94/02/14. KEARNEY, B. Power Resources Corp. 1p. 84866:327-84866:327.
- 9507210117 Informs that review has been completed for initial monitoring of F-Wellfield. Requests that licensee submit text that details progression of mining for first eight wellfield patterns. MEINING, J. Wyoming, State of. 94/01/21. KEARNEY, B. Power Resources Corp. 2pp. 84866:328-84866:329.
- 9507210135 Informs that Power Resources, Inc permit revision request to reduce baseline sampling requirements of permit 603 has been reviewed by LQD & WQD staffs. Receipt of ltr grants PRI permission to change operations plan as submitted. SHAFFER, R. Wyoming, State of. 94/02/09. KEARNEY, B. Power Resources Corp. 1p. 84866:330-84866:330.
- 9507210167 Responds to 950511 ltr written on behalf of constituent H Witter of Insp Specialists, Inc re fee charged for NRC insp. per 10CFR150.20. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 95/06/27. LIVINGSTON, R.L. House of Rep. 1p. 84819:293-84819:346.
- 9507210173 Forwards ltr from H Witter of Insp Specialists, Inc re unannounced insp of facility. Requests any info &/or assistance NRC could provide w/regard to matter. LIVINGSTON, R.L. House of Rep. CCS. 95/05/11. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 2pp. 84819:339-84819:346.
- 9507210241 Informs that Power Resources, Inc permit revision request to change number of casing volumes require to be removed from monitoring wells before water quality samples collected for permit 603 has been reviewed. SHAFFER, R. Wyoming, State of. 94/02/28. KEARNEY, B. Uranium Recovery Field Ofc, R4. 1p. 84866:346-84866:346.
- 9507210247 Discusses info concerning ground water quality issue of well M-63. SHAFFER, R. Wyoming, State of. 94/02/16. MORZENTI, S.P. Uranium Recovery Field Ofc, R4. 2pp. 84866:347-84866:349.
- 9507240216 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. SPELL, W.H. Louisiana, State of. 59FR9429 00086. 95/06/07. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 84751:329-84751:330.
- 9507240235 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations. HADEN, J.R. North Carolina, State of. 59FR9429 00087. 95/06/23. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp. 84751:333-84751:334.
- 9507240253 Forwards NRC Readiness Assessment Team insp rept & 950619 NRC ltr which modified plant CAL & articulated NRC basis for supporting conclusion that plant 3 ready to restart, as followup to response ltr. CONICELLA, N.F. Project Directorate I-1 (PD1-1) (Post 941001). CAL. 95/07/14. GRUSKIN, D. New York, State of. 2pp. 84764:194-84764:351.
- 9507240262 Comments on util 950418 submittal of license change request 94-28 re containment pressure/vacuum relief valves. TOSCH, K.W. New Jersey, State of. 95/07/20. Document Control Branch (Document Control Desk). 2pp. 84824:300-84824:301.
- 9507240318 "NPDES Discharge Monitoring Rept for June 1994." W/940714 ltr. MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-94-0112. 94/06/30. CROWNOVER, S. Tennessee, State of. 6pp. 84824:249-84824:260.
- 9507240321 "NPDES Discharge Monitoring Rept for Oct 1994." W/941115 ltr. MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-94-0176. 94/10/31. CROWNOVER, S. Tennessee, State of. 6pp. 84824:261-84824:270.
- 9507240383 Forwards SC Radioactive Waste Transport Permit 0059-32-95, effective until 951231. ALTRY, V.R. South Carolina, State of. 94/12/19. KAISER, B.J. General Electric Co. 2pp. 84824:106-84824:107.
- 9507240435 "NPDES Discharge Monitoring Rept for Sept 1994." W/941013 ltr. MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-94-0158. 94/09/30. CROWNOVER, S. Tennessee, State of. 12pp. 84824:232-84824:243.
- 9507240448 "Storm Water Monitoring Rept for Yr 931001-940930." W/941031 ltr. MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-94-0171. 94/09/30. CROWNOVER, S. Tennessee, State of. 6pp. 84824:169-84824:174.
- 9507250041 "NPDES Second Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950720 ltr. FUJIMOTO, W.H. Pacific Gas & Electric Co. DCL-95-155. 95/06/30. BRIGGS, R.W. California, State of. 100pp. 84826:146-84826:243.
- 9507250066 Forwards NPDES supplemental info update to NPDES permit application, proposed rewrite of NPDES permit & supplemental info, description of requested permit changes & marked up of existing permit showing changes. CARTER, J.S. Duke Power Co. 95/07/19. ELEAZER, T.M. South Carolina, State of. 86pp. 84827:179-84827:264.
- 9507250075 "Generator Quarterly Hazardous Waste Rept." for Susquehanna Steam Electric Station Units 1 & 2 for second quarter of 1995. W/950719 ltr. STANLEY, H. BELLES, T.D. Pennsylvania Power & Light Co. 95/06/30. 6pp. 84828:303-84828:308.
- 9507250098 Quarterly "RFI & Intern Measures (IM) Progress Rept." W/ 950707 ltr. MAXIN, A.M. Nuclear Fuel Services, Inc. 21G-95-0093. 95/06/30. FARMER, G.A. Environmental Protection Agency. TIESLER, T. Tennessee, State of. 32pp. 84828:169-84828:200.
- 9507250129 Expresses appreciation for recent invitation to travel to Washington to meet w/UNIC personnel & consultants. TRUJILLO, D.M. New Mexico, State of. 95/07/19. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84825:359-84825:359.
- 9507250280 Informs that plan reflects intentions rather than existing conditions, intended outcomes rather than actual procedures & apparently oral understandings rather than written commitments, per 950426 ltr & proposed emergency plan. CONNELLY, R.N. Ohio, State of. 95/06/23. CESAR, D. Advanced Medical Systems, Inc. 67pp. 84836:001-84836:067.
- 9507250283 Forwards minutes from 950619-21 site visit & meetings w/Wyoming Dept of environ Quality re NRC comments on American Nuclear Corp Reclamation Plan for Gas Hills, WY site & Dept of Environ Quality plans for completing site reclamation. GILLEN, D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. MOXLEY, M. Wyoming, State of. 30pp. 84836:128-84836:157.
- 9507260077 Confirms recent discussion re review of radiation control program scheduled for 950815-17. WOODRUF, R.L. Region 2 (Post 820201). 95/07/13. VOLPE, J.A. Kentucky, Commonwealth of. 1p. 84793:135-84793:135.
- 9507260096 Forwards settlement agreement which specifies terms discussed between R Fierle & N Mamish on 950720 re civil penalty proposed in NOV & proposed imposition of civil penalties dtd 950628. LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-95-046. 95/07/21. SISSON, J.E. Quality Inspection Services, Inc. 1p. 84813:013-84813:016.
- 9507260102 Settlement agreement between NRC & Quality Insp Svcs re NOV & proposed imposition of civil penalties in amount of \$13,000 for violations involving performance of radiography. LIEBERMAN, J. Quality Inspection Services, Inc. EA-95-046. 95/07/21. 3pp. 84813:014-84813:016.
- 9507270005 Forwards staff rept re review of radioactive mats program during period of 940718-20 & comments concerning Apr 1993 review of Colorado Agreement program. BLANTON, R.L. Office of State Programs (Post 911117). 95/07/14. QUILLIN, R. Colorado, State of. 2pp. 84814:084-84814:105.
- 9507270011 Discusses Colorado Dept of Public Health mid-review of radioactive mats program on 940718-20 & comments following Apr 1993 review of Colorado Agreement program. BLANTON, R.L. Office of State Programs (Post 911117). 95/04/19. Office of State Programs (Post 911117). 20pp. 84814:086-84814:105.
- 9507270006 Forwards request from State of CO for emergency acceptance of radioactive mats for review & coordination w/DOE. BANGART, R.L. Office of State Programs (Post 911117). 95/07/20. BAER, R.L. Source Containment & Devices Branch (Post 911213). 3pp. 84814:106-84814:108.
- 9507270009 Responds to 950602 ltr providing comments on NRC draft rept "Responsiveness to Public." dtd Mar 1995, informs that rept revised based on evaluation of comments received. BANGART, R.L. Office of State Programs (Post 911117). 95/07/20. COLLINS, S.C. Illinois, State of. 6pp. 84814:109-84814:114.
- 9507270012 Informs that NRC is withdrawing an advance notice of proposed rulemaking that presented possible change to NRC or state land ownership requirements for low-level waste facility sites. BANGART, R.L. Office of State Programs (Post 911117). 95/07/20. General. 2pp. 84814:115-84814:116.
- 9507270014 Transmits State Agreement Program info SP-95-114 re DOE contractor exemption provisions in 10CFR30.12.40.11 & 70.11. LOHAUS, P. Office of State Programs (Post 911117). SP-95-114. 95/07/12. General. 3pp. 84814:119-84814:129.
- 9506280218 Responds to 950320 request to P Lohaus re exemptions for DOE & contractors. CAMERON, F.X. Deputy Assistant General Counsel for Enforcement. 95/06/09. MARSHALL, S.R. Nevada, State of. 4pp. 84814:126-84814:129.
- 9507270020 Forwards NRC discussion notes for 950714 conference call on Massachusetts request for Agreement. LOHAUS, P. Office of State Programs (Post 911117). 95/07/13. HALLISEY, R. Massachusetts, Commonwealth of. 4pp. 84814:149-84814:152.
- 9507270021 Expresses gratitude for assistance provided in attempting to locate origin of Alphasat devices located in Tucson, AZ, informs that two other possible origins of devices have been investigated. State of AZ, arranging for disposal of devices. GODWIN, A.V. Arizona, State of. 95/07/07. ORTIZ MAGANA, J. Mexico, Govt. of. 1p. 84814:153-84814:153.

9507270023 Responds to 950531 ltr providing comments on NRC draft rept. "Responsiveness to Public" dtd Mar 1995. Agrees that comment period for NRC rulemakings should be longer than 30 days in most circumstances.
BANGART,R.L. Office of State Programs (Post 911117). 95/07/20. FRAZEE,T.C. Washington, State of. 6pp. 84814:154-84814:159.

9507270027 Forwards list of students from States selected to attend 950814-18 Medical Uses of Radionuclides Courses. Notifies certain States that nominees could not be accommodated to attend course at present time.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-117. 95/07/14. General. 14pp. 84814:160-84814:173.

9507270038 Forwards 930630 ltr to C Kammerer from L Anderson. 931027 memo to J Summeier from R Blanton. 940331 ltr to W Sinclair from R Bangart. FRN re "State of Utah" & 950505 ltr to W Sinclair from R Bangart as result of 950706 telcon.
BANGART,R.L. Office of State Programs (Post 911117). 95/07/07. MANCINI,A. Yankee Atomic Electric Co. 2pp. 84814:210-84814:244.

9507270040 Forwards recorded copy of executed Restrictive Covenants between Envirocare of UT & UT Dept of Environmental Quality. Action completes necessary steps to bring State of UT & NRC into complete agreement on land ownership/control issue.
ANDERSON,L.F. Utah, State of. 93/06/30. KAMMERER,C.C. Office of State Programs (Post 911117). 11pp. 84814:212-84814:244.

9507270043 Forwards D.2-3, Agreement State Program Rept Procedures & Handbook, which describes responsibilities & procedures for preparation & issuance of repts documenting reviews of Agreement State radiation control program.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/07/10. GORDON,C.Z. Region 1 (Post 820201). WOODRUFF,R.L. Region 2 (Post 820201). LYNCH,J.L. Region 3 (Post 820201). 9pp. 84814:266-84814:333.

9507270150 Rev 0 to "Handbook for Agreement States Review Repts."
* Office of State Programs (Post 911117). 94/07/05. 58pp. 84814:275-84814:333.

9507270045 Responds to 950428 ltr to A Rogers, requesting info re capability of staff to evaluate performance assessment submitted as part of application for facility to be located near Sierra Blanca.
HIBBS,M. Texas, State of. 95/07/11. BANGART,R.L. Office of State Programs (Post 911117). 5pp. 84814:334-84814:338.

9507270050 Forwards staff rept on results of 941003-04 review visit to radioactive matis program.
BLANTON,R.L. Office of State Programs (Post 911117). 95/07/14. RICE,J.R. North Dakota, State of. 26pp. 84815:001-84815:024.

9507270054 Informs that State of NC intends to send BJ Hoffman to sealed source & device evaluation workshop, in slot funded by NRC. Requests that slot also be reserved for JM Eaddy. State of NC will fund second slot.
HADEN,J.R. North Carolina, State of. 95/07/06. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. 84814:354-84814:354.

9507270082 Provides addl info requested during 950705 telcon re essential maint to be performed on Perry Nuclear Power Plant svc water & circulating water sys.
SHELTON,D.C. Centenor Energy. PY-CEI/OEPA-022. 95/07/21. UNDERWOOD,M. Ohio, State of. 5pp. 84851:300-84851:307.

9507270115 Forwards sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). CO-376-D-101-G. 95/07/14. General. 3pp. 84815:025-84815:137.

9507270159 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Gas Chromatograph for model EKHO. Certificate: CO-376-D-101-G.
MONELL,M.J. MATTSOON,C.E. Colorado, State of. CO-376-D-101-G. 94/02/15. 11pp. 84815:033-84815:043.

9507270166 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Gas Chromatography Detector Cell for model IBIRZN-63 (type 1). Certificate: CO-376-S-102-S.
MONELL,M.J. MATTSOON,C.E. Colorado, State of. CO-376-S-102-S. 94/02/15. 7pp. 84815:044-84815:050.

9507270172 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Gamma Source for Gauging & Calibration for model 193. Certificate: CA-406-S-126-S.
* California, State of. CA-406-S-126-S. 95/06/26. 7pp. 84815:051-84815:058.

9507270179 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Beta Sources for Thickness Gauges for model TCB-1. Certificate: CA-406-S-128-S.
* California, State of. CA-406-S-128-S. 95/06/21. 7pp. 84815:059-84815:065.

9507270185 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of UV Emitting Light Source for model P/N T 4217-1. Certificate: NR-446-S-801-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-446-S-801-S. 95/06/07. 5pp. 84815:066-84815:070.

9507270200 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of R-Level Tester for model T4217-1. Certificate: NR-470-D-801-E.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-470-D-801-E. 95/06/07. 4pp. 84815:071-84815:074.

9507270205 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Moisture Gauge for model 900690. Certificate: NR-590-D-807-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-590-D-807-S. 95/06/01. 8pp. 84815:075-84815:087.

9507270213 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Refill Night Sight for models MR-331,332,336, 337,338,353,354,361,365 & 372. Certificate: NR-0830-D-801-E.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-0830-D-801-E. 95/05/11. 4pp. 84815:088-84815:091.

9507270215 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Electron Capture Detector in Otto Fuel Detector for model PD2F & PD2G. Certificate: NR-8032-D-801-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8032-D-801-S. 95/06/07. 8pp. 84815:092-84815:099.

9507270219 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Density Gauge Source for model G. Certificate: NR-8033-S-801-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8033-S-801-S. 95/06/02. 5pp. 84815:100-84815:104.

9507270223 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Radiography Source Assembly for model MOD I. Certificate: NR-8033-S-802-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8033-S-802-S. 95/06/05. 6pp. 84815:105-84815:110.

9507270232 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Beta Gauge for model JTI AT1-P Scanning Head. Certificate: NR-8034-D-801-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8034-D-801-S. 95/06/02. 10pp. 84815:111-84815:120.

9507270237 Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Undersea Water Level Gauge for model P/N 0000400-1. Certificate: NR-8035-D-801-S.
RICH,T.W., BAGGETT,S.L. NRC - No Detailed Affiliation Given. NR-8035-D-801-S. 95/06/07. 8pp. 84815:121-84815:137.

9507270126 Responds to 950425 ltr providing comments on NRC draft rept. "Responsiveness to Public." dtd Mar 1995. Evaluation of elimination of funding for Agreement State training has not been completed & comments will be part of evaluation.
BANGART,R.L. Office of State Programs (Post 911117). 95/07/20. QUILLIN,R.M. Colorado, State of. 6pp. 84815:138-84815:143.

9507270134 Ack receipt of 950626 ltr to Chairman Selin providing comments on changes in NRC policy on funding of Agreement State training, travel & technical assistance.
BANGART,R.L. Office of State Programs (Post 911117). 95/07/20. FLATER,D.A. Iowa, State of. 2pp. 84814:357-84814:358.

9507270142 Forwards NRC final fee schedule for FY95 dtd 950619.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-112. 95/07/11. General. 6pp. 84815:144-84815:150.

9507270152 Forwards final minutes of Mgt Review Board mtg on 941220.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 95/07/12. THOMPSON,H. NRC - No Detailed Affiliation Given. BANGART,R. Office of State Programs (Post 911117). PAPERILLO,C. Office of Nuclear Material Safety & Safeguards. 7pp. 84815:151-84815:157.

9507270303 Forwards draft chapter 15, "Financial Qualifications" of "Formal & Content for Applications for Licensing of Non-Power Reactors" & "Safety Analysis Rept Review Plan & Acceptance Criteria for Non-Power Reactors." W/o encl.
ADAMS,A. 95/07/19. RUPERT,C. Affiliation Not Assigned. 2pp. 84844:043-84844:044.

9507280005 Responds to NRC 941228 ltr concerning deficiencies noted in insp of program re performance of SSD product evaluations. Corrective actions assigned specifically qualified staff member to performance of SSD product evaluation.
BROWN,D.H. North Carolina, State of. 95/07/17. BANGART,R.L. Office of State Programs (Post 911117). 8pp. 84830:352-84830:359.

9507280006 Notifies that All Agreement States meeting will be held on 951030-1101 in Chicago, IL. Requests ideas for meeting by 950818.
RATLIFF,R.A. Organization of Agreement States. 95/07/19. General. 2pp. 84831:001-84831:002.

9507280022 Discusses Agreement State Regulatory Programs. OAS provides vehicle for Agreement States to interact on common issues that affect individual states or all 29 Agreement States.
RATLIFF,R.A. Organization of Agreement States. 95/07/19. MYERS,J. House of Rep., Appropriations. 3pp. 84831:026-84831:028.

9507310002 Responds to request for name of one individual to attend Sealed Source & Device Workshop to be held 9509:1-13 in Rockville, MD.
COLLINS,S.C. Illinois, State of. SP-95-097. 95/07/21. BANGART,R.L. Document Control Branch (Document Control Desk). 1p. 84843:022-84843:022.

9507310130 NPDES discharge monitoring rept for June 1995 for Hope Creek Generating Station/W/950721 ltr.
LASALA,P.R. NURKA,A. REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/06/30. CORPORALE,G. New Jersey, State of. 23pp. 84888:340-84888:361.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9507030107 Forwards nonproprietary & proprietary versions of licensing topical rept, "Thermal Hydraulic Stability Methods for BWRs." Proprietary rept withheld per 10CFR2.790.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Bover, Inc. NFBWR-95-079. 95/06/19. 6pp. 84560:087-84560:159.

9507030112 CENPD-294-NP Nonproprietary "Thermal-Hydraulic Stability Methods for BWRs."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Bover, Inc. 95/05/31. 65pp. 84560:093-84560:159.

9507030165 Informs that NRC staff found WOG action plan to be acceptable, pending receipt & review of WCAP-12244.rev 3, re Westinghouse Alloy 600 tube issue.
STROSNIDER,J. 95/06/20. SHERON,B. 7pp. 84509:302-84509:320.

9507030173 Informs that most Westinghouse unit PM & some CE & B&W unit PM will be receiving licensee correspondence re disposition of Westinghouse alloy 600 mechanical tube plugs for steam generators.
STROSNIDER,J.R. 95/02/02. 1p. 84509:309-84509:320.

9507030180 Forwards 950602 telcon minutes re results of staff EPG analysis.
ULSES,T.P. 95/06/16. JONES,B. 29pp. 84518:323-84518:351.

182 NONDOCKETED ITEMS

- 9507030299** Advises that copyright clearances for references supporting US DOE response to NRC staff comments on topical rept, "Evaluation of Potentially Adverse Condition Evidence for Extreme Erosion During Quaternary Period" has been acquired.
BROCCOUM,S.J. Energy, Dept. of. 95/06/12. BELL,M.J. Division of Waste Management (NMSS 940403). 16pp. 84512-263-84512-278.
- 9507050231** Forwards nonproprietary & proprietary versions of licensing topical rept, "Application of Regional Excursion W/Flow-Biased APRM Neutron Flux Scram Stability Solution (Option I-D) to JA FitzPatrick NPP" Proprietary version withheld.
CAHILL,L.J. Power Authority of the State of New York (New York Power Authority). JPN-95-032. 95/06/29. Document Control Branch (Document Control Desk). 8pp. 84570-001-84570-040.
- 9507050235** GENE-637-044-0295 Nonproprietary version of "Application of Regional Excursion W/Flow-Biased APRM Neutron Flux Scram Stability Solution (Option I-D) to JA FitzPatrick NPP"
POST,J.S. General Electric Co. 95/02/28. 31pp. 84570-010-84570-040.
- 9507050348** Transmits proprietary WCAP-14333-P & non-proprietary WCAP-14334-NP entitled "PRA of PRS & ESFAS Tests Times and Completion Times."
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-95-51. 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84569-136-84569-269.
- 9507050353** Requests that WCAP-14333, "Probabilistic Risk Analysis Of RPS & ESFAS Test Times," be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-840. 95/06/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 84569-138-84569-299.
- 9507050445** Submits SG tube alloy 600TT mechanical plug action plan clarification.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4490. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84570-179-84570-181.
- 9507060112** Requests for addl info re BWROG results of ongoing test program being conducted by BWROG in support of owners group efforts to resolve BWR ECCS potential strainer clogging issue.
LYNCH,M.D. 95/06/22. SGARRO,R. Pennsylvania Power & Light Co. 13pp. 84579-001-84579-013.
- 9507060171** Confirms that NRC staff concurs w/scope of sys interactions tests.
QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 95/06/14. QUINN,J.E. General Electric Co. 4pp. 84540-021-84540-024.
- 9507060201** Requests addl info needed to meet proposed fuel loading date of 950924 re P/T limit rept & accompanying Westinghouse Owners Group WCAP-14040.
TAM,P.S. TAC M89048. 95/06/27. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84536-241-84536-245.
- 9507060216** Forwards Rev 6 to Topical Rept TVA-NPOD89-A, "TVA Nuclear Organization Description," incorporating organizational changes announced through 950501.
CARRIER,P.P. Tennessee Valley Authority. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84599-258-84599-310.
- 9507060222** TVA-NPOD89-A R06 Rev 6 to "TVA Nuclear Organization Description."
Tennessee Valley Authority. 95/06/29. 5pp. 84599-260-84599-310.
- 9507060319** Forwards FRN for STS,rev 1, "Availability," for review.
GRIMES,C.I. 95/06/27. MEYER,D.L. Division of Information & Publications Services (Post 940714). 2pp. 84539-355-84539-359.
- 9507060322** Notice of availability of five sets of improved STS,Rev O that had been issued in 920925.
GRIMES,C.I. 95/06/27. 3pp. 84539-357-84539-359.
- 9507060338** Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84632-315-84632-315.
- 9507060338** Submits correction to Rev 0 of Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Release of info statement should not have been included in LTR since no proprietary info contained within LTR.
BENES,G.G. Commonwealth Edison Co. 95/06/30. Document Control Branch (Document Control Desk). 1p. 84599-001-84599-257.
- 9507070341** Forwards Rev 0 to Licensing Topical Rept (LTR) NFSR-0111, "BWR Transient Analysis Methods." Requests NRC approval of LTR by issuance of SER prior to June of 1996.
BENES,G.G. Commonwealth Edison Co. 95/06/26. Document Control Branch (Document Control Desk). 1p. 84599-002-84599-002.
- 9507070353** NFSR-0111 R00 "BWR Transient Analysis Methods."
FREEMAN,J.M. Commonwealth Edison Co. 95/06/23. 200pp. 84599-003-84599-257.
- 9507060356** Notification of 950714 meeting w/B&W in Rockville,MD to discuss testing & results that provide data base for BWU correlation & development of correlation.
HUANG,T.L. 95/06/21. JONES,R.C. 2pp. 84555-198-84555-198.
- 9507060379** Notification of 950717 meeting w/EPRI/NEI/industry to discuss status of current efforts involving steam generator integrity.Meeting originally scheduled for 950718.
REED,T.A. 95/06/12. STROSNIDER,J. 4pp. 84540-051-84540-054.
- 9507070028** Notification of 950710 meeting w/BWROG in Rockville,MD to discuss implementation of enhanced option I-A & proposed TS.
HUANG,T.L. Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84559-282-84559-283.
- 9507070072** Requests that draft rept, "Metallurgical Evaluation of Feedwater Nozzle to Safe-End Weld from River Bend Station, Unit 1," be placed in docket file & PDR.
WIGGINTON,D.L. 95/06/26. 2pp. 84555-126-84555-153.
- 9507070203** Provides proprietary suppl info re GE Licensing Topical Rept NEDC-32410P, "Nuclear Measurement Analysis & Control Power Range Neutron Monitor Retrofit Plus Option III Stability Trip Function." Encl withheld.
REIGEL,D.W. General Electric Co. MFN-090-95. 95/06/26. JABBOUR,K. NRC - No Detailed Affiliation Given. 6pp. 84622-303-84622-308.
- 9507070294** Forwards proprietary Vois I-IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept." Rept withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4469. 95/06/13. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84728-001-84728-011.
- 9507070295** Requests that proprietary Vois I-IV of WCAP-14252, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Final Data Rept" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-829. 95/06/13. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84728-005-84728-011.
- 9507070378** Forwards response to NRC 950113 RAI re BWROG Topical Rept NEDC-32264,Rev 1, "Application of Probabilistic Safety Assessment to GL 89-10 Implementation" & addl section (Section 4.0) to NEDC-32264 in response to NRC concerns.
PINELLI,R.A. BWR Owners Group. GL-89-10. 95/06/02. THADANI,A.C. 10pp. 84619-205-84619-214.
- 9507070388** Forwards licensing TR suppl CENPD-293-P-RAI titled, "BWR ECCS Evaluation Model: Response To Request For Addl Info On Suppl 1 to Code Description & Qualification." Rept withheld.
KONING,D.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). KONING,D.B. ASEA Brown Bover, Inc. NFBWR-95-086. 95/06/28. Document Control Branch (Document Control Desk). 6p. 84622-297-84622-302.
- 9507100384** Forwards proprietary preliminary responses to requests for addl info re WCAP-12945-P-Encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4496. 95/06/29. Document Control Branch (Document Control Desk). 2pp. 84692-127-84692-128.
- 9507110022** Advises of intent & need to utilize methodology changes in Rev 2 of TR BAW-10168P-A for upcoming cycle (10) of Catawba Nuclear Station,Unit 1.
TUCKMAN,M.S. Duke Power Co. 95/06/30. Document Control Branch (Document Control Desk). 2pp. 84695-009-84695-010.
- 9507110148** Informs that resubmittal of responses to request for addl info re topical rept CENPD-300-P, "Reference Safety Rept for BWR Reload Fuel" have not been received yet.Responses due by 950714.
JONES,R.C. 95/06/29. EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 84587-202-84587-202.
- 9507110172** Notification of 950710 meeting w/BWROG in Rockville,MD to discuss implementation of enhanced option I-A & proposed TS.
HUANG,T.L. Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. JONES,R.C. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84616-275-84616-275.
- 9507110238** Notification of 950721 meeting w/util in Rockville,MD to discuss BG&E submittal plans for 1995,including "topical" (sys) rept submittal schedule,NRC review schedule & other license renewal issues.
REYNOLDS,S.A. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/30. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 2pp. 84567-248-84567-249.
- 9507110269** Notification of 950707 meeting w/industry in Rockville,MD to provide NRC technical staff overview of accident management related changes to EPG Rev 4 & rationale for changes.
PALLA,R.L. 95/06/29. BERLINGER,C.H. 3pp. 84587-139-84587-141.
- 9507110268** Forwards proprietary response to addl info to support review of Topical Rept WCAP-13360,Response withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4490. 95/06/30. JONES,R.C. 2pp. 84728-322-84728-331.
- 9507110293** Requests that proprietary response to addl info to support review of Topical Rept WCAP-13360 to be withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-854. 95/06/30. JONES,R.C. 8pp. 84728-324-84728-331.
- 9507130236** Responds to 941123 ltr which notifies NRC of organizational changes affecting svcs & projects quality organization. Changes should be reflected in next rev to NEDC-11209-04A.
BLACK,S.C. 95/07/03. SICK,P.W. General Electric Co. 1p. 84631-354-84631-354.
- 9507130273** Notification of 950711 meeting w/WPOG,CEOG & BWOG in Rockville,MD to discuss topics of interest including CRDM penetration insp schedule.Portion of meeting proprietary in nature.
CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/29. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84631-352-84631-353.
- 9507140107** Forwards Licensing Topical Rept NEDC-32465, "BWROG Reactor Stability Detect & Suppress Solutions Licensing Basis Methodology & Reload Applications" for review & approval.
PINELLI,R.A. BWR Owners Group. BWROG 95057. 95/06/28. JONES,R.C. 2pp. 84684-100-84684-210.
- 9507140118** NEDC-32465 "BWROG Reactor Stability Detect & Suppress Solutions Licensing Basis Methodology & Reload Applications"
L.E.H. General Electric Co. LEHMANN,C.R. Pennsylvania Power & Light Co. LEFRANCOIS,M.P. Yankee Atomic Electric Co. 95/05/31. 107pp. 84684-102-84684-210.
- 9507170410** Forwards Generic Technical Rept WCAP-14422, "License Renewal Evaluation: Aging Mgt for Reactor Coolant Sys Supports."
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-95-57. 95/07/13. 3pp. 84773-206-84773-273.
- 9507170412** WCAP-14422 "Licensee Renewal Evaluation: Aging Mgt for Reactor Coolant Sys Supports."
MEYER,T.A. LAPAY,W.S., YANG,C.Y. Westinghouse Electric Corp. 95/07/31. 64pp. 84773-209-84773-273.

- 9507180035 Notification of 950719 meeting w/BWRVIP in Rockville, MD to discuss topics of interest including summaries from Technical committees & 1995/1996 BWRVIP program plan. Portions of meeting will be proprietary in nature. CARPENTER, C.E. Project Directorate I-1 (PD-1) (Post 941001). 95/07/11. MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 3pp. 84696.347-84696.349.
- 9507180094 Forwards errata sheet for proprietary Rev 3 to WCAP-14046 & errata sheet for nonproprietary Rev 3 to WCAP-14047, correcting typos on Page 4-139. Proprietary Rev 3 to WCAP-14046 withheld. PONTIUS, H.D. Commonwealth Edison Co. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84975.047-84975.049.
- 9506100342 WCAP-14047 R03 ERR Nonproprietary errata to Rev 3 to WCAP-14047, "Bradwood Unit 1 Technical Support for Cycle 5 Steam Generator Interim Plugging Criteria," correcting Page 4-139 figure title. Westinghouse Electric Corp. 95/03/31. 1p. 84975.049-84975.049.
- 9507180130 Forwards addl info requested following 950511 meeting w/NRC re unresolved items from util 1993 sys based I&C insp repts 50-315/93-12 & 50-316/93-12. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). AEP/NRC:1184H2. 95/07/07. Document Control Branch (Document Control Desk). 2pp. 84765.001-84765.259.
- 9507180140 Requests that proprietary WCAP-13801, "Westinghouse Setpoint Methodology for Protection Sys. DC Cook Unit 2" be withheld from public disclosure per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. CAW-95-830. 95/05/26. RUSSELL, W. Document Control Branch (Document Control Desk). 19pp. 84765.067-84765.065.
- 9507180151 WCAP-7306 "RPS Diversity in Westinghouse PWRs." BURNETT, T.W., DORRYCOTT, J.W., RISHER, D.H. Westinghouse Electric Corp. 69/04/30. 100pp. 84765.086-84765.259.
- 9507180194 Forwards summary of Westinghouse best-estimate LOCA methodology. LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4505. 95/07/12. Document Control Branch (Document Control Desk). 2pp. 84785.257-84785.258.
- 9507180222 Forwards proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria," per discussions held at 950327.0425 & 0710 meetings w/NRC. Rept withheld per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4506. 95/07/13. QUAY, T.R. Document Control Branch (Document Control Desk). 4pp. 84765.260-84765.270.
- 9507180224 Requests that proprietary WCAP-14425, "Evaluation of AP600 Conformance to Inter-Sys LOCA Acceptance Criteria" be withheld from public disclosure per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. AW-95-861. 95/07/13. QUAY, T.R. Document Control Branch (Document Control Desk). 7pp. 84765.264-84765.270.
- 9507180254 Forwards proprietary licensing TR (LTR) suppl CENPD-283-P-RAI & nonproprietary LTR suppl CENPD-283 NP-RAI titled, "BWR ECCS Evaluation Model/Response to RAI on Code Sensitivity for SVEA-96 Fuel." Proprietary suppl withheld. EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-087. 95/07/07. 6pp. 84761.330-84761.361.
- 9507180357 CENPD-283-NP-RAI Nonproprietary "BWR ECCS Evaluation Model/Response to RAI on Code Sensitivity for SVEA-96 Fuel." * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. TAC M86126. 95/06/30. 26pp. 84761.336-84761.361.
- 9507180373 Forwards proprietary & nonproprietary licensing TR (LTR) suppl CENPD-285-P-RAI & CENPD-285-NP-RAI, respectively, titled, "Fuel Rod Design Methods for BWRs/Response to RAI." Proprietary LTR suppl CENPD-285-P-RAI withheld. EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.) EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-091. 95/07/13. 2pp. 84776.305-84776.337.
- 9507180375 CENPD-285-NP-RAI Nonproprietary "Fuel Rod Design Methods for BWRs/Response to RAI." * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. TAC M90188. 95/07/31. 31pp. 84776.307-84776.337.
- 9507180385 Requests addl info re WCAP-14040, "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves." GRIMES, C.I. 95/07/11. NEWTON, R.A. Westinghouse Electric Corp. 10pp. 84725.351-84725.380.
- 9507180437 Notification of cancelled 950711 meeting w/Westinghouse Owners Group, C-E Owners Group & B&W Owners Group in Rockville, MD to discuss CRD mechanism penetration insp schedule. CARPENTER, C.E. Project Directorate I-1 (PD-1) (Post 941001). 95/07/07. MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 2pp. 84711.354-84711.355.
- 9507180444 Notification of 950718 meeting w/Westinghouse in Rockville, MD to discuss best estimate LOCA evaluation model. ORR, F.R. 95/07/07. JONES, R.C. 2pp. 84725.328-84725.329.
- 9507180446 Notification of 950711 meeting w/NSSS Owners Groups & NEI in Rockville, MD to discuss STS improvements & related issues. GRIMES, C.I. 95/07/06. GRIMES, B.K. 3pp. 84726.243-84726.245.
- 9507180166 Summary of 950608 meeting w/W re topical rept WCAP 13360, "W Dynamic Rod Worth Measurement Technique." CHATTERTON, M.S. 95/07/11. JONES, R.C. 2pp. 84739.304-84739.305.
- 9507180175 Revised notification of 950720 meeting w/Westinghouse Owners Group in Bethesda, MD to discuss issues re relocation of RCS P/T limits (WCAP-14040). HAROLD, J.F. Project Directorate I-1 (PD-1) (Post 941001). 95/07/13. MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 3pp. 84727.360-84727.362.
- 9507180207 Forwards summary that will be presented at 23rd Water Reactor Safety Meeting during Generic Issues - (BWR ECCS Strainer Blockage session. Paper entitled, "Regulatory Perspective on BWR ECCS Strainer Blockage Issue." ELLIOTT, R.B. 95/07/14. MONTELEONE, S. Brookhaven National Laboratory 4pp. 84726.174-84726.177.
- 9507190305 Summary of 950622 meeting w/members of Boiling Water Reactor Vessel & Internals Project in Charlotte, NC to discuss status of ongoing programs re reactor vessel & internals integrity issues. W/list of attendees & handout. CARPENTER, C.E. Project Directorate I-1 (PD-1) (Post 941001). 95/07/13. Project Directorate I-1 (PD-1) (Post 941001). 12pp. 84727.344-84727.355.
- 9507190311 Summarizes 950601 meeting w/B&W Vessel Working Group in Rockville, MD to present fracture toughness data to demonstrate alternative method for determining initial ref temp for Linde 80 weld metals. W/attendance list & handout. McDONALD, D.C. Project Directorate I-1 (PD-1) (Post 941001). 95/07/11. STROSNIDER, J.R. 7pp. 84727.268-84727.343.
- 9507200075 Notification of 950720 meeting w/Westinghouse Owners Group in Bethesda, MD to discuss Topical Report 14040. HAROLD, J.F. Project Directorate I-1 (PD-1) (Post 941001). 95/07/11. MARSH, L.B. Project Directorate I-1 (PD-1) (Post 941001). 2pp. 84739.337-84739.339.
- 9507210225 Forwards non-proprietary Licensing Topical Repts Suppl CENPD-288-NP-RAI & proprietary CENPD-288-P-RAI, "ABB Seismic/LOCA Evaluation Methodology for Boiling Water Fuel: Response." Proprietary rept withheld per 10CFR2.790. EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). NFBWR-95-092. 95/07/17. 6pp. 84831.247-84831.268.
- 9507210228 CENPD-288-NP-RAI Non-proprietary Licensing Topical Rept Suppl CENPD-288-P-RAI titled, "ABB Seismic/LOCA Evaluation Methodology for Boiling Water Fuel: Response to Request for Addl Info." * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). TAC M89663. 95/07/17. 16pp. 84831.254-84831.268.
- 9507210278 Informs of plans to reduce or eliminate TR BAW-10168 review efforts for FY96. TAYLOR, J.H. Babcock & Wilcox Co. JHT-95-65. 95/07/03. THADANI, A.C. NRC - No Detailed Affiliation Given. 2pp. 84821.236-84821.237.
- 9507240013 Forwards Addendum 4 to WCAP-12245, Rev 3, entitled, "Addendum 4 to SG Tube Plug Integrity Summary Rept." dtd May 1995. W/o encl. LIPARULO, N. Westinghouse Electric Corp. NTD-NRC-95-4508. 95/07/13. Document Control Branch (Document Control Desk). 2pp. 84828.357-84828.358.
- 9507240172 Responds to 950614 ltr & affidavit requesting that NRC withhold from public disclosure EPRI owned proprietary info contained in listed computer software & rept. SHERON, B.W. 95/07/18. KENNY, A. Electric Power Research Institute. 2pp. 84778.241-84778.242.
- 9507240319 Forwards SE accepting use of enhanced computer codes re topical rept, NUSCO-152, addendum 4, "Physics Methodology for PWR Reload Design." ROONEY, V.L. Project Directorate I-3 (PD-1-3) (Post 941001). TAC M91815. 95/07/18. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 84778.340-84778.349.
- 9507240322 Safety evaluation accepting use of enhanced computer codes re topical rept, NUSCO-152, addendum 4, "Physics Methodology for PWR Reload Design." * Office of Nuclear Reactor Regulation (Post 941001). 95/07/18. 6pp. 84778.344-84778.349.
- 9507240374 Transmits response to request for addl info re WCAP-14040, rev 1, "Methodology Used to Develop Cold Pressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves." BUSH, L. Westinghouse Operating Plants Owners Group. OG-95-061. 95/07/18. Document Control Branch (Document Control Desk). 23pp. 84824.063-84824.085.
- 9507250043 Forwards nonproprietary WCAP-14308, "AP500 LOFTRAN-AP & LOFTR2-AP Final Verification & Validation Rept." LIPARULO, N.J. Westinghouse Electric Corp. NTD-NRC-95-4512. 95/07/19. QUAY, T.R. Document Control Branch (Document Control Desk). 1p. 84827.001-84827.178.
- 9507250050 WCAP-14308 R00 Nonproprietary "AP600 LOFTRAN-AP & LOFTR2-AP Final Verification & Validation Rept." * Westinghouse Electric Corp. 95/07/31. 180pp. 84827.002-84827.178.
- 9507250150 Application for amends to licenses DPR-53 & DPR-69, revising TS 5.2.1 to allow use of lead fuel assemblies & requests temporary exemption from requirements of 10CFR50.46, 10CFR50.44 & 10CFR50.44 App K for CCNPP Unit 1. DENTON, R.E. Baltimore Gas & Electric Co. 95/07/13. Document Control Branch (Document Control Desk). 8pp. 84827.265-84827.324.
- 9507250158 CEN 425-P R03-NP Nonproprietary "SER for use of Advanced Zirconium-Based Cladding Mats in Calvert Cliffs, Unit 1 Batch R Lead Fuel Assemblies." * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. 95/05/31. 40pp. 84827.285-84827.324.
- 9507250312 Forwards nonproprietary WCAP-14420 & proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar," in response to NRC 950308 RAI on subj. Proprietary WCAP-14419 withheld per 10CFR2.790. BARON, R.R. Tennessee Valley Authority. TAC M91682. 95/07/20. Document Control Branch (Document Control Desk). 3pp. 84851.024-84851.072.
- 9507250313 WCAP-14420 Nonproprietary "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar." MOGMAU, W.H., TULEY, C.R. Westinghouse Electric Corp. 95/06/30. 38pp. 84851.027-84851.063.
- 9507250314 Requests that proprietary WCAP-14419, "Westinghouse Instrument Uncertainty Methodology for RCS Flow Measurement TVA Watts Bar" be withheld from public disclosure per 10CFR2.790. LIPARULO, N.J. Westinghouse Electric Corp. CAW-95-848. 95/07/06. RUSSELL, W.T. Document Control Branch (Document Control Desk). 9pp. 84851.064-84851.072.
- 9507260025 Forwards nonproprietary rev 3 of BAW-10084-A & proprietary rev 3 of TR BAW-10084P-A, both entitled, "Program To Determine In-Reactors Performance Of BWF Fuel - Cladding Creep Collapse." BAW-10084P-A withheld. TAYLOR, J.H. Babcock & Wilcox Co. JHT/95-69. 95/07/18. Document Control Branch (Document Control Desk). 1p. 85045.027-85045.167.

184 NONDOCKETED ITEMS

- 9507260030 BAW-10084-A R03 "Program To Determine In-Reactor Performance Of BWF Fuel Cladding Creep Collapse." MILES,T., MITCHELL,D., MEYER,G. Babcock & Wilcox Co. 95/07/31. 164pp. 85045:028-85045:167.
- 9507260045 Forwards proprietary preliminary response to requests for addl info re WCAP-12945-P, "Westinghouse Code Qualification Document for Best Estimate LOCA Analysis." Encl withheld per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4511. 95/07/19. Document Control Branch (Document Control Desk). 2pp. 84871:343-84871:344.
- 9507260061 Forwards calculation VBS-RS95-2, Rev 0 & ten pages of details per NRC 950720 request. NETZEL,R.J. Sargent & Lundy, Inc. 95/07/21. YOUNG,F.J. 1p. 84854:159-84854:159.
- 9507260297 Notification of 950727 meeting w/EPRI/Terry Turbine Users Group - Kansas City,MO to discuss NRC concerns about Terry Turbine reliability. MCCracken,C.E. 95/07/20. HOLAHAN,G.M. 3pp. 8481F:326-84816:328.
- 9507270169 LER 95-011-00:in 880222,inconsistency between WCAP-11634 analysis used for postulated steam line breaks outside containment & updated FSAR was discovered due to inadequate design review.W/950721 ltr. PASTVA,M.J., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/07/21. 8pp. 84867:341-84867:349.
- 9507270368 Forwards proprietary errata & revised pages for "Final Data Rept for ADS Phase B1 Tests" (WCAP-14324),transmitted via 950413 ltr.Revised electronic copy of test data included in WCAP-14324 also encl.Encls withheld per 10CFR2.790. LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4516. 95/07/24. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84871:345-84871:355.
- 9507270388 Summary of 950707 meeting w/BWR Owners Group re accident mgt activities.List of attendees & copy of presentation mats encl. PALLA,R.L. 95/07/20. HOLAHAN,G.M. 19pp. 84842:269-84842:267.
- 9507270402 Forwards nonproprietary TR BAW-10183-A. "Fuel Rod Gas Pressure Criterion (FRGPC)" & proprietary TR BAW-10183P-A. "FRGPC." Proprietary TR BAW-10183P-A withheld. TAYLOR,J.H. Babcock & Wilcox Co. JHT/95-73. 95/07/24. Document Control Branch (Document Control Desk). 1p. 84873:286-84873:358.
- 9507270405 BAW-10183-A Nonproprietary "Fuel Rod Gas Pressure Criterion (FRGPC)." WESLEY,D.A., FARNSWORTH,D.A., MEYER,G.A. B&W Fuel Co. 95/07/31. 72pp. 84873:288-84873:358.
- 9507280038 Notification of corrected 950727 meeting w/EPRI/Terry Turbine Users Group in Kansas City,MO to discuss NRC concerns about Terry Turbine reliability. MCCracken,C.E. 95/07/21. HOLAHAN,G.M. 2pp. 84842:288-84842:289.
- 9507280309 Forwards info requested by GE Nuclear Energy on 950720 re staff ATWS/stability EPG calculations. ULSES,T.P. 95/07/25. 2pp. 84868:108-84868:113.
- 9507310278 Expresses appreciation for providing needed info re TRACG analysis. DALE,J.E. General Electric Co. 95/07/20. ULSES,T.P. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84868:110-84868:113.
- 9507310034 RAI re rev 1 to DPC-NE-3002. "FSAR Chapter 15 Sys Transient Analysis Methodology." for stated plans. MARTIN,R.E. TAC M89945. 95/07/25. TUCKMAN,M.S. Duke Power Co. 6pp. 84868:335-84868:340.
- 9507310190 Discusses 950628 conference call w/B&W & util to discuss util 950612 ltr to NRC re topical rept BAW-2225. GRUNDRUM,L.L. 95/07/21. MARCUS,G.H. 4pp. 84879:347-84879:350.
- 9507310195 TS Change 192 to License DPR-36,modifying TS 3.12.B by adding exception to permit once per Cycle 10 day remedial action time for maint purposes consistent w/CE NPSD-996. TS change is proposed. FRIZZLE,C.D. Maine Yankee Atomic Power Co. MN-95-83. 95/07/24. Document Control Branch (Document Control Desk). 5pp. 84903:035-84903:043.
- 9507310199 Summary of 950718 meeting w/BWRVIP in Rockville,MD re implementation of RPV insps as required by 10CFR50.55a(g)(6) (ii)(A). "Augmented Exam of Reactor Vessel." BATTIGE,C.K. 95/07/25. STROSNIDER,J.R. 61pp. 84868:081-84868:142.
- 9507310217 Notification of 950413 meeting w/EPRI in Rockville,MD to discuss basis & implementation of EPRI TR-103586 guidance for engineering design change process. BLACK,S.C. 95/04/06. SPESSARD,R.L. 3pp. 84868:292-84868:295.
- 9507310244 L-2023-8-1 R00 Technical ltr rept, "Assessment of Safety-Related Pumps & Valves not included in Section XI IST Programs." DIBIASIO,A., GROVE,E., TRAVIS,R. Brookhaven National Laboratory. FIN L-2023. 95/05/09. Office of Nuclear Regulatory Research (Post 941217). 32pp. 84902:225-84902:256.
- WASTE MGT NUCLEAR WASTE MANAGEMENT**
- 9506200180 Forwards copies of documents from files re Grover site decontamination,decommissioning & reclamation. WEAVER,K.L. Colorado. State of. 87/01/22. GARCIA,P. Uranium Recovery Field Ofc. R4. 1p. 84376:001-84377:223.
- 9506220199 Responds to 950505 ltr to Chairman Selin re NRC efforts to develop workable & environmentally sound policy to facilitate disposal of incident-generated mixed waste from steel producing facilities. TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/06/06. TANNER,J. House of Rep. 2pp. 84796:065-84796:069.
- 9507200366 Commends NRC efforts to develop workable & environmentally sound policy to facilitate disposal of low-level mixed waste at EPA-permitted hazardous waste landfills. TANNER,J. House of Rep. CCS. 95/05/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84796:067-84796:069.
- 9507030041 Advises NRC that EPA has completed review of PR 10CFR60 re disposal of high-level radwastes in geologic repositories.EPA has no comments. SANDERSON,R.E. Environmental Protection Agency. 95/06/20. WELLER,R.A. Division of Waste Management (NMSS 940403). 1p. 84561:182-84561:182.
- 9507030061 Informs that technical exchange scheduled for 950731 to engage in further discussions about characterization of pneumatic pathways at Yucca Mountain. GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 95/06/23. LOUX,R.R. Nevada, State of. 5pp. 84559:072-84559:076.
- 9507030063 Advises that NRC has completed review of addendum to application for sucp standards for Cameo Power Plant,dtd 950510.NRC concludes that concerns re application have been resolved. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/26. VIRGONA,J.E. Energy. Dept. of. 2pp. 84561:171-84561:172.
- 9507030066 Advises that NRC has concluded that specification changes proposed in Project Interface Document (PID) 06-S-40 acceptable. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/26. SENA,R.F. Energy. Dept. of. 4pp. 84561:175-84561:176.
- 9507030074 Trip rept of 950523-25 visit Lakeview,OR UMTRA Title I site re observation of seepage from cell. ROM,D. Engineering & Geosciences Branch (NMSS 940403). 95/06/26. NATARAJAM,S. Engineering & Geosciences Branch (NMSS 940403). 2pp. 84561:179-84561:180.
- 9507030190 Forwards "Draft BTP on Disposition of Cs-137 Contaminated Emission Control Dust & Other Incident-Related Mats." LAHS,W.R. Division of Waste Management (NMSS 940403). 95/06/15. KENNEDY,T. Association of State & Territorial Solid Waste Management Officials (ASTSWMO). 2pp. 84561:001-84561:025.
- 9507030195 Informs that data acquired from Boreholes NRG-4,NRG-6,NRG-7A & ONC-1 sent to WH Ford on 950616,in accordance w/NRC verbal request for pneumatic pressure data.Subj data provided to State of NV under separate cover. BROCOUM,S.J. Energy. Dept. of. HLWR. 95/06/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84559:033-84559:034.
- 9507030204 Forwards Rev 2C to Design Analysis BABEAD000-01717-0200-00003. "Exploratory Studies Facility (ESF) Layout Calculation." Design analysis part of ESF Title II Main Drift design. (Design Package 6A). BROCOUM,S.J. Energy. Dept. of. HLWR. 95/06/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84559:035-84559:063.
- 9507030207 BABEAD000-01717-0200 Rev 2C to BABEAD000-01717-0200-00003. "Exploratory Studies Facility Layout Calculation." KENNEDY,W.R. Energy. Dept. of. HLWR. 95/06/23. 25pp. 84559:039-84559:063.
- 9507030299 Advises that copyright clearances for references supporting US DOE response to NRC staff comments on topical rept, "Evaluation of Potentially Adverse Condition Evidence for Extreme Erosion During Quaternary Period" has been acquired. BROCOUM,S.J. Energy. Dept. of. 95/06/12. BELL,M.J. Division of Waste Management (NMSS 940403). 16pp. 84512:263-84512:278.
- 9507030302 Forwards documents received by DOE 950424 ltr re entry of DOE-related documents into Central Files. LEFEVRE,H. Division of Waste Management (NMSS 940403). 95/06/19. GREENE,T. NRC - No Detailed Affiliation Given. 1p. 84512:278-84512:278.
- 9507030300 Forwards document, "Hold on Tunnel Boring Machine Operation to Preclude Potential Loss of Data..." explaining NRC view that DOE should determine when to release hold point at geologic contact between stated units. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/05/08. GREEVES,J.T. Division of Waste Management (NMSS 940403). 12pp. 84559:115-84559:126.
- 9507030325 Forwards comments on draft BTP on disposition of Cs-137 contaminated emission control dust & other incident-related mat. NOSENCHUCK,N.H. New York, State of. 95/06/22. LAHS,W. Division of Waste Management (NMSS 940403). 5pp. 84561:128-84561:132.
- 9507030336 Forwards documents received from DOE to be placed into AD/ RIDS & NUOCS sys. DELLAGATTI,M. Division of Waste Management (NMSS 940403). HLWR. 95/06/26. FRIDLEY,S. NRC - No Detailed Affiliation Given. 1p. 84606:187-84606:283.
- 9507030340 TPP 92-12 R03 Rev 3 to Test Planning Package 92-12. "Hydrochemistry Tests in Exploratory Studies Facility." W/Document Action Requests 0036A & 0037A. OLIVER,R., HAYES,L., JONES,S. Energy. Dept. of. HLWR. 94/12/23. 24pp. 84606:188-84606:211.
- 9507030343 "Surface-Based Geophysical Testing." ltr rept. MAJER,E.L. Lawrence Berkeley Laboratory. HLWR. 95/04/30. 72pp. 84606:212-84606:283.
- 9507050216 Forwards proposed mods to Canonsburg,PA UMTRA project site completion rept (CR) & two signed certification summaries.CR mods in response to NRC 950605 ltr. ABRAMS,M.F. Energy. Dept. of. 95/06/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 37pp. 84565:313-84565:349.
- 9507050457 Forwards Dept of Energy Environ Assessment of Remedial Action at Maybell,CO,U mill tailings site. WOODWORTH,L.A. Energy. Dept. of. 95/06/22. NRC - No Detailed Affiliation Given. 6pp. 84570:190-84570:196.
- 9507060247 Provides record of surveillance YMP-SR-95-027 to verify that consolidated Non-Borehole sampling in exploratory studies facility & sample mgt facility in accordance w/requirements. SPENCE,R.E. Energy. Dept. of. HLWR. 95/06/29. HAYES,L.R. Interior, Dept. of. Geological Survey. 6pp. 84586:239-84586:244.

- 9507060251 Informs that surveillance YMP-SR-95-033 verified procedural compliance re requirements of test planning package 82-09 & subsequently determined importance of evaluation pertaining to Phase 1 of project.
SPENCE,R.E. Energy, Dept. of HLWR 95/06/29. HAYES,L.R. Interior, Dept. of, Geological Survey. 6pp. 84586:245-84586:250.
- 9507060284 Trip rept of 950601-07 visit to Managua & Leon areas, Nicaragua re June 1995 eruption of Cerro Negro volcano.
HILL,B.E., CONNOR,C.B., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR 95/06/23. Center for Nuclear Waste Regulatory Analyses. 7pp. 84598:171-84598:177.
- 9507070199 Informs that staff has verified corrective action to CAR YM-93-086 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of HLWR. 95/06/28. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 32pp. 84598:188-84598:226.
- 9507070283 Forwards Vols 1 & 2 of "Grand Junction,CO Process Site Draft Completion Rept" & "Final Audit Rept of Remedial Action Const at UMTRA Project Grand Junction,CO,Processing Site." Encls withheld.
PAPE,J.M. Energy, Dept. of 95/06/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84632:316-84632:316.
- 9507070307 Notification of 950711 meeting w/DOE & NRC in Washington & Las Vegas,NV to discuss items of mutual interest re QA.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/06/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84578:349-84578:351.
- 9507070372 Advises that performance-based audit YM-ARP-95-08, "Activities to Support Systematic Drilling Program for First & Second Boreholes" has been rescheduled.
HORTON,D.G. Energy, Dept. of HLWR. 95/06/28. COSTIN,L.S. Sandia National Laboratories. 1p. 84598:227-84598:228.
- 9507070383 Requests that corrective action to be taken & implemented to correct deficiency in audit YM-ARP-95-13.
SPENCE,R.E. Energy, Dept. of HLWR. 95/06/28. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 2pp. 84598:186-84598:187.
- 9507070387 Forwards "Ofc of Civilian Radwaste Mgt Ofc of QA Audit Plan for Audit HQ-ARC-95-09 of Yucca Mountain Site Characterization Ofc,Las Vegas,NV," for 950724-28.
HORTON,D.G. Energy, Dept. of HLWR. 95/06/29. Energy, Dept. of. 2pp. 84598:180-84598:185.
- 9507070393 "Ofc Civilian Radwaste Mgt Ofc of QA Audit Plan for Audit HQ-ARC-95-09 of Yucca Mountain Site Characterization Ofc,Las Vegas,NV," for 950724-28.
LENTZ,F.H., HORTON,D.G. Energy, Dept. of HLWR. 95/06/23. 4pp. 84598:182-84598:185.
- 9507070424 Requests that two copies of listed USGS administrative repts be sent to MJ Bell for use in on-going review of fault characteristics in Yucca Mountain area being conducted by CNWRA & NRC.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/07/06. BROCCOUM,S.J. Energy, Dept. of. 2pp. 84578:356-84578:357.
- 9507070427 Forwards ltr rept entitled, "Evaluation of Important Radionuclides for Performance Assessment" to fulfill intermediate Milestone 20-5702-723-540.
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/25. MCCARTIN,T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84598:276-84598:307.
- 9507070433 "Evaluation of Important Radionuclides for Performance Assessment."
JARZEMBA,M.S., PICKETT,D.A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/31. Division of Waste Management (NMSS 940403). 31pp. 84598:277-84598:307.
- 9507070437 Forwards paper entitled, "Quasi-Steady State Model for Coupled Liquid,Vapor & Heat Transport:Application to Proposed Yucca Mountain HLW Repository," in fulfillment of intermediate Milestone 20-5702-723-530.
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/18. MCCARTIN,T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84598:235-84598:275.
- 9507070438 "Quasi-Steady State Model for Coupled Liquid,Vapor & Heat Transport:Application to Proposed Yucca Mountain HLW Repository."
WALTON,J.C. Texas. Univ. of, El Paso, TX. LICHTNER,P.C. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/05/18. NRC - No Detailed Affiliation Given. 40pp. 84598:236-84598:275.
- 9507070476 Informs of review of completion review rept (CRR) for Canonsburg site,per request.Proposes that encl NRC evaluation be added to CRR.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84622:349-84622:350.
- 9507100058 Advises that review of intermediate milestone 5702-723-505 completed.Determined that deliverable both adequate & consistent w/technical direction & requirements met.
MCCARTIN,T. Division of Waste Management (NMSS 940403). HLWR. 95/07/06. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 84598:308-84598:308.
- 9507100064 Forwards documents re Tuba City,AZ UMTRA Project site completion rept,including responses to NRC,Navajo Nation & Hopi Tribe comments,corrected page changes & covers & DOE certification summary.
EDGE,R. Energy, Dept. of 95/06/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 152pp. 84649:113-84649:276.
- 9507100206 Forwards summary & viewgraphs presented at Nov 1992 expert judgement workshop for review & evaluation of relevance for inclusion in background or regulatory framework sections of draft staff technical position being prepared on topic.
AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/06/27. REAMER,C.W. Office of the General Counsel (Post 860701). 16pp. 84598:306-84598:324.
- 9507100368 Forwards status of volcanism program & plans for issue resolution,DOE volcanism schedule for FY95 & FY96,table of volcanism activities & schedule for remainder of FY95 through mid-FY97 & status of items requested by NRC.
BROCCOUM,S.J. Energy, Dept. of HLWR 95/06/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 16pp. 84598:338-84598:353.
- 9507110195 Informs that staff has evaluated amended response to CAR YM-95-028 & determined response satisfactory.
SPENCE,R.E. Energy, Dept. of HLWR. 95/07/06. FOUST,L.D. TRW Environmental Safety Systems, inc. 35pp. 84662:055-84662:089.
- 9507110257 Informs that staff evaluated response to Corrective Action Request YM-95-042 resulting from Yucca Mountain QA Div Audit YM-ARP-95-09 of USGS.Response determined to be satisfactory.
SPENCE,R.E. Energy, Dept. of HLWR. 95/07/03. HAYES,L.R. Interior, Dept. of, Geological Survey. 7pp. 84676:254-84676:260.
- 9507110271 Informs of evaluation of response to unsatisfactory verification of Corrective Action Request YM-94-050 resulting from Yucca Mountain QA Div Audit YMP-94-06 of USGS.Response determined to be satisfactory.
SPENCE,R.E. Energy, Dept. of HLWR. 95/07/03. HAYES,L.R. Interior, Dept. of, Geological Survey. 15pp. 84662:090-84662:104.
- 9507120166 Trip rept of 950530-0602 visit to Baltimore,MD re 1995 Spring Meeting Of American Geophysical Union.
FERRILL,D.A., BAGTZOGLOU,A., MURPHY,W. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/07/07. Center for Nuclear Waste Regulatory Analyses. 7pp. 84681:322-84681:328.
- 9507120301 Forwards "Tech Specs for Fault Displacement Module."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/15. MCCARTIN,T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84697:320-84697:356.
- 9507120304 "Tech Specs for Fault Displacement Module."
STIREWALT,G.L., MCDUFFIE,S.M., MANTEUFEL,R.D. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. NRC - No Detailed Affiliation Given. 36pp. 84697:321-84697:356.
- 9507120307 Forwards paper entitled, "Quasi-Steady State Model for Coupled Liquid,Vapor & Heat Transport:Application to Proposed Yucca Mountain HLW Repository."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/27. MCCARTIN,T.J. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84729:061-84729:102.
- 9507120314 Summary of 950314-16 meeting w/representatives of U industry in Denver,CO re issues within U industry.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/04/20. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 274pp. 84697:011-84697:257.
- 9507130051 Forwards Rev 0 to "Site Observational Work Plan for UMTRA Project Site at Falls City,TX."
METZLER,D. Energy, Dept. of 95/07/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84734:038-84735:058.
- 9507130053 Rev 0 to DOE/AL/82350-157, "Site Observational Work Plan for UMTRA Project Site at Falls City,TX."
* Jacobs Engineering Group, inc. 95/06/30. 383pp. 84734:040-84735:058.
- 9507130082 Notification of 950720 meeting w/DOE in Washington,DC & Las Vegas,NV to discuss technical issues re substantially complete containment.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84682:324-84682:326.
- 9507130088 Clarifies NRC position on future review of study plans & emphasizes importance to DOE of addressing open items currently identified,in response to DOE 950619 ltr.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/07. MILNER,R.A. Energy, Dept. of. 5pp. 84682:327-84682:331.
- 9507130119 Forwards minutes of 950523 NRC/Nye County,NV meeting in Rockville,MD re Nye County pneumatic pathways concerns.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/06. MILNER,R.A. Energy, Dept. of. 2pp. 84682:332-84682:349.
- 9507130121 Summary of 950523 NRC/Nye County,NV meeting in Rockville,MD re Nye County pneumatic pathways concerns.
BROOKS,P.P. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/23. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84682:334-84682:349.
- 9507140194 Forwards minutes of 940602 bi-monthly mgt meeting between NRC & DOE held by videoconference at DOE headquarters in Washington,DC & DOE ofcs in Las Vegas,NV re DOE contractor realignment in progress.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/12. MILNER,R.A. Energy, Dept. of. 31pp. 84729:135-84729:165.
- 9507140223 Forwards minutes of 950411 bi-monthly mgt meeting between NRC & DOE in Rockville,MD re status of multi-purpose canister program,which targets 1998 for completion of regulatory reviews.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/06/28. MILNER,R.A. Energy, Dept. of. 32pp. 84729:241-84729:277.

186 NONDOCKETED ITEMS

- 9507140400 Forwards minutes of 941206 mgt meeting between NRC & DOE held by video-telecon in Washington, DC & Las Vegas, NV re NRC proposal for limiting document submittals by DOE to license application annotated outline & SCP progress reports.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/12. MILNER, R.A. Energy, Dept. of. 30pp. 84729-211-84729-240.
- 9507140408 Forwards minutes of 950117 mgt meeting between NRC & DOE held by video-telecon in Washington, DC & Las Vegas, NV re isolation demonstration strategy.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/12. MILNER, R.A. Energy, Dept. of. 45pp. 84729-166-84729-210.
- 9507140427 Forwards Project Interface Document (PID) 06-S-42 PID modifies type of compaction equipment required at disposal cell as outlined in Spec Section 02200 of subcontract documents for Rifle, CO remedial action plan.
ARP, S.J. Energy, Dept. of. 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84760-060-84760-062.
- 9507140439 Responds to proposal sent in 950125 ltr requesting that NRC (along w/ other well-known intl organizations) co-fund innovative project recently sanctioned by membership of IJR/ESNA.
NEEL, R.B. Performance Assessment & Hydrology Branch (NMSS 940403). 95/04/27. MITCHELL, N.G. United Kingdom. 2pp. 84729-333-84729-334.
- 9507140454 Forwards "Review of Probabilistic Seismic Hazard & Fault Displacement Analyses at Non-Reactor Sites."
MCKAGUE, H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/21. JUSTUS, P.S. Engineering & Geosciences Branch (NMSS 940403). 1p. 84760-017-84760-033.
- 9507140455 "Review of Probabilistic Seismic Hazard & Fault Displacement Analyses at Non-Reactor Sites."
TAJIMA, F., HOFMANN, R.B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. NRC - No Detailed Affiliation Given. 16pp. 84760-018-84760-033.
- 9507140456 Informs of review & concurrence on Commission paper (CP), recommending withdrawal of ANPR on land ownership requirements for LLW sites. Suggests that listed statement be considered substitute for statement on pp 2 of CP.
PAPERIELLO, C.J. Office of Nuclear Material Safety & Safeguards. 95/05/24. MORRISON, D.L. Office of Nuclear Regulatory Research (Post 941217). 2pp. 84760-056-84760-057.
- 9507140459 Forwards Gold Basin road realignment grids for area on processing site where relocated road proposed to be constructed.
ARP, S.J. Energy, Dept. of. 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 84760-043-84760-051.
- 9507140467 Forwards "DOE OCRWM Ofc of QA Audit Rept of Reynolds Electrical & Engineering Co, Inc Las Vegas, NV Audit YM-ARP-95-10 on 950606-09."
HORTON, D.G. Energy, Dept. of. HLWR. 95/07/07. KOSS, D.L. Reynolds Electrical & Engineering Co., Inc. 2pp. 84729-107-84729-118.
- 9507140468 YM-ARP-95-10 "DOE OCRWM Ofc of QA Audit Rept of Reynolds Electrical & Engineering Co, Inc Las Vegas, NV Audit YM-ARP-95-10 on 950605-09."
HUMPHRIES, C.A., HORTON, D.G. Energy, Dept. of. HLWR. 95/07/06. 10pp. 84729-109-84729-118.
- 9507170266 Forwards not-readily-available ref list cited in Site Characterization Progress Rept 11.
BROCCOUM, S.J. Energy, Dept. of. HLWR. 95/05/01. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 84754-316-84754-323.
- 9507180182 Informs of deferral of regulatory oversight to EPA for West Lake Landfill in Bridgeton, MO.
WEBER, M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/16. SANDERSON, M. Environmental Protection Agency. 3pp. 84765-302-84765-304.
- 9507180256 Forwards design analysis entitled, "Determination of Importance Evaluation for Subsurface Exploratory Studies Facility." Analysis third in series part of Exploratory Studies Facility Title II design package.
BROCCOUM, S.J. Energy, Dept. of. HLWR. 95/07/10. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84778-097-84778-227.
- 9507180278 BAB000000-01717-22 Rev 05B of evaluation BAB000000-01717-2200-00005. "Determination of Importance Evaluation for Subsurface Exploratory Studies Facility."
Energy, Dept. of. 95/06/23. 129pp. 84778-100-84778-227.
- 9507190005 Forwards revised calculation re utilization of site-specific test results for radon flux. Revised calculation indicates min frost barrier thickness of 5 feet required.
ARP, S.J. Energy, Dept. of. 95/07/10. GILLEN, D. NRC - No Detailed Affiliation Given. 2pp. 84789-278-84789-336.
- 9507190008 06-570-13-01 R01 "UMTRA-RIFLE, Embankment Design Radon Barrier Evaluation."
Morrison-Knudsen Co., Inc. 95/06/30. 57pp. 84788-280-84788-336.
- 9507190087 Forwards Study Plan 8.3.1.17.4.12, Rev 1, for Yucca Mountain site.
BROCCOUM, S.J. Energy, Dept. of. HLWR. 95/07/05. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84789-001-84789-175.
- 9507190095 Study Plan for study 8.3.1.17.4.12, "Tectonic Models & Synthesis." Rev 1.
Interior, Dept. of, Geological Survey. HLWR. 95/06/08. 175pp. 84789-004-84789-175.
- 9507200110 Forwards issuance of Surveillance Record YMP-SR-95-021 resulting from Yucca Mountain QA Div Surveillance of Civilian Radwaste Mgt Sys Mgt & Operating Contractor.
SPENCE, R.E. Energy, Dept. of. HLWR. 95/07/13. FOUST, L.D. TRW Environmental Safety Systems, Inc. 5pp. 84790-279-84790-283.
- 9507200117 Forwards issuance of Surveillance Record YMP-SR-95-036 resulting from Yucca Mountain QA Div Surveillance of Yucca Mountain Site Characterization Ofc US Geological Survey & Civilian Radwaste Mgt Sys Mgt & Operating Contractor.
SPENCE, R.E. Energy, Dept. of. HLWR. 95/07/12. FOUST, L.D. TRW Environmental Safety Systems, Inc. 6pp. 84790-273-84790-278.
- 9507200123 Evaluates Amended Response to Corrective Action Request YM-95-041 resulting from Yucca Mountain QA Div Audit YM-ARP-95-09 of US Geological Survey.
SPENCE, R.E. Energy, Dept. of. HLWR. 95/07/12. HAYES, L.R. Interior, Dept. of, Geological Survey. 6pp. 84790-284-84790-289.
- 9507200245 Forwards status of corrective action requests issued by OCRWM Ofc of QA as of 950630.
HORTON, D.G. Energy, Dept. of. HLWR. 95/07/14. SPRAU, J.G. NRC - No Detailed Affiliation Given. 11pp. 84790-290-84790-300.
- 9507200382 Forwards responses to audit observer inquiries submitted by State of NV prior to June Audit YM-ARP-95-12 of US Geological Survey.
HORTON, D.G. Energy, Dept. of. HLWR. 95/07/11. LOUX, R.R. Nevada, State of. 2pp. 84815-162-84815-164.
- 9507200384 Requests listed info to NRC. Correspondence prepared in response to action item from US DOE/NRC mgt meeting w/o encl.
HORTON, D.G. Energy, Dept. of. HLWR. 95/07/11. MILNER, R.A. Energy, Dept. of. 2pp. 84815-164-84815-164.
- 9507210071 Submits NRC staff comments & questions on Site Characterization Progress Rept Number 11. Staff comment concerns potential for ash fall at site.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/18. MILNER, R.A. Energy, Dept. of. 12pp. 84815-226-84815-237.
- 9507210078 Forwards requested site characterization study 8.3.1.17.4.3 re Yucca Mountain site quaternary faulting.
BROCCOUM, S.J. Energy, Dept. of. HLWR. 95/07/18. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84815-199-84815-201.
- 9507210082 Advises that study plan 8.3.1.17.4.3 being maintained in Div of Waste Mgt & available for review.
DELLIGATTI, M. NRC - No Detailed Affiliation Given. 95/07/20. FRIDLEY, S. NRC - No Detailed Affiliation Given. 1p. 84815-201-84815-201.
- 9507250025 "Preliminary Evaluation of Bare Mountain Fault Zone, Tarantula Canyon, Nye County, NV."
ANDERSON, L.W., KLINGER, R.E. Colorado, State of. 95/07/18. 28pp. 84834-133-84834-165.
- 9507250029 "Late Quaternary Slip Rate Estimates for Death Valley & Furnace Creek Faults, Death Valley, CA."
KLINGER, R.E., PIETY, L.A. Colorado, State of. 95/07/18. 45pp. 84834-166-84834-286.
- 9507210168 Requests Branch support in review of draft Completion Rept for Falls City, TX U mill tailings site.
HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/07/03. AUSTIN, J. Performance Assessment & Hydrology Branch (NMSS 940403). 2pp. 84807-333-84807-334.
- 9507210185 Responds to 950426 concerning ofc responsible for assuring worker safety & health during exploratory studies facility const.
MILNER, R.A. Energy, Dept. of. HLWR. 95/05/31. HOLONICH, J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84815-216-84815-218.
- 9507210297 Forwards CNWRA 95-012, "Experimental Scale-Model Study of Seismic Response of Underground Opening in Jointed Rock Mass."
SAGAR, B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/27. RANDALL, J. Division of Regulatory Applications (Post 941217). 1p. 84818-081-84818-275.
- 9507210300 CNWRA 95-012 "Experimental Scale-Model Study of Seismic Response of Underground Opening in Jointed Rock Mass."
KANA, D.D., FOX, D.J., HSIUNG, S. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. Division of Regulatory Applications (Post 941217). 194pp. 84818-082-84818-275.
- 9507210304 Forwards CNWRA 95-014, "Review of Empirical Thermodynamic Data for Uranyl Silicate Minerals & Experimental Plan."
SAGAR, B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/28. RANDALL, J.D. Division of Regulatory Applications (Post 941217). 1p. 84821-046-84821-069.
- 9507210306 CNWRA 95-014 "Review of Empirical Thermodynamic Data for Uranyl Silicate Minerals & Experimental Plan."
MURPHY, W.M. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. Division of Regulatory Applications (Post 941217). 22pp. 84821-047-84821-069.
- 9507240267 Advises that QA Audit YM-ARC-95-17 of Kiewit/Parsons Brinkerhoff scheduled to be conducted wk of 950807-11 rescheduled for wk of 951113-17.
HORTON, D.G. Energy, Dept. of. HLWR. 95/07/18. KOSS, D.L. Reynolds Electrical & Engineering Co., Inc. 2pp. 84832-001-84832-002.
- 9507240394 Trip rept of 950604-07 visit to Lake Tahoe, NV re 35th US Symposium on Rock Mechanics.
GHOSH, A., CHOWDHURY, A.H., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/07/07. Center for Nuclear Waste Regulatory Analyses. 49pp. 84831-280-84831-324.
- 9507240405 Trip rept of 950619-23 visit to Rockville, MD re presentation re SEISM 1.1 Computer Code At ACNW meeting of 950621 & discussion w/P Justus re current & future seismic-related work.
HOFMANN, R.B., MCKAGUE, H.L., SAGAR, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/06/30. Center for Nuclear Waste Regulatory Analyses. 4pp. 84821-114-84821-117.

9507240425 Trip rept of 950517-18 visit to Yucca Mountain & Crater Flat re surface based & underground site characterization activities.
STAMATAKOS,J., CHEN,R., FERRILL,D.A. Center for Nuclear Waste Regulatory Analyses. HLWR 95/07/27. Center for Nuclear Waste Regulatory Analyses. 11pp. 84831:269-84831:279.

9507250199 Trip rept of 950430-0505 visit to Las Vegas,NV re Sixth Annual Intl HLW Mgt Conference & Exposition.
MIKLAS,M.P., MCKAGUE,R.L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR 95/07/02. Center for Nuclear Waste Regulatory Analyses. 10pp. 84831:350-84831:359.

9507260036 Advises NRC that Kiski Valley Water Pollution Control Authority concerned about incompleteness of characterization of Authority lagoon.NRC requested to complete characterization.
KOSSAK,R.N. Kiski Valley, PA. 95/06/26. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84836:356-84836:356.

9507260039 Forwards rev 0 to draft DOE/AL/62350-194. "Comment & Response Document for Proposed Ground Water Protection Strategy..." & rev 2 to DOE/AL/62350-169. "Proposed Ground Water Protection Strategy for U Mill Tailings Site..."
PARK,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/07/21. FRIDLEY,S. Document Control Branch (Document Control Desk). 2pp. 84839:015-84839:284.

-9507260043 DOE/AL/62350-194 R00 Draft "Comment & Response Document for Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River, UT."
* Energy, Dept. of. 95/07/31. 14pp. 84839:018-84839:031.

-9507260044 DOE/AL/62350-169 R02 Draft "Proposed Ground Water Protection Strategy for U Mill Tailings Site at Green River, UT."
* Energy, Dept. of. 95/07/31. 253pp. 84839:032-84839:274.

9507260047 Advises that author branch has reviewed intermediate milestone IM 20-5702-542-610 for CNWRA,intermediate milestone acceptable.Discussion provided & comments encl.
INTERFRANTE,C.G. Engineering & Geosciences Branch (NMSS 940403). HLWR 95/07/17. MEEHAN,B.D. Contract Administration Branch 1 (Post 900603). 4pp. 84868:025-84868:028.

9507260095 Notification of 950731 videoconference w/DOE in Washington, DC & Las Vegas,NV re technical exchange on unsaturated zone pneumatic pathways.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR 95/07/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84868:036-84868:038.

9507260101 Forwards transcripts of two briefings recently conducted on use of expert elicitation in high-level waste program.W/o encls.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR 95/07/21. BROCOUM,S.J. Energy, Dept. of. 2pp. 84868:034-84868:035.

9507270136 Submits followup response to RM Bernero 950110 ltr responding to M Loomis 941215 ltr to I Selin re NRC review of reclamation plans for U recovery sites.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/07/14. LOOMIS,M. Wyoming Mining Association. 7pp. 84873:251-84873:265.

9507270155 Forwards Rev 1 to YMP/92-11Q. "Waste Package Implementation Plan," for Yucca Mountain site characterization project.
BROCOUM,S.J. Energy, Dept. of. HLWR 95/07/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84867:242-84867:316.

-9507270167 Rev 1 to YMP/92-11Q. "Waste Package Implementation Plan," re Yucca Mountain site characterization project.
REPLOGUE,J.M., SPENCE,R.E., NELSON,R.M. Energy, Dept. of. 94/12/06. 73pp. 84867:244-84867:316.

9507270381 Informs that next two meetings of Inter-Agency Steering Committee on Radiation Stds Risk Harmonization Subcommittee on 950802 & 23 in Washington,DC (w resolve issues noted in White Paper on risk harmonization).
WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/20. Affiliation Not Assigned. 10pp. 84874:145-84874:154.

9507270383 Forwards evaluation of radiological section for Canonsburg completion rept.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/07/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84874:141-84874:144.

9507270394 Forwards summary notes from 950613 meeting w/Nuclear Energy Inst (NEI),Fuel Cycle Facilities Forum (FCFF),NRC & EPA in Rockville,MD on decommissioning issues.Encl summary notes revised to respond to comments by NEI & FCFF.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/30. KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 18pp. 84874:120-84874:137.

9507270403 Submits request for addl info in order to ensure NRC, determination based on complete & accurate info.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/13. PULSIFER,H.A. Affiliation Not Assigned. 4pp. 84874:116-84874:119.

9507270408 Responds to 950609 ltr re termination of US NRC low-level radwaste topical rept review program.
BELL,M.J. Division of Waste Management (NMSS 940403). 95/07/10. WOMACK,L.F. Pacific Gas & Electric Co. 3pp. 84871:356-84871:358.

9507280061 Forwards rept entitled, "CNWRA Regional Hydrogeology Geographic Info Sys Database," re data collected hydro- geologic processes of Death Valley region.
SAGAR,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR 95/04/27. RANDALL,J.D. Office of Nuclear Regulatory Research (Post 941217). 1p. 84883:194-84883:261.

-9507280064 CNWRA 95-009 "CNWRA Regional Hydrogeology Geographic Info Sys Database." dtd Apr 1995.
* Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. 95/04/30. NRC - No Detailed Affiliation Given. 70pp. 84883:195-84883:261.

9507280087 Forwards intermediate milestone 20-5704-177-501. "Field Testing Study Plan for Apache Leap Tuff Site:CNWRA Data Needs."
SAGAR,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR 95/07/05. RANDALL,J.D. Office of Nuclear Regulatory Research (860720-941217). 1p. 84883:177-84883:193.

-9507280090 "Field Testing Study Plan for Apache Leap Tuff Site:CNWRA Data Needs." dtd July 1995.
BAGTZOGLOU,A.C., TURNER,D.R., LICHTNER,P.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/07/31. NRC - No Detailed Affiliation Given. 18pp. 84883:178-84883:193.

9507310029 Forwards "DOE OCRWM Ofc of QA Audit Rept of Yucca Mountain Site Characterization Ofc Las Vegas,NV,Audit Number YM-ARP-95-13 on 950619-23."
HORTON,D.G. Energy, Dept. of. HLWR. 95/07/21. BARNES,W.E. Energy, Dept. of. 2pp. 84883:272-84883:283.

-9507310033 YM-ARP-95-13 "DOE OCRWM Ofc of QA Audit Rept of Yucca Mountain Site Characterization Ofc, Las Vegas,NV,Audit Number YM-ARP-95-13 on 950619-23."
KRATZINGER,F.J., HORTON,D.G. Energy, Dept. of. HLWR. 95/07/20. 10pp. 84883:274-84883:283.

9507310125 Forwards rept of OCRWM Surveillance HQ-SRP-95-02 on 950260 of M&O QA program & implementation activities re M&O QA organization review of Multi-Purpose Canister contractor QA program.
CLARK,R.W. Energy, Dept. of. HLWR. 95/07/26. ROBERTSON,R.L. TRW Environmental Safety Systems, inc. 6pp. 84883:266-84883:271.

9507310146 Informs of acceptance of LBL's QAR & description implementation matrix.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/07/24. BODVAK,SJONG,S. Lawrence Berkeley Laboratory. 1p. 84883:262-84883:262.

9507310150 Forwards DOE responses to NRC comments & nine questions re Study Plan 8.3.1.8.5.1 (Characterization of Volcanic Features).
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/07/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 31pp. 84914:005-84914:046.

-9508010100 Rev 0 to technical procedure NWM-USGS-GCP-29. "Thermoluminescence Dating."
WIDMANN,B.L., PETERMAN,Z.E., MAAT,P. Interior, Dept. of. Geological Survey. HLWR 93/07/20. 11pp. 84914:036-84914:046.

9507310151 Requests portions of samples obtained from Pena Blanca, Mexico,natural analogue study location.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/07/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84883:263-84883:265.

EXPORT/IMPORT AND IMPORT LICENSES

9507030196 Responds to request of 950608,informing of amend of export license consistent w/provisions of Atomic Energy Act of 1954.
BUSICK,E.R. State, Dept. of. 95/06/16. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 84512:132-84512:132.

9507030210 Confirms that items listed in attachments in Note 106 will be held subject to Agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
* Japan. 95/03/28. U.S. Embassies. 5pp. 84512:124-84512:128.

9507030216 Informs that Ofc of Arms Control & Nonproliferation has received prior consent for exports of Australian origin matl to Japan.
* Energy, Dept. of. 95/06/19. WRIGHT,B. Office of International Programs (Post 911117). 1p. 84512:150-84512:150.

9507030224 Forwards license application covering proposed export of reload fuel assemblies by Westinghouse Electric Corp to Maanshan Units 1 & 2 located in Taiwan.
MCDONOUGH,E.F. Westinghouse Electric Corp. EFM-95-0066. 95/06/12. HAUBER,D.D. Assistant Director for Exports, Security & Safety Cooperation. 1p. 84512:122-84512:123.

-9507030230 Application for license to export U dioxide pellets encapsulated in sealed fuel rods & assembled into completed fuel assemblies to Taiwan.
MCDONOUGH,E.F. Westinghouse Electric Corp. EFM-95-0066. 95/06/12. 1p. 84512:123-84512:123.

9507030225 Submits correction to authorization of 950526,adding intermediate cosignee of BFC,Romans/France & authorization by EURATOM to receive & possess matl per Agreement for Cooperation of 600725,re exportation of 1 550 kgs of U.
DE BLOCK,M. European Communities, Commission of. 95/06/19. DEDIK,T. Energy, Dept. of. 1p. 84512:151-84512:151.

9507030237 Forwards application to export U as U hexafluoride to Japan for use as reload fuel in Sendai Nuclear Power Station,Unit 2,owned by Kyushu Electric Power Co,Inc.
FISK,R.H. Edlow International Co. 95/06/21. WRIGHT,B. Office of International Programs (Post 911117). 1p. 84512:152-84512:153.

-9507030243 Application for license to export 6,937 kg of U as U hexafluoride to Japan.
FISK,R.H. Edlow International Co. KLK-101. 95/06/21. 1p. 84512:153-84512:153.

9507030251 Confirms that items listed in attachment in Note 113,dtd 950302,will be held subject to Agreement upon entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
* Japan. 95/03/28. U.S. Embassies. 4pp. 84512:118-84512:121.

-9507030239 Application for license to export 865 kgs of U,containing 20,806 kg U-235, to Japan.
* Edlow International Co. 95/03/02. 1p. 84512:117-84512:121.

188 NONDOCKETED ITEMS

- 9507030252 Forwards application to export U as U hexafluoride to Japan for use as reload fuel in Mihama Power Station, Unit 2, owned by Kansai Electric Power Co., Inc. FISK, R.H. Edlow International Co. 95/06/21. WRIGHT, B. Office of International Programs (Post 911117). 1p. 84509:358-84509:360.
- 9507030256 Application for license to export 14,782 kg of U as U hexafluoride to Japan. FISK, R.H. Edlow International Co. KLK-100. 95/06/21. 2pp. 84509:359-84509:360.
- 9507030263 Recommends that license be issued subj to provisions noted re 950511 ltr which requested views of Executive Branch as to whether issuance of export license (AW application meets applicable criteria of Atomic Energy Act of 1954. MCGOLDRICK, F. Senate. 95/06/19. STOIBER, C.R. Office of International Programs (Post 911117). 1p. 84509:357-84509:357.
- 9507030269 Confirms that items listed in attachments in Note 245 will be held subject to Agreement upon entry into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. * Japan. 95/05/23. U.S. Embassies. 5pp. 84512:112-84512:116.
- 9507030278 Confirms that items listed in attachments in Note 136 will be held subject to agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. * Japan. 95/03/22. U.S. Embassies. 6pp. 84512:248-84512:253.
- 9507030290 Confirms that items listed in attachments in Note 152 will be held subject to Agreement upon their entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan. * Japan. 95/04/03. U.S. Embassies. 8pp. 84511:340-84511:347.
- 9507030303 Responds to amended export application, informing that Ofc of Arms Control & Nonproliferation has received prior consent for exports of Australian origin matl to France. Agreement allows exports for conversion & enrichment up to 20% U-235. * Energy, Dept. of. 95/06/19. NRC - No Detailed Affiliation Given. 1p. 84509:353-84509:353.
- 9507030304 Responds to export applications, informs that Ofc of Arms Control & Nonproliferation has received prior consent for exports of Australian origin matl to Japan. Agreement allows exports for conversion & enrichment up to 20% U-235. * Energy, Dept. of. 95/06/19. NRC - No Detailed Affiliation Given. 1p. 84512:256-84512:256.
- 9507030338 Forwards repts listing all NRC export cases completed, received or pending during May 1995. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/22. DELABARRE, R. State, Dept. of. 7pp. 84536:001-84536:013.
- 9507050188 Application for license to export 22,709 kgs enriched U Hexafluoride (UF6) to Japan. * Mitsui & Co. (USA), Inc. MBK-F3-R17. 95/06/21. 1p. 84528:336-84528:336.
- 9507050390 Forwards two applications for export of low-enriched Uranium to Japan. W/o encl. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/27. DELABARRE, R. State, Dept. of. 1p. 84528:355-84528:355.
- 9507050395 Forwards application for export license XSNM-2885, recently received by NRC for export to Taiwan of low-enriched U in form of pellets contained in completed fuel assemblies for use as reload fuel in Maanshan Units 1 & 2. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/27. DELABARRE, R. Senate. 1p. 84539:088-84539:088.
- 9507060005 Submits Rev 1 advance notification of listed export shipment per requirements from implementation of convention of physical protection of nuclear matl. HOLDEN, D.W. General Electric Co. SPN-51665-F. 95/06/01. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625:008-84625:009.
- 9507060015 Submits notification of listed shipment, per requirements of 10CFR73.73 to Japan. ASAMI, K. Affiliation Not Assigned. 95/05/15. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 3pp. 84518:094-84518:098.
- 9507060021 License for Marubeni America Corp to export 533.0 kgs of U-235 contained in 13,736.0 kgs U, enriched to 4.95 w/o max, as U hexafluoride (UF6) to Japan. HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. JJ5792. 95/02/24. 2pp. 84516:097-84516:098.
- 9507060022 Submits advance notification of listed export shipment, per requirements from implementation of convention of physical protection of nuclear matl. SHIROTA, Y. Mitsui & Co. (USA), Inc. JPN-51623-F. 95/05/02. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84516:110-84516:111.
- 9507060023 Provides advance notification of export shipment of special nuclear matl of low strategic significance in form of 17.841 kgs U-235 to Spain. HOLDEN, D.W. General Electric Co. SPN-51669-F. 95/05/25. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84516:112-84516:113.
- 9507060025 Forwards application for license to export nuclear material & equipment. FISK, R.H. Edlow International Co. 95/06/27. WRIGHT, B. Office of International Programs (Post 911117). 1p. 84536:191-84536:192.
- 9507060030 Application for license to export 329,640 kg of Natural Uranium as UF6. FISK, R.H. Edlow International Co. UR-LIC-1. 95/06/27. 1p. 84536:192-84536:192.
- 9507060036 Forwards 950511 & 0616 memo from NRC Div of Fuel Cycle Safety & Safeguards containing info requested to assist DOS in responding to Trinidad request for addl info re Shieldalloy proposed export to Trinidad of Natural U. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/27. DELABARRE, R. State, Dept. of. 1p. 84539:089-84539:125.
- 9507060028 Responds to 950511 memo from G Comfort to BL Wright re IAEA standards. EVES, C.S. Shieldalloy Metallurgical Corp. 95/06/01. WRIGHT, B.L. Office of International Programs (Post 911117). 11pp. 84539:113-84539:125.
- 9507060047 Responds to customer request for addl shipment. HOLDEN, D. General Electric Co. 95/05/25. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 84516:114-84516:114.
- 9507060052 Forwards revised notification of shipments to Spain re change in vessel names. W/o encl. HOLDEN, D. General Electric Co. 95/06/06. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 84516:115-84516:115.
- 9507060056 Provides advance notice of export shipment of special nuclear material to Spain. HOLDEN, D.M. General Electric Co. SPN-51665-F. 95/05/23. BENNINGTON, G. NRC - No Detailed Affiliation Given. 2pp. 84516:116-84516:117.
- 9507060256 Forwards application for shipment of 250,000 milligrams of enriched U-235 to Belgium. BOYD, L.W. Energy, Dept. of. 95/06/14. WRIGHT, B.L. Office of International Programs (Post 911117). 1p. 84540:001-84540:003.
- 9507060260 Application for license to export 250,000 mg U-235 to Belgium. BOYD, L.W. Energy, Dept. of. 95/06/14. 1p. 84540:003-84540:003.
- 9507060286 Forwards application for export license to export low-enriched U metal for use in preparing European Community certified matl for U accountability measurements, to Belgium. W/o encl. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/29. DEDIK, T. Energy, Dept. of. 1p. 84536:132-84536:132.
- 9507060290 Forwards request from applicant re amend to export license application XSNM-2867. W/o encl. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/29. DELABARRE, R. State, Dept. of. 1p. 84536:289-84536:289.
- 9507060302 Forwards application for export license to export low-enriched U for use as reload fuel for Fukushima I in Japan. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/29. DELABARRE, R. State, Dept. of. 1p. 84536:290-84536:290.
- 9507070125 Submits corrections to application XSNM-2867 including changes to columns 9 & 17 as listed. SVEJKOVSKY, J. Mitsui & Co., Ltd. 95/06/26. WRIGHT, B.L. Office of International Programs (Post 911117). 2pp. 84559:249-84559:250.
- 9507070300 Forwards repts listing NRC export cases completed, received or pending during month of June 1995. HAUBER, R.D. Office of International Programs (Post 911117). 95/07/05. DELABARRE, R. Energy, Dept. of. 7pp. 84684:239-84684:260.
- 9507110147 Forwards application for export license for export of natural U as UF6 for enrichment in United Kingdom & return to US for use in US commercial power reactors. W/o encl. HAUBER, R.D. Office of International Programs (Post 911117). 95/07/05. DEDIK, T. Energy, Dept. of. 1p. 84617:010-84617:010.
- 9507140008 Forwards revised advance notice of one 3.95 cylinder to France. Receiver address & departing date changed. W/o encl. HOLDEN, D. General Electric Co. 95/06/16. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84625:069-84625:069.
- 9507140010 Submits advance notice of export shipment of special nuclear matl of low strategic significance (category III) to Tokyo, Japan. HOLDEN, D. General Electric Co. JPN-51680-F. 95/05/31. BENNINGTON, G. NRC - No Detailed Affiliation Given. HOLDEN, D. General Electric Co. 2pp. 84625:085-84625:086.
- 9507140013 Submits notice of export of 59,435 kgs U-235 contained in 1,503 kgs of UF6, to France. Rev 1. HOLDEN, D.W. General Electric Co. 95/06/16. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625:087-84625:088.
- 9507140017 Submits rev 1 to advance notification of shipment of SNM of low strategic significance to France. HOLDEN, D. General Electric Co. FRA-51692-F. 95/07/10. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 1p. 84625:116-84625:116.
- 9507140018 Submits advance notification of listed import shipment, per requirements of Annex I to convention on physical protection of nuclear matl. KIRKLAND, M.W. General Electric Co. 95/06/15. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625:117-84625:118.
- 9507140022 Confirms that UO2 for K7-G sixth shipment arrived at JNF on 950706 as scheduled in good condition. SVEJKOVSKY, J. Mitsui & Co. (USA), Inc. 95/07/10. BENNINGTON, G. NRC - No Detailed Affiliation Given. HOLDEN, D.W., BRECHTLEIN General Electric Co. 1p. 84625:124-84625:124.
- 9507140027 Submits Rev 2, advance notification of export shipment of special nuclear matl of low strategic significance, not to exceed 122.79 Kg U-235, to Spain. HOLDEN, D.W. General Electric Co. SPN-51665-F. 95/06/06. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625:145-84625:146.
- 9507140030 Forwards revisions of three powder shipments to Spain due to change in vessel, VOY & arrival date in Cadiz, Spain. W/o encl. HOLDEN, D. General Electric Co. 95/05/26. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 84625:148-84625:148.
- 9507140031 Submits advance notification of listed import shipment, per requirements from implementation of convention of physical protection of nuclear matl. HEHR, W. 95/06/08. BENNINGTON, G. Office of Nuclear Material Safety & Safeguards. 2pp. 84625:149-84625:150.
- 9507140080 Forwards copy of export license for low enriched UF6 shipment. SAITO, A. Marubeni America Corp. 95/06/19. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 84625:278-84625:280.
- 9507140097 License for Marubeni America Corp to export 1,371 Kg U 235 containing in 36,537 Kg U enriched to 4.45 w/o max in form of U hexafluoride and uranium dioxide, to Japan. HAUBER, R.D. Office of International Programs (Post 911117). JJ5797. 95/06/15. 2pp. 84625:279-84625:280.

9507140113 Forwards copy of export license for low enriched UF6 shipment w/o encl. SAITO, A. Affiliation Not Assigned. 95/06/19. BENNINGTON, G. NRC - No Detailed Affiliation Given. 1p. 84625.281-84625.281.

9507260302 License for Urenco, Inc to export 500,000 kg of natural U as UF6 to Netherlands & United Kingdom. HAUBER, R.D. Office of International Programs (Post 911117). 95/06/19. 1p. 84816.329-84816.330.

9507260303 Amended application, revising ultimate end-use statement contained in Box 11 of 950522 application to read as stated. Phrase "EURATOM" removed from statement. THRELFALL, S.P. Urenco, Inc. 795-7. 95/07/07. WRIGHT, B. Office of International Programs (Post 911117). 1p. 84816.349-84816.349.

9507260304 Certifies that terms & conditions of Add'l Agreement for Cooperation will apply to mats mentioned in XSOU-8740 & that URENCO facilities in Netherlands & England authorized by EURATOM to receive & possess mat. GOPPEL, M. EURATOM Supply Agency. 95/07/17. WRIGHT, B. Office of International Programs (Post 911117). DEDIK, T. Energy, Dept. of. 1p. 84816.350-84816.350.

9507260305 Confirms that transfer of mats of XSOU-8740 will be subject to all terms & conditions of Agreement for Cooperation concerning Civil Uses of Atomic Energy between Govt of Canada & Govt of US. LAIDLAW, W.A. Canada Atomic Energy Control Board. SG-2179. 95/07/13. WRIGHT, B.L. Office of International Programs (Post 911117). DEDIK, T. Energy, Dept. of. 1p. 84816.351-84816.351.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT, R.B.	9507060083	50-220 S	ANDERSON, C.J.	9507240066*	50-277 Q	AXELSON, W.L.	9507120394	50-315 Q
ABBOTT, R.B.	9507060175	50-220 F	ANDERSON, C.J.	9507270307	50-277 P	AXELSON, W.L.	9507190020	50-456 Q
ABBOTT, R.B.	9507190332	50-220 R	ANDERSON, L.F.	9507270040*	STATE PRO G	AXELSON, W.L.	9507200212	50-341 Q
ABELQUIST, E.W.	9507260008*	70-734	ANDERSON, L.W.	9507250025*	WASTE MGT	BACA, R.G.	9507070427	WASTE MGT
ABRAMS, M.F.	9507050216	40-6500	ANDERSON, M.L.	9507210145	50-305 R	BACA, R.G.	9507070436	WASTE MGT
ADAMS, A.	9507060133	50-146 S	ANDERSON, R.A.	9507060388	50-324 P	BACA, R.G.	9507120301	WASTE MGT
ADAMS, A.	9507200154	50-274 P	ANDERSON, R.O.	9507030319	50-282 P	BACA, R.G.	9507120307	WASTE MGT
ADAMS, A.	9507270303	STATE PRO G	ANDERSON, R.O.	9507050193	50-263 F	BACHMANN, R.G.	9507100062	70-3070
ADAMS, A.	9507310213	50-62 P	ANDERSON, R.O.	9507070332	50-263 F	BAER, R.L.	9507200237	71-185
ADAMS, M.T.	9507240363	70-1257	ANDERSON, R.O.	9507100269	50-282 Q	BAGCHI, G.	9507180141*	50-255 Y
ADAMS, O.	9507170386	CONTRACT	ANDERSON, R.O.	9507110326	50-282 R	BAGGETT, S.	8806070205*	REG CERT
ADAMS, T.G.	9507030166	40-8724	ANDERSON, R.O.	9507170138	50-282 S	BAGGETT, S.	9507270223*	STATE PRO G
ADAMS, W.C.	9507190111*	50-72 W	ANDERSON, R.O.	9507180199	50-263 F	BAGGETT, S.L.	9507270185*	STATE PRO G
ADAMS, W.C.	9507260006	70-734	ANDERSON, R.O.	9507190083	50-282 Q	BAGGETT, S.L.	9507270200*	STATE PRO G
ADAMS, W.C.	9507260008*	70-734	ANDERSON, R.O.	9507200042	50-263 R	BAGGETT, S.L.	9507270205*	STATE PRO G
ADNEY, R.J.	9507060134	50-327 Q	ANDERSON, R.O.	9507240036	50-282 S	BAGGETT, S.L.	9507270213*	STATE PRO G
ADNEY, R.J.	9507060147	50-327 Q	ANDERSON, R.O.	9507240046	50-282 S	BAGGETT, S.L.	9507270215*	STATE PRO G
ADNEY, R.J.	9507070202	50-328 S	ANDERSON, R.O.	9507250092	50-306 S	BAGGETT, S.L.	9507270219*	STATE PRO G
ADNEY, R.J.	9507110120	50-328 S	ANDREWS, S.J.	9507120216	PT21	BAGGETT, S.L.	9507270232*	STATE PRO G
ADNEY, R.J.	9507110134	50-327 S	ANDREWS, S.J.	9507180213	PT21	BAGGETT, S.L.	9507270237*	STATE PRO G
ADNEY, R.J.	9507240277	50-327 S	ANG, W.P.	9507050028*	50-387 Q	BAGTZOGLU, A.	9507120166	WASTE MGT
ADNEY, R.J.	9507240329	50-328 S	ANGELICO, P.	9507310171*	FOIA	BAGTZOGLU, A.C.	9507280090*	WASTE MGT
ADNEY, R.J.	9507270133	50-327 S	ANGUS, M.J.	9507110096	50-275 F	BAHR, J.M.	9507260128	50-247 S
ADNEY, R.J.	9507280110	50-327 S	ANGUS, M.J.	9507250014	50-275 F	BAILEY, M.	9507190025*	50-295 Q
AFFOLTER, R.D.	9507030117	50-483 S	ANUSKIEWICZ, R.	9507180323*	FOIA	BAILEY, P.E.	9507180363	CONTRACT
AFFOLTER, R.D.	9507110214	50-483 R	ANUSKIEWICZ, R.	9507180325*	FOIA	BAILEY, S.J.	9507190343	50-309 R
AHMANN, R.	9507180170*	52-4	ARCHITZEL, R.E.	9507060220	52-3	BAJRAJSZEWSKI, J.	9507270151*	50-327 S
AHMANN, R.J.	9507120266*	50-366 P	ARNOLD, W.M.	9507120211	71-9234	BAKER, K.	9507260087	40-8902
AHMANN, R.J.	9507120268*	50-366 P	ARP, S.J.	9507140427	WASTE MGT	BALDWIN, R.S.	9507120088*	50-395 Q
AHMANN, R.J.	9507120274*	50-366 P	ARP, S.J.	9507140459	WASTE MGT	BALL, R.S.	9507190342	50-387 R
AKERS, S.	9507130132	QA999	ARP, S.J.	9507190005	WASTE MGT	BALLANCE, J.B.	9507180236	CONTRACT
ALEXANDER, S.D.	9507130114*	QA999	ASAMI, K.	9507060015	XPORTLIC	BALLINGER, P.L.	9507140184*	50-298 R
ALEXANDER, S.D.	9507140040*	QA999	ASMUSSEN, K.E.	9507120188	70-734	BALMAIN, P.A.	9507140248*	50-413 Q
ALEXANDER, S.D.	9507140056*	QA999	ASMUSSEN, K.E.	9507120188	70-734	BANGART, R.L.	9507270012	STATE PRO G
ALEXION, T.	9507280278*	50-498 P	ASSA, R.R.	9507060089	50-456 P	BANGART, R.L.	9507130003	STATE PRO G
ALEXION, T.W.	9507120130	50-498 P	ASSA, R.R.	9507180192	50-456 P	BANGART, R.L.	9507130004	STATE PRO G
ALEXION, T.W.	9507120133	50-498 P	ASSA, R.R.	9507270256	50-456 P	BANGART, R.L.	9507130005	STATE PRO G
ALEXION, T.W.	9507120360	50-498 P	ASSA, R.R.	9507270257*	50-456 P	BANGART, R.L.	9507130006	STATE PRO G
ALEXION, T.W.	9507120366*	50-498 P	ASSA, R.R.	9507280275	50-456 F	BANGART, R.L.	9507130011	STATE PRO G
ALEXION, T.W.	9507280200	50-499 S	ASSA, R.R.	9507280285*	50-456 F	BANGART, R.L.	9507130042	STATE PRO G
ALEXION, T.W.	9507280266	50-498 P	ASSA, R.R.	9507310126	50-456 Q	BANGART, R.L.	9507130043	STATE PRO G
ALEXION, T.W.	9507280274	50-498 P	ASTWOOD, H.	9507280120	70-364	BANGART, R.L.	9507130048	STATE PRO G
ALEXION, T.W.	9507310272	50-498 P	ATHAVALE, S.V.	9507130114*	QA999	BANGART, R.L.	9507130052	STATE PRO G
ALEXION, T.W.	9507310275*	50-498 P	AUSTIN, J.	9507100206	WASTE MGT	BANGART, R.L.	9507130069	STATE PRO G
ALLAN, J.M.	9507270343*	FOIA	AUSTIN, J.H.	9507030300	WASTE MGT	BANGART, R.L.	9507130100	STATE PRO G
ALLEN, D.W.	9507170373	CONTRACT	AUSTIN, J.H.	9507120206	40-8857	BANGART, R.L.	9507130108	STATE PRO G
ALLEN, K.	9507130097	STATE PRO G	AUSTIN, J.H.	9507250193	40-8857	BANGART, R.L.	9507130112	STATE PRO G
ALLISON, S.M.	9507190327	50-348 R	AUSTIN, J.H.	9507250315	40-8452	BANGART, R.L.	9507130120	STATE PRO G
ANDERSEN, J.W.	9310080296*	50-245 P	AUSTIN, J.H.	9507260026	40-8857	BANGART, R.L.	9507130068	STATE PRO G
ANDERSEN, J.W.	9507060031	50-245 P	AUSTIN, J.H.	9507260101	WASTE MGT	BANGART, R.L.	9507270009	STATE PRO G
ANDERSEN, J.W.	9507200105	50-245 P	AUSTIN, J.H.	9507270266	40-8971	BANGART, R.L.	9507270023	STATE PRO G
ANDERSEN, J.W.	9507200286	50-245 S	AUSTIN, J.H.	9507280037	40-8861	BANGART, R.L.	9507270038	STATE PRO G
ANDERSEN, J.W.	9507240109	50-245 G	AUSTIN, J.W.	9507110095	50-260 S	BANGART, R.L.	9507270126	STATE PRO G
ANDERSEN, J.W.	9507240234	50-245 P	AUTRY, V.R.	9507240383	STATE PRO G	BANGART, R.L.	9507270134	STATE PRO G
ANDERSEN, J.W.	9507270262	50-245 P	AVERSAL, L.	9507070127	50-354 S	BARCHE, T.J.	9507270367	ORG
ANDERSEN, J.W.	9507270311	50-245 P	AVERSAL, L.	9507120295	50-354 S	BARGER, J.W.	9507180386	40-7397
ANDERSON, C.J.	9507100251	50-277 Q	AVERSAL, L.	9507190105	50-354 S	BARHURST, R.P.	9507210160	50-382 Q
ANDERSON, C.J.	9507170240	50-352 P	AXELSON, W.L.	9507280166	50-354 S	BARKHURST, R.P.	9507280199	50-382 P
ANDERSON, C.J.	9507190017	50-277 P	AXELSON, W.L.	9507070001	50-295 Q	BARKHURST, R.P.	9507280203	50-382 P

PERSONAL AUTHOR INDEX 193

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BROCKMAN, K.	9507130084*	50-458 Q	CAHILL, W.J.	9507270084*	50-333 P	CATALANO	9507180353*	FOIA
BROCKMAN, K.E.	9507030049	50-528 P	CAHILL, W.J.	9507310178	50-286 P	CATALANO, J.A.	9507180285*	FOIA
BROCCOUM, S.J.	9507030195	WASTE MGT	CAHILL, W.J.	9507310180*	50-286 P	CATALANO, J.A.	9507180292*	FOIA
BROCCOUM, S.J.	9507030204	WASTE MGT	CAIN, C.L.	9507170087*	40-8981	CATALANO, J.A.	9507180313*	FOIA
BROCCOUM, S.J.	9507030299	WASTE MGT	CAIN, C.L.	9507170109*	40-8502	CATALANO, J.A.	9507180337*	FOIA
BROCCOUM, S.J.	9507100366	WASTE MGT	CAIN, C.L.	9507170142	40-8857	CATALANO, J.A.	9507180347*	FOIA
BROCCOUM, S.J.	9507170266	WASTE MGT	CAIN, C.L.	9507260078	40-8943	CATINEAU, L.W.	9507210279*	FOIA
BROCCOUM, S.J.	9507180256	WASTE MGT	CAIN, C.L.	9507260181	40-8502	CERNE, A.C.	9507250110*	50-442 P
BROCCOUM, S.J.	9507190087	WASTE MGT	CALDWELL, J.	9507050180	I&E	CHAFFEE, A.E.	9507100356	50-382 S
BROCCOUM, S.J.	9507210078	WASTE MGT	CALDWELL, J.	9507190022	I&E	CHAFFEE, A.E.	9507180007	ORG
BROCCOUM, S.J.	9507270155	WASTE MGT	CALFA, J.	9507190052	50-293 S	CHAMBERLAN, D.D.	9507120048*	50-397 Q
BROCCOUM, S.J.	9507310150	WASTE MGT	CALLAN, L.J.	9507050108	50-496 Q	CHANCELLOR, R.A.	9507200214	40-8857
BROCCOUM, S.J.	9507310151	WASTE MGT	CALLAN, L.J.	9507120038	50-313 Q	CHANCELLOR, R.A.	9507200241	40-4492
BROOKS, O.	9507210103	71-9263	CALLAN, L.J.	9507120385	40-3453	CHANDLER, L.J.	9507200350*	FOIA
BROOKS, P.P.	9507130121*	WASTE MGT	CALLAN, L.J.	9507140035	50-382 Q	CHANDLER, L.J.	9507310209*	FOIA
BROTHERS, M.H.	9507200082	50-336 S	CALLAN, L.J.	9507170155	50-528 Q	CHAPMAN, N.G.	9507180343	FOIA
BROTHERS, M.H.	9507120086	50-336 S	CALLAN, L.J.	9507260140	50-268 Q	CHAPPELL, C.R.	9507250189	71-9248
BROUGHTON, T.C.	9507130020	50-289 P	CALLAN, L.J.	9507310004	50-498 P	CHAPPELL, C.R.	9507050190	71-6553
BROUGHTON, T.C.	9507130146	50-289 R	CALLAN, L.J.	95070706105	50-255 F	CHAPPELL, C.R.	9507100092	71-9259
BROUGHTON, T.G.	9507310064	50-289 P	CALVERT, J.A.	9507100234*	50-247 Q	CHAPPELL, C.R.	9507100096*	71-9259
BROUGHTON, T.G.	9507310088	50-289 P	CALVERT, M.S.	9507270235	50-324 Q	CHAPPELL, C.R.	9507100101*	71-9259
BROUGHTON, T.G.	9507310090*	50-289 P	CAMERON, F.X.	9506280218*	STATE PRO G	CHAPPELL, C.R.	9507200176	40-8857
BROWN, B.	9507030100	REGGD	CAMERON, G.	9507180416	FOIA	CHAPPELL, C.R.	9507100181*	71-9260
BROWN, D.H.	9507110044	50-369 P	CAMPBELL, D.L.	9507190258	50-344 P	CHAPPELL, C.R.	9507110200	71-5957
BROWN, D.H.	9507120237	STATE PRO G	CAMPBELL, J.A.	9507210280*	FOIA	CHAPPELL, C.R.	9507110201*	71-5957
BROWN, D.H.	9507280005	STATE PRO G	CAMPBELL, J.A.	9507240423*	FOIA	CHAPPELL, C.R.	9507110206	71-5957
BROWN, F.D.	9507190049*	70-7002	CAMPBELL, J.A.	9507250189*	FOIA	CHAPPELL, C.R.	9507110236	71-9226
BROWN, N.	9507310249	FOIA	CAMPBELL, J.W.	9507120350*	50-155 P	CHAPPELL, C.R.	9507110241	71-9001
BROWN, R.	9507140066*	ORG	CAMPITELLI, A.T.	9507140132	40-6940	CHAPPELL, C.R.	9507180445	71-9226
BROWN, R.	9507140090*	ORG	CAMPITELLI, A.T.	9507190189	40-6940	CHAPPELL, C.R.	9507180449*	71-9226
BROWN, R.A.	9507060001	I&E	CAMPITELLI, A.T.	9507310158	40-9027	CHAPPELL, C.R.	9507190018	71-6717
BROWN, S.W.	9507270261	50-16 W	CANADY, K.S.	9507060180	50-369 P	CHAPPELL, C.R.	9507190021	71-9150
BROWN, W.	9507050265	50-348 P	CANADY, K.S.	9507250094	50-370 P	CHAPPELL, C.R.	9507190026	71-6717
BROWN, W.L.	9507310215*	FOIA	CANDREY, D.	9507060011	70-1252	CHATTERTON, M.S.	9507190166	TOPREP
BROWNELL, G.	9507070189*	50-333 S	CANIANO, R.J.	9507240014	50-295 P	CHAUBARD, M.	9507140351	50-286 F
BRUCE, G.A.	9507060303*	50-410 P	CANNON, R.L.	9507190323	50-293 R	CHAUBARD, M.A.	9507100124	50-286 F
BUCH, W.H.	9507190316	50-280 R	CAPLIN, J.	9507120259	NUREG	CHAUDHARY, S.K.	9507050116*	50-271 Q
BUCHANAN, C.R.	9507060194	50-213 F	CAPRA, R.A.	9507140144*	50-315 P	CHAUVIN, L.H.	9507120171	71-*****
BUCHANAN, C.R.	9507270283*	FOIA	CAPRA, R.A.	9507190204	50-254 Q	CHEN, G.	9507060331	NUREG
BUCHANAN, C.R.	9507310046*	FOIA	CARRIER, P.P.	9507050044	PR	CHEN, R.	9507240425	WASTE MGT
BUCHANAN, J.E.	9507260082	71-9035	CARRIER, P.P.	9507060216	50-259 H	CHOU, R.	9507120106*	50-390 Q
BUCKLEY, B.C.	9507270261	50-302 F	CARRIER, P.P.	9507210002	50-259 F	CHOWDHURY, A.H.	9507240394	WASTE MGT
BUCKLEY, B.C.	9507110318	50-280 P	CARRIER, P.P.	9507250114	50-259 F	CHRISTENSEN, H.	9507100301	50-416 Q
BUCKLEY, B.C.	9507190181	50-280 P	CARRIER, P.P.	9507260004	50-259 F	CHRISTENSEN, H.	9507100304*	50-416 Q
BUCKLEY, B.C.	9507190210	50-280 P	CARRIER, P.P.	9507280058	50-259 P	CHRISTENSEN, H.	9507100415	50-395 Q
BUCKLEY, B.C.	9507210331	50-280 Q	CARLSON, J.P.	9507100189*	50-315 S	CHRISTENSEN, H.	9507100424*	50-395 Q
BUCKLEY, M.J.	9507280009*	50-309 O	CARNS, N.S.	9507050110	50-482 Q	CHRISTENSEN, H.	9507200001	50-416 P
BUDNITZ, R.J.	9507140442*	50-321 P	CARNS, N.S.	9507250010	50-482 F	CHRISTENSEN, H.	9507120112	50-348 P
BUGG, M.	9507310339	50-390 A	CARNS, N.S.	9507310104	50-482 S	CHRISTENSEN, H.	9507140214	50-395 Q
BUGG, M.T.	9507270253	50-390 A	CARROCCIO, C.J.	9507250069	50-410 R	CHRISTENSEN, H.	9507140318	50-416 Q
BUGGS, M.	9507060126	50-390 A	CARPENTER, C.A.	9507050384	50-282 P	CHRISTENSEN, H.	9507170033	50-395 P
BUGGS, M.	9507070052	50-390 A	CARPENTER, C.A.	9507060067	50-155 P	CHRISTENSEN, H.	9507270251*	50-324 Q
BURDICK, T.	9507060008	50-483 O	CARPENTER, C.A.	9507060181	50-155 H	CHRISTIAN, D.A.	9507110113	50-280 S
BURDICK, T.	9507190025*	50-295 O	CARPENTER, C.A.	9507060408	ORG	CHRISTIAN, D.A.	9507180028	50-281 S
BURDICK, T.	9507240043*	50-454 Q	CARPENTER, C.A.	9507120119	50-315 Q	CHRISTNOT, E.F.	9507120023*	50-321 Q
BURDICK, T.	9507240073*	50-331 V	CARPENTER, C.E.	9507060254	50-333 P	CHRISTOPHER, R.	9507250113*	50-443 P
BURDICK, T.M.	9507260024	50-315 V	CARPENTER, C.E.	9507120336	50-333 P	CIALKOWSKI, M.	9507190349	50-373 Q
BURDICK, T.M.	9507260031*	50-315 V	CARPENTER, C.E.	9507130273	TOPREP	CLARK, R.H.	9507060166*	50-369 P
BURGESS, B.L.	9507050180	I&E	CARPENTER, C.E.	9507180035	TOPREP	CLARK, R.W.	9507310125	WASTE MGT
BURGESS, S.D.	9507190015*	50-266 Q	CARPENTER, C.E.	9507180437	TOPREP	CLAYTON, B.	9507070024	50-461 Q
BURNETT, T.W.	9507180151*	50-315 Q	CARPENTER, C.E.	9507190305	TOPREP	CLAYTON, B.	9507070034*	50-461 Q
BURRITT, A.L.	9507140012*	50-271 Q	CARPENTER, C.E.	9507310189	ORG	CLAYTON, B.	9507180127	50-373 Q
BURSKI, R.F.	9507050396	50-382 P	CARRION, R.P.	9507120062*	50-416 Q	CLAYTON, B.	9507180139*	50-373 Q
BURSKI, R.F.	9507060235	50-382 P	CARROLL, W.	9507190354	50-10 R	CLAYTON, B.	9507240429	50-461 Q
BURSKI, R.F.	9507070296	50-382 Q	CARROLL, G.	9507100061	50-160 G	CLAYTON, B.	9507240437*	50-461 Q
BURSKI, R.F.	9507190331	50-382 R	CARROLL, G.	9507180037	50-160 G	CLIFFORD, J.W.	9507070432	50-397 P
BURSKI, R.F.	9507270095	50-382 F	CARROLL, G.	9507270118*	50-180 G	CLIFFORD, J.W.	9507070435*	50-397 P
BURSKI, R.F.	9507280182	50-382 P	CARROLL, R.	9507120036	50-389 S	CLIFFORD, J.W.	9507180424	50-397 P
BURSKI, R.F.	9507280194	50-382 P	CARROLL, R.	9507120042	50-389 S	CLIFFORD, J.W.	9507200306	50-397 F
BURSKI, R.F.	9507310153	50-382 P	CARROLL, R.E.	9507140249*	50-413 Q	CLIFFORD, J.W.	9507280263	50-397 F
BUSH, L.	9507240374	TOPREP	CARROLL, R.E.	9507260133	50-287 S	CLONINGER, T.H.	9507030318	50-496 P
BUSHICK, E.R.	9507030198	XPORTLIC	CARTER, J.S.	9507250066	50-413 P	CLONINGER, T.H.	9507050057	50-498 P
BUSSONNE, G.F.	9507140138	50-316 R	CASHWELL, R.J.	9507070463	50-156 V	CLONINGER, T.H.	9507140065	50-498 Q
BUSSONNE, G.F.	9507140142	50-315 R	CASHWELL, R.J.	9507270075	50-156 F	CLONINGER, T.H.	9507170312	50-498 Q
BUTH, D.J.	9507070098	50-373 S	CASSANO, R.F.	9507240116	40-6940	CLOVIS, R.D.	9507100350	50-284 R
BYRAM, R.G.	9507170237	50-387 P	CASTELLO, T.	9507270252	40-6940	COFER, P.	9507260269	71-9033
BYRAM, R.G.	9507170334	50-387 F	CASTELLO, T.	9507190183*	50-362 P	COFER, P.	9507260306*	71-9033
BYRAM, R.G.	9507190342	50-387 R	CASTELLO, T.	9507200200*	50-361 P	COFER, P.	9507260307*	71-9033
BYRD, N.G.	9507180378	CONTRACT	CASTELLO, T.	9507200204*	50-361 P	COHEN, W.S.	9507280299*	COMMISSION
BYRNE, M.R.	9507260183	ORG	CASTO, C.A.	9507120009	50-259 Q	COLE, T.	9507190156	50-456 R
BYRON, P.M.	9507140185*	50-324 Q	CASTO, C.A.	9507120028	50-269 P	COLEMAN, D.E.	9507190332	50-220 R
CAHILL, L.J.	9507050231	50-333 P	CASTO, C.A.	9507120113	50-369 Q	COLKITT, M.L.	9507200292	FOIA
CAHILL, W.J.	9507060041	50-286 P	CASTO, C.A.	9507140230	50-335 Q	COLLINS, D.M.	9507120051	70-27 Q
CAHILL, W.J.	9507070114	50-333 P	CASTO, C.A.	9507140241	50-261 Q	COLLINS, D.M.	9507120051*	50-261 Q
CAHILL, W.J.	9507070465	50-333 P	CASTO, C.A.	9507140253	50-327 Q	COLLINS, D.M.	9507120053*	70-27 Q
CAHILL, W.J.	9507110240	50-286 P	CASTO, C.A.	9507170002	50-259 Q	COLLINS, D.M.	9507120085	70-1113
CAHILL, W.J.	9507260081	50-333 K	CASTO, C.A.	9507200036	50-413 Q	COLLINS, D.M.	9507120087	50-160 Q
CAHILL, W.J.	9507270081	50-333 P	CASTO, C.A.	9507240380	50-269 Q	COLLINS, D.M.	9507120104	70-27

194 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COLLINS,D.M.	9507120202	70-143	COWGILL,C.J.	9507140352*	50-286 P	CUNNINGHAM,R.E.	8908150217*	FOIA
COLLINS,D.M.	9507120210	50-160 Q	COWGILL,C.J.	9507140358*	50-286 P	CUNNINGHAM,R.E.	8908170145*	FOIA
COLLINS,D.M.	9507120330	50-62 Q	COWGILL,C.J.	9507140363*	50-286 P	CUNNINGHAM,R.E.	9507200299*	FOIA
COLLINS,D.M.	9507120343	70-1201	COWGILL,C.J.	9507140368*	50-286 P	CUNNINGHAM,R.E.	9507200305*	FOIA
COLLINS,D.M.	9507120357	70-143	COWGILL,C.J.	9507140378*	50-286 P	CURRAN,D.	9507100067	70-3070
COLLINS,D.M.	9507120362	70-1113	COWGILL,C.J.	9507140383*	50-286 P	CURRAN,D.	9507100067	70-3070
COLLINS,D.M.	9507120376	70-27	COWGILL,C.J.	9507140389*	50-286 P	CURRAN,D.	9507100160	70-3070
COLLINS,D.M.	9507120382	70-1151	COWGILL,C.J.	9507140393*	50-286 P	CURRAN,D.	9507100160	70-3070
COLLINS,D.M.	9507120343	70-27	COWGILL,C.J.	9507140395*	50-286 P	CURRAN,D.	9507180055	40-8027
COLLINS,D.M.	9507170048	70-1201	COWGILL,C.J.	9507140397*	50-286 P	CURRAN,D.	9507180062	70-3070
COLLINS,D.M.	9507210034	STATE PRO G	COWGILL,C.J.	9507140398*	50-286 P	CURRAN,D.	9507180062	70-3070
COLLINS,D.M.	9507210127	50-327 F	COWGILL,C.J.	9507140403*	50-286 P	CURRAN,D.	9507180117	40-8027
COLLINS,D.M.	9507240072	70-1151	COWGILL,C.J.	9507140404*	50-286 P	CURRAN,D.	9507260240	40-8027
COLLINS,D.M.	9507250134	70-1151	COWGILL,C.J.	9507140407*	50-286 P	CURRAN,D.	9507270055	40-8027
COLLINS,D.M.	9507260098	50-335 F	COWGILL,C.J.	9507140410*	50-286 P	CURRAN,D.	9507270062	40-8027
COLLINS,E.E.	9507050045*	50-361 Q	COWGILL,C.J.	9507140412*	50-286 P	CURRAN,D.	9507270068*	40-8027
COLLINS,E.E.	9507030099*	50-498 Q	COWGILL,C.J.	9507140414*	50-286 P	CURRAN,D.	9507270068*	40-8027
COLLINS,E.E.	9507050063*	50-482 Q	COWGILL,C.J.	9507140419*	50-286 P	CUSHMAN,J.F.	9507060303*	50-410 P
COLLINS,E.E.	9507130084*	50-458 Q	COWGILL,C.J.	9507140424*	50-286 P	CWALINA,G.C.	9507130114*	QA999
COLLINS,E.E.	9507130123*	50-361 Q	COWGILL,C.J.	9507240187	50-317 Q	CWALINA,G.C.	9507140040*	QA999
COLLINS,E.E.	9507260152*	50-528 Q	COWGILL,C.J.	9507270250	50-220 Q	CWALINA,G.C.	9507140056*	QA999
COLLINS,F.	9507190201	REGGD	COWGILL,C.J.	9507310286	50-333 Q	CWALINA,G.C.	9507170102*	QA999
COLLINS,K.	9507130010	STATE PRO G	COWGILL,C.J.	9507310283*	50-333 Q	CWALINA,G.C.	9507260002	QA999
COLLINS,S.C.	9507310002	STATE PRO G	COX,C.R.	9507190049*	70-7002	CWALINA,G.C.	9507260007	QA999
COMFORT,G.C.	9507240372	40-7102	COX,D.F.	9507120251	NUREG	CYGAN,J.	9507190348	50-295 R
COMIEZ,A.M.	9507180118	50-160 G	COX,T.H.	9507060132	70-143	CYR,K.D.	9507190155	71-524
CONDREY,D.	9507140028	70-1252	COYNE,K.A.	9507270234	52-3	CZAJKOWSKI,C.J.	9507070074*	50-458 P
CONER,J.A.	9507050220	70-27	CRAFT,F.R.	9507070296	40-8903	DACIMO,F.R.	9507060088	50-213 S
CONGER,R.	9507060313	NUREG	CRAFT,F.R.	9507140339	40-8903	DACIMO,F.R.	9507130174	50-213 S
CONICELLA,N.	9507140225*	50-286 P	CRAIG,K.	9507310161*	40-9027	DACIMO,F.R.	950710127	50-213 Q
CONICELLA,N.F.	9507200167	50-286 Q	CRAG,L.E.	9507060266*	ORG	DACIMO,F.R.	9507190319	50-213 R
CONICELLA,N.F.	9507210123	50-286 F	CRANDALL,R.A.	9507140150*	50-336 P	DACIMO,F.R.	9507250082	50-213 R
CONICELLA,N.F.	9507240253	50-286 Q	CRANDALL,R.A.	9507140154*	50-336 P	DAHLBERG,K.A.	9507060159	50-410 S
CONNELLY,R.N.	9507250260	STATE PRO G	CRANDALL,R.A.	9507140157*	50-336 P	DAHLBERG,K.A.	9507060167	50-410 S
CONNOR,J.A.	9507240409	70-27	CRANDALL,R.A.	9507140160*	50-336 P	DAHLBERG,K.A.	9507060175	50-220 F
CONNOR,C.B.	9507060284	WASTE MGT	CRANE,K.L.	9507310086	50-369 P	DAHLBERG,K.A.	9507110106	50-410 S
CONTE,R.J.	9507170172	50-293 P	CRANFORD,G.F.	9507100128	ORG	DAHLBERG,K.A.	9507140182	50-410 R
CONTE,R.J.	9507210059*	50-271 Q	CRANFORD,G.F.	9507100129	ORG	DAHLBERG,K.A.	9507250069	50-410 R
CONWAY,J.T.	9507060159	50-410 S	CRANFORD,G.F.	9507180279	ORG	DAHLE,C.A.	9507070477	PT21
CONWAY,J.T.	9507060167	50-410 S	CRAWFORD,A.C.	9507310258	50-267 Y	DAHLEN,D.	9507120041	50-295 S
COOK,J.G.	9507110062*	50-461 F	CRAWFORD,S.J.	9507310262*	50-267 Y	DALE,J.E.	9507310278*	TOPREP
COOK,J.G.	9507170398	50-461 Q	CREED,J.R.	9507050423*	50-483 F	DAMBORG,M.J.	9507110011	50-139 H
COOK,J.G.	9507190101	50-461 S	CREED,J.R.	9507030158	50-155 F	DAMEROW,F.W.	9507100125*	PROJ
COOK,J.G.	9507190156	50-461 S	CREED,J.R.	9507110037	50-315 F	DAMEROW,F.W.	9507190206	PROJ
COOL,D.A.	9507050042*	71-738	CREED,J.R.	9507110049	50-10 F	DANDOLIS,D.B.	9507200143*	PR
COOPER,P.G.	9507190315	40-8857	CREED,J.R.	9507110055	50-461 F	DAO,T.V.	9507250065	50-302 R
COOPER,R.W.	9507100002	50-289 Q	CREED,J.R.	9507110057	50-295 F	DARBY,J.L.	9507140041*	50-321 P
COOPER,R.W.	9507140014	50-293 Q	CREED,J.R.	9507190029	50-305 F	DARKE,J.F.	9507190108	FOIA
COOPER,R.W.	9507170121	50-333 Q	CREED,J.R.	9507190082	50-282 P	DARLING,J.L.	9507210192	50-361 R
COOPER,R.W.	9507170184	50-387 P	CREED,J.R.	9507240050	50-282 F	DATTA,A.	9507060091	40-7580
COOPER,R.W.	9507170194	50-247 P	CREED,J.R.	9507250147	50-155 F	DATTA,A.	9507060190	40-7580
COOPER,R.W.	9507210025	50-387 P	CREED,J.R.	9507250149	50-483 F	DATTA,A.	9507200242	40-7580
COOPER,R.W.	9507210047	50-272 Q	CREED,J.R.	9507260013	50-341 F	DAVIS,A.B.	9507310268*	50-263 C
COOPER,R.W.	9507240055	50-277 Q	CREED,J.R.	9507260034	50-155 F	DAVIS,W.W.	9507170388	CONTRACT
COOPER,R.W.	9507270212	50-423 P	CREED,J.R.	9507260069	50-254 F	DAVISON,M.J.	9507170189*	50-244 Q
CORCORAN,K.	9507210224	FOIA	CRENSHAW,J.L.	8907180487*	FOIA	DAWES,G.W.	9507070018*	40-8778
CORDES,J.F.	9507200180	SECY	CRLENJAK	9507210013	50-369 P	DE BLOCK,M.	9507030225	XPORTLIC
CORREIA,R.	9507240245	REVIEW GR P	CRLENJAK,R.V.	9507120015	50-321 Q	DE PLANQUE,E.E.G.	9507110118	COMMISSION
CORREIA,R.P.	9507060341	NUREG	CRLENJAK,R.V.	9507120035*	50-321 Q	DE PLANQUE,E.E.G.	9507200377	COMMISSION
CORREIA,R.P.	9507170250	ORG	CRLENJAK,R.V.	9507120071	50-269 Q	DE PLANQUE,E.E.G.	9507060152	COMMISSION
CORREIA,R.P.	9507280230	REVIEW GR P	CRLENJAK,R.V.	9507120082*	50-269 Q	DE PLANQUE,E.E.G.	9507050402	COMMISSION
COSTEDIO,J.J.	9507070179*	50-333 S	CRLENJAK,R.V.	9507120090	50-413 Q	DE PLANQUE,E.E.G.	9507050442	COMMISSION
COTTE,W.T.	9507190318*	50-498 P	CRLENJAK,R.V.	9507140239	50-413 Q	DE PLANQUE,E.E.G.	9507100253	COMMISSION
COUPAL,J.J.	9507270346*	FOIA	CRLENJAK,R.V.	9507140316	50-269 Q	DE PLANQUE,E.E.G.	9507110280	COMMISSION
COUPAL,J.J.	9507310139*	FOIA	CRLENJAK,R.V.	9507140329	50-369 Q	DE PLANQUE,E.E.G.	9507190192	COMMISSION
COURTMANCHE,S.	9508020249*	FOIA	CRLENJAK,R.V.	9507140395*	50-369 Q	DE PLANQUE,E.E.G.	9507190227	COMMISSION
COWAN,J.	9507030066	50-325 S	CRLENJAK,R.V.	9507200027	50-269 Q	DE PLANQUE,E.E.G.	9507190254	COMMISSION
COWGILL,C.J.	9507030012	50-286 Q	CRLENJAK,R.V.	9507200034*	50-269 Q	DE PLANQUE,E.E.G.	9507200162	COMMISSION
COWGILL,C.J.	9507050081	50-286 Q	CRLENJAK,R.V.	9507200067	50-424 Q	DE PLANQUE,E.E.G.	9507200201	COMMISSION
COWGILL,C.J.	9507050084*	50-286 Q	CRLENJAK,R.V.	9507240311	50-413 Q	DE PLANQUE,E.E.G.	9507200209	COMMISSION
COWGILL,C.J.	9507100305	50-333 Q	CRLENJAK,R.V.	9507280070	50-413 P	DE PLANQUE,E.E.G.	9507200225	COMMISSION
COWGILL,C.J.	9507100309*	50-333 Q	CRLENJAK,R.V.	9507200140*	PR	DE PLANQUE,E.E.G.	9507200238	COMMISSION
COWGILL,C.J.	9507100314	50-220 Q	CRONBERG,D.K.	9507120294	PROJ	DE PLANQUE,E.E.G.	9507200240	COMMISSION
COWGILL,C.J.	9507140016	50-247 Q	CROSS,C.	9507240407	FOIA	DE PLANQUE,E.E.G.	9507200253	COMMISSION
COWGILL,C.J.	9507140159*	50-286 P	CROTEAU,R.P.	9507060032	50-250 P	DE PLANQUE,E.E.G.	9507200267	COMMISSION
COWGILL,C.J.	9507140166*	50-286 P	CROTEAU,R.P.	9507180228	50-250 P	DE PLANQUE,E.E.G.	9507200371	COMMISSION
COWGILL,C.J.	9507140179*	50-286 P	CROWLEY,B.R.	9507120060*	50-390 Q	DE PLANQUE,E.E.G.	9507210085	COMMISSION
COWGILL,C.J.	9507140272*	50-286 P	CRUSE,C.H.	9507110254	50-317 S	DE PLANQUE,E.E.G.	9507210096	COMMISSION
COWGILL,C.J.	9507140278*	50-286 P	CRUSE,C.H.	9507110309	50-318 P	DEAN,R.	9507110106	50-410 S
COWGILL,C.J.	9507140284*	50-286 P	CRUSE,C.H.	9507200152	50-317 S	DEBARBA,E.A.	9507140073	50-245 F
COWGILL,C.J.	9507140292*	50-286 P	CRUSE,C.H.	9507210134	50-317 R	DEBARBA,E.A.	9507140073	50-245 F
COWGILL,C.J.	9507140307*	50-286 P	CRUTCHFIELD,D.	9507030275	52-4	DEBARBA,E.A.	9507140078	50-336 O
COWGILL,C.J.	9507140311*	50-286 P	CRUTCHFIELD,D.	9507110253	50-390 A	DEBARBA,E.A.	9507140078	50-336 O
COWGILL,C.J.	9507140319*	50-286 P	CRUTCHFIELD,D.	9507170219	ORG	DEBARBA,E.A.	9507140084	50-423 P
COWGILL,C.J.	9507140321*	50-286 P	CRUTCHFIELD,D.	9507310025	50-390 D	DEBARBA,E.A.	9507140084	50-423 P
COWGILL,C.J.	9507140324*	50-286 P	CUNNINGHAM,L.J.	9507060158	REVIEW GR P	DEBARBA,E.A.	9507140140	50-336 P
COWGILL,C.J.	9507140330*	50-286 P	CUNNINGHAM,R.E.	870270341*	FOIA	DEBARBA,E.A.	9507140140	50-336 P
COWGILL,C.J.	9507140342*	50-286 P	CUNNINGHAM,R.E.	8907240355*	FOIA	DEBARBA,E.A.	9507140155	50-213 P

196 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
FRIZZLE, C.D.	9507310203	50-309	P	GLEASON, J.P.	9507270127	50-180	G	GWYNN, T.P.	9507030095	50-498	Q
FUJIMOTO, W.H.	9507030098	50-275	P	GLEASON, M.	9507170203	50-180	Q	GWYNN, T.P.	9507050027	50-397	Q
FUJIMOTO, W.H.	9507060407	50-275	P	GLENN, J.	9506060015*	COMMISSION		GWYNN, T.P.	9507050040	50-361	Q
FUJIMOTO, W.H.	9507070135	50-275	P	GLENN, J.E.	9507310129*	FOIA		GWYNN, T.P.	9507050051	50-482	Q
FUJIMOTO, W.H.	9507070140*	50-275	P	GLINSKI, R.L.	9507080016*	40-8948		GWYNN, T.P.	9507050073	50-482	Q
FUJIMOTO, W.H.	9507110074	50-275	P	GLINSKI, R.L.	9507060024*	40-7397		GWYNN, T.P.	9507100239	50-498	Q
FUJIMOTO, W.H.	9507120014	50-275	F	GLOERSEN, W.B.	9507120224*	50-180	Q	GWYNN, T.P.	9507110046	50-482	Q
FUJIMOTO, W.H.	9507120076	50-275	F	GODWIN, A.V.	9507270021	STATE PRO G		GWYNN, T.P.	9507120052	50-482	Q
FUJIMOTO, W.H.	9507250041	50-275	R	GOINT, M.R.	9507210092	71-9033		GWYNN, T.P.	9507130076	50-458	Q
FUJIMOTO, W.H.	9507250057	50-275	R	GOLDBERG, J.H.	9507060404	50-389	Q	GWYNN, T.P.	9507130110	50-361	Q
FUJIMOTO, W.H.	9507250080	50-275	Q	GOLDBERG, J.R.	9507070275*	70-384		GWYNN, T.P.	9507140038*	50-382	Q
FULLER, R.J.	9507130179*	50-213	Q	GOLDEN, B.	9507200313*	PR		GWYNN, T.P.	9507170130	50-528	V
FULTON, J.D.	9507190336*	50-528	R	GOOD, B.A.	9507060125	50-146	R	GWYNN, T.P.	9507170149	50-313	Q
FULTON, J.D.	9507190338*	50-528	R	GOODEN, A.	9507120193*	50-259	Q	GWYNN, T.P.	9507190001	50-445	V
FUNCHES, J.L.	9507200243*	PR		GOODENOW, T.C.	9507200222	NUREG		GWYNN, T.P.	9507240005	50-382	Q
FUNK, D.E.	9507310212*	50-341	P	GOODENOW, T.C.	9507200236	NUREG		GWYNN, T.P.	9507260011	50-482	Q
FUSSNER, R.J.	9507190222*	PROJ		GOODMAN, L.S.	9507180463	50-341	F	GWYNN, T.P.	9507260017	50-397	Q
FUSSNER, R.J.	9507190231*	PROJ		GOODMAN, L.S.	9507210019	50-341	H	GWYNN, T.P.	9507260149	50-528	Q
GALLAGHER, M.P.	9507170038	50-352	R	GOODMAN, L.S.	9507250018	50-341	F	GWYNN, T.P.	9507310047	50-482	Q
GALLAHER, F.F.	9507120271	50-458	I	GOODWIN, W.L.	9507180318	70-1151		HAAG, R.	9507170013	50-321	P
GALLO, R.	9507280009	QA999		GOODWIN, W.L.	9507200108	70-1151		HAAG, R.C.	9507100424*	50-395	Q
GALLO, R.M.	9507130098	QA999		GOODWIN, W.L.	9507200111	70-1151		HAAG, R.C.	9507120023*	50-321	Q
GALLO, R.M.	9507130102	QA999		GOODWIN, W.L.	9507240305	70-1151		HAAG, R.C.	9507200070*	50-424	Q
GALLO, R.M.	9507130114*	QA999		GOPALAKRISHNAN	9507280306*	COMMISSION		HAAS, K.M.	9507060119	50-255	P
GALLO, R.M.	9507140034	QA999		GOPPEL, M.	9507260304	XPORTLIC		HAAS, K.M.	9507060369	50-255	P
GALLO, R.M.	9507140040*	QA999		GORDAN, D.J.	9507060200	50-346	F	HAAS, K.M.	9507110249	50-255	P
GALLO, R.M.	9507140047	QA999		GORNES, J.W.	9507280180	71-787		HAAS, K.M.	9507250016	50-255	V
GALLO, R.M.	9507140056*	QA999		GRABO, B.A.	9507050377*	50-528	S	HAAS, K.M.	9507250176	50-255	Y
GALLO, R.M.	9507170096	QA999		GRABO, B.A.	9507100215*	50-528	S	HAAS, P.M.	9507140445*	50-321	P
GALLO, R.M.	9507170102*	QA999		GRABO, B.A.	9507100218*	50-528	S	HADEN, J.R.	9507240235	PR	
GALLO, R.M.	9507180171*	50-341	Q	GRABO, B.A.	9507100221*	50-528	S	HADEN, J.R.	9507270054	STATE PRO G	
GALLO, R.M.	9507210106*	50-341	Q	GRABO, B.A.	9507100223*	50-528	S	HAGAN, J.J.	9507050052	PR	
GALLO, R.M.	9507260067	QA999		GRABO, B.A.	9507100226*	50-528	S	HAGAN, J.J.	9507100047	50-354	P
GALLO, R.M.	9507260165	QA999		GRABO, B.A.	9507100227*	50-528	S	HAGAN, J.J.	9507170320	50-354	P
GALLO, R.M.	9507280250	50-390	Q	GRABO, B.A.	9507100229*	50-528	S	HAGAN, J.J.	9507190009	50-272	P
GALLO, R.M.	9507280252*	50-390	Q	GRABO, B.A.	9507110001	50-529	Q	HAGAN, J.J.	9507260037	50-272	P
GALLO, R.M.	9507280280*	50-336	Q	GRABO, B.A.	9507110110	50-529	S	HAGAN, J.J.	9507280153	50-354	P
GAMBERONI, M.	9507030307	ORG		GRANT, G.E.	9507070026	50-454	V	HAGAN, R.C.	9507030329	50-482	P
GAMBERONI, M.	9507030311	ORG		GRANT, G.E.	9507110029	50-282	F	HAGAN, R.C.	9507050334	50-482	P
GAMBERONI, M.	9507030321	MISC		GRANT, G.E.	9507240039	50-454	Q	HAGAN, R.C.	9507060118	50-482	S
GAMBERONI, M.	9507060048	50-255	P	GRANT, J.M.	9507110021	50-29	W	HAGAN, R.C.	9507060224	50-482	P
GAMBERONI, M.	9507060103	50-255	P	GRAY, E.H.	9507140012*	50-271	Q	HAGAN, R.C.	9507170407	50-482	P
GAMBERONI, M.	9507070115	50-255	P	GRAY, J.R.	9507190136	50-302	T	HAGAN, R.C.	9507310036	50-482	P
GAMBERONI, M.	9507130267	50-255	P	GRAY, J.R.	9507200027	50-496	Q	HAGEMAN, R.C.	9507210231*	FOIA	
GANNIS, S.	9507280075*	50-346	P	GRAY, J.R.	9507200003	50-496	H	HAGEMAN, R.C.	9507210232*	FOIA	
GARCIA, A.	9507070307	WASTE MGT		GREEN, W.R.	9507120136	50-409	S	HAGEMAN, R.C.	9507210234*	FOIA	
GARCIA, A.	9507130082	WASTE MGT		GREEN, W.R.	9507180030	50-409	S	HAGEMAN, R.C.	9507210273*	FOIA	
GARCIA, A.	9507260095	WASTE MGT		GREENE, T.	9507190003	50-424	F	HAGEMAN, R.C.	9507210279*	FOIA	
GARNER, L.W.	9507120078*	50-280	Q	GREENMAN, E.G.	9507180156	50-282	C	HAGEMAN, R.C.	9507210293*	FOIA	
GARRETT, P.	9507030134	50-249	S	GREENMAN, E.G.	9507210303*	50-255	Y	HAGEMAN, R.C.	9507240261*	FOIA	
GARROU, A.L.	9507120299	50-261	S	GREEVES, J.T.	9507030061	WASTE MGT		HAGEMAN, R.C.	9507240263*	FOIA	
GARVEY, C.G.	9507260278*	50-309	H	GREGG, R.D.	9507050145	50-299		HAGEMAN, R.C.	9507240271*	FOIA	
GATES, T.W.	9507060269	50-458	S	GRIER, B.	9507310075*	FOIA		HAGEMAN, R.C.	9507240275*	FOIA	
GATES, W.G.	9507100069	50-285	P	GRIER, B.H.	9507250195*	FOIA		HAGEMAN, R.C.	9507240299*	FOIA	
GATES, W.G.	9507100085*	50-285	P	GRIER, B.H.	9507250197*	FOIA		HAGEMAN, R.C.	9507240404*	FOIA	
GATES, W.G.	9507100090	50-285	P	GRIER, B.H.	9507250201*	FOIA		HAGEMAN, R.C.	9507240419*	FOIA	
GATES, W.G.	9507100094*	50-285	P	GRIER, B.H.	9507250215*	FOIA		HAGEMAN, R.C.	9507260252*	FOIA	
GATES, W.G.	9507100107	50-285	P	GRIER, B.H.	9507250218*	FOIA		HAGEMAN, R.C.	9507260258*	FOIA	
GATES, W.G.	9507210252	50-285	P	GRIER, B.H.	9507250238*	FOIA		HAGEMAN, R.C.	9507260264*	FOIA	
GATES, W.G.	9507210255*	50-285	P	GRIMES, B.K.	9506280062	50-3	P	HAGEMAN, R.C.	9507270351*	FOIA	
GAULW.	9507140262	40-341		GRIMES, B.K.	9507170244	PR		HAGEMAN, R.G.	9507240391*	FOIA	
GAUMER, G.R.	9507200092	71-172		GRIMES, B.K.	9507190118	ORG		HAILE, J.F.	9507310114*	FOIA	
GAUTAM, A.S.	9507180171*	50-341	Q	GRIMES, B.K.	9507280146	ORG		HAILE, J.F.	9507310140*	FOIA	
GAUTAM, A.S.	9507210106*	50-341	Q	GRIMES, C.I.	9507060319	ORG		HALL, D.P.	9208310122*	50-498	P
GELHAR, M.E.	9507170125	NUREG		GRIMES, C.I.	9507060322*	ORG		HALL, D.P.	9507270171*	50-498	P
GEORGE, M.	9507140032	70-1426		GRIMES, C.I.	9507180385	TOPREP		HALL, D.P.	9508040203*	50-498	Q
GEORGE, M.	9507140037	70-1426		GRIMES, C.I.	9507180446	TOPREP		HALL, J.R.	9507050138	50-298	P
GESCHWENDER, J.	9507060074*	50-285	S	GRIMES, C.I.	9507260274	50-295	P	HALL, J.R.	9507110252	50-298	F
GHOSH, A.	9507240394	WASTE MGT		GROB, B.	9507100290*	50-440	R	HALL, J.R.	9507120389	50-298	F
GIARRATANA, A.	9507070095	70-7001		GROTH, J.F.	9507070157	50-498	F	HALL, J.R.	9507120390*	50-298	P
GIBBS, R.D.	9507120044*	50-390	Q	GROTH, J.F.	9507190340	50-498	R	HALL, J.R.	9507180330	50-298	P
GIBBY, S.K.	9507250096*	50-370	P	GROVE, E.	9507310244	TOPREP		HALL, J.R.	9507180341*	50-298	P
GIBSON, A.F.	9507200207	50-269	Q	GROVE, E.J.	9507060335	NUREG		HALL, J.R.	9507190257	50-298	P
GIBSON, A.F.	9507200256	50-259	Q	GRUMBLY, T.P.	9507250263	70-1100		HALL, W.	9507110122*	50-311	S
GIERBOLINI, J.	9507070477	PT 21		GRUNDRUM, L.L.	9507310190	50-287	Q	HALTIWANGER, J.	9507190322	50-395	R
GILLEN, D.M.	9507110333	40-8681		GRYNBERG, M.	9507030150*	ORG		HAMPTON, J.W.	9507030258	50-266	P
GILLEN, D.M.	9507250283	40-4492		GUILDAY, P.	9507180049	50-160	G	HAMPTON, J.W.	9507060061	50-269	K
GILLEY, S.D.	9507110134	50-327	S	GUILDAY, P.	9507180049	50-160	G	HAMPTON, J.W.	9507060154	50-269	R
GILLEY, S.D.	9507280114*	50-327	S	GUMBLE, F.	9507030067	50-286	S	HAMPTON, J.W.	9507110186	50-269	P
GILIELLO, R.J.	9507070422	40-7102		GUNDRUM, L.L.	9507030284	50-346	P	HAMPTON, J.W.	9507110171	50-269	R
GIPSON, D.R.	9507170183	50-341	P	GUNDRUM, L.L.	9507180460	50-346	P	HAMPTON, J.W.	9507120029	50-269	Y
GIPSON, D.R.	9507170360	50-341	Q	GUNDRUM, L.L.	9507240132	50-346	P	HAMPTON, J.W.	9507120132	50-267	Q
GIPSON, D.R.	9507170363	50-16	H	GUNDRUM, L.L.	9507240136*	50-346	P	HAMPTON, J.W.	9507140447	50-289	F
GIPSON, D.R.	9507190330	50-341	R	GUNTER, P.V.	9507030162*	50-282	G	HAMPTON, J.W.	9507170006	50-269	F
GIPSON, D.R.	9507210202	50-341	P	GUTTERMAN, A.H.	9507270206	50-498	Q	HAMPTON, J.W.	9507170064	50-269	P
GIRARD, E.	9507120127*	50-390	Q	GUZMAN, J.G.	9507190015*	50-266	Q	HAMPTON, J.W.	9507170136	50-269	P
GLEASON, J.P.	9507100100	40-8027		GWYNN, T.P.	9507030011	50-313	Q	HAMPTON, J.W.	9507200100	50-269	S
GLEASON, J.P.	9507180031	40-8681		GWYNN, T.P.	9507030075	50-528	Q				

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HAMPTON, J.W.	9507250106	50-270	HICKLE, B.J.	9507250089	50-302	HOLONICH, J.J.	9507110332	40-8905
HANDLER, R.	9507310014*	FOIA	HICKMAN, J.B.	9507120386	50-315	HOLONICH, J.J.	9507120314	WASTE MGT
HANING, J.L.	9507140069*	50-498	HICKMAN, J.B.	9507120388*	50-315	HOLONICH, J.J.	9507130088	WASTE MGT
HANNON, J.N.	9507180305	50-262	HICKMAN, J.B.	9507140143	50-315	HOLONICH, J.J.	9507130119	WASTE MGT
HANNON, J.N.	9507190251*	50-263	HICKMAN, J.B.	9507180442	50-315	HOLONICH, J.J.	9507140194	WASTE MGT
HANNON, J.N.	9507200347	50-282	HICKMAN, J.B.	9507180451*	50-315	HOLONICH, J.J.	9507140223	WASTE MGT
HANNON, J.N.	9507310049*	50-155	HICKMAN, S.	9507280212	50-89	HOLONICH, J.J.	9507140400	WASTE MGT
HANSEN, A.G.	9507110175	50-266	HICKS, G.D.	9507140431	50-324	HOLONICH, J.J.	9507140408	WASTE MGT
HANSEN, A.G.	9507120126	50-266	HILAND, P.	9507180096*	50-254	HOLONICH, J.J.	9507210071	WASTE MGT
HANSEN, A.G.	9507120131*	50-266	HILAND, P.L.	9507180087	50-254	HOLONICH, J.J.	9507250186	40-8968
HANSEN, A.G.	9507190214	50-266	HILAND, P.L.	9507240301	50-237	HOLONICH, J.J.	9507250206	40-299
HANSEN, A.G.	9507200075	50-266	HILDEBRAND, J.E.	9507030280	50-146	HOLONICH, J.J.	9507250209	40-1341
HANSEN, J.	9507290031*	50-315	HILDEBRAND, J.E.	9507030286*	50-146	HOLONICH, J.J.	9507250258*	40-8902
HARDIN, C.	9507130031	COMMISSION	HILDEBRAND, P.	9507210323	40-8857	HOLONICH, J.J.	9507250275	40-1162
HARDIN, C.	9507130055	STATE PRO G	HILL, B.E.	9507060284	WASTE MGT	HOLONICH, J.J.	9507250278	40-6659
HARDIN, C.M.	9507130036	STATE PRO G	HILL, L.M.	9507030067	50-286	HOLONICH, J.J.	9507250298	40-8989
HARDIN, C.M.	9507130057*	COMMISSION	HILL, L.M.	9507170026	50-286	HOLONICH, J.J.	9507250300*	40-8989
HARMON, C.	9507120053*	70-27	HILL, L.M.	9507190325	50-286	HOLONICH, J.J.	9507250317	40-8681
HARMON, P.E.	9507120082*	50-269	HILL, R.D.	9507080081	50-364	HOLONICH, J.J.	9507280150	40-8102
HARMON, P.E.	9507200034*	50-269	HILL, R.D.	9507170042	50-348	HOLONICH, J.J.	9507260154	40-8904
HAROLD, J.F.	9507190175	TOPREP	HILL, R.D.	9507170175	50-364	HOLONICH, J.J.	9507270069	40-299
HAROLD, J.F.	9507200075	TOPREP	HILL, R.D.	9507310069	50-348	HOLONICH, J.J.	9507270073*	40-299
HARRELL, P.	9507140071*	50-313	HILL, R.D.	9507310216	50-364	HOLONICH, J.J.	9507270078	40-8698
HARRELL, P.H.	9507310041*	50-298	HILL, R.D.	9507310228	50-364	HOLONICH, J.J.	9507270080*	40-8698
HARRIS, D.N.	9507310143	50-245	HILL, R.L.	9507190340	50-496	HOLONICH, J.J.	9507270386	ORG
HARRIS, D.N.	9507310156	50-245	HILL, T.E.	9507130125*	STATE PRO G	HOLT, B.J.	9507190011	I&E
HARRISON, F.	9507190352*	50-324	HILL, W.J.	9507100385	50-263	HOLT, B.J.	9507240017	40-8805
HARRISON, F.	9507190353*	50-324	HILL, W.J.	9507100388*	50-263	HOOKS, K.R.	9507110335	40-8907
HARVEY, V.K.	9507260283*	FOIA	HILL, W.J.	9507140233	50-263	HOOKS, K.R.	9507140422	40-4492
HASTINGS, D.	9507210119*	70-1257	HILL, W.J.	9507100258	ORG	HOOPER, G.L.	9507140161	50-424 R
HATTRUP, M.	9507060313	NUREG	HILTZ, T.G.	9507310131	REVIEW GR P	HOPKINS, D.R.	9507180331*	FOIA
HAUBER, D.R.	9507060026	XPORTLIC	HINNANT, C.S.	9507180032	50-261	HOPKINS, J.B.	9507060291	50-440 P
HAUBER, R.D.	9507030338	XPORTLIC	HINNANT, C.S.	9507210026	50-261	HOPKINS, J.B.	9507060298*	50-440 P
HAUBER, R.D.	9507050390	XPORTLIC	HINNANT, C.S.	9507210029	50-261	HOPKINS, J.B.	9507110296	50-440 P
HAUBER, R.D.	9507050395	XPORTLIC	HINNANT, C.S.	9507280036	50-261	HOPKINS, J.B.	9507110302*	50-440 P
HAUBER, R.D.	9507060021*	XPORTLIC	HLOPAK, W.J.	9507120203	40-341	HOPKINS, J.B.	9507110305*	50-440 P
HAUBER, R.D.	9507060286	XPORTLIC	HODGES, M.W.	9507270306	ORG	HOPKINS, J.B.	9507240420	50-440 P
HAUBER, R.D.	9507060290	XPORTLIC	HOEFLING, D.	9507310218*	FOIA	HOPKINS, P.C.	9507200070*	50-424 O
HAUBER, R.D.	9507060302	XPORTLIC	HOFFMAN, R.J.	9507130116*	STATE PRO G	HOPPER, G.	9507310175*	FOIA
HAUBER, R.D.	9507070300	XPORTLIC	HOFFMAN, S.T.	9507050182	PROJ	HOPPER, J.P.	9507070469	72-1009
HAUBER, R.D.	9507110147	XPORTLIC	HOFFMAN, S.T.	9507110217	REVIEW GR P	HORN, G.R.	9507060060	50-298 F
HAUBER, R.D.	9507140097*	XPORTLIC	HOFFMAN, S.T.	9507110226	REVIEW GR P	HORN, G.R.	9507100294	50-298 F
HAUBER, R.D.	9507260302	XPORTLIC	HOFFMAN, S.T.	9507130271	REVIEW GR P	HORN, G.R.	9507190112	50-298 O
HAULDREN, E.E.	9507130168	71-97	HOFFMAN, S.T.	9507240240	REVIEW GR P	HORN, G.R.	9507200142	50-298 P
HAYES, B.B.	9507250139*	50-443	HOFFMAN, S.T.	9507310279	PROJ	HORN, M.	9507180314	70-7001
HAYES, L.	9507030340*	WASTE MGT	HOFFPAUIR, J.G.	9507250127	50-382	HORN, M.	9507310144	70-7001
HEAD, S.	9507240481*	50-499	HOFMANN, R.B.	9507140455*	WASTE MGT	HORTON, D.G.	9507070372	WASTE MGT
HEBDON, F.J.	9507060395*	50-327	HOFMANN, R.B.	9507240405	WASTE MGT	HORTON, D.G.	9507070387	WASTE MGT
HEBDON, F.J.	9507060405	50-395	HOGG, R.C.	9507210163	27-47	HORTON, D.G.	9507070393*	WASTE MGT
HEBDON, F.J.	9507240214*	50-259	HOGG, R.C.	9507250264	40-8936	HORTON, D.G.	9507140467	WASTE MGT
HEBDON, F.J.	9507240324	50-259	HOGG, R.C.	9507250289	27-47	HORTON, D.G.	9507140466*	WASTE MGT
HEBERT, J.R.	9507060178	50-309	HOLBROOK, B.L.	9507120023*	50-321	HORTON, D.G.	9507200245	WASTE MGT
HEBERT, J.R.	9507180218	50-309	HOLDEN, D.	9507060047	XPORTLIC	HORTON, D.G.	9507200382	WASTE MGT
HEBERT, J.R.	9507190343	50-309	HOLDEN, D.	9507060052	XPORTLIC	HORTON, D.G.	9507200384*	WASTE MGT
HEBERT, J.R.	9507240290	50-309	HOLDEN, D.	9507140008	XPORTLIC	HORTON, D.G.	9507240287	WASTE MGT
HEBERT, M.A.	9507060230	40-8027	HOLDEN, D.	9507140010	XPORTLIC	HORTON, D.G.	9507310029	WASTE MGT
HECKBERT, J.G.	9507180260	FOIA	HOLDEN, D.	9507140017	XPORTLIC	HORTON, D.G.	9507310033*	WASTE MGT
HEHL, C.W.	9507050150	40-8833	HOLDEN, D.	9507140030	XPORTLIC	HOUSTON, B.L.	9507100294	50-298 F
HEHL, C.W.	9507140147*	50-286	HOLDEN, D.M.	9507060056	XPORTLIC	HOWARD, M.	9507130026	STATE PRO G
HEHL, C.W.	9507240049	40-185	HOLDEN, D.W.	9507060005	XPORTLIC	HOWELL, L.L.	9507060001	I&E
HEHL, C.W.	9507260108	70-1100	HOLDEN, D.W.	9507060023	XPORTLIC	HOYLE, J.C.	9507060034	10CFR
HEHR, W.	9507140031	XPORTLIC	HOLDEN, D.W.	9507140013	XPORTLIC	HOYLE, J.C.	9507060050	10CFR
HELLER, R.	9507190329	50-272	HOLDEN, D.W.	9507140027	XPORTLIC	HOYLE, J.C.	9507060282	10CFR
HELLER, R.	9507190337	50-311	HOLIAN, B.E.	9507280170	50-528	HOYLE, J.C.	9507060289	10CFR
HELLSTROM, G.W.	9507110311	40-8989	HOLIAN, B.E.	9507310233	50-528	HOYLE, J.C.	9507060293	10CFR
HELLSTROM, G.W.	9507120207	40-8989	HOLLAND, H.M.	9507200222	NUREG	HOYLE, J.C.	9507060366	10CFR
HELLSTROM, G.W.	9507200021	40-8989	HOLLAND, H.M.	9507200236	NUREG	HOYLE, J.C.	9507070423	10CFR
HENDERSON, J.W.	9507030122	40-2384	HOLLAND, P.G.	9507110316	50-10	HOYLE, J.C.	9507100073	40-8027
HENDERSON, L.	9507200158	50-331	HOLLAND, P.G.	9507190354	50-10	HOYLE, J.C.	9507100088	50-213
HENDERSON, L.	9507200168	50-331	HOLLAND, P.G.	9507270103	50-10	HOYLE, J.C.	9507100104	50-389 M
HENRICKS, D.R.	9507170038	50-352	HOLLANDER, W.D.	9507180328	PT21	HOYLE, J.C.	9507100142	50-295 G
HEPLER, O.M.	9504130082	50-361	HOLLER, E.J.	9507100062	70-3070	HOYLE, J.C.	9507100145	50-250 G
HEPLER, O.M.	9504130145*	50-155	HOLLOMON, D.	9507190195	71-185	HOYLE, J.C.	9507100146	ORG
HEPLER, O.M.	9506020120*	50-295	HOLLOMON, T.J.	9507210139	50-327	HOYLE, J.C.	9507130118	10CFR
HEPLER, O.M.	9507050298*	50-305	HOLLOMON, M.C.	9507190347*	50-461	HOYLE, J.C.	9507200244*	COMMISSION
HEPLER, O.M.	9507050302*	50-254	HOLLOWAY, C.J.	9507060123	PR	HOYLE, J.C.	9507200273	10CFR
HEPLER, O.M.	9507050462*	50-397	HOLLOWAY, C.J.	9507200115	PR	HOYLE, J.C.	9507200279	10CFR
HERNAN, R.W.	9507050382	50-289	HOLLOWAY, C.J.	9507200135*	PR	HOYLE, J.C.	9507200283	10CFR
HERNAN, R.W.	9507050393*	50-289	HOLLOWAY, C.J.	9507200232*	PR	HOYLE, J.C.	9507200298	10CFR
HERNAN, R.W.	9507310241	50-289	HOLLOWAY, C.J.	9507200251*	PR	HOYLE, J.C.	9507200300*	PR
HERRON, J.T.	9507140164	50-298	HOLLOWAY, C.J.	9507200302*	PR	HOYLE, J.C.	9507200309*	PR
HERWIG, W.M.	9507170132*	50-213	HOLLOWAY, C.J.	9507200308*	PR	HOYLE, J.C.	9507210111	10CFR
HERZOG, M.	9507180170*	52-4	HOLMES, M.A.	9507110214	50-483	HOYLE, J.C.	9507210126	10CFR
HEYSEK, W.G.	9507130146	50-289	HOLONICH, J.	9507210168	WASTE MGT	HOYLE, J.C.	9507210130	10CFR
HIATT, S.L.	9507110127	PR	HOLONICH, J.	9507250210	40-8902	HOYLE, J.C.	9507210156	10CFR
HIBBS, M.	9507270045	STATE PRO G	HOLONICH, J.J.	9507030063	WASTE MGT	HOYLE, J.C.	9507210217	10CFR
HICKEY, J.W.	9507030160	70-7001	HOLONICH, J.J.	9507030066	WASTE MGT	HOYLE, J.C.	9507210226	10CFR
HICKLE, B.J.	9507070119	50-302	HOLONICH, J.J.	9507110330	40-8907	HOYLE, J.C.	9507210230	10CFR

198 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOYLE, J.C.	9507210235	10CFR	JABBOUR, K.N.	9507260198	50-321 P	JAUDON, J.P.	9507120096	50-390 Q
HOYLE, J.C.	9507210237	10CFR	JABBOUR, K.N.	9507270274	50-321 P	JAUDON, J.P.	9507120120	50-390 Q
HOYLE, J.C.	9507210240	10CFR	JABBOUR, K.N.	9507310168	50-321 P	JAUDON, J.P.	9507140320	50-390 Q
HOYLE, J.C.	9507240190	10CFR	JACKSON, D.	9507250095	FOIA	JAUDON, J.P.	9507170006	50-259 Q
HOYLE, J.C.	9507240200	10CFR	JACKSON, D.T.	9507190240	52-3	JAUDON, J.P.	9507200156	50-390 Q
HOYLE, J.C.	9507270110	50-160 G	JACKSON, D.T.	9507210183	52-3	JAUDON, J.P.	9507240255	50-390 Q
HOYLE, J.C.	9507270305	50-296 P	JACKSON, D.T.	9507240269	52-4	JAUDON, J.P.	9507240476	50-390 Q
HOYLE, J.C.	9507280071	80-346 P	JACKSON, S.A.	9507050418	COMMISSION	JAUDON, J.P.	9507260085	50-390 Q
HOYLE, K.J.C.	9507240206	10CFR	JACKSON, S.A.	9507050426	COMMISSION	JAUDON, J.P.	9507280117	50-390 A
HSIA, A.H.	9507180116*	50-255 Y	JACKSON, S.A.	9507050448	COMMISSION	JEFFREY, W.J.	9507200015	50-277 R
HSIA, A.H.	9507180122*	50-255 Y	JACKSON, S.A.	9507100225	COMMISSION	JENKINS, R.B.	9507250304*	50-155 P
HSIA, A.H.	9507180133*	50-255 P	JACKSON, S.A.	9507100361	COMMISSION	JEZIK, R.M.	9507210305*	FOIA
HSIA, A.H.	9507180145*	50-255 Y	JACKSON, S.A.	9507190187	COMMISSION	JEZIK, R.M.	9507240271*	FOIA
HSIA, A.H.	9507180155*	50-255 Y	JACKSON, S.A.	9507190205	COMMISSION	JEZIK, J.M.	9507260264*	FOIA
HSIA, A.H.	9507180164*	50-255 Y	JACKSON, S.A.	9507190256	COMMISSION	JO, J.	9507120287	50-280 P
HSIA, A.H.	9507180175*	50-255 Y	JACKSON, S.A.	9507200174	COMMISSION	JOHANNES, R.N.	9507140089	50-482 P
HSIA, A.H.	9507180202*	50-255 Y	JACKSON, S.A.	9507200205	COMMISSION	JOHANNES, R.N.	9507240048	50-482 R
HSIUNG, S.	9507210300*	WASTE MGT	JACKSON, S.A.	9507200208	COMMISSION	JOHANSEN, J.M.	9507110098	I&E
HUANG, T.L.	9507060356	TOPREP	JACKSON, S.A.	9507200218	COMMISSION	JOHANSEN, J.M.	9507210036	I&E
HUANG, T.L.	9507070028	TOPREP	JACKSON, S.A.	9507200228	COMMISSION	JOHNSON, A.R.	9507060076	50-244 P
HUANG, T.L.	9507110172	TOPREP	JACKSON, S.A.	9507200247	COMMISSION	JOHNSON, A.R.	9507060258	50-244 P
HUDSPETH, J.B.	9507100265	50-348 F	JACKSON, S.A.	9507200252	COMMISSION	JOHNSON, I.M.	9507210157	50-454 F
HUDSPETH, J.B.	9507310069	50-348 F	JACKSON, S.A.	9507200268	COMMISSION	JOHNSON, I.M.	9507240458	50-10 F
HUDSPETH, J.B.	9507310087	50-348 F	JACKSON, S.A.	9507200373	COMMISSION	JOHNSON, N.	9507070180*	50-261 P
HUETER, L.J.	9507250196*	FOIA	JACKSON, S.A.	9507200379	COMMISSION	JOHNSON, T.C.	9507050166	40-8724
HUETER, L.J.	9507250198*	FOIA	JACKSON, S.A.	9507210980	COMMISSION	JOHNSON, T.C.	9507270076	40-8724
HUETER, L.J.	9507250217*	FOIA	JACKSON, S.A.	9507210095	COMMISSION	JOHNSON, T.P.	9507270189	40-1650
HUETER, L.J.	9507310065*	FOIA	JACKSON, S.A.	9507210121*	10CFR	JOHNSON, T.C.	9507120059*	50-250 Q
HUEY, F.R.	9507140038*	50-382 Q	JACKSON, S.A.	9507210332	COMMISSION	JOHNSON, W.D.	9507100031*	50-285 Q
HUFFMAN, W.C.	9507050225	52-3	JACKSON, S.A.	9507280296	COMMISSION	JOHNSON, W.D.	9507250051*	50-498 P
HUFFMAN, W.C.	9507060280	52-3	JACKSON, S.A.	9507280302	COMMISSION	JOHNSRUD, J.H.	9507050071	PR
HUFFMAN, W.C.	9507170309	52-3	JACKSON, S.A.	9507280308	COMMISSION	JOHNSTON, J.R.	9507120401	50-155 R
HUFFMAN, W.C.	9507240428	52-3	JACOBSON, J.B.	9507280260*	50-336 Q	JOINER, J.E.	9507180040	50-424 G
HUFFMAN, W.C.	9507280268	52-3	JACOBSON, J.M.	9507190010	50-266 Q	JOINER, J.E.	9507180040	50-424 G
HUGHES, D.E.	9507030185*	50-150 P	JACOBSON, J.M.	9507260033*	40-3392	JONES, A.R.	9507170019	50-348 S
HUGHES, J.H.	9507200050*	70-27	JAHANIAN, Y.	9507100065*	50-254 P	JONES, A.R.	9507210060	50-348 S
HUGHES, K.	9507060313	NURIG	JAHANIAN, Y.	9507100070*	50-254 P	JONES, D.T.	9507140156	50-334 R
HUGHEY, C.	95073100304*	50-416 Q	JAIN, S.C.	9507030109*	50-346 P	JONES, D.W.	9507120075*	50-424 Q
HUGO, B.R.	9507140463	50-397 S	JANKOVICH, J.P.	9507060274	71-701	JONES, D.W.	9507280123*	50-269 Q
MULTSCH, R.A.	9507170011	70-27	JANKOVICH, J.P.	9507100077	71-770	JONES, R.C.	9507110148	TOPREP
HUMPHREY, R.A.	9507190208	PROJ	JANKOVICH, J.P.	9507100081*	71-770	JONES, S.	9507030340*	WASTE MGT
HUMPHRIES, C.A.	9507140468*	WASTE MGT	JANKOVICH, J.P.	9507110218	71-149	JONES, T.	9507120053*	70-27
HUNGER, G.A.	9507030076	50-277 P	JANKOVICH, J.P.	9507110220	71-703	JORDAN, E.L.	9507070120	ORG
HUNGER, G.A.	9507030089	50-353 P	JANKOVICH, J.P.	9507110222	71-378	JORDAN, E.L.	9507100192	REVIEW GR P
HUNGER, G.A.	9507050136	50-277 P	JANKOVICH, J.P.	9507110225	71-185	JORDAN, E.L.	9507100264	REVIEW GR P
HUNGER, G.A.	9507050154	50-277 P	JANKOVICH, J.P.	9507110229	71-692	JORDAN, E.L.	9507110115	REVIEW GR P
HUNGER, G.A.	9507050203	50-352 P	JANKOVICH, J.P.	9507110231	71-706	JORDAN, E.L.	9507110265	STATE PRO G
HUNGER, G.A.	9507050224	50-352 F	JANKOVICH, J.P.	9507130144	71-*****	JORDAN, E.L.	9507120199	ORG
HUNGER, G.A.	9507110045	50-352 F	JANKOVICH, J.P.	9507130147*	71-*****	JORDAN, E.L.	9507120358	REVIEW GR P
HUNGER, G.A.	9507170001	50-277 P	JANKOVICH, J.P.	9507130148	71-637	JORDAN, E.L.	9507130041	STATE PRO G
HUNGER, G.A.	9507170057	50-277 P	JANKOVICH, J.P.	9507130150*	71-637	JORDAN, E.L.	9507130046*	STATE PRO G
HUNGER, G.A.	9507170363	50-277 F	JANKOVICH, J.P.	9507130154	71-723	JORDAN, E.L.	9507210339	REVIEW GR P
HUNGER, G.A.	9507170401	50-276 P	JANKOVICH, J.P.	9507130161	71-552	JORDAN, M.J.	9507050070	50-341 P
HUNGER, G.A.	9507180048	50-277 F	JANKOVICH, J.P.	9507130186	71-642	JORDAN, M.J.	9507170408	50-346 Q
HUNGER, G.A.	9507200120	50-277 P	JANKOVICH, J.P.	9507170295	71-819	JORDAN, M.J.	9507310023	50-331 P
HUNGER, G.A.	9507250019	PR	JANKOVICH, J.P.	9507170297*	71-819	JORDAN, M.J.	9507310028*	50-331 Q
HUNGER, G.A.	9507260236	50-352 P	JANKOVICH, J.P.	9507170329	71-703	JOYCE, T.P.	9507030082	50-249 S
HUNGER, G.A.	9507280042	50-277 P	JANKOVICH, J.P.	9507170331*	71-703	JOYCE, T.P.	9507030094	50-249 S
HUNGER, G.A.	9507280068	50-277 Q	JANKOVICH, J.P.	9507190035	71-461	JOYCE, T.P.	9507030134	50-249 S
HUNSTAD, A.A.	9507240036	50-282 S	JANKOVICH, J.P.	9507190037	71-552	JOYCE, T.P.	9507060107	50-249 S
HUNSTAD, A.A.	9507240046	50-282 S	JANKOVICH, J.P.	9507190041	71-723	JOYCE, T.P.	9507070351	50-249 S
HUNSTAD, A.A.	9507250102*	50-306 S	JANKOVICH, J.P.	9507210181	71-524	JOYCE, T.P.	9507110304	50-237 S
HUNTER, R.G.	9507130027	STATE PRO G	JANKOVICH, J.P.	9507210186*	71-524	JOYCE, T.P.	9507110324	50-237 S
HUTCHINSON, C.	9507110157	50-416 F	JANKOVICH, J.P.	9507240082	71-821	JOYCE, T.P.	9507130009	50-237 S
HUTCHINSON, C.	9507110219	50-416 F	JANKOVICH, J.P.	9507240083*	71-821	JOYCE, T.P.	9507130059	50-237 S
HUTCHINSON, C.	9507190346	50-416 R	JANKOVICH, J.P.	9507240089	71-172	JOYCE, T.P.	9507170397	50-10 S
HUTCHINSON, C.R.	9507050342	50-416 F	JANKOVICH, J.P.	9507240098	71-401	JOYCE, T.P.	9507240356	50-237 P
HUTCHINSON, C.R.	9507060210	50-416 P	JANKOVICH, J.P.	9507240106	71-817	JOYCE, T.P.	9507250078	50-237 S
HUTCHINSON, C.R.	9507060244	50-416 Q	JANKOVICH, J.P.	9507240108*	71-817	JOYCE, T.P.	9507250146	50-237 S
HUTCHINSON, C.R.	9507110244	50-416 S	JANKOVICH, J.P.	9507250202	71-678	JOYCE, T.P.	9507270176	50-249 S
HUTCHINSON, C.R.	9507110245	50-416 F	JANKOVICH, J.P.	9507250203	71-135	JOYNER, J.	9507310066*	50-277 Q
HUTCHINSON, C.R.	9507170045	50-416 F	JANKOVICH, J.P.	9507270144	71-431	JOYNER, J.H.	9507050074	50-220 F
HUTCHINSON, C.R.	9507170389	50-416 P	JANKOVICH, J.P.	9507280102	71-*****	JOYNER, J.H.	9507050244	50-29 F
HUTCHINSON, C.R.	9507240464	50-416 V	JANKOVICH, J.P.	9507280136*	71-*****	JOYNER, J.H.	9507050247	50-387 F
HUTCHINSON, C.R.	9507250042	50-416 S	JANKOVICH, J.P.	9507310227	71-644	JOYNER, J.H.	9507100004	50-5 Q
HUTCHINSON, C.R.	9507250143	50-416 P	JANKOVICH, J.P.	9507310239	71-601	JOYNER, J.H.	9507100396	50-387 Q
HUTCHINSON, C.R.	9507260121	50-416 F	JANNETTY, T.F.	9507190119	50-213 P	JOYNER, J.H.	9507100398	50-277 Q
HYLTON, C.	9507170122	PT21	JANUS, M.T.	9507140185*	50-324 Q	JOYNER, J.H.	9507170117	70-1100 S
HYLTON, C.L.	9507210322	50-213 S	JAQUITH, R.E.	9507200190*	50-361 P	JOYNER, J.H.	9507180002	50-387 F
HYLTON, C.L.	9507210328	PT21	JARZEMBA, M.S.	9507070433*	WASTE MGT	JOYNER, J.H.	9507240204	50-29 Q
INGRAM, F.L.	9507200211*	PR	JAUDON, J.P.	9507110042	50-390 A	JOYNER, J.H.	9507240280	50-220 Q
INGRAM, F.L.	9507200227*	PR	JAUDON, J.P.	9507110100	50-390 A	JOYNER, J.H.	9507260213	50-247 Q
INGRAM, F.L.	9507270046	50-160 G	JAUDON, J.P.	9507120037	50-390 Q	JOYNER, J.H.	9507280011	50-387 Q
INTERANTE, C.G.	9507260047	WASTE MGT	JAUDON, J.P.	9507120045	50-259 F	JOYNER, J.H.	9507280012	50-272 F
IRWIN, G.W.	9507250255*	FOIA	JAUDON, J.P.	9507120056	50-390 Q	JOYNER, J.H.	9507310058	50-277 Q
JABBOUR, K.N.	9507060057	50-366 S	JAUDON, J.P.	9507120064	50-390 Q	JULIAN, C.	9507140326*	50-390 Q
JABBOUR, K.N.	9507060383	50-321 P	JAUDON, J.P.	9507120089	50-390 Q	JULIAN, C.	9507240482*	50-390 Q
JABBOUR, K.N.	9507240408	50-321 P	JAUDON, J.P.	9507120094	50-390 Q	JULIAN, C.A.	9507240260*	50-390 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KALMAN,G.	9507030187	REVIEW GR P	KNOWLTON,K.	9507190107*	40-672	LASALA,P.R.	9507310130	50-354 R
KALMAN,G.	9507200033	50-368 P	KOBYLARZ,S.F.	9507180173*	50-259 O	LAUDEMAN,M.J.	9507260008*	70-734 Q
KAMMERER,C.C.	9507280109*	50-528 F	KOFRON,K.L.	9507060249	50-454 R	LAUGHLIN,J.	9507310066*	50-277 Q
KANA,D.D.	9507210300*	WASTE MGT	KOPRON,K.L.	9507190351	50-454 R	LAUTENBERG,F.R.	9507210098*	50-319 Q
KANTNER,J.L.	9507030051*	50-352 S	KOHN,M.D.	9507180071	50-424 G	LAVIGNE,D.A.	9507110041	50-395 Q
KAPEL,B.R.	9507130037*	STATE PRO G	KOHN,M.D.	9507180071	50-424 G	LAWRENCE,J.W.	9507280116	FOIA
KARSTEN,K.R.	9507110086	71-9150	KONING,D.B.	9507070388	TOPREP	LAWRENCE,R.E.	9507190208	PROJ
KAUFFMAN,J.V.	9507270202*	ORG	KONING,D.B.	9507070388	TOPREP	LAWSON,R.L.	9507050079	PR
KAZANAS,N.C.	9507060393	50-438 A	KOPOTIC,J.D.	9507100103	70-1100	LAZARUS,W.J.	9507030033*	50-334 Q
KEARNEY,W.F.	9507100231	40-8857	KORNEMAN,D.E.	9507140167*	50-461 Q	LAZARUS,W.J.	9507140007*	50-309 Q
KEARNEY,W.F.	9507180269	40-8857	KORONA,B.E.	9507100236*	50-354 Q	LAZARUS,W.J.	9507140062*	50-244 Q
KEARNEY,W.F.	9507200262	40-8857	KORONA,B.E.	9507100328*	50-245 Q	LE,H.	9507140118*	TOPREP
KEARNEY,W.F.	9507200272	40-8857	KOSMIDER,M.D.	9507110017	PR	LE,N.	9507060403	50-400 P
KEARNEY,W.F.	9507200319	40-8857	KOSSAK,R.N.	9507260036	WASTE MGT	LE,N.B.	9507190188	50-400 P
KEARNEY,W.F.	9507200330	40-8857	KOTRA,J.P.	9507270047	ORG	LE,N.B.	9507190190*	50-400 P
KEARNEY,W.F.	9507200352	40-8857	KOUDELKA,M.B.	9507120054	50-266 R	LEBARON,L.	9507060098	50-213 S
KEARNEY,W.F.	9507210084	40-8857	KRAINIK,A.K.	9507050180	50-529 O	LEDOUX,M.R.	9507100112	27-48
KEARNEY,W.F.	9507210179	40-8857	KRAINIK,A.K.	9507280101	50-528 F	LEDOUX,M.R.	9507100123*	27-48
KEARNEY,W.F.	9507210196	40-8857	KRATZINGER,F.J.	9507310033*	WASTE MGT	LEE,M.T.	9507170030	50-255 F
KEARNEY,W.F.	9507210208	40-8857	KREH,J.L.	9507200048*	70-27	LEE,P.E.	9507100316	40-7397
KEARNEY,W.F.	9507210219	40-8857	KRICH,R.M.	9507050092	50-261 P	LEE,T.D.	9507200014	70-27
KEARNEY,W.F.	9507310254	40-8857	KRICH,R.M.	9507060083	50-261 P	LEEDS,E.J.	9507240015*	ORG
KEEGAN,E.	9507200147	70-1151	KRICH,R.M.	9507060108	50-261 P	LEFEVRE,H.	9507030	WASTE MGT
KEIPER,J.T.	9507280064	50-213 S	KRICH,R.M.	9507060151	50-261 O	LEFRANCOIS,M.P.	9507140115*	TOPREP
KELLER,T.A.	9507240040*	50-250 P	KRICH,R.M.	9507060324	50-261 P	LEHMANN,C.R.	9507140118*	TOPREP
KELLER,T.S.	9507030332*	50-482 P	KRICH,R.M.	9507070154	50-261 P	LEITCH,G.M.	9507180011	50-309 Q
KELLEY,L.C.	9507250065	50-302 R	KRICH,R.M.	9507100399	50-261 F	LEITCH,G.M.	9507250135	50-309 Q
KELLEY,R.	9507150087*	STATE PRO G	KRICH,R.M.	9507130158	50-261 R	LEITCH,G.M.	9507260076*	50-309 P
KELLOGG,P.J.	9507120032*	50-261 O	KRICH,R.M.	9507210029	50-261 P	LENAHAN,J.J.	9507120224*	50-160 Q
KELLOGG,P.J.	9507200255*	50-261 O	KRICH,R.M.	9507250070	50-261 F	LENHART,T.E.	9507310242	FOIA
KELLY,E.M.	9507190235	50-354 O	KRIEGER,R.W.	9507030246*	50-361 S	LENHART,T.E.	9508010193	FOIA
KELLY,E.M.	9507100236*	50-354 O	KRIEGER,R.W.	9507110130	50-361 S	LENNARTZ,J.	9507240043*	50-454 Q
KELLY,E.M.	9507100321*	50-245 O	KRIESER,G.M.	9507050065	PR	LENTZ,F.H.	9507070393*	WASTE MGT
KELLY,E.M.	9507100328*	50-245 O	KRIESER,G.M.	9507070171	PR	LENZ,M.O.	9507050141*	50-277 P
KELLY,E.M.	9507100377*	50-220 O	KRIESER,G.M.	9507120021	50-266 K	LESAR,M.T.	9507110131*	PR
KELLY,E.M.	9507240270	50-293 O	KRIESER,G.M.	9507250004	50-266 F	LESAR,M.T.	9507120246	NUREG
KELLY,E.M.	9507240276*	50-293 O	KRIESER,G.M.	9507250112	50-266 P	LESSER,M.S.	9507120012	50-259 Q
KELLY,E.M.	9507290007	50-309 O	KROPP,W.J.	9507060012	50-255 O	LESSER,M.S.	9507120024*	50-259 Q
KELLY,E.M.	9507280009*	50-309 P	KROPP,W.J.	9507070010	50-282 O	LESSER,M.S.	9507120026	50-296 P
KELLY,G.B.	9507270379	50-324 P	KROPP,W.J.	9507070019	30-255 O	LESSER,M.S.	9507120124	50-327 Q
KELLY,J.F.	9507050025	71-749	KROPP,W.J.	9507070029*	50-282 O	LESSER,M.S.	9507120129*	50-327 Q
KELLY,S.	9507190231*	PROJ	KROPP,W.J.	9507070032*	50-255 O	LESSER,M.S.	9507120148	50-296 O
KENNEALLY,R.M.	9503290186	ORG	KROPP,W.J.	9507180082	50-315 O	LESSER,M.S.	9507210022	50-259 P
KENNEDY,M.	9507130182*	52-3	KROPP,W.J.	9507180084*	50-315 O	LESSER,M.S.	9507240352	50-327 Q
KENNEDY,W.R.	9507030207*	WASTE MGT	KROPP,W.J.	9507180166*	50-282 Q	LETTIS,B.F.	9507250132*	50-443 Q
KENNY,T.J.	9507030020*	50-245 O	KRUEGEL,R.E.	9507200129	71-319	LEVINTHAL,P.	9507060111*	COMMISSION
KEPPLER,J.G.	8612110365*	FOIA	KRUMLAND,K.M.	9507100294	50-298 F	LEVINE,J.M.	9507050375	50-528 S
KEPPLER,J.G.	8612120009*	FOIA	KUGLER,A.J.	9507170370	ORG	LEVINE,J.M.	9507100205	50-528 S
KERRY,J.F.	9507210114*	50-293 H	KUGLER,A.J.	9507240135	I&E	LEVINE,J.M.	9507110110	50-529 S
KEUTER,D.R.	9507110123	50-382 S	KUZO,G.B.	9507140301*	50-259 Q	LEVINE,J.M.	9507190335	50-528 R
KEUTER,D.R.	9507110182	50-382 S	LABARGE,D.E.	9507060391	50-327 P	LEVIS,W.	9507120187	50-325 S
KEUTER,D.R.	9507250127	50-382 S	LABARGE,D.E.	9507280273	50-327 F	LEVIS,W.	9507190350	50-324 R
KICHLINE,R.D.	9507070479	50-387 S	LACH,D.	9507060313	NUREG	LEWANDOWSKI,R.	9507190222*	PROJ
KIETZMAN,K.	9507200151*	50-271 P	LACKEY,M.B.	9507110301	50-344 P	LEWIS,M.I.	9507070185	PR
KILLIAN,R.M.	9507180332	CONTRACT	LAHS,W.R.	9507030190	WASTE MGT	LEWIS,R.J.	9507260199	PROJ
KIM,T.J.	9507120317	50-263 P	LADLAW,W.A.	9507260305	XPORTLIC	LICHTNER,P.C.	9507070438*	WASTE MGT
KIM,T.J.	9507120321*	50-263 P	LAMASTRA,M.A.	9507060371*	70-1201	LICHTNER,P.C.	9507280090*	WASTE MGT
KIM,T.J.	9507190246	50-263 P	LAMB,J.E.	9507280017*	50-272 F	LIEBERMAN,J.	9507030021	50-498 Q
KING,L.W.	9507120272*	50-366 P	LAMBERSKI,J.E.	9507270123	50-424 G	LIEBERMAN,J.	9507050090	I&E
KING,T.L.	9507270318	ORG	LAMBERSKI,J.E.	9507270123	50-424 G	LIEBERMAN,J.	9507050106	I&E
KINNAMAN,J.D.	9507100036	40-672	LAMBERT,L.D.	9507200213	NUREG	LIEBERMAN,J.	9507050132	I&E
KINNAMAN,J.D.	9507050126	40-7354	LANDIS,K.	9507120115*	50-335 Q	LIEBERMAN,J.	9507050142	I&E
KINNAMAN,J.D.	9507050206	70-****	LANDIS,K.D.	9507120055	50-250 Q	LIEBERMAN,J.	9507050188	40-3453
KINNAMAN,J.D.	9507070014	40-8778	LANDIS,K.D.	9507120059	50-250 Q	LIEBERMAN,J.	9507050186	I&E
KINNAMAN,J.D.	9507100084	40-672	LANDIS,K.D.	9507120072	50-260 Q	LIEBERMAN,J.	9507120337	50-271 Q
KINNAMAN,J.D.	9507170212	40-****	LANDIS,K.D.	9507120108	50-335 Q	LIEBERMAN,J.	9507130171	50-313 Q
KINNAMAN,J.D.	9507190014	40-2253	LANDIS,K.D.	9507120143	50-280 Q	LIEBERMAN,J.	9507180247*	FOIA
KINNEY,C.	9507100273*	50-282 Q	LANDIS,K.D.	9507140169	50-339 Q	LIEBERMAN,J.	9507200345*	FOIA
KIRCHNER,R.F.	9507060303*	50-410 P	LANDIS,K.D.	9507210040	50-302 P	LIEBERMAN,J.	9507260096	STATE PRO G
KIRKLAND,M.W.	9507140018	70-754	LANDIS,K.D.	9507210053	50-302 Q	LIEBERMAN,J.	9507260102*	STATE PRO G
KIRSCH,D.F.	9507050004*	50-482 Q	LANDIS,K.D.	9507240366	50-336 Q	LIEBERMAN,J.I.	9507180057*	ORG
KIRSCH,D.F.	9507050063*	50-482 Q	LANDIS,K.D.	9507260080	50-302 Q	LIEBERMAN,J.I.	9507200128*	ORG
KIRSCH,D.F.	9507310017*	50-445 O	LANDIS,K.D.	9507260099	50-302 Q	LIETCH,G.M.	9507280075	50-309 P
KLAPPROTH,J.F.	9507030306	70-1113	LANDIS,K.D.	9507260124	50-302 Q	LIMROTH,D.F.	9507100401*	50-277 Q
KLAPPROTH,J.F.	9507120257	71-4986	LANDIS,K.D.	9507260126	50-302 Q	LIN,C.C.	9507120287	50-280 P
KLAPPROTH,J.F.	9507180312	70-1113	LANDIS,K.D.	9507260130	50-302 Q	LIN,S.D.	9507190346	50-416 R
KLAPPROTH,J.F.	9507210346	70-1113	LANG,M.J.	9507030200	71-721	LIND,D.B.	9507120172	71-260
KLAPPROTH,J.F.	9507250003	PR	LANGSTAFF,R.A.	9507310028*	50-331 Q	LINDELL,J.S.	9507250074	40-9027
KLINE,J.R.	9507100100	40-8027	LANIER,N.P.	9507180205	71-6717	LINDQUIST,S.A.	9507060066	50-285 S
KLINGER,R.E.	9507250025*	WASTE MGT	LANKSBURY,R.D.	9507240284	50-440 O	LINK,B.	9507050428	50-266 P
KLINGER,R.E.	9507250029*	WASTE MGT	LANKSBURY,R.D.	9507240287*	50-440 Q	LINK,B.	9507180010	50-266 Q
KNAPP,K.S.	9507130067	71-9251	LANKSBURY,R.D.	9507240296	50-331 Q	LINK,B.	9507280125	50-266 Y
KNAPP,K.S.	9507130072*	71-9251	LANNING,W.D.	9507140057	50-272 P	LINVILLE,J.C.	9507030028	50-334 Q
KNAPP,K.S.	9507180280	70-1201	LANNING,W.D.	9507140083	50-286 P	LINVILLE,J.C.	9507140004	50-309 Q
KNAPP,K.S.	9507240477	71-9251	LAPAY,W.S.	9507170412*	TOPREP	LINVILLE,J.C.	9507140058	50-244 Q
KNIGHT,D.A.	9507190103*	FOIA	LARI,R.G.	9507240337	50-496 P	LINVILLE,J.C.	9507210049	50-271 Q
KNOELL,M.	9507060178	50-309 S	LARSEN,C.	9507050338*	50-271 Q	LIPARULO,N.J.	9507240013	TOPREP
KNODE,R.	9507060400	40-8943	LASALA,P.R.	9507060040	50-354 Q	LIPARULO,N.J.	9507050276	52-3

200 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LIPARULO,N.J.	9507050279*	52-3	LYONS,P.J.L.	9507050159*	40-299	MARSHALL,J.S.	9507210006	PR
LIPARULO,N.J.	9507050353*	TOPREP	MAAT,P.	9508010100*	WASTE MGT	MARSHALL,J.S.	9507250001	50-445 F
LIPARULO,N.J.	9507050367	52-3	MACDONALD,G.	9507120106*	50-390 Q	MARTIN,L.E.	9507310148	50-496 F
LIPARULO,N.J.	9507050445	TOPREP	MACE,M.	9507180150	CONTRACT	MARTIN,R.D.	8806020009*	FOIA
LIPARULO,N.J.	9507050453	52-3	MACE,M.	9507180160	CONTRACT	MARTIN,R.D.	8901200247*	FOIA
LIPARULO,N.J.	9507070294	52-3	MACE,M.	9507180189	CONTRACT	MARTIN,R.D.	9507190314*	50-498 P
LIPARULO,N.J.	9507070295*	52-3	MACE,M.	9507180204	CONTRACT	MARTIN,R.E.	9507120325	50-369 P
LIPARULO,N.J.	9507100154	52-3	MACE,M.	9507180206*	CONTRACT	MARTIN,R.E.	9507240249	50-369 P
LIPARULO,N.J.	9507100165*	52-3	MACE,M.	9507180215	CONTRACT	MARTIN,R.E.	9507270238	50-413 P
LIPARULO,N.J.	9507100384	TOPREP	MACE,M.	9507180225	CONTRACT	MARTIN,R.E.	9507270352	50-413 P
LIPARULO,N.J.	9507110288	TOPREP	MACE,M.	9507180236	CONTRACT	MARTIN,R.E.	9507310034	50-369 P
LIPARULO,N.J.	9507110293*	TOPREP	MACE,M.	9507180332	CONTRACT	MARTIN,T.T.	9409290057*	70-882 Q
LIPARULO,N.J.	9507120204	52-3	MACE,M.	9507180363	CONTRACT	MARTIN,T.T.	9507030019	50-3 Q
LIPARULO,N.J.	9507120212*	52-3	MACE,M.	9507190090*	CONTRACT	MARTIN,T.T.	9507100222	50-354 Q
LIPARULO,N.J.	9507130058	52-3	MACE,M.	9507210184	CONTRACT	MARTIN,T.T.	9507120373	50-271 Q
LIPARULO,N.J.	9507130060*	52-3	MACE,M.	9507210190	CONTRACT	MARTIN,T.T.	9507120378	50-354 Q
LIPARULO,N.J.	9507130078	52-3	MACE,M.	9507210198	CONTRACT	MARTIN,T.T.	9507130056	50-354 Q
LIPARULO,N.J.	9507130083*	52-3	MACE,M.	9507210207	CONTRACT	MARTIN,T.T.	9507170129	50-317 P
LIPARULO,N.J.	9507130172	52-3	MACE,M.	9507210211	CONTRACT	MARTIN,T.T.	9507170261	50-272 Q
LIPARULO,N.J.	9507130176*	52-3	MACE,M.	9507210216	CONTRACT	MARTIN,T.T.	9507260191*	ORG
LIPARULO,N.J.	9507180105	52-3	MACE,M.	9507210274	CONTRACT	MARTIN,T.T.	9507290008	50-336 P
LIPARULO,N.J.	9507180143*	50-315 Q	MACE,M.	9507210281	CONTRACT	MARTIN,T.T.	9507280047	50-354 Q
LIPARULO,N.J.	9507180194	TOPREP	MACE,M.	9507210294	CONTRACT	MARTIN,W.	9507310163	FOIA
LIPARULO,N.J.	9507180222	52-3	MACE,M.	9507210299	CONTRACT	MASNIK,M.T.	9507200144	50-344 P
LIPARULO,N.J.	9507180224*	52-3	MACE,M.	9507210311	CONTRACT	MASON,D.	9507190316	50-280 R
LIPARULO,N.J.	9507190186	52-3	MACE,M.	9507210314	CONTRACT	MASON,J.R.	9507210285*	FOIA
LIPARULO,N.J.	9507190194*	52-3	MACE,M.	9507210318	CONTRACT	MASON,J.R.	9507210287*	FOIA
LIPARULO,N.J.	9507240023	50-454 P	MACE,M.	9507210321	CONTRACT	MASON,J.R.	9507240281*	FOIA
LIPARULO,N.J.	9507250043	52-3	MACE,M.	9507210325	CONTRACT	MASON,J.R.	9507250267*	FOIA
LIPARULO,N.J.	9507250314*	50-390 A	MACE,M.	9507210326	CONTRACT	MASON,J.R.	9507250271*	FOIA
LIPARULO,N.J.	9507260045	TOPREP	MACE,M.	9507210330	CONTRACT	MASON,J.F.	9507250272*	FOIA
LIPARULO,N.J.	9507260055	52-3	MACE,M.	9507210336	CONTRACT	MASON,J.R.	9507260230*	FOIA
LIPARULO,N.J.	9507270022	52-3	MACE,M.	9507210347	CONTRACT	MASON,J.R.	9507260247*	FOIA
LIPARULO,N.J.	9507270368	52-3	MACE,M.	9507280086	CONTRACT	MASON,J.R.	9507280254*	FOIA
LIPARULO,N.J.	9507270371*	52-3	MACE,M.H.	9507180179	CONTRACT	MASON,J.R.	9507260266*	FOIA
LIPARULO,N.J.	9507310053	52-3	MACE,M.H.	9507180220*	CONTRACT	MASON,J.R.	9507260270*	FOIA
LIPPY,D.L.	9507210134	50-285 R	MACE,M.H.	9507180302	CONTRACT	MASON,J.R.	9507260275*	FOIA
LIU,T.	9507050170	50-285 P	MACE,M.H.	9507190103*	FOIA	MASON,J.R.	9507270276*	FOIA
LIU,T.	9507050175*	50-285 P	MACE,M.H.	9507210176	CONTRACT	MASON,J.R.	9507270278*	FOIA
LIU,T.	9507240378	50-285 P	MACE,M.H.	9507210195	CONTRACT	MASSE,F.X.	9507110008	PR
LIU,T.	9507270295	50-285 P	MACE,M.H.	9507210197	CONTRACT	MATAKAS,R.A.	9507250121*	50-443 Q
LIU,T.	9507270332	50-285 P	MACE,M.H.	9507210215	CONTRACT	MATAKAS,R.A.	9507250136*	50-443 Q
LIVINGSTON,R.L.	9507210173*	STATE PRO G	MACE,M.H.	9507210267	CONTRACT	MATAKAS,R.A.	9507250139*	50-443 Q
LIVINGSTON,R.L.	9507210206*	ORG	MACE,M.H.	9507210344	CONTRACT	MATE,J.J.	9506090149	PR
LIVINGSTON,R.L.	9507210264*	ORG	MACE,M.H.	9507210357	CONTRACT	MATTHEWS,D.B.	9507070077*	50-335 P
LLOYD,B.	9507060189*	50-155 H	MACE,M.H.	9507280063	CONTRACT	MATTHEWS,D.B.	9507110320*	50-280 P
LOGAN,M.	9507260074	71-6717	MACE,M.H.	9507280067	CONTRACT	MATTHEWS,D.B.	9507140127	50-280 P
LOHAUS,P.	9507270014	STATE PRO G	MACFARLAND,W.G.	9507140240	50-352 V	MATTHEWS,D.B.	9507190216*	50-280 P
LOHAUS,P.	9507270020	STATE PRO G	MACHON,R.D.	9507100409	50-259 S	MATTHEWS,D.B.	9507240308	50-280 Q
LOHAUS,P.H.	9507130008	STATE PRO G	MACHON,R.D.	9507110089	50-260 Q	MATTHEWS,L.	9507130099	71-6717
LOHAUS,P.H.	9507130022	STATE PRO G	MACHON,R.D.	9507170024	50-296 S	MATTIA,J.J.	9507210342	CONTRACT
LOHAUS,P.H.	9507130028	STATE PRO G	MACHON,R.D.	9507180167	50-259 Q	MATTIA,M.J.	9507120353	CONTRACT
LOHAUS,P.H.	9507130030	STATE PRO G	MADDOEN,P.M.	9507140050	ORG	MATTIA,M.J.	9507120364	CONTRACT
LOHAUS,P.H.	9507130047	STATE PRO G	MADERAJ,J.	9507190022	I&E	MATTIA,M.J.	9507120374	CONTRACT
LOHAUS,P.H.	9507130066	STATE PRO G	MAGNO,A.C.	9507190109	71-6717	MATTIA,M.J.	9507120380	CONTRACT
LOHAUS,P.H.	9507130061	STATE PRO G	MAGONEY,J.J.	9507250204*	FOIA	MATTIA,M.J.	9507130017	CONTRACT
LOHAUS,P.H.	9507130085	STATE PRO G	MAJER,E.L.	9507030343*	WASTE MGT	MATTIA,M.J.	9507140460	CONTRACT
LOHAUS,P.H.	9507130096	STATE PRO G	MALONEY,C.B.	9507210093*	ORG	MATTIA,M.J.	9507140464	CONTRACT
LOHAUS,P.H.	9507130101	STATE PRO G	MALUR,S.K.	9507280252*	50-390 Q	MATTIA,M.J.	9507170247	CONTRACT
LOHAUS,P.H.	9507270027	STATE PRO G	MAMISH,N.	9507050096	I&E	MATTIA,M.J.	9507170258	CONTRACT
LOHAUS,P.H.	9507270043	STATE PRO G	MAMISH,N.	9507050106	I&E	MATTIA,M.J.	9507170326	CONTRACT
LOHAUS,P.H.	9507270115	STATE PRO G	MAMISH,N.	9507050166	40-3453	MATTIA,M.J.	9507170353*	CONTRACT
LOHAUS,P.H.	9507270142	STATE PRO G	MAMISH,N.	9507050186	I&E	MATTIA,M.J.	9507170373	CONTRACT
LOHMANN,J.K.	9507050245	50-361 P	MANGIONE,J.N.	9507200087	71-401	MATTIA,M.J.	9507170388	CONTRACT
LOO,W.T.	9507140301*	50-259 Q	MANTEUFEL,R.D.	9507120304*	WASTE MGT	MATTIA,M.J.	9507190258	50-344 P
LORSONG,P.H.	9507070231	71-111	MANWARING,D.	9507270093	71-*****	MATTIA,M.J.	9507210209	CONTRACT
LOW,D.	9507250230*	FOIA	MANWARING,D.A.	9507270099*	71-*****	MATTIA,M.J.	9507210346	CONTRACT
LOW,L.D.	9507250223*	FOIA	MARCHI,M.L.	9507050361	50-305 Q	MATTIA,M.J.	9507280136	CONTRACT
LOW,L.D.	9507250235*	FOIA	MARCHI,M.L.	9507110230	50-305 F	MATTIA,M.J.	9507280138	CONTRACT
LUFIA,G.	9507070365*	50-249 S	MARCHI,M.L.	9507210145	50-305 R	MATTIA,M.J.	9507280161	CONTRACT
LUSTER,D.R.	9507120281	50-77 W	MARCHI,M.L.	9507240397	50-305 P	MATTIA,M.J.	9507280165	CONTRACT
LUTZI,P.J.	9507060333	50-336 S	MARCO,C.L.	9507180111	40-8027	MATTSON,C.E.	9507270159*	STATE PRO G
LUTZI,P.J.	9507110144	50-336 S	MARION,A.	9507280262	REVIEW GR P	MATTSON,C.E.	9507270166*	STATE PRO G
LUTZI,P.J.	9507140218	50-336 S	MARSH,L.B.	9507050381	50-220 P	MATUSEWICZ,S.M.	9507070483	50-156 V
LUTZI,P.J.	9507200082	50-336 S	MARSH,L.B.	9507060267*	50-333 P	MAXFIELD,G.J.	9507050383	50-266 F
LUTZI,P.J.	9507200386	50-336 S	MARSH,L.B.	9507060337	50-244 Q	MAXFIELD,G.J.	9507050397	50-266 F
LUTZI,P.J.	9507210182*	50-336 S	MARSH,L.B.	9507120342	50-244 P	MAXFIELD,G.J.	9507050409	50-266 F
LUTZI,P.J.	9507240297	50-336 S	MARSH,L.B.	9507120344*	50-333 P	MAXFIELD,G.J.	9507120054	50-266 R
LUTZI,P.J.	9507240312*	50-336 S	MARSH,L.B.	9507140088	50-244 P	MAXFIELD,G.J.	9507240285	50-266 P
LUTZI,P.J.	9507240323	50-336 S	MARSH,L.B.	9507240160	50-244 P	MAXIN,A.M.	9507120179	70-143
LYNCH,J.	9507130073	STATE PRO G	MARSH,W.C.	9507170186	50-206 F	MAXIN,A.M.	9507120398	70-143
LYNCH,M.D.	9507030250	50-454 P	MARSH,W.C.	9507190172	50-362 P	MAXIN,A.M.	9507130070	70-143
LYNCH,M.D.	9507060112	TOPREP	MARSH,W.C.	9507200102	50-361 P	MAXIN,A.M.	9507210250	70-143
LYNCH,M.D.	9507180407	50-454 P	MARSH,W.C.	9507200103	50-361 P	MAXIN,A.M.	9507240318	70-143
LYNCH,M.D.	9507280270	50-454 Q	MARSH,W.C.	9507210192	50-361 R	MAXIN,A.M.	9507240321	70-143
LYON,W.C.	9507310276	REVIEW GR P	MARSH,W.C.	9507250013	50-206 F	MAXIN,A.M.	9507240435	70-143
LYONS,W.C.	9507280119	PR	MARSH,W.C.	9507250122	50-361 Q	MAXIN,A.M.	9507240448	70-143
LYONS,D.W.	9507200121	50-354 R	MARSHALL,J.S.	9507050252	50-445 F	MAXIN,A.M.	9507250096	70-143

202 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MUELLER, J.H.	9507180254	50-298	OLIVIER, L.J.	9507190323	50-293	PAPE, J.M.	9507070283	WASTE MGT
MUELLER, J.H.	9507180263	50-298	OLMSTEAD, W.J.	8211040338*	FOIA	PAPERIELLO, C.	9507270177	70-364
MUELLER, J.H.	9507280217	50-298	OLSEN, A.F.	9507100365	70-27	PAPERIELLO, C.J.	9507070232	70-364
MUHLER, J.C.	9507250222*	FOIA	OLSEN, A.F.	9507200080	70-27	PAPERIELLO, C.J.	9507070248*	70-364
MUNRO, J.J.	9507270019	71-642	OLSEN, A.F.	9507200086	70-27	PAPERIELLO, C.J.	9507070258*	70-364
MURKOWSKI, F.H.	9507200383*	ORG	OLSEN, A.F.	9507200106	70-27	PAPERIELLO, C.J.	9507110336	72-1004
MURLEY, T.E.	8608050229*	FOIA	OLSEN, A.F.	9507210246	70-27	PAPERIELLO, C.J.	9507120278	50-282 P
MURLEY, T.E.	9507310274*	50-498	OLSEN, C.	9507190316	50-280	PAPERIELLO, C.J.	9507140456	WASTE MGT
MURPHY, W.	9507210186	WASTE MGT	OLSEN, H.O.	9507210134	50-317	PAPERIELLO, C.J.	9507190058	ORG
MURPHY, W.M.	9507210306*	WASTE MGT	OLSHAN, L.N.	9507180282	50-272	PAPERIELLO, C.J.	9507270136	WASTE MGT
MURRAY, B.	9507050171*	50-458	OLSHAN, L.N.	9507200297	50-272	PARK, J.	9507280039	WASTE MGT
MURRAY, B.	9507130093*	50-458	OLSHAN, L.N.	9507200323	50-272	PARK, J.R.	9507110327	40-8943
MURRAY, B.	9507240006*	50-482	OLSHAN, L.N.	9507210108	50-272	PARKER, B.A.	9507120192*	50-335 Q
MUTH, D.W.	9507110254	50-317	OLWA, J.M.	9507070448	40-7102	PARKER, J.L.	9507030183	40-8724
MUTH, D.W.	9507200152	50-317	ONORATO, H.	9507190126	50-272	PARKER, T.	9507140233	50-263 S
MYERS, L.W.	9507240479	50-499	OPEKA, J.F.	9507030169	50-336	PARLER, W.C.	9507240091*	FOIA
MYSER, R.	9507030183	50-150	OPEKA, J.F.	9507030189	50-336	PARLER, W.C.	9507240093*	FOIA
NARDONE, P.E.	9507250061	50-443	OPEKA, J.F.	9507030171	50-423	PARRISH, J.V.	9507030214	50-397 Q
NATARAJA, M.	9507310012*	40-8084	OPEKA, J.F.	9507030171	50-423	PARRISH, J.V.	9507050191	50-397 P
NEBUDA, D.T.	9507250297	50-259	OPEKA, J.F.	9507070335	50-213	PARRISH, J.V.	9507060309	50-387 F
NEBUDA, D.T.	9507250301*	50-259	OPEKA, J.F.	9507030335	50-213	PARRISH, J.V.	9507140152	50-397 R
NEBUDA, D.T.	9507250302	50-331	OPEKA, J.F.	9507030335	50-213	PARRISH, J.V.	9507140463	50-397 S
NEBUDA, D.T.	9507250305*	50-331	OPEKA, J.F.	9507050347	50-213	PARRISH, J.V.	9507140466	50-397 S
NEBUDA, D.T.	9507250306	50-275	OPEKA, J.F.	9507050347	50-213	PARRISH, J.V.	9507240053	50-397 Q
NEBUDA, D.T.	9507250310*	50-275	OPEKA, J.F.	9507050452	50-213	PARRISH, J.V.	9507250023	50-397 Q
NEEL, R.B.	9507140439	WASTE MGT	OPEKA, J.F.	9507050452	50-213	PARRISH, J.V.	9507280123	50-397 Q
NEGUS, P.T.	9507170139	52-1	OPEKA, J.F.	9507050455	50-245	PARRISH, J.V.	9507310060	50-397 O
NELSON, M.A.	9507130149	50-289	OPEKA, J.F.	9507050455	50-245	PARSONS, E.J.	9507110221	71-119
NELSON, R.A.	9507270017	40-8948	OPEKA, J.F.	9507060268	50-423	PASCIAK, W.J.	9507210005	STATE PRO G
NELSON, R.A.	9507270174	40-8948	OPEKA, J.F.	9507060268	50-423	PASSETT, W.	9507120221	STATE PRO G
NELSON, R.A.	9507270296	40-8948	OPEKA, J.F.	9507100059	50-336	PASTVA, M.J.	9507110224*	50-272 S
NELSON, R.A.	9507270310	40-7102	OPEKA, J.F.	9507110048	50-245	PASTVA, M.J.	9507260138*	50-272 S
NELSON, R.A.	9507270323	40-8948	OPEKA, J.F.	9507110048	50-245	PASTVA, M.J.	9507260142	50-272 S
NELSON, R.M.	9507270167*	WASTE MGT	OPEKA, J.F.	9507110146	50-336	PASTVA, M.J.	9507260220	50-272 S
NERSEV, V.	9507210203	50-325	OPEKA, J.F.	9507110146	50-336	PASTVA, M.J.	9507270189	50-272 S
NETZEL, R.J.	9507260061	TOPPRP	OPEKA, J.F.	9507110216	50-336	PATEL, C.P.	9507060042	50-382 P
NEUMAN, G.M.	9507200029	50-440	OPEKA, J.F.	9507110216	50-336	PATEL, C.P.	9507060049*	50-382 P
NEUMAN, S.P.	9507060331	NUREG	OPEKA, J.F.	9507140073	50-245	PATEL, C.P.	9507140104	50-382 P
NEVELS, G.L.	9507050423	50-483	OPEKA, J.F.	9507140073	50-245	PATEL, C.P.	9507180193	50-382 P
NEWBERRY, S.F.	9507030147	ORG	OPEKA, J.F.	9507140078	50-336	PATEL, C.P.	9507180211*	50-382 P
NEWBERRY, S.F.	9507260194	ORG	OPEKA, J.F.	9507140078	50-336	PATEL, C.P.	9507280251	50-382 P
NEWBURGH, G.	9507200012*	50-245	OPEKA, J.F.	9507140084	50-423	PATEL, C.P.	9507280259*	50-382 P
NEWBURGH, G.	9507200096*	50-245	OPEKA, J.F.	9507140084	50-423	PATHAK, A.P.	9507170317*	50-496 O
NEWBURGH, G.	9507200096*	50-245	OPEKA, J.F.	9507140140	50-336	PATTERSON, C.A.	9507140185*	50-324 Q
NEWLIN, R.W.	8912070180*	50-320	OPEKA, J.F.	9507140140	50-336	PATTERSON, T.L.	9507050103	50-285 F
NEWTON, R.A.	9507050348	TOPREP	OPEKA, J.F.	9507170402	50-213	PATTERSON, T.L.	9507060066	50-285 S
NEWTON, R.A.	9507170410	TOPREP	OPEKA, J.F.	9507170402	50-213	PATTERSON, T.L.	9507060069	50-285 S
NEWTON, R.R.	9507060229	50-324	OPEKA, J.F.	9507170402	50-213	PATTERSON, T.L.	9507060071	50-285 S
NEY, R.W.	9507060211	40-8948	OPEKA, J.F.	9507200088	50-423	PATTERSON, T.L.	9507100262	50-285 F
NEYMOTIN, L.	9507120287	50-280	OPEKA, J.F.	9507200088	50-423	PATTERSON, T.L.	9507100391	50-285 P
NICHOLSON, L.	9507030005	50-336	OPEKA, J.F.	9507200138	50-245	PATTERSON, T.L.	9507170364	50-285 F
NICHOLSON, L.E.	9507100246*	50-213	OPEKA, J.F.	9507200138	50-245	PATTERSON, T.L.	9507180056	50-285 Q
NICHOLSON, L.E.	9507240084*	50-245	OPEKA, J.F.	9507210041	50-213	PATTERSON, T.L.	9507210154	50-285 R
NICK, J.	9507240211*	50-29	OPEKA, J.F.	9507210265	50-245	PATTERSON, T.L.	9507210216	50-285 F
NICKLES, B.C.	9507060105	50-255	OPEKA, J.F.	9507210265	50-245	PATTERSON, T.L.	9507250274	50-285 R
NICOLAYEFF, V.	9507120194*	70-734	OPEKA, J.F.	9507240131	50-423	PATTERSON, T.L.	9507270025	50-285 R
NIH, S.Q.	9507280143	52-3	OPEKA, J.F.	9507240131	50-423	PATTERSON, T.L.	9507310098	50-285 I
NOGGLE, J.	9507030026*	50-3	OPEKA, J.F.	9507240143	50-245	PAULSON, O.A.	9507030118	40-8584
NOGGLE, J.	9507170120*	70-1100	OPEKA, J.F.	9507240143	50-245	PAULSON, O.A.	9507270091	50-285
NOONAN, T.P.	9507030326	50-334	OPEKA, J.F.	9507240151	50-423	PAUSTIAN, H.H.	9507200042	40-6333 R
NOONAN, T.P.	9507050226	50-334	OPEKA, J.F.	9507240151	50-423	PAVLECHKO, F.L.	9507130106	50-390 F
NOONAN, T.P.	9507050372	50-334	OPEKA, J.F.	9507240330	50-213	PEARCE, L.W.	9507120107	50-254 O
NOONAN, T.P.	9507140156	50-334	OPEKA, J.F.	9507240330	50-213	PEARCE, L.W.	9507190334	50-254 R
NOONAN, T.P.	9507310177	50-334	OPEKA, J.F.	9507270051	50-423	PEEBLES, T.A.	9507120030	50-261 O
NORKIN, D.	9507280260*	50-336	OPEKA, J.F.	9507270051	50-423	PEEBLES, T.A.	9507120079	50-395 O
NORKIN, D.P.	9507280252*	50-390	OPEKA, J.F.	9507280027	50-245	PEEBLES, T.A.	9507120088*	50-395 O
NORRIS, J.	9507190228	50-250	OPEKA, J.F.	9507280027	50-245	PEEBLES, T.A.	9507200249	50-348 V
NORRIS, J.A.	9507050101	50-389	OPEKA, J.F.	9507280028	50-423	PEEBLES, T.A.	9507200250	50-261 O
NORRIS, J.A.	9507070057	50-335	OPEKA, J.F.	9507280028	50-423	PEEBLES, T.A.	9507200255*	50-261 O
NORRIS, S.T.	9507210199	40-7708	OPEKA, J.F.	9507280034	50-213	PEGG, W.D.	9507190015*	50-213 O
NORTON, L.J.	9507250064*	50-498	OPEKA, J.F.	9507280034	50-213	PELLET, J.L.	9507170156*	50-313 O
NORTON, L.J.	9507250119*	50-443	ORDERS, W.T.	9507240360*	50-261	PELLET, J.L.	9507260023*	50-397 O
NOSENCHUCK, N.H.	9507030325	WASTE MGT	ORLANDO, T.	9507190325	50-286	PELUSO, L.	9507240286*	50-220 O
NURK, A.	9507310130	50-354	ORLOWSKI, C.A.	9507190326	50-244	PEMBROKE, J.D.	9507270086	50-458 G
O'CONNOR, P.W.	9507190260	50-416	ORR, F.R.	9507110256	50-29	PEMBROKE, J.D.	9507270086	50-458 G
O'HANLON, J.P.	9507030144	50-280	ORR, F.R.	9507180444	TOPREP	PENDERGAST, J.M.	9507060102*	50-341 S
O'HANLON, J.P.	9507130045	50-338	ORTIGER, T.W.	9507110012	STATE PRO G	PEPPE, A.J.	9507060364	40-3392
O'HANLON, J.P.	9507180176	50-280	ORTENDAHL, D.A.	9507250276*	FOIA	PERKINS, K.E.	9507180033	50-361 O
O'HANLON, J.P.	9507180190	50-280	OSTEEN, J.K.	9507030288	ORG	PERKINS, K.E.	9507180142	50-520 O
O'HANLON, J.P.	9507270034	50-280	OSTERHOLTZ, C.	9507060008*	50-483	PERKINS, K.E.	9507180459	50-528 O
OCHS, R.	9507050133*	40-7354	OWENS, J.	9507250042	50-416	PERKINS, K.E.	9507240042*	50-458 Q
OFSTUN, R.	9507130182*	52-3	PAGE, G.	9507120259	NUREG	PERRY, N.	9507250224*	FOIA
OGLE, R.A.	9507100228	40-9022	PAINTER, G.W.	9507130159	40-861	PERRY, N.	9507250261*	FOIA
OHANLON, J.P.	9507270067	50-280	PALLA, R.L.	9507110269	TOPREP	PERSON, L.S.	9507180004	CONTRACT
OLIVER, L.	9507260273*	FOIA	PALLA, R.L.	9507270385	REVIEW GR P	PERSON, L.S.	9507270015	40-*****
OLIVER, R.	9507030340*	WASTE MGT	PALLA, R.L.	9507270388	TOPREP	PERSON, L.S.	9507270362	40-8778
OLIVER, R.E.	9507070160*	50-261	PALMER, A.J.	9507100123*	27-48	PESCHEL, J.M.	9507110232*	50-443 S
OLIVIER, L.J.	9507120263	50-293	PALMIERI, R.J.	9507170132*	50-213	PESCHEL, J.M.	9507240021	50-443 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PETERMAN, Z.E.	9508010100*	WASTE MGT	POWELL, R.A.	9507190089	FOIA	RAMLY, S.	9507050396*	50-382 P
PETERS, J.	9507120180		POWELL, R.A.	9507190110	FOIA	RANKER, W.H.	9507120192*	50-335 Q
PETRONI, C.D.	9507060341	NUREG	POWELL, R.A.	9507190285	30-33416	RANKIN, W.H.	9507140232*	50-261 Q
PHAM, T.N.	9507120392	70-7001	POWELL, R.A.	9507200125	FOIA	RANKIN, W.H.	9507140263*	50-280 Q
PHARES, R.F.	9507050049	50-461 I	POWELL, R.A.	9507200295	FOIA	RANKIN, W.H.	9507140301*	50-259 Q
PHARES, R.F.	9507140162	50-461 Q	POWELL, R.A.	9507200339	50-320 P	RANKIN, W.H.	9507200199*	50-250 Q
PHARES, R.F.	9507190345	50-461 R	POWELL, R.A.	9507210227	FOIA	RAC, P.S.	9507060014	PR
PHARR, E.B.	9507120137*	70-1113	POWELL, R.A.	9507210286	50-280 P	RAPISARDI, J.J.	9507100054	40-8948
PHARR, E.B.	9507240074*	70-1151	POWELL, R.A.	9507210296	50-255 Y	RAPISARDI, J.J.	9507100054	40-8948
PHILLIPS, M.P.	9507180115	50-155 Q	POWELL, R.A.	9507210312	50-341 P	RAPISARDI, J.J.	9507100054	40-8948
PHILLIPS, M.P.	9507180121*	50-155 Q	POWELL, R.A.	9507240054	FOIA	RASIN, W.H.	9507180188	PROJ
PHILLIPS, M.P.	9507180126	50-341 Q	POWELL, R.A.	9507240365	50-498 P	RATHBUN, D.K.	9507100208	ORG
PHILLIPS, M.P.	9507180131	50-263 Q	POWELL, R.A.	9507240422	FOIA	RATHBUN, D.K.	9507200288*	PR
PHILLIPS, M.P.	9507180136*	50-263 Q	POWELL, R.A.	9507240430	50-498 P	RATHBUN, D.K.	9507200290	PR
PHILLIPS, M.P.	9507180177	50-155 Q	POWELL, R.A.	9507250044	50-498 P	RATHBUN, D.K.	9507200368	NUREG
PHILLIPS, M.P.	9507200057	50-341 Q	POWELL, R.A.	9507250099	50-443 P	RATHBUN, D.K.	9507200370	OPG
PHILLIPS, M.P.	9507200062*	50-341 Q	POWELL, R.A.	9507260265	FOIA	RATHBUN, D.K.	9507200378	PR
PHILLIPS, R.	9507190329	50-272 R	POWELL, R.A.	9507270239	50-324 Q	RATHBUN, D.K.	9507200381	ORG
PHILLIPS, R.	9507190337	20-311 R	POWELL, R.A.	9507280097	FOIA	RATHBUN, D.K.	9507210170	ORG
PICCONE, J.M.	9507030027	PR	POWELL, R.A.	9507280127	50-498 P	RATHBUN, D.K.	9507210188	ORG
PICK, G.	9507270117	50-382 S	POWELL, R.A.	9507310127	FOIA	RATHBUN, D.K.	9507210262	PR
PICKETT, D.A.	9507070433*	WASTE MGT	POWELL, R.A.	9507310157	FOIA	RATHBUN, D.K.	9507240071*	FOIA
PICKETT, D.V.	9507110184*	50-266 P	POWELL, R.A.	9507310169	40-645	RATHBUN, D.K.	9507240077*	FOIA
PICKETT, D.V.	9507240202	50-461 P	POWELL, R.A.	9507310207	50-341 P	RATLIFF, R.A.	9507280006	STATE PRO G
PIERSON, R.	9507240367	70-135	POWELL, R.A.	9507310208	FOIA	RATLIFF, R.A.	9507280022	STATE PRO G
PIERSON, R.C.	9507060094	70-27	POWELL, R.A.	9507310230	FOIA	RAY, C.L.	9507060166*	50-369 P
PIERSON, R.C.	9507060095*	70-27	POWELL, R.A.	9507310232	50-498 Q	RAY, D.J.	9507030176	50-373 S
PIERSON, R.C.	9507060138	70-143	POWELL, R.A.	9507310235	FOIA	RAY, D.J.	9507070098	50-373 S
PIERSON, R.C.	9507060142	70-143	POWELL, R.A.	9507310284	FOIA	RAY, D.J.	9507070122	50-373 R
PIERSON, R.C.	9507060206	70-1151	POWERS, D.A.	9507030014*	50-313 Q	RAY, D.J.	9507100373	50-373 S
PIERSON, R.C.	9507060207*	70-1151	POWERS, D.A.	9507100242*	50-498 Q	RAY, D.J.	9507190349	50-373 R
PIERSON, R.C.	9507060363	70-1257	POWERS, D.A.	9507260016*	50-482 Q	RAY, D.J.	9507240076	50-373 S
PIERSON, R.C.	9507060376	70-1257	PRANGE, B.	9507170018	I&E	RAY, D.J.	9507280104	50-374 S
PIERSON, R.C.	9507070102	70-3087	PREVATTE, R.	9507120115*	50-335 Q	RAZVI, J.	9507280218*	50-89 F
PIERSON, R.C.	9507200127	70-1201	PRICE, E.R.	9507310019*	FOIA	REAMER, C.W.	9507110117	PR
PIERSON, R.C.	9507200132*	70-1201	PRICE, J.K.	9507140460	CONTRACT	RECKLEY, W.D.	9507140114*	50-295 P
PIERSON, R.C.	9507200139	70-1151	PROFFITT, J.W.	9507070207*	50-328 S	RECKLEY, W.D.	9507240114	50-374 P
PIERSON, R.C.	9507200141*	70-1151	PROFFITT, J.W.	9507110120	50-328 S	REDDEMANN, M.	9507200121	50-354 R
PIERSON, R.C.	9507200153*	70-1151	PROFFITT, J.W.	9507240283*	50-327 S	REDDEMANN, M.E.	9507060038	50-354 R
PIERSON, R.C.	9507200226	70-364	PROFFITT, J.W.	9507240329	50-328 S	REDDEMANN, M.E.	9507060040*	50-354 R
PIERSON, R.C.	9507200230	70-1257	PROVENCHER, R.	9507270190	PROJ	REDDEMANN, M.E.	9507070127	50-354 S
PIERSON, R.C.	9507210212	70-734	PUGH, N.L.	9507180253	50-267 W	REDDEMANN, M.E.	9507120295	50-354 S
PIERSON, R.C.	9507210213*	70-734	PUGH, N.L.	9507180406	70-3074	REDDEMANN, M.E.	9507190105	50-354 S
PIERSON, R.C.	9507280044	70-1151	PUGH, N.L.	9507180425	FOIA	REDDEMANN, M.E.	9507260059	50-354 S
PIERSON, R.C.	9507280050*	70-1151	PULSIFER, R.M.	9507060265	50-254 P	REDDEMANN, M.E.	9507280166	50-354 S
PIERSON, R.C.	9507280056	70-734	PULSIFER, R.M.	9507110294	50-254 P	REDDEMANN, M.E.	9507310120	50-354 S
PIET, P.L.	9507100079	50-237 P	PULSIFER, R.M.	9507310045	50-254 F	REDDEMANN, M.E.	9507310130	50-354 R
PIET, P.L.	9507100177	50-237 P	PULSIFER, R.M.	9507310051*	50-254 F	REDEKER, S.J.	9507110345	50-312 Q
PIET, P.L.	9507240466	50-237 P	QUAY, T.R.	9507060171	TOPREP	REDEKER, S.	9507170073	50-312 Y
PIET, P.L.	9507260231	50-237 P	QUAY, T.R.	9507170345	52-3	REDEKER, S.J.	9507140340	50-312 F
PIET, P.L.	9507260262	50-249 P	QUAY, T.R.	9507280289	52-3	REED, C.A.	9507180264	FOIA
PIETI, L.A.	9507250029*	WASTE MGT	QUENNOZ, S.M.	9507110063*	50-344 Q	REED, T.A.	9507060379	REVIEW GR P
PINELLI, R.A.	9507070378	TOPREP	QUENNOZ, S.M.	9507110301	50-344 F	REED, T.A.	9507110243	REVIEW GR P
PINELLI, R.A.	9507140107	TOPREP	QUENNOZ, S.M.	9507120211	50-344 F	REED, T.A.	9507260216	REVIEW GR P
PITTIGLIO, C.L.	9507270052	50-267 W	QUILICI, M.D.	9507310105*	50-482 S	REESE, I.	9507250261*	FOIA
PITTIGLIO, C.L.	9507270119	50-267 W	QUINN, E.L.	9507200200*	50-361 P	REESE, I.C.	9507250191*	FOIA
PITTS, C.J.	9507310152	FOIA	QUINN, E.L.	9507200204*	50-361 P	REGISTER, J.A.	9507270129	71-16
PLOXICO, K.M.	9507310280	FOIA	QUINN, J.E.	9507030213	52-4	REHMANN, M.R.	9507200023	40-9024
PLOGGIA, M.	9507280121*	50-528 F	QUINN, J.E.	9507030310	52-4	REHN, D.L.	9507050060	50-413 P
PLUNKETT, T.F.	9507060162	50-250 P	QUINN, J.E.	9507100034	52-4	REHN, D.L.	9507070213	50-413 S
PLUNKETT, T.F.	9507240025	50-250 P	QUINN, J.E.	9507100040	52-4	REHN, D.L.	9507130018	50-413 Q
PLUNKETT, T.F.	9507310192	50-250 P	QUINN, J.E.	9507130062	52-4	REHN, D.L.	9507130077	50-413 P
PLUNKETT, T.F.	9507310198	50-250 P	QUINN, J.E.	9507180148	52-4	REHN, D.L.	9507130086	50-413 Q
PLUNKETT, T.F.	9507310219	50-250 P	QUINN, J.E.	9507180163	52-4	REHN, D.L.	9507130131	50-413 P
PLUNKETT, T.F.	9507310224	50-250 P	QUINN, J.E.	9507180245	52-4	REHN, D.L.	9507180045	50-413 S
PLUNKETT, T.F.	9507310234	50-250 P	QUINN, J.E.	9507190002	52-4	REHN, D.L.	9507180046	50-413 S
POLLICH, T.J.	9507310247	50-250 P	QUINN, J.E.	9507210272	52-4	REHN, D.L.	9507180234	50-413 F
POLLICH, T.J.	9507050357*	50-445 P	QUINN, J.E.	9507210276	52-4	REHN, D.L.	9507280094	50-413 F
POLLARD, R.D.	9507240266*	50-219 F	QUINN, J.E.	9507210277	52-4	REID, D.A.	9507050355	50-271 P
PONTIUS, H.D.	9507100168	50-454 Q	QUINN, J.E.	9507210280	52-4	REID, D.A.	9507170387	50-271 P
PONTIUS, H.D.	9507100174	50-454 P	QUINN, J.E.	9507210282	52-4	REIGEL, D.W.	9507070203	TOPREP
PONTIUS, H.D.	9507110103	50-454 P	QUINN, J.E.	9507210317	52-4	REILLY, F.K.	9507140279	40-341
PONTIUS, H.D.	9507180094	50-456 F	QUINN, J.E.	9507260071	52-4	REISENWEAVER, D.	9507310161*	40-9027
POOL, M.J.	9507180241	FOIA	QUINN, J.E.	9507280174	52-4	REOHAGE, L.	9507030083	71-158
POSLUSNY, C.	9507030044	50-387 P	QUINN, S.E.	9507280178	52-4	REPLOGLE, J.M.	9507270167*	WASTE MGT
POSLUSNY, C.	9507180309	50-387 P	QUINN, S.E.	9507050082	50-247 P	RESNIKOFF, M.	9507190100*	40-672
POSLUSNY, C.	9507200270	50-387 P	QUINN, S.E.	9507050435	50-247 P	RESNIKOFF, M.	9507190107*	40-672
POST, J.S.	9507050235*	50-333 P	QUINN, S.E.	9507060182	50-247 P	REYNOLDS, N.S.	9507180103	50-460 G
POTTER, M.	9507100065*	50-254 P	QUINN, S.E.	9507060188	50-247 P	REYNOLDS, N.S.	9507180103	50-460 G
POTTER, M.	9507100070*	50-254 P	QUINN, S.E.	9507100257	50-247 P	REYNOLDS, S.A.	9507110238	TOPREP
POTTS, M.W.	9507260090	40-8027	QUINN, S.E.	9507110159	50-247 S	RICCIO, J.	9507030150*	ORG
POWELL, J.E.	9507120380	CONTRACT	QUINN, S.E.	9507240085	50-247 Q	RICH, T.W.	9507270185*	STATE PRO G
POWELL, J.E.	9507130017	CONTRACT	QUINN, S.E.	9507260128	50-247 S	RICH, T.W.	9507270200*	STATE PRO G
POWELL, P.A.	9507180345	50-368 Q	RAGHAVAN, L.	9507030314	50-302 P	RICH, T.W.	9507270205*	STATE PRO G
POWELL, R.	9507180101	50-255 Y	RAGHAVAN, L.	9507050114	50-302 Q	RICH, T.W.	9507270213*	STATE PRO G
POWELL, R.	9507310252	50-263 Q	RAGLAND, R.	9507240052	70-135	RICH, T.W.	9507270215*	STATE PRO G
POWELL, R.	9507310259	FOIA	RAGLAND, R.C.	9507100397*	50-387 Q	RICH, T.W.	9507270219*	STATE PRO G
			RAINEY, G.R.	9507200015	50-277 R	RICH, T.W.	9507270223*	STATE PRO G

204 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RICH, T.W.	9507270232*	STATE PRO G	ROONEY, V.L.	9507170029	50-433	SAITO, A.	9507140080	XPORTLIC
RICH, T.W.	9507270237*	STATE PRO G	ROONEY, V.L.	9507170041	50-433	SAITO, A.	9507140113	XPORTLIC
RICHARDS, S.A.	9507260202	50-407	ROONEY, V.L.	9507200363	50-423	SALAS, P.	9507070284	50-259
RICHARDS, S.A.	9507260208	50-284	ROONEY, V.L.	9507240319	50-213	SALAS, P.	9507070314	50-260
RICHARDS, S.A.	9507260219	50-407	ROSE, C.H.	9507190283	30-33416	SALAS, P.	9507170065	50-259
RICHARDS, S.A.	9507260228	50-284	ROSENBLUM, R.M.	9507030189	50-361	SALAS, P.	9507210035	50-259
RICHARDS, S.A.	9507260243	50-151	ROSENBLUM, R.M.	9507170041	50-361	SALAS, P.	9507210178	50-259
RICHARDS, W.J.	9507030185*	50-150	ROSENBLUM, R.M.	9507200172	50-361	SALAS, P.	9507250052	50-259
RICKER, J.	9507100273*	50-282	ROSENBLUM, R.M.	9507200176*	50-361	SALAS, P.	9507310287	50-259
RIECK, T.A.	9507070353*	50-237	ROSENBLUM, R.M.	9507250036	50-361	SALGADO, N.	9507120010*	50-259
RIERA, J.D.	9507180225	CONTRACT	ROSENBLUM, R.M.	9507250307	50-361	SALGADO, N.	9507200041*	50-413
RIFAKES, G.P.	9507070475	70-7001	ROSENBLUM, R.M.	9507250308*	50-361	SALMON, H.P.	9507070172	50-333
RIMAWI, K.	9507130033	STATE PRO G	ROSENBLUM, R.M.	9507280637	50-361	SALMON, H.P.	9507070187	50-333
RINALDI, F.	9507030025	50-352	ROSENTHAL, P.R.	9507110319	70-364	SALMON, H.P.	9507190328	50-333
RINALDI, F.	9507050077	50-352	ROSENTHAL, P.R.	9507250259	70-364	SALMON, H.P.	9507270192	50-333
RINALDI, F.	9507050242	50-352	ROSS, A.J.	9507170405	50-245	SANDERS, C.F.	9507100117	70-1151
RINALDI, F.	9507050311	50-352	ROSS, B.	9507180005	FOIA	SANDERSON, R.E.	9507030041	WASTE MGT
RINALDI, F.	9507060117	50-352	ROSS, T.M.	9507140278*	50-34b	SAPORITO, M.J.	9507170169*	50-244
RINALDI, F.	9507270218	50-352	ROSSI, C.E.	9507170183	ORG	SAUNDERS, R.F.	9507030139	50-280
RINALDI, F.	9507270277	50-352	ROTH, J.	9507250294*	70-36	SAVASTANO, A.	9507130250*	STATE PRO G
RINALDI, F.	9507270321	50-352	ROTHERT, W.C.	9507060248	50-293	SAWYER, C.	9507070095	70-7001
RINALDI, F.	9507280013	50-352	ROTHERT, W.C.	9507280050	50-293	SAWYER, C.	9507070144	70-7001
RING, M.A.	9507060007	50-483	ROUGHAN, C.	9507110070	71-9033	SCACE, S.E.	9507110216	50-336
RING, M.A.	9507130265	50-155	ROUGHAN, C.	9507110071	71-9006	SCACE, S.E.	9507110216	50-336
RING, M.A.	9507130266	50-10	ROUGHAN, C.	9507120153	71-9032	SCALETTL, D.	9507070054	52-4
RING, M.A.	9507140041	50-266	ROUGHAN, C.	9507190252	PT21	SCALETTL, D.	9507310281	50-334
RING, M.A.	9507140043	50-315	ROW, J.W.	9507180200*	50-456	SCARANO, R.A.	9507130074	70-734
RING, M.A.	9507190019	50-295	ROWAN, J.R.	9507310133*	FOIA	SCARANO, R.A.	9507030006	50-528
RING, M.A.	9507240033	50-331	ROWLAND, T.J.	9507100122	PROJ	SCARANO, R.A.	9507050189	50-458
RING, M.A.	9507240069	50-331	ROWLAND, T.J.	9507190146	PROJ	SCARANO, R.A.	9507110078	50-344
RING, M.A.	9507310006	50-155	ROWLAND, T.J.	9507190174	PROJ	SCARANO, R.A.	9507130090	50-458
RISHER, D.H.	9507180151*	50-315	ROWLAND, T.J.	9507190196	PROJ	SCARANO, R.A.	9507130109	50-275
RITZMAN, R.	9507260059	50-354	ROWLAND, T.J.	9507190212	PROJ	SCARANO, R.A.	9507140045	40-6622
RITZMAN, R.	9507310120	50-354	ROWLAND, T.J.	9507250045	PROJ	SCARANO, R.A.	9507170081	40-8961
ROBERTS, D.	9507140315*	50-400	ROWLEY, S.J.	8907280052*	FOIA	SCARANO, R.A.	9507170100	40-8502
ROBERTS, H.R.	9507100118	40-8681	ROY, G.	9507270354*	FOIA	SCARANO, R.A.	9507190078	STATE PRO G
ROBERTS, T.C.	9507070074*	50-458	ROY, G.W.	9507270337*	FOIA	SCARANO, R.A.	9507190102	50-72
ROBINSON, W.R.	9507050064	50-400	ROY, G.W.	9507310030*	FOIA	SCARANO, R.A.	9507240001	50-312
ROBINSON, W.R.	9507060075	50-400	RUDISAILS, S.	9507240382*	50-269	SCARANO, R.A.	9507240002	50-482
ROBINSON, W.R.	9507110015	50-400	RULAND, W.H.	9507030013	50-271	SCARANO, R.A.	9507240034	50-361
ROBINSON, W.R.	9507110027	50-400	RULAND, W.H.	9507100232	50-247	SCARANO, R.A.	9507260132	50-458
ROBINSON, W.R.	9507130013	50-400	RULAND, W.H.	9507100234*	50-247	SCARANO, R.A.	9507260153	50-397
ROBINSON, W.R.	9507200032	50-400	RULAND, W.H.	9507180102	50-271	SCARANO, R.A.	9507270283	50-206
ROBINSON, W.R.	9507280073	50-400	RULAND, W.H.	9507180107*	50-271	SCARANO, R.A.	9507310011	40-8084
ROBINSON, W.R.	9507280210	50-400	RULAND, W.H.	9507260105	50-272	SCARBOROUGH, J.	9507130158	50-261
ROBINSON, W.R.	9507310056	50-400	RULAND, W.H.	9507260112*	50-272	SCARBROUGH, T.G.	9507050251	ORG
RODGERS, D.E.	9507070473	72-1004	RULAND, W.H.	9507260135	MISC	SCARBROUGH, T.G.	9507180364	50-390
ROE, J.W.	9507130137	50-341	RUPERT, C.	9507050056	PR	SCHAFFNER, H.W.	9507180272*	FOIA
ROE, J.W.	9507180438*	50-295	RUPERT, W.M.	9507260011	40-7604	SCHAFFNER, H.W.	9507180286*	FOIA
ROE, J.W.	9507190220*	50-266	RUSSELL, W.	9507030078	50-247	SCHAFFNER, H.W.	9507180294*	FOIA
ROE, J.W.	9507190262*	50-298	RUSSELL, W.T.	8904130327*	FOIA	SCHAFFNER, H.W.	9507180303*	FOIA
ROE, J.W.	9507200287*	50-458	RUSSELL, W.T.	9507030135	50-282	SCHAFFNER, H.W.	9507180307*	FOIA
ROE, J.W.	9507280285*	50-397	RUSSELL, W.T.	9507030181	ORG	SCHAFFNER, H.W.	9507180311*	FOIA
ROEDER, J.R.	9507270348*	FOIA	RUSSELL, W.T.	9507060276*	50-254	SCHAFFNER, H.W.	9507180335*	FOIA
ROGAN, R.E.	9507120070		RUSSELL, W.T.	9507060346	50-285	SCHAFFNER, H.W.	9507180340*	FOIA
ROGAN, R.E.	9507250011	50-324	RUSSELL, W.T.	9507060354*	50-285	SCHELL, R.J.	9507050155	PR
ROGERS, J.A.	9507190341	50-335	RUSSELL, W.T.	9507130113	QA999	SCHIERMAN, S.L.	9507110059	40-8681
ROGERS, K.C.	9507050238	COMMISSION	RUSSELL, W.T.	9507130126*	QA999	SCHIERMAN, S.L.	9507310097	40-****
ROGERS, K.C.	9507050243	COMMISSION	RUSSELL, W.T.	9507130128*	QA999	SCHIN, R.	9507170022	50-335
ROGERS, K.C.	9507050391	COMMISSION	RUSSELL, W.T.	9507170241	ORG	SCHMITT, J.F.	9507210018	PR
ROGERS, K.C.	9507050436	COMMISSION	RUSSELL, W.T.	9507200261	50-220	SCHNEIDER, J.F.	9507060374	50-282
ROGERS, K.C.	9507050446	COMMISSION	RUSSELL, W.T.	9507240206	ORG	SCHNEIDER, J.F.	9507060386	50-282
ROGERS, K.C.	9507060177	COMMISSION	RUSSELL, W.T.	9507260187	ORG	SCHNEIDER, K.N.	9507130133	STATE PRO G
ROGERS, K.C.	9507110128	COMMISSION	RUSSELL, W.T.	9507280232	ORG	SCHNEIDER, K.N.	9507270152	STATE PRO G
ROGERS, K.C.	9507190199	COMMISSION	RYAN, B.C.	9507030037	50-188	SCHNEIDER, L.J.	9507180201	71-701
ROGERS, K.C.	9507190242	COMMISSION	RYAN, J.L.	9507210195	CONTRACT	SCHNELL, D.F.	9507030059	50-483
ROGERS, K.C.	9507190290	COMMISSION	RYLEY, M.E.	9507190319	50-213	SCHNELL, D.F.	9507030129	50-483
ROGERS, K.C.	9507200155	COMMISSION	SACCOMANDO, D.M.	9507060185	50-454	SCHNELL, D.F.	9507060082	50-483
ROGERS, K.C.	9507200220	COMMISSION	SACCOMANDO, D.M.	9507100132	50-454	SCHNELL, D.F.	9507060193	50-483
ROGERS, K.C.	9507200233	COMMISSION	SACCOMANDO, D.M.	9507310136	50-454	SCHNELL, D.F.	9507060240	50-483
ROGERS, K.C.	9507200246	COMMISSION	SACCOMANDO, D.M.	9507310138	50-456	SCHNELL, D.F.	9507060250	50-483
ROGERS, K.C.	9507200248	COMMISSION	SAGAR, B.	9507310180	50-454	SCHNELL, D.F.	9507070142	50-483
ROGERS, K.C.	9507200257	COMMISSION	SAGAR, B.	9507210297	WASTE MGT	SCHNELL, D.F.	9507070384	50-483
ROGERS, K.C.	9507200280	COMMISSION	SAGAR, B.	9507210304	WASTE MGT	SCHOFFEL, B.S.	9507060077*	50-390
ROGERS, K.C.	9507200278	COMMISSION	SAGAR, B.	9507240394	WASTE MGT	SCHOLL, L.	9507260112*	50-272
ROGERS, K.C.	9507200369	COMMISSION	SAGAR, B.	9507240405	WASTE MGT	SCHRAG, M.R.	9507120266*	50-366
ROGERS, K.C.	9507200376	COMMISSION	SAGAR, B.	9507250199	WASTE MGT	SCHRAG, M.R.	9507120268*	50-366
ROGERS, K.C.	9507210088	COMMISSION	SAGAR, B.	9507280081	WASTE MGT	SCHRAG, M.R.	9507120272*	50-366
ROGERS, K.C.	9507210099	COMMISSION	SAGAR, B.	9507280087	WASTE MGT	SCHRAG, M.R.	9507120274*	50-366
ROGERS, K.C.	9507210113*	10CFR	SAGER, D.A.	9507030219	50-335	SCHRAGE, J.L.	9507030145	50-254
ROGERS, L.R.	9507260280*	FOIA	SAGER, D.A.	9507050069	50-335	SCHRAGE, J.L.	9507060255	50-265
ROGERS, R.D.	9507060295	NUREG	SAGER, D.A.	9507100383	50-389	SCHRAGE, J.L.	9507100057	50-254
ROGERS, S.	9507200032		SAGER, D.A.	9507110124	50-400	SCHRAGE, J.L.	9507110188	50-254
ROGGE, J.	9507030008*	50-443	SAGER, D.A.	9507120073	50-335	SCHRAGE, J.L.	9507170004	50-265
ROGGE, J.	9507050087	50-289	SAGER, D.A.	9507120081	50-335	SCHRAGE, J.L.	9507170007	50-254
ROGGE, J.	9507050105*	50-219	SAGER, D.A.	9507180210	50-335	SCHRAGE, J.L.	9507170114	50-237
ROGGE, J.	9507100326*	50-219	SAGER, F.A.	9507190341	50-335	SCHRAGE, J.L.	9507240401	50-237
ROM, D.	9507030074	WASTE MGT	SAGSTETTER, M.	9507200151*	50-271	SCHULTZ, W.H.	9507180375*	FOIA

PERSONAL AUTHOR INDEX 205

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SCHULTZ, W.H.	9507240291*	FOIA	SHELL, R.H.	9507180293	50-327 R	SPENCE, R.E.	9507200117	WASTE MGT
SCHULTZ, W.H.	9507240307*	FOIA	SHELL, R.H.	9507210139	50-327 R	SPENCE, R.E.	9507200123	WASTE MGT
SCHULTZ, W.H.	9507240309*	FOIA	SHELTON, B.J.	9507200185*	PR	SPENCE, R.E.	9507270167*	WASTE MGT
SCHULTZ, W.H.	9507240396*	FOIA	SHELTON, D.C.	9506210049	50-440 R	SPENCE, R.E.	9507310146	WASTE MGT
SCHULTZ, W.H.	9507270284*	FOIA	SHELTON, D.C.	9507050439	50-440 R	SPENCER, D.	9507130182*	52-3
SCHUTZ, D.F.	8908170165*	FOIA	SHELTON, D.C.	9507050449	50-440 P	SPESSARD, R.L.	9507060328	50-369 F
SCHWARTZ, G.K.	9507060317	50-454 R	SHELTON, D.C.	9507070267	50-440 P	SPESSARD, R.L.	9507180159	50-341 O
SCHWARTZ, G.K.	9507120041	50-295 S	SHELTON, D.C.	9507200029	50-440 R	SPESSARD, R.L.	9507210077	50-341 O
SCHWARTZ, G.K.	9507170085	50-295 S	SHELTON, D.C.	9507270082	50-440 P	SPESSARD, R.L.	9507260022	QA999
SCHWARTZ, G.K.	9507190348	50-295 R	SHELTON, T.A.	9507140020	70-3020	SPESSARD, R.L.	9507270375	50-250 F
SCHWARTZ, G.K.	9507240038	50-295 S	SHEPHERD, J.C.	9507260251*	40-8027	SPESSARD, R.L.	9507280257	50-336 Q
SCOTT, M.A.	9507240278*	50-348 O	SHERON, B.	9506300151	ACRS	SPLETZER, B.L.	9507200213	NUREG
SCROGGINS, R.M.	9507130019*	PR	SHERON, B.	9507060115	REVIEW GR P	ST MARTIN, J.T.	9507120033	50-244 S
SCROGGINS, R.M.	9507200171*	PR	SHERON, B.W.	9507060104	50-309 P	STALL, J.A.	9507200035*	50-338 R
SCROGGINS, R.M.	9507200229*	PR	SHERON, B.W.	9507240172	TOPREP	STALL, J.A.	9507200039*	50-338 R
SCROGGINS, R.M.	9507200281*	PR	SHIELDS, W.J.	9507060218	40-8948	STALL, J.A.	9507240385	50-339 S
SCROGGINS, R.M.	9507200294*	PR	SHIELDS, W.J.	9507060227	40-8948	STALL, J.A.	9507240393*	50-339 S
SCROGGINS, R.M.	9507200336*	STATE PRO G	SHIELDS, W.J.	9507110085	40-8948	STAMATAKOS, J.	9507240425	WASTE MGT
SEELEY, S.W.	9507120006	STATE PRO G	SHIELDS, W.J.	9507110340	40-8948	STANCAK, P.	9507130156	50-456 R
SELIN, J.	9507110233	COMMISSION	SHIELDS, W.J.	9507110341	40-8948	STANG, J.	9507280264	50-237 P
SELIN, J.	9507050217	COMMISSION	SHIPMAN, R.L.	9507200222	NUREG	STANG, J.F.	9507060304	50-237 P
SELIN, J.	9507050379	COMMISSION	SHIPMAN, R.L.	9507200236	NUREG	STANG, J.F.	9507060314*	50-237 P
SELIN, J.	9507050410	COMMISSION	SHIRAKI, C.Y.	9507050416	50-295 P	STANG, J.F.	9507240142	50-237 P
SELIN, J.	9507050433	COMMISSION	SHIRAKI, C.Y.	9507050424*	50-295 P	STANG, J.F.	9507280043	50-237 S
SELIN, J.	9507060027	COMMISSION	SHIRAKI, C.Y.	9507100277	50-295 P	STANG, J.F.	9507280066	50-237 P
SELIN, J.	9507060039	COMMISSION	SHIRAKI, C.Y.	9507100291*	50-295 P	STANLEY, H.G.	9507070479	50-387 S
SELIN, J.	9507060101	COMMISSION	SHIRAKI, C.Y.	9507140108	50-295 P	STANLEY, H.G.	9507110198	50-388 S
SELIN, J.	9507060156	COMMISSION	SHIRAKI, C.Y.	9507180435	50-295 P	STANLEY, H.G.	9507240334	50-388 S
SELIN, J.	9507070426	COMMISSION	SHIRAKI, C.Y.	9507210187	50-295 P	STANLEY, H.G.	9507250075	50-387 R
SELIN, J.	9507110137	COMMISSION	SHIRAKI, C.Y.	9507210191*	50-295 P	STANTON, M.	9507180402	70-3074
SELIN, J.	9507110143	COMMISSION	SHIRAKI, C.Y.	9507280279	50-295 P	STEINDLER, M.J.	9507070458	ADVCM
SELIN, J.	9507110168	COMMISSION	SHIRAKI, C.Y.	9507280284*	50-295 P	STEINHARDT, C.R.	9507030148	50-305 P
SELIN, J.	9507110173	COMMISSION	SHIRLEY, D.A.	9507120162	50-5 S	STENGER, D.F.	9507250008	PR
SELIN, J.	9507120286	COMMISSION	SHIRCTA, Y.	9507060022	SHORTLIC	STEPHENSON, J.D.	9507070471	50-302 F
SELIN, J.	9507190202	COMMISSION	SHRIVASTAVA, S.	9507120374	CONTRACT	STEPHENSON, J.D.	9507100410	50-302 F
SELIN, J.	9507190244	COMMISSION	SHUMAKER, B.	9507110153	50-219 S	STEPHENSON, J.D.	9507140170	50-302 F
SELIN, J.	9507190248	COMMISSION	SHYMLOCK, M.	9507120010*	50-259 Q	STEPHENSON, J.D.	9507250059	50-302 F
SELIN, J.	9507200145	COMMISSION	SHYMLOCK, M.	9507200041*	50-413 Q	STETZ, J.P.	9507030105	50-346 P
SELIN, J.	9507200197	COMMISSION	SHYMLOCK, M.	9507240382*	50-269 Q	STETZ, J.P.	9507130153	50-346 Y
SELIN, J.	9507200217	COMMISSION	SHYMLOCK, M.B.	9507170005*	50-259 Q	STETZ, J.P.	9507250015	50-346 Q
SELIN, J.	9507200221	COMMISSION	SICARD, P.A.	9507050396*	50-382 P	STEVENSON, V.L.	9507210284	50-280 P
SELIN, J.	9507200231	COMMISSION	SIEGEL, B.L.	9507240233	50-348 P	STEWART, W.L.	9507030313	50-528 P
SELIN, J.	9507200234	COMMISSION	SILLS, J.M.	9507120194*	70-734	STEWART, W.L.	9507050055	50-339 P
SELIN, J.	9507200360	COMMISSION	SIMPKIN, T.W.	9507030052	50-295 Q	STEWART, W.L.	9507060228	50-528 P
SELIN, J.	9507200365	COMMISSION	SIMPKIN, T.W.	9507060347	50-295 P	STEWART, W.L.	9507140102	50-528 P
SELIN, J.	9507200374	COMMISSION	SIMPKIN, T.W.	9507070089	50-295 P	STEWART, W.L.	9507140121	50-529 P
SELIN, J.	9507210081	COMMISSION	SIMPSON, T.W.	9507070289	50-295 F	STEWART, W.L.	9507140188	50-528 P
SELIN, J.	9507210091	COMMISSION	SIMPKIN, T.W.	9507170406	50-295 Q	STEWART, W.L.	9507140201	50-528 P
SELIN, J.	9507210105	COMMISSION	SIMPSON, T.W.	9507240452	50-295 P	STEWART, W.L.	9507140268	50-528 M
SELIN, J.	9507210112	COMMISSION	SIMPSON, T.W.	9507280244	50-295 K	STILES, G.L.	9507100359	71-579
SELIN, J.	9507210124	COMMISSION	SIMPSON, B.	9507080126	50-528 F	STILES, G.L.	9507130127	71-579
SELIN, J.	9507210175	COMMISSION	SIMPSON, B.C.	9507030334	50-528 F	STIREWALT, G.L.	9507120304*	WASTE MGT
SELIN, J.	9507280231	COMMISSION	SIMPSON, B.C.	9507070059	50-528 F	STODDARD, J.E.	9507170132*	50-213 P
SELIN, J.	9507280288	COMMISSION	SINCLAIR, W.	9506200171	STATE PRO G	STOHL, J.P.	9507120040	STATE PRO G
SGARLATA, D.K.	9507060367	70-135	SINCLAIR, W.J.	9507050237	40-3453	STOIBER, C.R.	9503270225	SECY
SHAEFFER, S.M.	9507120129*	50-327 Q	SINGH, A.	9506090198	ORG	STOIBER, C.R.	9507060275	SECY
SHAFFER, R.	9507190324	40-8857	SIROIS, E.	9507200019	50-445 R	STOIBER, C.R.	9507100127*	ORG
SHAFFER, R.	9507200289	40-8857	SISCO, C.	9507100336*	50-277 Q	STOLTZ, J.F.	9507280291*	50-277 P
SHAFFER, R.	9507200307	40-8857	SKILLERN, C.G.	9507100125*	PROJ.	STOLTZ, J.F.	9507200274*	50-387 P
SHAFFER, R.	9507200318	40-8857	SKIPPER, M.	9507210003	50-324 P	STOLTZ, J.F.	9507030032*	50-352 P
SHAFFER, R.	9507210135	40-8857	SLACK, R.J.	9507310237*	71-644	STOLTZ, J.F.	9507030050*	50-387 P
SHAFFER, R.	9507210241	40-8857	SMALL, C.N.	9507210052	71-252	STOLTZ, J.F.	9507050083*	50-352 P
SHAFFER, R.	9507210247	40-8857	SMEDLEY, D.	9507180191*	50-255 Y	STOLTZ, J.F.	9507050248*	50-352 P
SHAMMEL, W.H.	9507170293	71-783	SMEDLEY, D.	9507180197*	50-255 Y	STOLTZ, J.F.	9507050286*	50-334 P
SHANKMAN, S.F.	9507110098	I&E	SMITH, B.R.	9507180237*	50-413 F	STOLTZ, J.F.	9507050321*	50-352 P
SHANKMAN, S.F.	9507210036	I&E	SMITH, D.	9507120259	NUREG	STOLTZ, J.F.	9507050425*	50-277 P
SHANNON, J.	9507180107*	50-271 Q	SMITH, D.A.	9507210308*	FOIA	STOLTZ, J.F.	9507060121*	50-352 P
SHAPAKER, J.W.	9507200219	REVIEW GR P	SMITH, G.A.	9507250294*	70-36	STOLTZ, J.F.	9507080355	50-334 P
SHEA, J.W.	9507030259	50-277 P	SMITH, G.C.	9507100401*	50-277 Q	STOLTZ, J.F.	9507060390*	50-354 P
SHEA, J.W.	9507050263	50-277 P	SMITH, J.D.	9507310028*	50-331 Q	STOLTZ, J.F.	9507070005	50-387 P
SHEA, J.W.	9507050420	50-277 P	SMITH, L.R.	9507250007	PR	STOLTZ, J.F.	9507110151*	50-277 P
SHEA, J.W.	9507110141	50-277 P	SMITH, T.R.	9507250052	50-259 R	STOLTZ, J.F.	9507180255	50-352 Q
SHEA, J.W.	9507170243	50-277 G	SOJANO, J.R.	9507180180*	50-461 S	STOLTZ, J.F.	9507180288*	50-272 P
SHEA, J.W.	9507180267	50-278 P	SOLER, A.I.	9507050253	72-1008	STOLTZ, J.F.	9507180291*	50-277 P
SHEA, J.W.	9507210140	50-278 P	SOLER, A.I.	9507050273	71-9261	STOLTZ, J.F.	9507180295*	50-334 P
SHEA, J.W.	9507270249	50-278 P	SORIANO, R.	9507250285	71-431	STOLTZ, J.F.	9507180316*	50-387 P
SHEA, J.W.	9507280287	50-277 P	SPALL, G.R.	9507070194	40-7102	STOLTZ, J.F.	9507200327*	50-272 P
SHEAN, A.R.	9507260076*	50-309 P	SPARLING, D.K.	9507310097	40-*****	STOLTZ, J.F.	9507210115*	50-272 P
SHEAR, G.	9507260032	40-3392	SPEIS, T.P.	9507280258	REVIEW GR P	STOLTZ, J.F.	9507210142*	50-278 P
SHEAR, G.L.	9507190038	70-7002	SPELL, W.H.	9507240216	PR	STOLTZ, J.F.	95071210275	50-354 P
SHEAR, G.L.	9507190046*	70-7002	SPENCE, R.E.	9507060247	WASTE MGT	STOLTZ, J.F.	9507270224*	50-352 P
SHEAR, G.L.	9507190049*	70-7002	SPENCE, R.E.	9507060251	WASTE MGT	STOLTZ, J.F.	9507270270*	50-278 P
SHEAR, G.L.	9507260003*	40-3392	SPENCE, R.E.	9507070199	WASTE MGT	STOLTZ, J.F.	9507270290*	50-352 P
SHEFFEL, B.J.	9507210204*	50-341 P	SPENCE, R.E.	9507070383	WASTE MGT	STOLTZ, J.F.	9507270324*	50-352 P
SHEIBANI, M.	9507280059	50-425 S	SPENCE, R.E.	9507110195	WASTE MGT	STOLTZ, J.F.	9507280014*	50-352 P
SHELL, R.H.	9507050227	50-327 P	SPENCE, R.E.	9507110257	WASTE MGT	STONE, B.J.	9507190330	50-341 R
SHELL, R.H.	9507050369	50-327 P	SPENCE, R.E.	9507110271	WASTE MGT	STONE, J.	9507030301	50-482 S
SHELL, R.H.	9507060191	50-327 P	SPENCE, R.E.	9507200110	WASTE MGT	STONE, J.C.	9507070084	50-482 S

206 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STOUT, D.E.	9507250294*	70-36	TAYLOR, J.M.	9506280648	SECY	THE CHAIRMAN	9507210081	COMMISSION N
STRATTON, L.	9507120063*	50-261 Q	TAYLOR, J.M.	9506280652	SECY	THE CHAIRMAN	9507210091	COMMISSION N
STRINGFIELD, H.	9507260226	71-185	TAYLOR, J.M.	9506290433	50-458 U	THE CHAIRMAN	9507210105	COMMISSION N
STRONG, T.R.	9507130064*	STATE PRO G	TAYLOR, J.M.	9507030085	ACRS	THE CHAIRMAN	9507210112	COMMISSION N
STROSNIER, J.	9507030165	TOPREP	TAYLOR, J.M.	9507030272	50-293 P	THE CHAIRMAN	9507210124	COMMISSION N
STROSNIER, J.R.	9507030173*	TOPREP	TAYLOR, J.M.	9507050266	50-286 P	THE CHAIRMAN	9507210175	COMMISSION N
STROSNIER, J.R.	9507180350*	50-366 Q	TAYLOR, J.M.	9507050277	50-298 P	THE CHAIRMAN	9507210332	COMMISSION N
STULLER, J.	9507060045*	COMMISSION N	TAYLOR, J.M.	9507140247	50-259 P	THE CHAIRMAN	9507280231	COMMISSION N
STURZ, F.	9507060385	72-1007	TAYLOR, J.M.	9507050405	50-237 P	THE CHAIRMAN	9507280288	COMMISSION N
STURZ, F.C.	9507070109	72-1002	TAYLOR, J.M.	9507060144	COMMISSION N	THE CHAIRMAN	9507280296	COMMISSION N
STURZ, F.C.	9507260222	PROJ	TAYLOR, J.M.	9507060183	SECY	THE CHAIRMAN	9507280302	COMMISSION N
SUDNAK, P.	9507050423	50-483 F	TAYLOR, J.M.	9507060225	SECY	THE CHAIRMAN	9507280308	COMMISSION N
SUDNAK, P.	9507210056	50-483 F	TAYLOR, J.M.	9507060263	ORG	THEARLING, G.M.	9507120187	50-325 S
SUDNAK, P.J.	9507060198	50-483 F	TAYLOR, J.M.	9507060279	SECY	THOMAS, C.R.	9507180308	50-528 P
SULLIVAN, D.E.	9507170258	CONTRACT	TAYLOR, J.M.	9507120279	50-287 Q	THOMAS, C.R.	9507180321*	50-528 P
SUMMERS, J.C.	9507110166	50-272 S	TAYLOR, J.M.	9507120328	50-286 P	THOMAS, C.R.	9507210315	50-528 P
SUMMERS, J.C.	9507110207	50-311 S	TAYLOR, J.M.	9507130122*	COMMISSION N	THOMAS, C.R.	9507210320*	50-528 P
SUMMERS, J.C.	9507110215	50-272 S	TAYLOR, J.M.	9507140247	ORG	THOMAS, G.D.	9507050285	50-262 Q
SUMMERS, J.C.	9507190329	50-272 R	TAYLOR, J.M.	9507180043	ORG	THOMAS, G.S.	9507100400	50-334 P
SUMMERS, J.C.	9507190337	50-311 R	TAYLOR, J.M.	9507190115	ORG	THOMAS, G.S.	9507100418	50-334 P
SUMMERS, J.C.	9507260134	50-272 S	TAYLOR, J.M.	9507200160*	PR	THOMAS, G.S.	9507170368	50-334 P
SUMMERS, J.C.	9507260142	50-272 S	TAYLOR, J.M.	9507200191	52-3	THOMAS, G.S.	9507190031	50-334 P
SUMMERS, J.C.	9507260220	50-272 S	TAYLOR, J.M.	9507200310	ORG	THOMAS, G.S.	9507210032	50-334 H
SUN, X.	9507210176	CONTRACT	TAYLOR, J.M.	9507200317	STATE PRO G	THOMAS, G.S.	9507250021	50-334 F
SUPPES, R.L.	9507120034	STATE PRO G	TAYLOR, J.M.	9507210089	ORG	THOMAS, S.E.	9507170317*	50-498 Q
SVARNEY, N.	9507100065*	50-254 P	TAYLOR, J.M.	9507210107	50-293 H	THOMPSON, H.L.	9507260248	40-8027
SVARNEY, R.	9507100070*	50-254 P	TAYLOR, J.M.	9507210167	STATE PRO G	THOMPSON, J.M.	9507210050	71-326
SVEJKOVSKY, J.	9507070125	XPORTLIC	TAYLOR, J.M.	9507210249	SECY	THOMPSON, J.M.	9507280062	71-9032
SVEJKOVSKY, J.	9507140022	XPORTLIC	TAYLOR, J.M.	9507240174	NUREG	THOMSON, F.X.	9507170377	50-272 P
SWEENEY, R.	9507180344*	FOIA	TAYLOR, J.M.	9507260171	COMMISSION N	THRELLFALL, S.P.	9507260303	XPORTLIC
SWEENEY, R.	9507180365*	FOIA	TAYLOR, J.M.	9507260271	REVIEW GR P	TIMMARAJU, S.	9507140069*	50-498 Q
SWEENEY, R.J.	9507180362*	FOIA	TAYLOR, J.M.	9507260272	50-309 H	TIMMARAJU, S.	9507170317*	50-498 Q
SYLVIA, B.R.	9507060202	50-220 Q	TAYLOR, J.M.	9507270245	ORG	TING, P.	9507250291	70-36
SYLVIA, B.R.	9507070195	50-220 K	TAYLOR, J.T.	9507190158*	71-524	TIPPS, S.B.	9507210046	50-321 S
TAJIMA, F.	9507140455*	WASTE MGT	TAYLOR, R.	9507050130	I&E	TIPTON, T.E.	9507050107	PR
TALBOTT, M.E.	9507170125	NUREG	TAYLOR, R.	9507130092	71-9006	TIPTON, T.E.	9507110121	REVIEW GR P
TAM, P.S.	9507050230	50-390 A	TEDROW, J.	9507100304*	50-416 Q	TIPTON, T.E.	9507190133	REVIEW GR P
TAM, P.S.	9507050297	50-390 E	TERRY, C.D.	9507030056	50-220 P	TIPTON, T.E.	9507250017	REVIEW GR P
TAM, P.S.	9507050456	50-390 Q	TERRY, C.D.	9507030065	50-410 F	TJERSLAND, G.	9507190122	PROJ
TAM, P.S.	9507060201	50-390 A	TERRY, C.D.	9507050075	50-220 S	TJERSLAND, G.T.	9507050212	PROJ
TAM, P.S.	9507110329	50-296 P	TERRY, C.D.	9507050458	50-410 P	TJERSLAND, G.T.	9507180119	PROJ
TAM, P.S.	9507120275	50-390 E	TERRY, C.D.	9507060146	50-410 Q	TJERSLAND, G.T.	9507190127*	PROJ
TAM, P.S.	9507120352	50-390 A	TERRY, C.D.	9507060270	50-220 Q	TOBIN, W.	9507120063*	50-261 Q
TAM, P.S.	9507170290	50-390 A	TERRY, C.D.	9507060297	50-410 P	TOKAR, M.	9507270236	70-1257
TAM, P.S.	9507200028	50-390 A	TERRY, C.D.	9507210004	50-220 P	TOSCH, K.W.	9507180356	50-354 P
TAM, P.S.	9507210118	50-390 A	TERRY, C.L.	9507050252	50-445 F	TOSCH, K.W.	9507240262	50-272 P
TAM, P.S.	9507210129	50-390 A	TERRY, C.L.	9507060113	50-445 Q	TRAN, L.N.	9507310043	50-155 P
TAM, P.S.	9507240350	50-390 F	TERRY, C.L.	9507070136	50-445 P	TRAPP, J.	9507210309	50-341 P
TAM, P.S.	9507270241	50-390 A	TERRY, C.L.	9507110094	50-445 P	TRAPP, J.M.	9507100377*	50-220 Q
TAM, P.S.	9507310261	50-390 A	TERRY, C.L.	9507120068	50-445 F	TRAPP, J.M.	9507240276*	50-293 Q
TANIGUCHI, M.	9507060331	NUREG	TERRY, C.L.	9507170027	50-445 S	TRAPP, J.S.	9507270047	ORG
TANNER, J.	9507200366*	WASTE MGT	TERRY, C.L.	9507180146	50-445 S	TRAVERS, W.D.	9507060378	50-338 Y
TAYLOR, D.R.	9507140172*	50-339 Q	TERRY, C.L.	9507200019	50-445 R	TRAVERS, W.D.	9507060380*	50-338 Y
TAYLOR, G.J.	9507050066	50-395 H	THADANI, A.	9507060064	REVIEW GR P	TRAVERS, W.D.	9507100303	72-1009
TAYLOR, G.J.	9507060033	50-395 P	THADANI, A.	9507240188	REVIEW GR P	TRAVERS, W.D.	9507120200	72-1004
TAYLOR, G.J.	9507060035	50-395 F	THADANI, A.C.	9507260174	REVIEW GR P	TRAVERS, W.D.	9507190130	72-1009
TAYLOR, G.J.	9507060241	50-395 P	THADANI, A.C.	9507280305	REVIEW GR P	TRAVIS, R.	9507310244	TOPREP
TAYLOR, G.J.	9507070410	50-365 P	THADANI, M.C.	9507260292	NUREG	TRAVIS, R.J.	9507060335	NUREG
TAYLOR, G.J.	9507190322	50-395 R	THADANI, M.C.	9507260295	NUREG	TRELOAR, C.F.	9507110080	40-****
TAYLOR, J.	9507110180	50-352 Q	THADANI, M.C.	9507280215	50-390 A	TREMBLAY, L.A.	9507030126	50-271 P
TAYLOR, J.	9507110186	50-305 Q	THAYER, J.	9507250037	50-29 Q	TREMBLAY, L.A.	9507050319	50-271 Q
TAYLOR, J.	9507110131	50-346 Q	THE CHAIRMAN	9507050217	COMMISSION N	TREMBLAY, L.A.	9507060143	50-271 R
TAYLOR, J.	9507110196	50-338 Q	THE CHAIRMAN	9507050379	COMMISSION N	TREMBLAY, L.A.	9507180203	50-271 F
TAYLOR, J.	9507110334*	50-296 P	THE CHAIRMAN	9507050410	COMMISSION N	TREMBLAY, L.A.	9507200148	50-271 P
TAYLOR, J.H.	9507210278	TOPREP	THE CHAIRMAN	9507050433	COMMISSION N	TREMBLAY, L.A.	9507280147	50-271 P
TAYLOR, J.H.	9507260025	TOPREP	THE CHAIRMAN	9507060027	COMMISSION N	TRIMBLE, D.C.	9507260246	50-325 P
TAYLOR, J.H.	9507270402	TOPREP	THE CHAIRMAN	9507060039	COMMISSION N	TROSKOSKI, W.M.	9507250294*	70-36
TAYLOR, J.H.	9204290091*	50-245 G	THE CHAIRMAN	9507060101	COMMISSION N	TROTTIER, E.H.	9507270320	50-309 P
TAYLOR, J.M.	9502150150*	SECY	THE CHAIRMAN	9507060156	COMMISSION N	TROUP, G.L.	9507120053*	70-27
TAYLOR, J.M.	9502170213	SECY	THE CHAIRMAN	9507070426	COMMISSION N	TROVATO, J.	9507120288*	50-366 P
TAYLOR, J.M.	9503270308	SECY	THE CHAIRMAN	9507110137	COMMISSION N	TROVATO, J.L.	9507120266*	50-366 P
TAYLOR, J.M.	9504140226	SECY	THE CHAIRMAN	9507110143	COMMISSION N	TROVATO, J.L.	9507120268*	50-366 P
TAYLOR, J.M.	9504170295	SECY	THE CHAIRMAN	9507110168	COMMISSION N	TROVATO, J.L.	9507120274*	50-366 P
TAYLOR, J.M.	9505180004	SECY	THE CHAIRMAN	9507110173	COMMISSION N	TRUJILLO, D.M.	9507120141	40-8907
TAYLOR, J.M.	9505180105	SECY	THE CHAIRMAN	9507110233	COMMISSION N	TRUJILLO, D.M.	9507120164	40-8907
TAYLOR, J.M.	9506020112	SECY	THE CHAIRMAN	9507120086	COMMISSION N	TRUJILLO, D.M.	9507250129	40-8907
TAYLOR, J.M.	9506020132	SECY	THE CHAIRMAN	9507190202	COMMISSION N	TSAI, R.W.	9507070353*	50-237 P
TAYLOR, J.M.	9506020152	SECY	THE CHAIRMAN	9507190244	COMMISSION N	TSCHANZ, L.E.	9507050141*	50-277 P
TAYLOR, J.M.	9506130003	SECY	THE CHAIRMAN	9507190246	COMMISSION N	TSUKIMURA, R.	9507120178*	50-228 R
TAYLOR, J.M.	9506130091	SECY	THE CHAIRMAN	9507200145	COMMISSION N	TSUKIMURA, R.R.	9507200124	50-228 H
TAYLOR, J.M.	9506190287	SECY	THE CHAIRMAN	9507200197	COMMISSION N	TUCKMAN, M.S.	9507050059	PR
TAYLOR, J.M.	9506190294	SECY	THE CHAIRMAN	9507200217	COMMISSION N	TUCKMAN, M.S.	9507050204	50-263 P
TAYLOR, J.M.	9506190305	SECY	THE CHAIRMAN	9507200221	COMMISSION N	TUCKMAN, M.S.	9507060253	50-369 P
TAYLOR, J.M.	9506210077	70-1257	THE CHAIRMAN	9507200231	COMMISSION N	TUCKMAN, M.S.	9507070165	50-269 F
TAYLOR, J.M.	9506220199	WASTE MGT	THE CHAIRMAN	9507200234	COMMISSION N	TUCKMAN, M.S.	9507110022	50-413 P
TAYLOR, J.M.	9506230332	50-219 H	THE CHAIRMAN	9507200360	COMMISSION N	TUCKMAN, M.S.	9507210045	PR
TAYLOR, J.M.	9506280630	SECY	THE CHAIRMAN	9507200365	COMMISSION N	TUCKMAN, M.S.	9507240112	50-269 P
TAYLOR, J.M.	9506280635	SECY	THE CHAIRMAN	9507200374	COMMISSION N	TUCKMAN, M.S.	9507310071	50-368 P

PERSONAL AUTHOR INDEX 207

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
TULEY, C.R.	9507250313*	50-390	A	WALTON, J.C.	9507070438*	WASTE MGT	WHITE, J.R.	9507210061*	50-272	Q	
TULON, T.J.	9507130156	50-456	R	WANCZYK, R.J.	9507170369	50-271	S	WHITNEY, M.A.	9507110159	50-247	S
TURK, S.E.	9507100055	50-160	G	WANCZYK, R.J.	9507190344	50-271	R	WHITT, D.C.	9507190317	50-313	R
TURK, S.E.	9507100072	50-160	G	WANCZYK, R.J.	9507250054	50-271	S	WHITT, M.S.	9507190320	50-368	R
TURK, S.E.	9507100109	40-8681		WANG, A.	9507240186	50-213	P	WHITTIER, G.D.	9507030064	50-309	P
TURK, S.E.	9507180047	50-160	G	WARNER, D.E.	9507240279*	FOIA		WIBLIN, C.	9507120259	NUREG	
TURNER, D.R.	9507280090*	WASTE MGT		WARREN, C.C.	9507270169	50-272	S	WICHERS, D.L.	9507030174	40-8502	
TURNER, J.	9507140138	50-316	R	WASONG, A.J.	9507130186	50-277	S	WICHERS, D.L.	9507030182*	40-8502	
TURNER, J.	9507140142	50-315	R	WASONG, A.J.	9507280031	50-277	S	WICKS, L.	9507110223	71-780	
TURTIL, R.H.	9507270301	40-2377		WATKINS, R.	9507210066	50-413	S	WIDAY, J.A.	9507190326	50-244	R
UDY, A.C.	9506293038*	50-456	Q	WATTS, R.J.	9507120058	50-244	F	WIDMANN, B.L.	9508010100*	WASTE MGT	
ULSES, T.P.	9507030180	TOPREP		WATTS, R.J.	9507210007	50-244	F	WIDMANN, M.T.	9507200070*	50-424	Q
ULSES, T.P.	9507280309	TOPREP		WATTS, R.J.	9507310285	50-244	F	WIEDEMAN, D.	9507190011	I&E	
URYC, B.	9507270254*	50-324	Q	WEAVER, K.L.	9506200180	WASTE MGT		WIEDMAN, D.G.	9507240087	I&E	
URYC, B.	9507270255*	50-324	Q	WEBB, H.	9507270271	70-143		WIENS, L.A.	9507120205	50-269	Q
VAN DOORN, P.K.	9507140326*	50-390	Q	WEBB, M.K.	9507310132	50-206	F	WIENS, L.A.	9507140072	50-269	P
VAN MIDDLESWORTH	9507250048	50-331	R	WEBER, G.A.	9507310172	50-315	S	WIENS, L.A.	9507200004	50-269	Y
VAN SLOUN, M.L.	9507200385	PT21		WEBER, M.	9507270381	WASTE MGT		WIENS, L.A.	9507240451	50-269	P
VANDEAL, M.T.	9507200188	71-9178		WEBER, M.F.	9507050162	40-9022		WIGGINS, E.J.	9507180021	CONTRACT	
VANDEBURGH, C.	9507170067*	50-382	Q	WEBER, M.F.	9507050305	40-8027		WIGGINS, E.	9507170346	CONTRACT	
VANDEBURGH, C.	9507240047*	50-458	Q	WEBER, M.F.	9507050310	40-9027		WIGGINS, E.	9507180338	CONTRACT	
VANDERSYDE, R.J.	9507310087	50-348	F	WEBER, M.F.	9507120302	40-8778		WIGGINS, E.J.	9507170203	CONTRACT	
VANMIDDLESWORTH	9507240315	50-331	R	WEBER, M.F.	9507120305*	40-8778		WIGGINS, E.J.	9507170205	CONTRACT	
VARGA, S.A.	9507310020	50-334	F	WEBER, M.F.	9507130155	50-18	I	WIGGINS, E.J.	9507180004	CONTRACT	
VARGA, S.A.	9507140133*	50-280	P	WEBER, M.F.	9507180182	WASTE MGT		WIGGINS, E.J.	9507180009	CONTRACT	
VARGA, S.A.	9507180277*	50-278	P	WEBER, M.F.	9507250266*	40-8936		WIGGINS, E.J.	9507180012	50-413	V
VARGA, S.A.	9507200301*	50-272	P	WEBER, M.F.	9507260157	70-925		WIGGINS, E.J.	9507180016	CONTRACT	
VARGA, S.A.	9507200321*	50-424	F	WEBER, M.F.	9507270104	70-****		WIGGINS, E.J.	9507180025	50-302	Q
VASQUEZ, G.M.	9507140049*	40-8622		WEBER, M.F.	9507270120*	50-267	W	WIGGINS, E.J.	9507180026	50-390	A
VENTRESCA, R.D.	9507310245*	71-601		WEBER, M.F.	9507270141	40-8027		WIGGINS, E.J.	9507180132	50-390	A
VERNETSON, W.	9507070459	50-83	S	WEBER, M.F.	9507270143*	40-8027		WIGGINS, E.J.	9507180251	CONTRACT	
VERNETSON, W.G.	9507100115*	50-83	S	WEBER, M.F.	9507270319	40-8027		WIGGINS, E.J.	9507180315	CONTRACT	
VERNETSON, W.G.	9507240468	50-83	F	WEBER, M.F.	9507270394	WASTE MGT		WIGGINS, E.J.	9507180352	CONTRACT	
VERNETSON, W.G.	9507270221	50-83	P	WEBER, M.F.	9507270403	WASTE MGT		WIGGINS, E.J.	9507180378	CONTRACT	
VERRELLI, D.	9507110006	50-261	S	WEBER, M.F.	9507280151	70-135		WIGGINS, E.J.	9507190259	CONTRACT	
VERRELLI, D.	9507140315*	50-400	Q	WEBER, M.J.	9507270112	40-8027		WIGGINS, E.J.	9507210289	CONTRACT	
VERRELLI, D.M.	9507110097	50-400	P	WEBER, R.L.	9507200044	50-289	R	WIGGINS, E.J.	9507210338	CONTRACT	
VERRELLI, D.M.	9507110106	50-261	P	WEBER, R.L.	9507200106	50-389	R	WIGGINS, E.J.	9507280070	CONTRACT	
VERRELLI, D.M.	9507120093	50-324	Q	WEBER, R.L.	9507200113	50-413	R	WIGGINS, E.J.	9507280076	CONTRACT	
VERRELLI, D.M.	9507140178	50-324	Q	WEHRY, R.R.	9507110204*	50-386	S	WIGGINS, E.J.	9507280080	50-390	Q
VERRELLI, D.M.	9507140221	50-261	Q	WEHRY, R.R.	9507240345*	50-388	S	WIGGINS, E.J.	9507280150	CONTRACT	
VERRELLI, D.M.	9507100115*	50-400	Q	WEISKITTEL, R.	9507310185	27-48		WIGGINS, E.J.	9507280157	50-261	F
VERRELLI, D.M.	9507210030	50-348	P	WEISS, D.	9507310231*	71-644		WIGGINS, E.J.	9507190261	CONTRACT	
VERRELLI, D.M.	9507240265	50-348	Q	WEISS, D.	9507310240*	71-601		WIGGINS, J.T.	9507140002	50-219	Q
VERRELLI, D.M.	9507240278*	50-348	Q	WEISS, R.A.	9507140167*	50-461	Q	WIGGINS, J.T.	9507140131*	50-285	P
VERRELLI, D.M.	9507240354	50-261	Q	WEISS, S.	9507310141*	50-206	F	WIGGINS, J.T.	9507180086	50-336	P
VERRELLI, D.M.	9507240360*	50-261	Q	WEISS, S.H.	9507180180*	50-133	P	WIGGINS, M.E.	9507120347	CONTRACT	
VERRELLI, D.M.	9507260066	50-261	Q	WEISS, S.H.	9507240166	50-320	H	WIGGINTON, D.L.	9507070072	50-458	P
VERRELLI, D.M.	9507280113	50-261	Q	WEISS, S.H.	9507240346*	50-312	W	WIGGINTON, D.L.	9507140095	50-458	P
VERRELLI, D.M.	9507280114	50-400	Q	WEISS, S.H.	9507280155*	ORG		WIGGINTON, D.L.	9507140423	50-458	P
VERRELLI, D.M.	9507280127	50-261	Q	WEISS, S.H.	9507310221*	50-62	P	WIGGINTON, D.L.	9507190274	50-458	P
VERRELLI, D.M.	9507280146	50-324	Q	WEISS, S.H.	9508010187*	50-206	F	WIGGINTON, D.L.	9507200280	50-458	F
VICKERS, R.	9507240078	50-373	S	WELLING, B.D.	9507140348*	50-286	P	WIGGINTON, D.L.	9507240440	50-458	P
VIK, M.	9507100273*	50-282	Q	WELLS, P.K.	9507140174	40-341		WIGGINTON, D.L.	9507310260	50-458	P
VINCENT, R.A.	9507060006	50-255	Q	WENSLAWSKI, F.	9507170018	I&E		WIGGINTON, D.L.	9507310264*	50-458	P
VINCENT, R.A.	9507110040	50-255	F	WENSLAWSKI, F.A.	9507030220*	70-734		WILCOXEN, J.G.	9507180055	40-8027	
VINCI, D.W.	9507110182	50-382	S	WENSLAWSKI, F.A.	9507130094*	70-734		WILCOXEN, J.G.	9507180055	40-8027	
VIRGONA, J.E.	9507130023	STATE PRO G		WENSLAWSKI, F.A.	9507260040	70-1257		WILCOXEN, J.G.	9507180117	40-8027	
VOGL, J.	9507060249	50-454	R	WERMEL, J.S.	9507110282	CA999		WILCOXEN, J.G.	9507180117	40-8027	
VOGL, J.	9507190351	50-454	R	WERT, L.D.	9507120024*	50-259	Q	WILCOXEN, J.G.	9507270088*	40-8027	
VONK, M.J.	9507030273	50-295	F	WESLEY, D.	9507130037*	STATE PRO G		WILCOXEN, J.G.	9507270088*	40-8027	
VONK, M.J.	9507050304	50-10	F	WESLEY, D.	9507130218*	STATE PRO G		WILKERSON, T.S.	9507130072*	71-9251	
VONK, M.J.	9507250111	50-10	F	WESLEY, D.A.	9507270405*	TOPREP		WILKIE, L.V.	9507200104*	50-269	S
VUMBACO, F.J.	9507100042*	40-672		WESSMAN, R.H.	9507240097	REVIEW GR P		WILLIAMS, A.A.	9507140187	40-341	
WADLEY, M.D.	9507060373	50-282	P	WESTER, N.	9507310210	FOIA		WILLIAMS, A.A.	9507110321	50-255	R
WADLEY, M.D.	9507250185	50-282	P	WETTERHAHN, M.J.	9507270086	50-458	G	WILLIAMS, F.J.	9507140117	50-247	F
WALD, J.J.	9507210204*	50-341	P	WETTERHAHN, M.J.	9507270086	50-458	G	WILLIAMS, J.	9507060107	50-249	S
WALDEN, J.	9507190326	50-244	R	WETZEL, B.A.	9507030212	50-263	P	WILLIAMS, J.F.	9507200235	CA999	
WALKER, N.M.	9507100067	70-3070		WETZEL, B.A.	9507110274*	50-282	P	WILLIAMS, J.F.	9507240193	50-263	P
WALKER, N.M.	9507100067	70-3070		WETZEL, J.L.	9507110272	50-282	P	WILLIAMS, J.G.	9507060179	50-113	P
WALKER, N.M.	9507100080	70-3070		WHARTON, L.R.	9507050215	50-483	P	WILLIAMS, J.G.	9507102241	50-113	P
WALKER, N.M.	9507100080	70-3070		WHARTON, L.R.	9507130165	50-483	P	WILLIAMS, J.R.	9507070466	72-1009	
WALKER, N.M.	9507100087	70-3070		WHARTON, L.R.	9507130175*	50-483	P	WILLIAMS, O.G.	9507210295	50-255	Y
WALKER, N.M.	9507100087	70-3070		WHARTON, L.R.	9507210220	50-483	P	WILLIAMS, R.A.	9507100106	70-1151	
WALKER, N.M.	9507100160	70-3070		WHARTON, L.R.	9507240411	50-483	P	WILLIAMS, R.A.	9507200044	50-269	R
WALKER, N.M.	9507100160	70-3070		WHARTON, L.R.	9507240414*	50-483	P	WILLIAMS, R.A.	9507200112*	50-366	R
WALKER, R.D.	9507110094	50-445	P	WHEELER, L.L.	9507110275	50-424	P	WILLIAMS, R.A.	9507200116*	50-413	R
WALKER, T.	9507100259*	50-220	Q	WHEELER, L.L.	9507110315	50-424	P	WILLIAMSON, E.L.	9507310251*	50-498	Q
WALLACE, D.	9507170346	CONTRACT		WHEELER, L.L.	9507170274	50-424	P	WILMOTH, M.J.	9507270060	50-424	G
WALLACE, D.	9507170346	CONTRACT		WHEELER, P.A.	9507110343	71-****		WILMOTH, M.J.	9507270060	50-424	G
WALLACE, J.E.	9507170024	50-296	S	WHITE, C.W.	9507250119*	50-443	Q	WILMOTH, M.J.	9507310222	FOIA	
WALLIN, G.A.	9507190344	50-271	R	WHITE, C.W.	9507250121*	50-443	Q	WILSON, J.F.	9507050438	50-289	F
WALSH, R.J.	9507250125*	50-443	Q	WHITE, C.W.	9507250125*	50-443	Q	WILSON, J.H.	9507180006	52-4	
WALSH, F.J.	9507250128*	50-443	Q	WHITE, C.W.	9507250130*	50-443	Q	WILSON, J.N.	9507180372	52-1	
WALSH, R.J.	9507250130*	50-443	Q	WHITE, C.W.	9507250139*	50-443	Q	WILSON, K.R.	9507110014	50-302	Q
WALSH, R.J.	9507250144*	50-443	Q	WHITE, C.W.	9507250144*	50-443					

208 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WISE,R.	9507250055*	50-498 P	WOODLAN,D.R.	9507200019	50-445 R	YOUNG,D.E.	9507120299	50-261 S
WISEMAN,G.	9507170005*	50-259 Q	WOODRUF,R.L.	9507260077	STATE PRO G	YOUNG,K.D.	9507280133	50-331 Q
WITTER,H.	9507200342*	STATE PRO G	WOODWARD,R.	9507250048	50-331 R	YOUNG,M.A.	9507100068	50-424 G
WOLF,G.M.	9507190333	50-346 R	WOODWORTH,L.A.	9507050457	WASTE MGT	ZARZAR,I.	9507070160*	50-261 P
WONG,H.	9507030010*	50-528 Q	WOOSTER,K.A.	9507270053	50-155 F	ZERINGUE,O.J.	9507060090	50-390 A
WONG,H.J.	9507100297*	50-361 Q	WOOSTER,K.A.	9507270130	50-155 F	ZERINGUE,O.J.	9507060173	50-390 Q
WOOD,J.K.	9507180079	50-346 R	WRIGHT,F.N.	9507140232*	50-261 Q	ZERINGUE,O.J.	9507180358	50-390 Q
WOOD,J.K.	9507190333	50-346 R	WYDEN,R.	9507200375*	50-458 U	ZERINGUE,O.J.	9507210068	50-390 A
WOOD,J.K.	9507240037	50-346 P	WYMER,S.L.	9507270124	50-255 F	ZERINGUE,O.J.	9507250180	70-2910
WOOD,R.H.	9507060331	71-352	WYNNE,C.F.	9507210037	PR	ZERINGUE,O.J.	9507280111	50-390 Q
WOODARD,J.D.	9507050268*	50-348 P	YANDELL,L.A.	9507310007*	50-285 Q	ZIEGLER,R.S.	9507050177	40-8902
WOODHEAD,C.P.	9507180099	50-160 G	YANG,C.Y.	9507170412*	TOPREP	ZIEGLER,R.S.	9507110024	40-8902
WOODLAN,D.R.	9507070136	50-445 P	YATES,C.Y.	9507180172	50-133 P	ZIGLER,G.L.	9507210197	CONTRACT
WOODLAN,D.R.	9507120068	50-445 F	YELVERTON,J.W.	9507240326	50-368 P	ZIMMERMAN,R.P.	9507030166	ORG
WOODLAN,D.R.	9507170285	50-445 F	YOUNG,D.B.	9507110322	70-364	ZUNDELL,M.	9507200122	FOIA

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Atom, Inc. (formerly ASEA Atom, Inc. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.))	9507190136	70-36		9507060228	50-526 P
	9507030107	TOPREP		9507060231*	50-526 P
	9507030112*	TOPREP		9507060231*	50-526 P
	9507070153	70-1100		9507060231*	50-526 P
	9507070386	TOPRFP		9507070059	50-526 F
	9507100136	70-1100		9507070059	50-526 F
	9507100381	52-2		9507100205	50-526 S
	9507180354	TOPREP		9507100205	50-526 S
	9507180357*	TOPREP		9507100215*	50-526 S
	9507180373	TOPREP		9507100218*	50-526 S
	9507180376*	TOPREP		9507100221*	50-526 S
	9507190136	70-36		9507100223*	50-526 S
	9507210225	TOPREP		9507100226*	50-526 S
	9507210226*	TOPREP		9507100227*	50-526 S
	ASEA Brown Boveri, Inc.	9507250156*	50-317 P		9507100229*
9507030107		TOPREP		9507110001	50-529 OD
9507030112*		TOPREP		9507110001	50-529 OD
9507070153		70-1100		9507110001	50-529 OD
9507070386		TOPREP		9507110110	50-529 S
9507070477		PT21		9507130091	50-526 F
9507100136		70-1100		9507130124*	50-526 F
9507100139*		70-1100		9507140094	50-526 OD
9507100381		52-2		9507140094	50-526 OD
9507170124*		70-1100		9507140094	50-526 OD
9507180354		TOPREP		9507140102	50-526 P
9507180357*		TOPREP		9507140121	50-529 P
9507180373		TOPREP		9507140128*	50-529 P
9507180376*		TOPREP		9507140188	50-526 P
9507200190*		50-361 P		9507140188	50-526 P
Advanced Systems Technology, Inc. Aerostat Operations, Inc.	9507250156*	50-317 P		9507140188	50-526 P
	0507120259	NUREG		9507140191*	50-526 P
	9507120173	50-228 R		9507140191*	50-526 P
	9507120178*	50-228 R		9507140191*	50-526 P
	9507200124	50-228 H		9507140201	50-526 P
Allied-Signal Corp. Alonso & Carus Iron Works, Inc. American Ecology Corp.	9507110017	PR		9507140201	50-526 P
	9507110239	71-615		9507140268	50-526 M
	9507100112	27-48		9507140268	50-526 M
	9507100123*	27-48		9507190335	50-526 R
	9507310185	27-48		9507190336*	50-526 R
American Electric Power Service Corp. American Nuclear Corp. Amersham Corp.	9507310186*	27-48		9507190336*	50-526 R
	9507310290*	27-48		9507190336*	50-526 R
	9507180137*	50-315 Q		9507190338*	50-526 R
	9507260049	40-4492		9507280101	50-526 F
	8908170162*	FOIA		9507280101	50-526 F
Amersham Holdings, Inc. Anne Arundel County, MD Anstec, Inc. Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9507110070	71-9033		9507280101	50-526 F
	9507110071	71-9006		9507280121*	50-526 F
	9507120153	71-9032	Arizona, State of	9507270021	STATE PRO G
	9507120159*	71-9032	Arizona, Univ. of, Tucson, AZ	9507060179	50-113 P
	9507140460	CONTRACT		9507060331	NUREG
Amersham Holdings, Inc. Anne Arundel County, MD Anstec, Inc. Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9507190252	PT21		9507120241	50-113 P
	9507110066	71-9150		9507120245*	50-113 P
	9507120110	40-341		9507120253*	50-113 P
	9507120374	CONTRACT		9507120277*	50-113 P
	9507030013	50-526 P		9507180206*	CONTRACT
Arizona Nuclear Power Project)	9507030013	50-526 P		9507180220*	CONTRACT
	9507030013	50-526 P	Arkansas, State of	9507130087*	STATE PRO G
	9507030034	50-526 F	Arkana (subs. of Akzona, Inc.)	9507170203	CONTRACT
	9507050160	50-529 Q	Army, Dept. of, Corps of Engineers	9507250297	50-259 F
	9507050165*	50-529 Q		9507250297	50-259 F
	9507050375	50-526 S		9507250301*	50-259 F
	9507050377*	50-526 S		9507250302	50-331 P
	9507060126	50-526 F		9507250305*	50-331 P
	9507060126	50-526 F		9507250306	50-275 P
	9507060126	50-526 F		9507250306	50-275 P
	9507060126	50-526 F		9507250310*	50-275 P
	9507060228	50-526 P	Arrow NDE Co., Inc.	9507260136	71-539
	9507060228	50-526 P	Astrotech, Inc.	9507120172	71-260

210 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Atlantic Richfield Co. (ARCO)	9507050177	40-8902		9507030179*	40-8502
	9507110024	40-8902		9507030182*	40-8502
	9507110026*	40-8902		9507140132	40-8940
	9507260087	40-8902	Cabot Corp.	9507190169	40-8940
Atlas Corp.	9507120300	40-3453		9507250074	40-9027
	9507140451	40-3453		9507310158	40-9027
	9507140452*	40-3453	California, State of	9507130037*	STATE PRO G
	9507140453	40-3453		9507130218*	STATE PRO G
	9507180196	40-3453		9507130225*	STATE PRO G
	9507280177	40-3453		9507130244*	STATE PRO G
B&W Fuel Co.	9507130067	71-9251		9507130253*	STATE PRO G
	9507130072*	71-9251		9507270172*	STATE PRO G
	9507180280	70-1201		9507270179*	STATE PRO G
	9507240477	71-9251	Canada Atomic Energy Control Board	9507260305	XPORTLIC
	9507270405*	TOPREP	Carolina Power & Light Co.	9507030068	50-325 S
B. Koh & Associates, Inc.	9507030166	40-8724		9507030072*	50-325 S
BP America, Inc.	9507110080	40-****		9507050064	50-400 P
BP Chemicals International	9507260011	40-7604		9507050092	50-261 P
BWR Owners Group	9507070378	TOPREP		9507050075	50-400 P
	9507140107	TOPREP		9507060080*	50-400 P
Babcock & Wilcox Co.	9507050220	70-27		9507060083	50-261 P
	9507060367	70-135		9507060106	50-261 P
	9507100365	70-27		9507080151	50-261 Q
	9507110319	70-364		9507080229	50-324 F
	9507110322	70-364		9507060324	50-261 P
	9507200014	70-27		9507060327*	50-261 P
	9507200050*	70-27		9507060385	50-324 P
	9507200080	70-27		9507060388	50-324 P
	9507200086	70-27		9507060396*	50-324 P
	9507200106	70-27		9507060396*	50-324 P
	9507210006	70-27		9507070154	50-261 P
	9507210246	70-27		9507070160*	50-261 P
	9507210251*	70-27		9507070174*	50-261 P
	9507210278	TOPREP		9507100399	50-261 F
	9507240409	70-27		9507110015	50-400 Q
	9507250259	70-364		9507110027	50-400 P
	9507260025	TOPREP		9507120070	50-261 I
	9507260030*	TOPREP		9507120070	50-261 I
	9507270402	TOPREP		9507120187	50-325 S
Babcock & Wilcox Operating Plants Owners Group	9507120294	PROJ		9507130013	50-400 P
Baltimore Gas & Electric Co.	9507030211	50-317 P		9507130015*	50-400 P
	9507070182	50-317 P		9507130158	50-261 R
	9507110254	50-317 S		9507140431	50-324 H
	9507110309	50-318 P		9507180032	50-261 C
	9507110313*	50-318 P		9507190350	50-324 R
	9507200152	50-317 S		9507190352*	50-324 R
	9507200181	50-317 P		9507190353*	50-324 R
	9507210134	50-317 R		9507200032	50-400 R
	9507240444	50-318 P		9507210003	50-224 P
	9507250150	50-317 P		9507210026	50-261 O
	9507250150	50-317 P		9507210029	50-261 P
	9507250156*	50-317 P		9507210033*	50-261 P
	9507250156*	50-317 P		9507250011	50-324 F
	9507310048	50-317 P		9507250070	50-261 F
Battelle Human Affairs Research Centers	9507060313	NUREG		9507250073*	50-261 F
Battelle Memorial Institute, Pacific Northwest Laboratory	9507060313	NUREG		9507250077*	50-261 F
	9507170125	NUREG		9507270235	50-324 Q
	9507280167	ORG		9507280036	50-261 Q
	9507280167	ORG		9507280073	50-400 H
Bechtel Power Corp.	9507180343	FOIA		9507280210	50-400 P
Boeing Co.	9507180213	PT21		9507310056	50-400 F
Boeing Computer Services Co. (div. of Boeing Co.)	9507120216	PT21	Carrier Corp.	9507310245*	71-601
Boston Edison Co.	9507050078	50-293 H	Catholic Univ. of America, Washington, D	9507120281	50-77 W
	9507060248	50-293 R	Center for Nuclear Waste Regulatory	9507060284	WASTE MGT
	9507120263	50-293 K	Analyses		
	9507170375	50-293 P		9507070427	WASTE MGT
	9507170376*	50-293 P		9507070433*	WASTE MGT
	9507170382*	50-293 P		9507070436	WASTE MGT
	9507190045	50-293 S		9507070438*	WASTE MGT
	9507190052	50-293 S		9507120166	WASTE MGT
	9507190323	50-293 R		9507120301	WASTE MGT
	9507200074	50-293 P		9507120304*	WASTE MGT
	9507200078*	50-293 P		9507120307	WASTE MGT
	9507200078*	50-293 P		9507140454	WASTE MGT
	9507260050	50-293 R		9507140455*	WASTE MGT
	9507270203	50-293 Q		9507210297	WASTE MGT
	9507280072	50-293 P		9507210300*	WASTE MGT
Boston Univ. Medical Center, Boston, MA	9507050030	NUREG		9507210304	WASTE MGT
Brazil	9507180225	CONTRACT		9507210306*	WASTE MGT
Brookhaven National Laboratory	9507060335	NUREG		9507240394	WASTE MGT
	9507070074*	50-456 P		9507240405	WASTE MGT
	9507120287	50-280 P		9507240425	WASTE MGT
	9507310244	TOPREP		9507250199	WASTE MGT
Brush Wellman, Inc.	9507180353*	FOIA		9507280081	WASTE MGT
	9507180362*	FOIA		9507280084*	WASTE MGT
Burns International Security Services, Inc.	9507050285	50-282 Q		9507280087	WASTE MGT
COGEMA, Inc.	9507030174	40-8502	Centerior Energy	9507280090*	WASTE MGT
				9506210049	50-440 R

CORPORATE SOURCE INDEX 211

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507030105	50-346		9507100132	50-454
	9507030109*	50-346		9507100166	50-454
	9507030110*	50-346		9507100174	50-454
	9507050439	50-440		9507100177	50-237
	9507050444*	50-440		9507100177	50-237
	9507050449	50-440		9507100177	50-237
	9507060200	50-346		9507100177	50-237
	9507070267	50-440		9507100182*	50-237
	9507070271*	50-440		9507100182*	50-237
	9507100267*	50-440		9507100182*	50-237
	9507100275*	50-440		9507100182*	50-237
	9507100281*	50-440		9507100373	50-373
	9507130153	50-346		9507110025	50-249
	9507130153	50-346		9507110025	50-249
	9507200029	50-440		9507110103	50-454
	9507250015	50-346		9507110103	50-454
	9507270062	50-440		9507110103	50-454
Cherokee Nation	9507180117	40-8027		9507110111*	50-454
	9507270068*	40-8027		9507110111*	50-454
Cintichem, Inc.	9507180306	50-54		9507110111*	50-454
Citizens Against Nuclear Trash	9507100067	70-3070		9507110111*	50-454
	9507100080	70-3070		9507110111*	50-454
	9507100087	70-3070		9507110188	50-254
	9507100160	70-3070		9507110188	50-254
	9507180062	70-3070		9507110193*	50-254
Colorado, State of	9506200180	WASTE MGT		9507110304	50-237
	9507250025*	WASTE MGT		9507110316	50-10
	9507250029*	WASTE MGT		9507110324	50-237
	9507270159*	STATE PRO	G	9507120041	50-29F
	9507270166*	STATE PRO	G	9507120050	50-254
CommCore, Inc.	9507310248*	FOIA		9507120050	50-254
	9507310255*	FOIA		9507120107	50-254
Commonwealth Edison Co.	9507030052	50-295		9507120107	50-254
	9507030082	50-249		9507130008	50-237
	9507030094	50-249		9507130059	50-237
	9507030134	50-249		9507130156	50-456
	9507030145	50-254		9507170004	50-265
	9507030154*	50-254		9507170007	50-254
	9507030176	50-373		9507170085	50-295
	9507030273	50-295		9507170101*	50-295
	9507030305	50-254		9507170114	50-237
	9507060304	50-10		9507170114	50-237
	9507060304	50-10		9507170387	50-10
	9507060304	50-10		9507170406	50-295
	9507060304	50-10		9507180094	50-456
	9507060304	50-10		9507180458	50-254
	9507060107	50-249		9507190334	50-254
	9507060165	50-454		9507190334	50-254
	9507060249	50-454		9507190348	50-295
	9507060255	50-265		9507190348	50-295
	9507060317	50-454		9507190349	50-373
	9507060338	50-237		9507190349	50-373
	9507060338	50-237		9507190351	50-454
	9507060338	50-237		9507190354	50-10
	9507060338	50-237		9507190354	50-10
	9507060338	50-237		9507190354	50-10
	9507060338	50-237		9507200049	50-254
	9507060347	50-295		9507210157	50-454
	9507060347	50-295		9507240038	50-295
	9507070089	50-295		9507240076	50-373
	9507070089	50-295		9507240356	50-237
	9507070091*	50-295		9507240401	50-237
	9507070091*	50-295		9507240401	50-237
	9507070098	50-373		9507240401	50-237
	9507070100*	50-454		9507240401	50-237
	9507070122	50-373		9507240406*	50-237
	9507070289	50-295		9507240406*	50-237
	9507070289	50-295		9507240406*	50-237
	9507070290*	50-295		9507240406*	50-237
	9507070341*	50-237		9507240452	50-295
	9507070341*	50-237		9507240458	50-10
	9507070351	50-249		9507240458	50-10
	9507070353*	50-237		9507240458	50-10
	9507070353*	50-237		9507240458	50-10
	9507070365*	50-249		9507240458	50-10
	9507070472	50-373		9507240458	50-10
	9507070472	50-373		9507240458	50-10
	9507100057	50-254		9507240466	50-237
	9507100057	50-254		9507240466	50-237
	9507100065*	50-254		9507240466	50-237
	9507100065*	50-254		9507240474*	50-237
	9507100070*	50-254		9507240474*	50-237
	9507100070*	50-254		9507240474*	50-237
	9507100079	50-237		9507240474*	50-237
	9507100079	50-237		9507250012	50-254
	9507100082*	50-237		9507250012	50-254
	9507100082*	50-237		9507250078	50-237
	9507100132	50-454			

212 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9507250111	50-10	F		9507180053*	50-155	S
	9507250111	50-10	F		9507180461	50-155	F
	9507250111	50-10	F		9507180462	50-155	F
	9507250111	50-10	F		9507180466	50-155	F
	9507250111	50-10	F		9507210291	50-155	P
	9507250111	50-10	F		9507250016	50-255	V
	9507250111	50-10	F		9507250176	50-255	Y
	9507250111	50-10	F		9507250303	50-155	P
	9507250141	50-10	F		9507250304*	50-155	P
	9507250146	50-237	S		9507270053	50-155	F
	9507250152	50-373	F		9507270124	50-255	F
	9507250152	50-373	F		9507270130	50-155	F
	9507250168*	50-237	S		9507310113	50-155	F
	9507260175	50-454	F	Curtis Inspection Services, Inc.	9507050025	71-749	
	9507260231	50-237	P	Czech & Slovak Federal Republic (CSFR)	9507060045*	COMMISSIO	N
	9507260244	50-295	K	(formerly Czechoslovakia)			
	9507260262	50-249	P	Dairyland Power Cooperative	9507120136	50-409	S
	9507260266*	50-249	P		9507180030	50-409	S
	9507270103	50-10	R	Dayton X-Ray Co.	9507210052	71-252	
	9507270103	50-10	R	Defense, Dept. of, Defense Logistics	9507140279	40-341	
	9507270103	50-10	R	Agency			
	9507270106*	50-10	R	Detroit Edison Co.	9507060099	50-341	S
	9507270106*	50-10	R		9507060102*	50-341	S
	9507270106*	50-10	R		9507070464	50-341	O
	9507270176	50-249	S		9507110317	50-341	F
	9507270184*	50-249	S		9507170183	50-341	P
	9507280104	50-374	S		9507170360	50-341	Q
	9507310095	50-456	F		9507170383	50-16	H
	9507310136	50-454	P		9507170383	50-16	H
	9507310136	50-454	P		9507180463	50-341	F
	9507310138	50-456	P		9507190330	50-341	R
	9507310180	50-454	P		9507210019	50-341	H
	9507310180	50-454	P		9507210202	50-341	P
	9507310180	50-454	P		9507210204*	50-341	P
	9507310160	50-454	P		9507210313*	50-341	P
	9507310182*	50-454	P		9507250018	50-341	F
Computer Technology Services, Inc.	9507170346	CONTRACT		Duke Power Co.	9507030040	50-369	Q
Conam Inspection	9507310237*	71-644			9507030258	50-289	P
Concord Associates, Inc.	9507140445*	50-321	P		9507050059	PR	
Conference of Radiation Control Program	9507130031	COMMISSIO	N		9507050060	50-413	P
Directors, Inc.	9507130036	STATE PRO	G		9507050140	50-369	P
	9507130054	COMMISSIO	N		9507050140	50-369	P
	9507130055	STATE PRO	G		9507050153*	50-369	P
	9507130057*	COMMISSIO	N		9507050153*	50-369	P
					9507050204	50-269	P
Connecticut Yankee Atomic Power Co.	9507030335	50-213	P		9507050204	50-269	P
	9507050452	50-213	Q		9507050204	50-269	P
	9507060096	50-213	S		9507050204	50-269	P
	9507060194	50-213	F		9507060204	50-269	P
	9507110048	50-245	Q		9507060204	50-269	P
	9507130174	50-213	Q		9507060204	50-269	P
	9507130179*	50-213	Q		9507060204	50-269	P
	9507140229	50-213	F		9507060204	50-269	P
	9507170127	50-213	P		9507060154	50-269	R
	9507170132*	50-213	P		9507060154	50-269	R
	9507170402	50-213	R		9507060154	50-269	R
	9507190119	50-213	P		9507060154	50-269	R
	9507190123*	50-213	P		9507060180	50-369	P
	9507190316	50-213	R		9507060166*	50-369	P
	9507240330	50-213	P		9507060253	50-369	P
	9507250082	50-213	P		9507060253	50-369	P
	9507280034	50-213	P		9507060253	50-369	P
Consolidated Edison Co. of New York, Inc	9507050082	50-247	P		9507060253	50-369	P
	9507050435	50-247	P		9507060387	50-370	P
	9507060182	50-247	P		9507060389*	50-370	P
	9507060188	50-247	P		9507070165	50-269	F
	9507100257	50-247	P		9507070165	50-269	F
	9507110159	50-247	S		9507070165	50-269	F
	9507240085	50-247	Q		9507070165	50-269	F
	9507260126	50-247	S		9507070165	50-269	F
Consumers Power Co.	9507030241	50-155	Q		9507070165	50-269	F
	9507080006	50-255	F		9507070165	50-269	F
	9507060078	50-155	F		9507070213	50-413	S
	9507060105	50-255	F		9507110022	50-413	P
	9507060119	50-255	P		9507110084	50-369	P
	9507060369	50-255	P		9507110084	50-369	P
	9507060372*	50-255	P		9507110086	50-269	P
	9507070488	50-155	S		9507110086	50-269	P
	9507110040	50-255	F		9507110086	50-269	P
	9507110246	50-155	S		9507110099	50-369	S
	9507110247*	50-155	S		9507110101	50-269	R
	9507110249	50-255	P		9507110101	50-269	R
	9507110250*	50-255	P		9507110101	50-269	R
	9507110321	50-255	R		9507120029	50-269	Y
	9507120299	50-261	S		9507120029	50-269	Y
	9507120401	50-155	R		9507120029	50-269	Y
	9507130032	50-155	P		9507120029	50-269	Y
	9507170030	50-255	F		9507120066	50-369	K
	9507180050	50-155	S		9507120132	50-267	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9507130018	50-413	Q		9507190031	50-334	P
	9507130018	50-413	Q		9507190031	50-334	P
	9507130021	50-369	P		9507190033*	50-334	P
	9507130021	50-369	P		9507190033*	50-334	P
	9507130077	50-413	F		9507210032	50-334	H
	9507130077	50-413	P		9507210032	50-334	H
	9507130086	50-413	Q		9507250021	50-334	F
	9507130089*	50-413	Q		9507250021	50-334	F
	9507130131	50-413	P		9507310177	50-334	P
	9507130141*	50-413	P		9507310177	50-334	P
	9507130141*	50-413	P		9507310182*	50-334	P
	9507140447	50-269	P		9507310182*	50-334	P
	9507140448*	50-269	P	E.R. Squibb & Sons, Inc.(subs. of Squibb Corp.)	8907070150*	FOIA	
	9507140448*	50-269	P	EQE, Inc.	9507070167*	50-261	P
	9507140448*	50-269	P		9507070174*	50-261	P
	9507170008	50-269	F	EURATOM Supply Agency	9507260304	XPORTLIC	
	9507170064	50-269	P	Edlow International Co.	9507030237	XPORTLIC	
	9507170136	50-269	P		9507030239*	XPORTLIC	
	9507170325	50-369	S		9507030243*	XPORTLIC	
	9507170386	50-369	Q		9507030252	XPORTLIC	
	9507180045	50-413	S		9507030256*	XPORTLIC	
	9507180046	50-413	S		9507060010	70-1252	
	9507180234	50-413	F		9507060011	70-1252	
	9507180237*	50-413	F		9507060016	70-1252	
	9507200044	50-269	R		9507060020	70-1252	
	9507200044	50-269	R		9507060025	XPORTLIC	
	9507200044	50-269	R		9507060030*	XPORTLIC	
	9507200100	50-269	S		9507140028	70-1252	
	9507200104*	50-269	S	Electric Power Research Institute	9507200151*	50-271	P
	9507200109	50-369	R		9507200092	71-172	
	9507200112*	50-369	R	Empire Steel Castings, Inc.	9507150116	40-8681	
	9507200112*	50-369	R	Energy Fuels Nuclear, Inc.	9507110059	40-8681	
	9507200113	50-413	R		9507200023	40-9024	
	9507200116*	50-413	R		9507310097	40-*****	
	9507200184*	50-369	R		9507310097	40-*****	
	9507200186*	50-413	R	Energy, Dept. of	9507030195	WASTE MGT	
	9507210045	PR			9507030204	WASTE MGT	
	9507210144	50-369	F		9507030207*	WASTE MGT	
	9507210144	50-369	F		9507030216	XPORTLIC	
	9507210148*	50-369	F		9507030299	WASTE MGT	
	9507210148*	50-369	F		9507030303	XPORTLIC	
	9507240031	50-269	P		9507030304	XPORTLIC	
	9507240112	50-269	P		9507030340*	WASTE MGT	
	9507240112	50-269	P		9507050216	40-8500	
	9507240112	50-269	P		9507050457	WASTE MGT	
	9507240112	50-269	P		9507060247	WASTE MGT	
	9507240112	50-269	P		9507060251	WASTE MGT	
	9507240112	50-269	P		9507060256	XPORTLIC	
	9507240112	50-269	P		9507060260*	XPORTLIC	
	9507240118*	50-269	P		9507070199	WASTE MGT	
	9507240118*	50-269	P		9507070283	WASTE MGT	
	9507240118*	50-269	P		9507070372	WASTE MGT	
	9507240118*	50-269	P		9507070383	WASTE MGT	
	9507240118*	50-269	P		9507070387	WASTE MGT	
	9507240118*	50-269	P		9507070393*	WASTE MGT	
	9507240118*	50-269	P		9507070466	72-1009	
	9507240123*	50-269	P		9507100064	WASTE MGT	
	9507240123*	50-269	P		9507100103	70-1100	
	9507240123*	50-269	P		9507100122	PROJ	
	9507240123*	50-269	P		9507100368	WASTE MGT	
	9507240123*	50-269	P		9507110195	WASTE MGT	
	9507240123*	50-269	P		9507110257	WASTE MGT	
	9507240123*	50-269	P		9507110271	WASTE MGT	
	9507250066	50-413	P		9507130023	STATE PRO	G
	9507250094	50-370	P		9507130051	WASTE MGT	
	9507250096*	50-370	P		9507130159	40-861	
	9507250106	50-270	Q		9507140427	WASTE MGT	
	9507280094	50-413	F		9507140459	WASTE MGT	
	9507280117*	50-413	F		9507140467	WASTE MGT	
	9507210044	50-369	Q		9507140488*	WASTE MGT	
	9507310071	50-369	P		9507170266	WASTE MGT	
	9507310086	50-369	P		9507180256	WASTE MGT	
Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller)	9507270086	50-458	G		9507180278*	WASTE MGT	
					9507190005	WASTE MGT	
Duquesne Light Co.	9507030326	50-334	R		9507190067	WASTE MGT	
	9507050226	50-334	P		9507190146	PROJ	
	9507050226	50-334	P		9507190174	PROJ	
	9507050372	50-334	P		9507190186	PROJ	
	9507050372	50-334	P		9507190212	PROJ	
	9507100400	50-334	P		9507200110	WASTE MGT	
	9507100403*	50-334	P		9507200117	WASTE MGT	
	9507100418	50-334	P		9507200123	WASTE MGT	
	9507100418	50-334	P		9507200245	WASTE MGT	
	9507100421*	50-334	P		9507200382	WASTE MGT	
	9507100421*	50-334	P		9507200384*	WASTE MGT	
	9507140156	50-334	R		9507210011	PROJ	
	9507170368	50-334	P		9507210078	WASTE MGT	
	9507170371*	50-334	P		9507210185	WASTE MGT	

214 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507240267	WASTE MGT		9507280209*	50-382 P
	9507250045	PROJ		9507280233	50-382 P
	9507250063*	PROJ		9507280242*	50-382 P
	9507250263	70-1100		9507310153	50-382 P
	9507260043*	WASTE MGT		9507310154*	50-382 P
	9507260044*	WASTE MGT		9507310291	50-313 P
	9507270155	WASTE MGT	Envirocare of Utah, Inc.	9507120207	40-8989
	9507270167*	WASTE MGT		9507200021	40-8989
	9507270190	PROJ	Envirocare, Inc.	9507110311	40-8989
	9507310029	WASTE MGT	Environmental Coalition on Nuclear Power	9507050071	PR
	9507310033*	WASTE MGT	Environmental Protection Agency	9507030041	WASTE MGT
	9507310125	WASTE MGT		9507060230	40-8027
	9507310146	WASTE MGT		9507100050	50-390 A
	9507310150	WASTE MGT		9507100161	50-293 P
	9507310151	WASTE MGT		9507260090	40-8027
Entergy Operations, Inc.	9507030324	50-458 P		9507260103*	40-8027
	9507050199	50-458 P	Epoch Engineering, Inc.	9507200222	NUREG
	9507050201*	50-458 P		9507200236	NUREG
	9507050342	50-416 F	European Communities, Commission of	9507030225	XPORTLIC
	9507050350	50-313 F	FBF, Inc.	9507190195	71-185
	9507050359	50-313 Q		9507260226	71-185
	9507050363*	50-313 Q	Federal Emergency Management Agency	9504130082	50-361 G
	9507050386	50-382 P		9504130145*	50-155 F
	9507050396*	50-382 P		9504130149*	50-155 F
	9507050434	50-313 P		9505220275*	50-272 F
	9507060044	50-458 Q		9506020120*	50-295 F
	9507060046	50-458 J		9506020126*	50-295 F
	9507060161	50-313 Q		9507050296*	50-305 F
	9507060210	50-416 P		9507050302*	50-254 F
	9507060235	50-382 P		9507050462*	50-397 F
	9507060237*	50-382 P		9507050463*	50-397 F
	9507060244	50-416 Q		9507060086*	50-397 F
	9507060269	50-458 S		9507060164*	50-305 F
	9507070120	50-313 P		9507280079*	50-254 F
	9507070120	50-313 P		9507280017*	50-272 F
	9507070129*	50-313 P	Ferrumatic, Inc.	9507180128	40-8852
	9507070129*	50-313 P	FirstPage	9507120380	CONTRACT
	9507070296	50-382 Q	Florida Power & Light Co.	9507030219	50-335 P
	9507100016	50-458 P		9507050035	PR
	9507100019*	50-458 P		9507050069	50-335 P
	9507110028	50-388 Q		9507050069	50-335 P
	9507110123	50-382 S		9507060162	50-250 P
	9507110157	50-416 S		9507060404	50-389 P
	9507110182	50-382 S		9507100383	50-389 Q
	9507110219	50-416 F		9507110013	50-251 Q
	9507110244	50-416 S		9507110013	50-251 Q
	9507110245	50-416 F		9507110013	50-389 Q
	9507120271	50-458 I		9507110019	50-335 P
	9507120400	50-458 Q		9507110019	50-335 P
	9507170045	50-416 F		9507110124	50-335 S
	9507170965	50-458 Q		9507120073	50-335 F
	9507170389	50-416 P		9507120073	50-335 F
	9507190013	50-313 S		9507120081	50-335 F
	9507190013	50-313 S		9507120081	50-335 F
	9507190317	50-313 R		9507120081	50-335 F
	9507190320	50-368 R		9507180210	50-335 F
	9507190331	50-382 R		9507190048	50-250 P
	9507190339	50-458 R		9507190048	50-250 P
	9507190346	50-416 R		9507190070*	50-250 P
	9507200054	50-313 F		9507190070*	50-250 P
	9507200054	50-313 F		9507190341	50-335 R
	9507200054	50-313 F		9507210031	50-335 H
	9507210001	PR		9507240025	50-250 P
	9507210160	50-382 Q		9507250006	50-335 F
	9507210239	50-458 P		9507250089	50-302 S
	9507210248*	50-458 P		9507310192	50-250 P
	9507240326	50-368 P		9507310192	50-250 P
	9507240328*	50-368 P		9507310193*	50-250 P
	9507240417	50-313 Q		9507310193*	50-250 P
	9507240464	50-416 V		9507310198	50-250 P
	9507250042	50-416 S		9507310198	50-250 P
	9507250127	50-382 S		9507310200*	50-250 P
	9507250143	50-416 P		9507310200*	50-250 P
	9507250264	50-313 F		9507310219	50-250 P
	9507250264	50-313 F		9507310219	50-250 P
	9507250264	50-313 F		9507310220*	50-250 P
	9507260001	50-313 F		9507310220*	50-250 P
	9507260001	50-313 F		9507310224	50-250 P
	9507260121	50-416 F		9507310224	50-250 P
	9507270095	50-382 F		9507310226*	50-250 P
	9507270128	50-313 P		9507310226*	50-250 P
	9507280182	50-382 P		9507310234	50-250 P
	9507280186*	50-382 P		9507310234	50-250 P
	9507280194	50-382 P		9507310236*	50-250 P
	9507280195*	50-382 P		9507310236*	50-250 P
	9507280199	50-382 P		9507310247	50-250 P
	9507280201*	50-382 P		9507310250*	50-250 P
	9507280203	50-382 P		9507310250*	50-250 P
	9507280204*	50-382 P		9507310250*	50-250 P
	9507280207	50-382 P	Florida Power Corp.	9507060281	50-302 F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507070119	50-302		9507130020	50-289
	9507070471	50-302		9507130146	50-289
	9507100410	50-302		9507130149	50-289
	9507110014	50-302		9507130149	50-289
	9507120118	50-302		9507130157	50-219
	9507120129	50-302		9507200024	50-219
	9507120154	50-302		9507240104	50-219
	9507120157*	50-302		9507250035	50-219
	9507140170	50-302		9507310064	50-289
	9507170269	50-302		9507310073*	50-289
	9507250059	50-302		9507310088	50-289
	9507250065	50-302		9507310090*	50-289
Florida, State of	9507120221	STATE PROC	General Testing & Inspection Co.	9507200129	71-319
Florida, Univ. of, Gainesville, FL	9507130027	STATE PROC	Georgia Institute of Technology, Atlanta	9507180049	50-160
	9507070459	50-83	GA		
	9507100115*	50-83	Georgia Power Co.	9507030062	50-321
	9507240466	50-83		9507030316	50-424
	9507270221	50-83		9507050174	50-321
Foots Mineral Co.	9507100316	40-7397		9507050174	50-321
Foxboro Corp.	9507280064	50-213		9507060065	50-424
	9507050324	71-157		9507060065	50-424
Froehling & Robertson, Inc.	9507120186	70-734		9507060122	50-424
General Atomics (formerly GA Technologies, Inc./General Atomic Co.)	9507120186	70-734		9507060155	50-425
	9507120186	70-734		9507070399	50-425
	9507120194*	70-734		9507110235	50-321
	9507280212	50-89		9507120262	50-366
	9507280214*	50-89		9507140149	50-321
	9507280218*	50-89		9507140161	50-424
General Electric Co.	9507030213	52-4		9507140161	50-424
	9507090306	70-1113		9507140458	50-424
	9507050310	52-4		9507140458	50-424
	9507050141*	50-277		9507140461*	50-424
	9507050235*	50-333		9507140461*	50-424
	9507060005	XPORTLIC		9507140462	50-424
	9507060023	XPORTLIC		9507140462	50-424
	9507060047	XPORTLIC		9507140465	50-424
	9507060052	XPORTLIC		9507180040	50-424
	9507060056	XPORTLIC		9507180040	50-424
	9507070203	TOPREP		9507180041	50-424
	9507100034	52-4		9507210046	50-321
	9507100038*	52-4		9507240056	50-321
	9507100040	52-4		9507240060*	50-321
	9507120257	71-4986		9507240064	50-424
	9507120266*	50-366		9507240138	50-366
	9507120268*	50-366		9507250256	50-321
	9507120272*	50-366		9507270123	50-424
	9507120274*	50-366		9507270397	50-321
	9507120285*	71-4986		9507270398*	50-321
	9507120288*	50-366		9507270398*	50-321
	9507130062	52-4		9507270399*	50-321
	9507140008	XPORTLIC		9507270399*	50-321
	9507140010	XPORTLIC		9507280041	50-321
	9507140013	XPORTLIC		9507280041	50-321
	9507140017	XPORTLIC		9507280059	50-425
	9507140018	70-754		9507280175	50-366
	9507140027	XPORTLIC		9507310159	50-366
	9507140030	XPORTLIC		9507310205	50-321
	9507140118*	TOPREP		9507310205	50-321
	9507170139	52-1	Georgia, State of	9507130125*	STATE PROC
	9507180148	52-4		9507180049	50-160
	9507180163	52-4	Georgians Against Nuclear Energy	9507100061	50-160
	9507180170*	52-4		9507180037	50-160
	9507180245	52-4		9507270118*	50-160
	9507180284	70-1113	Glitsch Field Services/NDE, Inc. (formerly Industrial Inspection)	9507190109	71-6717
	9507180312	70-1113			
	9507180318	70-1151	Greeley, CO	9507190182	STATE PROC
	9507190002	52-4	Gulf States Utilities Co.	9507270086	50-458
	9507210272	52-4	Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9507100067	70-3070
	9507210276	52-4			
	9507210277	52-4		9507100160	70-3070
	9507210280	52-4		9507180062	70-3070
	9507210282	52-4		9507260240	40-8027
	9507210317	52-4		9507270055	40-8027
	9507210346	70-1113		9507270062	40-8027
	9507250003	PR		9507270068*	40-8027
	9507260071	52-4	Harrison Steel Castings Co.	9507180326	PT21
	9507280174	52-4	Henry, Kelly & Lowme (formerly Henry, Kelly, Burch & Hess & Kelly)	9507130038	STATE PROC
	9507280178	52-4			
	9507310278*	TOPREP	Hoffec International	9507050253	72-1008
General Public Utilities Corp. - GPU	9507050013	50-219		9507050257*	72-1008
Service Corp.					
	9507050017*	50-219		9507050273	71-9261
	9507050020*	50-219		9507050275*	71-9261
	9507050436	50-289	Homestake Mining Co.	9507070298	40-8903
	9507060361	50-219		9507140339	40-8903
			House of Rep.	9507060211	40-8948
	9507110153	50-219		9507200366*	WASTE MGT
	9507120331	50-219		9507200372*	ORG
	9507120336*	50-219		9507200375*	50-458
	9507120339*	50-219		9507210093*	ORG

216 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507210119*	70-1257		9507240413*	FOIA
	9507210173*	STATE PRO		9507240415*	FOIA
	9507210206*	ORG		9507240423*	FOIA
	9507210264*	ORG		9507240426*	FOIA
Houston Lighting & Power Co.	9208310122*	50-498		9507250189*	FOIA
	9507090318	50-498		9507250191*	FOIA
	9507050057	50-498		9507250196*	FOIA
	9507070157	50-498		9507250204*	FOIA
	9507070157	50-498		9507250255*	FOIA
	9507140065	50-498		9507250257*	FOIA
	9507140069*	50-498	Indiana Univ., School of Dentistry, Indianapolis, IN	9507250217*	FOIA
	9507170312	50-498		9507250222*	FOIA
	9507170317*	50-498		9507240396*	FOIA
	9507190318*	50-498	Indiana Univ., School of Medicine, Indianapolis, IN		
	9507190340	50-498			
	9507240479	50-499		9507250198*	FOIA
	9507240481*	50-499		9507250224*	FOIA
	9507270171*	50-498		9507250261*	FOIA
	9507310148	50-498	Industrial NDT Co.	9507210050	71-326
	9508040203*	50-498		9507280062	71-9032
Huntington Testing ICF, Inc. IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9507050335	71-93	Industrial Nucleonics Corp. Ingersoll-Rand Co. Inspection Specialists, Inc. Interior, Dept. of, Geological Survey	9507180331*	FOIA
	9507180363	CONTRACT		9507110221	71-119
	9507030155	50-331		9507200342*	STATE PRO
	9507100196	50-331		9507190095*	WASTE MGT
	9507100197*	50-331		9508010100*	WASTE MGT
	9507100414	50-331	JRA Associates	9507210295	50-255
	9507200158	50-331	Jacobs Engineering Group, Inc. Japan	9507130053*	WASTE MGT
	9507200164*	50-331		9507030210	XPORTLIC
	9507200166	50-331		9507030251	XPORTLIC
	9507240315	50-331		9507030269	XPORTLIC
	9507240317*	50-331		9507030278	XPORTLIC
	9507250048	50-331		9507030290	XPORTLIC
	9507280133	50-331	K.O. Steel, Inc.	9507050130	I&E
	9507280136*	50-331		9507130082	71-9006
	9507310286	50-331	Kansas State Univ., Manhattan, KS	9507030057	50-188
	9507310289*	50-331		9507270091	40-*****
Idaho National Engineering Laboratory	9506230331*	50-456	Kennecott Corp. Kennecott Uranium Co. (formerly Minerals Exploration Co.)	9507030118	40-8584
	9507060295	NUREG	Kenrot & Associates, Inc. Kiski Valley, PA	9507180315	CONTRACT
	9507060348*	50-244		9507280036	WASTE MGT
Idaho State Univ., Pocatello, ID Illinois Power Co.	9507100350	50-284	Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9507180071	50-424
	9507030247	50-461		9507270080	50-424
	9507050049	50-461		9507030343*	WASTE MGT
	9507110062*	50-461	Lawrence Berkeley Laboratory Litorque Corp.	9507170122	PT21
	9507140167*	50-461		9507210322	50-213
	9507170398	50-461		9507210328	PT21
	9507190101	50-461	Louisiana Energy Services	9507100066	70-3070
	9507190156	50-461	Louisiana, State of	9507240216	PR
	9507190160*	50-461	Maine Yankee Atomic Power Co.	9507030064	50-309
	9507190345	50-461		9507060178	50-309
Illinois, State of	9507190347*	50-461		9507170054	50-309
	9507060364	40-3392		9507180011	50-308
	9507110012	STATE PRO		9507180218	50-309
	9507120399	STATE PRO		9507190343	50-309
India	9507130097	STATE PRO		9507240290	50-309
Indiana Michigan Power Co.	9507310002	STATE PRO		9507250135	50-309
	9507280306*	COMMISSIO		9507250260	50-309
	9507060219	50-315		9507260075	50-309
	9507140138	50-316		9507260076*	50-309
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9507140142	50-315		9507310195	50-309
	9507030124	50-315		9507310197*	50-309
	9507060110	50-316		9507310203	50-309
	9507070175	50-315	Maine, State of	9507310204*	50-309
	9507070175	50-315		9507050155	PR
	9507070181*	50-315		9507120006	STATE PRO
	9507070181*	50-315	Malinckrodt, Inc.	8907180487*	FOIA
	9507100183	50-315	Marubeni America Corp. Maryland, State of	9507140080	XPORTLIC
	9507100183	50-315	Massachusetts Institute of Technology, Cambridge, MA	9507130035*	STATE PRO
	9507100189*	50-315		9507060137	50-20
	9507180130	50-315		9507170125	NUREG
	9507240342	50-315	Massachusetts, Commonwealth of	9507130250*	STATE PRO
	9507240342	50-315		9507130257*	STATE PRO
	9507270211	50-315	Materials Testing Laboratory, Inc.	9507070231	71-111
	9507270211	50-315		9507100054	40-8948
	9507310147	50-315	Metallurg, Inc.	8907280052*	FOIA
	9507310147	50-315	Minnesota Mining & Manufacturing Co. (3M Co.)	9507130164	71-583
	9507310172	50-315	Minnesota Valley Engineering	9507210159	71-9032
Indiana State Univ., Terre Haute, IN	9507270093	71-*****		9507200122	FOIA
Indiana Univ. - Purdue Univ. at Indianapolis, Indianapolis, IN	9507310128*	FOIA	Missouri, State of Missouri, Univ. of, Columbia, MO	9507170011	70-27
Indiana Univ. Medical Center, Indianapoli s, IN	9507210290*	FOIA	Mitsui & Co. (USA), Inc.	9507050188	XPORTLIC
	9507240292*	FOIA		9507060022	XPORTLIC
	9507240307*	FOIA		9507140022	XPORTLIC
	9507240309*	FOIA	Mitsui & Co., Ltd. Modeling & Computer Services Molycorp, Inc.	9507070125	XPORTLIC
	9507240410*	FOIA	Morgan, Lewis & Bockius	9507180160	CONTRACT
				9507070018*	40-8778
				9507140250	50-445

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Morrison-Knudsen Co., Inc.	9507270206	50-498		9507030335	50-213
NDT Specialists, Inc.	9507190008*	WASTE MGT		9507050347	50-213
NUS Corp.	9507150201	71-701		9507050358	50-423
National Whistleblower Center	9507310105*	50-482		9507050455	50-245
	9507310222	FOIA		9507060268	50-423
Native Americans for a Clean Environment	9507180055	40-8027		9507060277*	50-423
	9507180117	40-8027		9507060296	50-336
	9507270068*	40-8027		9507060333	50-336
Nebraska Public Power District	9507050259	50-298		9507100059	50-336
	9507060060	50-298		9507110144	50-336
	9507060063*	50-298		9507110146	50-336
	9507060217	50-298		9507110216	50-336
	9507060245	50-298		9507140073	50-245
	9507060246	50-298		9507140073	50-245
	9507100294	50-298		9507140073	50-245
	9507140164	50-298		9507140078	50-336
	9507140184*	50-298		9507140084	50-423
	9507140195*	50-298		9507140140	50-336
	9507140203*	50-298		9507140145*	50-336
	9507140207*	50-298		9507140155	50-213
	9507140211*	50-298		9507140163*	50-213
	9507180254	50-298		9507140175	50-245
	9507180259*	50-298		9507140175	50-245
	9507180263	50-298		9507140175	50-245
	9507180265*	50-298		9507140175	50-245
	9507190112	50-298		9507140218	50-336
	9507200142	50-298		9507170402	50-213
	9507200146*	50-298		9507180230	50-245
	9507280217	50-298		9507180230	50-245
New Jersey, State of	9507070422	40-7102		9507180233	50-245
	9507180356	50-354		9507180235*	50-245
New Mexico, State of	9507240262	50-272		9507180310	50-245
	9507120141	40-8907		9507200012*	50-245
	9507120164	40-8907		9507200082	50-336
	9507250129	40-8907		9507200088	50-423
New York, State of	9507030325	WASTE MGT		9507200093	50-245
	9507130010	STATE PRO		9507200096*	50-245
	9507130033	STATE PRO		9507200097*	50-423
Niagara Mohawk Power Corp.	9507030056	50-220		9507200098*	50-245
	9507030065	50-410		9507200138	50-245
	9507050075	50-220		9507200386	50-336
	9507050458	50-410		9507210180	50-336
	9507060093	50-220		9507210182*	50-336
	9507060146	50-410		9507210265	50-245
	9507060159	50-410		9507210266*	50-245
	9507060167	50-410		9507240131	50-423
	9507060175	50-220		9507240133*	50-423
	9507060175	50-220		9507240143	50-245
	9507060202	50-220		9507240148*	50-245
	9507060202	50-220		9507240151	50-423
	9507060270	50-220		9507240154*	50-423
	9507060275*	50-220		9507240297	50-336
	9507060297	50-410		9507240302	50-336
	9507060303*	50-410		9507240312*	50-336
	9507070195	50-220		9507240323	50-336
	9507070196*	50-220		9507240402	50-336
	9507110106	50-410		9507270051	50-423
	9507140182	50-410		9507270057*	50-423
	9507190332	50-220		9507280027	50-245
	9507210004	50-220		9507280028	50-423
	9507210012	50-220		9507310143	50-245
	9507210012	50-220		9507310155	50-245
	9507240399	50-220		9507310156	50-245
	9507250002	50-220		9507310242	FOIA
	9507250069	50-410		9508010193	FOIA
Niles Steel Tank	9507050331	71-352		9507060268	50-423
Non Destructive Testing Corp.	9507240228	PR		9507210041	50-213
Nondestructive Inspection Service	9507130169	71-97		9507210265	50-245
North Atlantic Energy Service Corp. (NAESCO)	9507110220	50-443		9507240330	50-213
	9507110232*	50-443		9507270051*	50-423
	9507240021	50-443		9507280027	50-245
	9507250061	50-443		9507280028	50-423
	9507310052	50-443		9507280034	50-213
	9507310055*	50-443		9507030169	50-336
North Carolina, State of	9507310057*	50-443		9507030169	50-336
	9507110044	50-369		9507030171	50-423
	9507120237	STATE PRO		9507030335	50-213
	9507120242*	STATE PRO		9507030335	50-213
	9507240235	PR		9507030335	50-213
Northeast Nuclear Energy Co.	9507270054	STATE PRO		9507050347	50-213
	9507280005	STATE PRO		9507050452	50-213
	9507030117	50-483		9507050455	50-245
	9507030169	50-336		9507110048	50-245
	9507030169	50-336		9507110048	50-245
	9507030171	50-423		9507110144	50-336
	9507030175*	50-423		9507110146	50-336
	9507030335	50-213		9507110216	50-336
	9507030335	50-213		9507140073	50-245
	9507030335	50-213			

218 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9507140073	50-245	F	(formerly ERC Environmental & Energy S	9507110127	PR	
	9507140078	50-336	Q	Ohio Citizens for Responsible Energy	9507030183	50-150	P
	9507140084	50-423	P	Ohio State Univ., Columbus, OH	9507030185*	50-150	P
	9507140140	50-336	P	Ohio, State of	9507030163	40-8724	
	9507140150*	50-336	P		9507110338	40-8948	
	9507140154*	50-336	P		9507120034	STATE PRO	G
	9507140155	50-213	P		9507130026	STATE PRO	G
	9507140157*	50-336	P		9507250280	STATE PRO	G
	9507140160*	50-336	P	Omaha Public Power District	9507050103	50-285	F
	9507140218	50-336	S		9507050109*	50-285	F
	9507170402	50-213	R		9507060066	50-285	S
	9507180233	50-245	P		9507060069	50-285	P
	9507200088	50-423	P		9507060071	50-285	S
	9507200093	50-245	R		9507060074*	50-285	S
	9507200138	50-245	P		9507100069	50-285	P
	9507240021	50-443	S		9507100071*	50-285	P
	9507240131	50-423	P		9507100085*	50-285	P
	9507240143	50-245	P		9507100090	50-285	P
	9507240151	50-423	P		9507100094*	50-285	P
	9507250061	50-443	R		9507100107	50-285	P
Northern States Power Co.	9507030319	50-282	P		9507100110*	50-285	P
	9507050193	50-263	F		9507100230*	50-285	P
	9507060373	50-282	P		9507100262	50-285	F
	9507060373	50-282	P		9507100391	50-285	P
	9507070332	50-263	F		9507100393*	50-285	P
	9507100269	50-282	Q		9507170364	50-285	F
	9507100273*	50-282	Q		9507180056	50-285	Q
	9507100385	50-263	P		9507180143*	50-285	Q
	9507100388*	50-263	P		9507210154	50-285	R
	9507100390*	50-263	P		9507210216	50-285	F
	9507110326	50-282	R		9507210252	50-285	P
	9507110326	50-282	R		9507210255*	50-285	P
	9507140233	50-263	S		9507210257**	50-285	P
	9507170138	50-282	S		9507250274	50-285	R
	9507180199	50-263	F		9507270025	50-285	R
	9507180199	50-263	F		9507270026*	50-285	R
	9507190083	50-282	Q		9507310098	50-285	I
	9507190083	50-282	Q		9507180179	CONTRACT	
	9507200042	50-263	R	Ornni Tech International, Ltd.	9507180302	CONTRACT	
	9507240036	50-282	S	Operations Research Technology, Inc.	9507120149	STATE PRO	G
	9507240046	50-282	S		9507280006	STATE PRO	G
	9507250092	50-306	S	Oregon, State of	9507280022	STATE PRO	G
	9507250102*	50-306	S	Organization of Agreement States	9507190114*	FOIA	
	9507250185	50-282	P	Ortloff Mineral Services Corp. (subs. of			
	9507250185	50-282	P	Ortloff Corp.)			
	9507250190*	50-282	P	PECO Energy Co., (formerly Philadelphia	9507030046	50-352	S
	9507250190*	50-282	P	Electric Co.)	9507030051*	50-352	S
Northwest Airlines, Inc.	9507270129	71-16			9507030076	50-277	P
Northwest Inspection & Testing Services, Inc.	9507170293	71-783			9507030076	50-277	P
Nuclear Assurance Corp.	9507050212	PROJ			9507030089	50-353	P
	9507140020	70-3020			9507030090*	50-353	P
	9507180119	PROJ			9507030270*	50-277	P
	9507190122*	PROJ			9507030281*	50-277	P
	9507190127*	PROJ			9507050136	50-277	P
Nuclear Containers, Inc.	9507120211	71-9234			9507050136	50-277	P
Nuclear Control Institute	9507060111*	COMMISSIO	N		9507050154	50-277	P
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9507050033	PRM			9507050203	50-352	P
	9507050107	PR			9507050203*	50-352	P
	9507060232	REVIEW GR	P		9507050205*	50-352	P
	9507100283	REVIEW GR	P		9507050214	50-277	P
	9507110121	REVIEW GR	P		9507050224	50-352	F
	9507180188	PROJ			9507050224	50-352	F
	9507190133	REVIEW GR	P		9507110045	50-352	F
	9507210018	PR			9507130186	50-277	S
	9507250017	REVIEW GR	P		9507140240	50-352	V
	9507280262	REVIEW GR	P		9507170001	50-277	P
Nuclear Energy Services, Inc.	9507310161*	40-9027			9507170003	50-352	S
Nuclear Fuel Services, Inc.	9507120179	70-143			9507170038	50-352	R
	9507120396	70-143			9507170057	50-277	P
	9507130070	70-143			9507170363	50-277	F
	9507210250	70-143			9507170363	50-277	F
	9507240318	70-143			9507170401	50-278	F
	9507240321	70-143			9507180048	50-277	P
	9507240435	70-143			9507200015	50-277	R
	9507240448	70-143			9507200015	50-277	R
	9507250098	70-143			9507200120	50-277	P
	9507270271	70-143			9507250019	PR	
Nuclear Information & Resource Service	9507030182*	50-282	G		9507260236	50-352	P
Nuclear Metals, Inc.	9507100042*	40-672			9507280031	50-277	S
Nucor, Inc.	9507030332*	50-482	P		9507280042	50-277	P
	9507240040*	50-250	P		9507280043	50-277	P
OHM Corp.	9507120203	40-341			9507280054*	50-277	P
Oak Ridge Associated Universities	9507190111*	50-72	W		9507280054*	50-277	P
	9507260006	70-734			9507280068	50-277	Q
	9507260008*	70-734			9507280068	50-277	Q
Oak Ridge National Laboratory	9507120251	NURIEG			9507310165	50-277	S
Ogden Environmental & Energy Services Co	9507180173*	50-259	Q	PLG, Inc. (formerly Pickard, Lowe &	9507100403*	50-334	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Garrick, Inc.) PTI Services, Inc.	9507060218	40-8948		9507200330	40-8857	
	9507060227	40-8948		9507200352	40-8857	
	9507060233*	40-8948		9507210038*	40-8857	
	9507110085	40-8948		9507210084	40-8857	
				9507210179	40-8857	
	9507110087*	40-8948		9507210196	40-8857	
	9507110340	40-8948		9507210208	40-8857	
	9507110341	40-8948		9507210219	40-8857	
	9507110342*	40-8948		9507240341*	40-8857	
Pacific Bell	9507120347	CONTRACT		9507310254	40-8857	
Pacific Gas & Electric Co.	9507030096	50-275	P	Power Resources, Inc. (formerly Sparkin City Nuclear Corp.)	9507190315	40-8857
	9507030102*	50-275	P		9507200289	40-8857
	9507060407	50-275	P		9507200319	40-8857
	9507060407	50-275	P		9507200322*	40-8857
	9507070135	50-275	P		9507210323	40-8857
	9507070140*	50-275	P		9507310175*	FOIA
	9507070140*	50-275	P		9507050125	71-856
	9507070149*	50-275	P		9507030150*	ORG
	9507070149*	50-275	P			
	9507110074	50-275	P		9507060185	50-267
	9507110083*	50-344	Q		9507190043	50-267
	9507110096	50-275	F		9507250288	50-267
	9507110096	50-275	F		9507250290*	50-267
	9507120014	50-275	F		9507310258	50-267
	9507120014	50-275	F		9507310258	50-267
	9507120076	50-275	F		9507310262*	50-267
	9507250014	50-275	F		9507310262*	50-267
	9507250041	50-275	R		9508010152*	50-267
	9507250041	50-275	R		9508010152*	50-267
	9507250057	50-275	R		9507030067	50-272
	9507250057	50-275	R			
	9507250080	50-275	Q			
	9507110237	71-678			9507050052	PR
	9507070292	50-387	K		9507060038	50-354
					9507060040*	50-354
	9507070479	50-387	S		9507070127	50-354
	9507110196	50-388	S		9507100047	50-354
	9507110204*	50-388	S		9507110186	50-272
	9507110212*	50-311	S		9507110207	50-311
	9507140118*	TOPREP			9507110215	50-272
	9507170237	50-387	P		9507110224*	50-272
	9507170237	50-387	P		9507120295	50-354
	95C1170334	50-387	F		9507140146	50-354
	9507170334	50-387	F		9507170320	50-354
	9507190342	50-387	R		9507170329*	50-354
	9507190342	50-387	R		9507170377	50-272
	9507240334	50-388	S		9507190009	50-272
	9507240345*	50-388	S		9507190105	50-354
	9507250075	50-387	R		9507190124	50-272
	9507250075	50-387	R		9507190126	50-272
	9507120162	50-5	S		9507190329	50-272
					9507190337	50-311
	9507210037	PR			9507200121	50-354
	9507110343	71-*****			9507210201	50-272
	9507110344*	71-*****			9507210201	50-272
	9507170205	CONTRACT			9507210210	50-272
	9507100423	40-8898			9507250081	50-272
	9507110301	50-344	P		9507250081	50-272
	9507310201	50-344	F		9507250081	50-272
	9507030067	50-286	S		9507250087	50-272
	9507050231	50-333	P		9507250087	50-272
	9507060041	50-286	P		9507250087	50-272
	9507070114	50-333	P		9507250091	50-272
	9507070172	50-333	S		9507250091	50-272
	9507070179*	50-333	S		9507260037	50-272
	9507070187	50-333	S		9507260059	50-354
	9507070189*	50-333	S		9507260134	50-272
	9507070465	50-333	P		9507260138*	50-272
	9507100074	50-333	F		9507260142	50-272
	9507100124	50-286	F		9507260220	50-272
	9507110240	50-286	P		9507270169	50-272
	9507140351	50-286	F		9507280153	50-354
	9507170026	50-286	S		9507280159*	50-354
	9507180467	50-286	F		9507280166	50-354
	9507180325	50-286	R		9507310120	50-354
	9507190328	50-333	R		9507310130	50-354
	9507260081	50-333	K		9507310269	50-272
	9507270081	50-333	P		9507190258	50-344
	9507270084*	50-333	P		9507170388	CONTRACT
	9507270098*	50-333	P		9507030200	71-721
	9507270192	50-333	Q		9507260102*	STATE PRO
	9507310178	50-286	P		9507240460	40-4905
	9507310180*	50-286	P		9507030122	40-2384
	9507310181*	50-286	P		9507270019	71-642
	9507100231	40-8857			9507140174	40-341
	9507180269	40-8857				
	9507200262	40-8857			9507140187	40-341
	9507200772	40-8857			9507140226	40-9022

220 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Radioactive Waste Management Associates	9507140238*	40-9022			9507070410	50-395 P
	9507190100*	40-672			9507070415*	50-395 P
	9507190107*	40-672			9507110041	50-395 O
Rhode Island, State of	9507210014*	STATE PRO	G		9507140099	50-395 K
Rio Algom Mining Corp.	9507140061	40-8084			9507190322	50-395 R
Rochester Gas & Electric Corp.	9507050195	50-244	F	South Carolina, State of	9507240383	STATE PRO G
	9507050210	50-244	P	Southern California Edison Co.	9507030189	50-361 S
	9507120033	50-244	S		9507030246*	50-361 S
	9507120058	50-244	F		9507050245	50-361 P
	9507170167	50-244	Q		9507110130	50-361 S
	9507170169*	50-244	Q		9507120097	50-206 F
	9507190326	50-244	R		9507120097	50-206 F
	9507200239	50-244	P		9507170188	50-206 F
	9507200264	50-244	S		9507170301	50-361 Q
	9507210007	50-244	F		9507170301	50-361 Q
	9507250159	50-244	P		9507190172	50-362 P
	9507310285	50-244	F		9507190183*	50-362 P
Rosemount, Inc.	9507200385	PT21			9507200102	50-361 P
S.K. McBryde, Inc.	9507260082	71-9035			9507200102	50-361 P
SCIENTECH, Inc.	9507190096*	FOIA			9507200103	50-361 P
	9507190099*	FOIA			9507200103	50-361 P
	9507190103*	FOIA			9507200172	50-361 P
SENES Consultants, Ltd.	9507280181*	40-3453			9507200172	50-361 P
	9507280184*	40-3453			9507200176*	50-361 P
Sacramento Municipal Utility District	9507110345	50-312	Q		9507200176*	50-361 P
	9507140340	50-312	F		9507200178*	50-361 P
	9507170073	50-312	Y		9507200178*	50-361 P
	9507170073	50-312	Y		9507200200*	50-361 P
	9507170078*	50-312	Y		9507200204*	50-361 P
	9507170078*	50-312	Y		9507210192	50-361 R
Sacramento, CA	9507180332	CONTRACT			9507250013	50-206 F
San Juan Capistrano, CA	9507030342	50-206	F		9507250013	50-206 F
Sandia National Laboratories	9507200213	NUREG			9507250013	50-206 F
Sargent & Lundy, Inc.	9507180191*	50-255	Y		9507250036	50-361 Q
	9507180197*	50-255	Y		9507250122	50-361 Q
	9507260061	TOPREP			9507250307	50-361 P
Saxton Nuclear Experimental Corp.	9507030280	50-146	P		9507250307	50-361 P
	9507030286*	50-146	P		9507250308*	50-361 P
	9507030291*	50-146	P		9507250308*	50-361 P
	9507060125	50-146	R		9507250309*	50-361 P
	9507060130*	50-146	R		9507250309*	50-361 P
Science & Engineering Associates, Inc.	9507140441*	50-321	P		9507260097	50-361 S
	9507140442*	50-321	P	Southern Nuclear Operating Co.	9507030108	50-348 O
	9507190086	FOIA			9507030265	50-348 P
	9507210197	CONTRACT			9507050265	50-348 P
Senate	9506060015*	COMMISSIO	N		9507050268*	50-348 P
	9507030263	XPORTLIC			9507060070	50-348 O
	9507060266*	ORG			9507060070	50-348 O
	9507180057*	ORG			9507060081	50-364 S
	9507200128*	ORG			9507070402*	50-425 O
	9507200265*	50-220	H		9507100023	50-348 P
	9507200340*	STATE PRO	G		9507100023	50-348 P
	9507200357*	ORG			9507100024*	50-348 P
	9507210098*	50-219	H		9507100024*	50-348 P
	9507210114*	50-293	H		9507100265	50-348 F
	9507260278*	50-309	H		9507170042	50-348 S
Senate, Energy & Natural Resources	9507260299*	COMMISSIO	N		9507170175	50-364 S
Senior Engineering Co. (formerly	9507200383*	ORG			9507170182	50-364 O
Southwestern Engineering Co.)	9507130127	71-579			9507190003	50-424 F
					9507190327	50-348 R
Senior Executives Association/Profession	9507110177*	COMMISSIO	N		9507210043	50-348 P
al Development League					9507250005	50-364 O
Sequoyah Fuels Corp.	9507140341	40-8027			9507250005	50-364 O
Shafer Valve Co.	9507120262	71-600			9507250268	50-348 F
Shaw, Pittman, Fotts & Trowbridge	9507100078	50-424	G		9507260088	50-364 O
Shieldalloy Metallurgical Corp.	9507060028*	XPORTLIC			9507260092*	50-364 O
	9507100054	40-8948			9507310069	50-348 F
	9507110306	40-8948			9507310087	50-348 F
Siemens Power Corp. (formerly Siemens	9507060312	70-1257			9507310216	50-364 S
Nuclear Power Corp., Advanced Nuclear					9507310228	50-364 S
	9507070446	70-1257		Southwest Research Institute	9507180236	CONTRACT
	9507110076	70-1257		Southwest X-Ray	9507120167	71-495
	9507120139	71-8248		State, Dept. of	9507030198	XPORTLIC
	9507190162	70-1257		Sun Ray Testing International, Inc.	9507210343	71-9032
Sierra Club Legal Defense Fund, Inc.	9507100067	70-3070		TG Bauer Associates, Inc.	9507180016	CONTRACT
	9507100080	70-3070				
	9507100087	70-3070		TRI State Associates, Inc.	9507050031	71-859
	9507100180	70-3070		Technical Welding Laboratories, Inc.	9507180205	71-6717
Small Business Administration	9507170346	CONTRACT		Teledyne Isotopes	8808170165*	FOIA
	9507170373	CONTRACT		Teledyne Isotopes Midwest Laboratory	8808170165*	FOIA
					9507100290*	50-440 R
	9507170388	CONTRACT		Tennessee Valley Authority	9507050044	PR
	9507180302	CONTRACT			9507050227	50-327 P
	9507180352	CONTRACT			9507050369	50-327 P
	9507180378	CONTRACT			9507050369	50-327 P
South Carolina Electric & Gas Co.	9507050068	50-395	H		9507050371*	50-327 P
	9507060033	50-395	P		9507060073	50-390 A
	9507060035	50-395	F		9507060073	50-390 A
	9507060241	50-395	P		9507060073	50-390 A
	9507060243*	50-395	P		9507060077*	50-390 A

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9507060077*	50-390		9507250180	70-2910
	9507060090	50-390		9507250311	50-390
	9507060134	50-327		9507250311	50-390
	9507060134	50-327		9507250312	50-390
	9507060147	50-327		9507250312	50-390
	9507060147	50-327		9507260004	50-259
	9507060173	50-390		9507260004	50-259
	9507060191	50-327		9507260004	50-259
	9507060191	50-327		9507270133	50-327
	9507060195*	50-327		9507270151*	50-327
	9507060195*	50-327		9507280058	50-259
	9507060216	50-259		9507280058	50-259
	9507060216	50-259		9507280058	50-259
	9507060216	50-259		9507280058	50-259
	9507060216	50-259		9507280110	50-327
	9507060216	50-259		9507280111	50-390
	9507060216	50-259		9507280114*	50-327
	9507060216	50-259		9507280128	50-390
	9507060216	50-259		9507280172	50-390
	9507060216	50-259		9507280172	50-390
	9507060222*	50-259		9507310287	50-259
	9507060222*	50-259		9507050252	50-445
	9507060222*	50-259		9507050252	50-445
	9507060222*	50-259		9507060113	50-445
	9507060222*	50-259		9507060113	50-445
	9507060222*	50-259		9507070136	50-445
	9507060222*	50-259		9507070141*	50-445
	9507060222*	50-259		9507070141*	50-445
	9507060239	50-390		9507110094	50-445
	9507060393	50-438		9507120068	50-445
	9507070202	50-328		9507120068	50-445
	9507070207*	50-328		9507170027	50-445
	9507070284	50-259		9507170034*	50-445
	9507070284	50-259		9507170285	50-445
	9507070284	50-259		9507180146	50-445
	9507070284	50-259		9507180153*	50-445
	9507070314	50-260		9507200019	50-445
	9507070314	50-260		9507200019	50-445
	9507070319*	50-260		9507200019	50-445
	9507070319*	50-260		9507210006	PR
	9507100409	50-259		9507250001	50-445
	9507110089	50-260		9507250001	50-445
	9507110095*	50-260		9507130039*	STATE PRO
	9507110120	50-328		9507270045	STATE PRO
	9507110134	50-327		9507070438*	WASTE MGT
	9507130106	50-390		9507180079	50-346
	9507170024	50-296		9507190333	50-346
	9507170065	50-259		9507240037	50-346
	9507170065	50-259		9507140032	70-1426
	9507170065	50-259		9507140037	70-1426
	9507170065	50-259		9507030288	ORG
	9507170082*	50-259		9507120240	71-****
	9507170082*	50-259		9507270107	71-3027
	9507180167	50-259		9507180040	50-424
	9507180167	50-259		9507270123	50-424
	9507180293	50-327		9507250285	71-431
	9507180293	50-327		9507100147	27-48
	9507180356	50-390		9507100151	70-7001
	9507180390	50-390		9507050145	40-299
	9507200099	50-390		9507050159*	40-299
	9507200099	50-390		9507030059	50-483
	9507200130	50-390		9507030117	50-483
	9507210002	50-259		9507030129	50-483
	9507210002	50-259		9507030141*	50-483
	9507210002	50-259		9507050423	50-483
	9507210035	50-259		9507060082	50-483
	9507210066	50-390		9507060087*	50-483
	9507210139	50-327		9507060193	50-483
	9507210139	50-327		9507060198	50-483
	9507210178	50-259		9507060240	50-483
	9507210178	50-259		9507060250	50-483
	9507210178	50-259		9507060252*	50-483
	9507240277	50-327		9507070142	50-483
	9507240283*	50-327		9507070364	50-483
	9507240329	50-328		9507070370*	50-483
	9507250052	50-259		9507110214	50-483
	9507250052	50-259		9507120102	50-483
	9507250052	50-259		9507210056	50-483
	9507250088	50-390		9507240266*	50-219
	9507250088	50-390		9507070475	70-7001
	9507250084	50-390		9507260307	XPORTLIC
	9507250084	50-390		9506200171	STATE PRO
	9507250090	50-390		9507050237	40-3453
	9507250090	50-390		9507130116*	STATE PRO
	9507250114	50-259		9507270040*	STATE PRO
	9507250114	50-259		9507070473	72-1004
	9507250114	50-259		9507050036	71-738

222 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY			
Vermont Yankee Nuclear Power Corp.	9507050043*	71-738			9507100165*	52-3			
	9507030126	50-271	P		9507100384	TOPREP			
	9507030127*	50-271	P		9507110288	TOPREP			
	9507050319	50-271	Q		9507110293*	TOPREP			
	9507050336*	50-271	Q		9507120204	52-3			
		9507050355	50-271	P		9507120212*	52-3		
		9507060143	50-271	R		9507130058	52-3		
		9507060150*	50-271	R		9507130060*	52-3		
		9507170369	50-271	S		9507130078	52-3		
		9507170387	50-271	P		9507130083*	52-3		
		9507180203	50-271	F		9507130134*	50-413	P	
		9507190344	50-271	R		9507130172	52-3		
		9507200148	50-271	P		9507130176*	52-3		
		9507250054	50-271	S		9507130182*	52-3		
		9507280147	50-271	P		9507170412*	TOPREP		
		9507280150*	50-271	P		9507180105	52-3		
	Virginia Corp. of Richmond Virginia Power (Virginia Electric & Power Co.)	9507190004	CONTRACT			9507180113*	52-3		
		9507030139	50-280	S		9507180140*	50-315	Q	
						9507180151*	50-315	Q	
		9507030139	50-280	S		9507180194	TOPREP		
			9507030144	50-280	Q		9507180222	52-3	
		9507030144	50-280	Q		9507180224*	52-3		
		9507050055	50-339	P		9507190186	52-3		
		9507050127	I&E			9507190194*	52-3		
		9507110113	50-280	S		9507190197*	52-3		
		9507130045	50-338	Q		9507200108	70-1151		
		9507130049	50-338	F		9507200111	70-1151		
		9507180028	50-281	S		9507240013	TOPREP		
		9507180176	50-280	P		9507240023	50-454	P	
		9507180176	50-280	P		9507240305	70-1151		
		9507180178*	50-280	P		9507240454	70-1151		
		9507180178*	50-280	P		9507250043	52-3		
		9507180186	50-280	F		9507250050*	52-3		
		9507180186	50-280	F		9507250313*	50-390	A	
		9507180186	50-280	F		9507250314*	50-390	A	
		9507180190	50-280	P		9507260045	TOPREP		
		9507180190	50-280	P		9507260055	52-3		
	9507190316	50-280	R		9507260063*	52-3			
	9507200035*	50-338	R		9507270022	52-3			
	9507200039*	50-338	R		9507270368	52-3			
	9507200101	50-338	R		9507270371*	52-3			
	9507200101	50-338	R		9507310053	52-3			
	9507240385	50-339	S		9508100342*	50-456	P		
	9507240393*	50-339	S	Westinghouse Operating Plants Owners Group	9507050348	TOPREP			
	9507270034	50-280	P						
	9507270034	50-280	P		9507170410	TOPREP			
	9507270034	50-280	P		9507240374	TOPREP			
	9507270034	50-280	P	Whittier Industries, Ltd. dba Whittier Steel Strip (formerly Whittaker Corp.)	9507200235	QA999			
	9507270067	50-280	P						
	9507270067	50-280	P	Wilcoxon, Wilcoxon & Pnmomo (formerly Wilcoxon & Wilcoxon)	9507180055	40-8027			
	9507270070*	50-280	P						
	9507270070*	50-280	P		9507180117	40-8027			
Washington Public Power Supply System	9507030214	50-397	Q		9507270068*	40-8027			
	9507050191	50-397	P	Winston & Strawn	9507100066	70-3070			
	9507050194*	50-397	P			9507180103	50-480	G	
		9507060309	50-397	F		9507250008	PR		
	9507140152	50-397	R	Wisconsin Electric Power Co.	9507270068	50-458	G		
	9507140483	50-397	S			9507050065	PR		
	9507140486	50-397	S			9507050383	50-266	F	
	9507180103	50-460	G			9507050383	50-266	F	
	9507240053	50-397	Q		9507050387*	50-266	F		
	9507250023	50-397	Q		9507050397*	50-266	F		
	9507280123	50-397	Q		9507050397	50-266	F		
	9507310060	50-397	Q		9507050397	50-266	F		
Washington, State of	9507130040*	STATE PRO	G		9507050407*	50-266	F		
					9507050409	50-266	F		
	9507130064*	STATE PRO	G		9507050409	50-266	F		
	9507130180	70-1257			9507050417*	50-266	F		
Washington, Univ. of, Seattle, WA Weil, Gotshal & Manges	9507110011	50-139	H		9507050417*	50-266	F		
	9507100054	40-8948			9507050417*	50-266	F		
West Valley Nuclear Services Co., Inc.	9507100125*	PROJ			9507050428	50-266	P		
					9507050428	50-266	P		
	9507190208	PROJ			9507050431*	50-266	P		
	9507190222*	PROJ			9507050431*	50-266	P		
Western Industrial X-Ray, Inc. Western X-Ray, Inc.	9507110223	71-780			9507070171	PR			
	9507120160	71-532							
Westinghouse Electric Corp.	9507030224	XPORTLIC			9507120021	50-266	K		
	9507030230*	XPORTLIC			9507120021	50-266	K		
	9507050276	52-3			9507120054	50-266	R		
	9507050279*	52-3			9507120054	50-266	R		
	9507050353*	TOPREP			9507180010	50-266	Q		
	9507050367	52-3			9507240285	50-266	P		
	9507050445	TOPREP			9507240285	50-266	P		
	9507050453	52-3			9507250004	50-266	F		
	9507070294	52-3			9507250112	50-266	P		
	9507070295*	52-3			9507250112	50-266	P		
	9507070489	72-1009			9507250171*	50-266	P		
	9507100106	70-1151			9507280125	50-266	Y		
	9507100117	70-1151		Wisconsin Public Service Corp.	9507030148	50-305	P		
	9507100154	52-3				9507050361	50-305	Q	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9507110230	50-305	F		9507310104	50-482	S
	9507210145	50-305	R		9507310149	50-482	F
	9507240397	50-305	P	Wyoming, State of	9507190324	40-8857	
Wisconsin, Univ. of, Madison, WI	9507070463	50-156	V		9507200214	40-8857	
	9507270075	50-156	F		9507200241	40-4492	
Wolf Creek Nuclear Operating Corp.	9507030329	50-482	P		9507200307	40-8857	
	9507050110	50-482	Q		9507200318	40-8857	
	9507050334	50-482	P		9507210102	40-8857	
	9507050340*	50-482	P		9507210117	40-8857	
	9507060118	50-482	S		9507210135	40-8857	
	9507060224	50-482	P		9507210241	40-8857	
	9507140089	50-482	P		9507210247	40-8857	
	9507170407	50-482	P	Yankee Atomic Electric Co.	9507110031	50-29	W
	9507200215	50-482	F		9507140118*	TOPREP	
	9507210151	50-482	R		9507170062	50-29	K
	9507240048	50-482	R		9507180468	50-29	F
	9507250010	50-482	F		9507200188	71-9176	
	9507310036	50-482	P		9507250037	50-29	Q
	9507310038*	50-482	P	Zonar Corp.	9507170258	CONTRACT	

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
06-570-13-01 R01	9507190008*	WASTE MGT		NUREG/CR-6256 V01 ER	9507060295	NUREG	INEL-95/0073
09/010-AS93-C-002 R0	9507200190*	50-361	P	NUREG/CR-6307	950720259	NUREG	
52212-R-002 R00	9507070167*	50-261	P	NUREG/CR-6308	9507060331	NUREG	
82A8695 R01	950731011*	40-9027		NUREG/CR-6313 V01	950720322	NUREG	
9389-64-DQ R00	950711011*	50-254	P	NUREG/CR-6313 V02	9507200236	NUREG	
BAB000000-01717-22	9507180278*	WASTE MGT		NUREG/CR-6330	9507060313	NUREG	PNL-10548
BABEAD0000-01717-0200	9507030207*	WASTE MGT	HLWR	OIG/95A-15	9507270374*	ORG	
BAW-10064-A R03	9507260030*	TOP-REP		PC-000423 R01	9507120194*	70-734	
BAW-10183-A	9507270405*	TOPREP		QA-92-18	9507180137*	50-315	Q
CA/TR-94-019-27	9507140445*	50-321	P	SAS-TR-95-001	9507060303*	50-410	P
CEN 425-P R03-NP	9507250158*	50-317	P	SCIE-NRC-228-94	9507140442*	50-321	P
CENPD-283-NP-RAI	9507180357*	TOPREP	TAC M86126	SEA 92-553-026-A-4	9507140441*	50-321	P
CENPD-285-NP-RAI	9507180376*	TOPREP	TAC M90188	SECY-80-025	9507310243*	50-496	Q
CENPD-288-NP-RAI	9507210228*	TOPREP	TAC M89663	SECY-95-019	9502150156	SECY	
CENPD-294-NP	9507030112*	TOPREP		SECY-95-028	9502170213	SECY	
CNWRA 95-009	9507280084*	WASTE MGT		SECY-95-060	9503270225	SECY	
CNWRA 95-012	9507210300*	WASTE MGT	HLWR	SECY-95-061	9503270308	SECY	
CNWRA 95-014	9507210308*	WASTE MGT	HLWR	SECY-95-083	9504170295	SECY	
DOE/AL/62350-189 R02	9507260044*	WASTE MGT		SECY-95-084	9504140226	SECY	
DOE/AL/62350-194 R00	9507260043*	WASTE MGT		SECY-95-104	9505150004	SECY	
EA-BRP-SEP-95-01 R00	9507250304*	50-155	P	SECY-95-114	9505150105	SECY	
GENE-637-044-0295	9507050235*	50-333	P	SECY-95-126	9506020152	SECY	
GENE-771-111-0695 R0	9507100065*	50-254	P	SECY-95-128	9506020112	SECY	
GENE-771-113-0695 R0	9507100070*	50-254	P	SECY-95-129	9506020132	SECY	
GENE-771-59-0994 R04	9507050141*	50-277	P DRF-B13-01732	SECY-95-135	9506190305	SECY	
GENE-811-00637-005R0	9507120272*	50-366	P	SECY-95-136	9506120091	SECY	
HI-941184 R02	9507050257*	72-1008		SECY-95-138	9506190287	SECY	
HI-951251 R02	9507050275*	71-9261		SECY-95-139	9506130003	SECY	
HP-CALC-83-004	9507050396*	50-382		SECY-95-140	9506190294	SECY	
INEL-95/0268	9506230387*	50-456	Q TAC M85359	SECY-95-149	9506280830	SECY	
J-SBA-001 R00	9507200200*	50-361	P	SECY-95-150	9507060279	SECY	
J-SEA-012 R00	9507200204*	50-361	P	SECY-95-151	9506280635	SECY	
L-2023-8-1 R00	9507310244	TOPREP		SECY-95-152	9506280648	SECY	
M-1208-007-03A R00	9507190183*	50-362	P GL-90-05	SECY-95-153	9506280652	SECY	
M2CRM2-01156-R2 R00	9507140157*	50-336	P	SECY-95-155	9507210249	SECY	
M2CRM2HW-01164-R2 R0	9507140160*	50-336	P	SECY-95-160	9507060183	SECY	
M2CRM3-01146-R2 R00	9507140150*	50-336	P	SECY-95-162	9507060225	SECY	
M2CRMSLB-01178-R2 R0	9507140154*	50-336	P	SECY-95-164	9507060268	COMMISSIO	N
MCEI-0400-47 R04	9507250096*	50-370	P	SECY-95-168	9507060292	COMMISSIO	N
NEDO-32465	9507140118*	TOPREP		SECY-95-171	9507200180	SECY	
NFSR-0111 R00	9507070353*	50-237	P	SECY-95-172	9507200191	52-3	
NUREG-0090 V18 ND1	9507250296	NUREG		SECY-95-173	9507190221	COMMISSIO	N
NUREG-0750 V41 ND1	9507060350	NUREG		SECY-95-178	9507240232	COMMISSIO	N
NUREG-0750 V41 ND4	9507120290	NUREG		SECY-95-186	9507280240	COMMISSIO	N
NUREG-0750 V41 ND5	9507250293	NUREG		TPP 92-12 R03	9507030340*	WASTE MGT	HLWR
NUREG-0847 S15	9507120275	50-390	E	TR 099 R02	9507310073*	50-289	P
NUREG-1266 V09	9507200206	NUREG		TVA-NPOD89-A R06	9507060222*	50-259	H
NUREG-1478 R01	9507060351	NUREG		WCAP-14047 R03 EHR	9506100342*	50-456	P
NUREG-1526	9507060341	NUREG		WCAP-14308 R00	9507250050*	52-3	
NUREG-1600	9507250299	NUREG		WCAP-14383 R00	9507130182*	52-3	
NUREG/BR-0053 R03	9507120246	NUREG		WCAP-14420	9507250313*	50-390	A
NUREG/BR-0177 N95-1	9507260168	NUREG		WCAP-14422	9507170412*	TOPREP	
NUREG/BR-0207	9507060287	NUREG		WCAP-7306	9507180151*	50-315	Q
NUREG/CR-5857	9507120251	NUREG	ORNL-6713	WVNS-FD-001 R02	9507100125*	PROJ	
NUREG/CR-5954	9507060335	NUREG	BNL-NUREG-52410	WVNS-SAR-003 R02	9507190208	PROJ	
NUREG/CR-6114 V1&3 E	9507170125	NUREG	PNL-8842	WVNS-TR-70-025 R00	9507190231*	PROJ	
NUREG/CR-6144 V06 P2	9507120287	50-280	P BNL-NUREG-52399	YM-ARP-95-10	9507140468*	WASTE MGT	HLWR
NUREG/CR-6184	9507200213	NUREG	SAND92-1720	YM-ARP-95-13	9507310033*	WASTE MGT	HLWR

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8211040336	9507180241	95/01/12	FOIA	9507030150	9507030147	95/06/15	ORG
8608060229	9507200295	95/02/08	FOIA	9507030154	9507030145	95/06/27	50-254 P
8612110365	9507200295	95/02/08	FOIA	9507030162	9507030135	95/06/19	50-282 G
8612120009	9507200295	95/02/08	FOIA	9507030173	9507030165	95/06/20	TOPREP
8707270341	9507200295	95/02/08	FOIA	9507030175	9507030171	95/06/27	50-423 P
8806020009	9507200295	95/02/08	FOIA	9507030179	9507030174	95/06/19	40-8502
8806070205	9507250212	95/04/26	REG CERT	9507030182	9507030174	95/06/19	40-8502
8901200247	9507200295	95/02/08	FOIA	9507030185	9507030183	95/06/14	50-150 P
8904130327	9507200295	95/02/08	FOIA	9507030207	9507030204	95/06/23	WASTE MGT
8907070150	9507200339	95/01/31	FOIA	9507030220	9507210212	95/07/18	70-734
8907180487	9507200339	95/01/31	FOIA	9507030230	9507030224	95/06/12	XPORTLIC
8907240355	9507200339	95/01/31	FOIA	9507030239	9507030251	95/03/28	WASTE MGT
8907280052	9507200339	95/01/31	FOIA	9507030243	9507030237	95/06/21	XPORTLIC
8908150217	9507200295	95/02/08	FOIA	9507030246	9507030189	95/06/23	50-361 S
8908170145	9507200339	95/01/31	FOIA	9507030256	9507030252	95/06/21	XPORTLIC
8908170162	9507200339	95/01/31	FOIA	9507030270	9507030259	95/06/07	50-277 P
8908170165	9507200339	95/01/31	FOIA	9507030281	9507030259	95/06/07	50-277 P
8908170169	9507200339	95/01/31	FOIA	9507030286	9507030280	95/06/23	50-146 P
8912070180	9507200339	95/01/31	50-320 P	9507030291	9507030280	95/06/23	50-146 P
9010170175	9507200295	95/02/08	FOIA	9507030302	9507030299	95/06/12	WASTE MGT
9204230091	9507170405	95/07/11	50-245 G	9507030332	9507030329	95/06/27	50-482 P
9208310122	9507190319	95/02/06	50-498 P	9507030340	9507030336	95/06/26	WASTE MGT
9310080296	9507200105	95/07/12	50-245 P	9507030343	9507030336	95/06/26	WASTE MGT
9405120071	9507110117	95/06/30	PR	9507050004	9507050002	95/06/27	50-482 Q
9409280057	9507190280	95/02/08	70-882	9507050017	9507050013	95/06/26	50-219 P
9412080197	9507200295	95/02/08	FOIA	9507050020	9507050013	95/06/26	50-219 P
9504130145	9507260034	95/07/14	50-155 F	9507050028	9507050027	95/06/29	50-397 Q
9504130149	9507260034	95/07/14	50-155 F	9507050042	9507050036	95/06/26	71-738
9505220275	9507280012	95/07/19	50-272 F	9507050043	9507050036	95/06/26	71-738
9506020120	9507110057	95/07/05	50-295 F	9507050045	9507050040	95/06/30	50-361 Q
9506020125	9507110057	95/07/05	50-295 F	9507050058	9507050051	95/06/30	50-482 Q
9506060015	9507280288	95/06/22	COMMISSIO N	9507050063	9507050051	95/06/30	50-482 Q
9506230387	9507310126	95/07/25	50-456 Q	9507050083	9507050077	95/06/01	50-352 P
9506280218	9507270014	95/07/12	STATE PRO G	9507050084	9507050084	95/06/26	50-286 P
9507030006	9507030003	95/06/23	50-443 Q	9507050086	9507050077	95/06/01	50-352 P
9507030009	9507030007	95/06/27	50-528 Q	9507050102	9507050099	95/06/28	50-219 Q
9507030010	9507030007	95/06/27	50-528 Q	9507050104	9507050101	95/06/21	50-389 Q
9507030014	9507030011	95/06/28	50-313 Q	9507050105	9507050099	95/06/28	50-219 Q
9507030017	9507030016	95/06/23	50-245 Q	9507050109	9507050103	95/06/22	50-285 F
9507030020	9507030016	95/06/23	50-245 Q	9507050116	9507050112	95/06/27	50-271 Q
9507030026	9507030019	95/06/23	50-3 Q	9507050133	9507050126	95/06/16	40-7354
9507030032	9507030025	95/06/19	50-352 P	9507050141	9507050136	95/06/22	50-277 P
9507030033	9507030028	95/06/23	50-334 Q	9507050153	9507050140	95/06/14	50-369 P
9507030035	9507030025	95/06/19	50-352 P	9507050157	9507050138	95/06/21	50-298 P
9507030042	9507030027	95/06/15	PR	9507050158	9507050150	95/06/23	40-8833
9507030050	9507030044	95/06/19	50-387 P	9507050159	9507050145	95/06/29	40-299
9507030051	9507030046	95/06/15	50-352 S	9507050165	9507050160	95/06/28	50-529 Q
9507030053	9507030044	95/06/19	50-387 P	9507050171	9507050169	95/06/29	50-458 Q
9507030072	9507030068	95/06/22	50-325 S	9507050175	9507050170	95/06/26	50-285 Q
9507030086	9507030078	95/06/16	50-247 G	9507050178	9507050170	95/06/26	50-285 P
9507030087	9507030077	95/06/22	50-293 P	9507050194	9507050191	95/06/26	50-397 P
9507030090	9507030089	95/06/23	50-353 P	9507050201	9507050199	95/06/30	50-458 P
9507030099	9507030095	95/06/28	50-498 Q	9507050205	9507050203	95/06/26	50-352 P
9507030102	9507030098	95/06/23	50-275 P	9507050219	9507050040	95/06/30	50-361 Q
9507030109	9507030105	95/06/23	50-346 P	9507050228	9507050027	95/06/29	50-397 Q
9507030110	9507030105	95/06/23	50-346 P	9507050235	9507050231	95/06/29	50-333 P
9507030112	9507030107	95/06/19	TOPREP	9507050248	9507050242	95/06/22	50-352 P
9507030127	9507030126	95/06/22	50-271 P	9507050251	9507050242	95/06/22	50-352 P
9507030138	9507030135	95/06/19	50-282 G	9507050257	9507050253	95/06/21	72-1008
9507030141	9507030129	95/06/23	50-483 P	9507050268	9507050265	95/06/23	50-348 P

228 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507050275	9507050273	95/06/21	71-9261	9507060314	9507060304	95/06/23	50-237 P
9507050279	9507050276	95/06/27	52-3	9507060322	9507060319	95/06/27	ORG
9507050282	9507050283	95/06/09	50-277 P	9507060323	9507060304	5/06/21	50-237 P
9507050286	9507050284	95/06/12	50-334 P	9507060327	9507060324	95/06/22	50-261 P
9507050288	9507050284	95/06/12	50-334 P	9507060342	9507060337	95/06/23	50-244 Q
9507050298	9507190029	95/07/10	50-305 F	9507060348	9507060337	95/06/23	50-244 Q
9507050302	9507260069	95/07/14	50-254 F	9507060354	9507060346	95/06/28	50-285 G
9507050315	9507050297	95/06/22	50-390 E	9507060357	9507060355	95/06/29	50-334 P
9507050317	9507050310	95/06/23	40-9027	9507060365	9507060346	95/06/28	50-285 G
9507050321	9507050311	95/06/13	50-352 P	9507060372	9507060368	95/06/30	50-255 P
9507050328	9507050311	95/06/13	50-352 P	9507060380	9507060378	95/06/28	50-338 Y
9507050338	9507050319	95/06/30	50-271 Q	9507060389	9507060387	95/06/29	50-370 P
9507050340	9507050334	95/06/27	50-482 P	9507060390	9507060384	95/06/29	50-354 P
9507050353	9507050348	95/06/20	TOPREP	9507060394	9507060384	95/06/29	50-354 P
9507050363	9507050359	95/06/29	50-313 Q	9507060395	9507060391	95/06/29	50-327 P
9507050371	9507050369	95/06/29	50-327 P	9507060396	9507060388	95/06/30	50-324 P
9507050377	9507050375	95/06/27	50-528 S	9507060397	9507060397	95/06/29	50-327 P
9507050387	9507050383	95/06/02	50-266 F	9507060406	9507060405	95/06/29	50-395 P
9507050388	9507050381	95/06/26	50-220 P	9507070008	9507070005	95/06/19	50-387 P
9507050393	9507050382	95/06/26	50-289 P	9507070009	9507060212	95/06/26	50-410 P
9507050396	9507050386	95/06/28	50-382 P	9507070016	9507070011	95/06/23	50-456 Q
9507050399	9507050384	95/06/24	50-282 P	9507070018	9507070014	95/06/28	40-8778
9507050400	9507050400	95/06/26	50-410 P	9507070021	9507070019	95/06/27	50-255 C
9507050407	9507050397	95/06/29	50-266 F	9507070029	9507070010	95/06/27	50-282 C
9507050417	9507050409	95/06/29	50-266 F	9507070032	9507070019	95/06/27	50-255 C
9507050424	9507050416	95/06/26	50-295 P	9507070034	9507070024	95/06/22	50-461 Q
9507050425	9507050420	95/06/06	50-277 P	9507070065	9507070062	95/06/30	ORG
9507050429	9507050420	95/06/06	50-277 P	9507070074	9507070072	95/06/26	50-458 P
9507050431	9507050428	95/06/30	50-266 P	9507070077	9507070057	95/06/29	50-335 P
9507050444	9507050439	95/06/28	50-440 R	9507070080	9507070057	95/06/26	50-335 P
9507050459	9507050456	95/06/26	50-390 Q	9507070086	9507070075	95/06/05	ORG
9507050480	9507260153	95/07/21	50-397 F	9507070090	9507070075	95/06/05	ORG
9507050482	9507260153	95/07/21	50-397 F	9507070091	9507070089	95/06/30	50-295 P
9507050483	9507260153	95/07/21	50-397 F	9507070096	9507070075	95/06/05	ORG
9507060008	9507060007	95/06/29	50-483 Q	9507070100	9507060317	95/02/24	50-454 R
9507060016	9507060013	95/06/26	40-8948	9507070129	9507070120	95/06/22	50-313 P
9507060021	9507060015	95/05/15	XPORTLIC	9507070140	9507070135	95/06/29	50-275 P
9507060024	9507060019	95/06/27	40-7397	9507070141	9507070136	95/06/28	50-445 P
9507060028	9507060026	95/06/27	XPORTLIC	9507070148	9507070135	95/06/29	50-275 P
9507060030	9507060025	95/06/27	XPORTLIC	9507070160	9507070154	95/06/30	50-261 P
9507060036	9507060032	95/06/23	50-250 P	9507070167	9507070154	95/06/30	50-261 P
9507060040	9507060038	95/06/22	50-354 R	9507070174	9507070154	95/06/30	50-261 P
9507060045	9507060039	95/06/19	COMMISSIO	9507070179	9507070172	95/06/26	50-333 S
9507060049	9507060042	95/06/14	50-382 P	9507070181	9507070175	95/06/30	50-315 S
9507060053	9507060042	95/06/14	50-382 P	9507070189	9507070187	95/06/28	50-333 S
9507060055	9507060048	95/06/21	50-255 P	9507070196	9507070195	95/06/29	50-220 K
9507060063	9507060060	95/06/28	50-298 P	9507070207	9507070202	95/06/30	50-328 S
9507060072	9507060067	95/06/23	50-155 P	9507070248	9507070232	95/06/26	70-364 P
9507060074	9507060071	95/06/30	50-285 S	9507070256	9507070232	95/06/26	70-364 P
9507060077	9507060073	95/06/28	50-390 A	9507070271	9507070267	95/06/30	50-440 P
9507060080	9507060075	95/06/30	50-400 P	9507070275	9507070232	95/06/26	70-364 F
9507060086	9507260153	95/07/21	50-397 F	9507070290	9507070289	95/06/30	50-295 F
9507060087	9507060082	95/06/26	50-483 P	9507070295	9507070294	95/06/13	52-3
9507060092	9507060076	95/06/21	50-244 P	9507070319	9507070314	95/06/30	50-260 P
9507060095	9507060094	95/06/27	70-27	9507070341	9507060338	95/06/30	50-237 P
9507060097	9507060094	95/06/27	70-27	9507070353	9507060338	95/06/30	50-237 P
9507060100	9507060089	95/06/27	50-456 P	9507070365	9507070351	95/06/26	50-249 S
9507060102	9507060099	95/06/30	50-341 S	9507070370	9507070364	95/07/05	50-483 F
9507060109	9507060103	95/06/27	50-255 P	9507070393	9507070387	95/06/29	WASTE MGT
9507060111	9507060101	95/06/21	COMMISSIO	9507070402	9507070399	95/06/26	50-425 Q
9507060121	9507060117	95/06/22	50-352 P	9507070415	9507070410	95/06/30	50-395 P
9507060124	9507060117	95/06/22	50-352 P	9507070433	9507070427	95/05/25	WASTE MGT
9507060129	9507060123	95/06/20	PR	9507070435	9507070432	95/06/26	50-397 P
9507060130	9507060125	95/06/28	50-146 R	9507070437	9507070432	95/06/26	50-397 P
9507060150	9507060143	95/06/30	50-271 R	9507070438	9507070436	95/05/18	WASTE MGT
9507060164	9507190029	95/07/10	50-305 F	9507070451	9507070448	95/06/26	40-7102
9507060166	9507060160	95/06/26	50-389 P	9507100010	9507100004	95/06/28	50-5 C
9507060189	9507060181	95/06/27	50-155 H	9507100019	9507100016	95/06/30	50-458 P
9507060195	9507060191	95/06/29	50-327 P	9507100024	9507100023	95/06/28	50-348 P
9507060207	9507060206	95/06/30	70-1151	9507100031	9507100027	95/06/30	50-285 Q
9507060209	9507060206	95/06/30	70-1151	9507100036	9507100034	95/07/05	52-4
9507060222	9507060216	95/06/29	50-259 H	9507100042	9507100036	95/06/28	40-672
9507060231	9507060228	95/06/30	50-528 P	9507100065	9507100057	95/06/19	50-254 P
9507060233	9507060227	95/06/23	40-8948	9507100070	9507100057	95/06/19	50-254 P
9507060237	9507060235	95/06/30	50-382 P	9507100071	9507100069	95/06/26	50-285 P
9507060243	9507060241	95/06/30	50-395 P	9507100081	9507100077	95/07/05	71-770
9507060252	9507060250	95/06/14	50-483 P	9507100082	9507100079	95/06/29	50-237 P
9507060260	9507060256	95/06/14	XPORTLIC	9507100085	9507100069	95/06/26	50-285 P
9507060286	9507060263	95/06/22	ORG	9507100094	9507100090	95/06/27	50-285 P
9507060287	9507060254	95/06/19	50-333 P	9507100096	9507100092	95/06/29	71-9259
9507060273	9507060254	95/06/19	50-333 P	9507100101	9507100092	95/06/29	71-9259
9507060275	9507060270	95/06/30	50-220 Q	9507100110	9507100107	95/06/26	50-285 P
9507060276	9507060265	95/06/28	50-254 P	9507100115	9507070459	95/06/30	50-83 S
9507060277	9507060266	95/06/29	50-423 P	9507100123	9507100112	95/06/28	27-48
9507060298	9507060291	95/06/27	50-440 P	9507100125	9507100122	95/06/27	PRCJ
9507060300	9507060291	95/06/27	50-440 P	9507100127	9507100206	95/06/29	ORG
9507060303	9507060297	95/06/30	50-410 P	9507100139	9507100136	95/06/30	70-1100

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 229

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507100165	9507100154	95/06/30	52-3	9507120019	9507120015	95/06/26	50-321 Q
9507100181	9507100176	95/06/29	71-9260	9507120020	9507120012	95/06/28	50-259 Q
9507100182	9507100177	95/06/30	50-237 P	9507120023	9507120015	95/06/26	50-321 Q
9507100189	9507100183	95/06/30	50-315 S	9507120024	9507120012	95/06/28	50-259 Q
9507100197	9507100196	95/06/26	50-331 P	9507120032	9507120030	95/06/29	50-261 Q
9507100215	9507100205	95/06/28	50-528 S	9507120035	9507120031	95/06/22	50-321 Q
9507100218	9507100205	95/06/28	50-528 S	9507120043	9507120039	95/07/05	50-397 Q
9507100221	9507100205	95/06/28	50-528 S	9507120044	9507120037	95/06/23	50-390 Q
9507100223	9507100205	95/06/28	50-528 S	9507120046	9507120038	95/07/06	50-313 Q
9507100226	9507100205	95/06/28	50-528 S	9507120048	9507120039	95/07/05	50-397 Q
9507100227	9507100205	95/06/28	50-528 S	9507120053	9507120047	95/06/26	70-27
9507100228	9507100176	95/06/29	71-9260	9507120059	9507120055	95/06/22	50-250 Q
9507100229	9507100205	95/06/28	50-528 S	9507120060	9507120056	95/06/28	50-390 Q
9507100230	9507100090	95/06/27	50-295 P	9507120061	9507120051	95/06/22	50-261 Q
9507100233	9507100222	95/06/29	50-354 Q	9507120062	9507120057	95/06/21	50-416 Q
9507100234	9507100232	95/07/03	50-247 Q	9507120063	9507120051	95/06/22	50-261 Q
9507100236	9507100235	95/06/30	50-354 Q	9507120067	9507120064	95/06/28	50-390 Q
9507100241	9507100236	95/06/30	50-423 Q	9507120075	9507120069	95/06/20	50-424 Q
9507100242	9507100239	95/07/06	50-498 Q	9507120077	9507120071	95/06/21	50-269 Q
9507100246	9507100243	95/07/03	50-213 Q	9507120078	9507120072	95/06/23	50-280 Q
9507100259	9507100255	95/07/03	50-220 Q	9507120082	9507120071	95/06/21	50-269 Q
9507100267	9506210049	95/06/15	50-440 R	9507120088	9507120079	95/06/21	50-395 Q
9507100273	9507100269	95/07/06	50-282 Q	9507120100	9507120094	95/06/22	50-390 Q
9507100275	9506210049	95/06/15	50-440 R	9507120106	9507120094	95/06/22	50-390 Q
9507100281	9506210049	95/06/15	50-440 R	9507120115	9507120106	95/06/23	50-335 Q
9507100288	9507100278	95/07/03	50-361 Q	9507120122	9507120119	95/07/05	50-315 Q
9507100290	9506210049	95/06/15	50-440 R	9507120127	9507120120	95/06/21	50-390 Q
9507100291	9507100277	95/06/30	50-295 P	9507120129	9507120124	95/06/26	50-327 Q
9507100297	9507100278	95/07/03	50-361 Q	9507120131	9507120126	8/07/05	50-266 P
9507100298	9507100277	95/06/30	50-295 P	9507120137	9507120085	95/06/20	70-1113
9507100304	9507100301	95/06/21	50-416 Q	9507120138	9507120126	95/07/05	50-266 P
9507100309	9507100305	95/06/29	50-333 Q	9507120151	9507120147	95/07/06	50-275 P
9507100318	9507100314	95/06/28	50-220 Q	9507120157	9507120154	95/07/06	50-302 Q
9507100326	9507100324	95/06/30	50-219 Q	9507120159	9507120153	95/06/23	71-9032 Q
9507100328	9507100321	95/06/29	50-245 Q	9507120174	9507120171	95/07/06	71-*****
9507100335	9507100319	95/06/26	50-275 P	9507120175	9507120169	95/07/06	50-275 P
9507100336	9507100331	95/06/29	50-277 Q	9507120178	9507120173	95/07/01	50-228 R
9507100362	9507100345	95/06/30	50-220 Q	9507120192	9507120184	95/06/27	50-335 R
9507100377	9507100345	95/06/30	50-220 Q	9507120193	9507120189	95/06/23	50-259 Q
9507100380	9507100319	95/06/26	50-275 P	9507120194	9507120188	95/07/06	70-734 Q
9507100388	9507100385	95/07/05	50-263 P	9507120212	9507120204	95/07/07	52-3
9507100390	9507100385	95/07/05	50-263 P	9507120217	9507120210	95/06/21	50-160 Q
9507100393	9507100391	95/06/30	50-285 P	9507120224	9507120210	95/06/21	50-160 Q
9507100395	9507100392	95/07/03	50-271 Q	9507120242	9507120237	95/07/07	STATE PRO G
9507100397	9507100396	95/07/03	50-367 Q	9507120245	9507120241	95/06/28	50-113 P
9507100401	9507100398	95/07/03	50-277 Q	9507120253	9507120241	95/06/26	50-113 P
9507100403	9507100400	95/06/30	50-334 Q	9507120266	9507120262	95/07/03	50-366 P
9507100419	9507100415	95/06/22	50-395 Q	9507120268	9507120262	95/07/03	50-366 P
9507100421	9507100418	95/06/29	50-334 P	9507120272	9507120262	95/07/03	50-366 P
9507100424	9507100415	95/06/22	50-395 Q	9507120274	9507120262	95/07/03	50-366 P
9507110026	9507110024	95/06/29	40-8902	9507120277	9507120241	95/06/28	50-113 P
9507110062	9507110055	95/07/03	50-461 F	9507120285	9507120257	95/06/27	71-4986 P
9507110083	9507110078	95/06/30	50-344 Q	9507120288	9507120262	95/07/03	50-366 P
9507110087	9507110085	95/06/29	40-8948	9507120304	9507120301	95/06/15	WASTE MGT
9507110095	9507110089	95/07/07	50-260 S	9507120305	9507120302	95/06/28	40-8778
9507110111	9507110103	95/07/07	50-454 P	9507120306	9507120302	95/06/28	40-8778
9507110131	9507110117	95/06/30	PR	9507120321	9507120317	95/07/05	50-263 P
9507110151	9507110141	95/06/13	50-277 P	9507120324	9507120322	95/07/06	50-287 Q
9507110155	9507110141	95/06/13	50-277 P	9507120338	9507120331	95/05/19	50-219 K
9507110177	9507110173	95/06/28	COMMISSIO N	9507120339	9507120331	95/05/19	50-219 K
9507110184	9507110175	95/07/03	50-266 P	9507120340	9507120330	95/07/07	50-62 Q
9507110193	9507110188	95/07/06	50-254 P	9507120344	9507120336	95/07/07	50-333 P
9507110201	9507110200	95/07/07	71-5957	9507120350	9507120346	95/07/06	50-155 P
9507110204	9507110198	95/07/07	50-388 S	9507120351	9507120342	95/06/21	50-244 P
9507110212	9507110207	95/07/07	50-311 S	9507120366	9507120360	95/07/06	50-498 P
9507110224	9507110215	95/07/06	50-272 S	9507120371	9507120360	95/07/06	50-498 P
9507110232	9507110228	95/07/07	50-443 S	9507120377	9507120373	95/07/05	50-271 P
9507110247	9507110246	95/07/03	50-155 S	9507120381	9507120375	95/07/06	50-275 P
9507110250	9507110249	95/07/05	50-255 P	9507120383	9507120375	95/07/06	50-275 P
9507110259	9507110255	95/07/03	50-413 P	9507120384	9507120378	95/06/30	50-354 Q
9507110270	9507110263	95/06/30	50-414 F	9507120387	9507120385	95/06/15	40-3453
9507110274	9507110272	95/07/03	50-282 P	9507120388	9507120386	95/07/06	50-315 P
9507110276	9507110272	95/07/03	50-282 P	9507120390	9507120389	95/07/10	50-298 P
9507110283	9507110275	95/07/03	50-424 P	9507120391	9507120386	95/07/06	50-315 P
9507110284	9507110275	95/07/03	50-424 P	9507120397	9507120396	95/07/03	50-255 Q
9507110293	9507110286	95/06/30	TOPREP	9507130015	9507130013	95/07/06	50-400 P
9507110302	9507110296	95/06/23	50-440 P	9507130019	9507200115	95/07/17	PR
9507110305	9507110296	95/06/23	50-440 P	9507130035	9507130030	95/06/23	STATE PRO G
9507110310	9507110296	95/06/23	50-440 P	9507130037	9507130030	95/06/23	STATE PRO G
9507110313	9507110309	95/07/05	50-318 P	9507130039	9507130030	95/06/23	STATE PRO G
9507110320	9507110318	95/06/29	50-280 P	9507130040	9507130030	95/06/23	STATE PRO G
9507110325	9507110318	95/06/29	50-280 P	9507130046	9507130041	95/06/28	STATE PRO G
9507110331	9507110328	95/07/05	50-321 P	9507130053	9507130051	95/07/07	WASTE MGT
9507110334	9507110329	95/07/07	50-296 P	9507130057	9507130054	95/06/29	COMMISSIO N
9507110342	9507110341	95/06/30	40-8948	9507130060	9507130058	95/07/11	52-3
9507110344	9507110343	95/06/06	71-*****	9507130061	9507130056	95/06/30	50-354 Q
9507120010	9507120009	95/06/27	50-259 Q	9507130064	9507130052	95/06/19	STATE PRO G

230 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9507130072	9507130067	95/07/07	71-9251	9507140232	9507140226	95/06/30	50-261	Q
9507130073	9507130076	95/07/06	50-458	9507140234	9507140083	95/07/05	50-286	P
9507130083	9507130078	95/07/10	52-3	9507140238	9507140228	95/07/07	40-9022	
9507130084	9507130076	95/07/06	50-458	9507140249	9507140239	95/07/06	50-413	Q
9507130087	9507130080	94/04/14	STATE PRO	9507140255	9507140083	95/07/05	50-286	P
9507130089	9507130086	95/06/29	50-413	9507140263	9507140259	95/06/30	50-280	Q
9507130093	9507130090	95/07/06	50-458	9507140272	9507140083	95/07/05	50-286	P
9507130094	9507130074	95/07/05	70-734	9507140278	9507140083	95/07/05	50-286	P
9507130105	9507130102	95/07/05	QA999	9507140284	9507140083	95/07/05	50-286	P
9507130111	9507130109	95/07/07	50-275	9507140292	9507140083	95/07/05	50-286	P
9507130114	9507130102	95/07/05	QA999	9507140294	9507140281	95/07/06	50-259	Q
9507130115	9507130109	95/07/07	50-275	9507140301	9507140281	95/07/06	50-259	Q
9507130116	9507130112	95/06/19	STATE PRO	9507140307	9507140083	95/07/05	50-286	P
9507130117	9507130110	95/07/06	50-361	9507140311	9507140083	95/07/05	50-286	P
9507130121	9507130119	95/07/06	WASTE MGT	9507140312	9507140308	95/07/07	50-400	Q
9507130122	9507280288	95/06/22	COMMISSIO	9507140315	95071400083	95/07/07	50-400	Q
9507130123	9507130110	95/07/06	50-361	9507140319	95071400083	95/07/05	50-286	P
9507130124	9507130091	95/02/09	50-528	9507140321	9507140083	95/07/05	50-286	P
9507130125	9507130120	95/06/19	STATE PRO	9507140324	9507140083	95/07/05	50-286	P
9507130126	9507130113	95/07/05	QA999	9507140326	9507140320	95/07/03	50-390	Q
9507130128	9507130113	95/07/05	QA999	9507140330	9507140083	95/07/05	50-286	P
9507130130	9507130099	95/04/28	71-4717	9507140332	9507140329	95/06/30	50-369	Q
9507130134	9507130131	95/07/07	50-413	9507140333	9507140329	95/06/30	50-369	Q
9507130135	9507130133	95/07/03	STATE PRO	9507140335	9507140329	95/06/30	50-369	Q
9507130136	9507130133	95/07/03	STATE PRO	9507140342	9507140083	95/07/05	50-286	P
9507130139	9507130133	95/07/03	STATE PRO	9507140348	9507140083	95/07/05	50-286	P
9507130141	9507130077	95/07/05	50-413	9507140352	9507140083	95/07/05	50-286	P
9507130147	9507130144	95/07/11	71-****	9507140358	9507140083	95/07/05	50-286	P
9507130150	9507130148	95/07/11	71-637	9507140363	9507140083	95/07/05	50-286	P
9507130175	9507130165	95/07/06	50-483	9507140368	9507140083	95/07/05	50-286	P
9507130176	9507130172	95/06/20	52-3	9507140378	9507140083	95/07/05	50-286	P
9507130177	9507130165	95/07/06	50-483	9507140383	9507140083	95/07/05	50-286	P
9507130179	9507130174	95/07/06	50-213	9507140389	9507140083	95/07/05	50-286	P
9507130182	9507130172	95/06/20	52-3	9507140393	9507140083	95/07/05	50-286	P
9507130216	9507130047	95/07/03	STATE PRO	9507140395	9507140083	95/07/05	50-286	P
9507130225	9507130047	95/07/03	STATE PRO	9507140397	9507140083	95/07/05	50-286	P
9507130244	9507130047	95/07/03	STATE PRO	9507140398	9507140083	95/07/05	50-286	P
9507130250	9507130047	95/07/03	STATE PRO	9507140403	9507140083	95/07/05	50-286	P
9507130253	9507130047	95/07/03	STATE PRO	9507140404	9507140083	95/07/05	50-286	P
9507130257	9507130047	95/07/03	STATE PRO	9507140407	9507140083	95/07/05	50-286	P
9507140006	9507140004	95/07/07	50-309	9507140410	9507140083	95/07/05	50-286	P
9507140007	9507140004	95/07/07	50-309	9507140412	9507140083	95/07/05	50-286	P
9507140012	9507140009	95/07/07	50-271	9507140414	9507140083	95/07/05	50-286	P
9507140021	9507140016	95/07/07	50-247	9507140419	9507140083	95/07/05	50-286	P
9507140038	9507140035	95/07/07	50-382	9507140424	9507140083	95/07/05	50-286	P
9507140040	9507140034	95/07/07	QA999	9507140441	9507260198	95/07/18	50-321	P
9507140049	9507140045	95/07/10	40-6622	9507140442	9507260198	95/07/18	50-321	P
9507140052	9507140047	95/07/07	QA999	9507140445	9507260198	95/07/18	50-321	P
9507140056	9507140047	95/07/07	QA999	9507140448	9507140447	95/07/06	50-269	P
9507140062	9507140058	95/07/07	50-244	9507140452	9507140451	95/07/12	40-3453	
9507140066	9507140050	95/05/01	ORG	9507140455	9507140454	95/06/21	WASTE MGT	
9507140067	9507140064	95/07/07	50-313	9507140461	9507140458	95/07/06	50-424	P
9507140069	9507140065	95/07/11	50-498	9507140468	9507140467	95/07/07	WASTE MGT	
9507140071	9507140064	95/07/07	50-313	9507170005	9507170002	95/07/07	50-259	Q
9507140090	9506090198	95/05/25	ORG	9507170012	9507170009	95/07/06	50-280	F
9507140091	9507140088	95/07/07	50-244	9507170032	9507170029	95/07/11	50-423	P
9507140097	9507140080	95/06/19	XPORTLIC	9507170034	9507170027	95/07/11	50-445	S
9507140098	9507140095	95/07/12	50-458	9507170036	9507170029	95/07/11	50-423	P
9507140114	9507140108	95/05/19	50-295	9507170043	9507170041	95/07/11	50-423	P
9507140118	9507140107	95/06/28	TOPREP	9507170046	9507170041	95/07/11	50-423	P
9507140120	9507140117	95/07/11	50-247	9507170059	9507170051	95/07/10	50-382	Q
9507140128	9507140121	95/07/05	50-529	9507170067	9507170051	95/07/10	50-382	Q
9507140131	9507140083	95/07/05	50-286	9507170078	9507170073	95/06/27	50-312	Y
9507140133	9507140127	95/07/07	50-280	9507170082	9507170085	95/07/10	50-259	P
9507140144	9507140143	95/07/06	50-315	9507170087	9507170081	95/07/11	40-8981	
9507140145	9507140140	95/07/07	50-336	9507170101	9507170085	95/07/11	50-295	S
9507140147	9507140083	95/07/05	50-286	9507170102	9507170096	95/07/10	QA999	
9507140150	9507140140	95/07/07	50-336	9507170109	9507170100	95/07/10	40-8502	
9507140154	9507140140	95/07/07	50-336	9507170120	9507170117	95/07/07	70-1100	
9507140157	9507140140	95/07/07	50-336	9507170124	9507170117	95/07/07	70-1100	
9507140159	9507140083	95/07/05	50-286	9507170132	9507170127	95/07/07	50-213	P
9507140160	9507140140	95/07/07	50-336	9507170133	9507170129	95/07/10	50-317	Q
9507140163	9507140155	95/07/07	50-213	9507170156	9507170149	95/07/12	50-313	Q
9507140166	9507140083	95/07/05	50-286	9507170169	9507170167	95/07/10	50-244	Q
9507140167	9507140162	95/07/10	50-461	9507170254	9507170250	95/07/10	ORG	
9507140172	9507140169	95/06/29	50-339	9507170283	9507170274	95/07/07	50-424	P
9507140179	9507140083	95/07/05	50-286	9507170287	9507170274	95/07/07	50-424	P
9507140184	9507140164	95/07/10	50-298	9507170297	9507170295	95/07/13	71-819	
9507140185	9507140178	95/06/29	50-324	9507170317	9507170312	95/07/11	50-498	Q
9507140191	9507140188	95/07/03	50-528	9507170323	9507170320	95/07/10	50-354	P
9507140195	9507140164	95/07/10	50-298	9507170331	9507170329	95/07/13	71-703	
9507140199	9507140083	95/07/05	50-286	9507170333	9507170328	95/06/20	CONTRACT	
9507140203	9507140164	95/07/10	50-298	9507170367	9507170354	95/07/06	50-424	F
9507140207	9507140164	95/07/10	50-298	9507170371	9507170368	95/07/11	50-334	P
9507140211	9507140164	95/07/10	50-298	9507170379	9507170375	95/07/13	50-283	P
9507140212	9507140083	95/07/05	50-286	9507170382	9507170375	95/07/13	50-293	P
9507140225	9507140083	95/07/05	50-286	9507170412	9507170410	95/07/13	TOPREP	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 231

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507180053	9507180050	95/07/10	50-155 S	9507180341	9507180330	95/07/11	50-298 P
9507180057	9507180043	95/07/05	ORG	9507180342	9507180264	95/01/20	FOIA
9507180074	9507180073	95/07/10	50-266 Q	9507180344	9507180264	95/01/20	FOIA
9507180084	9507180082	95/07/11	50-315 Q	9507180346	9507180330	95/07/11	50-298 P
9507180093	9507180087	95/07/06	50-254 Q	9507180347	9507180264	95/01/20	FOIA
9507180096	9507180087	95/07/06	50-254 Q	9507180349	9507180264	95/01/20	FOIA
9507180107	9507180102	95/07/12	50-271 Q	9507180350	9507180345	95/01/20	50-366 Q
9507180113	9507180105	95/07/14	52-3	9507180351	9507180264	95/01/20	FOIA
9507180116	9507180101	95/01/10	50-255 Y	9507180353	9507180264	95/01/20	FOIA
9507180121	9507180115	95/07/07	50-155 Q	9507180357	9507180354	95/07/07	TOPREP
9507180122	9507180101	95/01/10	50-255 Y	9507180362	9507180264	95/01/20	FOIA
9507180123	9507180047	95/07/07	50-160 G	9507180365	9507180264	95/01/20	FOIA
9507180133	9507180101	95/01/10	50-255 P	9507180371	9507180264	95/01/20	FOIA
9507180134	9507180127	95/06/30	50-373 Q	9507180375	9507180264	95/01/20	FOIA
9507180136	9507180131	95/07/07	50-263 Q	9507180376	9507180373	95/07/13	TOPREP
9507180137	9507180130	95/07/07	50-315 Q	9507180377	9507180264	95/01/20	FOIA
9507180139	9507180127	95/06/30	50-373 Q	9507180438	9507180435	95/07/12	50-295 P
9507180140	9507180130	95/07/07	50-315 Q	9507180449	9507180445	95/07/13	71-922B
9507180141	9507180101	95/01/10	50-255 Y	9507180451	9507180442	95/07/12	50-315 P
9507180143	9507180056	95/07/11	50-285 Q	9507180456	9507180442	95/07/12	50-315 P
9507180145	9507180101	95/01/10	50-255 Y	9507190008	9507190005	95/07/10	WASTE MGT
9507180151	9507180130	95/07/07	50-315 Q	9507190015	9507190010	95/07/13	50-266 C
9507180153	9507180146	95/07/14	50-445 S	9507190025	9507190019	95/07/14	50-295 Q
9507180155	9507180101	95/01/10	50-255 Y	9507190033	9507190031	95/07/10	50-334 P
9507180161	9507180156	95/06/30	50-282 Q	9507190046	9507190038	95/07/06	70-7002
9507180164	9507180101	95/01/10	50-255 Y	9507190049	9507190038	95/07/06	70-7002
9507180166	9507180156	95/06/30	50-282 Q	9507190070	9507190048	95/07/14	50-255 P
9507180170	9507180163	95/07/14	52-4	9507190085	9507190078	95/07/17	STATE PRO G
9507180171	9507180159	95/07/13	50-341 Q	9507190090	9507180189	95/06/07	CONTRACT
9507180173	9507180167	95/07/14	50-259 Q	9507190095	9507190087	95/07/05	WASTE MGT
9507180175	9507180101	95/01/10	50-255 Y	9507190096	9507190089	95/01/20	FOIA
9507180178	9507180176	95/07/14	50-280 P	9507190099	9507190089	95/01/20	FOIA
9507180180	9507180172	95/07/07	50-133 P	9507190100	9507190081	95/06/30	40-672
9507180183	9507030019	95/06/23	50-3	9507190103	9507190089	95/01/20	FOIA
9507180185	9507180172	95/07/07	50-133 P	9507190107	9507190091	95/06/30	40-672
9507180191	9507180101	95/01/10	50-255 Y	9507190111	9507190102	95/07/17	50-72 W
9507180197	9507180101	95/01/10	50-255 Y	9507190114	9507190110	95/01/12	FOIA
9507180200	9507180182	95/07/13	50-456 P	9507190123	9507190119	95/06/26	50-213 P
9507180202	9507180101	95/01/10	50-255 Y	9507190127	9507190122	95/07/14	PROJ
9507180206	9507180204	95/06/08	CONTRACT	9507190143	9507190136	95/07/14	50-302 T
9507180211	9507180183	95/07/06	50-382 P	9507190148	9507190136	95/07/14	50-302 T
9507180216	9507180183	95/07/06	50-382 P	9507190150	9507190136	95/07/14	50-302 T
9507180220	9507180215	95/06/08	CONTRACT	9507190151	9507190136	95/07/14	50-302 T
9507180224	9507180222	95/07/13	52-3	9507190158	9507190155	95/07/10	71-524
9507180235	9507180233	95/07/11	50-245 P	9507190160	9507190156	95/07/13	50-481 S
9507180237	9507180234	95/05/10	50-413 F	9507190183	9507190172	95/07/13	50-362 P
9507180247	9507180241	95/01/12	FOIA	9507190190	9507190188	95/07/12	50-400 P
9507180259	9507180254	95/07/14	50-298 P	9507190194	9507190186	95/06/30	52-3
9507180261	9507180255	95/06/29	50-352 C	9507190197	9507190186	95/06/30	52-3
9507180265	9507180283	95/07/14	50-298 C	9507190209	9507190204	95/07/12	50-254 C
9507180270	9507180264	95/01/20	FOIA	9507190216	9507190210	95/07/11	50-280 P
9507180272	9507180264	95/01/20	FOIA	9507190220	9507190214	95/07/18	50-266 P
9507180275	9507180264	95/01/20	FOIA	9507190222	9507190212	95/07/12	PROJ
9507180276	9507180264	95/01/20	FOIA	9507190223	9507190210	95/07/11	50-280 P
9507180277	9507180267	95/07/10	50-278 P	9507190229	9507190212	95/07/12	PROJ
9507180278	9507180256	95/07/10	WASTE MGT	9507190251	9507190246	95/07/12	50-263 P
9507180283	9507180264	95/01/20	FOIA	9507190255	9507190246	95/07/12	50-263 P
9507180285	9507180264	95/01/20	FOIA	9507190262	9507190257	95/07/17	50-296 P
9507180286	9507180264	95/01/20	FOIA	9507190263	9507190257	95/07/17	50-296 P
9507180288	9507180282	95/06/27	50-272 P	9507190314	9507190312	95/02/06	50-498 P
9507180289	9507180254	95/01/20	FOIA	9507190318	9507190312	95/02/06	50-498 P
9507180292	9507180264	95/01/20	FOIA	9507190336	9507190335	95/07/13	50-528 R
9507180294	9507180264	95/01/20	FOIA	9507190338	9507190335	95/07/13	50-528 R
9507180295	9507180267	95/06/27	50-334 P	9507190347	9507190345	95/07/13	50-461 R
9507180296	9507180291	95/07/07	50-277 P	9507190352	9507190350	95/07/12	50-324 R
9507180297	9507180264	95/01/20	FOIA	9507190353	9507190350	95/07/12	50-324 R
9507180298	9507180287	95/06/27	50-334 P	9507200012	9507200093	95/07/11	50-245 R
9507180300	9507180264	95/01/20	FOIA	9507200031	9507200027	95/07/12	50-269 C
9507180303	9507180264	95/01/20	FOIA	9507200034	9507200027	95/07/12	50-269 C
9507180304	9507180264	95/01/20	FOIA	9507200035	9507200101	95/07/13	50-338 R
9507180307	9507180264	95/01/20	FOIA	9507200039	9507200101	95/07/13	50-338 R
9507180311	9507180264	95/01/20	FOIA	9507200041	9507200036	95/07/13	50-413 C
9507180313	9507180264	95/01/20	FOIA	9507200048	9507200046	95/07/12	70-27
9507180316	9507180309	95/07/11	50-387 P	9507200050	9507200046	95/07/12	70-27
9507180320	9507180264	95/01/20	FOIA	9507200060	9507200057	95/07/12	50-341 C
9507180321	9507180308	95/07/06	50-528 P	9507200062	9507200057	95/07/12	50-341 C
9507180322	9507180309	95/07/11	50-387 P	9507200070	9507200067	95/07/11	50-424 C
9507180323	9507180264	95/01/20	FOIA	9507200078	9507200074	95/07/14	50-293 P
9507180325	9507180264	95/01/20	FOIA	9507200096	9507200093	95/07/11	50-245 R
9507180326	9507180264	95/01/20	FOIA	9507200097	9507200088	95/07/14	50-423 P
9507180327	9507180308	95/07/06	50-528 P	9507200098	9507200093	95/07/11	50-245 R
9507180331	9507180264	95/01/20	FOIA	9507200104	9507200100	95/07/13	50-269 S
9507180333	9507180264	95/01/20	FOIA	9507200112	9507200109	95/07/14	50-369 R
9507180335	9507180264	95/01/20	FOIA	9507200116	9507200113	95/07/14	50-413 R
9507180337	9507180264	95/01/20	FOIA	9507200126	9507200125	95/01/31	FOIA
9507180339	9507180264	95/01/20	FOIA	9507200128	9507190115	95/07/11	ORG
9507180340	9507180264	95/01/20	FOIA	9507200132	9507200127	95/07/10	70-1201

232 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507200133	9507200127	95/07/10	70-1201	9507210138	9507210133	95/07/10	50-220 P
9507200135	9507200115	95/07/17	PR	9507210142	9507210140	95/06/29	50-278 P
9507200140	9507200115	95/07/17	PR	9507210148	9507210144	95/06/26	50-369 F
9507200141	9507200139	95/07/14	70-1151	9507210173	9507210167	95/06/27	STATE PRO G
9507200143	9507200115	95/07/17	PR	9507210182	9507210180	95/07/18	50-336 S
9507200146	9507200142	95/07/14	50-298 P	9507210186	9507210181	95/07/20	71-524
9507200149	9507200139	95/07/14	70-1151	9507210191	9507210187	95/07/18	50-295 P
9507200151	9507200148	95/07/14	50-271 P	9507210194	9507210187	95/07/18	50-295 P
9507200153	9507200147	95/07/12	70-1151	9507210204	9507210202	95/07/19	50-341 P
9507200159	9507200156	95/07/11	50-390 Q	9507210205	9507210203	95/07/17	50-323 P
9507200160	9507200115	95/07/17	PR	9507210206	9507140247	95/06/09	ORG
9507200163	9507200156	95/07/11	50-390 Q	9507210213	9507210212	95/07/18	70-734
9507200164	9507200158	95/07/17	50-331 F	9507210214	9507210212	95/07/18	70-734
9507200171	9507200115	95/07/17	PR	9507210228	9507210225	95/07/17	TOPREP
9507200176	9507200172	95/07/17	50-361 P	9507210231	9507210227	95/01/20	FOIA
9507200178	9507200172	95/07/17	50-361 P	9507210232	9507210227	95/01/20	FOIA
9507200184	9507200109	95/07/14	50-369 R	9507210233	9507210227	95/01/20	FOIA
9507200185	9507200115	95/07/17	PR	9507210234	9507210227	95/01/20	FOIA
9507200190	9507200172	95/07/17	50-361 P	9507210248	9507210239	95/07/14	50-458 P
9507200196	9507200113	95/07/14	50-413 R	9507210251	9507210246	95/07/14	70-27
9507200199	9507200195	95/07/12	50-250 Q	9507210255	9507210252	95/07/11	50-285 P
9507200200	9507200172	95/07/17	50-361 P	9507210257	9507210252	95/07/11	50-285 P
9507200204	9507200172	95/07/17	50-361 P	9507210264	9507140247	95/06/09	ORG
9507200211	9507200115	95/07/17	PR	9507210266	9507210265	95/06/30	50-245 K
9507200223	9507200219	95/07/19	REVIEW GR F	9507210273	9507210227	95/01/20	FOIA
9507200224	9507200115	95/07/17	PR	9507210279	9507210227	95/01/20	FOIA
9507200227	9507200115	95/07/17	PR	9507210285	9507210227	95/01/20	FOIA
9507200229	9507200115	95/07/17	PR	9507210287	9507210227	95/01/20	FOIA
9507200232	9507200115	95/07/17	PR	9507210290	9507210227	95/01/20	FOIA
9507200243	9507200115	95/07/17	PR	9507210293	9507210227	95/01/20	FOIA
9507200244	9507200240	95/06/16	COMMISSIO N	9507210300	9507210297	95/06/27	WASTE MGT
9507200251	9507200115	95/07/17	PR	9507210303	9507210298	95/02/06	50-255 Y
9507200255	9507200250	95/07/12	50-261 Q	9507210305	9507210227	95/01/20	FOIA
9507200265	9507200261	95/07/14	50-220 H	9507210306	9507210304	95/06/28	WASTE MGT
9507200274	9507200270	95/07/10	50-367 P	9507210308	9507210227	95/01/20	FOIA
9507200281	9507200115	95/07/17	PR	9507210313	9507210312	95/01/31	50-341 P
9507200287	9507200280	95/07/07	50-458 F	9507210320	9507210315	95/07/07	50-528 P
9507200288	9507200115	95/07/17	PR	9507210324	9507210315	95/07/07	50-528 P
9507200294	9507200115	95/07/17	PR	9507240006	9507240002	95/07/18	50-482 Q
9507200299	9507200295	95/02/08	FOIA	9507240040	9507240025	95/07/13	50-250 P
9507200300	9507200290	95/06/27	PR	9507240042	9507240032	95/07/18	50-458 Q
9507200301	9507200297	95/07/05	50-272 P	9507240043	9507240039	95/07/14	50-454 Q
9507200302	9507200115	95/07/17	PR	9507240044	9507240032	95/07/18	50-458 Q
9507200305	9507200295	95/02/08	FOIA	9507240045	9507240034	95/07/17	50-361 Q
9507200308	9507200115	95/07/17	PR	9507240047	9507240032	95/07/18	50-458 Q
9507200309	9507200290	95/06/27	PR	9507240060	9507240056	95/07/18	50-321 Q
9507200312	9507200306	95/07/03	50-397 F	9507240066	9507240055	95/07/17	50-277 Q
9507200313	9507200115	95/07/17	PR	9507240071	9507240054	95/02/09	FOIA
9507200321	9507200311	95/07/12	50-424 F	9507240073	9507240069	95/07/18	50-331 V
9507200322	9507200319	94/04/13	40-8857	9507240074	9507240072	95/07/19	70-1151
9507200324	9507200295	95/02/08	FOIA	9507240077	9507240054	95/02/09	FOIA
9507200327	9507200323	95/06/20	50-272 P	9507240083	9507240082	95/07/20	71-821
9507200331	9507200323	95/06/20	50-272 P	9507240084	9507240080	95/07/17	50-245 Q
9507200336	9507200317	95/06/27	STATE PRO G	9507240091	9507240054	95/02/09	FOIA
9507200340	9507200317	95/06/27	STATE PRO G	9507240093	9507240054	95/02/09	FOIA
9507200342	9507200317	95/06/27	STATE PRO G	9507240108	9507240106	95/07/21	71-817
9507200345	9507200339	95/01/31	FOIA	9507240118	9507240112	95/06/29	50-269 P
9507200350	9507200339	95/01/31	FOIA	9507240123	9507240112	95/06/29	50-269 P
9507200353	9507200339	95/01/31	FOIA	9507240133	9507240131	95/07/18	50-423 P
9507200355	9507200347	95/07/12	50-282 G	9507240136	9507240132	95/07/20	50-346 P
9507200357	9507100206	95/06/29	ORG	9507240139	9507240132	95/07/20	50-346 P
9507200366	9506220199	95/06/06	WASTE MGT	9507240148	9507240143	95/07/18	50-245 P
9507200372	9507200370	95/06/13	ORG	9507240154	9507240151	95/07/17	50-423 P
9507200375	9506290433	95/06/16	50-458 U	9507240170	9507240160	95/07/20	50-244 P
9507200380	9507200378	95/06/20	PR	9507240195	9507240187	95/07/17	50-317 Q
9507200383	9507200301	95/06/21	ORG	9507240196	9507240186	95/07/19	50-213 P
9507200384	9507200382	95/07/11	WASTE MGT	9507240211	9507240204	95/07/14	50-29 Q
9507210014	9507210005	95/07/13	STATE PRO G	9507240214	9507240193	95/07/17	50-259 P
9507210023	9507210017	95/07/11	50-321 Q	9507240222	9507240193	95/07/17	50-259 P
9507210033	9507210029	95/07/17	50-261 P	9507240230	9507240226	95/07/14	50-361 P
9507210038	9507200272	94/01/31	40-8857	9507240236	9507240226	95/07/14	50-361 P
9507210054	9507210049	95/07/14	50-271 Q	9507240237	9507240233	95/07/18	50-348 P
9507210055	9507200105	95/07/12	50-245 P	9507240260	9507240255	95/07/18	50-390 Q
9507210057	9507210047	95/07/14	50-272 Q	9507240261	9507210227	95/01/20	FOIA
9507210059	9507210049	95/07/14	50-271 Q	9507240263	9507210227	95/01/20	FOIA
9507210061	9507210047	95/07/14	50-272 Q	9507240266	9507240256	95/07/19	50-219 F
9507210082	9507210078	95/07/18	WASTE MGT	9507240271	9507210227	95/01/20	FOIA
9507210093	9507210089	95/06/06	ORG	9507240272	9507240265	95/07/18	50-348 Q
9507210098	9506230332	95/06/08	50-219 H	9507240274	9507240270	95/07/17	50-293 Q
9507210106	9507210077	95/07/17	50-341 Q	9507240275	9507210227	95/01/20	FOIA
9507210113	9507210111	95/06/29	10CFR	9507240276	9507240270	95/07/17	50-293 Q
9507210114	9507210107	95/06/21	50-293 H	9507240278	9507240265	95/07/18	50-348 Q
9507210115	9507210108	95/07/05	50-272 P	9507240279	9507210227	95/01/20	FOIA
9507210119	9506210077	95/06/08	70-1257	9507240281	9507210227	95/01/20	FOIA
9507210121	9507210111	95/06/29	10CFR	9507240283	9507240277	95/07/18	50-327 S
9507210122	9507210106	95/07/05	50-272 P	9507240286	9507240290	95/07/14	50-220 Q
9507210125	9507210123	95/07/10	50-286 F	9507240287	9507240264	95/07/12	50-440 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 233

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507240288	9507210227	95/01/20	FOIA	9507250235	9507210227	95/01/20	FOIA
9507240291	9507210227	95/01/20	FOIA	9507250238	9507210227	95/01/20	FOIA
9507240292	9507210227	95/01/20	FOIA	9507250255	9507210227	95/01/20	FOIA
9507240299	9507210227	95/01/20	FOIA	9507250257	9507210227	95/01/20	FOIA
9507240307	9507210227	95/01/20	FOIA	9507250258	9507250210	95/07/20	40-8902
9507240309	9507210227	95/01/20	FOIA	9507250261	9507210227	95/01/20	FOIA
9507240312	9507240302	95/07/18	50-336 S	9507250266	9507250264	95/07/12	40-8936
9507240316	9507240306	95/07/19	50-280 Q	9507250267	9507210227	95/01/20	FOIA
9507240317	9507240315	95/07/13	50-331 R	9507250269	9507250264	95/07/12	40-8936
9507240322	9507240319	95/07/18	50-213 P	9507250271	9507210227	95/01/20	FOIA
9507240328	9507240326	95/07/19	50-366 P	9507250272	9507210227	95/01/20	FOIA
9507240341	9507200330	94/03/04	40-8857	9507250276	9507210227	95/01/20	FOIA
9507240345	9507240334	95/07/20	50-388 S	9507250277	9507210227	95/01/20	FOIA
9507240346	9507240338	95/07/19	50-312 W	9507250290	9507250288	95/07/19	50-267 Y
9507240348	9507240338	95/07/19	50-312 W	9507250294	9507250291	95/07/12	70-36
9507240358	9507240354	95/07/17	50-261 Q	9507250295	9507250291	95/07/12	70-36
9507240360	9507240354	95/07/17	50-261 Q	9507250300	9507250298	95/07/07	40-8989
9507240362	9507240367	95/07/17	50-361 P	9507250301	9507250297	95/06/29	50-259 F
9507240366	9507240357	95/07/17	50-361 P	9507250304	9507250303	95/07/19	50-155 P
9507240371	9507240369	95/07/13	50-338 Q	9507250305	9507250302	95/06/29	50-331 P
9507240377	9507240369	95/07/13	50-338 Q	9507250306	9507250307	95/07/18	50-361 P
9507240382	9507240380	95/07/14	50-269 Q	9507250309	9507250307	95/07/19	50-361 P
9507240391	9507210227	95/01/20	FOIA	9507250310	9507250306	95/06/29	50-275 P
9507240393	9507240385	95/07/20	50-339 S	9507250313	9507250312	95/07/20	50-390 A
9507240396	9507210227	95/01/20	FOIA	9507250314	9507250312	95/07/20	50-390 A
9507240404	9507210227	95/01/20	FOIA	9507260008	9507260006	95/06/28	70-734
9507240406	9507240401	95/07/19	50-237 P	9507260016	9507260015	95/07/20	50-482 Q
9507240410	9507210227	95/01/20	FOIA	9507260019	9507260017	95/07/20	50-397 Q
9507240413	9507210227	95/01/20	FOIA	9507260023	9507260017	95/07/20	50-397 Q
9507240414	9507240411	95/07/20	50-483 P	9507260028	9507260026	95/07/18	40-8857
9507240415	9507210227	95/01/20	FOIA	9507260030	9507260025	95/07/18	TOPREP
9507240418	9507240411	95/07/20	50-483 P	9507260031	9507260024	95/07/21	50-315 V
9507240419	9507210227	95/01/20	FOIA	9507260033	9507260032	95/07/20	-30-3392
9507240423	9507210227	95/01/20	FOIA	9507260038	9507260022	95/07/19	QA999
9507240424	9507240420	95/07/18	50-440 P	9507260039	9507260039	95/07/21	WASTE MGT
9507240426	9507210227	95/01/20	FOIA	9507260044	9507260039	95/07/21	WASTE MGT
9507240431	9507240422	95/01/31	FOIA	9507260063	9507260055	95/07/21	52-3
9507240432	9507240429	95/07/14	50-461 Q	9507260076	9507260075	95/07/20	50-309 P
9507240437	9507240429	95/07/14	50-461 P	9507260079	9507260069	95/07/14	50-254 F
9507240474	9507240466	95/07/20	50-237 Q	9507260092	9507260088	95/07/17	50-364 Q
9507240481	9507240479	95/07/19	50-499 S	9507260102	9507260096	95/07/21	STATE PRO G
9507240482	9507240476	95/07/19	50-390 Q	9507260103	9507260090	95/04/20	40-8027
9507250025	9507210078	95/07/18	WASTE MGT	9507260109	9507260105	95/07/19	50-272 Q
9507250029	9507210078	95/07/18	WASTE MGT	9507260112	9507260105	95/07/19	50-272 Q
9507250047	9507250044	95/02/06	50-498 P	9507260123	9507260120	95/07/14	50-269 Q
9507250050	9507250043	95/07/19	52-3	9507260137	9507260132	95/07/21	50-456 Q
9507250051	9507250044	95/02/06	50-498 P	9507260138	9507260134	95/07/14	50-272 S
9507250053	9507250045	94/12/31	PROJ	9507260143	9507260140	95/07/24	50-286 Q
9507250055	9507250044	95/02/06	50-498 P	9507260152	9507260149	95/07/21	50-528 Q
9507250062	9507250044	95/02/06	50-498 P	9507260191	9507260187	95/07/24	ORG
9507250064	9507250044	95/02/06	50-498 P	9507260201	9507260198	95/07/18	50-321 P
9507250067	9507250044	95/02/06	50-498 P	9507260230	9507210227	95/01/20	FOIA
9507250073	9507250070	95/07/21	50-261 F	9507260239	9507260222	95/07/17	PROJ
9507250077	9507250070	95/07/21	50-261 F	9507260247	9507210227	95/01/20	FOIA
9507250096	9507250094	95/07/20	50-370 F	9507260251	9507260248	95/02/08	40-8027
9507250102	9507250092	95/07/19	50-306 S	9507260252	9507210227	95/01/20	FOIA
9507250110	9507250099	95/02/09	50-443 P	9507260254	9507210227	95/01/20	FOIA
9507250113	9507250099	95/02/09	50-443 P	9507260258	9507210227	95/01/20	FOIA
9507250119	9507250099	95/02/09	50-443 Q	9507260264	9507210227	95/01/20	FOIA
9507250121	9507250099	95/02/09	50-443 Q	9507260266	9507260262	94/07/08	50-249 P
9507250125	9507250099	95/02/09	50-443 Q	9507260267	9507260265	95/02/09	FOIA
9507250128	9507250099	95/02/09	50-443 Q	9507260268	9507210227	95/01/20	FOIA
9507250130	9507250099	95/02/09	50-443 Q	9507260270	9507210227	95/01/20	FOIA
9507250132	9507250099	95/02/09	50-443 Q	9507260273	9507210227	95/01/20	FOIA
9507250136	9507250099	95/02/09	50-443 Q	9507260275	9507210227	95/01/20	FOIA
9507250139	9507250099	95/02/09	50-443 Q	9507260278	9507260272	95/07/21	50-309 H
9507250144	9507250099	95/02/09	50-443 Q	9507260280	9507210227	95/01/20	FOIA
9507250156	9507250150	95/07/13	50-317 P	9507260283	9507210227	95/01/20	FOIA
9507250158	9507250150	95/07/13	50-317 P	9507260306	9507260269	95/07/20	71-9033
9507250168	9507250146	95/07/21	50-237 S	9507260307	9507260269	95/07/20	71-9033
9507250171	9507250112	95/07/19	50-266 P	9507270011	9507270005	95/07/14	STATE PRO G
9507250189	9507210227	95/01/20	FOIA	9507270026	9507270025	95/07/20	50-285 H
9507250190	9507250185	95/07/17	50-282 P	9507270040	9507270038	95/07/07	STATE PRO G
9507250191	9507210227	95/01/20	FOIA	9507270057	9507270051	95/07/21	50-423 P
9507250195	9507210227	95/01/20	FOIA	9507270068	9507270062	95/07/17	40-8027
9507250196	9507210227	95/01/20	FOIA	9507270070	9507270067	95/07/20	50-280 F
9507250197	9507210227	95/01/20	FOIA	9507270073	9507270069	95/07/21	40-299
9507250198	9507210227	95/01/20	FOIA	9507270074	9507270062	95/07/17	40-8027
9507250201	9507210227	95/01/20	FOIA	9507270080	9507270078	95/07/21	40-8698
9507250204	9507210227	95/01/20	FOIA	9507270084	9507270084	95/07/21	50-333 P
9507250215	9507210227	95/01/20	FOIA	9507270088	9507270081	95/07/21	50-333 P
9507250217	9507210227	95/01/20	FOIA	9507270099	9507270093	95/07/17	71-*****
9507250218	9507210227	95/01/20	FOIA	9507270106	9507270103	95/07/10	50-10 R
9507250222	9507210227	95/01/20	FOIA	9507270118	9507270110	95/07/17	50-160 G
9507250223	9507210227	95/01/20	FOIA	9507270120	9507270119	95/06/30	50-267 W
9507250224	9507210227	95/01/20	FOIA	9507270121	9507270119	95/06/30	50-267 W
9507250230	9507210227	95/01/20	FOIA	9507270143	9507270141	95/06/16	40-8027

234 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507270150	9507270043	95/07/10	STATE PRO G	9507280158	9507280147	95/07/25	50-271 P
9507270151	9507270133	95/07/18	50-327 S	9507280159	9507280153	95/07/24	50-354 P
9507270159	9507270115	95/07/14	STATE PRO G	9507280181	9507280177	95/07/24	40-3453
9507270166	9507270115	95/07/14	STATE PRO G	9507280184	9507280177	95/07/24	40-3453
9507270167	9507270155	95/07/24	WASTE MGT	9507280186	9507280182	95/07/25	50-382 P
9507270171	9507240430	95/01/31	50-498 P	9507280195	9507280194	95/07/25	50-382 P
9507270172	9507270115	95/07/14	STATE PRO G	9507280201	9507280199	95/07/26	50-382 P
9507270179	9507270115	95/07/14	STATE PRO G	9507280204	9507280203	95/07/26	50-382 P
9507270184	9507270176	95/07/24	50-249 S	9507280209	9507280207	95/07/26	50-382 P
9507270185	9507270115	95/07/14	STATE PRO G	9507280214	9507280212	95/07/14	50-89 F
9507270200	9507270115	95/07/14	STATE PRO G	9507280218	9507280212	95/07/14	50-89 F
9507270202	9507270183	95/07/19	ORG	9507280242	9507280233	95/07/26	50-382 P
9507270205	9507270115	95/07/14	STATE PRO G	9507280252	9507280250	95/07/19	50-390 P
9507270213	9507270115	95/07/14	STATE PRO G	9507280259	9507280251	95/07/14	50-382 P
9507270215	9507270115	95/07/14	STATE PRO G	9507280260	9507280257	95/07/21	50-336 Q
9507270219	9507270115	95/07/14	STATE PRO G	9507280265	9507280263	95/07/17	50-397 F
9507270223	9507270115	95/07/14	STATE PRO G	9507280271	9507280266	95/07/24	50-498 F
9507270224	9507270218	95/07/18	50-352 P	9507280277	9507280273	95/07/26	50-327 F
9507270226	9507270218	95/07/18	50-352 P	9507280278	9507280274	95/07/25	50-498 P
9507270232	9507270115	95/07/14	STATE PRO G	9507280280	9507280274	95/07/25	50-498 P
9507270237	9507270115	95/07/14	STATE PRO G	9507280282	9507280270	95/07/20	50-454 Q
9507270244	9507270238	95/07/24	50-413 P	9507280284	9507280280	95/07/26	50-295 P
9507270246	9507270238	95/07/24	50-413 P	9507280285	9507280275	95/07/21	50-456 F
9507270251	9507270239	95/02/09	50-324 Q	9507280286	9507280279	95/07/26	50-295 P
9507270254	9507270239	95/02/09	50-324 Q	9507280291	9507280287	95/07/25	50-277 P
9507270255	9507270239	95/02/09	50-324 Q	9507280293	9507280287	95/07/25	50-277 P
9507270257	9507270256	95/07/24	50-456 P	9507280299	9507280296	95/07/18	COMMISSION N
9507270259	9507270256	95/07/24	50-456 P	9507280306	9507280302	95/07/13	COMMISSION N
9507270265	9507270262	95/07/24	50-245 P	9507310005	9507310001	95/07/25	50-285 Q
9507270267	9507270262	95/07/24	50-245 P	9507310007	9507310001	95/07/25	50-285 Q
9507270270	9507270249	95/07/10	50-276 P	9507310012	9507310011	95/07/25	40-8084
9507270272	9507210227	95/01/20	FOIA	9507310014	9507210227	95/01/20	FOIA
9507270275	9507270249	95/07/10	50-276 P	9507310017	9507310013	95/07/25	50-445 Q
9507270276	9507210227	95/01/20	FOIA	9507310019	9507210227	95/01/20	FOIA
9507270278	9507210227	95/01/20	FOIA	9507310021	9507210227	95/01/20	FOIA
9507270280	9507210227	95/01/20	FOIA	9507310024	9507210227	95/01/20	FOIA
9507270282	9507210227	95/01/20	FOIA	9507310028	9507310023	95/07/11	50-331 Q
9507270283	9507210227	95/01/20	FOIA	9507310030	9507210227	95/01/20	FOIA
9507270284	9507210227	95/01/20	FOIA	9507310032	9507210227	95/01/20	FOIA
9507270287	9507210227	95/01/20	FOIA	9507310033	9507310029	95/07/21	WASTE MGT
9507270290	9507270277	95/07/18	50-352 P	9507310037	9507310035	95/07/25	50-298 Q
9507270293	9507210227	95/01/20	FOIA	9507310038	9507310036	95/07/25	50-482 P
9507270297	9507270295	95/07/21	50-285 P	9507310041	9507310035	95/07/25	50-298 Q
9507270300	9507270295	95/07/21	50-285 P	9507310046	9507210227	95/01/20	FOIA
9507270302	9507270277	95/07/18	50-352 P	9507310049	9507310043	95/07/26	50-155 P
9507270314	9507270311	95/07/24	50-245 P	9507310050	9507210227	95/01/20	FOIA
9507270317	9507270311	95/07/24	50-245 P	9507310051	9507310045	95/07/25	50-254 F
9507270324	9507270321	95/07/18	50-352 P	9507310054	9507210227	95/01/20	FOIA
9507270325	9507270320	95/07/24	50-309 P	9507310055	9507310052	95/07/24	50-443 P
9507270327	9507270321	95/07/18	50-352 P	9507310057	9507310052	95/07/24	50-443 P
9507270328	9507270320	95/07/24	50-309 P	9507310062	9507210227	95/01/20	FOIA
9507270337	9507210227	95/01/20	FOIA	9507310065	9507210227	95/01/20	FOIA
9507270343	9507210227	95/01/20	FOIA	9507310066	9507310058	95/07/21	50-277 Q
9507270346	9507210227	95/01/20	FOIA	9507310067	9507210227	95/01/20	FOIA
9507270348	9507210227	95/01/20	FOIA	9507310072	9507210227	95/01/20	FOIA
9507270351	9507210227	95/01/20	FOIA	9507310073	9507310064	95/07/20	50-289 P
9507270354	9507210227	95/01/20	FOIA	9507310075	9507210227	95/01/20	FOIA
9507270359	9507270332	95/07/21	50-285 P	9507310078	9507210227	95/01/20	FOIA
9507270360	9507270352	95/07/21	50-413 P	9507310079	9507310074	95/07/27	50-271 P
9507270363	9507270352	95/07/21	50-413 P	9507310080	9507210227	95/01/20	FOIA
9507270364	9507270332	95/07/21	50-285 P	9507310083	9507210227	95/01/20	FOIA
9507270371	9507270368	95/07/24	52-3	9507310084	9507210227	95/01/20	FOIA
9507270374	9507270367	95/07/07	ORG	9507310090	9507310088	95/07/24	50-289 P
9507270398	9507270397	95/07/14	50-321 K	9507310093	9507210227	95/01/20	FOIA
9507270399	9507270397	95/07/14	50-321 K	9507310099	9507210227	95/01/20	FOIA
9507270405	9507270402	95/07/24	TOPREP	9507310100	9507210227	95/01/20	FOIA
9507280009	9507280007	95/07/18	50-309 Q	9507310103	9507210227	95/01/20	FOIA
9507280014	9507280013	95/07/18	50-352 P	9507310105	9507310104	95/07/26	50-482 S
9507280015	9507280013	95/07/18	50-352 P	9507310107	9507210227	95/01/20	FOIA
9507280017	9507280012	95/07/19	50-272 F	9507310111	9507210227	95/01/20	FOIA
9507280050	9507280044	95/07/25	70-1151	9507310114	9507210227	95/01/20	FOIA
9507280051	9507280044	95/07/25	70-1151	9507310119	9507210227	95/01/20	FOIA
9507280054	9507280042	95/07/21	50-277 P	9507310123	9507210227	95/01/20	FOIA
9507280061	9507280047	95/07/20	50-354 Q	9507310124	9507210227	95/01/20	FOIA
9507280075	9507280071	95/07/24	50-346 P	9507310126	9507210227	95/01/20	FOIA
9507280084	9507280081	95/04/27	WASTE MGT	9507310129	9507310127	95/02/08	FOIA
9507280090	9507280087	95/07/05	WASTE MGT	9507310133	9507210227	95/01/20	FOIA
9507280103	9507280097	95/02/21	FOIA	9507310135	9507310126	95/07/25	50-456 Q
9507280106	9507280102	95/07/27	71-*****	9507310139	9507210227	95/01/20	FOIA
9507280109	9507280101	95/07/07	50-528 F	9507310140	9507210227	95/01/20	FOIA
9507280114	9507280110	95/07/24	50-327 S	9507310141	9507310132	95/07/21	50-206 F
9507280117	9507280094	95/07/06	50-413 F	9507310154	9507310153	95/07/26	50-382 P
9507280121	9507280101	95/07/07	50-528 F	9507310161	9507310158	95/07/24	40-9027
9507280131	9507280127	95/02/09	50-498 P	9507310162	9507310160	95/07/31	50-454 P
9507280135	9507280127	95/02/09	50-498 P	9507310171	9507310166	95/02/17	FOIA
9507280136	9507280133	95/07/18	50-321 Q	9507310173	9507310166	95/07/21	50-321 P
9507280155	9507280146	95/07/12	ORG	9507310175	9507310166	95/02/17	FOIA

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 235

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9507310180	9507310178	95/07/21	50-286 P	9507310248	9507310235	95/02/22	FOIA
9507310181	9507310178	95/07/21	50-286 P	9507310250	9507310247	95/07/26	50-250 P
9507310182	9507310177	95/07/20	50-334 P	9507310251	9507310232	95/02/10	50-498 Q
9507310188	9507310185	95/07/11	27-48	9507310255	9507310235	95/02/22	FOIA
9507310193	9507310192	95/07/26	50-250 P	9507310257	9507310249	95/03/06	FOIA
9507310197	9507310195	95/07/24	50-309 P	9507310262	9507310258	95/07/21	50-267 Y
9507310200	9507310198	95/07/26	50-250 P	9507310264	9507310260	95/07/25	50-456
9507310204	9507310203	95/07/24	50-309 P	9507310267	9507310241	95/07/24	50-269
9507310209	9507310207	95/03/02	FOIA	9507310268	9507310252	95/02/10	50-2f Q
9507310212	9507310207	95/03/02	50-341 P	9507310270	9507310260	95/07/25	50-
9507310215	9507310207	95/03/02	FOIA	9507310271	9507310266	95/07/21	50-333 Q
9507310218	9507310207	95/03/02	FOIA	9507310274	9507310232	95/02/10	50-498 Q
9507310220	9507310219	95/07/26	50-250 P	9507310275	9507310272	95/07/24	50-498 P
9507310221	9507310213	95/07/21	50-62 P	9507310277	9507310272	95/07/24	50-498 P
9507310223	9507310213	95/07/21	50-62 P	9507310278	9507280309	95/07/25	TOPREP
9507310226	9507310224	95/07/26	50-250 P	9507310283	9507310266	95/07/21	50-333 Q
9507310231	9507310227	95/07/27	71-644	9507310289	9507310286	95/07/21	50-331 P
9507310236	9507310234	95/07/26	50-250 P	9507310290	9507310185	95/07/11	27-48
9507310237	9507310227	95/07/27	71-644	9508010100	9507310150	95/07/27	WASTE MGT
9507310238	9507310233	95/07/20	50-528 P	9508010152	9507310258	95/07/21	50-267 Y
9507310240	9507310239	95/07/27	71-601	9508010187	9507310132	95/07/21	50-206 F
9507310243	9507310232	95/02/10	50-498 Q	9508010190	9507310284	95/03/07	FOIA
9507310245	9507310239	95/07/27	71-601	9508020249	9507310157	95/02/15	FOIA
9507310246	9507310241	95/07/24	50-289 P	9508040203	9507190312	95/02/06	50-498 Q
				9508100342	9507180094	95/07/12	50-456 P

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|---|
| 19. Safety Evaluation Reports (SERs) on specific generic issues. | 21. Backup technical documents (e.g., topical reports) submitted in support of the application. |
| | 22. Proposed equipment failure/instructions. |
| 20. Reports of site visits. | 23. NRC's changes in internal organizational structure. |

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

- All related correspondence is filed in Category A.
- | | |
|---|--|
| 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report). | 2. Amendments and changes to the PSAR. |
| | 3. Transmittal and acknowledgment letters. |
| | 4. Certificates of service to the PSAR. |

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

- | | |
|---|--|
| 1. Environmental Report (ER) submitted by the utility. | 6. Federal Register notices citing the availability of items 1 and 2. |
| 2. Amendments and supplements to the ER. | 7. Correspondence relating to the review of ER. |
| 3. Transmittal and acknowledgment letters. | 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. |
| 4. Information on scheduling of submittal or review of ER. | 9. Correspondence relating to certification of pollution control devices. |
| 5. NRC questions, requests for additional information, and applicant responses. | NOTE: Other environmental documents are filed in Categories A, D, P, or R. |

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC. 2. Supplements to the DES and FES. 3. Correspondence relating to the DES and FES. 4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals. 5. Transmittal and acknowledgment letters. 6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements. | <ol style="list-style-type: none"> 7. Backup technical documents submitted in connection with above. 8. Federal Register notices citing availability of items 1 and 2. 9. Reports of site visits to obtain information for the DES or FES. 10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES. <p>NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.</p> |
|---|---|

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR. 2. Supplements to the SER. 3. Correspondence relating to the SER and supplements. 4. Federal Register notices citing availability of items 1 and 2. 5. Information on scheduling of SER submittals and review. | <ol style="list-style-type: none"> 6. Requests for additional information for use in preparing SER; responses to such requests. 7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER. 8. Transmittal and acknowledgment letters. <p>NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.</p> |
|---|---|

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility. 2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility. 3. Amendments and changes to the FSAR and USAR. | <ol style="list-style-type: none"> 4. Federal Register notices citing availability of the FSAR and amendments. 5. Transmittal and acknowledgment letters. 6. Certificates of service to the FSAR and USAR. <p>NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.</p> |
|---|---|

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review". 2. Correspondence where the primary topic of discus- | <p>sion is antitrust matters.</p> <ol style="list-style-type: none"> 3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N. |
|--|---|

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

ing, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.
9. Information on the Standard Review Plan (STP).
10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).
11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|--|
| 12. Owner's group meeting announcements and reports. | 19. Start-up test reports. |
| 13. Quality assurance information. | 20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i> |
| 14. Environmental matters (technical). | 21. SERs on specific generic issues. |
| 15. Seismic qualification review team (SQRT) reports and related correspondence. | 22. Proposed equipment failure/instructions. |
| 16. Emergency core cooling system documents. | 23. Inservice testing (not inspections). |
| 17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y. | 24. Reports of site visits. |
| 18. Correspondence regarding expansion of spent fuel storage pool. | 25. Application to voluntarily surrender license, dismantle, and dispose of component parts. |
| | 26. Changes in NRC's internal organizational structure. |

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

- | | |
|--|--|
| 1. Inspection reports. | 7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs). |
| 2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices. | 8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S. |
| 3. Responses by applicant to IE correspondence. | 9. Health physics inspections/appraisals. |
| 4. Applicant's determination of proprietary nature of Inspection Reports. | 10. Emergency preparedness inspections/appraisals. |
| 5. Letters concerning areas of noncompliance. | 11. Inspections and related correspondence from the International Atomic Energy Agency. |
| 6. Pre-service and in-service inspections and procedures. | 12. Systematic Assessment of Licensee Performance (SALP). |

DEFINITIONS OF DOCKET 50 CATEGORIES

- | | |
|--|---|
| <p>13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.</p> <p style="margin-left: 20px;">A. Integrated Design Inspection (IDI) reports.</p> <p style="margin-left: 20px;">B. Independent Design Verification Program (IDVP) reports.</p> <p>14. Notice of significant licensee meetings.</p> | <p>15. Performance Appraisal Team (PAT) reports.</p> <p>16. Licensee/Vendor interface inspections.</p> <p>17. Correspondence relating to items 12, 13, 14, 15 and 16.</p> <p>NOTE: For IE Bulletins and Information Notices, see I&E file series.</p> |
|--|---|
-

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

- | | |
|--|---|
| <p>1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.</p> <p>2. Periodic environmental monitoring, effluent testing, or similar reports.</p> <p>3. Periodic personnel exposure reports.</p> | <p>4. Periodic nonconformance reports (issued pursuant to Board orders).</p> <p>5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.</p> <p>6. Correspondence or other documents relating to the items listed.</p> |
|--|---|
-

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

- | | |
|--|---|
| <p>1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).</p> <p>2. Potential or possible reportable Deficiency Reports and related correspondence.</p> <p>3. Individual Personnel Exposure Reports.</p> | <p>4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).</p> <p>5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).</p> <p>6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.</p> <p>7. Part 21 Reports or Defects and Noncompliance.</p> <p>8. Correspondence or other documents relating to items 1-7.</p> |
|--|---|

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.

4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.

4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.

3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. Order granting authority to dismantle/decommission. 2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental | <p>Report on Dismantling, Safety Analysis Report on Decommissioning.</p> <ol style="list-style-type: none"> 3. Documents relating to disposal of radioactive material and decontamination of the site. 4. Other correspondence relating to decommissioning. 5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P. |
|--|---|

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

0. 10
0. 10
0. 10

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR-- Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS-- Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
 2. Meeting announcements; description of meeting agenda.
 3. Minutes and verbatim transcripts of committee meetings.
 4. Committee-generated reports, memoranda, and correspondence that are publicly available.
 5. Committee-related correspondence.
-

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.
2. Contractual documents and modifications to contracts.

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989).
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

cussing methodologies, analyses, the program and technical aspects of issues.

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC discussing methodologies, analyses, the program and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

DEFINITIONS OF NONDOCKETED CATEGORIES

- | | |
|---|--|
| 4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations. | Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance. |
| 5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest. | 7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties. |
| 6. Preliminary Notifications of Safeguards Events or | NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file. |
-

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

- | | |
|---|---|
| 1. Results of licensing studies of specific plants or facilities preliminary to licensing actions. | 6. Management and program analysis reports. |
| 2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry. | 7. Statistical analyses that are of interest to the staff, the industry, and the public. |
| 3. Action and review plans, as well as guidance, for meeting NRC requirements. | 8. Administrative reports that are of interest to the staff, the industry, and the public. |
| 4. Task force reports on specific topics. | 9. Correspondence from industry, government, and the public commenting on reports. |
| 5. Proceeding of conferences and workshops. | 10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports. |
- NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR – Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.
5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).
3. Applicant Quality Assurance Manual.
4. Early site review information.
5. Backup technical documents submitted in support of the application.
6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.
2. Amendments and change to the PSAR.
3. Transmittal and acknowledgment letters.

DEFINITIONS OF NONDOCKETED CATEGORIES

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

PT 21 -- 10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999 -- Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.
 - a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects or final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
 3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

DEFINITIONS OF NONDOCKETED CATEGORIES

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP—Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
 2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
 3. Research plans and predicted results of major experiments and presentations by research contractors.
 4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
 5. Internal memoranda relating to topics under discussion.
 6. Correspondence related to items 1 through 5.
-

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
 2. Notifications of Hearing Board meetings.
 3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
 4. Hearing Board orders and rulings.
 5. Technical reports submitted as evidence in the proceedings.
 6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
-

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

DEFINITIONS OF NONDOCKETED CATEGORIES

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG — State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
 - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
 - b. NRC review of Agreement State radiation control program.

- c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.
2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
 - a. Technical high-level waste site precicensing documentation.
 - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
 - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

DEFINITIONS OF NONDOCKETED CATEGORIES

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.
4. NRC topical report reviews and associated correspondence.

5. Correspondence from citizens and other non-government organizations for the above items.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES – Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.
2. Trip reports.

3. Draft and final reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.
-

XPORTLIC – Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

6. Hearing records and decisions.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER
(Assigned by NRC, Add Vol.,
Supp., Rev., and Addendum Num-
bers, if any.)

NUREG-0540
Vol. 17, No. 7

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

July 1-31, 1995

3. DATE REPORT PUBLISHED

MONTH | YEAR

September | 1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)


Unclassified

(This Report)

Unclassified

15. NUMBER OF PAGES

16. PRICE



Federal Recycling Program

UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

120555139531 1 1A1A51CV
US NRC-OADM
DIV FOIA & PUBLICATIONS SVCS
TPS-PDR-NUREG
2WFN-6E7 DC 20555
WASHINGTON

SPECIAL FOURTH-CLASS MAIL
POSTAGE AND FEES PAID
USNRC
PERMIT NO. G-67