

INDEX

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

<u>SECTION</u>	<u>PAGE</u>
<u>3/4.2</u>	<u>POWER DISTRIBUTION LIMITS</u>
3/4.2.1	AXIAL POWER IMBALANCE 3/4 2-1
3/4.2.2	NUCLEAR HEAT FLUX HOT CHANNEL FACTOR $-F_0$ 3/4 2-4
3/4.2.3	NUCLEAR ENTHALPY RISE HOT CHANNEL FACTOR $-F_{\Delta H}^N$ 3/4 2-6
3/4.2.4	QUADRANT POWER TILT 3/4 2-8
3/4.2.5	DNB PARAMETERS 3/4 2-12
<u>3/4.3</u>	<u>INSTRUMENTATION</u>
3/4.3.1	REACTOR PROTECTION SYSTEM INSTRUMENTATION 3/4 3-1
3/4.3.2	ENGINEERED SAFETY FEATURE ACTUATION SYSTEM INSTRUMENTATION 3/4 3-9
3/4.3.3	MONITORING INSTRUMENTATION
	Radiation Monitoring Instrumentation 3/4 3-22
	Incore Detectors 3/4 3-26
	Seismic Instrumentation 3/4 3-28
	Meteorological Instrumentation 3/4 3-31
	Remote Shutdown Instrumentation 3/4 3-34
	Post-accident instrumentation 3/4 3-37
	Waste Gas Decay Tank - Explosive Gas Monitoring Instrumentation 3/4 3-53
	Toxic Gas System
	- Chloride Detection 3/4 3-55
	- Sulfur Dioxide Detection 3/4 3-56

INDEX

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

<u>SECTION</u>		<u>PAGE</u>
3/4.7	PLANT SYSTEMS	
3/4.7.2	STEAM GENERATOR PRESSURE/TEMPERATURE LIMITATION	3/4 7-13
3/4.7.3	CLOSED CYCLE COOLING WATER SYSTEM	
	Nuclear Services Closed Cycle Cooling System	3/4 7-14
	Decay Heat Closed Cycle Cooling Water System	3/4 7-15
3/4.7.4	SEA WATER SYSTEM	
	Nuclear Services Sea Water System	3/4 7-16
	Decay Heat Sea Water System	3/4 7-17
3/4.7.5	ULTIMATE HEAT SINK	3/4 7-18
3/4.7.6	FLOOD PROTECTION	3/4 7-19
3/4.7.7	CONTROL ROOM EMERGENCY VENTILATION SYSTEM	3/4 7-20
3/4.7.8	AUXILIARY BUILDING VENTILATION EXHAUST SYSTEM	3/4 7-23
3/4.7.9	HYDRAULIC SNUBBERS	3/4 7-25
3/4.7.10	SEALED SOURCE CONTAMINATION	3/4 7-35
3/4.7.11	DELETED	
3/4.7.12	DELETED	
3/4.7.13	RADIOACTIVE WASTE SYSTEMS	
	Waste Gas Decay Tanks	3/4 7-48
	Waste Gas Decay Tank - Explosive Gas Mixture	3/4 7-54

INDEX

BASES

<u>SECTION</u>		<u>PAGE</u>
3.4.6	<u>PLANT SYSTEMS</u>	
3/4.7.1	TURBINE CYCLE	B 3/4 7-1
3/4.7.2	STEAM GENERATOR PRESSURE/TEMPERATURE LIMITATION	B 3/4 7-3
3/4.7.3	CLOSED CYCLE COOLING WATER SYSTEM	B 3/4 7-3
3/4.7.4	SEA WATER SYSTEM	B 3/4 7-3
3/4.7.5	ULTIMATE HEAT SINK	B 3/4 7-4
3/4.7.6	FLOOD PROTECTION	B 3/4 7-4
3/4.7.7	CONTROL ROOM EMERGENCY VENTILATION SYSTEM	B 3/4 7-4
3/4.7.8	AUXILIARY BUILDING VENTILATION EXHAUST SYSTEM	B 3/4 7-5
3/4.7.9	HYDRAULIC SNUBBERS	B 3/4 7-5
3/4.7.10	SEALED SOURCE CONTAMINATION	B 3/4 7-6
3/4.7.11	DELETED	
3/4.7.12	DELETED	
3/4.7.13.1	WASTE GAS DECAY TANKS	B 3/4 7-7
3/4.7.13.2	DELETED	
3/4.7.13.3	DELETED	
3/4.7.13.4	DELETED	
3/4.7.13.5	EXPLOSIVE GAS MIXTURE	B 3/4 7-8

ADMINISTRATIVE CONTROLS

SPECIAL REPORTS

- 6.9.2 Special reports shall be submitted to the Director of the Office of Inspection and Enforcement, Region II, within the time period specified for each report. These reports shall be submitted covering the activities identified below. A separate Licensee Event Report, when required by 10 CFR 50.73(a), need not be submitted if the Special Report meets the requirements of 10 CFR 50.73(b) in addition to the requirements of the applicable referenced Specification.
- a. ECCS Actuation, Specification 3.5.2 and 3.5.3.
 - b. Inoperable Seismic Monitoring Instrumentation, Specification 3.3.3.3.
 - c. Inoperable Meteorological Monitoring Instrumentation Specification 3.3.3.4.
 - d. Seismic event analysis, Specification 4.3.3.3.2.
 - e. Deleted.
 - f. Specific Activity, Specification 3.4.8.
 - g. Results of Steam Generator Tube Inspection. Specification 4.4.5.5.b.
 - h. Deleted.
 - i. Deleted.
 - j. Deleted.
 - k. Deleted.
 - l. Deleted.
 - m. Deleted.
 - n. Deleted.
 - o. Deleted.