



DEPARTMENT OF THE ARMY
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, D.C. 20012

REPLY TO
ATTENTION OF

HS HL-HP

13 JAN 1984

SUBJECT: Amendment of U.S. Nuclear Regulatory Commission License
No. 08-01738-02

THRU: Commander *X 25 Jan 84*
U.S. Army Health Service Command
ATTN: HSPA-P
Ft Sam Houston, TX 78234

TSG HQDA (DASG-PSP-E)
Washington, DC 20310

TO: Director
Office of Nuclear Material Safety
and Safeguards
U.S. Nuclear Regulatory Commission
Washington, DC 20555

1. Request that NRC License No. 08-01738-02 be amended to incorporate the following changes:

a. Form NRC-131M, Item 2., "Person to Contact Regarding This Application": William E. Woodward, LTC, MSC, Health Physics Officer, WRAMC, Telephone No. (301) 427-5107.

b. Form NRC-313M, Item 5., "Radiation Safety Officer": William E. Woodward, LTC, MSC. A resume of training experience is provided at Item of this request for amendment.

c. Form NRC-313M, Item 6b., "Radioactive Material for Uses Not Listed in Item 6a.":

<u>Element and Mass Number</u>	<u>Chemical Form</u>	<u>Max No.mCi</u>	<u>Purpose</u>
Iodine-131	Any	2000	Medical research development as defined in Section 30.4 Title 10, Code of Federal Regulations, Part 3 and Human Use as Defined in Section 35.3, Title 10, Code of Federal Regulation, Part 35.

8410040206 840922
NMS LIC30
08-01738-02 PDR

FEE EXEMPT

17672

Xenon-133	Any	1,500	"	"
Molybdenum-99	Molybdenum-99/ Technetium 99 Generators	23,000	"	"
Gadolinium-153	Sealed Sources	2000	Lunar Radiation Corp. Bone Mineral Analyzer, Model DP-3	

d. Form NRC-131M, Item 7., Medical Isotopes Committee.:

(1) The regulation number for WRAMC Regulations 40-34, "Boards, Commissions and Committees" is changed to WRAMC Regulation 15-4. The revised regulation aligns the composition of the Radiation Control Committee with 10CFR 35.11.

(2) HSHL-HP Memo Number 4, "Organization and Function of the Radiation Control Committee Subcommittees" is revised to reflect dissolutions of the Subcommittee for Non-Human Use of Ionizing Radiation and the Subcommittee for Medical Evaluation of Radiation Workers.

(3) The WRAMC Radiation Control Committee Membership listing is revised to name current members. A curriculum vitae for each new member is provided with this request for amendment.

e. Form NRC-313M, Item 10, Calibration of Instruments: The procedure for checking activity linearity of dose calibrators has been revised to include the use of a device called Calicheck from CALCORP. Inc.

f. Form NRC-313 M, Item 12, Personnel Training Program: HSHL-HP Memo Number 2, "Personnel Training Program" is replaced by WRAMC Regulation 40-10, "Medical Service - Health Physics," Chapter 2, "Training."


g. Form NRC-131M, Item 23, Procedures and Precautions for for Use of Radioactive Material Specified in Item 6b:

(1) SOP Number 1-3, "Bioassay Program is revised to specify phosphorus-32 and reference "Condition No. 7 for Radioactive Material

(2) SOP Number 1-9, "Requirements for the use of Radioactive Iodine" is replaced by "Condition No. 7 for Radioactive Material Authorizations - Requirements for the use of Radioactive Iodine, Tritium and Phosphorus-32."

FOR THE COMMANDER:

1 Incl
as (6 copies)



LARRY T. JONES
LTC, MSC
Adjutant General

CF: CDR AEHA
ATTN: HSE-RH