

RELATED CORRESPONDENCE

DOCKETED
USNRC

'84 NOV 19 P1:47

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

IN THE MATTER OF)	
ILLINOIS POWER COMPANY,)	
SOYLAND POWER COOPERATIVE, INC.)	
and WESTERN ILLINOIS POWER)	
COOPERATIVE, INC.)	Docket No. 50-461 OL
)	
(Operating License for Clinton)	
Power Station, Unit 1))	

NOTICE

TO: Hugh K. Clark, Esq., Chairman
P.O. Box 127A
Kennedyville, Maryland 21645

Dr. George A. Ferguson
School of Engineering
Howard University
2300 Sixth Street, N.W.
Washington, D.C. 20059

Dr. Oscar H. Paris
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Executive Legal Director
United States Nuclear Regulatory Commission
Washington, D.C. 20555

Allen Samelson
Assistant Attorney General
Environmental Control Division
Southern Region
500 South Second Street
Springfield, Illinois 62706

Jean Foy
511 West Nevada
Urbana, Illinois 61801

Prairie Alliance
Box 2424
Station A
Champaign, Illinois 61820

Fred Christianson
U.S. Nuclear Regulatory Commission
Clinton Power Station
R.R.3, Box 228
Clinton, Illinois 61727

Atomic Safety and Licensing Board Panel
U.S. Nuclear Regulatory Commission
Washington, D. C. 20555

Atomic Safety and Licensing Appeal Board Panel
U.S. Nuclear Regulatory Commission
Washington, D. C. 20555

PLEASE TAKE NOTICE that I have today filed with the Secretary of the United States Nuclear Regulatory Commission the attached THIRD SUPPLEMENTAL RESPONSE OF ILLINOIS POWER TO THE STATE OF ILLINOIS' SECOND SET OF INTERROGATORIES TO APPLICANTS. A copy of this document is attached hereto and hereby served upon you.

Charles D. Fox IV
One of the Attorneys for
Applicants

Sheldon A. Zabel
Charles D. Fox IV
Sara L. Johnson
SCHIFF HARDIN & WAITE
7200 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606
(312) 876-1000

Jack R. Newman
George L. Edgar
NEWMAN & HOLTZINGER, P.C.
Suite 1000
1615 L Street, N.W.
Washington, D.C. 20036
(202) 955-6600

Dated November 15, 1984

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

DOCKETED
USNRC

84 NOV 19 P1:48

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

IN THE MATTER OF)
ILLINOIS POWER COMPANY,)
SOYLAND POWER COOPERATIVE,)
INC. and WESTERN ILLINOIS)
POWER COOPERATIVE, INC.)
(Operating License for)
Clinton Power Station,)
Unit 1))

Docket No. 50-461 OL

THIRD SUPPLEMENTAL RESPONSE OF
ILLINOIS POWER TO THE STATE OF
ILLINOIS' SECOND SET OF
INTERROGATORIES TO APPLICANTS

Pursuant to Section 2.740(e) of the Rules of Practice of the Nuclear Regulatory Commission, Illinois Power Company ("IP"), on behalf of itself, Soyland Power Cooperative, Inc., and Western Illinois Power Cooperative, Inc., the Applicants for an operating license for Unit 1 of the Clinton Power Station, hereby further supplements for the period October 1, 1983 through September 30, 1984, with respect to those interrogatories on Contention II, its RESPONSE OF ILLINOIS POWER TO THE STATE OF ILLINOIS' SECOND SET OF INTERROGATORIES TO APPLICANTS dated December 15, 1981 (the "Response"), its SUPPLEMENTAL RESPONSE OF ILLINOIS POWER TO THE STATE OF ILLINOIS' FIRST SET OF INTERROGATORIES dated March 16, 1982 (the "First Supplemental Response"), and its SECOND SUPPLEMENTAL RESPONSE OF ILLINOIS POWER TO THE STATE

OF ILLINOIS' SECOND SET OF INTERROGATORIES TO APPLICANTS
dated March 23, 1984 (the "Second Supplemental Response"),
as follows:

[General Interrogatory No. 1: Identify all persons who have assisted in any way in the preparation of each answer to each interrogatory below and describe the substance of each person's assistance.]

ANSWER: All information for this Third Supplemental Response was prepared under the supervision and direction of W. Connell, Illinois Power Manager--Quality Assurance.

[General Interrogatory No. 2: Identify all documents that were relied upon to provide an answer to each interrogatory below, and describe the substance of each document so used.]

ANSWER: Relevant documents have been made available to the State of Illinois on December 6-8, 1983, February 9-10, 1984, and March 19, 1984 covering the period November 15, 1981 through December 8, 1983. Relevant documents not previously available for inspection are available for inspection at the Clinton Power Station.

[General Interrogatory No. 3: Identify all persons whom IPC plans to call to testify as to each contention, and state the qualifications of each person so identified.]

ANSWER: Illinois Power presently plans to provide its list of witnesses on Contention II on November 15, 1984 in a separate filing.

[General Interrogatory No. 4: Describe for each interrogatory any additional research or work, if any, that IP plans to do that will affect the answer.]

ANSWER: Illinois Power is continuously engaged in monitoring information that may affect the design, construction or operation of the Clinton Power Station. Unless otherwise noted, or unless new information indicates the need for further investigation, Illinois Power does not plan to conduct further research which may affect the answers relative to a particular interrogatory.

- [5. Identify the persons who were, but are no longer, employed on the inspection staff of Baldwin Associates' (BA) Department of Quality Control (QC). For each person so identified state:
- a. his qualifications for the position
 - b. his performance in the position
 - c. the time period of his employment in the position; and
 - e. the reason for termination of employment.]

ANSWER: See Exhibit A

- [5.d. the substance of any complaints made by him to IP, BA, or NRC about QA/QC program;]

ANSWER: See answer to Interrogatory No. 24.

- [6. State how many persons are now employed on the QC inspection staff.]

ANSWER: One hundred sixty five individuals are presently employed on the Baldwin Associates QC inspection staff.

[6.a. State how many of that number are undergoing training to meet the requirements for the position. Describe what training they are receiving.]

ANSWER: Fifty individuals are undergoing training. These individuals are being trained for advanced certifications. The general training description for QC personnel is as follows:

CLASSROOM TRAINING

All Quality Control personnel during training are required to attend specific training sessions conducted by Training Instructors from each discipline or site training personnel as defined by the Training Coordinator and Senior Discipline Engineer. Included in these training sessions are instructions to reference the latest revisions to all applicable documents. An outline of each training session is presented to all new employees for guidance during the training period. Classroom training varies for each employee according to the area for which the new employee is being trained.

The training sessions are arranged to supplement on-the-job training the new employee will receive (i) in the field and (ii) with required reading of procedures, codes and standards. A classroom attendance record is kept on

each employee to document total man-hours in training. A personnel package of records for each employee to be certified is established and maintained throughout the duration of his or her employment.

ON-THE-JOB TRAINING

Each employee during the training period must accumulate a minimum number of hours performing tests, examinations, and inspections. This on-the-job training is documented to show that each employee meets minimum requirements for actual firsthand experience performing quality functions.

Training schedules are developed on a week-to-week basis to judge progress and determine evaluation of performance during the training period. To coincide with the on-the-job training, there are required reading lists. The reading of materials from these generic and specific reading lists helps to guide employees during their training and to develop proficiency in their particular areas.

[7. State how many persons are now employed in the BA QC Department.]

ANSWER: One hundred ninety-one individuals are presently employed in the Baldwin Associates QC Department.

[7.a. State how many of the number are undergoing training to meet the requirements for the position. Describe the positions for which

they are receiving training and the type of training involved.

ANSWER: See answer to Interrogatory No. 6.a.

- [8. Identify those persons who were, but are no longer, employed on the inspection staff of BA's piping department. For each person so identified state:
- a. his qualifications for the position;
 - b. his performance in the position;
 - c. the time period of his employment in the position; and
 - e. the reason for termination of employment.]

ANSWER: Baldwin Associates Piping department does not have an inspection staff. Inspection activities are performed by Baldwin Associates Quality Control employees responsible for mechanical inspection. See Exhibit B for former Baldwin Associates Quality Control personnel responsible for piping/mechanical inspections.

- [8.d. the substance of any complaints he made to IP, BA or NRC about the QA/QC program;]

ANSWER: See answer to Interrogatory No. 24.

- [9. Identify those persons who are now employed on the inspection staff of BA's Piping Department. For each person so identified state:
- a. his duties and responsibilities;
 - b. his qualifications for the position]

ANSWER: Baldwin Associates' Piping Department does not have an inspection staff. Inspection activities relating to piping are performed by Baldwin Associates' Quality Control employees responsible for mechanical inspections. See Exhibit C for information requested with respect to present Baldwin Associates' Quality Control employees responsible for mechanical inspections.

[9.c. the substance of any complaints he had made to IP, BA or NRC about the QA/QC program.]

ANSWER: See Answer to Interrogatory No. 24.

- [10. Identify each person who is now employed in the BA small bore design group. For each person so identified state:
- a. his duties and responsibilities; and
 - b. his qualifications for the position]

ANSWER: See Exhibit D

[10.c. the substance of any complaints he has made to IP, BA or NRC about the QA/QC program.]

ANSWER: See Answer to Interrogatory No. 24.

- [11. Describe the current QA system for the documentation of procurement and specification requirements.
- a. Describe the changes, if any, that IP has made in this system since the issuance of IE Inspection Report 50-461/81-05.]

ANSWER: The answer to Interrogatory No. 11 in the Second Supplemental Response is still valid.

[11.b. Identify all those persons who are responsible for the changes, if any, that IP has made in this system.]

ANSWER: No changes were made to this system since the Second Supplemental Response.

[11.c Identify all those persons who are responsible for the management, operation and implementation of this system.]

ANSWERS: The persons responsible are J.D. Geier, Illinois Power Manager--Nuclear Station Engineering Department (NSED) until February, 1984; H. Victor, Illinois Power Manager--NSED, since February, 1984; L. Osborne, Baldwin Associates Manager of Quality and Technical Services; W. Connell, Illinois Power Manager--Quality Assurance; L. Moore, Baldwin Associates Resident Engineer until August, 1984; and S. Lyons, Baldwin Associates Superintendent of Engineering since August, 1984.

[12. Describe the current system of using travelers to detail installation and inspection requirements.

a. Describe the changes, if any, that IP has made in this system since the issuance of IE Inspection Report 50-461/81-05.]

ANSWER: The answer to Interrogatory No. 12.a in the Second Supplemental Response is still valid.

[12.b. Identify all those persons who are responsible for the changes, if any, that IP has made in this system.]

ANSWER: No changes were made to this system since the Second Supplemental Response.

[12.c. Identify all those persons who are responsible for the management, operation, and implementation of this system.]

ANSWER: The persons responsible are D.P. Hall, Illinois Power Vice President; W. Connell, Illinois Power Manager--Quality Assurance; J.H. MacKinnon, Illinois Power Project Manager until March, 1984; H.E. Daniels, Illinois Power Project Manager since March, 1984; W. Harrington, Baldwin Associates Project Manager until January, 1984; A. King, Baldwin Associates Project Manager since January, 1984; and L.W. Osborne, Baldwin Associates Manager of Quality and Technical Services.

[13. State the basis for IP's conclusion that the requirement that vendors acquire written authorization from IP, prior to shipment, to substitute a certificate of compliance for missing documentation, is unrealistic.]

ANSWER: The answer to Interrogatory No. 13 in the First Supplemental Response is still valid.

[14. Describe the QA system of document accountability and control that IP believes assures compliance with requirements for issuance of materials and equipment for installation or use at CPS-1.

ANSWER: The answer to Interrogatory No. 14 in the First Supplemental Response is still valid.

[15. State what IP believes is the purpose of Procedures BA 2.20 and BA 2.3 and describe what procedures IP uses to meet this purpose.]

ANSWER: The answer to Interrogatory No. 15 in the First Supplemental Response is still valid.

[16. Describe the system IP is using to inspect safety-related pipe hangers.]

ANSWER: The system used to inspect safety-related pipe hangers is described in BAP 3.2.5, Rev. 6D.

[16.a. Describe the changes, if any, that IP has made in this system since the issuance of IE Inspection 50-461/81-05.]

ANSWER The system used to inspect safety-related pipe hangers is described in BAP 3.2.5, Rev. 6D. The following changes have been made to the system since the Second Supplemental Response:

1. The requirements of QCI 300 were incorporated into BAP 3.2.5 and QCI 300 was deleted.
2. A requirement was added for QC to verify transfer of material identification markings prior to any cutting operations or subdivision of material.

3. Technical Services inspection requirements for supports with more than one primary attachment were clarified.
4. Phase III inspection checklists were added for Hydraulic Snubbers, Restraint Hangers, Riser Clamp Hangers, U-Bolt Hangers, Sliding Type Supports, and Multi-Direction Clamp Hangers.
5. An attachment was added to provide inspection instructions and acceptance criteria for Strut/ Snubber Clearance verification by QC.
6. Instructions and acceptance criteria were added for QC inspection of site threaded rod used in pipe supports.
7. Dimensional tolerances for box type supports were clarified.
8. When supplemental travelers or Nonconformance Reports are required to perform rework or fabrication on previously accepted hangers, the inspection may now be documented on an Inspection Report. Phase II or Phase III inspection checklists are not required for this activity.

[16.b. State the average maximum time span between hanger installation and QC inspection.]

ANSWER: The answer to Interrogatory 16.b in the Second Supplemental Response is still valid.

[16.c. State whether this system requires documentation of who installed the hanger components and when installation was completed.]

ANSWER: The answer to Interrogatory 16.c in the First Supplemental Response is still valid.

[16.d. Identify all those persons who were responsible for the changes, if any, that IP has made in this system.]

ANSWER: The person responsible is L. Osborne, Baldwin Associates Manager of Quality and Technical Services.

[16.e. Identify all those persons who are responsible for the management, operation, and implementation of this system.]

ANSWER: The persons responsible are W.C. Gerstner, Illinois Power Executive Vice President; D.P. Hall, Illinois Power Vice President; W. Connell, Illinois Power Manager--Quality Assurance; and L. Osborne, Baldwin Associates Manager of Quality and Technical Services.

[17. Describe IP's system to ensure that welders are familiar with welding procedures and parameters.]

- a. Describe the changes, if any, that IP has made in this system since the issuance of IE Inspection Report 50-461/81-05.
- b. Identify all those persons who were responsible for changes, if any, that IP made in this system.
- c. Identify all those persons who are responsible for management, operation, and implementation of this system.]

ANSWER: The answer to Interrogatory No. 17 in the Second Supplemental Response is still valid.

[18. Describe the record and document control system that IP uses to correlate IP audit findings to the necessary corrective actions.

- a. Describe the changes, if any, that IP has made in this system since the issuance of IE Inspection Report 50-461/81-05.]

ANSWER: The method used to correlate corrective actions to audit findings is the attachment (to the audit finding form) of a written response submitted by the audited organization which documents the corrective action taken. Furthermore, the Audit Team Leader's evaluation of corrective action and the verification of corrective action is documented on the audit finding form. Upon completion of these actions, a formal close-out of the audit finding is performed by a Lead Auditor, and then the finding is forwarded to the Supervisor-- Audits for review and concurrence signature.

- [18.b. Identify all those persons who are responsible for the changes, if any, that IP has made in this system.
- c. Identify all those persons who are responsible for the management, operation and implementation of this system.]

ANSWER: The persons responsible are W. Connell, Illinois Power Manager--Quality Assurance, R.E. Campbell, Illinois Power Director--Quality Systems and Audits, and C.F. Pegg, Illinois Power Supervisor--Audits.

- [19. Describe the system that IP uses to control the time taken between the completion and QA/QC inspection of work.
- a. Describe the changes, if any, that IP has made in this system since the issuance of IE Inspection Report 50-461/81-05.]

ANSWER: The answer to Interrogatory No. 19.a. in the Second Supplemental Response is still valid.

- [19.b. Identify all those persons who are responsible for the changes, if any, that IP has made in this system.
- c. Identify all those persons who are responsible for the management, operation, and implementation of this system.]

ANSWER: The persons responsible are D.P. Hall, Illinois Power Vice President; W. Connell, Illinois Power Manager--Quality Assurance; J.H. MacKinnon, Illinois Power Project Manager until March, 1984; H.E. Daniels, Illinois Power

Project Manager since March, 1984; and L. Osborne, Baldwin Associates Manager of Quality and Technical Services.

[22. Identify all S&L, BA, or GE documents, known to IP, specifically calling into question the judgment, experience, capability or commitment to quality of IP regarding the construction or proposed operation of CPS-1.]

ANSWER: To the best of Illinois Power's knowledge, none since the Second Supplemental Response.

[23. State whether IP has any knowledge of any IP, BA, or S&L employee resigning his position or otherwise being terminated on account of disagreement or dissatisfaction with the quality of construction or engineering work, or management decisions or policies relating to the construction or proposed operation of CPS-1 and, if so, identify documents or otherwise provide details pertaining to any such occurrences.]

ANSWER: Illinois Power, in order to protect the confidentiality of employees, will produce documents relevant to this interrogatory, in the same manner as information is produced with respect to the Quality Report System, described in the Answer to Interrogatory No. 24, upon the State of Illinois signing an appropriate protective order.

[24. State whether IP has any knowledge of any IP, BA or S&L employee lodging a complaint with IP concerning disagreement or dissatisfaction with the quality of construction or engineering work, or decisions or policies relating to the construction or proposed operation of CPS-1, which complaint did not result in the resignation or termination of that employee,

and, if so, identify documents or otherwise provide details pertaining to any such occurrences.]

ANSWER: There are four methods by which Illinois Power may have the information requested:

1. As of February 24, 1982, as described in the answer to Interrogatory No. 24 of the First Supplemental Response, a Quality Report System was instituted at Clinton Power Station. In accordance with the agreement with the State of Illinois of June 25, 1982, and the Agreed Protective Order dated August 2, 1982, Illinois Power will produce documents relating to Quality Reports in a separate filing.
2. Since the Second Supplemental Response, Illinois Power has instituted a quality concern telephone hotline. All messages received are investigated by the Illinois Power Manager - Quality Assurance and the results are reported to the Illinois Power Vice President Nuclear.
3. Since the Second Supplemental Response, the Safeteam Project has been established to provide opportunities for all onsite personnel to report nuclear safety or other construction-related concerns to IP management. These opportunities are:
 - a. Periodically, interviews are scheduled with QA, QC, and other employees involved in the

inspection or testing of safety-related systems at the Clinton Power Station in which employees may express any concerns.

- b. An opportunity for an interview is provided to elicit any concerns any exiting employee may have.
- c. One-on-one interviews with each terminated IP QA and BA Q&TS employee are held prior to the employee's departure.
- d. Any onsite employee with a concern can arrange for an interview at any time.
- e. Safeteam Concern Report forms are available at numerous locations throught the plant. These forms may be used by employees to describe concerns in writing. They also list Illinois and nation-wide toll-free telephone numbers which may be used to report concerns.


The Safeteam program is voluntary and the identity of participating individuals is protected. Each concern is investigated and the results of the investigation are reported to the employee raising the concern and to IP management; and

- 4. In the day to day course of construction, individuals may have complained to supervisors concern-

ing the construction or proposed operation of the Clinton Power Station.

Illinois Power, in order to protect the confidentiality of the persons making complaints and preserve the effectiveness of the systems, will produce documents relating to the quality concern telephone hotline, the Safeteam Project, and the individual complaints, if any, in the same manner as information is produced with respect to the Quality Report System, upon the State signing an appropriate Protective Agreement.

ILLINOIS POWER COMPANY

By: 
D.P. Hall
Vice President


Sheldon A. Zabel
Charles D. Fox IV
Sara L. Johnson
SCHIFF HARDIN & WAITE
7200 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606
(312) 876-1000

Jack Newman
George L. Edgar
NEWMAN & HOLTZINGER, P.C.
Suite 1000
1615 L Street, N.W.
Washington, D.C. 20036
(202) 955-6600

Dated: November 15, 1984


STATE OF ILLINOIS)
) SS
COUNTY OF MACON)

D. P. Hall, being duly sworn, deposes and says that he is Vice President of Illinois Power Company, one of the Applicants in this proceeding; that he has read, or has knowledge of, the foregoing Third Supplemental Answers of Illinois Power Company to the State of Illinois' Second Set of Interrogatories to Applicant; and that the same are true and correct to the best of his knowledge, information, and belief.



D.P. Hall

SUBSCRIBED AND SWORN to
before me this 14th day of
November, 1984.



Notary Public

My commission expires: October 1, 1986

EXHIBITS

EXHIBIT A

Third Supplemental Response of Illinois Power to the State of Illinois' Second Set of Interrogatories to Applicants.

FORMER QC

FULL NAME AND ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Richard Acevedo
2490 San Pasqual
Pasadena, Ca.

II

P/M Inspector

15 Months
12-15-82 to 3-18-83
Transferred to Turnover.

Joseph Amadon
1102 E. Washington
Leroy, Illinois

II

P/M

19 Months
6-14-82 to 1-18-84
Transferred to Turnover

Craig E. Anderson
2303 B. Melrose
Champaign, Illinois

III

QC Manager

13 Months
7-1-82 to 8-3-83
Transferred to QA Mgr.

Bill Armstrong
1312 W. Mt. Gilead Rd.
Decatur, Illinois

II

P/M Inspector

22 Months
9-7-82 to 7-11-84
Transfer to QE

Randy Beeker
802 Tyler
Monticello, Illinois

II

Vendor Surveillance Engineer

59 Months
5-4-76 to 4-24-81

Dennis Bell
R.R. 5, Box 385
Dunnello, Fla.

II

C/S

11 Months
6-28-78 to 2-25-83

Eric Bergameyer
P.O Box 306
Clinton, Illinois

II

C/S

21 Months
8-16-76 to 9-2-77

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Gerald Bitner
Town & Country Motel
Clinton, Illinois

II

Hydro & T/O Coord.

7 Months
8-17-82 to 2-25-83
Transferred to T/O

Chris Blenstraub
2313 Anchor Drive
Bloomington, Illinois

II

P/M Inspector

12 Months
8-17-82 to 2-25-83

Sharon Bodine
1406 #2 Grandview Dr. E
Champaign, Illinois

II

Electrical Inspector

33 Months
5-11-81 to 1-18-84
Transfer to Turnover

David Boehm
211 Third St.
Lincoln, Illinois

I

Electrical Inspector

19 Months
1-4-82 to 7-5-83

John Brimm
158 Lori Lynn
Decatur, Illinois

I

Material Control Inspector

4 months

II

Electrical Inspector

8 Months
1-7-81 to 8-11-81

Bobby G. Brown
217 Sorrento Drive
Terre Haute, Indiana

I

P/M Inspector

3 Months
6-15-81 to 9-11-81

G. Bennette Brown
P.O. Box 306
Clinton, Illinois

III

QC Manager

34 Months
7-9-75 to 9-11-81

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Paul E. Bryant
P.O. Box 48
Clinton, Illinois

II

C/S Inspector

12 Months
8-16-82 to 8-12-83
Rehired:

Robert Buck
3220 Vining Drive
Decatur, Illinois

III

C/S

7-74 to ?

Scott Buck
R.R. #1, Box 27
McLean, Illinois

II

Electrical

18 Months
6-17-81 to 8-13-82

Bruce Buffie

II

P/M Inspector

Transfer to Q&TS

Michael D. Bunch
445 W. Roberts
Mt. Zion, Illinois

II

P/M Inspector

19 Months
7-31-80 to 2-9-82

Kenwood Bush
R.R. #1, Box 418D
Monticello, Illinois

II

P/M

15 Months
1-5-83 to 4-11-84

Michael Byers
R.R. #2, Box 212, Ridgeview Acres
Clinton, Illinois

II

Vendor Surveillance

69 Months
4-5-77 to 2-23-82

Richard Campbell
1109 E. Van Buren
Clinton, Illinois

II

Electrical Inspector
S/M

39 Months
1-26-81 to 4-11-84

Ronald Campbell
R.R. 2, Deerhaven Drive
Bloomington, Illinois

III

Sr. P/M Engineer

18 Months
8-18-80 to 2-23-82

Randy Callison
R.R. #2
Farmer City, Illinois

I

C/S

15 Months
7-23-76 to 10-31-77

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Joseph Cabato
4030 Buckingham Drive
Decatur, Illinois

II

Material Control

23 Months
8-2-76 to 7-5-78

Jack Cherry
#1 Hillshire Ct.
Decatur, Illinois

Not Cert

Material Control Receiving

4 Months
1-19-83 to 4-22-83

Charles Clark
13 7th Drive
Decatur, Illinois

II

Electrical

10 Months
9-30-81 to 7-30-82

Michael Connelly
Box #11, R.R. #1
Waynesville, Ill.

II

Storage/Maintenance

R.J. Connelly
215 W. South
Clinton, Illinois

II

C/S

52 Months
8-20-79 to 1-4-84
Transferred to TOPS

Garry Conner
2 Striegel Ct.
Normal, Illinois

II

Vendor Surveillance

7 Months
4-5-77 to 10-31-77

Michael Cook
143 Wisconsin Dr.
Clinton, Illinois

II

P/M

62 Months
6-28-78 to 8-12-82

William L. Cook
906 E. Johnson
Clinton, Illinois

Electrical

Tyrone Cooper
621 S. Wise
Decatur, Illinois

II

P/M Inspector

7 Months
10-31-83 to 4-20-84

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

David Cordy
907 Westbrook Drive
Mahomet, Illinois

II

Electrical Engineer

21 Months
5-4-80 to 9-15-81

Fredrick E. Creamer
P.O. Box 871
Clinton, Illinois

II

P/M Inspector

43 Months
7-11- to 2-13-81

Myles Denny
603 E. Washington St.
Clinton, Illinois

II

M/P

18 Months
5-15-78 to 1-21-81

Warren Dixon
Highway 54
Clinton, Illinois

II

P/M

17 Months
10-5-81 to 3-29-83

Richard Emerson
3244 Bluebird Dr.
Decatur, Illinois

II

P/M

17 Months
3-11-81 to 8-12-82

Michael Evans
1515 E. Washington
Clinton, Illinois

II

P/M

29 Months
6-15-77 to 12-31-80

Randy Evans
4308 E. Alta Visa
Phoenix, Arizona

II

P/M

54 Months
6-15-77 to 12-31-80

Michael Fiorentini
1714 Hoover Drive
Normal, Illinois

II

Electrical

10 Months
4-19-82 to 2-28-83

Lawrence Fletcher
5569 Piazza Ln
Clay, New York

II

P/M

3 Months
11-21-83 to 3-9-84

FULL NAME AND ADDRESS

Thomas Flannery
Hill Brest, Apt. #2, Box 438, R.R. 2
Clinton, Illinois

Donald "Scott" Foster
6 Hillcrest
Clinton, Illinois

Mark Freeman
530 S. Broadway
Decatur, Illinois

Douglas Fuller
Rt. #7
Kenny, Illinois

Thomas Gagnon
P.O. Box 582
Emporia, Kansas

William Galbreath
R.R. 2, Box 51
Hanover, Indiana

Victor Gallup
R.R. #1
Sherman, Illinois

Cecil Garner
R. R. #1
Bellflower, Illinois

Larry Gassaway
518 S. Isabella
Clinton, Illinois

Morgan Gassman, Jr.
R.R. 2, Box 437
Clinton, Illinois

LEVEL

II

II

II

I

II

II

I

II

I

II

CERTIFIED

Vendor Surveillance

Electrical

Electrical
Transferred to QE

Electrical

Electrical

Electrical

Electrical

N/A (Not Certified)

Electrical

P/M and Training Coordinator

TOTAL BA EMPLOYMENT

6 Months
9-16-81 to 2-23-82

5 Months
10-6-80 to 2-27-81

21 Months
9-13-82 to 6-13-84
Transferred to QC

3 Months
1-29-81 to 3-3-81

6 Months
11-30-83 to 5-1-84

5 Months
2-7-84 to 6-1-84

20 Months
3-24-81 to 10-6-82

Transferred to QA
5-18-81

4 Months
1-14-81 to 5-19-81

6 Months
1-5-81 to 6-16-83

FULL NAME AND ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Michael Gates R.R. #1, Box 5 Heyworth, Illinois	I	Materials Control	25 Months 9-9-81 to 10-31-83
Larry Gelbert R.R. #1, Box 5 Heyworth, Illinois	III	QC Manager	29 Months 11-26-80 to 4-28-82
Mark Geyer 502 Jolier Road New Lenox, Illinois	II	P/M	7 Months 2-13-83 to 8-31-84
John Golden 521 W. William St. Monticello, Illinois	II	P/M	13 Months 9-28-81 to 10-26-82
Phillip Gorden 905 E. Warren Moweaqua, Illinois	I	Storage/Maintenance	13 Months 2-15-82 to 1-28-83
Clifford Gorden 13-15 28th Road Flushing, New York	N/A	Certified	1 Month 4-20-81 to 5-29-81
David Graumenz Apt. #17, 1730 S. Fairview Decatur, Illinois	I	Electrical	4 Months 8-10-81 to 12-22-81
Jeffrey Gremchuck 105 E. Orr, Apt. E Normal, Illinois	N/A	Not Certed	5 Months 6-8-82 to 11-29-82
James Groblewski 157 E. Picadilly Sq Cincinnati, Ohio	I	P/M Inspector	1 Month 2-13-81 to 3-30-84
Joseph Guynn P.O. Box 46 Cisco, Illinois	II	P/M	6 Months 3-3-81 to 9-8-81

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Ronald Halverson
605 S. Center
Clinton, Illinois

II

P/M

35 Months
627-78 to 5-22-81

Kenneth Hammer
721 N. Mulberry, Apt. #A
Clinton, Illinois

II

Electrical

19 Months
2-17-82 to 7-25-84
Transferred to QE

James Hall
414 Woodward St.
Farmer City, Illinois

NA

Not Certed

1 Month
6-1-81 to 7-2-81

Howard H. Hanson
Town & Country Motel
Clinton, Illinois

I

Electrical

4 Months
4-25-84 to 8-27-84

Michael Harper
1728 E. North St.
Clinton, Illinois

I

Electrical

12 Months
8-17-81 to 7-26-82

Harold J. Harris
R.R. 3, Box 60
Champaign, Illinois

III

Sr. Electrical Engineer

13 Months
3-23-81 to 4-19-82

Scott Haugh
307 W. Julian
Clinton, Illinois

II

Electrical

22 Months
9-13-82 to 7-25-84
Transferred to QE

Robert Helton
Apt. #1, Park Motel
Clinton, Illinois

I

Electrical

8 Months
10-22-80 to 5-27-81

Ben Hendricks
1307 W. Rick
Urbana, Illinois

II

Vendor Surveillance

43 Months
7-10-78 to 2-23-82

Kevin Herbert
1222 S. Henshaw
Bloomington, Illinois

II

Electrical

4 Months
11-28-83 to 4-13-84

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

James Heyen
4542 Adams Dr.
Decatur, Illinois

I

Electrical

5 Months
5-26-80 to 9-16-80

Jack Hilding
% Air Force ROTC, U Of I Armory
Champaign, Illinois

III

1 Month
5-22-78 to 6-23-78

Joe Hindman
Box 322, 109 S. East
Clinton, Illinois

II

P/M Coordinator

24 Months
10-19-77 to 1-9-81

James Hindson
Town & Country Motel
Clinton, Illinois

E

Electrical

5 Months
12-5-83 to 4-17-84

George F. Hines
RR Box 44, Rt. #10
Deland, Illinois

N/A

Not Certed Staff Engr. TPRG

5 Months
1-3-84 to 6-29-84

John Hinthorn
1919 E. Clay
Decatur, Illinois

I

Electrical
Limited

6 Months
1-26-81 to 7-3-81

George S. Hoke, Jr.
708 Albert hill Road
Sestminister, Md.

II

Electrical

3 Months
7-10-78 to 10-3-78

Randy Hoke
18 E. Julia
Clinton, Illinois

I

P/M

28 Months
6-20-79 to 11-3-81

John Hook
40 S. Catherine
LaGrange, Illinois

I

C/S
Concrete/Rebar

16 Month
5-16-77 to 9-21-78

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Fred Householder
307 W. Clark, Apt. 302
Champaign, Illinois

II

C/S

6 Months
1-5-76 to 1-30-81

Terry Jennings
P.O. Box 122
Niantic, Illinois

I

E

5 Months
5-28-81 to 10-27-81

John Johnson
1222 Searle Dr.
Clinton, Illinois

II

C/S

31 Months
8-23-78 to 2-27-81

Larry Johnson
60 W. Hickory Pt. Road
Decatur, Illinois

I

E

28 Months
5-9-88 to 9-21-79

Peter Johnson
2391 Wheelless Road
Augusta, Ga.

II

P/M

10 Months
11-29-83 to 8-27-84

William Johnson
P.O. Box 306
Clinton, Illinois

II

Electrical

10 Months
3-21-83 to 1-3-84

John Paul Jones
R.R. #1
Clinton, Illinois

II

Vendor Surveillance

45 Months
5-24-76 to 2-13-81

Don Kabuss
Box 58, R.R. #1
Danvers, Illinois

I

Electrical

8 Months
9-9-81 to 4-16-82

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

A.O. Kennedy
1305 Searle Drive
Normal, Illinois

III

QC Manager

12 Months
8-24-83 to 8-14-84

Clement Kamphaus
1003 Weaver Drive
Urbana, Illinois

N/A

Not Cert'd

1 Day
1-26-81

Michael Kilgore

I

Electrical

Job Shop

Woodrow Kist
R.R. 1
Cisco, Illinois

II

C/S

8 Months
7-1-82 to 2-25-83

Daniel Kanakaras
304 S. Evergreen
Bloomington, Illinois

II

Staff Engineer

7 Months
8-16-82 to 2-25-83

Robert Knapp
28 Colonial Dr. #2
Clinton, Illinois

II

Electrical

Alan Koca
R.R. 1 Country Lane Ct.
Clinton, Illinois

II

P/M

27 Months
8-3-77 to 11-5-79

Richard Kramer
2664 Burgener Drive
Decatur, Illinois

II

Receiving

17 Months
11-17-77 to 1-27-78

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Gerald Lane
247 N. Wood
Maroa, Illinois

II

Electrical

14 Months
11-2-78 to 1-14-81

William Langley
P.O. Box 306
Clinton, Illinois

II

Electrical

Glenn Lapsley
2501 N. East 96th
Staurt, Fla.

II

C/S

9 Months
10-8-76 to 7-22-77

Clifford Libby, Jr.
Folly Pond Road
Beverly, Mass.

III

Material Constrol

26 Months.
10-26-76 to 4-13-79

John Linehan

III

QC Manager

Robert Lerd (Robbie)
76 S. East St.
Clinton, Illinois

II

Receiving

31 Months
6-28-78 to 5-8-81

Linda Lord
300 S. Walnut
Wapella, Illinois

II

Documentation Coordinator

48 Months
1-2-80 to 1-2-84

Thomas LaBaw
268 N. Ash
Maroa, Illinois

N/A

No Cert

1 Month
3-10-81 to 4-27-81

Calvin Lunny
2503 Springfield
Champaign, Illinois

II

P/M

30 Months
10 -20-76 to 4-13-79

Allan Lynch
112 S. Jackson
Clinton, Illinois

I

P/M

10 Months
8-13-80 to 6-12-81

Rehire: 2-1-84 to present

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

David Laurendine
21 Imperail Drive
New Orleans, La.

N/A

Not Certed

2 Months
11-13-78 to 4-27-81

Ricky Ledbetter
2912 Trent St.
Winstom Salem, N.C.

N/A

Not Certed

1 Day
4-30-80

Sam May
#2 Mayfern
Forsythe, Illinois

II

P/M

24 Months
3-2-81 to 3-4-83

Michael Makowsky

I

P/M

Job Shop

Rafael Mari, Jr.
106 Pennsylvania Drive
Decatur, Illinois

II

Electrical

16 Months
12-22-82 to 4-20-84

Richard Matthews
1002 W. Carl Drive
Mahomet, Illinois

II

P/M

14 Months
11-8-82 to 1-2-84

David McCorkle
2545 Twin Oaks Ct. #149
Decatur, Illinois

I

Electrical

6 Months
11-21-83 to 4-17-84

Timothy McGuire
Mt. Vernon, Illinois

I

Electrical

Steve McHood
158 E. Prarie
Argenta, Illinois

I

S/M

12 Months
5-11-83 to 5-10-84

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Peter J. McKenna
1706 E. Washington
Clinton, Illinois

II

P/M

30 Months
5-8-78 to 11-21-80

Martin Merritt
Box 390, R.R. #2
Clinton, Illinois

II

P/M

25 Months
4-5-77 to 3-20-78

Dale Meyer
R.R. #2, Box 228
St. Genevieve, Missouri

II

Electrical

9 Months
10-24-83 to 6-29-84

John Monical
304 W. Cedar
Leroy, Illinois

I

S/M

17 Months
4-12-82 to 8-27-84

George Montgomery
1709 E. Washington
Clinton, Illinois

II

S/M

9 Months
5-18-81 to 1-4-82

I

F/M

Thomas Moran
42 Hodgson Avenue
Pittsburg, Pa.

II

P/M

21 Months
1-23-76 to 11-77

Timothy Morrow
R.R. 4
Mahomet, Illinois

II

P/M

46 Months
2-27-77 to 11-18-70

Vicki Morrow
108 S. Henderson
Kenny, Illinois

I

Documentation Coordinator

96 Months
6-1-76 to 1-12-84

William Neeley
1052 W. Main
Decatur, Illinois

II

Welding Coordinator

12 Months
9-18-78 to 8-31-79

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Melvin Murray
108 Ginger Creek Ct.
Bloomington, Illinois

II

Vendor Surveillance

12 Months
2-16-81 to 2-23-82

Andrew Nielsen
21 Willowdale
St. Joseph, Illinois

II

C/S

28 Months
2-16-81 to 2-23-82

Malcolm Norton
605B N. Dianne Lane
Mahomet, Illinois

II

C/S

6 Months
5-18-81 to 11-9-81

William J. O'Brien
WYE Motel
Clinton, Illinois

III

P/M

7 Months
8-18-80 to 3-17-81

Ivan Padget
Lot 19, Wilderness Est. Salisbury
Pleasant Plains, Ill

II

Cal Lab

12 Months
4-15-81 to 3-26-82

Donald Patterson
R.R. #1
Clinton, Illinois

I

C/S

27 Months
9-15-76 to 12-15-78

Richard Paulcheck
3239 Field Ct.
Decatur, Illinois

III

QC Manager

29 Months
4-20-84 to 8-30-76

Michael Pinca
15 N. Quincy
Clinton, Illinois

I

Electrical

24 Months
9-17-77 to 9-7-79

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Mark J. Porter
63 Country Club Road
Urbana, Illinois

I

Electrical

2 Months
8-24-81 to 10-16-81

J.M. Powers
409 Washington St.
Shreveport, La.

III

Materials Control

15 Months
8-30-76 to 12-15-77

Victor Pozzerle
7535 Dixie Drive
Houston, Texas

II

P/M

6 Months
1-5-83 to 6-3-83

Larry Prather
424 W. Prairie Avenue, Apt. 6
Decatur, Illinois

I

Electrical

20 Months
6-11-79 to 1-7-81

Coleman Price, Sr.
520 N. Maple
Clinton, Illinois

II

Vendor Surveillance

20 Months
6-12-80 to 2-23-82

Thomas Quagliano
907 N. Westbrook
Mahomet, Illinois

I

Electrical

17 Months
1-5-81 to 5-12-82

William Ragan
1977 Queen Mary Ct.
Decatur, Illinois

II

Materials Control Receiving

6 Months
9-19-83 to 2-27-84

Art Rahm
51 Gateway Drive
Mt. Zion, Illinois

II

P/M

13 Months
2-8-82 to 1-5-83

Ray Rasor
505½ E. Main St.
Clinton, Illinois

I

Materials Control

32 Months
12-9-81 to 8-27-84

Larry Ratliff
304 W. Walnut
Chatham, Illinois

II

Electrical

10 Months
11-9-81 to 8-13-82

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Kevin Reeves
140 Magnolia Drive, P.O. Bx. 127
Forsythe, Illinois

II

Cal Lab

23 Months
4-5-78 to 10-22-80

Harry C. Reiling
1617 E. Washington, Box 373
Clinton, Illinois

II

Cal Lab

31 Months
7-23-75 to 2-24-78

Michael Reynolds
1376 W. Marietta
Decatur, Illinois

I

P/M
Transferred to Site Training

-19-83 to

Larry Richardson
1705 S. Country Club Rd
Urbana, Illinois

III

Cal Lab

31 Months
7-23-85 to 2-24-78

Donald Richter
2329 Arrowhead
Springfield, Illinois

III

Sr. Electrical Engr.

48 Months
12-1-80 to 1-3-84

Thomas Ricks

II

Job Shop

Roy J. Roberts
452 B. Granada St.
Ft. Pierce, Fla.

II

C/S

22 Months
10-13-76 to 1-3-78

Lee Schaffert
R.#1, Box 21
Sidney, Illinois

II

C/S
Training Coordinator

3-8-76 to 3-25-81
Rehire
7-11-81
Total:

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Walter Shanks
RT 3, Box 674
Iuha, Mississippi

II

C/A

2 Months
3-2-81 to 5-7-81

Gary Sharar
8905 Marquis St.
Clinton, Md.

I

Materials Control

19 Month
4-4-77 to 11-28-78

William Shinneman
335 Illinois, Box 38
Deland, Illinois

II

Electrical

18 Months
1-23-80 to 6-24-81

Mark Siewart
Howard Johnson, Box 605
Urbana, Illinois

II

Engineer

15 Days
8-13-84 to 8-27-84

B.J. Silverstone
2421 El Washington
Clinton, Illinois

II

P/M

7 Months
5-9-80 to 12-12-80

John Skelley
2610 E. Main
Decatur, Illinois

I

Materials Control

12 Months
11-15-80 to 10-21-81

Edward Skoog
203 E. Union
Mahomet, Illinois

II

C/SC

18 Months
4-12-78 to 11-1-79

Warren Sobolewski
208 E. Jefferson
Clinton, Illinois

II

Vendor Surveillance

4-20-77 to 2-22-79
Rehires: 9-10-79 to
2-23-82

Kurt Sommer
Rt. 1
Wapella, Illinois

II

C/S

24 Months
4-4-77 to 3-27-79

Glenroy Spadow
P.O. Box 306
Clinton, Illinois

II

P/M

3 Months
10-3-83 to 1-1-84
Transferred to T/O

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Jeffrey Sprague
308 S. Center
Clinton, Illinois

II

Materials Control
Transferred to QA Procurement

1-18-78 to

Charles Staffield
806 Holiday Park
Champaign, Illinois

II

C/S

58 Months
5-10-76 to 3-12-82

Ted Stama
7377 Red Arrow Hwy.
Stevensville, Michigan

II

C/S
V/S
Training Coordinator

12 Months
3-16-81 to 3-12-82

Douglas Stephens
310 W. Main
Princeville, Illinois

II

Vendor Surveillance

19 Months
10-8-79 to 6-1-81

William Stokes
204 E. South
Moweaqua, Illinois

III

Senior P/M Senior
QC Asst. Mgr.
Transferred to Construction

40 Months

Mark Stone
P.O. Box 127
Forsythe, Illinois

II

P/M

58 Months
2-28-79 to 1-12-84
Trans. to T/O

Robert Storms
R.R. #1, Kirby Road
Lawrenceburg, Kansas

II

Electrical

8 Months
1-9-84 to 8-27-84

Robert Stout
830 Green Road
Madison, Indiana

II

Electrical

24 Months
1-26-81 to 11-83

Robert Strade
412 N. Monroe
Clinton, Illinois

II

PT
Craft

16 Months
3-3-80 to 6-9-81

Robert Sturgill
P.O. Box 268
Clinton, Illinois

I

Electrical

18 Months
10-1-81 to 4-20-83

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

George F. Sulwer, Jr. (Sonny)
483 M 34th St.
Decatur, Illinois

I

Materials Control Receiving

7 Months
12-10-80 to 4-22-83

Gary Sutton
P.O. Box 192
Maroa, Illinois

II

C/S

44 Months
3-8-76 to 11-6-79

Martin Tellez
P.O. Box 306
Clinton, I-linois

III

6 Days
10-18-74 to 10-22-74

Fred Thompson
395 Loma Drive
Forsythe, Illinois

I

Electrical

2 Months
6-17-80 to 8-8-80

Kevin Thompson

II

Electrical

Job Shop

Dennis Threatt
R.R.
Dewitt, Illinois

III

C/S Sr. Engineer
Transferred to QA

72 Months
4-4-77 to 3-9-83

Timothy Walker
2313 Anchor Drive
Bloomington, Illinois

III

P/M

59 Months
9-29-76 to 8-15-80

Debra Walters
P.O. Box 31
Weldon, Illinois

II

Documentation Coordinator
Transferred to T/O

108 Months
9-29-75 to 1-84

Harold Washington
P.O. Box 193
Ashford, Ala

II

Electrical

5 Months
1-5-81 to 6-2-81

Michael Watkins
R.R. #2
Clinton, Illinois

I

Electrical

6 Months
2-18-81 to 7-3-81

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Brian Weaver
416 Adams
Clinton, Illinois

II

P/M
Transferred to QE

72 Months
5-31-77 to 7-25-84

Richard Whitehead
501 N. Grant
Clinton, Illinois

II

Electrical

24 Months
2-2-81 to 1-11-83

Steven Wilber
215 N. Adams, P.O. Box 561
Cerro Gordo, Illinois

I

Electrical

5 Months
2-4-81 to 7-30-81

J.C. Wilson
800 Jackson
Monticello, Illinois

III

Asst QC Manager

7 Months
6-19-81 to 2-3-82

Clark Wilson

III

Electrical

Job Sho¹/₂

Timothy Wilson
2421 E. Washington
Bloomington, Illinois

II

Cal Lab

19 Months
11-16-81 to 6-17-83

Clarence Winfrey
2311 Galen #42
Champaign, Illinois

II

C/S

71 Months
5-24-76 to 4-7-81

John Wollrab
39 Country Club
Bloomington, Illinois

II

SW

29 Months
8-9-78 to 1-9-81

Ilene Leach Wong
2 Pepperridge Ct.
Decatur, Illinois

II

Documentation Coordinator

50 Months
4-3-78 to 6-4-82

Donald Wootten
4927 Roja Drive
Oceanside, Ca.

I

C/S

6 Months
4-27-81 to 10-30-81

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

Sam Wright
517 Centennial
Monticello, Illinois

II

P/M

4 Months
5-23-83 to 9-13-83

Charles Zalewski
P.O. Box 173
Tolono, Illinois

II

C/S

17 Months

Merle Zumwalt
702 W. Virginia
Normal, Illinois

II

C/S

3 Months
5-16-79 to 8-17-79

EXHIBIT B

Third Supplemental Response of Illinois Power to the State of
Illinois' Second Set of Interrogatories to Applicants.

FORMER QC PIPING MECHANICAL

FULL NAME AND ADDRESS	LEVEL	CERTIFIED	TOTAL BA EMPLOYMENT
Richard Acevedo 2490 San Pasqual Pasadena, California	II	P/M Inspector	15 Months 12-15-82 to 3-18-83
Linda Adkins 3713 Northhaven Ct. Decatur, Illinois	II	Not Certified	1 Month 7-23-84 to 8-27-84
Joseph Amadon 1102 E. Washington Leroy, Illinois	II	P/M Inspector (Transferred to T/O)	19 Months 6-14-82 to 1-18-84
Bill Armstrong 1312 W. Mt. Gilead Road Decatur, Illinois	II	P/M Inspector (Transferred to QE)	22 Months 9-7-82 to 7-11-84
Chris Blenstraub 2313 Anchor Drive Bloomington, Illinois	II	P/M	12 Months 8-17-82 to 2-25-83
Sharon Bodine 1406 #2 Grandview Dr. E Champaign, Illinois	II	Electrical	33 Months 5-11-81 to 1-18-84
Bobby G. Brown 217 Sorrento Drive Terre Haute, Indiana	I	P/M Inspector	3 Months 6-15-81 to 9-11-81
Bruce Buffie 3294 Robin Drive Decatur, Illinois	II	P/M Inspector	19 Months 7-31-80 to 2-9-82
Michael Bunch 445 W. Roberts Mt. Zion, Illinois	II	P/M Inspector	19 Months 7-31-80 to 2-9-82
Kenwood Bush R.R. #1, Box 418D Monticello, Ill.	II	P/M Inspector	15 Months 1-5-83 to 4-11-84

FULL NAME AND ADDRESS	LEVEL	CERTIFIED	TOTAL BA EMPLOYMENT
Ronald Campbell R.R. #2, Deerhaven Drive Bloomington, Illinois	III	Sr. P/M Engineer	18 Months 8-18-80 to 2-23-82
Michael Cook 143 Wisconsin Clinton, Illinois	II	P/M Inspector	62 Months 6-28-78 to 8-12-82
Tyrone Cooper 621 S. Wise Decatur, Illinois	II	P/M Inspector	7 Months 10-31-83 to 4-20-84
Fredrick Creamer P.O. Box 871 Clinton, Illinois	II	P/M Inspector	43 Months 7-11-77 to 2-13-81
Warren Dixon Hwy 54 Clinton, Illinois	II	P/M Inspector	17 Months 10-5-81 to 3-29-83
Richard Emerson 3244 Bluebird Drive Decatur, Illinois	II	P/M Inspector	17 Months 3-11-81 to 8-12-82
Michael Evans 1515 E. Washington Clinton, Illinois	II	P/M Inspector	29 Months 6-15-77 to 12-31-80
Lawrence Fletcher 5569 Piazza Lane Clay, New York	II	P/M Inspector	3 Months 11-21-83 to 3-9-83

FULL NAME AND ADDRESS	LEVEL	CERTIFIED	TOTAL BA EMPLOYMENT
Morgan Gassman, Jr. R.R. #2, Box 437 Clinton, Illinois	II	P/M Inspector	6 Months 1-5-81 to 6-16-83
Mark Geyer 502 Jolier Rd. New Lenox, Illinois	II	P/M Inspector	7 Months 2-13-83 to 8-31-84
John Golden 521 W. William St. Monticello, Illinois	II	P/M Inspector	13 Months 9-28-81 to 10-26-82
James Groblewski 157 E. Picadilly Sq, Cincinnati, Ohio	I	P/M Inspection	1 Month 2-13-81 to 3-30-84
Juseph Guynn P.O. Box 46 Cisco, Illinois	II	P/M Inspector	6 Months 3-3-81 to 9-8-81
Ronald Halverson 605 S. Center Clinton, Illinois	II	P/M Inspector	35 Months 6-27-78 to 5-22-81
Joe Hindman Box 322, 109 S. East Clinton, Illinois	II	P/M Inspector	24 Months 10-19-77 to 1-9-81
Randy Hoke 18 E. Julia Clinton, Illinois	I	P/M Inspector	28 Months 6-20-79 to 11-3-81
Peter Johnson 2391 Wheelless Road Augusta, Ga.	II	P/M Inspector	10 Months 11-29-83 to 8-27-84

FULL NAME AND ADDRESS	LEVEL	CERTIFIED	TOTAL BA EMPLOYMENT
Alan Koca R.R. 1, Country Lane Ct. Clinton, Illinois	II	P/M Inspector	27 Months 8-3-77 to 11-5-79
Calvin Lunny 2503 Springfield Champaign, Illinois	II	P/M Inspector	30 Months 10-20-76 to 4-13-79
Allan Lynch 112 S. Jackson Clinton, Illinois	I II	P/M P/M	10 Months 8-13-80 to 6-12-81 Rehire: 2-1-84 to Present
Sam May #2 Mayfern Forsythe, Illinois	II	P/M	24 Months 3-2-81 to 3-4-83
Richard Matthews 1002 W. Carl Drive Mahomet, Illinois	II	P/M	14 Months 11-8-82 to 1-2-84
Peter McKenna 1706 E. Washington Clinton, Illinois	II	P/M	30 Months 5-8-78 to 11-21-80
Martin Merritt Box 390, R.R. #2 Clinton, Illinois	II	P/M Inspector	25 Months 4-5-77 to 3-20-78
Thomas Moran 42 Hodgen Avenue Pittsburg, Pa.	II	P/M Inspector	21 Months 1-23-76 to 11-77
Tim Morrow R. R. 4 Mahomet, Illinois	II	P/M Inspector	46 Months 2-27-77 to 11-17-80

FULL NAME AND ADDRESS	LEVEL	CERTIFIED	TOTAL BA EMPLOYMENT
W.J. O'Brien WYE Motel Clinton, Illinois	III	P/M	7 Months 8-18-80 to 3-17-81
Victor Pozzerle 7535 Dixie Dr. Houston, Texas	II	P/M Inspector	6 Months 1-5-83 to 6-3-83
Art Rahm 51 Gateway Drove Mt. Zion, Illinois	II	P/M Inspector	13 Months 2-8-82 to 1-5-83
B.J. Silverstone 2421 E. Washington Clinton, Illinois	II	P/M Inspector	7 Months 5-9-80 to 12-12-80
Glenroy Spadow P.O. Box 306 Clinton, Illinois	II	P/M Inspector	3 Months 10-3-83 to 1-1-84
Mark Stone P.O. Box 127 Forsythe, Illinois	II	P/M Inspector	47 Months 2-28-79 to 1-2-84
Timothy Walker 2313 Anchor Drive Bloomington, Illinois	III	P/M	59 Months 9-29-76 to 8-15-80
Brian Weaver 416 Adams Clinton, Illinois	II	P/M Inspector (Transferred to QE)	96 Months 5-31-77 to 7-25-84
Sam Wright 517 Centennial Monticello, Illinois	II	P/M	4 Months 5-23-83 to 9-13-83

EXHIBIT C

Third Supplemental Response of Illinois Power to the State of Illinois' Second Set of Interrogatories to Applicants.

CURRENT QC PIPING/MECHANICAL

FULL NAME AND
ADDRESS

LEVEL

CER.IFIED

TOTAL BA EMPLOYMENT

Larry Clark
1219 E. Washington
Bloomington, Illinois

III

P/M Sr. Supervisor

P.K. Adams
R.R. #6, Box 188
Decatur, Illinois

II

P/M Inspector

Sean M. Adamson
303 E. Chestnut
Moweaque, Illinois

I

P/M Inspector

P.A. Anderson
904 S. 9th
Shelbyville, Illinois

II

P/M Inspector

Larry Becker
702 S. Lynn
Champaign, Illinois

II

P/M Inspector

M. Becraft
R & R Motel
Clinton, Illinois

II

P/M Inspector

Roger Bush
25 Carlson
Decatur, Illinois

II

P/M Supervisor

G. Camp
1604 Ravina Park
Decatur, Illinois

II

P/M Assistant Supervisor

William Cornthwaite
R.R. #8, Box 327B
Decatur, Illinois

I

P/M Inspector

J.W. (Woody) Culumber
R.R., Box 49
Assumption, Illinois

II

P/M Field Supervisor

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

E.J. Frey
219 S. Center
Clinton, Illinois

I

P/M Inspector

Kevin Frey
R.R. #1, West Side Pk. Lt. #23
Clinton, Illinois

II

P/M Assistant Supervisor

George Gettel
603 N. Madison
Clinton, Illinois

II

P/M Inspector

Antonio J. Hurtado
701 N. Plum
Farmer City, Illinois

II

P/M Inspector

William Jarred
P.O. Box 396
Forsythe, Illinois

II

P/M Inspector

J. Karl
345 Melrose Ct.
Decatur, Illinois

II

P/M Assistant Supervisor

D.F. Kerwood
#10 Illini
Decatur, Illinois

II

P/M Inspector

J.J. Longstreet
1020 N. Oakcrest
Decatur, Illinois

II

P/M Inspector

Allan Lynch
21342 E. Main
Clinton, Illinois

II

P/M Supervisor

Dennis McCay
201 S. 29th
Decatur, Illinois

II

P/M Inspector

FULL NAME AND
ADDRESS

LEVEL

CERTIFIED

TOTAL BA EMPLOYMENT

F.A. Richard
3561 Plover Drive
Decatur, Illinois

II

P/M Inspector

N.L. Smith
1835 Van Buren Drive
Madison, Indiana

II

P/M Inspector

J. Swearingen
604 Rajon
Oreana, Illinois

II

P/M Inspector

W. Taylor
745 Fawn Ct.
Mt. Zion, Illinois

II

P/M Supervisor

D.D. Thaden
700 W. Webster
Clinton, Illinois

II

P/M Assistant Supervisor

M.K. Urbanawiz
3666 Dove Drive
Decatur, Illinois

II

P/M Inspector

R.L. Wright
2020 N. Mattis, Box 58
Champaign, Illinois

II

P/M Inspector

T.L. Wylder
R.R. #1, Box 40B
Wapella, Illinois

II

P/M Inspector

EXHIBIT D

Third Supplemental Response of Illinois Power to the State of
Illinois Second Set of Interrogatories to Applicants.

BALDWIN ASSOCIATES SMALL BORE DESIGN GROUP

NAME/ADDRESS:

J.C. Levinsky
103 S. Williamsburg Dr.
Bloomington, IL 61701

POSITION:

Drafting-Supervisor

DUTIES/RESPONSIBILITIES:

Responsible for the Supervision of all personnel, time, production and preparation of piping, instrumentation, electrical and misc. drawings for construction.

QUALIFICATIONS:

31 years experience in design and drafting of piping and related systems. Includes 18 years nuclear related design and construction. 5 years post high school education in mech. engineering, math and HVAC.

NAME/ADDRESS:

G.R. Smith
303 Union St.
Bloomington, IL 61701

POSITION:

Drafting Administrative Assistant

DUTIES/RESPONSIBILITIES:

Assistant Supervisor - Responsible to replace supervisor in his absence. Responsible for organization, timekeeping, progress and production reporting, senior coordinator supervises clerical personnel.

QUALIFICATIONS:

11 years experience in construction piping engineering, design and drafting. 9 years nuclear construction related. Associate degree - Mech. Engineering Technology.

BALDWIN ASSOCIATES SMALL BORE DESIGN GROUP

NAME/ADDRESS: A.L. Baker
403 Woodlawn Rd.
Lincoln, IL 62656

POSITION: Coordinator - Piping Drafting

DUTIES/RESPONSIBILITIES: Responsible for production of piping drawings and misc. drawings. Supervises checkers and draftsmen.

QUALIFICATIONS: 6 years at Clinton Site. B.A. in Graphic Arts.

NAME/ADDRESS: R. Jackson
503 S. Clinton Street
Clinton, IL 61727

POSITION: Coordinator - Instrumentation Drafting

DUTIES/RESPONSIBILITIES: Responsible for production of Instrumentation tubing isometric and misc. instrument detail drawings. Supervises checkers and draftsmen.

QUALIFICATIONS: 3 years 6 months nuclear related experience at CPS. B.S. in Architecture.

NAME/ADDRESS: R.L. Pike
1502 Greenridge Dr.
Urbana, IL 61801

POSITION: Coordinator - Instrumentation Hanger Drafting

DUTIES/RESPONSIBILITIES: Responsible for the production and checking of instrumentation tubing hanger drawings and misc. drawings - Supervises draftsmen.

QUALIFICATIONS: 11 years drafting experience
3 years nuclear related at Clinton Site.
1 year - Tech School.

BALDWIN ASSOCIATES SMALL BORE DESIGN GROUP

NAME/ADDRESS: T.A. Andreopoulos
233 Freeport Dr.
Bloomington, IL 60108

POSITION: Checker Instrumentation Drafting

DUTIES/RESPONSIBILITIES: Responsible for checking of instrumentation tubing isometric and misc. instrument detail drawing.

QUALIFICATIONS: 21 years construction piping engineering - 5 years nuclear related, 6 years fossil, 2 years at CPS. 2 years college.

NAME/ADDRESS: J. Porter
934 N. West
Jacksonville, IL 62650

POSITION: Draftsman - Piping Drafting

DUTIES/RESPONSIBILITIES: Prepares and revises piping isometric and misc. related drawings per design drawings and as-built information prepares traveler addendum sketches for field engineers.

QUALIFICATIONS: 7 years drafting experience; 3 years at CPS Assoc. Degree - Applied Science/Drafting Tech.

NAME/ADDRESS: S. Hostetler
P.O. Box 306
Clinton, IL 61727

POSITION: Draftsman - Piping Drafting

DUTIES/RESPONSIBILITIES: Prepares and revises piping isometric and misc. related drawings per design drawings and as-built information.

QUALIFICATIONS: 3 years nuclear experience. 1 year college.

BALDWIN ASSOCIATES SMALL BORE DESIGN GROUP

NAME/ADDRESS: R. Picchiette
P.O. Box 1412
Bloomington, IL 61701

POSITION: Draftsman - Instrumentation
Drafting

DUTIES/RESPONSIBILITIES: Prepares and revises
instrumentation tubing isometric
and misc. instrument detail
drawings per design drawings and
as-built information.

QUALIFICATIONS: 6 years drafting experience; 4
years at CPS
2 years college
2 years Tech School.

NAME/ADDRESS: T. Saffaripour
300 Shelbourne Dr. #58
Normal, IL 61761

POSITION: Draftsman - Instrumentation
Drafting

DUTIES/RESPONSIBILITIES: Prepares and revises
instrumentation tubing isometric
and misc. instrument detail
drawings per design and as-built
information.

QUALIFICATIONS: 18 years drafting experience. 3
years at CPS. Assoc. Degree -
Civil/Struct. Engineering - 3 year
Tech School.

BALDWIN ASSOCIATES SMALL BORE DESIGN GROUP

NAME/ADDRESS: B. Auer
1401 Chadwick Dr.
Normal, IL 61761

POSITION: Jr. Draftsman Instrumentation
Drafting

DUTIES/RESPONSIBILITIES: Assists Instrumentation drafting
coordinator with record and
info-keeping; performs misc.
drafting duties.

QUALIFICATIONS: 1 year 2 months at CPS. 2 year
college - Mech. Technology.

NAME/ADDRESS: S. Randolph
3868 Camelot Dr. Apt. #1H
Decatur, IL 62526

POSITION: Draftsman - Instrumentation Hanger
Drafting

DUTIES/RESPONSIBILITIES: Prepares and revises detail dwgs.
of instrumentation tubing supports
and misc. related details per
design drawing and as-built info.

QUALIFICATIONS: 6 years drafting experience; 2
years nuclear experience
1½ years college.

NAME/ADDRESS: L. Pierce
R.R. #2 Box 175
Clinton, IL 61727

POSITION: Technical Assistant-Drafting
Department (Piping Instrumentation
Groups)

DUTIES/RESPONSIBILITIES: Responsible to maintain drawing
files and logs pertaining to piping
and instrumentation drawings.

QUALIFICATIONS: 3 years at CPS. 2 year degree Legal
and Executive Secretarial College.

BALDWIN ASSOCIATES SMALL BORE DESIGN GROUP

NAME/ADDRESS:

P.D. Bessler
#7 Willedrob Rd. Apt. 1A
Bloomington, IL 61701

POSITION:

Jr. Draftsman Drafting Department

DUTIES/RESPONSIBILITIES:

Responsible to maintain drawing files and logs pertaining to piping and instrumentation drawings and misc. drafting.

QUALIFICATIONS:

1 year 5 months at CPS

NAME/ADDRESS:

Ed Brent
P.O. Box 306
Clinton, IL 61727

POSITION:

Checker - Instrumentation Drafting

DUTIES/RESPONSIBILITIES:

Responsible for checking of instrumentation tubing isometric and misc. instrument detail drawings.

QUALIFICATIONS:

24 years total experience
14 years nuclear related power piping - design, layout, detailing
- checking pipe and instrumentation isometric drawings. Higher National Cert. Mechanical Engineering - England (Equiv. to Assoc. Degree - USA)

CERTIFICATE OF SERVICE

I hereby certify that an original and two conformed copies of the foregoing document were served upon the following:

Secretary of the Commission
United States Nuclear Regulatory Commission
Washington, D.C. 20555
Attention: Docketing and Service Branch

and that one copy of the foregoing document was served upon each of the following:

Hugh K. Clark, Esq., Chairman
P.O. Box 127A
Kennedyville, Maryland 21645

Dr. George A. Ferguson
School of Engineering
Howard University
2300 Sixth Street, N.W.
Washington, D.C.

Dr. Oscar H. Paris
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Executive Legal Director
United States Nuclear Regulatory Commission
Washington, D.C. 20555

Allen Samelson
Assistant Attorney General
Environmental Control Division
Southern Region
500 South Second Street
Springfield, Illinois 62706

Jean Foy
511 W. Nevada
Urbana, Illinois 61808


Prairie Alliance
Box 2424
Station A
Champaign, Illinois 61820

Fred Christianson
U. S. Nuclear Regulatory Commission
RR 3, Box 228
Clinton, Illinois 61727

Atomic Safety and Licensing Board Panel
U. S. Nuclear Regulatory Commission
Washington, D.C. 20555

Atomic Safety and Licensing
Appeal Board Panel
U. S. Nuclear Regulatory Commission
Washington, D.C. 20555

in each case by deposit in the United States Mail, postage
prepaid on November 15, 1984.


One of the Attorneys for
Applicants

Sheldon A. Zabel
Charles D. Fox IV
Sara L. Johnson
SCHIFF HARDIN & WAITE
7200 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606
(312) 876-1000

Jack R. Newman
George L. Edgar
NEWMAN & HOLTZINGER, P.C.
Suite 1000
1615 L Street, N.W.
Washington, D.C. 20036
(202) 955-6600