DOCKET NO. 50-250

UNIT Turkey Point Unit 3

DATE 11-15-84

COMPLETED BY N. W. Grant

TELEPHONE (305) 552-3675

AVERAGE DAILY POWER LEVEL (MWe-Net) 677	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net) 676
681	18	677
683	19	676
690	20	675
652	21	674
684	22	673
686	23	674
686	24	674
531	25	674
681	26	675
682	27	671
679		671
675	28	671
671	29	
674	30	672 675
672	31	073

INSTRUCTIONS

On this format, list the average daily unit power level in MWe-Net for each day in the reporting month. Compute to the nearest whole megawatt.

IFAN

DOCKET NO 50-250
DATE 11-15-84
COMPLETED BY N. W. Grant (305) 552-3675

Turkou Doint Unit	#3	Notes				
1. Unit Name: Turkey Point Unit		Unit #3 Operated At Essentially Full Power.				
2. Reporting Period: Octo	Essentially	ruii rower.				
3. Licensed Thermal Power (MWt):						
4. Nameplate Rating (Gross MWe): 5. Design Electrical Rating (Net MWe):						
6. Maximum Dependable Capacity (Gross MWe): _	700					
7. Maximum Dependable Capacity (Net MWe): -	666					
8. If Changes Occur in Capacity Ratings (Items Num	nber 3 Through 7) Sin	ce Last Report, Give Reas	sons:			
9. Power Level To Which Restricted, If Any (Net M						
O. Reasons For Restrictions, If Any:						
	This Month	Yrto-Date	Comulative			
II House In Reporting Period	745	7.320	104,385.			
1. Hours In Reporting Period 12. Number Of Hours Reactor Was Critical	745	6,358.3	72,664.			
13. Reactor Reserve Shutdown Hours	0	0,000.0	844.			
14. Hours Generator On-Line	745	76,248.8	72,170.			
15. Unit Reserve Shutdown Hours	0	0	121.			
16. Gross Thermal Energy Generated (MWH)	1,619,414	13,431,461	148,920,053			
17. Gross Electrical Energy Generated (MWH)	525,210	4,323,995	47,534,560			
18. Net Electrical Energy Generated (MWH)	500,152	4,100,809	45,013,806			
19. Unit Service Factor	100,0	85.4	69.			
20. Unit Availability Factor	100.0	85.4	69.			
21. Unit Capacity Factor (Using MDC Net)	100.8	84,1	66.			
22. Unit Capacity Factor (Using DER Net)	96.9	80.8	Management of the Control of the Con			
23. Unit Forced Outage Rate	0	11.2	5.			
24. Shutdowns Scheduled Over Next 6 Months (Typ	pe, Date, and Duration	of Each):				
Refueling, March	22, 1985, 11 we	eks.				
25. If Shut Down At End Of Report Period, Estima	The state of the s					
26. Units In Test Status (Prior to Commercial Operation	ation):	Forecast	Achieved			
INITIAL CRITICALITY						
INITIAL CRITICALITY INITIAL ELECTRICITY						

DOCKET NO. UNIT NAME DATE TELEPHONE

50-250 Turkey Point Unit -#3 11-15-84

COMPLETED BY

N.W. Grant (305) 552-367

REPORT MONTH _ October, 1984

No.	Date	Type!	Duration (Hours)	Reason-	Method of Shutting Down Reactor ³	Licensee Event Report #	System Code ⁴	Component Code5	Cause & Corrective Action to Prevent Recurrence
									Unit #3 had no "shutdowns or power reductions".

F: Forced S. Scheduled Reason

A-Equipment Failure (Explain)

B-Maintenance or Test

C-Refueling

D-Regulatory Restriction

E-Operator Training & License Examination

F-Administrative

G-Operational From (Explain)

H-Other (Explain)

Method:

1-Manual

2-Manual Scram.

3-Automatic Scrain.

Q-Other (Explain)

4- CONTINUED

5- LOAD REDUCTION

Exhibit G - Instructions for Preparation of Data Entry Sheets for Licensee Event Report (LER) File (NUREG-01611

Exhibit 1 - Same Source

DOCKET NO.	50-250
UNIT	Turkey Point Unit #3
DATE	November 15, 1984
COMPLETED BY	N.W. Grant
TELEPHONE	(305) 552-3675

REPORT MONTH

October, 1984

Unit 3 operated at essentially full power.

Inspection and requirements of IE Bulletins and NUREG-0737 are continuing.

Florida Power & Light Company commitments for NUREG-0737 implementation are continuing. Refer to correspondence between FPL and NRC for additional information.

DOCKET NO.	50-251	
UNIT	Turkey Point Unit	4
DATE	11-15-84	
COMPLETED BY	N. W. Grant	
TELEPHONE	(305) 552-3675	

DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)
1		17	
2		18	327
3		19	
4		20	
5		21	
6		22	
7		23	
8		24	
9		25	
10		26	
11		27	
12		28	
13		29	
14		30	
15		31	- Committee of the comm
14		31	

INSTRUCTIONS

On this format, list the average daily unit power level in MWe-Net for each day in the reporting month. Compute to the nearest whole megawatt.

DOCKET NO 50-251

COMPLETED BY TELEPHONL (305) 552-3675

OPERATING STATUS	44	Notes				
. Unit Name: Turkey Point Unit			chutdowns			
Reporting Period: Octob	per 1984	See the Unit shutdowns and Power reductions report				
Licensed Thermal Power (MWI):	760	and rower re	duccions report			
. Frameplate Rating (Gross MWe):						
. Design Electrical Rating (Net MWe):						
6. Maximum Dependable Capacity (Gross MWe): _	700					
7. Maximum Dependable Capacity (Net MWe): -	666					
B. If Changes Occur in Capacity Ratings (Items Num	ber 3 Through 7) Sin	ice Last Report, Give Re	esons.			
9. Power Level To Which Restricted, If Any (Net M. 0. Reasons For Restrictions, If Any:						
	This Month	Yrto-Date	Cumulative			
11. Hours In Reporting Period	745	7,320	98,117			
2. Number Of Hours Reactor Was Critical	45.2	3,851.9	68,490.5			
3. Reactor Reserve Shutdown Hours	0	. 0	165.6			
4. Hours Generator On-Line	15.1	3,648.1	66,116.2			
15. Unit Reserve Shutdown Hours	0	0	31.2			
16. Gross Thermal Energy Generated (MWH)	27,614	7,941,773	139,688,514			
17. Gross Electrical Energy Generated (MWH)	8,455	2,470,940	44,392,242			
18. Net Electrical Energy Generated (MWH)	254	2,320,787	42,024,846			
19. Unit Service Factor	2.0	49.8	67.4			
20. Unit Availability Factor	2.0	49.8	67.4			
21. Unit Capacity Factor (Using MDC Net)	,1_	47.6	66.			
22. Unit Capacity Factor (Using DER Net)	0	45.7	61.8			
23. Unit Forced Outage Rate	95.5	24.4	5.0			
24. Shutdowns Scheduled Over Next 6 Months (Ty	pe, Date, and Duratio	on of Each):				
25. If Shut Down At End Of Report Period, Estima	ated Date of Startup:	November 5,	1984 (actual)			
26. Units In Test Status (Prior to Commercial Oper	ration):	Forecast	Achieved			
INITIAL CRITICALITY		1000				
INITIAL ELECTRICITY						
COMMERCIAL OPERATIO	N					

REPORT MONTH October, 1984

DOCKET NO. UNIT NAME COMPLETED BY N. W. Grant

Turkey Point Unit #4 11-15-84

TELEPHONE (305) 552-3675

No.	Date	Type!	Duration (Hours)	Reason?	Method of Shutting Down Reactor?	Licensee Event Report #	System Code4	Component Code5	Cause & Corrective Action to Prevent Recurrence
21	840928	S	194.3	В	1		СВ	VALVEX	Unit #4 removed from power operation to repair leakage to the pressurizer relief tank.
22	841009	S	195.6	В	1	251-84-022	EB	GENERA	During heatup, reactor tripped due to blown fuse in normal static inverter.
23	841017	S	19,8	A	1		НВ	VALVEX	MSIV required modifications to allow valve to meet closure times and operability requirements.
24	841018	F	319.1	А	1		CG	PUMPXX	RCP seal replaced

F: Forced S. Scheduled Reason

A-Equipment Failure (Explain)

B-Maintenance or Test

C-Refueling

D-Regulatory Restriction

F. Operator Training & License Examination

F-Administrative

G-Operational From (Explain)

II-Other (Explain)

Method:

1-Manual

2-Manual Scram

3-Automatic Scrain. 4-Other (Explain)

4- CONTINUED

5- LOAD REDUCTION

Exhibit G - Instructions for Preparation of Data Entry Sheets for Licensee Event Report (LER) File (NUREG-01611

Exhibit 1 - Same Source

DOCKET NO.	50-251
UNIT	Turkey Point Unit #4
DATE	November 15, 1984
COMPLETED BY	N.W. Grant
TELEPHONE	(305) 552-3675

REPORT MONTH October, 1984

See the "Unit Shutdowns and Power Reductions" Report.

Inspections and requirements of IE Bulletin and NUREG-0737 are continuing.

Florida Power & Light Company commitments to NUREG-0737 implementation are continuing. Refer to correspondence between FPL and NRC for additional information.

AVERAGE DAILY UNIT POWER LIVEL

DOCKET NO. 50-335

UNIT St. Lucie Unit 1

DATE 11-15-84

COMPLETED BY N. W. Grant

TELEPHONE (305) 552-3675

MONTH October, 1984

AVERAGE DAILY POWER LEVEL (MWe-Net) 763	DAY	AVERAGE DAILY POWER LEV (MWe-Net) 853
850	17	
	18	851
851	19	851
852	20	851
852	21	851
854	22	852
851	23	850
852	24	850
852	25	850
850	26	851
852	27	852
852	28	852
853	29	850
835	30	850
851	31	849
852		

INSTRUCTIONS

On this format, list the average daily unit power level in MWe-Net for each day in the reporting month. Compute to the nearest whole megawatt.

DOCKET NO
DATE
COMPLETED BY
TELEPHONL

50-335

11-15-84

N.W. Grant
(305) 552-3675

Unit #1 operated at essential1
full power.
arough 7) Since Last Report, Give Reasons
s Month Yrto-Date Cumulative
7320 68928
45 4122.5 48588.6
0 205.3
45 3747.3 47323.5
0 0 39.3 03 9704949 118372887
3227740 38601615
3035196 36369469
00.0 51.2 68.7
00.0 51.2 68.7
03.2 50.4 66.6
02.2 50.0 65.0
0 7.3 4.8
and Duration of Each):

COMMERCIAL OPERATION

REPORT MONTH October, 1984

DOCKET NO.
UNIT NAME
DATE
COMPLETED BY
TELEPHONE

50-335
St. Lucie Unit #1
11-15-84
N.W. Grant
(305) 552-36/5

No.	Date	Type,	Duration (Hours)	Reason 2	Method of Shutting Down Reactor ³	Licensee Event Report #	System Code4	Component Code5	Cause & Corrective Action to Prevent Recurrence
									Unit #1 has no "shutdowns or power reductions".

F: Forced S Scheduled Reason:

A-Equipment Failure (Explain)

B-Maintenance of Test

C-Refueling

D-Regulatory Restriction

E-Operator Training & License Examination

F-Administrative

G-Operational Error (Explain)

II-Other (Explain)

Method:

1-Manual

2-Manual Scram.

3-Automatic Scrain.

9-Other (Explain)

4- CONTINUED

5 - LOAD REDUCTION

Exhibit G - Instructions for Preparation of Data Entry Sheets for Licensee Event Report (LER) File (NUREG-

01611

Exhibit 1 - Same Source

DOCKET NO. 50-335

UNIT St. Lucie Unit 1

DATE November 15, 1984

COMPLETED BY N.W. Grant

(305) 552-3675

REPORT MONTH

October, 1984

Unit #1 operated at essentially full power.

Inspections and requirements of IE Bulletins and NUREG-0737 are continuing.

Florida Power & Light Company commitments for NUREG-0737 implementation are continuing. Refer to correspondnece between FPL and NRC for additional information.

In accordance with requirements of NUREG-0737 Item II.K.3.3, there were no challenges to PORV or safety valves during the report month.

AVERAGE DAILY UNIT POWER LIVEL

DOCKET NO. 50-335

UNIT St. Lucie Unit #2

DATE 11-15-84

COMPLETED BY N. W. Grant

TELEPHONE (305) 552-3675

(MWe-Net) 802	DAY	AVERAGE DAILY POWER LITTEL (MWe-Net)
803	17	
805	18	
804	19	
804	20	
804	21 22	
801	23	
802	24	
801	25	
802	26	
801	27	4.
716	28	
	29	
	30	
<u> </u>	31	

INSTRUCTIONS

On this format, list the average daily unit power level in MWe-Net for each day in the reporting month. Compute to the nearest whole megawatt.

OPERATING STATUS							
	St Luci	e Unit #2	Notes				
I. Unit Name:	Uctober, 1984			Unit #2 was removed from			
2. Reporting Period:	2560		service for scheduled refueling and maintenance.				
3. Licensed Thermal Power (MWI): _	850						
4. Nameplate Rating (Gross MWe): _	804						
5. Design Electrical Rating (Net MWe)		832					
6. Maximum Dependable Capacity (Gi	ross MWe):						
7. Maximum Dependable Capacity (No		786					
8. If Changes Occur in Capacity Ratin	gs (Items Num	ber 3 Inrough 7) S	ince Last Report, Give Re	asons			
9. Power Level To Which Restricted, 1 0. Reasons For Restrictions, If Any:	If Any (Net M)	We):					
		This Month	Yrto-Date	Cumulative			
		74-	7000				
1 House In Panastina Paried		745	7320	10825			
	itical	287.2	6668.1	10825			
2. Number Of Hours Reactor Was Cri	itical						
 Number Of Hours Reactor Was Cri Reactor Reserve Shutdown Hours 	itical	287.2		9895.1			
 Number Of Hours Reactor Was Cri Reactor Reserve Shutdown Hours Hours Generator On-Line 	itical	287.2	6668.1	9895.1			
 Number Of Hours Reactor Was Cri Reactor Reserve Shutdown Hours Hours Generator On-Line Unit Reserve Shutdown Hours 		287.2 0 286.7	6668.1	9895.1 0 9596.8			
 Number Of Hours Reactor Was Cri Reactor Reserve Shutdown Hours Hours Generator On-Line Unit Reserve Shutdown Hours Gross Thermal Energy Generated ((MWH)	287.2 0 286.7	6668.1	9895.1 0 9596.8			
 Number Of Hours Reactor Was Cri Reactor Reserve Shutdown Hours Hours Generator On-Line Unit Reserve Shutdown Hours Gross Thermal Energy Generated (Gross Electrical Energy Generated 	(MWH)	287.2 0 286.7 0 731545	6668.1 0 5466.4 0 16355515	9895.1 0 9596.8 0 24013459			
2. Number Of Hours Reactor Was Cri 3. Reactor Reserve Shutdown Hours 4. Hours Generator On-Line 5. Unit Reserve Shutdown Hours 6. Gross Thermal Energy Generated 7. Gross Electrical Energy Generated 8. Net Electrical Energy Generated	(MWH)	287.2 0 286.7 0 731545 242120	6668.1 0 5466.4 0 16355515 5458800	9895.1 0 9596.8 0 24013459 8002020			
2. Number Of Hours Reactor Was Cri 3. Reactor Reserve Shutdown Hours 4. Hours Generator On-Line 5. Unit Reserve Shutdown Hours 6. Gross Thermal Energy Generated (7. Gross Electrical Energy Generated 8. Net Electrical Energy Generated (9. Unit Service Factor	(MWH)	287.2 0 286.7 0 731545 242120 227091	6668.1 0 5466.4 0 16355515 5458800 5156950	9895.1 0 9596.8 0 24013459 8002020 7554536			
2. Number Of Hours Reactor Was Cri 3. Reactor Reserve Shutdown Hours 4. Hours Generator On-Line 5. Unit Reserve Shutdown Hours 6. Gross Thermal Energy Generated 7. Gross Electrical Energy Generated 8. Net Electrical Energy Generated 9. Unit Service Factor 10. Unit Availability Factor	(MWH) (MWH) MWH)	287.2 0 286.7 0 731545 242120 227091 38.5	6668.1 0 5466.4 0 16355515 5458800 5156950 88.3 88.3 88.3	9895.1 0 9596.8 0 24013459 8002020 7554536 88.7			
2. Number Of Hours Reactor Was Cri 3. Reactor Reserve Shutdown Hours 4. Hours Generator On-Line 5. Unit Reserve Shutdown Hours 6. Gross Thermal Energy Generated (17. Gross Electrical Energy Generated (18. Net Electrical Energy Generated (19. Unit Service Factor 20. Unit Availability Factor 21. Unit Capacity Factor (Using MDC)	(MWH) (MWH) MWH)	287.2 0 286.7 0 731545 242120 227091 38.5 38.5	6668.1 0 4466.4 0 16355515 5458800 5156950 88.3 88.3	9895.1 0 9596.8 0 24013459 8002020 7554536 88.7 88.7			
2. Number Of Hours Reactor Was Cri 3. Reactor Reserve Shutdown Hours 4. Hours Generator On-Line 5. Unit Reserve Shutdown Hours 6. Gross Thermal Energy Generated (7. Gross Electrical Energy Generated (8. Net Electrical Energy Generated (9. Unit Service Factor 10. Unit Availability Factor 11. Unit Capacity Factor (Using MDC) 12. Unit Capacity Factor (Using DER)	(MWH) (MWH) MWH)	287.2 0 286.7 0 731545 242120 227091 38.5 38.5 38.5	6668.1 0 5466.4 0 16355515 5458800 5156950 88.3 88.3 88.3	9895.1 0 9596.8 0 24013459 8002020 7554536 88.7 88.7 88.8			
2. Number Of Hours Reactor Was Cri 3. Reactor Reserve Shutdown Hours 4. Hours Generator On-Line 5. Unit Reserve Shutdown Hours 6. Gross Thermal Energy Generated 7. Gross Electrical Energy Generated 8. Net Electrical Energy Generated 9. Unit Service Factor 20. Unit Availability Factor 21. Unit Capacity Factor (Using MDC) 22. Unit Capacity Factor (Using DER) 23. Unit Forced Outage Rate	(MWH) (MWH) MWH) Net)	287.2 0 286.7 0 731545 242120 227091 38.5 38.5 38.8 37.9	6668.1 0 5466.4 0 16355515 5458800 5156950 88.3 88.3 89.6 87.6 4.0	9895.1 0 9596.8 0 24013459 8002020 7554536 88.7 88.7 88.8 86.8			
11. Hours In Reporting Period 12. Number Of Hours Reactor Was Cri 13. Reactor Reserve Shutdown Hours 14. Hours Generator On-Line 15. Unit Reserve Shutdown Hours 16. Gross Thermal Energy Generated 17. Gross Electrical Energy Generated 18. Net Electrical Energy Generated 19. Unit Service Factor 20. Unit Availability Factor 21. Unit Capacity Factor (Using MDC 22. Unit Capacity Factor (Using DER 23. Unit Forced Outage Rate 24. Shutdowns Scheduled Over Next	(MWH) (MWH) MWH) Net) Net) 6 Months (Typ	287.2 0 286.7 0 731545 242120 227091 38.5 38.5 38.8 37.9 0 pe, Date, and Durati	6668.1 0 5466.4 0 16355515 5458800 5156950 88.3 89.6 87.6 4.0 on of Each):	9895.1 0 9596.8 0 24013459 8002020 7554536 88.7 88.7 88.8 6.3			

INITIAL ELECTRICITY
COMMERCIAL OPERATION

50-389 DOCKET NO. UNIT NAME DATE

St. Lucie Unit #2 11-15-84 N.W. Grant COMPLETED BY TELEPHONE (305) 552-3675

October, 1984 REPORT MONTH

No.	Date	Type)	Duration (Hours)	Reason-	Method of Shutting Down Reactors	Licensee Event Report #	System Cude4	Component Code 5	Cause & Corrective Action to Prevent Recurrence
11	831012	S	457.3	С	1		RC	FUELXX	Unit #2 was shutdown for refueling and scheduled maintenance.
						•			

F: Forced S. Scheduled

Reason:

A-Equipment Failure (Explain)

B-Maintenance or Test

C-Refueling

D-Regulatory Restriction

E-Operator Training & License Examination

F-Administrative

G-Operational Frror (Fxplain)

H-Other (Explain)

3 Method:

1-Manual

2-Manual Scram.

3-Automatic Scrain.

4-Other (Explain)

4- CONTINUED

5- LOAD REDUCTION

Exhibit G - Instructions for Preparation of Data Entry Sheets for Licensee Event Report (LER) File (NUREG-01611

Exhibit 1 - Same Source

DOCKET NO.	50-389				
UNIT	St. Lucie Unit #2				
DATE	November 15, 1984				
COMPLETED BY	N.W. Grant				
TELEPHONE	(305) 552-3675				

REPORT MONTH

November, 1984

Unit #2 was shutdown for refueling and scheduled maintenance.

Inspections and requirements of IE Bulletins and NUREG-0737 are continuing.

Florida Power & Light Company commitments for NUREG-0737 implementation are continuing. Refer to correspondence between FPL and NRC for additional information.

In accordance with requirements of Technical specification 6.9.1.6 there were no challenges to PORV or safety valves during the report month.



November 15, 1984 PNS-LI-84-413

Director, Office of Resource Management U. S. Nuclear Regulatory Commission Washington, D.C. 20555

Dear Sir:

Attached are the October 1984 Operating Status Reports and Operating Summary Reports for Turkey Point Units No. 3 and 4 and St. Lucie Units No. 1 and 2.

Very truly yours,

J. W. Williams, Jr. Group Vice President

Nuclear Energy

JWW/NWG/cas

Attachment

cc: J. P. O'Reilly, Region II

Mulleaun X

IE24