Georgia Power Company 40 Inverness Center Parloway Pref Office Box 1295 Burningham, Alabama (1520) Talephone 205 877-7279

J. T. Beckham, Jr. Vice President - Noclear Hatch Project



August 13, 1991

Docket Nos. 50-321 50-366

HL-2360

U.S. Nuclear Regulatory Commission ATTN: Document Control Desk Washington, DC 20555

## PLANT HATCH - UNITS 1 AND 2 FITNES FOR DUTY PERFORMANCE DATA

Gentlemen:

Georgia Power Company hereby submits Fitness For Duty Performance Data for the six month reporting period, January 1992 through June 1992, as required by 10 CFR 25.71(d). This data is summarized on the attached enclosure.

Should you have any questions, please advise.

Respectfully submitted,

J. T. Beckham, Jr.

JTB, Jr/JMG

inclosures

Mr. W. G. Hairston, III, Senior Vice President - Nuclear Generation Mr. H. L. Sumner, Jr., General Manager - Plant Hatch NORMS

U. S. Nuclear Regulatory Commission, Washington, DC Mr. K. N. Jabbour, Licensing Project Manager - Hatch

U. S. Nuclear Regulatory Commission, Region II Mr. S. D. Ebneter, Regional Administrator Mr. L. D. Wert, Senior Resident Inspector - Hatch

9208180199 920813 PDR ADDCK 05000321

No

## Fitness for Duty Program Performance Data Personnel Subject to 10CFR 26

Georgia Powe	er company		06-30-92
		Company	# Months Ending
E.I. Hatch	Nuclear Plan	t	
		Location	
Don M. Crow	e		(205) 877-7248
	Consen	Name	Phone (include area code)
Cutoffs: Screen	Confirmation (ng	/ml) Appendix A to 10CFR 26	
Marijuana	/	Amphetamines /	-
Cocaine	1	Phencyclidine /	***************************************
Opiates	/	Alcohol (% BAC)	

Tes	iting Results	Licensee Employees		Long-Term Contractor Personnol		Short-Term Contractor Personnel	
	erage Number with escorted Access	1128		677		241	
Cat	egories	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Pre	-Access	43	0	128	0	344	1
ForC	Post accident	0	0	0	0	0	0
Cause	Observed behavior	1	0	1	0	0	0
Random		625	0	390	0	86	0
Fol	low-up	8	0	0	0	0	0
OIT	Retast/ Per Return to Work	1	0	2	0	0	0
Tota	al	678	0	521	0	430	1

Breakdown of Confirmed Positive Tests for Specific Substances

	Manjuana Cocaine Opiates	Cocaine	Opiates	Amphe- tamines	Phency- clidine	Alcohol	Refusal to Test	-	2	6	*	8	
Licensee Employees	0	0	0	0	0	0	C)						
Long-Term Contractors	0	0	0	0	0	0	0						
Short-Term Confractors	0	1	0	0	0	0	0						4
Total	0	1	0	0	0	0	0						1

## Plant Hatch - Units 1 and 2 Fitness For Duty Program

The data generated under the Fitness For Duty program from January 1992 through June 1992 has been reviewed and analyzed and no weaknesses have been identified.

The random pool contains not only those badged for unescorted access, but also those employees who may, in an emergency condition, be called upon to work at the site and may require unescorted access. Contractors without approved programs are included in the pool while on site. Testing is performed on a nominal weekly basis to include swing shifts, weekends and holidays at a rate which will equal 100% yearly of the total population.

In summarizing management actions associated with the fitness For Duty program, it should be emphasized that the incidence of confirmed positive tests has been low. Consequently, management actions relative to determination of fitness for duty have been limited. Contractor employees screened as positive are denied access and no further action is taken by Georgia Power Company in these cases.

Effective June 1, 1992 the Fitness For Duty substance panel for urine was changed to screen exclusively for the NIDA 5 panel as outlined in 10 CFR Part 26. Barbiturates and benzodiazepines were dropped from the screening and confirmation process. The NRC was previously informed of this change by letter dated May 11, 1992.