PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE -- PNO-IV-84-29

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by NRC staff on this date.

FACILITY: Kansas Gas & Electric Company

Wolf Creek Generating Station

Burlington, Kansas

Docket: 50-482

L	i	censee	Emerg	en	су	Class	sifi	ica	tion
		Notif							

Site Area Emergency General Emergency

Not Applicable

SUBJECT: DELAY IN FUEL LOAD DATE

Kansas Gas and Electric Company issued a press release on December 12, 1984, announcing a delay in the fuel load date for Wolf Creek until some time in January 1985. The major cause of the delay was cited as the recent failure of a centrifugal charging pump which delayed completion of plant preoperational testing. The press release also contained additional information on the upcoming containment integrity leak rate test scheduled to begin on December 15, 1984.

The NRC does not plan to issue a press release.

CONTACT: L. E. Martin, 728-8153

Phillips 5:158 DISTRIBUTION: MAIL: E/W Willste H. ST. MNBB NMS5 DOT: Trans Only NRR Chmn Palladino EDO IE RES DMB (Original) Comm. Zech PA DCS OIA Comm. Roberts MPA AEOD NSAC 3:16 INPO 3:17 Comm. Asselstine ELD VIB Comm. Bernthal Air Rights SECY ACRS CA Licensee: PDR Regions: (Reactor Licensees)

D/DRSP RM RPDenise: jc 12/12/84

RA/RIV RDMartinle 12/12/84

8412170199 841212 PDR I&E PNO-IV-84-029 PDR PDR E 34