VERMONT YANKEE NUCLEAR POWER CORPORATION



P.O. Box 157, Governor Hunt Road Vernon, Vermont 05354-0157 (802) 257-7711

> March 10, 1996 VY-RE-96-006 BVY-96-018

U.S. Nuclear Regulatory Commission Attn: Document Control Desk Washington, D.C. 20555

Reference:

a) License No. DPR-28 (Docket No. 50-271)

In accordance with section 6.7.A.3 of the Vermont Yankee Technical Specifications, submitted herewith is the Monthly Statistical Report for the Vermont Yankee Nuclear Power Station for the month of February, 1996.

Sincerely,

Vermont Yankee Nuclear Power Corp.

Robert J. Wanczyk Plant Manager

cc: USNRC Region I Administrator
USNRC Resident Inspector - VYNPS

USNRC Resident Inspector - VYN USNRC Project Manager - VYNPS

140026

9603140118 960229 PDR ADOCK 05000271 JE24.

VERMONT YANKEE NUCLEAR POWER STATION

MONTHLY STATISTICAL REPORT 96-02 FOR THE MONTH OF FEBRUARY 1996

DP 0411 Rev. 6 Page 1 of 1

OPERATING DATA REPORT

DOCKET NO.50-271
DATE 960310
COMPLETED BY G.A. WALLIN
TELEPHONE (802)258-5414

OP	ERATING STATUS		TELEPHONE (802)258-5414
DESCRIPTION OF	Unit Name: Vermont Yankee			
2.	Reporting Period: February			
3.	Licensed Thermal Power(MWt): 1593			
4.	Nameplate Rating(Gross MWe): 540			
5.	Design Electrical Rating(Net MWe):	522		
6.	Maximum Dependable Capacity(Gross MW	e): <u>535</u>		
7.	Maximum Dependable Capacity(Net MWe)	: 510		
8.	If changes, occur in capacity rating last report, give reasons:	s(Items Numbe	r 3 through	7) since
	Power level to which restricted, if Reasons for restrictions, if any:	any(Net MWe):	N/A	
		This Month	Yr-to-Date	Cumulative
11.	Hours in Reporting Period	696.00	1440.00	
	Number Of Hours Reactor was Critical	696.00	1440.00	
13.	Reactor Reserve Shutdown Hours	0.00	0.00	The same of the sa
4.	Hours Generator On-Line	696.00	1440.00	And the second s
15.	Unit Reserve Shutdown Hours	0.00	0.00	0.00
16.	Gross Thermal Energy Generated (MWH)	1104479.50	2284253.80	248367012.70
17.	Gross Electrical Energy Generated	382732.00	791550.00	82877057.00
18.	Net Electrical Energy Generated (MWH)	368016.00	761032.00	78778131.00
19.	Unit Service Factor	100.00	100.00	
.09	Unit Availability Factor	100.00	100.00	
21.	Unit Capacity Factor (Using MDC Net)	103.70	103.60	76.00
22.	Unit Capacity Factor (Using DER Net)	101.30	101.20	74.50
23.	Unit Forced Outage Rate	0.00	0.00	4.75
25.	Shutdowns scheduled over next 6 month Each: 1996 Refueling Outage schedule and end on September 22, 1996. If shut down at end of report period Units In Test Status(prior to commercial)	ed to begin o	n August 23 ate of star n): N/A	, 1996
	INITIAL CRITICALITY	rorecast A	Cittered	
	INTERNAL CREETING			
		STATE OF THE PARTY		
	INITIAL ELECTRICITY COMMERCIAL OPERATION	***************************************		

VYDPF 0411.01 DP 0411 Rev. 6 Page 1 of 1 RT No. 13.F01.19F

. AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO. 50-271

UNIT Vermont Yankee
DATE 960310

COMPLETED BY G.A. WALLIN
TELEPHONE (802)258-5414

MONTH	February

DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)
1.	530	17.	531
2.	530	18.	531
3.	530	19.	531
4.	530	20.	531
5.	530	21.	531
6.	530	22.	531
7.	530	23.	530
8.	531	24.	531
9.	531	25.	530
0.	530	26.	530
1.	531	27.	483
2.	531	28.	530
3.	530	29.	530
4.	530	30.	
5.	531	31.	
.6.	530		

INSTRUCTIONS:

On this format, list the average daily unit power level in MWE-Net for each day in the reporting month. Compute to the nearest whole megawatt.

VYDPF 0411.02 DP 0411 Rev. 6 Page 1 of 1 RT No. 13.F01.18V

UNIT SHUTDOWNS AND POWER REDUCTIONS

REPORT MONTH FEBRUARY

DOCKET NO 50-271 UNIT NAME Vermont Yankee DATE 960310 COMPLETED BY G.A. Wallin TELEPHONE (802)258-5414

No.	Date	1 Type	Duration (hours)	2 Reason	3 Method of Shutting Down Reactor	License Event Report #	4 System Code	5 Component Code	Cause and Corrective Action to Prevent Recurrence
96-02	960227	S	00.00	В,Н*	4 Power Reduction	N/A	RB	CONROD	Bypass valve test, MSIV full closure test, a rod pattern exchange, and single rod scram testing.

1 F: Forced S: Scheduled 2 Reason:

A-Equipment Failure (Explain)

B-Maintenance or Test

C-Refueling

D-Regulatory Restriction E-Operator Training and

License Examination

F-Administrative

G-Operational Error (Explain)

Page 1 of 1

VYDPF 0411.03

DP 0411 Rev. 6

*H-(Explain) - Rod Pattern Exchange

3 Method:

1 - Manual

2 - Manual Scram

3 - Automatic Scram

4 - Other (Explain)

4 Exhibit G- Instructions for Preparation of Data Entry Sheets for License

Event Report (LER) File

(NUREG 0161)

5 Exhibit I - Same Source

DOCKET NO. 50-271
DATE 960310
COMPLETED BY G.A. WALLIN
TELEPHONE (802)258-5414

REPORT MONTH February

SUMMARY OF OPERATING EXPERIENCES

Highlights

960227

....

Vermont Yankee operated at 99.6% of rated thermal power for the month. Gross electrical generation was 382,732 MWHe or 100.7% design electrical capacity.

Operating Summary

The following is a chronological description of plant operations including other pertinent items of interest for the month:

At the beginning of the reporting period the plant was operating at 99.9% of rated thermal power.

	rod pattern exchange, and single rod scram testing. (See Unit Shutdowns and Power Reductions)						
960227	At 0207 hours, initiated MSIV full closure testing.						
960227	At 0220 hours, completed MSIV full closure testing. Initiated rod pattern exchange, single rod scram and turbine bypass valve testing.						
960227	At 0540 hours, completed rod pattern exchange, single rod scram and turbine bypass valve testing. Initiated a return to full power.						

At 0140 hours, initiated a power reduction to less than 80%, to

At the end of the reporting period the plant was operating at 99.9% of rated thermal power.

VYDPF 0411.04 DP 0411 Rev. 6 Page 1 of 1 RT No. 13.F01.18X