Mind MAY 22 1992 Dc-ket Nos. 50-327, 50-328 License Nos. DPR-77, DPR-79 Tennessee Valley Authority ATTN: Dr. Mark O. Medford, Vice President Nuclear Assurance, Licensing and Fuels 3B Lookout Place 1101 Market Street Chattanooga, Tennessee 37402-2801 Dear Sir: SUBJECT: CONFIRMATORY MEASUREMENTS PROGRAM This is to inform you of an additional inspection element to the NRC Confirmatory Measurements Program. During the Spring and Summer of 1992, as part of this program, liquid samples spiked with nonradiological species will be brought to your Sequoyah facility by Regional NRC inspectors. These samples should be analyzed at your facility in accordance with yo r routine procedures. Detailed instructions will be provided. The chemical s_cies in this study will include: ammonia, anions (fluoride, chloride, sulfate), boron, hydrazina, lithium, metals (copper, chromium, iron, nickel), silica, sodium, and zinc. The inspectors will review and evaluate the results of these analyses as part of their routine chemistry inspections and will provide this information to you in an inspection report. This additional inspection element to the Confirmatory Measurement Program is not in response to any "perceived" weaknesses in this area, but rather in recognition of the growing importance of nonradiological water chemistry control in terms of material integrity and dose control. We appreciate your cooperation on this matter. If you have any questions regarding this program, please contact Deborah Seymour by telephone at 404-331-2605. Sincerely, William E. Cline, Chief Radiological Protection and Emergency Preparedness Branch Division of Radiation Safety and Safeguards cc: (See page 2) 9206080099 920 PDR ADDCK 050

cc: Mr. J. B. Waters, Director Tennessee Valley Authority ET 12A 400 West Summit Hill Drive Knoxville, Tennessee 37902

> Mr. J. R. Bynum, Vice Pre. Jent Nuclear Operations 3B Lookout Place 1101 Market Street Chattanooga, Tennessee 37402-2831

> Mr. M. J. Burzynski, Manager Nuclear Licensing and Regulatory Affairs Tennessee Valley Authority 5B Lookout Place Chattanooga, Tennessee 37402-2801

Mr. Jack Wilson, Vice President Sequoyah Nuclear Plant Tennessee Valley Authority P. O. Box 2000 Soddy-Daisy, Tennessee 37379

TVA Representative Tennessee Valley Authority 11921 Rockville Pike Suite 402 Rockville, Maryland 20852

Ms. Marci Cooper Site Licensing Manager Sequoyah Nuclear Plant Tennessee Valley Authority P. O. Box 2000 Soddy-Daisy, Tennessee 37379

Mr. Michael H. Mobley, Director Division of Radiological Health T.E.R.R.A. Building, 6th Floor 150 9th Avenue North Nashville, Tennessee 37219-5404

cc: (Cont'd on page 3)

bcc: S. D. Ebneter, RII

8. A. Wilson, DRP/RII

R. H. Bernhard, DRr/RII

B. M. Bordenick, OGC

D. E. LaBarge, NRR

G. C. Lainas, NRR

F. J. Hebdon, NRR

Document Control Desk

NRC Resident Inspector U.S. Nuclear Regulatory Commission 2600 Igou Ferry Soddy-Daisy, TN 37379

DSeymour TDector RBernhard