



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PDR-016

JUN 21 1984

Mr. Steven C. Sholly
Technical Research Assistant
Union of Concerned Scientists
1346 Connecticut Avenue, NW, Suite 1101
Washington, DC 20036

IN RESPONSE REFER
TO FOIA-84-335
(Sholly No. 84-27)

Dear Mr. Sholly:

This is a second response to your letter dated May 1, 1984, in which you requested, pursuant to the Freedom of Information Act, five categories of documents.

A copy of each of the documents listed on the appendix is being placed in the NRC Public Document Room (PDR), located at 1717 H Street, NW, Washington, DC 20555:

The NRC has not completed its search and review of the remaining documents subject to your request. We will respond as soon as those actions are completed.

Sincerely,

A handwritten signature in black ink, appearing to read "J. W. Felton", written over a horizontal line.

J. W. Felton, Director
Division of Rules and Records
Office of Administration

Enclosure: Appendix

8412210165 840621
PDR FOIA
SHOLLY84-335 PDR

APPENDIX

LIST OF DOCUMENTATION PERTINENT TO FIN A3705

1. Letter from Roger J. Mattson to Gregory J. Ogeka, "BNL TECHNICAL ASSISTANCE TO THE DIVISION OF SYSTEMS INTEGRATION, NRR, NRC, "SAFETY EVALUATION OF CORE-MELT ACCIDENTS: SESSAR-FDA; WESTINGHOUSE STANDARD PLANT-FDA", (FIN A3705), Jan. 4, 1983.
2. NRC FORM 189, Safety Evaluation of Core-Melt Accidents: CESSCR-FDA, Westinghouse Standard Plant-FDA, Feb. 28, 1983.
3. Letter from H. C. Grahn to David Schweller, Mar. 7, 1983.
4. Letter from Roger J. Mattson to Gregory J. Ogeka, "BNL TECHNICAL ASSISTANCE TO THE DIVISION OF SYSTEMS INTEGRATION, NRR, NRC - "SAFETY EVALUATION OF CORE-MELT ACCIDENTS: CESSCR-FDA; WESTINGHOUSE STANDARD PLANT-FDA", (FIN A3705)", Apr. 13, 1983.
5. Office of Nuclear Reactor Regulation, Project Identification Summary (PIDS) form, July 20, 1983.
6. Letter from Roger J. Mattson to Gregory J. Ogeka, "BNL TECHNICAL ASSISTANCE TO THE DIVISION OF SYSTEMS INTEGRATION, NRR, NRC. - "SAFETY EVALUATIONS OF CORE-MELT ACCIDENTS: SESSAR-FDA; WESTINGHOUSE STANDARD PLANT-FDA" (FIN A3705)," Oct. 20, 1983.
7. NRC FORM 367, DOE SOURCE SELECTION JUSTIFICATION, Jan. 31, 1984.