



Northern States Power Company

414 Nicollet Mall Minneapolis, Minnesota 55401 Telephone (612) 330-5500

December 21, 1984

Mr J G Keppler Regional Administrator, Region III Office of Inspection and Enforcement US Nuclear Regulatory Commission 799 Roosevelt Road Glen Ellyn, IL 60137

PRAIRIE ISLAND NUCLEAR GENERATING PLANT DOCKET NO. 50-282, LICENSE NO. DPR-42 DOCKET NO. 50-306, LICENSE NO. DPR-60

In further response to IE Bulletin 84-02, the reviews requested on page 5 of the Bulletin have been completed. Relay operating history was reviewed. NPRDS failure data was reviewed. Relays are tested periodically; most safeguards and protection relays are tested monthly. We have no history of common mode failures except for the Westinghouse NBFD relays, which have been the subject of other correspondence with your office. We find that the general concerns expressed in the Bulletin do not apply to relays used in safety-related applications at this facility.

Staff time to perform the requested review was about 80 hours, and to prepare requested documentation was about 10 hours.

C. E. Larson

Vice President Nuclear Generation

c: G. Charnoff
Resident Inspector, NRC
NRC Document Control Desk

9501070298 841221 PDR ADDCK 05000282 G PDR TEIL

UNITED STATES NUCLEAR REGULATORY COMMISSION

NORTHERN STATES POWER COMPANY

PRAIRIE ISLAND NUCLEAR CENERATING PLANT

Docket No. 50-282 Docket No. 50-306

RESPONSE TO I.E. BULLETIN 84-02

Northern States Power Company, a Minnesota corporation, hereby submits a further response to I.E. Bulletin 84-02 for the Prairie Island Nuclear Generating Plant

This letter contains no restricted or other defense information.

NORTHERN STATES POWER COMPANY

Bv .

C. E. Largon

Vice President Nuclear Generation

On this 2/st day of December, 1984, before me a notary public in and for said County, personally appeared C. E. Larson, Vice President Nuclear Generation, and being first duly sworn acknowledged that he is authorized to execute this document on behalf of Northern States Power Company, that he knows the contents thereof and that to the best of his knowledge, information and belief, the statements made in it are true and that it is not interposed for delay.

Dody & Brase

DODY A. BROSE

NOTARY PUBLIC - MINNESOTA

HENNEPIN COUNTY

My Commission Expires Dec. 26, 1989