

July 14, 1992

Docket Nos. 50-498
and 50-499

Mr. Donald P. Hall
Group Vice President, Nuclear
Houston Lighting & Power Company
P.O. Box 1700
Houston, Texas 77251

Dear Mr. Hall:

SUBJECT: STEAM GENERATOR TUBE RUPTURE ANALYSIS, SOUTH TEXAS PROJECT, UNITS 1
AND 2 (TAC NOS. M75099 AND M75100)

In our Safety Evaluation, dated April 20, 1992, the staff determined that the Houston Lighting & Power Company (HL&P) responses to confirmatory issues 2, 3, 4, and 5 (NRC letter of March 30, 1987) were acceptable. The response to confirmatory issue 1 was incomplete because operator response times were not obtained for all operating crews.

By letter of June 19, 1992 (ST-HL-AE-4135) HL&P informed the staff that appropriate scenarios have been added to the licensed operator training material which will obtain the response times and that the information is expected to be provided to the staff by December 16, 1992. As a result of the HL&P commitment, the staff concludes that the response to confirmatory issue 1 is acceptable. Implementation will be considered complete upon attainment of acceptable operator response times.

Sincerely,

William D. Reckley for

George F. Dick, Jr., Senior Project Manager
Project Directorate IV-2
Division of Reactor Projects III/IV/V
Office of Nuclear Reactor Regulation

cc: See next page

DISTRIBUTION

Docket File	OGC	GWest
NRC PDR	ACRS (10)	
Local PDR	EPeyton	
PDIV-2 R/F	GDick	
PDIV-2 P/F	EJordan	
BBoger	AHowell	
MVirgilio	JWermiel	

*See Previous Sheet for Concurrence

OFFICE	PDIV-2/LA	PDIV-2/PM	NRR:LHFB*	NRR:LHFB*	PDIV-2/D
NAME	EPeyton	GDick:ye <i>WDR FOR</i>	GWest	JWermiel	SBlack
DATE	7/13/92	7/13/92	7/10/92	7/10/92	7/13/92

FILENAME: B:\STM75099

9207160309 920714
PDR ADOCK 050049B
PDR

NRC FILE CENTER COPY

*DF-01
111*

Mr. J. Tapia
Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 910
Bay City, Texas 77414

Mr. J. C. Lanier/M. B. Lee
City of Austin
Electric Utility Department
P. O. Box 1088
Austin, Texas 78767

Mr. K. J. Fiedler
Mr. M. T. Hardt
City Public Service Board
P. O. Box 1771
San Antonio, Texas 78296

Mr. D. E. Ward
Mr. T. M. Puckett
Central Power and Light Company
P. O. Box 2121
Corpus Christi, Texas 78403

INPO
Records Center
1100 Circle 75 Parkway
Atlanta, Georgia 30339-3064

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Mr. Joseph M. Hendrie
50 Bellport Lane
Bellport, New York 11713

Judge, Matagorda County
Matagorda County Courthouse
1700 Seventh Street
Bay City, Texas 77414

Mr. William J. Jump
Manager, Nuclear Licensing
Houston Lighting and Power Company
P. O. Box 289
Wadsworth, Texas 77483

Jack R. Newman, Esq.
Newman & Holtzinger, P.C.
1615 L Street, N.W.
Washington, D.C. 20036

Licensing Representative
Houston Lighting and Power Company
Suite 610
Three Metro Center
Bethesda, Maryland 20814

Bureau of Radiation Control
State of Texas
1101 West 49th Street
Austin, Texas 78756

Rufus S. Scott
Associate General Counsel
Houston Lighting and Power Company
P. O. Box 61867
Houston, Texas 77208