

The information on this page is considered to be appropriate for public disclosure pursuant to 10 CFR 2.790.

U. S. NUCLEAR REGULATORY COMMISSION
REGION V

Report No. 50-027/92-02 and 50-027/92-03

License No. R-75

Licensee: Washington State University
Pullman, Washington 99104

Facility Name: Nuclear Radiation Center

Inspection At: Washington State University
Pullman, Washington

Inspection Conducted: June 8 - 10, 1992

Inspector:

L. Norderhaug
L. Norderhaug
Senior Material Control Analyst

6/13/92
Date Signed

Approved by:

Robert J. Pate
Robert J. Pate, Chief
Safeguards, Emergency Preparedness
and Nonpower Reactor Branch

7/13/92
Date Signed

Inspection Summary:

Areas Inspected: This announced, routine inspection included review of activities related to: security plans, procedures and reviews; reports of safeguards events; fixed site physical protection of special nuclear material of moderate strategic significance; protection of Safeguards Information; and material control and accounting. During this inspection, procedures 81401, 81402, 81403, 81421, 81810 and 85102 were used.

Results: In the areas inspected, the licensee's programs were found to be in compliance with NRC requirements and appeared adequate to accomplish their objectives. However, one program weakness was identified in the area of: Security Program Review (See paragraph 2.f of the report details).

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 11/13/92 BY 2790 INFORMATION

9207170132 920713
PDR ADOCK 05000027
G PDR

XIEDZ