



PSEG Public Service
Electric and Gas
Company

80 Park Plaza, Newark, NJ 07101 / 201 430-8217 MAILING ADDRESS / P.O. Box 570, Newark, NJ 07101

Robert L. Mittl General Manager
Nuclear Assurance and Regulation

February 1, 1985

Director of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
7920 Norfolk Avenue
Bethesda, Maryland 20814

Attention: Mr. Albert Schwencer, Chief
Licensing Branch 2
Division of Licensing

Gentlemen:

ASME SECTION III, EXEMPTION FROM NDE FOR SMALL DIAMETER
PIPES AND FITTINGS
HOPE CREEK GENERATING STATION
DOCKET NO. 50-354

Public Service Electric and Gas Company requests permission to adopt the provisions of NB-2510 in the 1983 Edition, Summer 1983 Addenda of ASME Section III, whereas the Code of Record is the 1974 Edition, Winter 1974 Addenda. The provisions of NB-2510 in the 1983 Edition, Summer 1983 Addenda of ASME Section III allows the use of seamless pipe, tubes, and fittings, 1 in. nominal pipe size and less, without being examined by nondestructive methods. The Code of Record requires the examination by nondestructive methods of these pipes, tubes, and fittings.

Should you have any questions in this regard, please contact us.

Very truly yours,

8502050442 850201
PDR ADOCK 05000354
A PDR

JES:mr

C D. H. Wagner
USNRC Licensing Project Manager

A. R. Blough
USNRC Senior Resident Inspector

The Energy People

Boo!
1/0
ADD: R. Kirkwood, meB