November 1, 1983

Note to Don Fischer

SUBJECT: SALEM 2 FIRE PROTECTION MODIFICATION (OELD # 838 593)

We need to do some more work on this one. I'm not quite sure exactly what we need yet since I don't understand it. Why don't you return the package to me with a copy of our May 31, 1983 request, their incoming request and a copy of the proposed no significant hazards determination.

for Joe Scinto

NOTE TO ME Looks like its an additional restriction, not an administrative change.

8502090190 840518 PDR FOIA ADATO84-166 PDR



UNITED STATES NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

r respective, Oblean

1032 Destr. Date: On D. RECETVED (1651 BAS) \$ NO: 1072478A 838593

i serbinisen lit.

FINGUME BEI WAS: 1 SMLER 2

CLASSY State

OF MARTIN CHARLE

RECEIVED:

And of the the telephone to the time of the telephone to the telephone to

10/24/83 0/24/83

Partiron x 4

Fulfic Lation of the form of the problem of the pro

HELEPIN

DE DATE STORY

Shields

Latine 111

Tran- I have no problem with this
refire protection, but is this
really a "purely administrative"
change to Teel Spees for
sholly purposes? Bill

Etrape. We connect and should not to to to the stand of t