DCS No: 50277278920924 Date: September 25, 1992

PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE-PNO-1-97-52

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by the Region I staff on this date.

| Facility: | Licensee Emergency Classification: | | | |
|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--|--|--|
| Peach Bottom Atomic Power Station Delta, Pennsylvania 50-277/278 | Notification of Unusual Even Alert Site Area Emergency Governal Emergency Y. Not Applicable | | | |

Subject: POSITIVE DRUG TEST ON A LICENSED OPERATOR

On September 24, 1992 at 3:30 p.m., Peach Bottom Atomic Power Station (PBAP5) reported a confirmed positive test for indication of marijuana for a ticensed Senior Reactor Operator (limited to fuel handling). The indication is based on results from a random test which was administered the week of September 14.

The licensee, Philadelphia Electric Company (PECO), has denied him access to both Limerick and Peach Bottom and has suspended him from work. PECO is checking the individual's activities tack to his hist drug test in March 1992. The results of that test were negative.

The Commonwealth of Pennsylvania has been informed.

CONTACT:

Todd Fish

Paul Bonnett

8-215-337-5084

8-717-456-7614

9210010025 920925 PDR 1&E PNO-1-92-52 PDR

2-34

DCS No: 50277278920925 September 25, 1992 Date:

| Mary 15 | A. S. Alberton | 4-1- W.M. | Anna St. 1 | programs. | 11/4 | |
|---------|----------------|-----------|------------|-----------|-------|------|
| 1 51 | ST | D 11 | 12 E | | 6 9 0 | ωz - |
| 4.00 | 25 8 | 25.3.1 | EDY No. | | 1.72 | ч. |
| | | | | | | |

OWFN Chairman Selin**

MNBB AEOD** L-St. PDR NL RES Mail:

ADM:DMB

DOT:Trans only**

Comm. Rogers Comm. Curtiss IRM OIG**

NRC Ops Ctr**

INPO** 1: 27/7

Comm. Remick

Comm. de Planque

OCAA OIP

Phillips

OCA

EDO

ACRS**

OGC NMSS

OPA

NRR** (Phone Verif: A. Byrdsong 964-1168 or 964-1166)

OE

OSP

Regional Offices

EWW OIG

RI Resident Office 1:30/m.

Licensee: 1:33/m. (Reactor Licensees)

Region I Fonn 83 (Roy. June 1992)

^{**} Cleneral list for sending PNs by FAX