

APPENDIX A

NOTICE OF VIOLATION

Duke Power Company
Oconee

Docket Nos. 50-269, 50-270 and 50-287
License Nos. DPR-38, DPR-47 and DPR-55

As a result of the inspection conducted on November 14-18, 1983, and in accordance with the NRC Enforcement Policy, 47 FR 9987 (March 9, 1982), the following violation was identified.

10 CFR 20.203(e) requires that each area or room in which licensed material is used or stored and which contains any radioactive material (other than natural uranium or thorium) in an amount exceeding 10 times the quantity of such material specified in Appendix C of this part be conspicuously posted with a sign or signs bearing the radiation caution symbol and the words: "Caution, Radioactive Material" or "Danger, Radioactive Material".

Contrary to the above, on November 16, 1983, a pond located in an unrestricted area at the plant site, which contained greater than 10 times Appendix C quantities of licensed material, was not posted.

This is a Severity Level V Violation (Supplement IV).

Pursuant to the provisions of 10 CFR 2.201, you are hereby required to submit to this office within thirty days of the date of this Notice, a written statement or explanation in reply, including: (1) admission or denial of the alleged violation; (2) the reasons for the violation if admitted; (3) the corrective steps which have been taken and the results achieved; (4) corrective steps which will be taken to avoid further violations; and (5) the date when full compliance will be achieved. Consideration may be given to extending your response time for good cause shown.

Date: December 8, 1983