OCT 04 1984

Docket No. 50-352

Philadelphia Electric Company ATTN: Mr. John S. Kemper Vice President Engineering and Research 2301 Market Street Philadelphia, PA 19101

Gentlemen:

Subject: Inspection No. 50-352/84-47

This refers to the special team inspection, conducted by Mr. S. V. Pullani of this office on August 27 - 31, 1984, at Limerick Generating Station, Unit 1, Limerick, Pennsylvania, of the safe shutdown capability of the plant in the event of a fire and other activities authorized by NRC License No. CPPR-106 and to the discussions of our findings held by Mr. Pullani with Mr. G. Leitch of your staff at the conclusion of the inspection, and to a subsequent telephone discussion between Mr. S. V. Pullani, Mr. A. G. Krasopoulos and Mr. N. Fioravante of our staff and Mr. E. Sproat and other members of your staff on September 6, 1984.

Areas examined during this inspection are described in the NRC Region I Inspection Report which is enclosed with this letter. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector.

Within the scope of this inspection, no violations were observed.

In accordance with 10 CFR 2.790(a), a copy of this letter and the enclosure will be placed in the NRC Public Document Room unless you notify this office, by telephone, within ten days of the date of this letter and submit written application to withhold information contained therein within thirty days of the date of this letter. Such application must be consistent with the requirements of 10 CFR 2.790(b)(1). The telephone notification of your intent to request withholding, or any request for an extension of the 10-day period which you believe necessary, should be made to the Supervisor, Files, Mail and Records, USNRC Region I, at (215) 337-5223.

8411010004 841004 PDR ADOCK 05000352 PDR

OFFICIAL RECORD COPY

DL50-352/84-47 - 0001.0.0 09/07/84

1/1 1501

Philadelphia Electric Co.

is appreciated.

No reply to this letter is required. Your cooperation with us in this matter

Sincerely. Original Signed By:

tewary & Eheter

Thomas T. Martin, Director Division of Engineering and Technical Programs

Enclosure: NRC Region I Inspection Report Number 50-352/84-47

cc w/encl: V. S. Boyer, Senior Vice President, Nuclear Power Troy B. Conner, Jr., Esquire Eugene J. Bradley, Esquire, Assistant General Counsel Limerick Hearing Service List Public Document Room (PDR) Local Public Document Room (LPDR) Nuclear Safety Information Center (NSIC) NRC Resident Inspector Commonwealth of Pennsylvania

bcc w/encl: Region I Docket Room (with concurrences) Senior Operations Officer (w/o encls) J. Gutierrez, RI L. Tripp, DPRP Section Chief, #3A L. Briggs, DETP, RI R. Gallo, Chief, Project Section 2A R. Eberly, CHEB, NRR N. Fioravante, ASB, NRR E. Mac Dongall, Brookheven National Laboratory (BNL) A. Fresco, BNL L. Whitney, DQASIP, IE R. Martin, Project Manager (Limerick), LB-2, NRR

S. V. Pullani (3 copies)

STD_	de	c/9	que
RI:DETP Pullani/kl	RI:DETP for Krasopoulos	RI:DETP Anderson	RI:DETP Ebneter
9/19/84	9/19/84	9/2/ /84	9/25 /84

OFFICIAL RECORD COPY

DL50-352/84-47 - 0001.1.0 09/07/84

1601

Judge Lawrence Brenner Atomic Safety and Licensing Board U.S. Nuclear Regulatory Commission Washington, D.C. 20555

× .

Judge Richard F. Cole Atomic Safety and Licensing Board U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Judge Peter A. Morris Atomic Safety and Licensing Board U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Atomic Safety and Licensing Appeal Panel U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Mr. Frank R. Romano 61 Forest Avenue Ambler, Pennsylvania 19002

Mr. Robert L. Anthony Friends of the Earth of the Delaware Valley P.O. Box 186 103 Vernon Lane Moylan, PA 19065

Mr. Marvin I. Lewis 6504 Bradford Terrace Philadelphia, PA 19149

Phyllis Zitner LER P.O. Box 761 Pottstown, PA 19464 Docketing and Service Station Office of the Secretary U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Ann P. Hodgdon, Esq. Benjamin H. Vogler, Esq. Counsel for NRC Staff Office of the Executive Legal Director U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Atomic Safety and Licensing Board Panel U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Philadelphia Electric Company ATTN: Edward G. Bauer, Jr. Vice President & General Counsel 2301 Market Street Philadelphia, PA 19101

David Wersan, Esq. Consumer Assistant Advocate Office of Consumer Advocate 1425 Strawberry Square Harrisburg, PA 17120

Steven P. Hershey, Esq. Community Legal Services, Inc. Law Center North Central Beury Bldg. 3701 North Broad Street Philadelphia, PA 19140

Angus Love, Esq. 101 East Main Street Norristown, PA 19401

Mr. Joseph H. White, III 15 Ardmore Avenue Ardmore, PA 19003

2

Charles W. Elliott, Esq. Brose and Postwistilo 1101 Building 11th & Northampton Street Easton, PA 18042

Thomas Y. Au, Esq. Assistant Counsel Commonwealth of Pennsylvania DER 505 Executive House P.O. Box 2357 Harrisburg, PA 17120

Thomas Gerusky, Director Bureau of Radiation Protection Department of Environmental Resources 5th Floor, Fulton Bank Bldg. Third and Locust Streets Harrisburg, PA 17120

Jay M. Gutierrez, Esq. U.S. Nuclear Regulatory Commission Region I 631 Park Avenue King of Prussia, PA 19406

U.S. Nuclear Regulatory Commission ATTN: Mr. J. T. Wiggins Senior Resident Inspector P.O. Box 47 Sanatoga, PA 19464 Robert J. Sugarman, Esq. Sugarman & Denworth Suite 101 North Broad Street Center Plaza - 16th Floor Philadelphia, PA 19107

Director, Pennsylvania Emergency Management Agency Basement, Transportation and Safety Building Harrisburg, PA 17120

Martha W. Bush, Esq. Kathryn S. Lewis, Esq. City of Philadelphia Municipal Services Bldg. 15th and JFK Blvd. Philadelphia, PA 19107

Spence W. Perry, Esq. Associate General Counsel Federal Emergency Management Agency 500 C Street, S.W., Rm. 840 Washington, D.C. 20472

> Troy B. Conner, Jr., Esquire Mark J. Wetterhahn, Esquire Conner & Wetterhahn 1747 Pennsylvania Ave Washington, D.C. 20006