

Pilgrim Nuclear Power Station Rocky Hill Road Plymouth, Massachusetts 02360

Henry V. Oheim General Manager · Technical Section

April 17, 1996 BECo Ltr. 5.96.027

NPDES Programs (SPA)
U.S. Environmental Protection Agency
P.O. Box 8127
Boston, MA 02114-8127

Massachusetts Division of Water Pollution Control Lakeville Hospital Lakeville, MA 02346

## Discharge Monitoring Report

Dear Sirs:

Enclosed is the Discharge Monitoring Report for Pilgrim Nuclear Power Station (PNPS), NPDES permit number MA0003557 (Federal) and number 359 (State).

The period covered by this report is March, 1996.

Should you have any questions on this report, please direct them to our Principal Marine Biologist, Mr. Robert Anderson, at (508) 830-7935.

Respectfully,

H. V. Oheim

RDA/pkk/RAP96/DMR

Attachments: 1. Summary

2. Discharge Monitoring Report

CC: U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

U. S. Nuclear Regulatory Commission Region I. 475 Allendale Road King of Prussia, PA 19406

Senior NRC Resident Inspector Pilgrim Nuclear Power Station

220079 9604220202 960331 PDR ADDCK 05000293

IE25

#### ATTACHMENT 1 TO BECO LETTER 5.96.027

#### SUMMARY

### PILGRIM I DISCHARGE MONITORING REPORT

In accordance with the Federal Clean Water Act, as amended (33USC 1251 et seq: the "CWA"), and the Massachusetts Clean Water Act, as amended (M.G.L.; Chap. 21, 26-53), regarding effluent limitations, monitoring requirements and other conditions set forth in the Pilgrim NPDES permit (Federal Permit Number MA0003557, and State Permit Number 359), Parts I and II, the following information is submitted for the period March, 1996.

## Discharge Points Covered in this Report

Discharge Point Discharge Identification		
001	Condenser Cooling Water	
002	Thermal Backwash for Biofouling Control	
003	Intake Screen Wash	
004, 005, 006, and 007	Yard Drains (April and September)	
008	Sea Foam Suppression	
010	Service Cooling Water	
011	Makeup Water and Demineralizer Waste Discharge	

# II. Summary and Notes of Discharge Report

- A. The flows at points 001 and 010 are calculated from system pump capacity and are equal to the total for all pumps in each system running at full capacity for a 24-hour period. The flow at 011 is measured by noting sump levels before and after discharge. Flow at point 002 is a conservative figure obtained by calculating flow if backwashing took place for 24 hours. Flows at points 003 and 008 are calculated from system pump capacity and mean operating time.
- B. The temperatures at points 001 and 002 are measured by resistance temperature detectors (RTD's).
- C. Periodically, total residual chlorine (TRC) concentration in the service cooling water (010) exceeds permit requirements (0.50 ppm daily average TRC and 1.00 ppm daily maximum TRC) prior to mixing with any other stream, primarily because of the number of service water pumps in operation. Chlorine injection levels are lowered as a corrective measure. The dilution provided by the PNPS circulating water flow keeps total residual chlorine concentrations discharged to Cape Cod Bay below the NPDES permit limit of 0.1 ppm.
- D. For stormwater outfalls 004, 005, 006 and 007, Sigma 800 SL Portable Composite Samplers are utilized. The samplers are equipped with a "liquid level activator" that commences the sampling when the liquid reaches a predetermined level. This assures a sample is taken "within the first hour of the start of a significant storm event." The intake and collection assemblies of the samplers conform to U.S. EPA requirements for collecting oil and grease samples (USEPA letter to BECo dated 1/7/92). No additional inputs to these stormwater outfalls occur downstream of the composite samplers' sampling locations.

- E. Intake traveling water screens were operated with dechlorination pumps operating at all times.
- F. No sawdust was applied to seek and seal PNPS condenser leaks in March.
- G. The following boron and sodium nitrite discharges (ppm) occurred in March 1996 from discharge point #001. All discharges were below NPDES permit limits prior to entering Cape Cod Bay.

Date Discharged	Gallons Discharged	Concentration Before Discharge	Concentration Discharged
		Boron	
3/30/96	9,185	59.0	0.0761
	S	odium Nitrite	
3/30/96	9,185	7.5	0.0097

- H. Approximately 350 cubic yards of sand were removed from the concrete surface of the intake structure on March 18-22, 1996. It was pumped into breakwater crevices above the high tide mark. The sand removal was necessary to alleviate concern over its effects on normal operation of mechanical components/traveling screens, and it was expected to have no adverse environmental impact. The removal operation was in accordance with Part I, Paragraph A.1.0 of the NPDES permit.
- By telecon on March 5, 1996 (BECo Telecon 4.96.001), the U.S. EPA approved the discharge of fire water storage tanks to the PNPS intake embayment in order that maintenance may be performed on them. The tanks each contain 250,000 gallons of Plymouth town water and 20,000 gallons will be discharged at the rate of 200 gpm. The water has no detectable radiological activity, pH 7.1, suspended solids 4.4 ppm, chlorides 14.4 ppm and nitrites <1.0 ppm.

ATTACHMENT 2 TO BECO LETTER 5.96.027

DISCHARGE MONITORING REPORT

PERMITTEE NAME/ADDRESS (Include Facility Name/Location of Different) NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) Form Approved. DISCHARGE MONITORING REPORT (DMR) NAME BOSTON ED #1 PILERIM PLANT CONDENSE & COOLINGON BRONE 2040-0004 (2-16) Approvalegatinger05-31-98 ADDRESS ROCKY HILL ROAD MA0003557 (SUBR S ) RED #1 PERMIT NUMBER DISCHARGE NUMBER F - FINALI PLYMOUTH MA 02360 MAJOR MONITORING PERIOD FACILITY MO DAY YEAR MO LOCATION U3 \*\*\* NO DISCHARGE ! FROM 96 76 U.5 ATTN: T.A. SULLIVAR, PLANT MANAGER NOTE: Read instructions before completing this form. (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) (3 Card Only) QUANTITY OR LOADING QUANTITY OR CONCENTRATION 14 Card Only) FREQUENCY NO. PARAMETER SAMPLE (46-53) (54-61) (38-45) (46-53) (54-61) OF EX (32-37) TYPE ANALYSIS MAXIMUM UNITS MINIMUM AVERAGE AVERAGE MAXIMUM UNITS /62-63/ (64-6R) (69-70) TEMPERATURE, WATER SAMPLE \*\*\*\* \*\*\*\* \*\*\*\* \*\*\*\* ( 15) 69.3 MEASUREMENT DEG. FAHRENHEIT of PERMIT 00011 1 0 0 \*\*\*\* 金融会交易会 黄金金鱼 \*\*\*\* 132 CORD 女女者女女女 EFFLUENT GROSS VALUE REQUIREMENT 血食食食 DATLY MX DEG.F ZEGU ( 19) OXIDANTS - TOTAL SAMPLE \*\*\*\* 会会会会会会 食物物物食物 0.02 0.01 MEASUREMENT RESIDUAL MB/L 34044 1 PERMIT \*\*\* 会会会会会会 \*\*\* 0.1 0-11 C REQUIREMENT \*\*\* MO AVE EFFLUENT GROSS VALU DATLY MX MG/L! DISCHR \*\*\*\* \*\*\*\* FLOW, IN CONDUIT OR SAMPLE ( 03) \*\*\*\* 446.4 THRU TREATMENT PLANTMEASUREMENT MGD 447-0 510-0 金金金金金金 \*\*\*\* 去去去去去去 50050 1 0 PERMIT REQUIREMENT \*\*\* EFFLUENT GROSS VALU MO AVE DAILY MX MGD DOST ( 15) TEMP. DIFF. BETWEEN SAMPLE \*\*\*\* \*\*\*\* 费金条条金金 \*\*\*\* 29.7 INTAKE AND DISCHARGEMEASUREMENT \*\*\*\* 61576 1 0 0 PERMIT \*\*\*\* \*\*\*\*\* \*\*\* \*\*\*\* EFFLUENT GROSS VALUE REQUIREMENT \*\*\* DAILY MX DEG. F LOUS SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER T. A. Sullivan

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 U.S.C. § 1319. (Panulties under these statutes may include fines up to 610,000 and or maximum imprisonment of between 6 menths and 6 years.)

RONATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

NUMBER YEAR MO

TELEPHONE

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMIT REQUIREMENT

SEE PERMIT PAGE 5 PARAGRAPHS MEN FO PH SHALL NOT YARY MORE THAN 0.5 PH STANDARD UNITS FROM INTAKE WATER. R BORON AND SODIUM NITRATE REPORTING REQUIREMENTS. ATTACH ALL RELATED REPORTS TO THIS FORM. A BARRIER ITHES.

NET SHALL RE MAINTAINED AT THE THERMAL END DE DISCHARGE CANAL AT ALL EPA Form 3320-1 (08-95) Previous editions may be used.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

03355/960119-1705

PAGE

DATE

Form Approved NATIONAL POLIUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITTEE NAME/ADDRESS (Include Facility Name Location of Different) DISCHARGE MONITORING REPORT (DMR) THERMAL BACKWASH OMB No. 2040-0004 SOSTON ED #1 PILGRIM PLANT (2-16) (17-19) Approveles pire 05-31-98 (SUBR S ) MAD003557 002 ADDRESS ROCKY HILL ROAD F - FINALI DIRCHARGE NUMBER PERMIT NUMBER RED #1 ROLAN MA 02360 PLYMOUTH MONITORING PERIOD FACILITY YEAR MO DAY YEAR MO \*\*\* NO DISCHARGE LOCATION 201 UT TO 39 31 0.5 33 FROM NOTE: Reed instructions before completing this form. ATTN: T.A. SULLIVAN, PLANT MANAGER (26-27) (28-29) (30-31) (20-21) (22-23) (24-25) QUANTITY OR CONCENTRATION FREQUENCY (3 Cord Only) QUANTITY OR LOADING 14 Card Cnlv1 NO. SAMPLE PARAMETER 146-531 (54-61) OF (46-53) (54-61) (38-45) EX TYPE ANALYSIS (32-37) UNITS MINIMUM AVERAGE MAXIMUM UNITS MAXIMUM 162-63 AVERAGE (64-68) (69-70) ( 15) \*\*\*\* SAMPLE \*\*\* 贵食食食食食 会会会会会会 TEMPERATURE, MATER MEASUREMENT DEG. FAHRENHEIT 女童童童童童 \*\*\*\* PERMIT \*\*\* 00011 1 0 0 金金金金金金 DEG.F ZLCU REQUIREMENT DAILY MX \*\*\* EFFLUENT GROSS VALU 会会会社会会 ( 03) \*\*\*\* 杂油食量食品 \*\*\*\* SAMPLE FLOW, IN CONDUIT OR THRU TREATMENT PLANTMEASUREMENT MOD \*\*\*\* 女会会会会会 女女女女女女 食食食食食食 PERMIT 50050 1 0 0 DISCHE EFFLUENT GROSS VALUE REQUIREMENT 女会会会 DAILY MX MGD SAMPLE MEASUREMENT PERMIT REQUIREMENT I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND TELEPHONE DATE NAME/TITLE PRINCIPAL EXECUTIVE OFFICER AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR T. A. Sullivan OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING PLANT MANAGER 16 THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 BIGNATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1318. (Panalties under these statutes may include fines up to \$10,000 NUMBER YEAR MO DAY OFFICER OR AUTHORIZED AGENT and or maximum imprisonment of between 6 months and 6 years.) COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) THE PH SHALL NOT VARY MORE THAN 0.5 STANDARD UNITS FROM THAT OF THE INTAKE WATER. FLOW RATE IS TO BE ESTI

THE PH SHALL NOT VARY MORE THAN 0.5 STANDARD UNITS FROM THAT OF THE INTAKE WATER. FLOW RATE IS 13 BE ESTI-MATED AS IF BACKFLUSHING TOOK PLACE FOR 24 CONTINGUS HOURS. SEE PERMIT PAGE 8 FOR CONDITIONS REGARDING TH

PAGE

Form Approved NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITTEE NAME/ADDRESS (Include Facility Name Location if Different) DISCHARGE MONITORING REPORT (DMR) # ACMB No. 2040-0004 INTAKE STREEM BOSTON FD #1 PILGRIM PLANT (17-19) 12-161 Approveligenting OE-31-98 MA0003557 003 A (SUBR S ) ADDRESS ROCKY HILL ROAD DISCHARGE NUMBER F - FINALI PERMIT NUMBER RED #1 MA 02360 ROLAM PLYMOUTH MONITORING PERIOD FACILITY YEAR MO DAY YEAR MO DAY \*\*\* NO DISCHARGE LOCATION 21 FROM 96 03 UI 78 33 NOTE: Read instructions before completing this form. ATTN: T.A. SULLIVAN, PLANT MANAGER (20-21) (22-23) (24-25) (28-27) (28-29) (30-31) QUANTITY OR CONCENTRATION 13 Card Only QUANTITY OR LOADING 14 Card Only! PREQUENCY NÓ. SAMPLE PARAMETER (46-53) (54-61) OF 146-531 (54-61) (38-45) EX TYPE (32-37) ANALYSIS AVERAGE MAXIMUM UNITE MUMBHUM AVERAGE MUMIXAM UNITE 169-701 (64-68) ( 03) SAMPLE 会会会会会会 \*\*\*\* \*\*\* FLOW, IN CONDUIT 1.03 3.036 MEASUREMENT THRU TREATMENT PLAN MGD 50050 PERMIT 4-1 **在安全会会** 女会会会会 去是去去多介 DAILY ESTIN 1 0 1 REQUIREMENT 食食食食 器の BAILY MX MED EFFLUENT GROSS VALU SAMPLE MEASUREMENT PERMIT REQUIREMENT NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND TELEPHONE DATE AM FAMILIAR WITH THE INFORMATION BUBGITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR T. A. SULLIVAN OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING PALSE INFORMATION, INCLUDING 8 P-ANT MANAGER THE POSSIBILITY OF PINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 IGNATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1319. (Periation under those statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 6 years.) NUMBER YEAR MO DAY TYPED OR PRINTED OFFICER OR AUTHORIZED AGENT COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

THE TEMPERATURE OF THIS DISCHARGE SHALL AT NO TIME EXCEED THE TEMPERATURE OF THE INTAKE WATER. FISH SHELLFISH AND OTHER DRGANISMS COLLECTED OR TRAPPED ON INTAKE SCREEN SHOULD BE RETURNED TO WATER

AMBTENT TEMP SUFFIFIENTLY DISTAN FORM INVAKE STRUCTURES TO PREVENT EPA Form 3320-1 (08-95) Previous editions may be used.

SEA FOAM SUPRESSIONE NO 1205048004 F BOSTON ED #1 PILGRIM PLANT (17-19) 12-161 Approvales mirga 05-31-98 (SUBR S ) MA0003557 A SCO ADDRESS ROCKY HILL ROAD PERMIT NUMBER DISCHARGE NUMBER F - FINALI RFD #1 MAJOR MA 02360 HTUCKYJA MONITORING PERIOD FACILITY YEAR MO DAY YEAR MO DAY \*\*\* MO DISCHARGE ! LOCATION 76 FROM 96 UT 03 031 NOTE: Read instructions before completing this form. ATTN: T.A. SULLIVAN, PLANT MANAGER 120-211 (22-23) (24-26) (28-27) (38-29) (30-31) QUANTITY OR CONCENTRATION NO. PREQUENCY CHANTITY OR LOADING (3 Card Only) 14 Card Only! SAMPLE PARAMETER (54-61) OF 146-531 (54-61) (38-45) (46-53) EX TYPE (32-37) ANALYSIS MAXIMUM UNITS EMITS MUMINUM AVERAGE AVFRAGE MALINAKI ANA (62-63) (64-68) (69-70) ( 03) \*\*\*\* SAMPLE \*\*\*\* \*\*\*\* FLOW. IN CONDUIT OR 0110 THRU TREATMENT PLANTMEASUREMENT MGD \*\*\*\* DEILE \*\*\*\* 老妻老母老者 50050 1 0 0 PERMIT 3-73 0.73 REQUIREMENT \*\*\* MO AVE BATIFME MED EFFLUENT GROSS VALUE SAMPLE MEASUREMENT PERMIT REQUIREMENT TELEPHONE I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND DATE NAME/TITLE PRINCIPAL EXECUTIVE OFFICER AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR T. A. SULLIVAN OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING PLANT MANAGER THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 38 HONATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1218. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 menths and 6 years.) NUMBER YEAR MO OFFICER OR AUTHORIZED AGENT TYPED OR PRINTED COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT IDMRI

1 OF

Form Approved.

PERMITTEE NAME/ADDRESS (Include Facility Name Location of Different)

Form Approved. NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITTEE HAME/ADDRESS (Include Facility Name Location of Different) DISCHARGE MONITORING REPORT (DMR) PLANT SERVICE COOMBAN. 2044-9084 BOSTON ED #1 PILGRIM PLANT (2-16) Approvale prire 05-21-98 (SUBR S ) MA0003557 010 A ADDRESS ROCKY HILL ROAD DISCHARGE NUMBER F - FINALI PERMIT NUMBER RFD #1 MA 02360 HAJO2 PLYMOUTH MONITORING PERIOD FACILITY YEAR MO DAY YEAR MO DAY \*\*\* NO DISCHARGE LOCATION FROM 96 03 0.3 70 03 NOTE: Read instructions before completing this form. ATTN: T.A. SULLIVAN, PLANT MANAGER (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) QUANTITY OR CONCENTRATION PREQUENCY QUANTITY OR LOADING 13 Card Onlys 14 Card Only) NO. SAMPLE PARAMETER (46-53) (54-61) OF (38-45) (48-53) (54-61) EX TYPE (32-37) ANALYSIS MAXIMUM UNITS UNITS MINIMUM AVERAGE AVERAGE MAXIMUM NT2-53/ 169-701 (64-68) ( 19) SAMPLE \*\*\*\* \*\*\* DAIDANTS, TOTAL \*\*\*\* 0.58 0.18 MEASUREMENT RESIDUAL MGIL PERMIT \*\*\* 女女会会女女 0.5 1. ) \*\*\*\* **北北北北北** 34044 0 0 REQUIREMENT DAELY MX MG/LI ZECU \*\*\* MO AYE EFFLUENT GROSS VALU \*\*\*\* ( 03) SAMPLE 会会会会会会 \*\*\*\* CONDUTT OR 6. THRU TREATMENT PLANTMEASUREMENT MGD \*\*\*\* 0 PERMIT \*\*\*\* 金金金金金金 由食食会食食 50050 EFFLUENT GROSS VALUE REQUIREMENT Ston MED 食食食者 MO AVE SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T. A. SULLIVAN
PLANT MANAGER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAN WITH THE RIFORMATION SUBMITTED HEREN; AND BASED ON MY INQURY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF RINE AND IMPRISONMENT. SEE IS U.S.C. \$ 1001 AND 33 U.S.C. \$ 1319. Premises under those statutes may include fines up to \$10,000 and or maximum imprisonment of between 8 months and 5 years.]

BIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

509,747-8100 4 AREA NUMBER YEA

TELEPHONE

01421/960119-1705

4 9 SG YEAR MO DAY

DATE

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CONTINOUS CHLORINATION OF SERVICE WATER SYSTEM MAY BE USED FOR MACROINVERTEBRATE CONTROL. FLOW RATE SHALL BE ESTIMATED FROM PUMP CAPACITY CURVES AND OPERATIONAL HOURS.

Form Approved NATIONAL POLLUTANT DISCHARGE FLIMINATION SYSTEM (NPDES) PERMITTEE NAME/ADDRESS (Include Facility Name/Location of Different) DISCHARGE MONITORING REPORT (DMR) TAKE UP TATER ANDOMBRIETADIO-BOOKTE NAME BOSTON FO #1 PILERIM PLANT (17-19) (2-16) Approvales mirac 05-31-98 (SURR S) MA0003557 \*DORESS ROCKY HILL ROAD 011 DISCHARGE NUMBER F - FINALI PERMIT NUMBER 2FD #1 48.102 MA 02360 PITHONTH MONITORING PERIOD FACILITY YEAR MO DAY YEAR MO DAY \*\*\* NO DISCHARGE LOCATION FROM 95 03 UI 76 031 NOTE: Read instructions before completing this form. ATTN: T.A. SULLIVAN, PLANT MANAGER (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) QUANTITY OR CONCENTRATION **CUANTITY OR LOADING** FREQUENCY (3 Card Only) (4 Card Only) NO. SAMPLE PARAMETER OF (46-53) 164-611 (48-53) (54-61) (38-45) EX TYPE (32-37) AHALYSIS MINIMUM AVERAGE MAXIMUM UNITS AVERAGE MAXIMUM UNITS 162-631 (64-68) (69-70) ( 19) \*\*\*\* \*\*\*\* SAMPLE \*\*\*\* SOLIDS. TOTAL 18.5 18.5 MEASUREMENT SUSPENDED 171 \*\*\* 30 PERMIT \*\*\*\* \*\*\*\* \*\*\* 00530 1 REQUIREMENT HG/L' BATCH \*\*\* MO AVE DATLY MX EFFLUENT GROSS VALU \*\*\* ( 03) \*\*\*\* SAMPLE \*\*\*\* IN CONDUIT OR 0.00031 0.00031 THRU TREATMENT PLANTMEASUREMENT MGD 0-015 0.06 \*\*\*\*\* \*\*\*\* \*\*\*\* PERMIT 50050 0 EFFLUENT GROSS VALUE REQUIREMENT 金安金金 DISCHR MO AVE DATLY MX MGD SAMPLE MEASUREMENT PERMIT REQUIREMENT I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND TELEPHONE NAME/TITLE PRINCIPAL EXECUTIVE OFFICER DATE AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR T. A. SUCLIVAN OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING PLANT MANAGER THE POSSIBILITY OF PINE AND IMPRISONMENT. SEE 10 U.S.C. \$ 1001 AND 33 STONATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1318. (Panalties under those statutes may include fines up to \$10,000 NUMBER YEAR OFFICER OR AUTHORIZED AGENT TYPED OR PRINTED and or maximum imprisonment of between 6 months and 5 years.) COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

EPA Form 3320-1 (08-95) Previous editions may be used.

TO THIS FORM

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

SEE PAGE 5 OF PERMIT PARAGRAPH N FOR SODIUM NITRATE REPORTING REQUIERMENTS. ATTACH ALL RELATED REPORTS

00433/2601 9-1705

1 OF PAGE