## EA 96-118

Florida Power Corporation Crystal River Energy Complex Mr. P. M. Beard, Jr. (SA2A) Sr. VP, Nuclear Operations ATTN: Mgr., Nuclear Licensing 15760 West Power Line Street Crystal River, FL 34428-6708

## SUBJECT: NOTICE OF VIOLATION (NRC INTEGRATED INSPECTION REPORT NO. 50-302/96-01)

Gentlemen:

This refers to the inspection conducted by the resident and regional staff of this office on January 28 through March 9, 1996. The inspection included a review of activities authorized for your Crystal River facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress. The purpose of the inspection was to determine whether activities authorized by the license were conducted safely and in accordance with NRC requirements.

Based on the results of this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice). Regarding Violation A described in the enclosed notice concerning the High Pressure Injection flow instrumentation, we are particularly concerned that your corrective actions for previous violations were ineffective. Although your current actions to address the technical issue regarding the High Pressure Injection flow instrumentation appear comprehensive, the violation is being cited to emphasize the importance of assuring that corrective actions address the extent of the conditions and have long term effectiveness. In addition, the enclosed Inspection Report identifies activities that violated NRC requirements that will not be subject to enforcement action because your efforts in identifying and/or correcting the violation meet the criteria specified in Section VII.B of the Enforcement Policy.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements. 9604240344 960408 PDR ADOCK 05000302

PDR 220073

OFFICIAL COPY

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice", a copy of this letter, its enclosures, and any reply will be placed in the NRC Public Document Room.

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96.511.

Should you have any questions concerning this letter, please contact us.

Sincerely,

Orig signed by Kerry D. Landis

Kerry D. Landis, Chief Reactor Projects Branch 3 Division of Reactor Projects

Docket No. 50-302 License No. DPR-72

Enclosures: 1. Notice of Violation 2. NRC Inspection Report

cc w/encls: Gary L. Boldt, Vice President Nuclear Production (SA2C) Florida Power Corporation Crystal River Energy Complex 15760 West Power Line Street Crystal River, FL 34428-6708

B. J. Hickle, Director
Nuclear Plant Operations (NA2C)
Florida Power Corporation
Crystal River Energy Complex
15760 West Power Line Street
Crystal River, FL 34428-6708

L. C. Kelley, Director (SA2A) Nuclear Operations Site Support Florida Power Corporation Crystal River Energy Complex 15760 West Power Line Street Crystal River, FL 34428-6708

Rodney E. Gaddy, Corporate Counsel FPC MAC - A5A P. O. Box 14042 St. Petersburg, FL 33733

cc w/encls: Continued see page 3

cc w/encls: (Continued) Attorney General Department of Legal Affairs The Capitol Tallahassee, FL 32304

Bill Passetti Office of Radiation Control Department of Health and Rehabilitative Services 1317 Winewood Boulevard Tallahassee, FL 32399-0700

Joe Myers, Director Division of Emergency Preparedness Department of Community Affairs 2740 Centerview Drive Tallahassee, FL 32399-2100

Chairman Board of County Commissioners Citrus County 110 N. Apopka Avenue Inverness, FL 34450-4245

Robert B. Borsum B&W Nuclear Technologies 1700 Rockville Pike, Suite 525 Rockville, MD 20852-1631

Distribution w/encls: K. Landis, RII L. Raghavan, NRR G. Hallstrom, RII PUBLIC

NRC Resident Inspector U.S. Nuclear Regulatory Commission 6745 N. Tallahassee Road Crystal River, FL 34428

## \*FOR PREVIOUS CONCURRENCE SEE ATTACHED

OFFICE	TO PUBLIC DOC		YES	NO		
SIGNATURE	LMellen*	RButcher*	TCooper*	JKreh*	WMiller*	LRaghavan*
DATE	04 / / 96	04 / / 96	04 / / 96	04 / / 96	04 / / 96	04 / / 96
COPY?	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO
SEN	TO PUBLIC DOC	UMENT ROOM?	YES	NO		Transmission and a second
OFFICE				1		
SIGNATURE						hate
NAME	MThomas*					
DATE	04 / / 96	04 / / 96	04 / / 96	04 / / 96	04 / / 96	04 / / 9
COPY?	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO

OFFICIAL RECORD COPY DOCUMENT NAME: G:\CRYSTAL\9601-A.FEB OFFICIAL RECORD COPY

cc w/encls: Continued Bill Passetti Office of Radiation Control Department of Health and Rehabilitative Services 1317 Winewood Boulevard Tallahassee, FL 32399-0700

Joe Myers, Director Division of Emergency Preparedness Department of Community Affairs 2740 Centerview Drive Tallahassee, FL 32399-2100

Chairman Board of County Commissioners Citrus County 110 N. Apopka Avenue Inverness, FL 34450-4245

Robert B. Borsum B&W Nuclear Technologies 1700 Rockville Pike, Suite 525 Rockville, MD 20852-1631

Distribution w/encl: K. Landis, RII L. Raghavan, NRR G. Hallstrom, RII PUBLIC

NRC Resident Inspector U.S. Nuclear Regulatory Commission 6745 N. Tallahassee Road Crystal River, FL 34428

OFFICE				land		
SIGNATURE	to Lyon all	Red for de	6\$ mil	JKtoh	WAM	EJ fn J LRaghavan
DATE	0412198	041 A198	01/4/98	24/2/96	431 / 1 pit	00/14/191
COPY?	YES NO	YES NO	YES NO	YES NO	NOTES (NO)	YES NO
SEN	TO PUBLIC DOCI	MENT ROOM?	YES	NO T	1	
WTTPUE						
SIGNATURE	MThomas	sure the				
SIGNATURE NAME DATE		84- 196	03/ /96	03//96	03/ /96	03/ /90

OFFICIAL RECORD COPT DOCUMENT NAME: G: /CK12147 18001