

April 17, 1996

Dr. Gunter Kegel
Director - Radiation Laboratory
University of Massachusetts - Lowell
1 University Avenue
Lowell, MA 01854

SUBJECT: NRC INSPECTION NO. 50-223/96-01

Dear Dr. Kegel:

On April 3, 1996, the NRC completed a 3-day safety inspection at the Lowell University Research Reactor. The enclosed report represents the results of that inspection.

No noncompliances or significant issues were identified. Observed activities were conducted properly. An issue concerning appointment of a full-time health physics technician will be discussed in separate correspondence from NRC headquarters.

No response to this letter is required.

Your cooperation with us is appreciated.

Sincerely,

John R. White, Chief
Radiation Safety Branch
Division of Reactor Safety

Docket No. 50-223
License No. R-125

Enclosure: NRC Region I Inspection Report No. 50-223/96-01

cc w/encl:
Dr. J. White, Chairman, Reactor Safety Subcommittee
Dr. William Vernetson, TRTR
Commonwealth of Massachusetts (2)

9604260232 960417
PDR ADOCK 05000223
Q PDR

IE01
11

Dr. Gunter Kegel

2

Distribution w/encl:

Region I Docket Room (with concurrences)

T. Dragoun, RI

S. Weiss, NRR (OWFN 11 B20)

D. Screnci, Public Affairs Officer

V. McCree, OEDO (OWFN 17 G21)

PUBLIC

Nuclear Safety Information Center (NSIC)

DRS File

DOCUMENT NAME : G:\RSB\DRAGOUN\UNIVOFMA.961

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RI:DRS	E	RI:DRS
NAME	Dragoun		White
DATE	04/15/96		04/15/96

OFFICIAL RECORD COPY