



DEPARTMENT OF THE ARMY
HEADQUARTERS US ARMY MATERIEL DEVELOPMENT AND READINESS COMMAND
5001 EISENHOWER AVENUE, ALEXANDRIA, VA. 22333

3 October 1984

0694

14

Director
Nuclear Material Safety and Safeguards
ATTN: Radioisotopes Licensing Branch
US Nuclear Regulatory Commission
Washington, DC 20555

'84 OCT 10 P3:01

RE: AMCSF-P/84-0145


Gentlemen:

Forwarded is Crane Army Ammunition Activity's request to update information contained in the renewal application for byproduct material license number 13-18235-01 assigned NRC Control No. 17065. The request includes the following:

- a. Change Source Model No. AMS 3801 to Source Model No. AMS 3800.
- b. Change contractor performing quarterly maintenance inspection of exposure devices from Test Equipment Distributors to Advanced Medical Systems, Inc..

Please acknowledge receipt of correspondence on enclosed DA Form 209, Mail Reply Card.

Sincerely,


DARWIN N. TARAS
Chief, Health Physics,
Safety Office

Enclosures
as

Copies Furnished:

HQDA(DASG-PSP-E) WASH DC 20310 2 cys w/encl

Director, AMC FSA, ATTN: AMXOS-PE, Charlestown, IN 47111 w/encl
Commander

AMCCOM, ATTN: AMSMC-SFS, Rock Island, IL 61299 w/o encl

Crane Army Ammunition Activity, ATTN: SMCCN-CO, Crane, IN 47522 w/o encl

8411140411 841031
NMS LIC30
13-18235-01 PDR

AMSMC-SFS (5 Sep 84) 1st Ind Mrs. Peterson/dg/AV 793-2965
SUBJECT: Correction of Application for Renewal of By-Product Material,
License No. 13-18235-01, by Crane Army Ammunition Activity

HQ, AMCCOM, Rock Island, IL 61299-6000 26 SEP 1984

TO: Commander, US Army Materiel Command, ATTN: AMCSF-PX

1. Reference letter, DRSMC-SF (R), HQ, AMCCOM, 2 Feb 84, subject:
Application for Renewal of By-Product Material License No. 13-18235-01 by
Crane Army Ammunition Activity.
2. Forwarded for your review and action are corrections to be made to
subject application which was submitted to US Army Materiel Command under
cover letter, reference 1.
3. Request these corrections be provided the Nuclear Regulatory Commission
(NRC) as soon as possible to assure information for their review is complete.

FOR THE COMMANDER:


1 Encl

nc

CF:

Cdr, Crane AAP

ATTN: SMCCN-PAM/Mr. Caswell


LAWRENCE E. SMITH
Chief, Safety Office

AMSMC-SFS (5 Sep 84) 1st Ind

Mrs. Peterson/dq/AV 793-2965

SUBJECT: Correction of Application for Renewal of By-Product Material,
License No. 13-18235-01, by Crane Army Ammunition Activity

HQ, AMCCOM, Rock Island, IL 61299-6000

26 SEP 1984

TO: Commander, US Army Materiel Command, ATTN: AMCSF-PX

1. Reference letter, DRSMC-SF (R), HQ, AMCCG-4, 2 Feb 84, subject:
Application for Renewal of By-Product Material License No. 13-18235-01 by
Crane Army Ammunition Activity.
2. Forwarded for your review and action are corrections to be made to
subject application which was submitted to US Army Materiel Command under
cover letter, reference 1.
3. Request these corrections be provided the Nuclear Regulatory Commission
(NRC) as soon as possible to assure information for their review is complete.

FOR THE COMMANDER:

1 Encl
cc

Signed
LAWRENCE E. SMITH
Chief, Safety Office

OF:
Cor, Crane AAP
ATTN: SMCON-PAM/Mr. Caswell

84-0145



DEPARTMENT OF THE ARMY Mr. Caswell/ld/AUTOVON
CRANE ARMY AMMUNITION ACTIVITY 482-1871
CRANE, INDIANA 47522-5099

REPLY TO
ATTENTION OF
SMCCN-CO

05 SEP 1984


SUBJECT: Correction of Application for Renewal of Byproduct Material
License No. 13-18235-01 by Crane Army Ammunition Activity

THRU: Commanding General
US Army Armament, Munitions and Chemical Command
ATTN: AMSMC-SF
Rock Island, IL 61299-6000

TO: Commanding General
US Army Materiel Command
ATTN: AMCSF-P
Alexandria, VA 22333-00001

1. Request that item 4a of subject application be changed to read "Source Model No. AMS 3800" in lieu of "Source Model No. AMS 3801".
2. Request that item 6e para 4 be changed to read "The inspection performed under contract by the following firm: Advanced Medical Systems, Inc., One Factory Row, Geneva, OH 44041, (216) 951-0247". Attached as enclosure 1 is a copy of license establishing the qualifications of the vendor.
3. Questions and/or requests for further information should be referred to Mr. S. R. Caswell, SMCCN-QAM, AV: 482-1871 or FTS 336-1871.

1 Encl
as


THOMAS J. KUNHART
Colonel, OrdC
Commanding

1825