

DCS 016

OCT 2 1984

DISTRIBUTION:

Docket File
NRC PDR
Local PDR
ORB#3 Rdg
DEisenhut
OELD
DJordan
JNGrace
LBEngle
PMKreutzer
ACRS (10)
JPartlow

Docket Nos. 50-338
and 50-339

Mr. W. L. Stewart
Vice President - Nuclear Operations
Virginia Electric and Power Company
Post Office Box 26666
Richmond, Virginia 23261

Dear Mr. Stewart:

SUBJECT: IE BULLETIN 80-11/MASONRY WALL DESIGN-NORTH ANNA POWER STATION,
UNITS NO. 1 AND NO. 2 (NA-1&2)

In order to complete our safety evaluation regarding the subject noted above,
we find that additional information is required on the item identified in
the enclosure to this letter.

We request that the additional information be provided within 30 days receipt
of this letter.

The reporting and/or recordkeeping requirements of this letter affect fewer
than ten respondents; therefore, OMB clearance is not required under P.L. 96-511.

Sincerely,

Original signed by:

James R. Miller, Chief
Operating Reactors Branch #3
Division of Licensing

Enclosure:
As stated

cc: See next page

8411150117 841002
PDR ADDCK 05000338
Q PDR

ORB#3:DL
PMKreutzer
10/2/84

ORB#3:DL
LBEngle:dd
10/2/84

ORB#3:DL
JRMiller
10/2/84

Virginia Electric and Power Company

cc:

Richard M. Foster, Esquire
Musick, Williamson, Schwartz,
Leavenworth & Cope, P.C.
P. O. Box 4579
Boulder, Colorado 80306

Michael W. Maupin, Esquire
Hunton, Williams, Gay and Gibson
P. O. Box 1535
Richmond, Virginia 23212

Mr. Paul W. Purdom
Environmental Studies Institute
Drexel University
32nd and Chestnut Streets
Philadelphia, Pennsylvania 19104

Atomic Safety and Licensing Appeal
Board Panel
U.S. Nuclear Regulatory Commission
Washington, DC 20555

Ellyn R. Weiss, Esquire
Sheldon, Harman, Roisman and Weiss
1725 I Street, N.W., Suite 506
Washington, DC 20006

Mr. E. W. Harrell
P. O. Box 402
Mineral, Virginia 23117

Mr. Anthony Gambardella
Office of the Attorney General
11 South 12th Street - Room 308
Richmond, Virginia 23219

Resident Inspector/North Anna
c/o U.S. NRC
Senior Resident Inspector
Route 2, Box 78
Mineral, Virginia 23117

Mr. J. H. Ferguson
Executive Vice President - Power
Virginia Electric and Power Co.
Post Office Box 26666
Richmond, Virginia 23261

Mrs. Margaret Dietrich
Route 2, Box 568
Gordonsville, Virginia 22042

Mr. W. T. Lough
Virginia Corporation Commission
Division of Energy Regulation
P. O. Box 1197
Richmond, Virginia 23209

U.S. Environmental Protection Agency
Region III Office
ATTN: Regional Radiation
Representative
Curtis Building
6th and Walnut Streets
Philadelphia, Pennsylvania 19106

Regional Administrator
Nuclear Regulatory Commission
Region II
Office of Executive Director
for Operations
101 Marietta Street N.W., Suite 2900
Atlanta, Georgia 30323

Old Dominion Electric Cooperative
c/o Executive Vice President
Innsbrook Corporate Center
4222 Cox Road, Suite 102
Glen Allen, Virginia 23060

Mr. Richard C. Klepper
Board of Supervisors
Louisa County Courthouse
P. O. Box 27
Louisa, Virginia 23093

MASONRY WALL DESIGN
IE BULLETIN 80-11
REQUEST FOR ADDITIONAL INFORMATION

NORTH ANNA UNITS 1 AND 2

With respect to the boundary conditions used in the analysis, the Licensee indicated in Reference 1 that fixity was used at the base of a block wall built on a concrete slab. At the perpendicular intersection of two block walls, fixity was also used at those corner joints constructed of alternating courses of running bond. The Licensee is requested to provide the technical basis for assuming fixed-end conditions for these cases. It is believed that without some clamping devices to prevent rotation of the boundary, the assumed boundary conditions may not be valid.