

Docket No.: 50-423

Mr. William G. Council
Senior Vice President
Nuclear Engineering and Operations
Northeast Nuclear Energy Company
P. O. Box 270
Hartford, Connecticut 06101

Dear Mr. Council:

Subject: Request for Additional Information Concerning Design of
Reactor Coolant Pump P1 Snubbers

A meeting was held with your staff on September 13 and 14, 1984, to obtain clarification of load combinations used in the design of the reactor coolant loop heavy component supports. During this meeting, the staff was informed that an error was made in the calculations associated with the design of the load path for the reactor coolant pump (P1) snubber support.

Your staff indicated in the meeting that this error only occurred in the design of the reactor coolant pump P1 snubbers. You are requested to provide information concerning how this error occurred, what actions were taken to assure that this error only occurred in the design of the P1 snubber and not in the design of other components and their supports, and what assurance you have that the design of components and their supports is acceptable as installed.

Your written response should be provided no later than thirty days from the date of this letter.

For further information or clarification, please contact the Licensing Project Manager, Elizabeth L. Doolittle at (301) 492-4911.

Sincerely,


Frank Miraglia/for
Darrell G. Eisenhut, Director
Office of Nuclear Reactor Regulation
Division of Licensing

cc: See next page

DISTRIBUTION:

<u>Docket File</u>	NSIC	EJordan
NRC PDR	EDoolittle	RHeischman
L PDR	LB#1 Rdg.	OELD
PRC System	ACRS (16)	MRushbrook

RETYPE 11/05/84 (kab)
*SEE PREVIOUS PAGE FOR CONCURRENCES

LB#1:DL	LB#1:DL	AD:L:DL	
EDoolittle:kab	*BJYoungblood	*TNovak	
11/5/84	10/17/84	10/17/84	

8411160453 841108
PDR ADOCK 05000423
A PDR

MILLSTONE

NOV 08 1984

Mr. W. G. Council
Senior Vice President
Nuclear Engineering and Operations
Northeast Nuclear Energy Company
Post Office Box 270
Hartford, Connecticut 06141-0270

cc: Gerald Garfield, Esq.
Day, Berry & Howard
City Place
Hartford, Connecticut 06103-3499

Mr. Maurice R. Scully, Executive
Director
Connecticut Municipal Electric
Emergency Cooperative
268 Thomas Road
Groton, Connecticut 06340

Robert W. Bishop, Esq.
Corporate Secretary
Northeast Utilities
Post Office Box 270
Hartford, Connecticut 06141

Mr. T. Rebelowski
Senior Resident Inspector Office
U. S. Nuclear Regulatory Commission
Millstone III
P. O. Box 615
Waterford, Connecticut 06385

Mr. Michael L. Jones, Manager
Project Management Department
Massachusetts Municipal Wholesale
Electric Company
Post Office Box 426
Ludlow, Massachusetts 01056

Mr. Thomas Murley
U. S. Nuclear Regulatory Commission,
Region I
631 Park Avenue
King of Prussia, Pennsylvania 19406

Mr. Brian Norris
Public Affairs Office
U. S. Nuclear Regulatory Commission,
Region I
King of Prussia, Pennsylvania 19406