

FORM NRC-313 I (3-80) 10 CFR 30		U.S. NUCLEAR REGULATORY COMMISSION 1. APPLICATION FOR: <i>(Check and/or complete as appropriate)</i>		
APPLICATION FOR BYPRODUCT MATERIAL LICENSE INDUSTRIAL		a. NEW LICENSE		
See attached instructions for details. Completed applications are filed in duplicate with the Division of Fuel Cycle and Material Safety, Office of Nuclear Material Safety, and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555 or applications may be filed in person at the Commission's office at 1717 H Street, NW, Washington, D. C. or 7915 Eastern Avenue, Silver Spring, Maryland.		b. AMENDMENT TO: LICENSE NUMBER 20-01677-02		
		c. RENEWAL OF: LICENSE NUMBER		
2. APPLICANT'S NAME <i>(Institution, firm, person, etc.)</i> Mount Holyoke College TELEPHONE NUMBER: AREA CODE - NUMBER EXTENSION 413-538-2000		3. NAME AND TITLE OF PERSON TO BE CONTACTED REGARDING THIS APPLICATION Dr. Joan Davis, Assistant to the President TELEPHONE NUMBER: AREA CODE - NUMBER EXTENSION X 3027		
4. APPLICANT'S MAILING ADDRESS <i>(Include Zip Code)</i> <i>(Address to which NRC correspondence, notices, bulletins, etc., should be sent.)</i> South Hadley, MA 01075		5. STREET ADDRESS WHERE LICENSED MATERIAL WILL BE USED <i>(Include Zip Code)</i> Mount Holyoke College South Hadley, MA 01075		
(IF MORE SPACE IS NEEDED FOR ANY ITEM, USE ADDITIONAL PROPERLY KEYED PAGES.)				
6. INDIVIDUAL(S) WHO WILL USE OR DIRECTLY SUPERVISE THE USE OF LICENSED MATERIAL <i>(See Items 16 and 17 for required training and experience of each individual named below)</i>				
FULL NAME		TITLE		
a. Add to current list in item #6 of our current license application:				
b. Dr. Lilian Hsu - 413-538-2213		Biochemistry Professor		
c.				
7. RADIATION PROTECTION OFFICER		Attach a resume of person's training and experience as outlined in Items 16 and 17 and describe his responsibilities under Item 15.		
8. LICENSED MATERIAL				
LINE NO.	ELEMENT AND MASS NUMBER A	CHEMICAL AND/OR PHYSICAL FORM B	NAME OF MANUFACTURER AND MODEL NUMBER <i>(If Sealed Source)</i> C	MAXIMUM NUMBER OF MILLICURIES AND/OR SEALED SOURCES AND MAXIMUM ACTI- VITY PER SOURCE WHICH WILL BE POSSESSED AT ANY ONE TIME D
(1)	P-32	any		200 mCi
(2)	I-125	any		20 mCi
(3)	S-35	any		50 mCi
8503120328 850220 REG1 LIC30 20-01677-02 PDR				
DESCRIBE USE OF LICENSED MATERIAL E				
(1) <input checked="" type="checkbox"/> Dr. Hsu will need the above increases to our current license maximums in order to (2) conduct her research involving RNA or DNA sequencing, in-vivo labelling of (2) cellular components, in vitro labelling of RNA, RNA-DNA hybridization, aminoacylation of t RNA's and other similar work. (3) (4) <input checked="" type="checkbox"/> Per Dr. Hsu 9/2/81 - This material will be used for research & teaching & training				

ML10

"OFFICIAL RECORD COPY"

9. STORAGE OF SEALED SOURCES

LINE NO.	CONTAINER AND/OR DEVICE IN WHICH EACH SEALED SOURCE WILL BE STORED OR USED. A.	NAME OF MANUFACTURER B.	MODEL NUMBER C.
(1)	No Change Requested		
(2)			
(3)			
(4)			

10. RADIATION DETECTION INSTRUMENTS

LINE NO.	TYPE OF INSTRUMENT A.	MANUFACTURER'S NAME B.	MODEL NUMBER C.	NUMBER AVAILABLE D.	RADIATION DETECTED (alpha, beta, gamma, neutron) E.	SENSITIVITY RANGE (milliroentgens/hour or counts/minute) F.
(1)	No Change -	as previously stated in our current license; instrument additions or replacements will be completed per recommendation by R.P.O.				
(2)						
(3)						
(4)						

11. CALIBRATION OF INSTRUMENTS LISTED IN ITEM 10

<input type="checkbox"/> a. CALIBRATED BY SERVICE COMPANY NAME, ADDRESS, AND FREQUENCY	<input checked="" type="checkbox"/> b. CALIBRATED BY APPLICANT Attach a separate sheet describing method, frequency and standards used for calibrating instruments. No Change - as stated in current license.
---	---

12. PERSONNEL MONITORING DEVICES

TYPE (Check and/or complete as appropriate.) A.	SUPPLIER (Service Company) B.	EXCHANGE FREQUENCY C.
<input checked="" type="checkbox"/> (1) FILM BADGE <input type="checkbox"/> (2) THERMOLUMINESCENCE DOSIMETER (TLD) <input type="checkbox"/> (3) OTHER (Specify): _____ _____ _____	Landauer (no longer ICN) No Change - as stated in current license.	<input checked="" type="checkbox"/> MONTHLY <input type="checkbox"/> QUARTERLY <input type="checkbox"/> OTHER (Specify): _____ _____ _____

13. FACILITIES AND EQUIPMENT (Check where appropriate and attach annotated sketch(es) and description(s).)

<input checked="" type="checkbox"/> a. LABORATORY FACILITIES, PLANT FACILITIES, FUME HOODS (Include filtration, if any), ETC. <input checked="" type="checkbox"/> b. STORAGE FACILITIES, CONTAINERS, SPECIAL SHIELDING (fixed and/or temporary), ETC. <input checked="" type="checkbox"/> c. REMOTE HANDLING TOOLS OR EQUIPMENT, ETC. <u>Reference:</u> current license; page 2 of letter dated July 17, 1979. <input type="checkbox"/> d. RESPIRATORY PROTECTIVE EQUIPMENT, ETC.
--

14. WASTE DISPOSAL

a. NAME OF COMMERCIAL WASTE DISPOSAL SERVICE EMPLOYED No Change - as stated in current license
b. IF COMMERCIAL WASTE DISPOSAL SERVICE IS NOT EMPLOYED, SUBMIT A DETAILED DESCRIPTION OF METHODS WHICH WILL BE USED FOR DISPOSING OF RADIOACTIVE WASTES AND ESTIMATES OF THE TYPE AND AMOUNT OF ACTIVITY INVOLVED. IF THE APPLICATION IS FOR SEALED SOURCES AND DEVICES AND THEY WILL BE RETURNED TO THE MANUFACTURER, SO STATE. No Change - as stated in current license.

INFORMATION REQUIRED FOR ITEMS 15, 16 AND 17

Describe in detail the information required for Items 15, 16 and 17. Begin each item on a separate page and key to the application as follows:

15. RADIATION PROTECTION PROGRAM. Describe the radiation protection program as appropriate for the material to be used including the duties and responsibilities of the Radiation Protection Officer, control measures, bioassay procedures (if needed), day-to-day general safety instruction to be followed, etc. If the application is for sealed source's also submit leak testing procedures, or if leak testing will be performed using a leak test kit, specify manufacturer and model number of the leak test kit.
16. FORMAL TRAINING IN RADIATION SAFETY. Attach a resume for each individual named in Items 6 and 7. Describe individual's formal training in the following areas where applicable. Include the name of person or institution providing the training, duration of training, when training was received, etc.
 - a. Principles and practices of radiation protection.
 - b. Radioactivity measurement standardization and monitoring techniques and instruments.
 - c. Mathematics and calculations basic to the use and measurement of radioactivity.
 - d. Biological effects of radiation.
17. EXPERIENCE. Attach a resume for each individual named in Items 6 and 7. Describe individual's work experience with radiation, including where experience was obtained. Work experience or on-the-job training should be commensurate with the proposed use. Include list of radioisotopes and maximum activity of each used.

18. CERTIFICATE

(This item must be completed by applicant)

The applicant and any official executing this certificate on behalf of the applicant named in Item 2, certify that this application is prepared in conformity with Title 10, Code of Federal Regulations, Part 30, and that all information contained herein, including any supplements attached hereto, is true and correct to the best of our knowledge and belief.

WARNING.—18 U.S.C., Section 1001; Act of June 25, 1948; 62 Stat. 749; makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

<p>a. LICENSE FEE REQUIRED (See Section 170.31, 10 CFR 170)</p> <p>\$40.00/Amendment</p>	<p>b. CERTIFYING OFFICIAL (Signature)</p> <p><i>Joan Davis</i></p> <p>c. NAME (Type or print)</p> <p>Dr. Joan Davis</p>
<p>(1) LICENSE FEE CATEGORY: Byproduct material 3.K.</p>	<p>d. TITLE</p> <p>Assistant to the President</p>
<p>(2) LICENSE FEE ENCLOSED: \$</p>	<p>e. DATE</p> <p>8/3/81</p>

#15 No Change - as stated in current license.

#16 & 17 Type C license - Radiation Safety Committee review determines all user's abilities to safely use radioisotopes, Dr. Hsu has met all criteria as stated in our current license (ref: 10CFR 33.15(b)).