



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

March 11, 1985

DOCKETED
USNRC

85 MAR 12 P4:28

James P. Gleason, Chairman
Administrative Judge
513 Gilmore Drive
Silver Spring, MD 20901

Dr. Jerry R. Kline
Administrative Judge
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, DC 20555

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

Mr. Glenn O. Bright
Administrative Judge
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, DC 20555

In the Matter of
CLEVELAND ELECTRIC ILLUMINATING COMPANY, ET AL.
(Perry Nuclear Power Plant, Units 1 and 2)
Docket Nos. 50-440 OL, 50-441 OL

Dear Administrative Judges:

For your information, I am forwarding to you and the parties copies of recent NRC-CEI correspondence concerning compliance with the new hydrogen control rule.

Sincerely,

Colleen P. Woodhead
Counsel for NRC Staff

Enclosure: As stated

cc w/ encl.: Ms. Hiatt
Mr. Lodge
Mr. Silberg

cc w/o encl.: Rest of service list

DS07



THE CLEVELAND ELECTRIC ILLUMINATING COMPANY

P.O. BOX 5000 - CLEVELAND, OHIO 44101 - TELEPHONE (216) 622-9800 - ILLUMINATING BLDG. - 55 PUBLIC SQUARE

Serving The Best Location in the Nation

MURRAY R. EDELMAN
VICE PRESIDENT
NUCLEAR

March 1, 1985
PY-CEI/NRR-0199 L

Mr. B. J. Youngblood, Chief
Licensing Branch No. 1
Division of Licensing
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Perry Nuclear Power Plant
Docket Nos. 50-440; 50-441
SER License Condition (5)
Hydrogen Control

Dear Mr. Youngblood:

This letter and its attachments are provided in response to your letter dated February 20, 1985, and to address SER License Condition (5) regarding hydrogen control for degraded core accidents. The attachments provide the hydrogen design information described in our February 5, 1985 letter (PY-CEI/NRR-0186L), including our preliminary evaluation of the PNPP distributed igniter system. This submittal is consistent with the scope of information described in our letter, which the staff found acceptable for determining compliance with hydrogen control requirements to support a full power operating license for the Perry Nuclear Power Plant.

If you have any questions, please let me know.

Very truly yours,

Murray R. Edelman
Vice President
Nuclear Group

MRE:njc

Attachments

cc: Jay Silberg Esq.
John Stefano (2)
J. Grobe

*1001
11 Limited
Dist*

8503060216 850301
PDR ADCK 05000440
A PDR