

DCD

May 22, 1996

Lawrence K. English  
Assistant General Counsel  
Northeast Ohio Regional  
Sewer District  
3826 Euclid Avenue  
Cleveland, Ohio 44115-2504

Dear Mr. English:

I am writing in response to the March 7, 1996 telephone conversation between you and members of my staff, regarding the use of the Advanced Medical Systems, Inc. (AMS) facility located at 1020 London Road, Cleveland, Ohio. In the conversation, you indicated that AMS was not currently performing licensed activities at the facility, and that AMS had not performed licensed activities there for the past few years.

In response to your statement, on April 29 and 30, 1996, during a routine, unannounced safety inspection at AMS, two NRC inspectors interviewed AMS workers and reviewed AMS' records regarding the performance of licensed activities at the 1020 London Road facility. The interviews and record review revealed that, during 1995 and 1996, licensed activities were performed at the 1020 London Road facility. Specifically, during 1995, AMS workers used licensed materials to perform "beam-off" tests of teletherapy heads on seven occasions. No such tests have been performed in 1996. During 1995, AMS received shipments of cobalt-60 sources on two occasions, and shipped cobalt-60 sources offsite on two occasions. During 1996, AMS received a Co-60 source on one occasion. In addition, in 1996, AMS workers packaged and prepared two Co-60 sources for future shipment offsite.

In summary, during 1995 and 1996, licensed activities have been performed at AMS' facility located at 1020 London Rd., Cleveland, Ohio.

Please do not hesitate to contact me should you have any further questions regarding AMS.

Sincerely,

Original signed by

Geoffrey C. Wright, Acting Deputy Director  
Division of Nuclear Materials Safety

Docket No. 030-16055  
License No. 34-19089-01

See Attached Distribution

DOCUMENT NAME: G:\LTRS2LIC\MTLS\030\96316055.L13

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII	C	RIII	C	RIII		RIII	C
NAME	MWeber:dp		JMadera		GWright			
DATE	05/21/96		05/21/96		05/22/96		05/21/96	

OFFICIAL RECORD COPY

290000  
9605290151 960522  
PDR ADOCK 03016055  
C PDR

TE07  
11

Distribution

Michael R. White, Mayor  
City of Cleveland  
601 Lakeside Avenue  
Cleveland, OH 44114

Lisa Mehringer  
City of Cleveland Law Department  
601 Lakeside Avenue, Room 106  
Cleveland, OH 44114

Erwin J. Odeal, Executive Director  
Northeast Ohio Regional Sewer District  
3826 Euclid Avenue  
Cleveland, OH 44115

Erv Ball, Deputy Director  
Cuyahoga County Board of Health  
1375 Euclid Avenue, Suite 524  
Cleveland, OH 44115

Michael Kalstrom, Secretary  
County of Cuyahoga  
Cuyahoga Emergency Management  
Assistance Center  
1255 Euclid Avenue, Room 102  
Cleveland, OH 44115-1807

Jane Harf, Chairperson  
Ohio State Emergency Response  
Commission  
1800 Watermark Drive  
P.O. Box 163669  
Columbus, OH 43216-3669

Robert E. Owen, Administrator  
Department of Health  
246 North High Street, 3rd Floor  
P.O. Box 118  
Columbus, OH 43266

Marian Zobler  
U.S. Nuclear Regulatory Commission  
Rockville, MD 20555

bcc:

C. Jones, NMSS  
PUBLIC IE07  
AMS File

E-mail:

Bruce Berson (BAB1)  
Cynthia Jones (CGJ)  
Tim Johnson (TCJ)  
John Madera (JRM4)  
Kevin Null (KGN)  
Cindy Pederson (CDP1)

Bill Brach (EWB)  
Mike Stein (MHS)  
Mike Weber (MFW1)  
Marian Zobler (MLZ)  
Bernie Bordenick (BMB)  
Josie Piccone (JMP1)

Joe DeCicco (JXD1)  
Jim Caldwell (JLC1)  
Fred Combs (FCC)  
Donald Cool (DAC)  
Steve Crockett (SFC)  
Geoffrey Wright (GCW)