50-454/455 OL I-R-11 INTERVENOR EXHIBIT R-11 R-11 R-11

CHRONOLOGY OF EDISON'S RESPONSES TO INTERROGATORY 12

May 9, 1984	Intervenors' First Set of Interrogatories served.
June 25, 1984	Responses to First Set of Interrogatories (including Interrogatory 12) provided.
July 26, 1984	After cross-examination of Mr. Singh, Edis- on informed Intervenors that Edison's re- sponse to Interrogatory 12 was incorrect.
July 31, 1984	Edison provided First Amended Response to Interrogatory 12.
August 3, 1984	Intervenors informally requested breakdown of numbers contained in response to Interrogat- ory 12. (served August 6, 1984)
August 13, 1984	Dr. Ericksen's testimony was filed.
August 14, 1984	Edison provided unsigned answer to Inter- venors' requested breakdown of Interrogatory 12.
August 15, 1984	Intervenors sent letter (Attachment A) in- forming Edison's counsel that Edison's First Amended Response to Interrogatory 12 was in- consistent with the breakdown.
August 15, and 16, 1984	Counsel for Edison and Intervenors discus- sed the inconsistencies. On the 16th, coun- sel for Edison orally provided new tallies of the breakdown and stated he could be contacted regarding the tallies on August 18, 1984.
August 18, 1984	Counsel for Intervenors unsuccessfully at- tempted to reach counsel for Edison to re- solve inconsistencies.
August 20, 1984	Edison provided a Second Amended Response to Interrogatory 12.
August 20, 1984	Counsel for Intervenors informed counsel for Edison that this second amended response was still inconsistent with the breakdown and provided Intervenors tallys.
August 20, 1984 (evening)	Counsel for Edison informed Intervenors that Intervenors tally was correct and stated Edi- son would provide a corrected response to In- terrogatory 12.

8501140309 840821 PDR ADUCK 05000454 G PDR

이 같은 것은 것은 것은 것을 하는 것이 같이 같이 같이 같이 같이 않는 것이 같이 같이 않는 것이 같이		
1		
15510N No. R-11 8/21/89		
5424		
Sstor		
ITORY COMMIS Official Exh. 1.4.2. IDENTIFIED REJECTED REJECTED DATE Witness		
ORY COM Official E D +		
LE COL		
2 4 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
NUCLEAR REGULATORY COMMISSION NUCLEAR REGULATORY COMMISSION The booked has 20 USYG 4555 0L Official Exh. No. R-1/ the the modifier of Lass 0. Revealed 1. 4 2. Stati Internet Internet 1. 1. Stati Internet 1. 1. Stati Internet 1. 4 2. Stati Internet 1. 1. Stati Internet 1. 1. St		
T to		
Docket Ne In the model Ne Staff Applicant Applicant Contractor Curractor Qther Reporter		

(Chronology cont.)

August 22, 1984 (afternoon)

.

August 22, 1984 (evening) Edison provided an (Untitled) Third Amended Response to Interrogatory 12.

Counsel for Intervenors informed Edison that the (Untitled) Third Amended Response contained one error and received authorization to change the incorrect number. ATTACHMENT A

PAGE 10F2



Business and Professional People for the Public Interest

109 North Dearborn Street, Suite 1300 . Chicago, Illinois 60602 . Telephone: (312) 641-5570

August 15, 1984

BY MESSENGER

RPI

Mr. Michael I. Miller Isham, Lincoln & Beale Three First National Plaza 52nd Floor Chicago, IL 60602

> Re: NRC Docket Nos. 50-454 50-455

Dear Mike:

Yesterday, we received Edison's response to Intervenor's First Set of Supplemental Interrogatories.

In checking the answers to Interrogatory 12 Supplement we noted that many numbers are inconsistent with Commonwealth Edison Company's First Amended Response to Interrogatory 12 that we received on July 31, 1984.

For example, for "25 PIPING AND COMPONENT SUPPORTS TEMP. ATTACHMENT INSPECTION" Edison's most recent answer lists 373 original inspections made by 11 original inspectors and 0 reinspections of 0 inspectors. Edison's "corrected" response to Interrogatory 12 that we received on July 31, 1984 listed 27 original inspections made by 4 original inspectors and 13 reinspections of 2 inspectors. It appears that almost every other element listed in Edison's response to Interrogatory 12 Supplement also contains at least one inconsistency.

We would appreciate your checking with the Company immediately to determine the reason for the inconsistencies and to let us know whether Edison's First Amended Response to Interrogatory 12 is in error and/or the Response to Supplemental Interrogatory 12 is in error.

Directors

James W. Ashley President Julian L. Berman Richard P. Kiphart Dora Williams Vice Presidents

Charles M. Hill, Sr. aasur#! Sylvia R. Scheinfeld

Secretary

James M Alter Lucy B. Ascoli Roland C. Baker Barbara T. Bowman Douglass W. Cassel Jr. Frank Cicero Marilyn D. Clancy George Cohan Donald R. Dann Leon M. Despres Luis E. Diaz Perez Carol Y. Farwell From Eller Steve Filter Leon D. Finney

Staunton O Flanders Herbert B. Fried Bernard Gordon Ronald Grzywinski Martin C. Hausman Christie Helner Peter Hunt Arnold B. Kanter Joseph Keliman Elliot Lehman Robert B Litton Michael D Maitz E. Hoy McConnell II John L. McKnight

Byron S. Miller Elena B. Mulcany Eugene Pekow Alexander Polikoff Jeremy Warburg Russo Alan Saks Bettylu K Salizman Dianne L Saulter Bill Singer Cecil J Troy Robert J. Volten James O. Webb Morton Weisman Wayne W. Whalen

Staff

Alexander Polikoff Executive Director Douglass W. Cassel, Jr. General Counsel

John R. Hammell Mary Galloway James Elizabeth L. Lassar Howard A. Learner Jane M. Whicher Atlorneys

Julie M. Kuzera Director of Development Jeanne L. Yeidel

Administrative Assistant Past Presidents

Gordon B. Sherman Elliot Lehman Robert B. Lifton

PAGEZ OFZ

Mr. Michael I. Miller Isham, Lincoln & Beale August 15, 1984 Page Two

Until we are provided with material that we know is correct, we cannot file supplemental testimony. I, therefore, would appreciate your contacting me about the inconsistencies as soon as possible.

Sincerely,

Victoria A. Judison

VAJ/1ds

.

....